22500149666

SUPPLEMENT

TO THE

SIXTY-FIFTH ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES

IN ENGLAND AND WALES.

1891—1900.

PART I.

Presented to both Houses of Parliament by Command of His Majesty.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

And to be purchased, either directly or through any Bookseller, from
WYMAN and SONS, Ltd., Fetter Lane, E.C.,
and 32, Abingdon Street, Westminster, S.W.;
or OLIVER & BOYD, Edinburgh;
or E. PONSONBY, 116, Grafton Street, Dublin.

1907.

[Cd. 2618.] *Price* 4*s.* 3*d.*

WELLCOME INSTITUTE
LIBRARY
Coll. welMOmec
Call
No.

To the Right Honourable JOHN BURNS, M.P., President of the Local Government Board.

SIR,

I HAVE the honour to transmit for your information, and for presentation to Parliament, the accompanying letter officially addressed to me by Dr. Tatham, of this Department.

The letter embodies Part I. of the Decennial Supplement on the mortality of England and Wales in the ten-year period ended 1900.

Part II. of that supplement, containing particulars of the mortality of occupations, is already in an advanced state of preparation, and will be submitted to you in due course.

The present Supplement is the fifth of a series, the first number of which related to the mortality in the ten years 1851–60, and was presented to Parliament in 1864. For the three subsequent decennia similar Supplements were published, the material for the last of these having become so bulky as to render expedient the division of the work into two volumes.

In the earlier part of Dr. Tatham's letter, the various subjects treated of in the present volume are fully set forth. From the mortality statistics contained in that letter we learn that the health of the adolescent, as well as of the adult portion of the community has shown a steady improvement in 1891–1900, as compared with preceding years. When however the mortality of infants in their first year of life is considered, we are met by the sad reflection that the improved conditions affecting adult life have not been shared by this most sensitive portion of the community.

The important subject of infantile mortality, in which you have recently manifested so great a personal interest, has been carefully discussed in the following pages. Its incidence has been traced from one decennium to another throughout the last forty years; and, as regards the ten-year period last ended the rate of infantile mortality from several causes has been given not only for England and Wales as a whole, but for two large groups of counties selected as fairly representative of urban and rural areas respectively.

A new feature in the present volume is the appearance of several charts by means of which it is hoped that the change in mortality from some of the most fatal diseases will be readily traced by those who are specially interested in questions appertaining to the health of the community.

I am,
Sir,
Your faithful servant,
WM. COSPATRICK DUNBAR,
Registrar-General.

General Register Office,
Somerset House,
June, 1907.

To the Right Honourable Lord Strathcona, M.T., President of the Local Government Board.

SIR,

I have the honour to transmit the year's information, and for presentation to Parliament, the accompanying Report officially addressed to me by the Taxation, etc., Commissioner.

The matter contained Part I. of the Report is supplemental on the assessability of Original and Wales in the business period, ended 1906.

Part II. is also supplemental, containing particulars of the history of occupations, as already in an abridged form of presentation, and will be found useful as a guide in the matter.

The work of Supplement to the Fifth of a series of the first number of which appeared in the month of May in the year 1871-60, and was presented as Parliament in 1872. In the three subsequent annuals, similar supplements were published, the material for one of these being the account of Bailey as to matter explanatory the division of the total into two sections.

In the earlier part of the Taxation Report the various subjects treated of in the present volume are fully set forth. From the more recent publications in that series, we have in the book of the information, as well as the attitude of the community, shown a steady improvement in regards, as many and with increasing years.

Taken in conjunction with the tendency of towns in these provinces, the increase of the population of the country, in the aggregate, has been considerably greater than the increase in the population of the towns.

The increase of population, in which you have taken a manifested interest, a personal interest, has been certainly marked in the preceding years. The population has been treated in the preceding volume, the growth the last sixty years; [illegible] the population has been [illegible] the last sixty years; [illegible] the population has been [illegible] the last sixty years; [illegible] the population has been [illegible]

CONTENTS.

	PAGE
Preliminary Remarks	vii
Contents of present Supplement	ix
Modifications adopted in Part I....	ix
Improvement in Public Health	x
Changes in Age Constitution of Population	xii
Chart of Mortality from all Causes, 1838–1905	facing xiv
Life Tables	xv
Methods of Construction	xvi
New English Life Table	xxviii, xlii
New Healthy District Life Table	xxx, lii
Local Variations of Death-rate	lxiv
Overlapping of Areas	lxiv
Density of Population in relation to Mortality	lxviii
Certification of Causes of Death	lxx
Medical Inquiries for Correction of Statistics	lxxi
Deaths from Specified Causes	lxxi
Balance of Loss and Gain from Particular Diseases ...	lxxi
Analysis of Causes of Death	lxxi
Mortality from Small-pox	lxxii
Mortality from Measles	lxxiv
Mortality from Scarlet Fever	lxxiv
Mortality from Influenza	lxxv
Mortality from Whooping Cough	lxxvi
Mortality from Diphtheria...	lxxvii
Mortality from Enteric Fever	lxxix
Chart of Enteric Fever Mortality, 1869–1905...	facing lxxx
Mortality from Diarrhœal Diseases	lxxxiii
Mortality from Puerperal Fever and Childbirth	lxxxv
Mortality from Pneumonia	lxxxvii
Mortality from Tuberculosis	lxxxviii
Summary of Second Interim Report of Royal Commission on Tuberculosis	lxxxviii

1250 Wt 996 6/07 D & S 3 18386

PAGE

Chart of Mortality from Tuberculosis, 1851–1905 ... ... facing xc

Chart of Mortality from Phthisis, 1851–1905... ... ... facing xciv

Age of Maximum Mortality from Phthisis xciv

Mortality from Tuberculous Meningitis xcvii

Mortality from Tuberculous Peritonitis xcvii

Mortality from other Tuberculous Diseases xcviii

Mortality from Rheumatic Fever xcviii

Mortality from Cancer xcix

Chart of Cancer Mortality, 1851–1905 ... ... facing xcix

Mortality from Diabetes Mellitus cii

Mortality from Laryngitis cii

Mortality from Bronchitis ciii

Mortality from Pleurisy civ

Mortality from Bright's Disease civ

Mortality in Infants and Young Children cv

Method of Estimating Populations cxvii

TABLES.

List and Explanation of Tables cxxv

Tables cxxvi

Mean Population, Marriages, Births and Deaths, with Annual Rates per 1000 during the Ten Years 1891–1900, in England and Wales, and in Registration Counties and Districts ... — 1

Changes of Boundaries of Registration Districts, 1891–1900 732

Alphabetical Index of Registration Districts 748

Alphabetical Index of Certain Urban Districts 752

General Alphabetical Index 753

LETTER

TO

The Registrar-General on the Mortality in England and Wales in the Period of Ten Years 1891–1900, by John Tatham, Esq., M.A., M.D., Fellow of the Royal College of Physicians.

Sir,

In a letter addressed, in 1864, to your predecessor, Major Graham, Dr. Farr submitted a detailed statement showing the causes of death and the rates of mortality in every part of England and Wales in the ten years 1851–60. That document was issued as a supplement to the 25th Annual Report of the Registrar-General. At the close of each decennium since that date similar supplements have been compiled—the second by Dr. Farr himself, for 1861–70; the third by Dr. Ogle, for 1871–80; and the fourth by myself, for 1881–90.

In the preface to his first supplement Dr. Farr set forth very clearly the ideal which, in his judgment, should be attained by a treatise of this character. He pointed out that although the abstracts of Marriages, Births, and Deaths published annually by the Registrar-General are valuable as showing, soon after the event, the principal movements of the population, concerning which knowledge is required for administrative purposes, nevertheless, as he phrased it, "the determination of the Law of Mortality requires an extensive area of observation, both in space and time, to eliminate accidental perturbations." He further insisted that the causes affecting the life of the community, especially the life of persons in different occupations, are so various that their influence can only be unravelled by a general analysis of the phenomena in different places through a series of years. The nature as well as the amount of the information contained in the volumes published since Dr. Farr's time has of necessity been modified according to circumstances; nevertheless, the scheme devised by Dr. Farr in 1864 has been in all essential points adhered to by his successors, Dr. Ogle and myself.

I have now the honour to present for your consideration Volume I. of the Decennial Supplement, relating to the Vital Statistics of the ten years 1891–1900. The present is the fifth of a series embracing a period of half a century, and I trust that no important information which found a place in any of its predecessors has been omitted from this volume. This Supplement, like that which immediately preceded it, is divided into two parts. Part I. contains a new English Life

Table, and also a new Healthy District Life Table, as well as a complete series of Tables—the latter, with the accompanying text, affording a retrospect of the Vital Statistics of this country extending over the ten years 1891–1900. Part II., dealing with the mortality of occupations in 1900–02, will contain similar information to that published in the second volume of the previous Decennial Supplement. The material for Part II. is already in a forward state of preparation, and the book will probably be issued towards the end of this year.

In order to render available for reference the facts officially recorded in a long series of blue books, the present opportunity has been utilised to review in greater detail than before and with the aid of improved methods the history of English mortality throughout the last half century, with a view not only of scrutinising the loss of life at present taking place, but also of contrasting this with the loss occurring in the earlier years of the period referred to.* In attempting to trace the changes in English mortality through a series of years, certain precautions must be observed. In the first place it is necessary to repeat that in the early years of the last half century a considerable portion of the residents in remote parts of England and Wales died without medical care, and that consequently their deaths were registered as not certified. In the next place it is noteworthy that the causes of death in combination with ages at death were not abstracted in this office until the year 1847; consequently the earliest complete decennium for which it is possible to calculate approximate rates of mortality by cause and age is that ended 1860. Again, it must be remembered that the Birth and Death Registration Act, which imposed upon medical practitioners the duty of formally certifying the cause of death of their patients, was not passed until 1874. Notwithstanding this, however, for many previous years—in fact ever since the memorable appeal† which, in 1837, the Presidents of the Royal Colleges of Physicians and Surgeons addressed to practitioners of medicine—the cause of death of their patients had been, in most cases, voluntarily attested for registration purposes by medical men. The high importance attaching to these voluntary returns has always been acknowledged by this Department, and the results have been published in the successive reports of the Registrar-General: nevertheless it is obvious that these records cannot be regarded as of equal statistical value with the statutory returns under the Registration Act. And, lastly, it is expedient to repeat the caution which has often been uttered in these reports, namely, that in the course of the last half century the age and sex constitution of the English population has changed considerably, and somewhat irregularly. Therefore, in order that the death-rates in a series of decennia may be fairly comparable it is necessary to compute them on a population of standard constitution with respect to age as well as to sex.

---

* This subject was considered in a different connection in my letter to your predecessor which appeared in his 64th Annual Report. For present purposes, however, the whole of the rates have been revised and rendered more strictly comparable.

† For particulars of this appeal see Registrar-General's Annual Report for 1901, page xxxii.

Accordingly, the principal Tables herewith presented have been corrected in this way, the standard adopted being that of the mean population in the last decennium.

In the following pages the mortality is recorded from various causes, at several groups of ages, in every Registration District and County in England and Wales. In order to emphasize the great differences between the mortality of the town and that of the country a selection has been made from among the Counties of England and Wales showing, in one group, Counties which at the Census of 1901 were mainly Urban in character, containing the chief centres of industry; and, in another group, Counties which, although containing some considerable Urban Communities, were nevertheless mainly Rural in character—the latter group contrasting strongly in this respect with the group first mentioned.

For these County groups, and for the other areas above specified, death-rates have been calculated and as far as possible corrected for differences in age and sex constitution of population. The Counties included in each selected group are enumerated at foot.*

Certain important modifications adopted in the present Report may be mentioned here. Table 1 in the previous decennial Supplement showed a comparison of the density and the crude death-rate in each Registration Division, County and District for five decennia; it is now recognized that the comparison of crude death-rates is likely to lead to erroneous conclusions and that, as has elsewhere been stated, the conditions are now too complex to warrant the formal expression of a relation between density and mortality. For these reasons, and because of the difficulty introduced by numerous changes of boundary, Table 1 of the present Report is presented in an entirely new form. It now contains (*a*) the crude death-rates in the last two decennia, approximately adjusted for deaths in institutions, and also the death-rate in standard population in 1891–1900; (*b*) Infantile mortality; (*c*) Birth-rates (per 1,000 population and per 1,000 females aged

---

* (i) *Urban Registration Counties.*

Glamorgan.
Lancaster.
London.
Middlesex.
Monmouth.
Northumberland.
Nottingham.
Stafford.
Warwick.
East Riding } Yorks.
West Riding }

Estimated Mean Population of these Counties, 1891–1900.

16,465,427

(ii) *Rural Registration Counties.*

Buckingham.
Cambridge.
Cornwall.
Hereford.
Huntingdon.
Lincoln.
North Wales.
Norfolk.
Oxford.
Rutland.
Salop.
Somerset.
South Wales (less Glamorgan).
Suffolk.
Westmorland.
Wilts.

Estimated Mean Population of these Counties, 1891–1900.

4,265,578

15–45 years); and (*d*) Marriage rates—collated from the Abstracts, pp. 3–731. Two further columns have been added showing the percentage of tenements in 1901 of fewer than five rooms, and the percentage of these tenements with more than two persons to a room.

Tables 2, 3, and 4 are here presented in the same form as in the previous Supplement.

In Table 5 the death-rates from the various causes in the several age-groups, which on former occasions had been calculated on the arithmetical means of the populations enumerated at two consecutive Censuses, have now been calculated more precisely, and the rates at all ages in the earlier decennia have been based on the age and sex constitution of the mean population in the recent decennium. As far as possible these death-rates have thus been rendered comparable. It will be noticed that the list of diseases in this table has been modified.

Table 6 is now introduced for the first time; it is similar in form to Table 5, and contains the death-rates at ages in the selected groups of urban and rural counties.* The death-rates at all ages in these county groups have been calculated on the mean age and sex constitution of the general population.

Table 7 of this Report is similar to Table 6 of the preceding one, except that the decennial increase or decrease of population, which was then useful in conjunction with Table P. for correcting the death-rates, has now been omitted as unnecessary.

In the Abstracts (pp. 3–731) the mean populations used for calculating death-rates have been derived by the method described on page cxvii, the mean populations previously adopted having been the arithmetical means of the numbers enumerated at the two Censuses near the beginning and the end of the decennium. In cases where the boundary of a district was altered in the course of the decennium, due allowance for the change has been made in the adopted mean population. Further, the birth-rate for England and Wales, as well as for each county and district, has been calculated as a proportion of the total females living between the ages of 15 and 45 years; in addition to which the birth-rate has been given in the usual way in terms of total population. On the other hand, the decennial increase or decrease per cent. of the population has been omitted, as in the case of Table 7, for the reason above stated.

Improved State of the Public Health.

That the state of the public health in England and Wales has greatly improved in recent years is attested by the steady decrease of mortality that has taken place since the passing of the first Public Health Act. This fact has been made the subject of comment in several recent Annual Reports; but the close of a half-century would appear to afford a fitting opportunity for a retrospect of what has been achieved in the course of that period. Never-

* For constitution of these county groups, see page ix.

TABLE A.—ENGLAND & WALES.—**Persons of both sexes, Males and Females,** at **Eleven Groups of Ages** in a **Million Persons Living** at all Ages in each of the Decennia, **1851-1860, 1861-1870, 1871-1880, 1881-1890,** and **1891-1900.**

AGE-PERIODS.	1851–1860.	1861–1870.	1871–1880.	1881–1890.	1891–1900.
	BOTH SEXES.				
All Ages	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000
0—	132,887	134,930	135,400	128,679	118,520
5—	116,767	118,064	120,237	119,006	112,289
10—	105,768	105,880	107,310	109,571	107,071
15—	97,116	96,147	97,103	100,007	100,800
20—	92,018	89,631	88,997	90,486	93,525
25—	150,091	147,190	146,529	148,630	156,097
35—	116,225	115,240	113,211	114,039	118,688
45—	85,414	87,313	85,674	84,950	87,609
55—	57,321	58,700	59,050	58,044	58,396
65—	32,521	33,267	33,226	33,510	33,622
75 & upds.	13,872	13,638	13,263	13,078	13,383
AGE-PERIODS.	MALES.				
All Ages.	488,434	487,048	486,762	485,527	484,057
0—	66,633	67,589	67,660	64,122	59,052
5—	58,514	58,997	59,963	59,333	56,000
10—	53,269	53,313	53,875	54,806	53,521
15—	48,196	47,749	48,329	49,720	49,986
20—	43,578	42,361	42,399	42,922	44,106
25—	71,412	69,792	70,063	71,131	74,159
35—	56,542	55,454	54,405	55,095	57,412
45—	41,704	42,270	40,997	40,472	41,980
55—	27,548	28,171	27,998	27,151	27,212
65—	15,011	15,410	15,305	15,184	15,026
75 & upds.	6,027	5,942	5,768	5,591	5,603
AGE-PERIODS.	FEMALES.				
All Ages	511,566	512,952	513,238	514,473	515,943
0—	66,254	67,341	67,740	64,557	59,468
5—	58,253	59,067	60,274	59,673	56,289
10—	52,499	52,567	53,435	54,765	53,550
15—	48,920	48,398	48,774	50,287	50,814
20—	48,440	47,270	46,598	47,564	49,419
25—	78,679	77,398	76,466	77,499	81,938
35—	59,683	59,786	58,806	58,944	61,276
45—	43,710	45,043	44,677	44,478	45,629
55—	29,773	30,529	31,052	30,893	31,184
65—	17,510	17,857	17,921	18,326	18,596
75 & upds.	7,845	7,696	7,495	7,487	7,780

theless, it will be well to utter a caution, at this stage, against the prevalent tendency to attribute to the results of sanitary administration alone the whole of the life-saving which has taken place, and which is represented by a steadily falling death-rate.

From what follows it will appear that a considerable share of the fall in the crude death-rate depends on changes in the age-constitution of the living, and this quite independently of other causes. It will therefore be expedient to inquire how much of this fall can thus be accounted for, so that an approximate estimate may be formed of the amount of life salvage that may justly be accredited to sanitary, educational and other remedial agencies.

In Part I. of the last Decennial Supplement, as well as in subsequent Annual Reports, attention was directed to the serious fall in the English birth-rate—a fall which appears to be even yet persisting. In the year 1876 the birth-rate was as high as 36·3 per thousand of the population, but from that year to the end of last century the fall has been almost uninterrupted, the birth-rate in 1900 being only 28·7 per thousand. This change in the rate of birth, continuing for between twenty and thirty years, has considerably modified the age-constitution of the population, and consequently the general death-rate; for, mortality is known to vary considerably at the different stages of life. Table A., which is similar in form to a Table published in previous Decennial Supplements, has been prepared to show the age and sex constitution of the mean population, in each of the last five intercensal periods. On comparing the figures for each decennium it will be seen that the proportion in the population of children under 10 years of age increased until 1871–80 and thereafter declined, until in the recent decennium it was considerably less than in 1851–60. It further appears that the increase in the proportion of the living at ages 10–15 years continued until 1881–90, and then declined. Corresponding to these changes at the earlier ages there was at first a decrease and afterwards an increase in the proportion of persons living at the earlier adult ages. At subsequent ages the proportions varied somewhat irregularly. The changes in the birth-rate shown in Table 4 of the Annual Reports are consistent with the changes in the proportions of young persons living in the population. Inasmuch as the mortality of children of tender age is very high whilst that of young adults is very low, it is obvious that the effect of these changes in the age constitution of the living will be to alter the mortality at all ages, irrespective of any reduction that may have been caused by sanitary improvements. In your 67th Annual Report, p. xlviii, the interdependence of the birth-rate and the death-rate is discussed at considerable length.

In the decennium 1841–50 the mortality at all ages, uncorrected for age and sex differences of population, was in the proportion of 22·28 per thousand living. Bearing in mind the extreme variations of mortality with age, it may be stated that if the numbers of the living at the several age-groups had been in the same proportion in that decennium as they were in 1891–1900 the death-rate *at all ages* in the earlier period would have been

TABLE B.—ENGLAND AND WALES.—**Annual Rate of Mortality** per 1000 among **Persons of both Sexes, Males and Females,** in successive Decennia.

BOTH SEXES.

Ages.	1841-1850.	1851-1860.	1861-1870.	1871-1880.	1881-1890.	1891-1900.	Increase or Decrease per cent. in 1891-1900 compared with preceding Decennium.
All Ages	21·74	21·33	21·51	20·49	18·73	18·19	- 2·9
0—	66·03	67·60	68·60	63·38	56·76	57·74	+ 1·7
5—	9·03	8·46	7·99	6·47	5·30	4·34	- 18·1
10—	5·27	4·97	4·49	3·71	3·03	2·51	- 17·2
15—	7·46	7·04	6·42	5·35	4·37	3·73	- 14·6
20—	9·28	8·67	8·21	7·07	5·63	4·74	- 15·8
25—	10·25	9·76	9·83	8·96	7·56	6·40	- 15·3
35—	12·85	12·31	12·75	12·67	11·46	10·51	- 8·3
45—	17·03	16·54	17·40	17·75	17·14	16·76	- 2·2
55—	29·86	28·86	30·42	31·61	31·39	31·47	+ 0·3
65—	63·59	61·74	62·82	65·03	64·97	65·04	+ 0·1
75 & upds.	162·81	159·78	159·52	161·86	154·31	152·17	- 1·4

MALES.

Ages.	1841-1850.	1851-1860.	1861-1870.	1871-1880.	1881-1890.	1891-1900.	Increase or Decrease per cent. in 1891-1900 compared with preceding Decennium.
All Ages	22·37	22·04	22·48	21·64	19·79	19·32	- 2·4
0—	71·20	72·43	73·47	68·42	61·61	62·71	+ 1·8
5—	9·16	8·51	8·19	6·71	5·35	4·31	- 19·4
10—	5·12	4·88	4·48	3·71	2·95	2·45	- 16·9
15—	7·05	6·69	6·19	5·25	4·32	3·79	- 12·3
20—	9·50	8·83	8·48	7·36	5·73	5·06	- 11·7
25—	9·94	9·57	9·94	9·34	7·77	6·76	- 13·0
35—	12·85	12·48	13·48	13·80	12·40	11·50	- 7·3
45—	18·22	17·96	19·26	20·07	19·37	18·95	- 2·2
55—	31·81	30·85	33·14	34·88	34·71	34·95	+ 0·7
65—	67·51	65·33	67·12	69·72	70·46	70·39	- 0·1
75 & upds.	168·56	165·40	165·46	169·30	162·67	160·09	- 1·6

FEMALES.

Ages.	1841-1850.	1851-1860.	1861-1870.	1871-1880.	1881-1890.	1891-1900.	Increase or Decrease per cent. in 1891-1900 compared with preceding Decennium.
All Ages	21·14	20·67	20·60	19·40	17·74	17·14	- 3·4
0—	61·09	62·74	63·71	58·34	51·94	52·80	+ 1·7
5—	8·89	8·42	7·80	6·23	5·26	4·37	- 16·9
10—	5·42	5·06	4·51	3·72	3·11	2·57	- 17·4
15—	7·88	7·38	6·65	5·45	4·42	3·67	- 17·0
20—	9·08	8·53	7·97	6·81	5·54	4·46	- 19·5
25—	10·55	9·92	9·72	8·61	7·38	6·08	- 17·6
35—	12·91	12·15	12·07	11·63	10·58	9·59	- 9·4
45—	16·04	15·20	15·65	15·62	15·11	14·74	- 2·4
55—	28·44	27·01	27·92	28·67	28·47	28·44	- 0·1
65—	60·97	58·66	59·12	61·02	60·41	60·72	+ 0·5
75 & upds.	157·89	155·45	154·93	156·12	148·05	146·46	- 1·1

NOTE.—The death rates at all ages in the earlier decennia are based on the sex and age constitution of the mean population in 1891-1900.

21·74 per thousand, instead of 22·28 the crude death-rate formerly published.

In order to illustrate graphically the fluctuations in mortality through a long series of years several charts have been prepared for the present report, in all of which the rates of mortality have been based on the age and sex constitution of the population enumerated at the Census of 1901. Accordingly the indications afforded by the chart curves are deserving of some confidence.

The first chart, inserted opposite this page, shows for the several years from 1838 to 1905 inclusive the corrected death-rates per 1000 living at all ages, from all causes—for persons of both sexes together, as well as for males and females separately. The curves are accurately drawn so that they may be read with some precision. Thus, the death-rate for both sexes in 1838 appears as about 21·7 per 1000 whilst that for 1905 appears as almost exactly 15·2 per thousand.

By reference to Table B. we learn that very considerable changes have taken place in the mortality of England and Wales in the course of the last half century; and this, not only at all ages taken together, but at every separate stage of life. On comparing the present Table with any of its predecessors* most of the rates will be found to differ slightly from those previously published; the rates at the several age groups in the earlier decennia having now been recalculated on more precise estimates of population, and those at All Ages having been based on the assumption that the age and sex constitution of the population was the same in each of the earlier decennia as in the last.

In the ten years 1881–90 the general mortality in England and Wales was equal to a rate of 18·73 per thousand living, and in the ten years under present review the rate was 18·19 per thousand—a decrease of 2·9 per cent. as compared with a decrease of 8·6 per cent. in the preceding ten years. In the recent decennium, as in its immediate predecessor, the decrease was shared by each sex; the rate of males having fallen by 2·4 per cent., and that of females by 3·4 per cent. Except among children of both sexes under five years, among men aged 55–65, and among women aged 65–75, there has been a decrease at every age period specified in the table; and even at the excepted ages the increase is very small. But, what is especially significant in present circumstances is the fact that the decrease in child mortality (0–5 years) which for twenty years previously had been observed, has now given place to an increase—albeit this is of small amount.

Consideration of the subject of general mortality is resumed at page lxiv.

---

* *E.g.*, Part I., Dec. Supp., 1881–90, p. vii.: Dec. Supp. 1871–80, p. iv.

ENGLAND & WALES.—ALL CAUSES, 1838-1905: CORRECTED DEATH-RATES PER THOUSAND LIVING AT ALL AGES.



1024. B. 07. Wt 996. 1250.

Weller & Graham, Ltd Litho. London.

Life Tables.

Since the introduction of Civil registration five Life Tables, based upon the general mortality of the whole Country, have been published in the Official Reports. They are as follows :—

The First (English Life Table, No. 1) was based on the population enumerated in 1841 and the deaths registered during the same year ; it appears in the Registrar General's 5th Annual Report.

The Second (English Life Table, No. 2) was based on the population enumerated in 1841 and the deaths registered in the seven years 1838–44. The Table for Males, together with various Annuity and Insurance Tables is to be found in an Appendix to the 12th Annual Report ; that for Females in the 20th Annual Report.

The Third (English Life Table, No. 3) was based on the Census enumerations of 1841 and 1851 and the deaths registered in the 17 years 1838–54. It was published, with a large number of Insurance Tables founded on it, as a separate volume in 1864.

The fourth was founded on the mortality in the 10 years 1871–80 and appears in the Supplement to the Registrar General's 45th Annual Report, pages vii, viii.

The fifth was based on the mortality in the 10 years 1881–90 and is to be found in the 1st Part of the Decennial Supplement to the 55th Annual Report, pages ix.–xx. ; the results are further discussed at pages cii.–cxvii. of Part II. of that Supplement.

In addition to these five Tables, two others have been constructed on the mortality experienced in selected Healthy Districts ; fuller reference to these two Tables will be made subsequently (*see* page xx), but it may be mentioned here that the first was based on the mortality in 63 districts with low death-rates during the period 1841–1850, and was embodied in a paper read in 1859 by Dr. Farr before the Royal Society ; it appeared in the "Philosophical Transactions" for that year, and was partly reprinted in the Registrar General's 33rd Annual Report (page 441, *et seq.*), and in Part II. of the Supplement to the 55th Report (pages cxc.–cxciv.). The second was based on the mortality in 263 Healthy Districts in 1881–1890. This Life Table is to be found in the Supplement to the Registrar General's 55th Annual Report, Part II., pages clxxxiv.–cxciv.

The utility of Life Tables is now so well established as a means of comparing the effects of changes of mortality at different ages in successive periods of time, that it has been deemed advisable to construct two new Life Tables—one based on the mortality of England and Wales in the ten years 1891–1900, the other on the mortality in selected Healthy Districts during the same period. The task of the construction of Life Tables is a somewhat difficult one. If it were possible to obtain, in addition to the number of births, an accurate record of the numbers reaching certain stated ages, it would be a simple process to calculate the chance of living from any one age to any other—as, for example, from the beginning of one year of life to the beginning of the next ; and these

chances or probabilities of living one year (p_x) would constitute a set of fundamental values from which the other details of the Life Table could readily be obtained. Such data, however, are not available, and it is necessary to calculate the chance of living one year from the enumerated population and the registered deaths tabulated in groups of years of life.

In a work of this character an initial difficulty arises from the misstatements of age, which are known to exist both in the Census enumerations and in the Death Registers, and it cannot be determined whether or not the proportional amount of error is the same in each set of records. The nature and extent of these misstatements, as far as populations are concerned, are fully discussed in the Report on the Census of 1901 (page 51, *et seq.*). Probably the causes which tend to misstatements in the Census Returns tend also in some degree, although not in the same degree, to similar misstatements in the Death Registers. A principal source of error—the practice of stating ages in round numbers, or in multiples of 10 years—can be overcome by grouping the data in periods of life of which these round numbers are the centres. This method, which eliminates much of the error due to misstatement of age, has been adopted in the Annual Reports of the Registrar General from a very early date. Other errors, due to statement of the age at the *next* birthday, instead of at the *last* birthday, to overstatement in the case of old people, or to misstatement in the case of younger persons, doubtless exist, but their elimination cannot be effected with certainty.

Methods of Construction.

The new Life Table for England and Wales has been constructed on the estimated means of the populations enumerated at the different ages in 1891 and 1901, and on the deaths registered in the decennium 1891–1900, both of which are shown, together with the rates of mortality in the several age-groups, on pages 4 and 5 of the Abstracts of this Volume: the births and deaths of children under 5 years of age in the years 1886–1900 have specially been taken into account. The method adopted for estimating the mean population of England and Wales and its several parts is explained at page cxvii; and Table B. on page xiii shows the rates of mortality at the several age-groups in successive decennia from 1841 onwards. The new Healthy District Table is based on the mortality in 260 registration districts which had corrected death rates below 14 per 1000 during the decennium. The basis of this Table is more fully discussed at page xx.

Before dealing with the special features of the new Tables, or instituting comparisons between these and the earlier Tables, it will be well to indicate briefly some modifications of the method of construction which have been adopted from time to time. The method followed by Dr. Farr in the calculation of the first three Tables is described in the reports mentioned above; it depended largely upon the assumption that the observed rate of mortality in any age-group is the rate at the central age of the group. The fourth Table, that for 1871–80, was founded on the preceding

Table (No. 3) by making allowance for the different rates of mortality prevailing in the two periods.

The method used in the construction of the Table for the years 1881–90 differed considerably from that previously employed. In the Decennial Supplement relating to those years it is briefly described as follows:—"In order to avoid risking the assumption that the death rate in any age-group is exactly equal to the death-rate at the central age of that group, the population and deaths in a number of separate years of age (25–26, 35–36, &c.) were calculated by interpolation: the probability (p_x) of living through each of these years of age was next ascertained, and the probabilities for intermediate years were then calculated by interpolation. The construction of that part of a Life Table which relates to the first quinquennium of life presents special difficulties. In the first place, the population figures as enumerated for the separate ages, although they are published in the Census Reports, are excessively untrustworthy, and, in the second place, the method of interpolation is inapplicable, because of the wide variations of mortality during this part of life. Recourse has therefore been had to the statistics of births and of deaths of young children, in the years 1876–90; by the help of these figures the mean age constitution of the group 0–5 years in the decennium 1881-90 has been calculated." (Part II., page cv.)

To explain more fully the first part of this quotation it may be said that the series of populations and deaths were thrown into the form $\log(2P + D)$ and $\log(2P - D)$, where P and D are respectively the population and deaths *at and above* each age. By interpolation the values of $\log(2P + D)$ and $\log(2P - D)$ and thus of $(2P + D)$ and $(2P - D)$ were obtained at ages 26, 36, &c., the differences between these values and the corresponding fundamental values at ages 25, 35, &c., gave twice population plus deaths, and twice population minus deaths, in the years of age 25–26, 35–36, &c. From these the values of p_x at ages 25, 35, &c., were calculated on the assumption that the deaths in each year of age occur evenly throughout the year.

The scheme of interpolation was to take the values of $\log p_x$ at ages 5, 15, 25, &c., in groups of five, beginning successively at ages 5, 15, &c. Each series thus covered a period of 40 years, but, from the consideration that the interpolated values near the centre of a series will be nearer the truth than those at the end, only the terms relating to the middle 20 years of each series were used. By this means two values of $\log p_x$ were obtained at a particular age. Thus, taking for example the nine ages 26–34 inclusive, there was one set of values derived from the group with central age 25, and another from the group with its centre at age 35. A mean of the two values at each age was formed by multiplying the first set by the following factors:—

(1) ·97553	(4) ·65451	(7) ·20611
(2) ·90451	(5) ·50000	(8) ·09549
(3) ·79389	(6) ·34549	(9) ·02447

and the second set by these factors reversed, and by adding together the two products at each age. By this means the greatest weight was given to those terms nearest the centre of

a group and the least to those farthest from it. The factors are empirical and are derived from the Curve of Sines : they are the numerical values of the expression $\frac{1 + \cos\frac{\pi x}{10}}{2}$ when x is given successive integral values from 1 to 9.

The use of overlapping series in this manner ensures greater interdependence among the terms of a series which from its nature must be regarded as continuous, and gives a more regular result than could be hoped for by the use of abutting series.

In the construction of the Table for 1881–90, the populations and the deaths in the quinquennial groups 5–10, 10–15, 15–20, and 20–25 were not used separately, but were thrown into two ten-year groups 5–15 and 15–25 years.

The present Table has been constructed mainly on the same principle, the only modifications being that the recorded facts in the quinquennial groups 5–10, 10–15, 15–20, and 20–25 were used separately and that the population and the deaths at each year of age were obtained by interpolating the series of population and deaths separately, instead of interpolating the combined series of population plus deaths and population minus deaths. The main reason for adopting the first-mentioned modification was that the probability of living reaches a maximum about 10 years of age, and it is well to fix as many points of the curve as possible by direct observation. It is probable also that the estimated mean populations at these ages were affected by misstatement of age to a much smaller degree in 1891–1900 than in 1881–1890. The reason for the second modification was that the characteristic features of the death curve would be better preserved if the deaths were interpolated separately than they would be if interpolated in conjunction with the population. It was expected that the adoption of this course might result in some irregularities in the derived values of p_x and it probably does so to a small extent; but it is believed that the final results of the table represent very nearly the conditions which would prevail under the mean rates of mortality observed during 1891–1900.

The introduction of values at ages 10 and 20 rendered a modification of the scheme of interpolation necessary. From age 5 years to age 25 years the data were available in groups of 5 years, and from age 25 years onwards in groups of 10 years. Further, to ensure a satisfactory junction of the series below and above 5 years the value at age 4 was also introduced. It will be seen that the values of $\log_2 P$ and $\log D$ had to be interpolated for each year of life onwards from age 5 years from 12 known values at ages 4, 5, 10, 15, 20, 25, 35, 45, 55, 65, 75, and 85, the data at ages 95 and upwards being evidently unsuited for purposes of calculation, owing to inaccurate statement of age. These terms were taken in 8 groups of 5 terms each, beginning successively with 4, 5, 10 . . . . . 45, and the interpolation was effected on the assumption of a constant fourth difference. As in 1881–1890, only the middle part of each series was used, and the two values of these functions at each age were blended by means of the factors shown on page xvii ; the factors used in the cases where the

interval was only 5 years being (2), (4), (6), and (8). The scheme of interpolation will be comprehended readily when set out as follows. Representing either series ($\log 2P$ or $\log D$) by u_x (where x represents the age) the 8 groups of terms selected for interpolation were :—

Group 1	u_4, $[u_5, u_{10}, u_{15}]$, u_{20}.
,, 2	u_5, $[u_{10}, u_{15}, u_{20}]$, u_{25}.
,, 3	u_{10}, $[u_{15}, u_{20}, u_{25}]$, u_{35}.
,, 4	u_{15}, $[u_{20}, u_{25}, u_{35}]$, u_{45}.
,, 5	u_{20}, $[u_{25}, u_{35}, u_{45}]$, u_{55}.
,, 6	u_{25}, $[u_{35}, u_{45}, u_{55}]$, u_{65}.
,, 7	u_{35}. $[u_{45}, u_{55}, u_{65}]$, u_{75}.
,, 8	u_{45}, $[u_{55}, u_{65}, u_{75}, u_{85}]$.

Only the parts of the series which are enclosed in brackets were used in the final calculation, and the parts within the brackets which are common to any series and the following one show the two sets of values which were blended to give the finally adopted values of $\log 2P$ and $\log D$.

From age 65 until the end of life the values of $\log 2P$ and $\log D$ for the England and Wales table were obtained from the series with its centre at age 65. In the case of the healthy districts, however, it was found that, although by the method just explained continuously decreasing values of 2P and D were obtained, the values of p_x derived from them began to increase at an advanced age. The values of p_x at the higher ages for that table were therefore obtained by extrapolation from the values at ages 45, 55, 65, 75, and 85 calculated in the manner adopted for the English table. An inconsistent result of this nature probably indicates different amounts of misstatement in the census returns and in the death registers, and shows that the figures of the life tables at the higher ages must be used with caution. These figures, however, being small in comparison with the figures at other ages, the probable inaccuracy does not sensibly affect the expectations of life for persons up to middle age, which are the most important results of a life table.

The successive differences of the series of populations and deaths at and above each age, obtained as above, gave the populations and deaths in each year of age ; and from these the probability of living a year was calculated on the assumption that the deaths in each year of age occur evenly throughout the year.

The values of $\log p_x$ are given for Males and Females respectively in the first columns of Tables E and F for England and Wales, and in those of Tables J and K for the Healthy Districts. The small irregularities already referred to would not appreciably affect the other columns of the Table ; they occur mainly between ages 10 and 25 years, and judging from their nature are probably due to misstatements of age. It has been thought advisable to print these values just as they were obtained rather than to attempt the removal of the small irregularities by any process of graduation other than that of blending by the process already mentioned the two values obtained for the populations and the deaths at each age.

A Life Table of the general population represents the result of widely different conditions of existence; and the value for comparative purposes of a Life Table based upon the mortality in the healthiest parts of the country can hardly be disputed. The utility of such a Life Table was recognized by Dr. Farr, when in 1859 he read a paper before the Royal Society and introduced a Life Table of the Sixty-three Healthiest English Districts. These were the Districts (with one exception) whose average death-rates during the years 1841–50 did not exceed 17 per 1,000, calculated to the nearest whole numbers. It must be remembered that these were "crude" death-rates, *i.e.*, the simple ratios of deaths to population; the importance of correction for differences of age and sex constitution of population not having been fully realised at that time. It must further be remembered that, the rates being calculated only to the nearest whole number, the 63 districts were in reality those with rates below 17·5 per 1,000. The Life Table was based on the population of these 63 districts as enumerated in 1851 and on the deaths in the five years 1849–53.

The general reduction of mortality since that period made it possible for the purpose of the last Decennial Supplement to fix a lower rate of mortality as a criterion of healthiness, and at the same time to place the table on a much wider basis than that used by Dr. Farr in 1859; and further the introduction, for the first time, of death-rates corrected for differences of age and sex constitution of population provided a much more accurate measure of mortality than did the crude death-rates available for the purpose of the first Healthy District Table. Consequently it was found possible when selecting districts for the Table of 1881–90 to reduce the limit of mortality from 17·5 per 1,000, as fixed by Dr. Farr in 1859, to 15·0 per 1,000, and even then to deal with no fewer than 263 districts with an aggregate mean population of 4,603,055 persons, representing 46 million years of life—a basis more than nine times as great as that of the older table.

The still lower rates of mortality recorded in 1891–1900 made it necessary either to adopt a wider basis for the present Healthy District Life Table than for the Table for 1881–1890 or to fix a more rigid standard of mortality as a test of healthiness. Reference to Table S shows that after due allowance for differences of age and sex constitution of their populations there were in 1891–1900 no fewer than 352 districts with an aggregate mean population of 7,326,280 persons (or 73¼ million years of life) and with corrected death-rates not exceeding 15 per 1000, while there were 260 districts with an aggregate population of 4,477,485 persons whose death-rates did not exceed 14 per 1000. After due consideration it was decided to further raise the standard of healthiness by adopting the latter alternative. Therefore the present Healthy District Life Table has been based on the mortality in the 260 districts which had in the last decennium corrected death-rates not exceeding 14 per 1000. The new Table relates to 3 fewer districts than the earlier Table, and to 125,570 fewer people.

It should be pointed out, however, that the death-rate 15·0 per 1000 adopted as a limit for the selection of the 263 Healthy Districts in

TABLE C.—**Population and Mortality in Selected Healthy Registration Districts, 1881-1890 and 1891-1900.**

AGES.	263 Districts in 1881–1890.			260 Districts in 1891–1900.		
	Mean Population.	Deaths in 10 years.	Mean Annual Death-rate per 1000.	Mean Population.	Deaths in 10 years.	Mean Annual Death-rate per 1000.
PERSONS.						
All Ages.	4,603,055	737,195	13·82*	4,477,485	680,971	12·97*
MALES.						
All Ages.	2,250,227	376,733	14·26*	2,176,204	346,246	13·49*
0—	282,844	112,296	39·70	251,625	95,516	37·96
5—	279,170	10,827	3·88	255,968	8,134	3·18
10—	267,947	6,099	2·28	254,166	5,023	1·98
15—	231,875	7,782	3·36	224,687	6,573	2·93
20—	170,023	8,799	5·18	166,080	7,283	4·39
25—	279,385	17,173	6·15	284,126	15,182	5·34
35—	232,038	19,773	8·52	239,464	17,794	7·43
45—	195,702	25,049	12·80	195,314	23,655	12·11
55—	157,250	37,991	24·16	152,164	36,353	23·89
65—	106,938	59,393	55·54	104,510	58,115	55·61
75—	41,833	55,608	132·93	42,704	57,096	133·70
85 & upds.	5,222	15,943	305·30	5,396	15,522	287·66
FEMALES.						
All Ages.	2,352,828	360,462	13·40*	2,301,281	334,725	12·49*
0—	283,484	91,801	32·38	252,361	77,644	30·77
5—	278,203	10,723	3·86	255,440	8,216	3·22
10—	258,461	7,011	2·71	245,579	5,528	2·25
15—	213,219	8,983	4·21	208,115	7,344	3·53
20—	190,528	10,134	5·32	188,679	7,848	4·16
25—	315,364	19,595	6·21	325,599	16,203	4·98
35—	258,261	20,547	7·96	265,743	17,660	6·65
45—	216,434	23,151	10·70	217,753	21,801	10·01
55—	169,676	35,743	21·07	168,519	35,236	20·91
65—	114,659	57,045	49·75	116,228	57,695	49·64
75—	47,116	55,914	118·67	49,432	59,543	120·45
85 & upds.	7,423	19,815	266·94	7,833	20,007	255·42

* Based on the sex and age constitution of the mean population of England and Wales, 1891-1900.

1881–1890 was based on the sex and age constitution of the mean population of England and Wales in that decennium, while the limiting rate of 14·0 per 1000 adopted for the new Life Table was based on the mean population as constituted in 1891–1900. It may further be stated that the crude death-rate in the aggregate of the 263 selected healthy districts in 1881–1890 was 16·02 per 1000, and the crude rate in the aggregate of the 260 districts selected in 1891–1900 was 15·21 per 1000, while the corrected death-rates in the two groups of districts when both are based on the age and sex constitution of the general population in 1891–1900, were 13·82 and 12·97 per 1000 respectively. Thus, when referred to a common standard the corrected death-rate of the entire group of healthy districts in 1891–1900 was 0·85 per 1000 lower than that of the 1881–1890 group. Table C shows the mean population and the deaths and death-rates at the several ages for the entire group of Healthy Districts both in 1881–1890 and in 1891–1900.

The following Table shows the proportion of the population of each registration county living within the areas selected as healthy for the latest Life Table, while Table D on page xxiv contains a detailed list of the districts which were included as healthy both in 1881–1890 and 1891–1900; the first part (*a*) of the Table shows that 41 districts which were included in the Life Table of 1881–1890, were excluded from the recent Table because their corrected death-rates in the last decennium exceeded 14 per 1000; the second part (*b*) shows that 222 districts were common to both Tables (although one had been erroneously included in the earlier Table); and the last part (*c*) that 38 districts were included in the new Table, but not in the earlier one. A glance at Table D suffices to show that the districts which experienced these low death-rates are almost exclusively those which are either entirely rural in character or contain only small towns with rural surroundings. London, which was represented by the district of Lewisham in the earlier decennium is quite unrepresented in the new Table, but apart from London no fewer than 181 of the districts are situated in the first 5 registration divisions, which include roughly all those counties south of a line joining the mouth of the Severn and the Wash. North of that line the areas selected as healthy are less numerous and more widely scattered.

Excluding Counties with fewer than 100,000 population at the last Census, the Counties which contributed the largest proportion of their population to the new Table were Buckingham 85 per cent, Oxford 69, Herts 65, Wilts 61, and Sussex and Norfolk 57: all of which are situated south of that line.

Of the total estimated mean population of the first five Registration Divisions, 3,354,051, or 25·6 per cent., are included in the Table; or, if London be excluded, this proportion is 38·4. On the other hand, in the area North of the line mentioned, only 6·4 per cent. of the aggregate population is included in the districts selected as healthy.

The values of log p_x are given for Males and Females respectively in the first columns of Tables E and F for England and Wales, and in

County.	Proportion per Cent. of Mean Population, 1891–1900.	
	Living in Selected Healthy Districts.	Living in remainder of County.
ENGLAND AND WALES	14·6	85·4
London	—	100·0
Surrey	17·7	82·3
Kent...	37·4	62·6
Sussex	57·3	42·7
Hampshire	38·6	61·4
Berkshire	49·5	50·5
Middlesex	—	100·0
Hertfordshire	65·2	34·8
Buckinghamshire	85·0	15·0
Oxfordshire	68·6	31·4
Northamptonshire	31·5	68·5
Huntingdonshire	100·0	—
Bedfordshire	45·5	54·5
Cambridgeshire	40·4	59·6
Essex	26·4	73·6
Suffolk	55·8	44·2
Norfolk	56·9	43·1
Wiltshire	60·8	39·2
Dorsetshire	46·5	53·5
Devonshire	35·9	64·1
Cornwall	26·5	73·5
Somersetshire	35·5	64·5
Gloucestershire	18·7	81·3
Herefordshire	48·8	51·2
Shropshire	45·8	54·2
Staffordshire	—	100·0
Worcestershire	15·6	84·4
Warwickshire	17·4	82·6
Leicestershire	14·3	85·7
Rutlandshire	100·0	—
Lincolnshire	36·1	63·9
Nottinghamshire	10·5	89·5
Derbyshire	4·3	95·7
Cheshire	—	100·0
Lancashire	0·5	99·5
West Riding	1·7	98·3
East Riding	11·9	88·1
North Riding	16·8	83·2
Durham	—	100·0
Northumberland	5·2	94·8
Cumberland	2·6	97·4
Westmorland	79·4	20·6
Monmouthshire	6·6	93·4
South Wales	1·0	99·0
North Wales	—	100·0

TABLE D.—**Selected Registration Districts** on which the HEALTHY DISTRICT LIFE TABLES of **1881-1890** and **1891-1900** are based.

No.	Registration District.	Crude Death-rate, 1881–1890.	Crude Death-rate, 1891–1900.	Corrected Death-rate, 1891–1900.
	(*a*) 41 Districts included in the 1881–1890 Healthy District Life Table only.			
28	Lewisham	13·5	14·2	14·8
82	East Preston	14·7	16·2	15·0
98	South Stoneham	15·0	14·7	14·3
112	Newbury	17·0	16·8	14·1
174	Woburn*	17·8	—	—
181	Newmarket	17·2	16·0	14·0
183	North Witchford	16·6	16·2	14·0
193	Rochford	15·6	15·3	14·8
202	Risbridge	17·0	16·6	14·2
224	St. Faiths	17·2	17·4	14·8
264	Weymouth	15·1	14·4	14·2
268	Bridport	17·2	17·3	14·1
287	Bideford	16·8	16·4	14·4
289	Stratton	17·7	16·6	14·2
307	Bridgwater	16·8	16·6	14·0
329	Stroud..	16·4	15·6	14·1
330	Tetbury	14·8	16·9	14·6
338	Ross	16·8	17·6	14·6
356	Market Drayton	15·7	16·5	14·1
405	Market Bosworth	16·4	16·2	14·6
451	Wirral..	13·6	13·9	14·8
487	Ripon	16·7	16·7	14·4
490	Wetherby	16·8	16·5	14·6
525	Bridlington	16·7	16·7	15·1
529	Thirsk..	16·8	16·1	14·1
535	Stokesley	16·3	16·3	14·1
536	Northallerton	16·3	16·2	14·3
541	Richmond	16·4	16·9	14·8
561	Bellingham	16·4	16·8	14·2
569	Penrith	16·4	16·3	14·6
573	Wigton	16·9	16·7	14·7
577	East Ward	16·3	16·9	14·3
581	Monmouth	16·7	17·2	14·6
602	Newcastle in Emlyn ..	17·7	18·7	15·6
603	Lampeter	16·2	18·5	15·4
604	Aberayron	17·7	19·6	15·0
606	Tregaron	17·2	18·8	14·9
611	Knighton	16·9	16·9	14·5
612	Rhayader	17·2	16·6	14·8
615	Forden	17·3	17·2	14·2
629	Conway	15·4	16·8	16·8
	(*b*) 222 Districts which are included in both Healthy District Life Tables.			
31	Chertsey	13·5	12·9	12·8
34	Hambledon	13·7	12·8	11·6
35	Dorking	14·1	13·8	12·4
36	Reigate	13·2	12·9	12·7
41	Bromley	13·1	12·3	13·1
48	Sevenoaks	14·6	13·3	12·4
49	Tunbridge	15·2	14·8	13·8
51	Hollingbourn	15·8	14·8	12·6
52	Cranbrook	15·5	14·7	12·5
53	Tenterden	15·7	16·1	13·1
54	West Ashford	15·3	14·3	12·8
55	East Ashford	14·7	14·1	11·5
58	Blean	15·9	14·3	12·9
63	Eastry	16·3	15·2	13·2
66	Romney Marsh	15·2	14·4	12·6
67	Rye	15·8	15·2	12·3
69	Battle..	14·1	13·7	12·7
71	Hailsham	16·3	14·5	12·4
72	Ticehurst	14·7	13·7	12·1
73	Uckfield	13·9	13·3	12·0
74	East Grinstead	13·7	13·0	12·0
75	Cuckfield	12·8	12·5	11·5
78	Steyning	14·3	14·0	13·6
79	Horsham	14·5	14·5	13·0
80	Petworth	15·8	14·7	11·9
81	Thakeham	14·1	15·0	12·3
83	Westhampnett	15·3	15·1	12·6
85	Midhurst	14·9	14·6	12·4
86	Westbourne	14·8	15·1	12·3
87	Havant	16·4	14·1	12·3
91	Isle of Wight	15·2	15·2	13·8
92	Lymington	15·1	14·4	12·4

* This district was abolished on 1st October, 1892 *See* page 735.

TABLE D.—**Selected Registration Districts** on which the HEALTHY DISTRICT LIFE TABLES of **1881-1890** and **1891-1900** are based—*continued.*

No.	Registration District.	Crude Death-rate. 1881–1890.	Crude Death-rate. 1891–1900.	Corrected Death-rate, 1891–1900.	No.	Registration District.	Crude Death-rate. 1881–1890.	Crude Death-rate. 1891–1900.	Corrected Death-rate, 1891–1900.
94	Ringwood	15·3	14·5	12·2	159	Hardingstone	16·4	15·1	13·3
95	Fordingbridge	16·8	15·6	12·9	161	Daventry	16·6	16·4	13·4
96	New Forest	14·5	14·3	12·4	162	Brixworth	16·6	15·9	12·5
99	Romsey	15·4	14·3	11·9	166	Oundle	16·1	15·6	11·9
100	Stockbridge..	15·6	14·9	12·0	168	Huntingdon	16·6	16·3	13·6
102	Droxford	15·6	13·6	10·8	169	St. Ives	17·2	16·3	12·8
103	Catherington	15·0	13·1	11·4	170	St. Neots	15·4	16·0	12·6
104	Petersfield	15·5	14·6	12·6	171	Bedford	15·4	13·8	13·3
105	Alresford	15·0	12·7	10·4	177	Caxton	15·6	15·1	11·7
106	Alton	14·9	14·7	12·7	178	Chesterton	16·5	15·5	13·1
107	Hartley Wintney	13·2	13·4	13·4	180	Linton..	16·2	15·4	12·2
108	Basingstoke	15·2	14·1	12·5	184	Whittlesey	17·9	17·4	13·8
110	Andover	16·3	14·8	12·5	187	Epping	15·3	14·3	13·4
111	Kingsclere	14·8	14·6	11·5	188	Ongar	15·4	15·4	12·8
113	Hungerford	16·8	15·6	12·3	192	Chelmsford	15·8	15·0	12·7
114	Faringdon	17·2	16·7	13·6	194	Maldon	16·0	16·0	12·9
115	Abingdon	16·3	15·2	13·2	195	Tendring	16·2	15·1	13·3
116	Wantage	16·5	15·7	13·2	197	Lexden	16·3	15·2	12·3
118	Bradfield	15·0	12·9	11·4	199	Braintree	17·1	15·7	12·7
121	Maidenhead*	14·9	14·4	13·7	200	Dunmow	17·2	16·5	12·4
122	Easthampstead	14·2	12·6	12·0	201	Saffron Walden	16·8	16·3	13·1
130	Ware	16·2	14·5	13·3	203	Sudbury	17·0	17·0	13·9
131	Bishop Stortford	16·3	15·6	13·3	204	Cosford	17·7	17·0	13·5
132	Royston	15·9	15·3	12·1	205	Thingoe	16·1	14·5	11·6
133	Hitchin†	17·1	15·7	13·8	208	Stow	16·9	16·0	13·0
135	Hatfield	15·0	13·6	12·4	209	Hartismere	17·2	16·9	12·9
140	Amersham	15·8	14·7	13·0	210	Hoxne..	15·9	15·4	11·7
141	Eton	14·9	14·1	13·8	211	Bosmere	16·3	15·7	12·3
144	Winslow	17·0	16·7	13·7	212	Samford	16·6	15·6	12·8
145	Newport Pagnell	16·9	15·4	13·4	215	Plomesgate	16·4	16·0	12·8
147	Henley	15·0	13·8	12·7	216	Blything	16·5	15·3	12·0
148	Thame	16·5	16·2	12·8	217	Wangford	16·7	15·4	12·9
151	Bicester	16·2	15·1	12·0	220	Flegg	17·6	16·8	13·9
152	Woodstock	16·8	14·8	12·2	221	Smallburgh	17·3	16·7	13·8
153	Witney	17·4	16·6	13·4	222	Erpingham	16·2	15·2	12·5
154	Chipping Norton	15·1	14·9	12·4	223	Aylsham	16·6	16·2	12·5
156	Brackley	17·0	16·5	13·0	226	Forehoe	16·6	16·1	12·7
157	Towcester	17·3	16·8	13·4	227	Henstead	16·3	14·7	11·4
158	Potterspury	16·2	14·5	13·4	229	Loddon	16·7	15·6	12·1

* Formerly called Cookham.

† Included in the 1881-1890 Life Table in error.

TABLE D.—**Selected Registration Districts** on which the HEALTHY DISTRICT LIFE TABLES of **1881-1890** and **1891-1900** are based—*continued.*

No.	Registration District.	Crude Death-rate. 1881–1890.	Crude Death-rate. 1891–1900.	Corrected Death-rate, 1891–1900.	No.	Registration District.	Crude Death-rate. 1881–1890.	Crude Death-rate. 1891–1900.	Corrected Death-rate, 1891–1900.
230	Depwade	16·7	15·8	12·0	305	Wellington	17·3	15·9	12·9
231	Guiltcross	16·2	15·6	11·8	308	Langport	17·6	16·9	13·3
232	Wayland	17·0	16·1	12·2	311	Wincanton	17·3	14·7	12·1
233	Mitford	17·5	16·9	13·3	312	Frome..	16·9	15·6	13·2
234	Wal-ingham	17·3	16·2	13·1	313	Shepton Mallet	17·1	15·4	12·6
235	Docking	17·8	16·0	12·9	315	Axbridge	16·5	15·9	13·8
236	Freebridge Lynn	16·1	14·9	11·9	316	Clutton	16·9	15·4	13·3
240	Thetford	17·3	16·0	12·9	322	Chipping Sodbury ..	17·3	16·2	13·1
242	Cricklade	17·8	16·7	13·7	323	Thornbury	16·7	15·8	13·2
243	Malmesbury	17·7	15·8	12·8	324	Dursley	17·7	16·2	12·7
244	Chippenham	16·7	15·3	12·9	326	Newent	16·9	16·7	12·7
245	Calne	16·5	15·3	11·9	328	Wheatenhurst	15·9	15·8	12·4
246	Marlborough	15·9	14·6	12·9	331	Cirencester	16·9	15·6	13·1
250	Westbury	16·6	16·4	12·7	332	Northleach	15·0	15·0	11·8
251	Warminster	16·6	16·9	13·3	333	Stow on the Wold ..	17·5	15·3	12·2
252	Pewsey	17·8	16·2	12·5	334	Winchcomb	15·4	15·7	12·5
253	Amesbury	16·7	14·0	12·2	337	Ledbury	16·9	16·9	13·9
255	Wilton	15·7	14·9	11·9	340	Weobley	17·3	17·2	13·5
256	Tisbury	15·7	15·3	12·0	341	Bromyard	16·4	16·3	13·3
257	Mere	17·0	15·4	11·6	342	Leominster	16·4	16·6	13·4
258	Shaftesbury..	16·1	14·9	11·7	343	Kington	16·4	16·7	13·6
259	Sturminster	16·7	15·7	12 3	344	Ludlow	16·8	15·5	13·4
260	Blandford	15·3	15·5	12·5	345	Clun	16·6	16·7	13·6
261	Wimborne	15·4	15·2	12·5	346	Church Stretton	15·3	16·1	12·2
263	Wareham	16·2	15·0	12·4	347	Cleobury Mortimer ..	14·8	14·5	12·0
266	Sherborne	15·8	15·5	13·0	348	Bridgnorth	17·4	15·8	13·1
269	Axminster	16·8	16·2	12·4	349	Shifnal	16·2	15·1	13·4
270	Honiton	17·2	16·5	13·1	353	Ellesmere	16·1	16·9	14·0
274	Totnes..	16·6	15·9	13·8	354	Wem	16·5	15·3	12·2
275	Kingsbridge..	17·5	16·9	13·6	355	Whitchurch	16·0	15·2	13·3
276	Plympton St. Mary ..	16·3	15·1	13·6	377	Tenbury	15·1	16·0	13·6
281	Okehampton	17·0	16·2	13·1	378	Martley	15·4	15·2	12·8
282	Crediton	17·6	16·4	13·1	381	Evesham	15·0	14·6	12·5
284	South Molton	16·3	16·2	12·9	382	Pershore	16·4	16·8	13·5
285	Barnstaple	17·3	16·2	13·7	383	Droitwich	15·4	15·6	13·5
288	Holsworthy	16·6	15·9	13·3	388	Meriden	15·8	15·4	13·0
291	Launceston	17·1	15·5	13·3	393	Rugby	15·4	14·5	13·1
303	Williton	16·3	16·0	12·7	394	Solihull	13·5	13·1	12·8
304	Dulverton	15·4	14·9	12·0	396	Stratford on Avon ..	15·2	16·4	13·6

TABLE D.—**Selected Registration Districts** on which the HEALTHY DISTRICT LIFE TABLES of **1881-1890** and **1891-1900** are based—*continued.*

No.	Registration District.	Crude Death-rate. 1881–1890.	Crude Death-rate. 1891–1900.	Corrected Death-rate, 1891–1900.	No.	Registration District.	Crude Death-rate. 1881–1890.	Crude Death-rate. 1891–1900.	Corrected Death-rate, 1891–1900.
397	Alcester	16·2	15·0	13·2	70	Eastbourne	14·0	12·8	13·7
398	Shipston on Stour ..	16·3	16·4	12·5	109	Whitchurch	17·2	15·3	13·1
399	Southam	16·6	16·5	13·2	120	Wokingham	16·5	14·0	12·3
400	Lutterworth	16·6	16·7	12·7	136	St. Albans	16·2	14·1	13·0
401	Market Harborough ..	16·1	14·4	12·4	139	Berkhampstead	16·8	15·0	13·7
410	Melton Mowbray	16·9	16·0	14·0	142	Wycombe	16·7	14·7	13·5
411	Oakham	16·6	14·9	12·9	146	Buckingham	18·4	15·8	12·5
412	Uppingham	16·0	14·4	12·3	155	Banbury	17·3	16·6	13·9
414	Bourne	17·0	16·5	13·5	165	Thrapston	16·8	15·6	13·7
415	Spalding	17·0	16·3	13·5	173	Ampthill	17·2	16·7	13·4
416	Holbeach	16·9	16·2	13·5	182	Ely	18·0	15·6	12·9
418	Sleaford	16·6	16·0	13·3	198	Halstead	17·3	15·6	12·8
421	Horncastle	16·0	16·0	12·7	207	Mildenhall	19·5	16·9	13·7
422	Spilsby	16·9	15·8	12·7	238	Downham	17·8	17·3	14·0
423	Louth	16·5	16·1	13·2	239	Swaffham	17·1	15·8	12·4
427	East Retford	16·5	15·6	13·3	248	Melksham	16·9	15·0	13·0
432	Southwell	17·8	16·9	13·3	249	Bradford on Avon ..	17·5	15·1	12·8
434	Bingham	17·9	16·1	12·6	267	Beaminster	18·6	16·9	13·2
438	Ashbourne	17·0	16·0	14·0	286	Torrington	17·9	16·1	12·9
478	Garstang	15·5	14·7	13·4	290	Camelford	19·2	15·9	13·0
480	Lunesdale	15·3	14·0	12·6	292	St. Germans	18·9	15·4	13·6
483	Sedbergh	17·3	15·4	12·7	293	Liskeard	17·9	16·4	13·6
488	Great Ouseburn	16·7	15·2	13·1	295	St. Columb	17·5	16·1	13·4
522	Patrington	15·9	15·2	12·5	302	Scilly Islands	21·0	15·7	12·8
523	Skirlaugh	15·7	13·8	12·2	358	Newport	17·6	16·1	13·7
528	Easingwold	15·7	15·9	12·9	402	Billesdon	17·2	14·8	12·5
530	Helmsley	15·9	16·4	13·9	424B	Caistor	17·3	16·3	13·4
537	Bedale	16·6	14·8	11·9	484	Settle	16·7	15·0	13·7
538	Leyburn	16·0	16·2	12·6	512	Thorne	19·3	17·2	13·8
564	Belford	14·4	15·1	13·3	517	Pocklington	16·9	15·6	13·4
566	Glendale	14·5	14·8	13·2	524	Driffield	17·0	15·8	13·7
578	West Ward	14·6	15·8	13·5	527	Malton	16·7	15·5	13·7
579	Kendal	15·5	14·2	13·5	539	Aysgarth	18·0	17·4	13·9
593	Gower	16·5	15·3	13·6	560	Haltwhistle	17·3	14·2	13·9
	(c) 38 Districts included in the 1891–1900 Healthy District Life Table only.				567	Rothbury	16·9	15·8	13·9
					571	Longtown	17·7	16·4	13·8
59	Faversham	16·4	15·3	13·9	580	Chepstow	17·4	15·3	13·4

those of Tables J and K for the Healthy Districts. The numerical values of the chance of living one year are given in Table G for England and Wales, and in Table L for the Healthy Districts. The columns headed d_x in Tables E, F, J, and K show the numbers of deaths occurring in each year of age; they are the successive differences of the numbers in the third column (l_x) which represent the numbers surviving to each year of age, the radix of this column in these Tables being the number of males or of females in a million births of both sexes during the decennium 1891–1900. The numbers of survivors out of a million of each sex born are shown for England and Wales in Table G and for the Healthy Districts in Table L. The column P_x represents the mean population living in each year of age; for each year except the first, P_x is the arithmetical mean of l_x at the same and the succeeding age, the deaths being assumed to occur evenly throughout each year, an assumption very nearly true as far as an interval of one year of life is concerned; for the first year of life the value is obtained by calculating from the recorded deaths at ages 0–3 months, 3–6 months, and 6–12 months the number of years of life lived by those who die in the first year of age, and adding this quantity to the number who survive to the age of 1 year. Q_x is the sum of the P_x column from each age to the end of the Table, and represents the total years to be lived by the persons who survive to age x: the values of Q_x are given for Males and for Females in Tables E and F for England and Wales, and in Tables J and K for the Healthy Districts. E_x is obtained by dividing Q_x by l_x and represents the mean after lifetime or the Expectation of Life of those who reach age x: the values of E_x are given in the Tables just mentioned and are also shown collectively for different times and localities in Tables H, I, M, and N. It will be convenient to discuss first the features of the Life Tables for the whole Country.

The New English Life Table.

The changes of the death-rates at various ages in recent decennia are shown for males and for females in Table B: and it will be seen that as compared with 1881–90 there was an increase in 1891–1900 of nearly 2 per cent. in the mortality of children of each sex under five years, as well as a slight increase among males aged 55–65, and among females aged 65–75 years. At all other age-groups the death-rate has declined, the decrease being very marked in the age-groups 5–35 years. The net result of these changes is a reduction of 2·4 per cent. in the male, and 3·4 per cent. in the female, mortality, computing the rate at all ages in 1881–90 on the age constitution of the mean population of 1891–1900. The Life Table offers a precise method of testing the effect of this altered mortality, and some of the principal features of the Table are here noted:—

Males.—By reference to Table H it will be seen that according to the mortality of 1838–54 a million males born would be reduced to half a million in the forty-fifth year of life; by the Table of 1871–80 this amount of reduction is not effected until the forty-eighth year, and by the Table for 1881–90 not until the fifty-second year; by the new Table the same amount of reduction

is reached in the fifty-third year of life. At the end of the first year of life the survivors are fewer by the new Table than by either of the previous three Tables; this follows as a consequence of the increased infant mortality experienced during the recent decennium. At ages after the first year, however, there is a considerable decline in the rate of mortality, and by the time the eighth year of life is reached the survivors by the new Table slightly exceed those by the Table for 1881–90, and remain in excess, though but slightly, until the age of 12 years. From that age until age 24 the survivors by the new Table are slightly fewer than by the preceding one, but this is probably due to the numbers by the earlier Table being somewhat overstated owing to the rejection of the recorded data at ages 10–15 and 20–25 years. From age 25 years onwards the survivors by the new Table are again in excess.

It was pointed out in the previous Decennial Supplement that the Table for 1881–90 showed fewer survivors at the highest ages than did either of the preceding Tables, and that this feature was probably due to a more accurate statement of age in recent years. It appears probable that a continued improvement in this direction accounts for a similar feature in the new Table, for, although the survivors at these ages are more numerous by the new Table than by the Table for 1881–90, they are not so numerous as by the Tables for 1838–54 and 1871–80.

The average lifetime of males, or the mean expectation of life at birth, by the new Table is 44·13 years; this is 4·22 years more than in 1838–54, 2·78 years more than in 1871–80 and 0·47 years more than in 1881–90. The effect of increased infant mortality during the last decennium is again apparent here, for, while at birth the new Table shows an addition to the mean after lifetime of barely half a year, at the age of 1 year it shows an addition of 1¼ years, and at the age of 2 years an addition of 13 months. From this age onwards the addition to the mean after lifetime at successive ages falls gradually until at ages 7–13 years it is only about two-thirds of a year, after which it rises until it is about three-fourths of a year from ages 14–25; it then drops again almost uninterruptedly until about 70, when for a few years the expectation of Life by the last two Tables is practically identical. After this age there is again an increased addition to the expectation of life, but it must be borne in mind that the results are probably affected in different degrees by misstatement of age. (See Table, page xxxi.)

In the last Decennial Supplement it was shown that by the Life Table for 1838–54 the 495,770 survivors out of a million males born who reached age 45 years would live, on an average, 22·76 years each; that the survivors to the same age by the Table for 1871–80 would live 22·07, and those by the Table for 1881–90 would live 22·06 years. By the new Table it will be seen that the 577,010 survivors at the same age would live an average of 22·20 years.

Females.—By the three earlier Tables a million female children born were reduced to half a million in the 47th, 53rd and 57th year respectively: by the new Table in the 58th year. As in the case of males, the survivors at the end of the first year of Life

are fewer by the new Table than by either of the previous Tables; they are likewise fewer than in 1881–90 until the 25th year, after which they are in excess at every age.

The expectation of life at birth, which had been 41·85, 44·62, and 47·18 years by the three preceding Tables is increased to 47·77 years by the new Table. There is thus an addition of 0·59 years of life owing to the changed rate of mortality in 1891–1900 as compared with the preceding decennium. At the end of the first year of life the addition amounts to 1·29 years, at the end of the second year to 1·16 years and at the end of the third to 1·03 years. After this age the excess falls until it is only four-fifths of a year at ages 6–8 years, when it rises again and exceeds one year at ages 14–20. It then falls gradually until at ages 55 to 75 years, the expectation is practically identical by the two Tables. After age 70 the expectation in 1891–1900 is again in excess by amounts increasing gradually with the advance of age; but the remarks already made as to faulty statement of the ages of males apply also to the ages of females.

The following Table shows in a convenient form the differences between the male and female expectations of life at each year of age according to the mortality experienced in 1881–90 and in 1891–1900, and also for males and females separately the addition to the mean after lifetime at each age in the last decennium.

The New Healthy District Life Table.

From table C on page xxi it may be gathered that in the last decennium the general mortality in the healthy districts was lower by 6·2 per cent. than in 1881–90* the reduction being equal to 5·4 per cent. among males and 6·8 per cent. among females. Closer examination shows that there was no increase of mortality in the age-group 0–5 years, such as is seen to have taken place in the general population, the rates in the new group of healthy districts being uniformly lower than in the earlier group, except at ages 65–85 among males and at ages 75–85 years among females, where there was a very slight excess. Nevertheless, in the healthy districts, as in England and Wales, infantile mortality was higher in 1891–1900 and the number of survivors at the age of one year was smaller by the new Table than by the earlier one. At the age of two years, however, an improvement was shown by the recent table, and this improvement continued, becoming more marked with increase of age. The Table referring to the years 1891–1900 shows that a million males born were reduced by death to one-half in the 64th year of life, and a million females born were reduced to one-half in the 67th year; by the earlier Table for Healthy Districts a similar amount of reduction was effected two years earlier among both males and females. In England and Wales the same amount of reduction among males was reached 11 years earlier in 1891–1900, 12 years earlier in 1881–1890, 16 years earlier in 1871–80, and no less than 19 years earlier in 1838–54 and among females 9, 10, 14, and 20 years earlier, respectively.

* It must be remembered that the two groups did not comprise the same districts in each period, although about five-sixths of them were common to the two Tables.

England and Wales.

Age.	Excess of Female over Male Expectation of Life.		Addition to Expectation of Life in 1891–1900 as compared with 1881–1890.		Age.	Excess of Female over Male Expectation of Life.		Addition to Expectation of Life in 1891–1900 as compared with 1881–1890.	
	1881–1890.	1891–1900.	Males.	Females.		1881–1890.	1891–1900.	Males.	Females.
0	3·52	3·64	·47	·59	50	1·74	1·74	·08	·08
1	2·27	2·31	1·25	1·29	51	1·69	1·69	·07	·07
2	2·14	2·22	1·08	1·16	52	1·63	1·63	·06	·06
3	2·14	2·23	·94	1·03	53	1·59	1·57	·06	·04
4	2·16	2·27	·83	·94	54	1·54	1·51	·06	·03
5	2·17	2·29	·75	·87	55	1·49	1·45	·05	·01
6	2·16	2·30	·69	·83	56	1·43	1·40	·04	·01
7	2·15	2·31	·66	·82	57	1·38	1·34	·04	·00
8	2·12	2·32	·63	·83	58	1·33	1·28	·05	·00
9	2·12	2·33	·63	·84	59	1·28	1·23	·05	·00
10	2·10	2·34	·63	·87	60	1·22	1·17	·05	·00
11	2·09	2·36	·63	·90	61	1·17	1·12	·05	·00
12	2·08	2·37	·66	·95	62	1·12	1·07	·06	·01
13	2·08	2·38	·69	·99	63	1·06	1·02	·05	·01
14	2·08	2·40	·72	1·04	64	1·00	·97	·04	·01
15	2·08	2·40	·74	1·06	65	·95	·93	·03	·01
16	2·10	2·41	·75	1·06	66	·90	·88	·03	·01
17	2·11	2·42	·76	1·07	67	·86	·84	·02	·00
18	2·13	2·42	·77	1·06	68	·81	·79	·02	·00
19	2·14	2·43	·76	1·05	69	·77	·76	·01	·00
20	2·15	2·42	·75	1·02	70	·73	·73	·01	·01
21	2·17	2·41	·75	·99	71	·69	·69	·01	·01
22	2·18	2·40	·74	·96	72	·65	·66	·01	·02
23	2·19	2·39	·74	·94	73	·63	·62	·02	·01
24	2·20	2·37	·73	·90	74	·60	·58	·04	·02
25	2·22	2·36	·73	·87	75	·58	·55	·05	·02
26	2·22	2·34	·71	·83	76	·55	·53	·05	·03
27	2·23	2·33	·68	·78	77	·53	·50	·06	·03
28	2·23	2·33	·64	·74	78	·52	·48	·08	·04
29	2·24	2·32	·59	·67	79	·50	·45	·09	·04
30	2·24	2·32	·55	·63	80	·48	·43	·10	·05
31	2·25	2·31	·50	·56	81	·47	·41	·11	·05
32	2·25	2·32	·45	·52	82	·45	·40	·12	·07
33	2·25	2·30	·41	·46	83	·45	·38	·14	·07
34	2·26	2·30	·37	·41	84	·43	·36	·15	·08
35	2·25	2·28	·33	·36	85	·42	·35	·16	·09
36	2·25	2·27	·30	·32	86	·41	·34	·17	·10
37	2·23	2·25	·27	·29	87	·40	·32	·18	·10
38	2·22	2·23	·25	·26	88	·40	·32	·19	·11
39	2·20	2·20	·23	·23	89	·39	·31	·20	·12
40	2·18	2·18	·22	·22	90	·38	·29	·21	·12
41	2·15	2·15	·20	·20	91	·37	·30	·21	·14
42	2·11	2·12	·19	·20	92	·36	·29	·22	·15
43	2·07	2·08	·17	·18	93	·35	·29	·22	·16
44	2·03	2·04	·15	·17	94	·34	·28	·23	·17
45	1·99	2·00	·14	·15	95	·33	·28	·23	·18
46	1·94	1·96	·12	·14	96	·32	·28	·24	·20
47	1·89	1·90	·11	·12	97	·31	·29	·24	·22
48	1·84	1·85	·10	·11	98	·30	·29	·25	·24
49	1·78	1·81	·08	·11	99	·30	·30	·25	·25

Healthy Districts.

Age.	Excess of Female over Male Expectation of Life.		Addition to Expectation of Life in 1891–1900 as compared with 1881–1890.		Age.	Excess of Female over Male Expectation of Life.		Addition to Expectation of Life in 1891–1900 as compared with 1881–1890.	
	1881–1890.	1891–1900.	Males.	Females.		1881–1890.	1891–1900.	Males.	Females.
0	2·56	2·84	1·39	1·67	50	1·22	1·18	·21	·17
1	1·18	1·40	1·74	1·96	51	1·19	1·15	·19	·15
2	1·01	1·30	1·48	1·77	52	1·15	1·10	·18	·13
3	·99	1·28	1·36	1·65	53	1·13	1·07	·16	·10
4	·98	1·27	1·28	1·57	54	1·10	1·04	·14	·08
5	·96	1·27	1·21	1·52	55	1·06	1·00	·12	·06
6	·94	1·28	1·15	1·49	56	1·03	·98	·10	·05
7	·93	1·28	1·12	1·47	57	1·00	·95	·09	·04
8	·92	1·29	1·10	1·47	58	·97	·92	·08	·03
9	·93	1·29	1·09	1·45	59	·94	·90	·07	·03
10	·94	1·30	1·09	1·45	60	·90	·87	·06	·03
11	·96	1·32	1·08	1·44	61	·88	·84	·06	·02
12	·99	1·33	1·08	1·42	62	·84	·82	·05	·03
13	1·00	1·35	1·07	1·42	63	·81	·79	·04	·02
14	1·03	1·37	1·06	1·40	64	·79	·77	·02	·00
15	1·06	1·39	1·05	1·38	65	·76	·75	·01	·00
16	1·08	1·42	1·03	1·37	66	·73	·73	–·01	–·01
17	1·12	1·46	1·02	1·36	67	·71	·70	–·02	–·03
18	1·15	1·50	1·00	1·35	68	·69	·69	–·03	–·03
19	1·18	1·53	·98	1·33	69	·67	·66	–·03	–·04
20	1·21	1·56	·96	1·31	70	·65	·64	–·04	–·05
21	1·24	1·57	·95	1·28	71	·64	·63	–·04	–·05
22	1·26	1·58	·94	1·26	72	·62	·60	–·03	–·05
23	1·28	1·56	·94	1·22	73	·61	·58	–·02	–·05
24	1·30	1·55	·94	1·19	74	·59	·57	—·02	–·04
25	1·32	1·54	·93	1·15	75	·58	·54	·00	–·04
26	1·33	1·52	·92	1·11	76	·57	·53	·01	–·03
27	1·35	1·51	·90	1·06	77	·56	·51	·03	–·02
28	1·36	1·50	·87	1·01	78	·55	·49	·04	–·02
29	1·38	1·51	·83	·96	79	·54	·47	·07	·00
30	1·39	1·50	·80	·91	80	·53	·46	·08	·01
31	1·40	1·49	·76	·85	81	·51	·44	·09	·02
32	1·42	1·50	·72	·80	82	·50	·42	·11	·03
33	1·43	1·49	·68	·74	83	·49	·41	·12	·04
34	1·44	1·49	·64	·69	84	·48	·40	·13	·05
35	1·46	1·47	·62	·63	85	·47	·38	·15	·06
36	1·47	1·47	·58	·58	86	·46	·37	·16	·07
37	1·47	1·46	·55	·54	87	·44	·35	·17	·08
38	1·47	1·45	·51	·49	88	·43	·33	·18	·08
39	1·47	1·44	·49	·46	89	·41	·32	·18	·09
40	1·46	1·44	·45	·43	90	·40	·30	·19	·09
41	1·45	1·42	·42	·39	91	·39	·29	·19	·09
42	1·44	1·41	·39	·36	92	·37	·28	·20	·11
43	1·42	1·39	·37	·34	93	·37	·26	·21	·10
44	1·39	1·37	·33	·31	94	·35	·25	·20	·10
45	1·37	1·35	·30	·28	95	·34	·24	·21	·11
46	1·34	1·31	·28	·25	96	·32	·23	·20	·11
47	1·32	1·28	·26	·22	97	·30	·22	·20	·12
48	1·28	1·25	·24	·21	98	·29	·20	·20	·11
49	1·25	1·22	·22	·19	99	·28	·20	·19	·11

England and Wales and Healthy Districts.

Age.	Excess of Expectation of Life in Healthy Districts as compared with Expectation of Life in England and Wales (1881–1890).		Excess of Expectation of Life in Healthy Districts as compared with Expectation of Life in England and Wales (1891-1900).		Age.	Excess of Expectation of Life in Healthy Districts as compared with Expectation of Life in England and Wales (1881-1890).		Excess of Expectation of Life in Healthy Districts as compared with Expectation of Life in England and Wales (1891-1900).	
	Males.	Females.	Males.	Females.		Males.	Females	Males.	Females.
0	7·82	6·86	8·74	7·94	50	2·71	2·19	2·84	2·23
1	6·42	5·33	6·91	6·00	51	2·62	2·12	2·74	2·20
2	5·31	4·18	5·71	4·79	52	2·53	2·05	2·65	2·12
3	4·80	3·65	5·22	4·27	53	2·44	1·98	2·54	2·04
4	4·49	3·31	4·94	3·94	54	2·35	1·91	2·43	1·96
5	4·30	3·09	4·76	3·74	55	2·26	1·83	2·33	1·88
6	4·18	2·96	4·64	3·62	56	2·16	1·76	2·22	1·80
7	4·11	2·89	4·57	3·54	57	2·06	1·68	2·11	1·72
8	4·07	2·87	4·54	3·51	58	1·97	1·61	2·00	1·64
9	4·07	2·88	4·53	3·49	59	1·87	1·53	1·89	1·56
10	4·07	2·91	4·53	3·49	60	1·78	1·46	1·79	1·49
11	4·08	2·95	4·53	3·49	61	1·68	1·39	1·69	1·41
12	4·10	3·01	4·52	3·48	62	1·59	1·31	1·58	1·33
13	4·12	3·04	4·50	3·47	63	1·49	1·24	1·48	1·25
14	4·14	3·09	4·48	3·45	64	1·39	1·18	1·37	1·17
15	4·15	3·13	4·46	3·45	65	1·29	1·10	1·27	1·09
16	4·17	3·15	4·45	3·46	66	1·20	1·03	1·16	1·01
17	4·16	3·17	4·42	3·46	67	1·11	·96	1·07	·93
18	4·16	3·18	4·39	3·47	68	1·01	·89	·96	·86
19	4·15	3·19	4·37	3·47	69	·92	·82	·88	·78
20	4·14	3·20	4·35	3·49	70	·84	·76	·79	·70
21	4·13	3·20	4·33	3·49	71	·75	·70	·70	·64
22	4·12	3·20	4·32	3·50	72	·67	·64	·63	·57
23	4·12	3·21	4·32	3·49	73	·59	·57	·55	·51
24	4·11	3·21	4·32	3·50	74	·53	·52	·47	·46
25	4·11	3·21	4·31	3·49	75	·46	·46	·41	·40
26	4·10	3·21	4·31	3·49	76	·39	·41	·35	·35
27	4·08	3·20	4·30	3·48	77	·33	·36	·30	·31
28	4·06	3·19	4·29	3·46	78	·28	·31	·24	·25
29	4·03	3·17	4·27	3·46	79	·22	·26	·20	·22
30	4·00	3·15	4·25	3·43	80	·18	·23	·16	19
31	3·97	3·12	4·23	3·41	81	·14	·18	·12	·15
32	3·93	3·10	4·20	3·38	82	·10	·15	·09	·11
33	3·89	3·07	4·16	3·35	83	·07	·11	·05	·08
34	3·85	3·03	4·12	3·31	84	·04	·09	·02	·06
35	3·79	3·00	4·08	3·27	85	·01	·06	·00	·03
36	3·74	2·96	4·02	3·22	86	−·01	·04	−·02	·01
37	3·68	2·92	3·96	3·17	87	−·03	·01	−·04	−·01
38	3·63	2·88	3·89	3·11	88	−·04	−·01	−·05	−·04
39	3·56	2·83	3·82	3·06	89	−·05	−·03	−·07	−·06
40	3·50	2·78	3·73	2·99	90	−·06	−·04	−·08	−·07
41	3·43	2·73	3·65	2·92	91	−·07	−·05	−·09	−·10
42	3·36	2·69	3·56	2·85	92	−·08	−·07	−·10	−·11
43	3·28	2·63	3·48	2·79	93	−·09	−·07	−·10	−·13
44	3·21	2·57	3·38	2·71	94	−·09	−·08	−·12	−·15
45	3·13	2·51	3·29	2·64	95	−·10	−·09	−·12	−·16
46	3·05	2·45	3·21	2·56	96	−·09	−·09	−·13	−·18
47	2·96	2·39	3·11	2·49	97	−·09	−·10	−·13	−·20
48	2·88	2·32	3·02	2·42	98	−·09	−·10	−·14	−·23
49	2·79	2·26	2·93	2·34	99	−·08	−·10	−·14	−·24

The expectation of life at birth in the newly selected group of healthy districts is 52·87 years for males and 55·71 for females; these expectations show an increase of 1·39 years for males and of 1·67 years for females as compared with 1881–1890, and an increase of 4·31 years and 6·26 years respectively as compared with 1849–1853.

The advantage of expectation in the healthy districts as compared with the whole of England and Wales in the last decennium was no less than 8·74 years for males and 7·94 for females; while, if the comparison be carried back to the period 1838–1854 it will be seen that the expectation of life in the healthy districts in the last completed decennium was about one-third greater both for males and for females than it was among the general population in 1838–1854. The exceptional risks of the first year of life being passed, the expectation of life in the healthy districts rises by 6·26 years for males and 4·82 years for females to 59·13 and 60·53 respectively. At the age of one year the expectation shows an advantage of 6·91 years for males and 6·00 years for females in the healthy districts as compared with the average population. Among both males and females in the healthy districts the expectation of life increases until the age of two years, and then gradually falls, the maximum being reached at the same age as in 1881–1890, but one year of age earlier than in 1849–1853; in England and Wales the maximum occurred one year later both in 1881–1890 and in 1891–1900, and two years later in 1838–1854 and in 1871–1880. The Tables on pages xxxii, xxxiii show in a convenient form (*a*) the excess of female over male expectation of life in the healthy districts at each year of age in 1881–1890 and in 1891–1900; (*b*) the excess of male and female expectation in the healthy districts in the recent, as compared with the preceding decennium, and (*c*) the excess of expectation for each sex in the healthy districts in 1881–1890 and 1891–1900, as compared with England and Wales.

Comparison with earlier Life Tables.

The most striking differences in the several Life Tables are shown by the figures relating to young children; this is illustrated by the subjoined Table, which shows the numbers out of 100,000 of each sex born who die before reaching the fifth year of age.

—	England and Wales.				Selected Healthy Districts.		
	1838–54.	1871–80.	1881–90.	1891–1900.	1849–53.	1881–90.	1891–1900.
Males ..	27,628	26,593	24,851	24,972	18,591	17,314	16,658
Females ..	24,945	23,738	21,676	21,786	16,444	14,483	13,880

It will be seen that in the Healthy Districts of 1891–1900, 16,658 boys and 13,880 girls died under five years of age, the mortality in both sexes being about 4 per cent. less than in the preceding decennium, while among males it was more than 10 per cent. lower, and among females more than 15 per cent. lower than in 1849–53. In England and Wales the loss by death during the first five years of life in the last decennium was 50 per cent.

greater among males and 57 per cent. greater among females than in the Healthy Districts. Stated in another way almost precisely one-fourth of the male children and rather more than one-fifth of the female children born in the whole country died under five years of age, while in the Healthy Districts the proportions were only about one-sixth of the male children and fewer than one-seventh of the female children. In the Healthy Districts, however, the male survivors were as numerous at age 33, and the female survivors at age 31 as they were in the country generally at the age of five years.

In all the Life Tables the expectation of life increases for a year or two after birth, and then falls continuously until the end of life. The increase is most marked in the first year of life, and is due to excessive mortality during that period. The subsequent fall shows that with low risk of death there is a rapid fall of expectation, amounting in those years where the death-rate is lowest to nine-tenths of a year annually; while at later ages, where the risk of mortality again becomes greater, the reduction of expectation from year to year is very small.

The following Table is designed to show the age of the maximum expectation of life, the actual and proportional additions to the expectation by the time that maximum is reached, and the year of life in which the expectation returns to its original level. The figures show that with improvement of health conditions, the age of maximum expectation is reached earlier both in England and Wales and in the healthy districts; this being due in part to the very marked fall in the mortality among children between the ages of one and five years, although it is dependent also upon the decreased death-rates at higher ages.

—		England and Wales.				Selected Healthy Districts.		
		1838-54.	1871-80.	1881-90.	1891-1900.	1849-53.	1881-90.	1891-1900
		MALES.						
Expectation of life at birth ..		39·91	41·35	43·66	44·13	48·56	51·48	52·87
Age of maximum expectation		4	4	3	3	3	2	2
Increase of expectation, from birth to age of maximum	In years	9·90	9·66	9·66	10·13	6·28	6·87	6·96
	Per cent.	24·8	23·4	22·1	23·0	12·9	13·3	13·2
Year of life during which the expectation first falls below that at birth		20th	18th	16th	17th	14th	12th	12th
		FEMALES.						
Expectation of life at birth ..		41·85	44·62	47·18	47·77	49·45	54·04	55·71
Age of maximum expectation		4	4	3	3	3	2	2
Increase of expectation, from birth to age of maximum	In years	8·58	8·58	8·28	8·72	4·96	5·32	5·42
	Per cent.	20·5	19·2	17·5	18·3	10·0	9·8	9·7
Year of life during which the expectation first falls below that at birth		18th	17th	15th	15th	12th	10th	10th

Even in the selected healthy districts the mortality of infants under one year of age is very high, although not nearly so high as in the country as a whole; and from the subjoined Table, in which the deaths during the first year of life are shown for the three age periods 0—3 months, 3—6 months, and 6—12 months, it will be seen that, both in England and Wales and in the healthy districts fewer of the children born reached the age of one year in the last decennium than in 1881–90.

—	Born and Surviving at each Age. l_x				Dying in each interval of Age. d_x			
	England and Wales.		Selected Healthy Districts.		England and Wales.		Selected Healthy Districts.	
	1881–1890.	1891–1900.	1881–1890.	1891–1900.	1881–1890.	1891–1900.	1881–1890.	1891–1900.
Males.								
Born	100,000	100,000	100,000	100,000	7,880	8,470	6,394	6,786
3 months ..	92,120	91,530	93,606	93,214	3,225	3,588	2,161	2,187
6 months ..	88,895	87,942	91,445	91,027	4,999	5,128	3,359	3,177
12 months ..	83,896	82,814	88,086	87,850				
Females.								
Born	100,000	100,000	100,000	100,000	6,209	6,604	4,903	5,130
3 months ..	93,791	93,396	95,097	94,870	2,653	3,002	1,718	1,746
6 months ..	91,138	90,394	93,379	93,124	4,251	4,460	2,729	2,632
12 months ..	86,887	85,934	90,650	90,492				

It will be seen further that the great excess of mortality occurs principally among children less than three months old. It was mentioned in the Registrar-General's 68th Annual Report (p. cxix) that much of the very high mortality at the earliest ages occurs among infants that can hardly be regarded as viable; and it may be inferred from the Table that this remark applies even more forcibly to the healthy districts than to the whole country; for it will be seen that in the healthy districts considerably more than half of the children who die in the first year die in the first quarter of that year—whereas in England and Wales the proportion falls short of one half. In the remarks on infantile and child mortality will be found a Table (page cvii) setting forth, according to the mortality in the year 1905, the numbers of survivors at weeks and months of the first year of life, together with the numbers of deaths and the death-rates in the intervals.

Table O on page lxii has been constructed to show the numbers of survivors at quinquennial ages out of 100,000 born, according to the four English and the three Healthy District Life Tables; while the following Table, which is calculated from Table O, shows how many out of 1,000 survivors at each of these quinquennial ages live another five years. The Table shows that at many ages the chance of living five years is now greater in the

general population than it was in the healthy districts during the period 1849–53. For example, among all males aged 25–30 years the probability of living five years is ·970 or ·017 greater than in 1838–54, and ·009 greater than by the first Healthy District Table.

Age.	England and Wales.				Selected Healthy Districts.		
	1838–54.	1871–80.	1881–90.	1891–1900.	1849–53.	1881–90.	1891–1900.
	Males.						
0	724	734	751	750	814	827	833
5	953	966	976	979	965	982	984
10	975	982	990	988	981	989	990
15	969	977	981	981	974	983	985
20	958	966	974	975	964	977	978
25	953	959	965	970	961	971	975
30	948	950	956	963	959	966	972
35	942	940	946	950	956	961	967
40	933	928	933	937	952	954	960
45	919	913	917	920	943	944	949
50	899	890	894	896	930	928	933
55	870	860	861	861	910	903	906
60	827	814	809	812	865	861	866
65	759	747	740	742	800	798	801
70	663	653	645	643	710	703	698
75	543	534	520	519	593	566	560
80	411	398	373	381	454	397	401
85	283	260	227	247	313	229	248
	Females.						
0	751	763	783	782	836	855	861
5	954	968	978	978	964	982	984
10	974	982	991	987	977	987	989
15	967	977	981	982	968	981	982
20	956	967	974	978	961	975	979
25	951	961	966	973	958	970	977
30	946	955	958	966	955	966	974
35	941	948	952	957	953	963	970
40	935	940	945	948	949	960	965
45	927	930	934	937	944	953	957
50	916	917	915	919	937	939	944
55	886	886	886	887	919	916	918
60	844	842	842	842	874	878	880
65	781	778	776	776	815	818	821
70	691	687	682	681	732	728	725
75	574	572	561	560	618	601	596
80	442	437	420	423	479	447	445
85	311	299	279	287	334	288	293

The features of the Life Tables for the last two decennia are set out in another way in the subjoined table. The recent Healthy District Life Table being taken as a standard, the Table shows the number of survivors at quinquennial ages, by the earlier Healthy District Table and by the two most recent English Tables, to 1,000 survivors by the standard Life Table.

Ages.	Males.				Females.			
	England and Wales.		Selected Healthy Districts.		England and Wales.		Selected Healthy Districts.	
	1881-1890.	1891-1900.	1881-1890.	1891-1900.	1881-1890.	1891-1900.	1881-1890.	1891-1900.
0	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
5	902	900	992	1,000	909	908	993	1,000
10	894	895	990	1,000	904	903	991	1,000
15	894	893	989	1,000	906	902	990	1,000
20	890	889	986	1,000	904	901	988	1,000
25	886	886	985	1,000	899	900	984	1,000
30	877	882	981	1,000	889	896	977	1,000
35	862	874	976	1,000	875	889	969	1,000
40	843	859	970	1,000	859	878	962	1,000
45	820	838	964	1,000	842	863	957	1,000
50	793	813	960	1,000	822	845	952	1,000
55	760	781	955	1,000	796	822	947	1,000
60	722	742	951	1,000	769	795	945	1,000
65	675	696	946	1,000	736	760	943	1,000
70	623	644	943	1,000	696	719	940	1,000
75	573	593	949	1,000	654	675	942	1,000
80	534	550	958	1,000	616	635	951	1,000
85	497	521	949	1,000	581	603	955	1,000

The Table may be read thus :—"The number of births of males which would give 1,000 survivors at 15 years of age by the new Healthy District Table would have given only 989 in the Healthy Districts of 1881–90, and only 893 and 894 respectively in England and Wales in the last and in the preceding decennium." The columns for England and Wales and for the Healthy Districts of 1881–90, trace the cumulative effect of the excess of mortality above the new Healthy District standard. It will be noticed that at the early adult ages the figures relating to England and Wales decrease very slowly, indicating that at these ages the effect of mortality on the number of survivors is almost the same in the country as a whole as it is in the selected districts.

Reference has already been made to the columns in the Life Tables which show the "expectation of life," but these figures are of sufficient importance to justify more minute examination. It has already been pointed out that the expectation of life for males and females respectively in 1891–1900 was 44·13 years and 47·77 years in England and Wales, and 52·87 and 55·71 years in the healthy districts, and that the expectation of life has shown successive improvement from earlier to more recent periods. It must be remembered, however, that these expectations of life represent a mean lifetime of all children born, some of whom die immediately after birth, while others survive to

extreme old age. It is therefore pertinent to ask how much of this mean life-time is lived in infancy, how much in the period of school age, &c.? The column of the Life Tables headed P_x shows, for each year of age, the total years of life lived in that year by those surviving at its beginning, and these values of P_x afford the means of answering the question with considerable accuracy. For this reason the following Table has been prepared to show according to the four English and the three Healthy District Tables the number of years of the mean lifetime which were lived in the age periods indicated in the Table, these periods being adopted arbitrarily to represent Infancy, School Age, Adolescence, Maturity and Decline. The Table shows the average number of years lived in each period to each child born, while comparison of the figures in the successive columns shows the actual gain or loss of mean life-time, as shown by the several life Tables. One very marked feature of the Table is this—that the average number of years lived under the age of 5 has remained practically stationary for each sex, both in England and Wales and in the Healthy Districts, the gain of life in recent years being distributed over the later ages.

Life Period.	Age-limits of Period.	Length of Period in Years.	England and Wales.				Selected Healthy Districts.		
			1838–54.	1871–80.	1881–90.	1891–1900.	1849–53.	1881–90.	1891–1900.
			MALES.						
Infancy ..	0–5	5	3·94	4·01	4·02	3·99	4·29	4·30	4·31
School age ..	5–15	10	6·92	7·11	7·35	7·35	7·88	8·13	8·21
Adolescence	15–25	10	6·51	6·79	7·12	7·11	7·50	7·89	7·99
Maturity ..	25–35	10	5·95	6·29	6·69	6·72	6·95	7·49	7·63
	35–45	10	5·31	5·62	6·04	6·15	6·37	6·95	7·17
	45–55	10	4·54	4·76	5·16	5·29	5·72	6·25	6·52
	55–65	10	3·55	3·63	3·96	4·08	4·82	5·22	5·49
Decline ..	65 and upwards	—	3·19	3·14	3·32	3·44	5·03	5·25	5·55
Total ..	All ages.	—	39·91	41·35	43·66	44·13	48·56	51·48	52·87
			FEMALES.						
Infancy ..	0–5	5	4·07	4·14	4·17	4·14	4·39	4·43	4·44
School age ..	5–15	10	7·19	7·40	7·68	7·66	8·07	8·41	8·48
Adolescence	15–25	10	6·73	7·07	7·44	7·41	7·61	8·12	8·23
Maturity ..	25–35	10	6·12	6·58	6·99	7·05	7·00	7·69	7·87
	35–45	10	5·46	5·95	6·38	6·52	6·37	7·15	7·43
	45–55	10	4·73	5·20	5·63	5·79	5·71	6·53	6·86
	55–65	10	3·82	4·21	4·55	4·71	4·89	5·60	5·92
Decline ..	65 and upwards	—	3·73	4·07	4·34	4·49	5·41	6·11	6·48
Total ..	All ages.	—	41·85	44·62	47·18	47·77	49·45	54·04	55·71

In the subjoined table the figures of the preceding table are reduced to percentages, and it will be seen that both in England and Wales and in the Healthy Districts, the proportion of lifetime lived in infancy has steadily declined both among males and among females; the same feature is observable also at "School Age" (5–15 years), and to a less degree at ages 15–25 years; while beyond age 25 the proportions have with a few small exceptions risen steadily.

Life Period.	Age-limits of Period.	Length of Period in Years.	England and Wales.				Selected Healthy Districts.		
			1838-54.	1871-80.	1881-90.	1891-1900.	1849-53.	1881-90.	1891-1900.
			MALES.						
Infancy ..	0-5	5	9·9	9·7	9·2	9·0	8·8	8·4	8·2
School age ..	5-15	10	17·3	17·2	16·9	16·8	16·2	15·8	15·5
Adolescence	15-25	10	16·3	16·4	16·3	16·1	15·5	15·3	15·1
Maturity	25-35	10	14·9	15·2	15·3	15·2	14·3	14·6	14·4
	35-45	10	13·3	13·6	13·8	13·9	13·1	13·5	13·6
	45-55	10	11·4	11·5	11·8	12·0	11·8	12·1	12·3
	55-65	10	8·9	8·8	9·1	9·2	9·9	10·1	10·4
Decline ..	65 and upwards	—	8·0	7·6	7·6	7·8	10·4	10·2	10·5
Total ..	All ages.	—	100·0	100·0	100·0	100·0	100·0	100·0	100·0
			FEMALES.						
Infancy ..	0-5	5	9·7	9·3	8·8	8·7	8·9	8·2	8·0
School age ..	5-15	10	17·2	16·6	16·3	16·0	16·3	15·6	15·3
Adolescence	15-25	10	16·1	15·9	15·8	15·5	15·4	15·0	14·8
Maturity	25-35	10	14·6	14·7	14·8	14·8	14·2	14·2	14·1
	35-45	10	13·1	13·3	13·5	13·6	12·9	13·2	13·3
	45-55	10	11·3	11·7	11·9	12·1	11·5	12·1	12·3
	55-65	10	9·1	9·4	9·7	9·9	9·9	10·4	10·6
Decline ..	65 and upwards	—	8·9	9·1	9·2	9·4	10·9	11·3	11·6
Total ..	All ages.	—	100·0	100·0	100·0	100·0	100·0	100·0	100·0

The increase of mean lifetime between the ages 25 and 65 years is very marked, and is of special significance because these years may be taken as representing the effective working period of life. The average lifetime of males at these ages rose between the periods 1838–54 and 1891–1900 from 19·35 years to 22·24 years, and of females from 20·13 to 24·07 years; the proportion to the whole period of 40 years having risen from 48 to 56 per cent. for males, and from 50 to 60 per cent. for females. In the healthy districts the proportion in 1849–53 was 60 per cent. for each sex: in 1891–1900 it reached 67 per cent. for males, and 70 per cent. for females. These facts, together with those for intermediate periods are set forth in the following table.

—		England and Wales.				Selected Healthy Districts.		
		1838–54.	1871–80.	1881–90.	1891–1900.	1849–53.	1881–90.	1891–1900.
Average lifetime between 25 and 65 years of age ..	Males ..	19·35	20·30	21·85	22·24	23·86	25·91	26·81
	Females	20·13	21·94	23·55	24·07	23·97	26·97	28·08
Percentage of the entire age period of 40 years, 25–65	Males ..	48	51	55	56	60	65	67
	Females	50	55	59	60	60	67	70

The designations "Infancy," "School Age," "Adolescence," "Maturity," and "Decline" have been used as roughly but conveniently representing the various periods of life, but no scientific precision can be claimed for them. The term "Decline" especially lacks precision, and this period of life might, perhaps, be regarded as beginning at a later age in the healthy districts than in the country as a whole. If an attempt be made to formulate a definite relation between the term "Decline" and the figures of the life-table, it might be assumed to commence when the expectation of life falls to a certain value. By the new English life-table the expectation of life at age 65 is 10·34 years for males and 11·27 for females, and if this amount of expectation be regarded as indicating the commencement of the period of "decline," it will be seen that the period commenced at practically the same age among both males and females of the general population in 1881–90, but about two years later in each sex by the last two healthy district tables. The following table shows the actual and proportional amounts of male and female life lived in "Infancy and School Age," in "Adolescence and Maturity," and in "Decline," on this supposition.

—	Number of Years Lived.				Per cent. of Total Lifetime.			
	England and Wales.		Selected Healthy Districts.		England and Wales.		Selected Healthy Districts	
	1881–90.	1891–1900.	1881–90.	1891–1900.	1881–90.	1891–1900.	1881–90.	1891–1900.
MALES.								
Infancy and School age	11·37	11·34	12·43	12·52	26·0	25·7	24·1	23·7
Adolescence and Maturity.	28·97	29·35	34·68	35·73	66·4	66·5	67·4	67·6
Decline	3·32	3·44	4·37	4·62	7·6	7·8	8·5	8·7
Total	43·66	44·13	51·48	52·87	100·0	100·0	100·0	100·0
FEMALES.								
Infancy and School age	11·85	11·80	12·84	12·92	25·1	24·7	23·8	23·2
Adolescence and Maturity.	30·99	31·48	36·05	37·33	65·7	65·9	66·7	67·0
Decline	4·34	4·49	5·15	5·46	9·2	9·4	9·5	9·8
Total	47·18	47·77	54·04	55·71	100·0	100·0	100·0	100·0

TABLE E.—**Life Table for England and Wales,** based on the Mortality in the Ten Years **1891-1900.—Males.**

Age. x	Logarithm of the chance of Living one Year from each Age. $Log\ p_x$	Dying in each Year of Age. d_x	Born, and Surviving at each Age. l_x	Population, or Years of Life lived, in each Year of Age. P_x	Population, or Years of Life lived, in and above each Year of Age. Q_x	Expectation of Life at each Age. E_x
0	9·9181014	87,440	508,770	453,297	22,453,608	44·13
1	·9762644	22,409	421,330	410,126	22,000,311	52·22
2	·9908562	8,311	398,921	394,765	21,590,185	54·12
3	·9942357	5,150	390,610	388,035	21,195,420	54·26
4	·9957662	3,740	385,460	383,590	20,807,385	53·98
5	·9968949	2,719	381,720	380,361	20,423,795	53·50
6	·9977350	1,972	379,001	378,015	20,043,434	52·88
7	·9983290	1,447	377,029	376,305	19,665,419	52·16
8	·9987264	1,100	375,582	375,032	19,289,114	51·36
9	·9989635	893	374,482	374,036	18,914,082	50·51
10	·9990701	799	373,589	373,189	18,540,046	49·63
11	·9990128	846	372,790	372,367	18,166,857	48·73
12	·9989268	918	371 944	371,485	17,794,490	47·84
13	·9988695	965	371,026	370,544	17,423,005	46·96
14	·9988095	1,013	370,061	369,554	17,052,461	46·08
15	·9986723	1,126	369,048	368,485	16,682,907	45·21
16	·9984732	1,292	367,922	367,276	16,314,422	44·34
17	·9982965	1,435	366,630	365,913	15,947,146	43·50
18	·9981878	1,521	365,195	364,434	15,581,233	42·67
19	·9981142	1,575	363,674	362,887	15,216,799	41·84
20	·9980119	1,654	362,099	361,272	14,853,912	41·02
21	·9978939	1,744	360,445	359,573	14,492,640	40·21
22	·9977823	1,827	358,701	357,787	14,133,067	39·40
23	·9976902	1,893	356,874	355,928	13,775,280	38·60
24	·9976093	1,949	354,981	354,006	13,419,352	37·80
25	·9975254	2,005	353,032	352,030	13,065,346	37·01
26	·9974483	2,057	351,027	349,998	12,713,316	36·22
27	·9973765	2,102	348,970	347,919	12,363,318	35·43
28	·9972988	2,150	346,868	345,793	12,015,399	34·64
29	·9972018	2,214	344,718	343,611	11,669,606	33·85
30	·9970760	2,299	342,504	341,355	11,325,995	33·07
31	·9969166	2 406	340,205	339,002	10,984,640	32·29
32	·9967283	2,536	337,799	336,531	10,645,638	31·51
33	·9965192	2,676	335,263	333,925	10,309,107	30·75
34	·9963040	2,818	332,587	331,178	9,975,182	29·99
35	·9960861	2,959	329,769	328,289	9,644,004	29·24
36	·9958436	3,113	326,810	325,254	9,315,715	28·50
37	·9955799	3,277	323,697	322,058	8,990,461	27·77
38	·9953104	3,442	320,420	318,699	8,668,403	27·05
39	·9950473	3,594	316,978	315,181	8,349,704	26·34
40	·9947995	3,730	313,384	311,519	8,034,523	25·64
41	·9945653	3,851	309,654	307,729	7,723,004	24·94
42	·9943365	3,962	305,803	303,822	7,415,275	24·25
43	·9940971	4,075	301,841	299,803	7,111,453	23·56
44	·9938297	4,201	297,766	295,666	6,811,650	22·88
45	·9935208	4,347	293,565	291,391	6,515,984	22·20
46	·9931720	4 511	289,218	286,963	6,224,593	21·52
47	·9927897	4,688	284,707	282,363	5,937,630	20·86
48	·9923828	4,869	280,019	277,584	5,655,267	20·20
49	·9919544	5,050	275,150	272,625	5,377,683	19·54

TABLE E.—**Life Table for England and Wales,** based on the Mortality in the Ten Years **1891-1900.—Males**—*continued.*

Age. x	Logarithm of the chance of Living one Year from each Age. $Log\ p_x$	Dying in each Year of Age. d_x	Born, and Surviving at each Age. l_x	Population, or Years of Life lived, in each Year of Age. P_x	Population, or Years of Life lived, in and above each Year of Age. Q_x	Expectation of Life at each Age. E_x
50	9·9915080	5,230	270,100	267,485	5,105,058	18·90
51	·9910397	5,409	264,870	262,166	4,837,573	18·26
52	·9905385	5,591	259,461	256,665	4,575,407	17·63
53	·9899931	5,783	253,870	250,979	4,318,742	17·01
54	·9893873	5,989	248,087	245,092	4,067,763	16·40
55	·9887014	6,217	242,098	238,990	3,822,671	15·79
56	·9879075	6,478	235,881	232,642	3,583,681	15·19
57	·9870213	6,754	229,403	226,026	3,351,039	14·61
58	·9860756	7,025	222,649	219,136	3,125,013	14·04
59	·9850974	7,274	215,624	211,987	2,905,877	13·48
60	·9840970	7,491	208,350	204,605	2,693,890	12·93
61	·9830654	7,681	200,859	197,018	2,489,285	12·39
62	·9819707	7,856	193,178	189,250	2,292,267	11·87
63	·9807691	8,027	185,322	181,309	2,103,017	11·35
64	·9794124	8,209	177,295	173,190	1,921,708	10·84
65	·9778658	8,401	169,086	164,886	1,748,518	10·34
66	·9761540	8,585	160,685	156,392	1,583,632	9·86
67	·9742726	8,749	152,100	147,726	1,427,240	9·38
68	·9722099	8,885	143,351	138,908	1,279,514	8·93
69	·9699554	8,988	134,466	129,972	1,140,606	8·48
70	·9674936	9,049	125,478	120,954	1,010,634	8·05
71	·9648142	9,061	116,429	111,898	889,680	7·64
72	·9619020	9,017	107,368	102,859	777,782	7·24
73	·9587445	8,913	98,351	93,894	674,923	6·86
74	·9553247	8,743	89,438	85,066	581,029	6·50
75	·9516294	8,505	80,695	76,442	495,963	6·15
76	·9476414	8,199	72,190	68,090	419,521	5·81
77	·9433426	7,827	63,991	60,077	351,431	5·49
78	·9387114	7,392	56,164	52,468	291,354	5·19
79	·9337408	6,901	48,772	45,321	238,886	4·90
80	·9283950	6,365	41,871	38,689	193,565	4·62
81	·9226681	5,792	35,506	32,611	154,876	4·36
82	·9165261	5,196	29,715	27,117	122,265	4·11
83	·9099555	4,591	24,519	22,223	95,148	3·88
84	·9029324	3,991	19,928	17,932	72,925	3·66
85	·8954347	3,410	15,936	14,231	54,993	3·45
86	·8874427	2,860	12,526	11,096	40,761	3·25
87	·8789318	2,352	9,666	8,491	29,665	3·07
88	·8698858	1,894	7,315	6,368	21,174	2·89
89	·8602874	1,491	5,421	4,675	14,806	2·73
90	·8501207	1,147	3,930	3,356	10,131	2·58
91	·8393671	860	2,783	2,353	6,775	2·43
92	·8280261	629	1,922	1,608	4,422	2·30
93	·8160828	447	1,294	1,071	2,814	2·17
94	·8035497	308	847	693	1,743	2·06
95	·7904203	206	539	436	1,050	1·95
96	·7767199	134	333	266	615	1·85
97	·7624627	84	199	157	349	1·75
98	·7476862	51	115	90	192	1·67
99	·7324400	30	64	50	102	1·58
100	·7167696	17	35	26	52	1·51
101	·7007569	9	18	14	26	1·44
102	·6844993	5	9	7	12	1·36
103	·6680947	2	4	3	6	1·28
104	·6516844	1	2	1	2	1·18
105	·6354197	1	1	1	1	1·02

Note.—The figures at the higher ages in the d_x, l_x, P_x, and Q_x columns were calculated to one or more places of decimals. For convenience the nearest whole numbers only are printed, but the Expectations of Life are derived from the more exact values.

TABLE F.—**Life Table for England and Wales,** based on the Mortality in the Ten Years **1891-1900.—Females.**

Age. x	Logarithm of the Chance of Living one Year from each Age. $Log\ p_x$	Dying in each Year of Age. d_x	Born, and Surviving at each Age. l_x	Population, or Years of Life lived, in each Year of Age. P_x	Population, or Years of Life lived, in and above each Year of age. Q_x	Expectation of Life at each Age. E_x
0	9·9341659	69,096	491,230	448,256	23,467,034	47·77
1	·9779552	20,892	422,134	411,688	23,018,778	54·53
2	·9911624	8,083	401,242	397,201	22,607,090	56·34
3	·9941695	5,243	393,159	390,537	22,209,889	56·49
4	·9958335	3,704	387,916	386,064	21,819,352	56·25
5	·9969210	2,714	384,212	382,855	21,433,288	55·79
6	·9977260	1,992	381,498	380,502	21,050,433	55·18
7	·9982962	1,486	379,506	378,763	20,669,931	54·47
8	·9986777	1,149	378,020	377,446	20,291,168	53·68
9	·9989056	949	376,871	376,396	19,913,722	52·84
10	·9989949	869	375,922	375,488	19,537,326	51·97
11	·9989489	906	375,053	374,600	19,161,838	51·09
12	·9988688	974	374,147	373,660	18,787,238	50·21
13	·9988247	1,008	373,173	372,669	18,413,578	49·34
14	·9987835	1,041	372,165	371,644	18,040,909	48·48
15	·9986678	1,137	371,124	370,556	17,669,265	47·61
16	·9984922	1,282	369,987	369,346	17,298,709	46·75
17	·9983455	1,402	368,705	368,004	16,929,363	45·92
18	·9982780	1,454	367,303	366,576	16,561,359	45·09
19	·9982497	1,471	365,849	365,113	16,194,783	44·27
20	·9981962	1,510	364,378	363,623	15,829,670	43·44
21	·9981370	1,554	362,868	362,091	15,466,047	42·62
22	·9980723	1,600	361,314	360,514	15,103,956	41·80
23	·9979930	1,658	359,714	358,885	14,743,442	40·99
24	·9979037	1,725	358,056	357,194	14,384,557	40·17
25	·9978144	1,788	356,331	355,437	14,027,363	39·37
26	·9977245	1,853	354,543	353,616	13,671,926	38·56
27	·9976304	1,919	352,690	351,731	13,318,310	37·76
28	·9975309	1,989	350,771	349,776	12,966,579	36·97
29	·9974237	2,063	348,782	347,751	12,616,803	36·17
30	·9973072	2,143	346,719	345,647	12,269,052	35·39
31	·9971808	2,229	344,576	343,462	11,923,405	34·60
32	·9970447	2,322	342,347	341,186	11,579,943	33·83
33	·9969009	2,418	340,025	338,816	11,238,757	33·05
34	·9967510	2,516	337,607	336,349	10,899,941	32·29
35	·9965919	2,619	335,091	333,781	10,563,592	31·52
36	·9964094	2,738	332,472	331,103	10,229,811	30·77
37	·9962102	2,865	329,734	328,302	9,898,708	30·02
38	·9960098	2,989	326,869	325,374	9,570,406	29·28
39	·9958232	3,100	323,880	322,330	9,245,032	28·54
40	·9956586	3,191	320,780	319,185	8,922,702	27·82
41	·9955165	3,262	317,589	315,958	8,603,517	27·09
42	·9953855	3,322	314,327	312,666	8,287,559	26·37
43	·9952493	3,383	311,005	309,313	7,974,893	25·64
44	·9950878	3,460	307,622	305,892	7,665,580	24·92
45	·9948872	3,560	304,162	302,382	7,359,688	24·20
46	·9946556	3,676	300,602	298,764	7,057,306	23·48
47	·9943962	3,807	296,926	295,023	6,758,542	22·76
48	·9941102	3,948	293,119	291,145	6,463,519	22·05
49	·9937982	4,101	289,171	287,120	6,172,374	21·35

TABLE F.—**Life Table for England and Wales,** based on the Mortality in the Ten Years **1891-1900.—Females**—*continued.*

Age. x	Logarithm of the Chance of Living one Year from each age. $Log\ p_x$	Dying in each Year of Age. d_x	Born, and Surviving at each Age. l_x	Population, or Years of Life lived, in each Year of Age. P_x	Population, or Years of Life lived, in and above each Year of age. Q_x	Expectation of Life at each Age. E_x
50	9·9934586	4,261	285,070	282,940	5,885,254	20·64
51	·9930862	4,435	280,809	278,591	5,602,314	19·95
52	·9926761	4,622	276,374	274,063	5,323,723	19·26
53	·9922187	4,825	271,752	269,340	5,049,660	18·58
54	·9917059	5,050	266,927	264,402	4,780,320	17·91
55	·9911229	5,298	261,877	259,228	4,515,918	17·24
56	·9904430	5,585	256,579	253,786	4,256,690	16·59
57	·9896781	5,895	250,994	248,047	4,002,904	15·95
58	·9888515	6,212	245,099	241,993	3,754,857	15·32
59	·9879872	6,517	238,887	235,628	3,512,864	14·71
60	·9870921	6,805	232,370	228,968	3,277,236	14·10
61	·9861597	7,075	225,565	222,027	3,048,268	13·51
62	·9851638	7,338	218,490	214,821	2,826,241	12·94
63	·9840677	7,605	211,152	207,350	2,611,420	12·37
64	·9828306	7,890	203,547	199,602	2,404,070	11·81
65	·9814259	8,192	195,657	191,561	2,204,468	11·27
66	·9798704	8,491	187,465	183,219	2,012,907	10·74
67	·9781617	8,777	178,974	174,586	1,829,688	10·22
68	·9762888	9,043	170,197	165,675	1,655,102	9·72
69	·9742383	9,281	161,154	156,514	1,489,427	9·24
70	·9720022	9,482	151,873	147,132	1,332,913	8·78
71	·9695638	9,638	142,391	137,572	1,185,781	8·33
72	·9669152	9,737	132,753	127,884	1,048,209	7·90
73	·9640392	9,776	123,016	118,128	920,325	7·48
74	·9609243	9,744	113,240	108,368	802,197	7·08
75	·9575556	9,636	103,496	98,678	693,829	6·70
76	·9539186	9,449	93,860	89,135	595,151	6·34
77	·9499980	9,180	84,411	79,821	506,016	5·99
78	·9457782	8,830	75,231	70,816	426,195	5·67
79	·9412441	8,402	66,401	62,200	355,379	5·35
80	·9363809	7,903	57,999	54,047	293,179	5·05
81	·9311753	7,342	50,096	46,425	239,132	4·77
82	·9256078	6,731	42,754	39,389	192,707	4·51
83	·9196698	6,083	36,023	32,982	153,319	4·26
84	·9133480	5,415	29,940	27,232	120,337	4·02
85	·9066329	4,744	24,525	22,152	93,105	3·80
86	·8995156	4,086	19,780	17,737	70,953	3·59
87	·8919928	3,456	15,695	13,967	53,215	3·39
88	·8840650	2,867	12,239	10,805	39,248	3·21
89	·8757323	2,332	9,371	8,205	28,443	3·04
90	·8670075	1,857	7,039	6,111	20,238	2·87
91	·8578996	1,446	5,183	4,459	14,127	2·73
92	·8484414	1,101	3,736	3,186	9,667	2·59
93	·8386529	818	2,636	2,227	6,481	2·46
94	·8285805	593	1,818	1,521	4,255	2·34
95	·8182677	419	1,225	1,016	2,733	2·23
96	·8077794	288	806	662	1,718	2·13
97	·7971899	193	518	421	1,056	2·04
98	·7865773	126	325	262	635	1·96
99	·7760491	80	199	159	373	1·88
100	·7657054	49	119	94	214	1·81
101	·7556855	30	69	54	121	1·74
102	·7461151	17	39	31	66	1·68
103	·7371483	10	22	17	36	1·62
104	·7289397	6	12	9	19	1·56
105	·7216490	3	6	5	9	1·48
106	·7154411	2	3	3	5	1·35
107	·7104950	1	2	1	2	1·14
108	·7069232	0	1	1	1	·75

Note.—The figures at the higher ages in the d_x, l_x, P_x, and Q_x columns were calculated to one or more places of decimals. For convenience the nearest whole numbers only are printed, but the Expectations of Life are derived from the more exact values.

TABLE G.—**Life Table for England and Wales,** based on the Mortality in the Ten Years **1891-1900.—Males and Females.**

Age. x	Chance of Living One Year from each Age. p_x		Of 1,000,000 Males born, the Number Surviving at each Age.	Of 1,000,000 Females born, the Number Surviving at each Age.	Of 1,000,000 of both Sexes (508,770 Males and 491,230 Females) born.	
	Males.	Females.	l_x	l_x	The Number Surviving at each Age. l_x	Population, or Years of Life lived, in and above each Year. Q_x
0	0·82814	0·85934	1,000,000	1,000,000	1,000,000	45,920,642
1	·94681	·95051	828,136	859,342	843,464	45,019,089
2	·97917	·97986	784,090	816,810	800,163	44,197,275
3	·98682	·98666	767,754	800,357	783,769	43,405,309
4	·99030	·99045	757,631	789,683	773,376	42,626,737
5	·99288	·99294	750,281	782,144	765,932	41 857,083
6	·99480	·99478	744,936	776,618	760,499	41,093,867
7	·99616	·99608	741,061	772,562	756,535	40,335,350
8	99707	·99696	738,215	769,537	753,602	39,580,282
9	·99762	·99748	736,053	767,198	751,353	38,827,804
10	·99786	·99769	734,299	765,267	749,511	38,077,372
11	99773	·99758	732,728	763,498	747,843	37,328,695
12	·99753	·99740	731,064	761,652	746,091	36,581,728
13	·99740	·99730	729,260	759,671	744,199	35,836,583
14	·99726	·99720	727,364	757,618	742,226	35,093,370
15	·99695	·99694	725,373	755,499	740,172	34,352,172
16	·99649	·99653	723,159	753,185	737,909	33,613,131
17	·99609	·99620	720,621	750,574	735,335	32,876,509
18	·99584	·99604	717,800	747,721	732,498	32,142,592
19	99567	·99598	714,811	744,762	729,523	31,411,582
20	·99543	·99586	711,714	741,766	726,477	30,683,582
21	·99516	·99572	708,463	738,692	723,313	29,958,687
22	·99491	·99557	705,036	735,530	720,015	29,237,023
23	·99470	·99539	701,445	732,272	716,588	28,518,722
24	·99451	·99518	697,724	728,896	713,037	27,803,909
25	·99432	·99498	693,894	725,386	709,363	27,092,709
26	·99414	·99477	689,951	721,745	705,570	26,385,242
27	·99398	·99456	685,909	717,973	701,660	25,681,628
28	·99380	·99433	681,778	714,066	697,639	24,981,978
29	·99358	·99409	677,551	710,018	693,500	24,286,409
30	·99329	·99382	673,200	705,819	689,223	23,595,047
31	·99293	·99353	668,682	701,456	684,781	22,908,045
32	·99250	·99322	663,952	696,917	680,146	22,225,581
33	·99202	·99289	658,969	692,191	675,288	21,547,864
34	·99153	·99255	653,708	687,269	670,194	20,875,123
35	·99103	·99218	648,169	682,147	664,860	20,207,596
36	·99048	·99177	642,353	676,814	659,282	19,545,526
37	·98987	·99131	636,235	671,242	653,431	18,889,169
38	·98926	·99085	629,793	665,410	647,289	18,238,809
39	·98866	·99043	623,028	659,324	640,858	17,594,736
40	·98810	·99005	615,964	653,014	634,164	16,957,225
41	·98756	·98973	608,632	646,518	627,243	16,326,521
42	·98704	·98943	601,063	639,878	620,130	15,702,834
43	·98650	·98912	593,276	633,115	612,846	15,086,346
44	·98589	·98875	585,266	626,227	605,388	14,477,230
45	·98519	·98830	577,010	619,184	597,727	13,875,672
46	·98440	·98777	568,465	611,938	589,820	13,281,899
47	·98353	·98718	559,598	604,453	581,633	12,696,172
48	·98261	·98653	550,384	596,704	573,138	12,118,786
49	·98164	·98582	540,815	588,666	564,321	11,550,057

TABLE G.—**Life Table for England and Wales,** based on the Mortality in the Ten Years **1891-1900.—Males and Females**—*continued.*

Age. x	Chance of Living One Year from each Age. p_x		Of 1,000,000 Males born, the Number Surviving at each Age.	Of 1,000,000 Females born, the Number Surviving at each Age.	Of 1,000,000 of both Sexes (508,770 Males and 491,230 Females) born.	
	Males.	Females.	l_x	l_x	The Number Surviving at each Age. l_x	Population, or Years of Life lived, in and above each Year. Q_x
50	·98064	·98505	530,888	580,320	555,170	10,990,312
51	·97958	·98421	520,608	571,644	545,679	10,439,887
52	·97845	·98328	509,977	562,616	535,835	9,899,130
53	·97722	·98224	498,987	553,208	525,622	9,368,402
54	·97586	·98108	487,621	543,384	515,014	8,848,083
55	·97432	·97977	475,849	533,105	503,975	8,338,589
56	·97254	·97823	463,629	522,319	492,460	7,840,371
57	·97056	·97651	450,898	510,950	480,397	7,353,943
58	·96845	·97466	437,623	498,950	467,748	6,879,870
59	·96627	·97272	423,814	486,304	454,511	6,418,741
60	·96404	·97072	409,518	473,037	440,720	5,971,126
61	·96176	·96863	394,793	459,185	426,424	5,537,553
62	·95934	·96642	379,695	444,782	411,668	5,118,508
63	·95669	·96398	364,255	429,844	396,474	4,714,437
64	·95370	·96124	348,478	414,361	380,842	4,325,778
65	·95031	·95813	332,344	398,299	364,743	3,952,986
66	·94657	·95471	315,830	381,624	348,150	3,596,539
67	·94248	·95096	298,956	364,339	331,074	3,256,928
68	·93802	·94687	281,760	346,471	313,548	2,934,616
69	·93316	·94241	264,295	328,062	295,620	2,630,033
70	·92788	·93757	246,630	309,168	277,351	2,343,547
71	·92218	·93232	228,844	289,866	258,820	2,075,461
72	·91601	·92665	211,034	270,247	240,121	1,825,991
73	·90938	·92053	193,310	250,424	221,366	1,595,248
74	·90225	·91395	175,792	230,523	202,678	1,383,226
75	·89460	·90689	158,608	210,688	184,191	1,189,793
76	·88642	·89933	141,891	191,071	166,050	1,014,673
77	·87769	·89125	125,775	171,836	148,402	857,447
78	·86838	·88263	110,392	153,148	131,395	717,549
79	·85850	·87346	95,863	135,173	115,173	594,265
80	·84800	·86374	82,298	118,068	99,870	486,744
81	·83689	·85344	69,789	101,980	85,602	394,007
82	·82514	·84257	58,405	87,034	72,469	314,972
83	·81275	·83113	48,192	73,333	60,542	248,467
84	·79971	·81912	39,168	60,949	49,868	193,262
85	·78602	·80655	31,323	49,925	40,461	148,098
86	·77169	·79344	24,621	40,267	32,307	111,714
87	·75671	·77982	19,000	31,949	25,361	82,880
88	·74112	·76571	14,377	24,915	19,554	60,423
89	·72492	·75116	10,655	19,078	14,792	43,250
90	·70814	·73622	7,724	14,330	10,969	30,369
91	·69082	·72094	5,470	10,550	7,965	20,902
92	·67302	·70541	3,779	7,606	5,659	14,089
93	·65476	·68969	2,543	5,365	3,929	9,295
94	·63614	·67388	1,665	3,700	2,665	5,998
95	·61719	·65806	1,059	2,494	1,764	3,784
96	·59803	·64236	654	1,641	1,139	2,332
97	·57871	·62689	391	1,054	717	1,405
98	·55935	·61175	226	661	440	826
99	·54006	·59710	127	404	263	475
100	·52092	·58305	68	241	153	267
101	·50206	·56975	36	141	87	147
102	·48361	·55733	18	80	48	79
103	·46569	·54594	9	45	26	41
104	·44842	·53572	4	24	14	21
105	·43194	·52680	2	13	7	10
106	·40819	·51933	1	7	4	5
107	—	·51345	—	4	2	2
108	—	·50924	—	2	1	1

TABLE H.—**Comparison** of **Four English Life Tables,** based respectively upon the Mortality in **1838-54,** in **1871-80,** in **1881-90,** and in **1891-1900.—Males.**

Age. x	Born and Surviving at each Age. l_x				Mean After-lifetime (Expectation of Life). E_x				Age. x
	1838-54.	1871-80.	1881-90.	1891-1900.	1838-54.	1871-80.	1881-90.	1891-1900.	
0	1,000,000	1,000,000	1,000,000	1,000,000	39·91	41·35	43·66	44·13	0
1	836,405	841,417	838,964	828,136	46·65	48·05	50·97	52·22	1
2	782,626	790,201	790,891	784,090	48·83	50·14	53·04	54·12	2
3	754,849	763,737	772,046	767,754	49·61	50·86	53·32	54·26	3
4	736,845	746,587	760,167	757,631	49·81	51·01	53·15	53·98	4
5	723,716	734,068	751,494	750,281	49·71	50·87	52·75	53·50	5
6	713,881	726,815	745,239	744,936	49·39	50·38	52·19	52·88	6
7	706,156	721,103	740,766	741,061	48·92	49·77	51·50	52·16	7
8	699,688	716,309	737,566	738,215	48·37	49·10	50·73	51·36	8
9	694,346	712,337	735,238	736,053	47·74	48·37	49·88	50·51	9
10	689,857	708,990	733,477	734,299	47·05	47·60	49·00	49·63	10
11	685,982	706,146	732,044	732,728	46·31	46·79	48·10	48·73	11
12	682,512	703,595	730,745	731,064	45·54	45·96	47·18	47·84	12
13	679,256	701,200	729,423	729,260	44·76	45·11	46·27	46·96	13
14	676,057	698,840	727,941	727,364	43·97	44·26	45·36	46·08	14
15	672,776	696,419	726,194	725,373	43·18	43·41	44·47	45·21	15
16	669,296	693,695	724,109	723,159	42·40	42·58	43·59	44·34	16
17	665,529	690,746	721,660	720,621	41·64	41·76	42·74	43·50	17
18	661,402	687,507	718,876	717,800	40·90	40·96	41·90	42·67	18
19	656,868	683,941	715,818	714,811	40·17	40·17	41·08	41·84	19
20	651,903	680,033	712,555	711,714	39·48	39·40	40·27	41·02	20
21	646,502	675,769	709,136	708,463	38·80	38·64	39·46	40·21	21
22	641,028	671,344	705,579	705,036	38·13	37·89	38·66	39·40	22
23	635,486	666,754	701,867	701,445	37·46	37·15	37·86	38·60	23
24	629,882	661,997	697,958	697,724	36·79	36·41	37·07	37·80	24
25	624,221	657,077	693,809	693,894	36·12	35·68	36·28	37·01	25
26	618,503	651,998	689,392	689,951	35·44	34·96	35·51	36·22	26
27	612,731	646,757	684,714	685,909	34·77	34·24	34·75	35·43	27
28	606,906	641,353	679,788	681,778	34·10	33·52	34·00	34·64	28
29	601,026	635,778	674,637	677,551	33·43	32·81	33·26	33·85	29
30	595,089	630,038	669,279	673,200	32·76	32·10	32·52	33·07	30
31	589,094	624,124	663,728	668,682	32·09	31·40	31·79	32·29	31
32	583,036	618,056	657,992	663,952	31·42	30·71	31·06	31·51	32
33	576,912	611,827	652,070	658,969	30·74	30·01	30·34	30·75	33
34	570,716	605,430	645,957	653,708	30·07	29·33	29·62	29·99	34
35	564,441	598,860	639,645	648,169	29·40	28·64	28·91	29·24	35
36	558,083	592,107	633,129	642,353	28·73	27·96	28·20	28·50	36
37	551,634	585,167	626,405	636,235	28·06	27·29	27·50	27·77	37
38	545,084	578,019	619,467	629,793	27·39	26·62	26·80	27·05	38
39	538,428	570,656	612,309	623,028	26·72	25·96	26·11	26·34	39
40	531,657	563,077	604,923	615,964	26·06	25·30	25·42	25·64	40
41	524,761	555,254	597,304	608,632	25·39	24·65	24·74	24·94	41
42	517,734	547,288	589,446	601,063	24·73	24·00	24·06	24·25	42
43	510,567	539,161	581,350	593,276	24·07	23·35	23·39	23·56	43
44	503,247	530,858	573,014	585,266	23·41	22·71	22·72	22·88	44
45	495,770	522,374	564,437	577,010	22·76	22·07	22·06	22·20	45
46	488,126	513,702	555,612	568,465	22·11	21·44	21·40	21·52	46
47	480,308	504,836	546,532	559,598	21·46	20·80	20·75	20·86	47
48	472,306	495,761	537,184	550,384	20·82	20·18	20·10	20·20	48
49	464,114	486,479	527,554	540,815	20·17	19·55	19·46	19·54	49

TABLE H.—**Comparison** of **Four English Life Tables,** based respectively upon the Mortality in **1838-54,** in **1871-80,** in **1881-90,** and in **1891-1900.**—**Males**—*continued.*

Age. x	Born and Surviving at each Age. l_x				Mean After-lifetime (Expectation of Life). E_x				Age. x
	1838-54.	1871-80.	1881-90.	1891-1900.	1838-54.	1871-80.	1881-90.	1891-1900.	
50	455,727	476,980	517,639	530,888	19·54	18·93	18·82	18·90	50
51	447,139	467,254	507,398	520,608	18·90	18·31	18·19	18·26	51
52	438,099	457,022	496,827	509,977	18·28	17·71	17·57	17·63	52
53	428,801	446,510	485,911	498,987	17·67	17·12	16·95	17·01	53
54	419,256	435,729	474,634	487,621	17·06	16·53	16·34	16·40	54
55	409,460	424,677	462,981	475,849	16·45	15·95	15·74	15·79	55
56	399,408	413,351	450,934	463,629	15·86	15·37	15·15	15·19	56
57	389,088	401,740	438,476	450,898	15·26	14·80	14·57	14·61	57
58	378,481	389,827	425,583	437,623	14·68	14·24	13·99	14·04	58
59	367,570	377,591	412,230	423,814	14·10	13·68	13·43	13·48	59
60	356,330	365,011	398,400	409,518	13·53	13·14	12·88	12·93	60
61	344,744	352,071	384,090	394,793	12·96	12·60	12·34	12·39	61
62	332,789	338 820	369,311	379,695	12·41	12·07	11·81	11·87	62
63	320,451	325,256	354,091	364,255	11·87	11·56	11·30	11·35	63
64	307,720	311,368	338,468	348,478	11·34	11·05	10·80	10·84	64
65	294,588	297,156	322,482	332,344	10·82	10·55	10·31	10·34	65
66	281,064	282,638	306,176	315,830	10·32	10·07	9·83	9·86	66
67	267,160	267,829	289,589	298,956	9·83	9·60	9·36	9·38	67
68	252,901	252,763	272,766	281,760	9·36	9·14	8·91	8·93	68
69	238,328	237,487	255.761	264,295	8·90	8·70	8·47	8·48	69
70	223,490	222,056	238,632	246,630	8·45	8·27	8·04	8·05	70
71	208,453	206,539	221,450	228 844	8·03	7·85	7·63	7·64	71
72	193,297	190,971	204,292	211,034	7·62	7·45	7·23	7·24	72
73	178,114	175,449	187,246	193,310	7·22	7·07	6·84	6·86	73
74	163,003	160,074	170,411	175,792	6·85	6·70	6·46	6·50	74
75	148,076	144,960	153,890	158,608	6·49	6·34	6·10	6·15	75
76	133,453	130.227	137,797	141,891	6·15	6·00	5·76	5·81	76
77	119,251	115,986	122,248	125,775	5·82	5·68	5·43	5·49	77
78	105,592	102,359	107,360	110,392	5·51	5·37	5·11	5·19	78
79	92,587	89,449	93,249	95,863	5·21	5·07	4·81	4·90	79
80	80,343	77,354	80,023	82,298	4·93	4·79	4·52	4·62	80
81	68,946	66,153	67,779	69,789	4·66	4·51	4·25	4·36	81
82	58,471	55,842	56,595	58,405	4·41	4·26	3·99	4·11	82
83	48,970	46,489	46,531	48,192	4·17	4·01	3·74	3·88	83
84	40,471	38,132	37,619	39,168	3·95	3·78	3·51	3·66	84
85	32,979	30,785	29,866	31,323	3·73	3·56	3·29	3·45	85
86	26,476	24,436	23,249	24,621	3·53	3·36	3·08	3·25	86
87	20,926	19,054	17,718	19,000	3·34	3·17	2 89	3·07	87
88	16,268	14,576	13,197	14,377	3·16	2·99	2·70	2·89	88
89	12,428	10,926	9,590	10,655	3·00	2·82	2·53	2·73	89
90	9,321	8.015	6,786	7,724	2·84	2·66	2·37	2·58	90
91	6,859	5,748	4,667	5,470	2·69	2·51	2·22	2·43	91
92	4,946	4,025	3,113	3,779	2·55	2·37	2·08	2·30	92
93	3,492	2,749	2,009	2,543	2·41	2·24	1·95	2·17	93
94	2,411	1,828	1,252	1,665	2·29	2·12	1·83	2·06	94
95	1,628	1,183	752	1,059	2·17	2·01	1·72	1 95	95
96	1,071	742	433	654	2·06	1·90	1·61	1·85	96
97	688	452	239	391	1·95	1·81	1·51	1·75	97
98	430	266	126	226	1·85	1·72	1·42	1·67	98
99	262	151	64	127	1·76	1·65	1·33	1·58	99
100	154	82	30	68	1·68	1·61	1·24	1·51	100

TABLE I.—**Comparison of Four English Life Tables,** based respectively upon the Mortality in **1838-54,** in **1871-80,** in **1881-90,** and in **1891-1900.—Females.**

Age. x	Born and Surviving at each Age. l_x				Mean After-lifetime (Expectation of Life). E_x				Age. x
	1838-54.	1871-80.	1881-90.	1891-1900.	1838-54.	1871-80.	1881-90.	1891-1900.	
0	1,000,000	1,000,000	1,000,000	1,000,000	41·85	44·62	47·18	47·77	0
1	865,288	871,266	868,874	859,342	47·31	50·14	53·24	54·53	1
2	811,711	820,480	823,072	816,810	49·40	52·22	55·18	56·34	2
3	782,990	793,359	804,142	800,357	50·20	52·99	55·46	56·49	3
4	764,060	775.427	791,973	789,683	50·43	53·20	55·31	56·25	4
5	750,550	762,622	783,244	782,144	50·33	53·08	54·92	55·79	5
6	740,534	755,713	777,087	776,618	50·00	52·56	54·35	55·18	6
7	732,771	750,276	772,798	772,562	49·53	51·94	53·65	54·47	7
8	726,116	745,631	769,819	769,537	48·98	51·26	52·85	53·68	8
9	720,537	741,727	767,714	767,198	48·35	50·53	52·00	52·84	9
10	715,769	738,382	766,151	765,267	47·67	49·76	51·10	51·97	10
11	711,581	735,405	764,874	763,498	46·95	48·96	50·19	51·09	11
12	707,770	732,697	763.679	761,652	46·20	48·13	49·26	50·21	12
13	704,155	730,122	762,400	759,671	45·44	47·30	48·35	49·34	13
14	700,581	727,571	760,897	757,618	44·66	46·47	47·44	48·48	14
15	696,917	724,956	759,062	755,499	43·90	45·63	46·55	47·61	15
16	693,050	722,084	756,826	753,185	43·14	44·81	45·69	46·75	16
17	688,894	718,993	754,171	750,574	42·40	44·00	44·85	45·92	17
18	684,378	715,622	751,145	747,721	41·67	43·21	44·03	45·09	18
19	679,463	711,946	747,831	744,762	40·97	42·43	43·22	44·27	19
20	674,119	707,949	744,321	741,766	40·29	41·66	42·42	43·44	20
21	668,345	703,616	740,681	738,692	39·63	40·92	41·63	42·62	21
22	662,474	699,141	736,937	735.530	38·98	40·18	40·84	41·80	22
23	656,509	694,521	733,072	732,272	38·33	39·44	40·05	40·99	23
24	650,463	689,759	729,039	728,896	37·68	38·71	39·27	40·17	24
25	644,342	684,858	724,788	725,386	37·04	37·98	38·50	39·37	25
26	638,148	679,822	720,290	721,745	36·39	37·26	37·73	38·56	26
27	631 891	674,661	715,549	717,973	35·75	36·54	36·98	37·76	27
28	625,575	669,372	710,581	714,066	35·10	35·83	36·23	36·97	28
29	619,201	663,959	705,408	710,018	34·46	35·11	35·50	36·17	29
30	612,774	658,418	700,049	705,819	33·81	34·41	34·76	35·39	30
31	606,296	652,747	694,523	701,456	33·17	33·70	34·04	34·60	31
32	599,769	646,957	688,844	696,917	32·53	33·00	33·31	33·83	32
33	593,196	641,045	683,024	692,191	31·88	32·30	32·59	33·05	33
34	586,575	635,003	677,071	687,269	31·23	31·60	31·88	32·29	34
35	579,908	628,842	670,992	682,147	30·59	30·90	31·16	31·52	35
36	573,192	622,554	664,792	676,814	29·94	30·21	30·45	30·77	36
37	566,431	616,144	658,479	671,242	29·29	29·52	29·73	30·02	37
38	559,619	609,599	652,058	665,410	28·64	28·83	29·02	29·28	38
39	552,758	602,924	645,535	659,324	27·99	28·15	28·31	28·54	39
40	545,844	596,113	638,912	653,014	27·34	27·46	27·60	27·82	40
41	538,876	589,167	632,185	646,518	26·69	26·78	26·89	27·09	41
42	531,849	582,104	625 347	639,878	26·03	26·10	26·17	26·37	42
43	524,765	574,919	618,384	633,115	25·38	25·42	25·46	25·64	43
44	517,617	567,612	611,277	626,227	24·72	24·74	24·75	24·92	44
45	510,403	560,174	604,007	619,184	24·06	24·06	24·05	24·20	45
46	503,122	552,602	596,550	611,938	23·40	23·38	23·34	23·48	46
47	495,768	544,892	588,833	604,453	22·74	22·71	22·64	22·76	47
48	488,339	537,043	580,975	596,704	22·08	22·03	21·94	22·05	48
49	480,833	529,048	572,791	588.666	21·42	21·36	21·24	21·35	49

TABLE I.—**Comparison of Four English Life Tables,** based respectively upon the Mortality in **1838-54,** in **1871-80,** in **1881-90,** and in **1891-1900.**—**Females**—*continued.*

Age. x	Born and Surviving at each Age. l_x				Mean After-lifetime (Expectation of Life). E_x				Age. x
	1838-54.	1871-80.	1881-90.	1891-1900.	1838-54.	1871-80.	1881-90.	1891-1900.	
50	473,245	520,901	564,299	580,320	20·75	20·68	20·56	20·64	50
51	465,572	512,607	555,468	571,644	20·09	20·01	19·88	19·95	51
52	457,814	504,188	546,276	562,616	19·42	19·34	19·20	19·26	52
53	449,966	495,645	536,706	553,208	18·75	18·66	18·54	18·58	53
54	442,027	486,973	526,743	543,384	18·08	17·98	17·88	17·91	54
55	433,331	477,440	516,375	533,105	17·43	17·33	17·23	17·24	55
56	424,239	467,443	505,583	522,319	16·79	16·69	16·58	16·59	56
57	414,761	456,992	494 343	510,950	16·17	16·06	15·95	15·95	57
58	404,895	446,079	482,631	498,950	15·55	15·45	15·32	15·32	58
59	394,636	434,695	470,419	486,304	14·94	14·84	14·71	14·71	59
60	383,974	422,835	457,682	473,037	14·34	14·24	14·10	14·10	60
61	372,895	410,477	444 399	459,185	13·75	13·65	13·51	13·51	61
62	361,387	397,644	430,550	444,782	13·17	13·08	12·93	12·94	62
63	349,436	384,319	416,122	429,844	12·60	12·51	12·36	12·37	63
64	337,031	370,495	401,107	414,361	12·05	11·96	11·80	11·81	64
65	324,165	356,165	385,503	398,299	11·51	11·42	11·26	11·27	65
66	310,833	341,326	369,316	381,624	10·98	10·90	10·73	10·74	66
67	297,048	325,988	352,562	364,339	10·47	10·39	10·22	10·22	67
68	282 819	310,170	335,266	346,471	9·97	9·89	9·72	9·72	68
69	268,177	293,899	317,468	328,062	9·48	9·41	9·24	9·24	69
70	253,161	277,225	299,220	309,168	9·02	8·95	8·77	8·78	70
71	237,822	260,207	280,592	289,866	8·57	8·50	8·32	8·33	71
72	222,230	242,934	261,669	270,247	8·13	8·07	7·88	7·90	72
73	206,464	225,497	242,550	250,424	7·71	7·65	7·47	7·48	73
74	190,620	208,003	223,353	230,523	7·31	7·25	7·06	7·08	74
75	174,800	190,566	204,208	210,688	6·93	6·87	6·68	6·70	75
76	159,126	173,316	185,260	191,071	6·56	6·51	6·31	6·34	76
77	143,722	156,392	166,661	171,836	6·21	6·16	5·96	5·99	77
78	128,711	139,927	148,568	153,148	5·88	5·82	5·63	5·67	78
79	114,229	124,065	131,142	135,173	5·56	5·50	5·31	5·35	79
80	100,394	108,935	114,536	118,068	5·26	5·20	5·00	5·05	80
81	87,323	94,662	98,894	101,980	4·98	4·90	4·72	4·77	81
82	75,119	81,305	84,342	87,034	4·71	4·63	4·44	4·51	82
83	63,862	68,966	70,985	73,333	4·45	4·37	4·19	4·26	83
84	53,615	57,723	58,900	60,949	4·21	4·12	3·94	4·02	84
85	44,419	47,631	48,133	49,925	3·98	3·88	3·71	3·80	85
86	36,284	38,710	38,698	40,267	3·76	3·66	3·49	3·59	86
87	29,202	30,958	30,575	31,949	3·56	3·46	3·29	3·39	87
88	23,135	24,338	23,711	24,915	3·36	3·26	3·10	3·21	88
89	18,027	18,788	18,027	19,078	3·18	3·08	2·92	3·04	89
90	13,802	14,225	13,418	14,330	3·01	2·90	2·75	2·87	90
91	10,376	10,553	9,765	10,550	2·85	2·74	2·59	2·73	91
92	7,650	7,658	6,939	7,606	2·70	2·58	2·44	2·59	92
93	5,526	5,429	4,807	5,365	2·55	2·44	2·30	2·46	93
94	3,908	3,756	3,241	3,700	2·42	2·30	2·17	2·34	94
95	2,704	2,533	2,124	2,494	2·29	2·17	2·05	2·23	95
96	1,827	1,661	1,351	1,641	2·17	2·11	1·93	2·13	96
97	1,204	1,057	832	1,054	2·06	2·03	1·82	2·04	97
98	774	653	495	661	1·96	1·83	1·72	1·96	98
99	483	389	284	404	1·86	1·73	1·63	1·88	99
100	295	225	157	241	1·76	1·62	1·54	1·81	100

TABLE J.—**Life Table for Selected Healthy Districts of England and Wales,** based on the Mortality in the Ten Years, **1891-1900.—Males.**

Age x	Logarithm of the chance of Living one Year from each Age. $Log\ p_x$	Dying in each Year of Age. d_x	Born and Surviving at each Age. l_x	Population or Years of Life lived in each Year of Age. P_x	Population or Years of Life lived in and above each Year of Age. Q_x	Expectation of Life at each Age. E_x
0	9·9437422	61,839	508,967	468,214	26,907,187	52·87
1	·9876222	12,564	447,128	440,846	26,438,973	59·13
2	·9952229	4,754	434,564	432,187	25,998,127	59·83
3	·9967920	3,163	429,810	428,228	25,565,940	59·48
4	·9974864	2,462	426,647	425,416	25,137,712	58·92
5	·9980232	1,926	424,185	423,222	24,712,296	58·26
6	·9984026	1,551	422,259	421,484	24,289,074	57·52
7	·9986965	1,260	420,708	420,078	23,867,590	56·73
8	·9989127	1,049	419,448	418,923	23,447,512	55·90
9	·9990597	905	418,399	417,947	23,028,589	55·04
10	·9991467	820	417,494	417,084	22,610,642	54·16
11	·9991819	784	416,674	416,282	22,193,558	53·26
12	·9991753	789	415,890	415,495	21,777,276	52·36
13	·9991352	826	415,101	414,688	21,361,781	51·46
14	·9990666	889	414,275	413,831	20,947,093	50·56
15	·9989678	981	413,386	412,895	20,533,262	49·67
16	·9988373	1,103	412,405	411,854	20,120,367	48·79
17	·9987065	1,223	411,302	410,690	19,708,513	47·92
18	·9985943	1,325	410,079	409,417	19,297,823	47·06
19	·9984868	1,422	408,754	408,043	18,888,406	46·21
20	·9983531	1,542	407,332	406,561	18,480,363	45·37
21	·9981856	1,692	405,790	404,944	18,073,802	44·54
22	·9980315	1,827	404,098	403,184	17,668,858	43·72
23	·9979423	1,901	402,271	401,321	17,265,674	42·92
24	·9979024	1,930	400,370	399,405	16,864,353	42·12
25	·9978547	1,963	398,440	397,458	16,464,948	41·32
26	·9978168	1,988	396,477	395,483	16,067,490	40·53
27	·9977944	1,998	394,489	393,490	15,672,007	39·73
28	·9977759	2,005	392,491	391,489	15,278,517	38·93
29	·9977488	2,019	390,486	389,476	14,887,028	38·12
30	·9977048	2,048	388,467	387,443	14,497,552	37·32
31	·9976403	2,094	386,419	385,372	14,110,109	36·52
32	·9975577	2,155	384,325	383,248	13,724,737	35·71
33	·9974643	2,225	382,170	381,057	13,341,489	34·91
34	·9973706	2,293	379,945	378,799	12,960,432	34·11
35	·9972813	2,357	377,652	376,473	12,581,633	33·32
36	·9971821	2,427	375,295	374,082	12,205,160	32·52
37	·9970721	2,505	372,868	371,615	11,831,078	31·73
38	·9969549	2,588	370,363	369,069	11,459,463	30·94
39	·9968346	2,671	367,775	366,440	11,090,394	30·16
40	·9967123	2,753	365,104	363,727	10,723,954	29·37
41	·9965874	2,837	362,351	360,933	10,360,227	28·59
42	·9964557	2,922	359,514	358,053	9,999,294	27·81
43	·9963108	3,016	356,592	355,084	9,641,241	27·04
44	·9961462	3,124	353,576	352,014	9,286,157	26·26
45	·9959509	3,252	350,452	348,826	8,934,143	25·49
46	·9957064	3,415	347,200	345,492	8,585,317	24·73
47	·9954252	3,603	343,785	341,984	8,239,825	23·97
48	·9951280	3,795	340,182	338,284	7,897,841	23·22
49	·9948337	3,978	336,387	334,398	7,559,557	22·47

TABLE J.—**Life Table for Selected Healthy Districts of England and Wales,** based on the Mortality in the Ten Years, **1891-1900.—Males.**—*Continued.*

Age. x	Logarithm of the chance of Living one Year from each Age. $Log\ p_x$	Dying in each Year of Age. d_x	Born and Surviving at each Age. l_x	Population or Years of Life lived in each Year of Age. P_x	Population or Years of Life lived in and above each Year of Age. Q_x	Expectation of Life at each Age. E_x
50	9·9945516	4,144	332,409	330,337	7,225,159	21·74
51	·9942778	4,297	328,265	326,117	6,894,822	21·00
52	·9939955	4,448	323,968	321,744	6,568,705	20·28
53	·9936786	4,617	319,520	317,211	6,246,961	19·55
54	·9932951	4,824	314,903	312,491	5,929,750	18·83
55	·9928124	5,090	310,079	307,534	5,617,259	18·12
56	·9921972	5,431	304,989	302,274	5,309,725	17·41
57	·9914802	5,819	299,558	296,648	5,007,451	16·72
58	·9907116	6,216	293,739	290,631	4,710,803	16·04
59	·9899340	6,587	287,523	284,230	4,420,172	15·37
60	·9891649	6,922	280,936	277,475	4,135,942	14·72
61	·9883918	7,227	274,014	270,400	3,858,467	14·08
62	·9875718	7,527	266,787	263,024	3,588,067	13·45
63	·9866407	7,853	259,260	255,333	3,325,043	12·83
64	·9855291	8,239	251,407	247,288	3,069,710	12·21
65	·9841972	8,690	243,168	238,823	2,822,422	11·61
66	·9826768	9,168	234,478	229,894	2,583,599	11·02
67	·9809684	9,661	225,310	220,479	2,353,705	10·45
68	·9790571	10,152	215,649	210,573	2,133,226	9·89
69	·9769283	10,632	205,497	200,181	1,922,653	9·36
70	·9745670	11,084	194,865	189,323	1,722,472	8·84
71	·9719564	11,492	183,781	178,035	1,533,149	8·34
72	·9690804	11,840	172,289	166,369	1,355,114	7·87
73	·9659198	12,109	160,449	154,395	1,188,745	7·41
74	·9624563	12,285	148,340	142,197	1,034,350	6·97
75	·9586701	12,351	136,055	129,880	892,153	6·56
76	·9545413	12,294	123,704	117,557	762,273	6·16
77	·9500436	12,106	111,410	105,357	644,716	5·79
78	·9451543	11,781	99,304	93,414	539,358	5·43
79	·9398498	11,320	87,523	81,863	445,945	5·10
80	·9341060	10,728	76,203	70,839	364,081	4·78
81	·9278980	10,016	65,475	60,468	293,242	4·48
82	·9212002	9,203	55,460	50,858	232,775	4·20
83	·9139863	8,311	46,257	42,101	181,916	3·93
84	·9062295	7,369	37,946	34,261	139,815	3·68
85	·8979020	6,406	30,577	27,374	105,554	3·45
86	·8889756	5,453	24,171	21,445	78,180	3·23
87	·8794212	4,538	18,718	16,450	56,735	3·03
88	·8692091	3,688	14,180	12,337	40,286	2·84
89	·8583090	2,921	10,493	9,032	27,949	2·66
90	·8466897	2,252	7,572	6,446	18,917	2·50
91	·8343195	1,687	5,320	4,476	12,471	2·34
92	·8211659	1,226	3,633	3,020	7,994	2·20
93	·8071958	863	2,406	1,975	4,975	2·07
94	·7923753	587	1,544	1,250	3,000	1·94
95	·7766699	385	957	765	1,749	1·83
96	·7600444	243	572	451	985	1·72
97	·7424529	147	329	256	534	1·62
98	·7238887	86	182	139	278	1·53
99	·7042846	48	96	73	139	1·44
100	·6836126	25	49	36	66	1·36
101	·6618341	13	24	17	30	1·28
102	·6389096	6	11	8	13	1·20
103	·6147992	3	5	3	5	1·10
104	·5894621	1	2	1	2	·93
105	·5628569	0	1	1	1	·68

Note.—The figures at the higher ages in the d_x, l_x, P_x, and Q_x columns were calculated to one or more places of decimals. For convenience the nearest whole numbers only are printed, but the Expectations of Life are derived from the more exact values.

TABLE K.—**Life Table for Selected Healthy Districts of England and Wales,** based on the Mortality in the Ten Years **1891–1900.—Females.**

Age. x	Logarithm of the chance of Living one Year from each Age. *Log* p_x	Dying in each Year of Age. d_x	Born and Surviving at each Age. l_x	Population or Years of Life lived in each Year of Age. P_x	Population or Years of Life lived in and above each Year of Age. Q_x	Expectation of Life at each Age. E_x
0	9·9536111	46,686	491,033	460,744	27,355,304	55·71
1	·9885251	11,587	444,347	438,554	26,894,560	60·53
2	·9955036	4,458	432,760	430,531	26,456,006	61·13
3	·9969196	3,027	428,302	426,788	26,025,475	60·76
4	·9975429	2,399	425,275	424,076	25,598,687	60·19
5	·9980504	1,894	422,876	421,929	25,174,611	59·53
6	·9984094	1,539	420,982	420,212	24,752,682	58·80
7	·9986813	1,272	419,443	418,807	24,332,470	58·01
8	·9988757	1,081	418,171	417,631	23,913,663	57·19
9	·9990018	958	417,090	416,611	23,496,032	56·33
10	·9990709	889	416,132	415,687	23,079,421	55·46
11	·9990931	866	415,243	414,810	22,663,734	54·58
12	·9990665	890	414,377	413,932	22,248,924	53·69
13	·9989909	959	413,487	413,008	21,834,992	52·81
14	·9988772	1,066	412,528	411,995	21,421,984	51·93
15	·9987340	1,197	411,462	410,863	21,009,989	51·06
16	·9985474	1,370	410,265	409,580	20,599,126	50·21
17	·9983911	1,512	408,895	408,139	20,189,546	49·38
18	·9983241	1,569	407,383	406,599	19,781,407	48·56
19	·9983078	1,578	405,814	405,025	19,374,808	47·74
20	·9982712	1,606	404,236	403,433	18,969,783	46·93
21	·9982365	1,632	402,630	401,814	18,566,350	46·11
22	·9982013	1,657	400,998	400,169	18,164,536	45·30
23	·9981534	1,695	399,341	398,494	17,764,367	44·48
24	·9980978	1,738	397,646	396,777	17,365,873	43·67
25	·9980493	1,774	395,908	395,021	16,969,096	42·86
26	·9980050	1,806	394,134	393,231	16,574,075	42·05
27	·9979613	1,838	392,328	391,409	16,180,844	41·24
28	·9979168	1,868	390,490	389,556	15,789,435	40·43
29	·9978699	1,902	388,622	387,671	15,399,879	39·63
30	·9978190	1,937	386,720	385,751	15,012,208	38·82
31	·9977636	1,976	384,783	383,795	14,626,457	38·01
32	·9977034	2,019	382,807	381,798	14,242,662	37·21
33	·9976394	2,064	380,788	379,756	13,860,864	36·40
34	·9975725	2,111	378,724	377,668	13,481,108	35·60
35	·9975001	2,162	376,613	375,532	13,103,440	34·79
36	·9974123	2,224	374,451	373,339	12,727,908	33·99
37	·9973130	2,296	372,227	371,079	12,354,569	33·19
38	·9972120	2,367	369,931	368,748	11,983,490	32·39
39	·9971178	2,432	367,564	366,348	11,614,742	31·60
40	·9970357	2,483	365,132	363,890	11,248,394	30·81
41	·9969645	2,526	362,649	361,386	10,884,504	30·01
42	·9968971	2,564	360,123	358,841	10,523,118	29·22
43	·9968223	2,607	357,559	356,256	10,164,277	28·43
44	·9967259	2,666	354,952	353,619	9,808,021	27·63
45	·9965980	2,749	352,286	350,911	9,454,402	26·84
46	·9964348	2,857	349,537	348,109	9,103,491	26·04
47	·9962429	2,986	346,680	345,187	8,755,382	25·25
48	·9960300	3,128	343,694	342,130	8,410,195	24·47
49	·9958025	3,276	340,566	338,928	8,068,065	23·69

TABLE K.—**Life Table for Selected Healthy Districts of England and Wales,** based on the Mortality in the Ten Years **1891-1900.—Females**—*continued.*

Age. x	Logarithm of the chance of Living one Year from each Age. $Log\ p_x$	Dying in each Year of Age. d_x	Born and Surviving at each Age. l_x	Population or Years of Life lived in each Year of Age. P_x	Population or Years of Life, lived in and above each Year of Age. Q_x	Expectation of Life at each Age. E_x
50	9·9955630	3,428	337,290	335,576	7,729,137	22·92
51	·9953076	3,588	333,862	332,068	7,393,561	22·15
52	·9950262	3,761	330,274	328,393	7,061,493	21·38
53	·9947054	3,956	326,513	324,535	6,733,100	20·62
54	·9943285	4,185	322,557	320,465	6,408,565	19·87
55	·9938727	4,460	318,372	316,142	6,088,100	19·12
56	·9933005	4,806	313,912	311,509	5,771,958	18·39
57	·9926390	5,195	309,106	306,508	5,460,449	17·67
58	·9919273	5,597	303,911	301,113	5,153,941	16·96
59	·9912056	5,980	298,314	295,324	4,852,828	16·27
60	·9904902	6,331	292,334	289,168	4,557,504	15·59
61	·9897725	6,657	286,003	282,675	4,268,336	14·92
62	·9890150	6,977	279,346	275,857	3,985,661	14·27
63	·9881620	7,324	272,369	268,707	3,709,804	13·62
64	·9871509	7,727	265,045	261,182	3,441,097	12·98
65	·9859462	8,193	257,318	253,221	3,179,915	12·36
66	·9845759	8,693	249,125	244,779	2,926 694	11·75
67	·9830392	9,209	240,432	235,827	2,681,915	11·15
68	·9813225	9,733	231,223	226,357	2,446.088	10·58
69	·9794122	10,255	221,490	216,362	2,219,731	10·02
70	·9772930	10,760	211,235	205,855	2,003,369	9·48
71	·9749501	11,237	200,475	194,757	1,797,514	8·97
72	·9723678	11,665	189,238	183,405	1,602,657	8·47
73	·9695298	12,031	177,573	171,558	1,419,252	7·99
74	·9664197	12,318	165,542	159,383	1,247,694	7·54
75	·9630207	12,507	153,224	146,970	1,088,311	7·10
76	·9593662	12,568	140,717	134,433	941,341	6·69
77	·9553965	12,508	128,149	121,895	806,908	6·30
78	·9510930	12,317	115,641	109,483	685,013	5·92
79	·9464364	11 989	103,324	97,330	575,530	5·57
80	·9414071	11,528	91,335	85,572	478,200	5·24
81	·9359849	10,938	79,808	74,339	392,628	4·92
82	·9301489	10,232	68,870	63,754	318,289	4·62
83	·9238779	9,428	58,638	53,924	254,535	4·34
84	·9171500	8,547	49,211	44,937	200,611	4·08
85	·9099428	7,615	40,664	36,856	155,673	3·83
86	·9022334	6,662	33,048	29,718	118,817	3·60
87	·8939984	5,715	26,387	23,529	89,100	3·38
88	·8852137	4,801	20,672	18,271	65,570	3·17
89	·8758549	3,946	15,871	13,898	47 299	2·98
90	·8658968	3,168	11,925	10,341	33,401	2·80
91	·8553139	2,481	8,757	7,516	23,060	2·63
92	·8440801	1,893	6,276	5,329	15,544	2·48
93	·8321686	1,405	4,383	3,680	10,215	2·33
94	·8195523	1,012	2,978	2,472	6,535	2·19
95	·8062035	708	1,965	1,612	4,063	2·07
96	·7920938	479	1,258	1,019	2,451	1·95
97	·7771944	313	779	623	1,432	1·84
98	·7614761	197	467	368	809	1·73
99	·7449089	120	269	210	441	1·64
100	·7274624	70	150	115	232	1·55
101	·7091056	39	80	60	117	1·46
102	·6898071	21	41	30	57	1·38
103	·6695348	11	20	15	26	1·30
104	·6482562	5	9	7	11	1·22
105	·6259382	2	4	3	5	1·12
106	·6025472	1	2	1	2	·96
107	·5780489	0	1	0	0	·65
108	·5524087	—	—	—	—	—

Note.—The figures at the higher ages in the d_x, l_x, P_x, and Q_x columns were calculated to one or more places of decimals. For convenience the nearest whole numbers only are printed, but the Expectations of Life are derived from the more exact values.

TABLE L.—**Life Table for Selected Healthy Districts of England and Wales**, based on the Mortality in the Ten Years **1891-1900.—Males and Females.**

Age. x	Chance of Living One Year from each Age. p_x		Of 1,000,000 Males born, the Number Surviving at each Age. l_x	Of 1,000,000 Females born, the Number Surviving at each Age. l_x	Of 1,000,000 of both Sexes (508,967 Males and 491,033 Females) born.	
	Males.	Females.			The Number Surviving at each Age. l_x	Population or Years of Life lived in and above each Year. Q_x
0	0·87850	0·90492	1,000,000	1,000,000	1,000,000	54,262,491
1	·97190	·97392	878,501	904,922	891,475	53,333,533
2	·98906	·98970	853,816	881,325	867,324	52,454,133
3	·99264	·99293	844,476	872,248	858,112	51,591,415
4	·99423	·99436	838,261	866,083	851,922	50,736,399
5	·99546	·99552	833,423	861,197	847,061	49,886,907
6	·99633	·99634	829,638	857,339	843,241	49,041,756
7	·99700	·99697	826,593	854,205	840,151	48,200,060
8	·99750	·99741	824,115	851,615	837,619	47,361,175
9	·99784	·99770	822,055	849,413	835,489	46,524,621
10	·99804	·99786	820,277	847,463	833,626	45,690,063
11	·99812	·99791	818,667	845,652	831,917	44,857,292
12	·99810	·99785	817,126	843,888	830,267	44,026,200
13	·99801	·99768	815,576	842,076	828,588	43,196,773
14	·99785	·99742	813,953	840,122	826,803	42,369,077
15	·99763	·99709	812,206	837,953	824,848	41,543,251
16	·99733	·99666	810,278	835,513	822,670	40,719,493
17	·99703	·99630	808,111	832,724	820,197	39,898,059
18	·99677	·99615	805.708	829,644	817,462	39,079,230
19	·99652	·99611	803,104	826,449	814,568	38,263,214
20	·99622	·99603	800,311	823,235	811,568	37,450,146
21	·99583	·99595	797,282	819,965	808,420	36,640,152
22	·99548	·99587	793,958	816,642	805,096	35,833,394
23	·99527	·99576	790,367	813,266	801,612	35,030,041
24	·99518	·99563	786,631	809,816	798,016	34,230,226
25	·99507	·99552	782,841	806,277	794,348	33,434,044
26	·99499	·99542	778,984	802,663	790,611	32,641,565
27	·99493	·99532	775,078	798,985	786,817	31,852,851
28	·99489	·99521	771,151	795,243	782,981	31,067,952
29	·99483	·99511	767,212	791,437	779,108	30,286,907
30	·99473	·99499	763,246	787,565	775,187	29,509,760
31	·99458	·99486	759,223	783,620	771,202	28,736,566
32	·99439	·99473	755,109	779,595	767,132	27,967,399
33	·99418	·99458	750,874	775,483	762,958	27,202,353
34	·99396	·99443	746,503	771,279	758,669	26,441,540
35	·99376	·99426	741,997	766,981	754,265	25,685,073
36	·99353	·99406	737,366	762,578	749,746	24,933,068
37	·99328	·99383	732,597	758,048	745,095	24,185,647
38	·99301	·99360	727,675	753,372	740,294	23,442,953
39	·99274	·99339	722,591	748,552	735,339	22,705,136
40	·99246	·99320	717,343	743,600	730,236	21,972,348
41	·99217	·99303	711,933	738,542	725,000	21,244,731
42	·99187	·99288	706,361	733,398	719,637	20,522,412
43	·99154	·99271	700,620	728,177	714,151	19,805,518
44	·99117	·99249	694,693	722,868	708,528	19,094,178
45	·99072	·99220	688,556	717,439	702,738	18,388,545
46	·99016	·99182	682,166	711,841	696,737	17,688,808
47	·98952	·99139	675,455	706,021	690,465	16,995.207
48	·98884	·99090	668,378	699,940	683,876	16,308,036
49	·98817	·99038	660,922	693,571	676,953	15,627,622

TABLE L.—**Life Table for Selected Healthy Districts of England and Wales,** based on the Mortality in the Ten Years, **1891-1900.—Males and Females**—*cont.*

Age. x	Chance of Living One Year from each Age. p_x		Of 1,000,000 Males born, the Number Surviving at each Age. l_x	Of 1,000,000 Females born, the Number Surviving at each Age. l_x	Of 1,000,000 of both Sexes (508,967 Males and 491,033 Females) born.	
	Males.	Females.			The Number Surviving at each Age. l_x	Population, or Years of Life lived, in and above each Year. Q_x
50	·98753	·98984	653,106	686,900	669,699	14,954,296
51	·98691	·98925	644,964	679,918	662,127	14,288,383
52	·98627	·98861	636,521	672,611	654,242	13,630,198
53	·98555	·98788	627,781	664,952	646,033	12,980,061
54	·98468	·98703	618,710	656,894	637,460	12,338,315
55	·98359	·98599	609,231	648,371	628,451	11,705,359
56	·98219	·98469	599,232	639,288	618,901	11,081,683
57	·98057	·98319	588,561	629,502	608,664	10,467,900
58	·97884	·98158	577,128	618,922	597,650	9,864,744
59	·97709	·97995	564,916	607,524	585,837	9,273,000
60	·97536	·97834	551,973	595,345	573,270	8,693,446
61	·97363	·97673	538,372	582.451	560,017	8,126,803
62	·97179	·97502	524,173	568,894	546,133	7,573,728
63	·96971	·97311	509,385	554,685	531,629	7,034,847
64	·96723	·97085	493,954	539,770	516,452	6,510,807
65	·96427	·96816	477,767	524,034	500,486	6,002,337
66	·96090	·96511	460,695	507,348	483,603	5,510,293
67	·95712	·96170	442,680	489,645	465,742	5,035,620
68	·95292	·95791	423,700	470,892	446,872	4,579,314
69	·94826	·95370	403,753	451,069	426,987	4,142,384
70	·94312	·94906	382,863	430.185	406,100	3,725,841
71	·93747	·94395	361,086	408,271	384,256	3,330,663
72	·93128	·93836	338,507	385,388	361,527	2,957,771
73	·92453	·93224	315,244	361,632	338,022	2,607,997
74	·91718	·92559	291,452	337,129	313,882	2,282,044
75	·90922	·91838	267,315	312,044	289,279	1,980,464
76	·90062	·91068	243,049	286,574	264,421	1,703,614
77	·89134	·90239	218,895	260,977	239,559	1,451,624
78	·88136	·89350	195,110	235,505	214,945	1,224,371
79	·87066	·88397	171,962	210,423	190,847	1,021,475
80	·85922	·87379	149,721	186,007	167,539	842,282
81	·84703	·86295	128,644	162,531	145,283	685,871
82	·83407	·85143	108,965	140,256	124,330	551,064
83	·82033	·83922	90,884	119,418	104,895	436,451
84	·80580	·82632	74,554	100,218	87,156	340,426
85	·79050	·81272	60,076	82,813	71,241	261,227
86	·77442	·79842	47,490	67,304	57,219	196,997
87	·75757	·78343	36,777	53,737	45,105	145,835
88	·73996	·76774	27,861	42,099	34,852	105,856
89	·72162	·75137	20,616	32,321	26,364	75,248
90	·70257	·73434	14,877	24,285	19,497	52,318
91	·68284	·71666	10,452	17,834	14,077	35,531
92	·66247	·69836	7,137	12,781	9,908	23,538
93	·64150	·67947	4,728	8,925	6,789	15,190
94	·61998	·66001	3,033	6,065	4,522	9,534
95	·59796	·64003	1,880	4,003	2,923	5,812
96	·57550	·61957	1,124	2,562	1,830	3,436
97	·55267	·59868	647	1,587	1,109	1,966
98	·52953	·57740	358	950	649	1,088
99	·50616	·55579	189	549	366	580
100	·48263	·53390	96	305	199	298
101	·45902	·51181	46	163	103	147
102	·43542	·48956	21	83	52	70
103	·41191	·46723	9	41	25	31
104	·38856	·44489	4	19	11	13
105	·36547	·42261	1	8	5	5
106	·34272	·40045	1	4	2	2
107	·32039	·37849	—	1	1	—
108	·29854	·35679	—	1	—	—

TABLE M.—**Comparison** of **Three Healthy District Life Tables,** based respectively upon the Mortality in **1849-53, 1881-90,** and **1891-1900.—Males.**

Age. x	Born and Surviving at each Age. l_x			Mean After-lifetime (Expectation of Life). E_x			Age. x
	1849-53.	1881-90.	1891-1900.	1849-53.	1881-90.	1891-1900.	
0	1,000,000	1,000,000	1,000,000	48·56	51·48	52·87	0
1	887,200	880,855	878,501	53·70	57·39	59·13	1
2	856,080	851,602	853,816	54·64	58·35	59·83	2
3	837,430	840,391	844,476	54·84	58·12	59·48	3
4	824,500	832,791	838,261	54·69	57·64	58·92	4
5	814,094	826,862	833,423	54·39	57·05	58·26	5
6	805,752	822,265	829,638	53·94	56·37	57·52	6
7	799,072	818,704	826,593	53·39	55·61	56·73	7
8	793,705	815,920	824,115	52·75	54·80	55·90	8
9	789,339	813,690	822,055	52·04	53·95	55·04	9
10	785,703	811,820	820,277	51·28	53·07	54·16	10
11	782,555	810,142	818,667	50·48	52·18	53·26	11
12	779,686	808,522	817,126	49·66	51·28	52·36	12
13	776,915	806,852	815,576	48·84	50·39	51·46	13
14	774,090	805,050	813,953	48·02	49·50	50·56	14
15	771,085	803,060	812,206	47·20	48·62	49·67	15
16	767,802	800,842	810,278	46·40	47·76	48·79	16
17	764,169	798,376	808,111	45·62	46·90	47·92	17
18	760,142	795,664	805,708	44·86	46·06	47·06	18
19	755,703	792,730	803,104	44·12	45·23	46·21	19
20	750,859	789,602	800,311	43·40	44·41	45·37	20
21	745,643	786,301	797,282	42·70	43·59	44·54	21
22	740,315	782,840	793,958	42·00	42·78	43·72	22
23	734,893	779,216	790,367	41·31	41·98	42·92	23
24	729,398	775,418	786,631	40·62	41·18	42·12	24
25	723,843	771,435	782,841	39·93	40·39	41·32	25
26	718,243	767,264	778,984	39·23	39·61	40·53	26
27	712,609	762,917	775,078	38·54	38·83	39·73	27
28	706,949	758,414	771,151	37·84	38·06	38·93	28
29	701,271	753,777	767,212	37·15	37·29	38·12	29
30	695,580	749,026	763,246	36·45	36·52	37·32	30
31	689,879	744,178	759,223	35·74	35·76	36·52	31
32	684,170	739,238	755,109	35·04	34·99	35·71	32
33	678,452	734,209	750,874	34·33	34·23	34·91	33
34	672,724	729,083	746,503	33·62	33·47	34·11	34
35	666,980	723,851	741,997	32·90	32·70	33·32	35
36	661,218	718,507	737,366	32·18	31·94	32·52	36
37	655,429	713,045	732,597	31·46	31·18	31·73	37
38	649,606	707,455	727,675	30·74	30·43	30·94	38
39	643,740	701,726	722,591	30·02	29·67	30·16	39
40	637,820	695,847	717,343	29·29	28·92	29·37	40
41	631,834	689,806	711,933	28·56	28·17	28·59	41
42	625,770	683,597	706,361	27·84	27·42	27·81	42
43	619,614	677,212	700,620	27·11	26·67	27·04	43
44	613,353	670,647	694,693	26·38	25·93	26·26	44
45	606,969	663,894	688,556	25·65	25·19	25·49	45
46	600,448	656,943	682,166	24·92	24·45	24·73	46
47	593,773	649,778	675,455	24·20	23·71	23·97	47
48	586,928	642,375	668,378	23·47	22·98	23·22	48
49	579,894	634,704	660,922	22·75	22·25	22·47	49

TABLE M.—**Comparison of Three Healthy District Life Tables,** based respectively upon the Mortality in **1849-53, 1881-90,** and **1891-1900.—Males**—*continued.*

Age. x	Born and Surviving at each Age. l_x			Mean After-lifetime (Expectation of Life). E_x			Age. x
	1849-53.	1881-90.	1891-1900.	1849-53.	1881-90.	1891-1900.	
50	572,656	626,735	653,106	22·03	21·53	21·74	50
51	565,195	618,442	644,964	21·32	20·81	21·00	51
52	557,496	609,801	636,521	20·61	20·10	20·28	52
53	549,540	600,791	627,781	19·90	19·39	19·55	53
54	541,313	591,394	618,710	19·19	18·69	18·83	54
55	532,799	581,586	609,231	18·49	18·00	18·12	55
56	523,984	571,342	599,232	17·79	17·31	17·41	56
57	514,855	560,622	588,561	17·10	16·63	16·72	57
58	505,400	549,375	577,128	16·41	15·96	16·04	58
59	495,610	537,542	564,916	15·73	15·30	15·37	59
60	485,014	525,070	551,973	15·06	14·66	14·72	60
61	473,526	511,913	538,372	14·41	14·02	14·08	61
62	461,189	498,048	524,173	13·78	13·40	13·45	62
63	448,039	483,460	509,385	13·17	12·79	12·83	63
64	434,102	468,150	493,954	12·58	12·19	12·21	64
65	419,403	452,117	477,767	12·00	11·60	11·61	65
66	403,964	435,357	460,695	11·44	11·03	11·02	66
67	387,808	417,861	442,680	10·90	10·47	10·45	67
68	370,963	399,624	423,700	10·37	9·92	9·89	68
69	353,464	380,651	403,753	9·86	9·39	9·36	69
70	335,355	360,959	382,863	9·37	8·88	8·84	70
71	316,695	340,580	361,086	8·89	8·38	8·34	71
72	297,554	319,568	338,507	8·43	7·90	7·87	72
73	278,021	297,998	315,244	7·98	7·43	7·41	73
74	258,202	275,972	291,452	7·56	6·99	6·97	74
75	238,221	253,622	267,315	7·15	6·56	6·56	75
76	218,216	231,106	243,049	6·76	6·15	6·16	76
77	198,343	208,612	218,895	6·39	5·76	5·79	77
78	178,769	186,352	195,110	6·03	5·39	5·43	78
79	159,666	164,564	171,962	5·69	5·03	5·10	79
80	141,212	143,491	149,721	5·37	4·70	4·78	80
81	123,578	123,384	128,644	5·07	4·39	4·48	81
82	106,924	104,484	108,965	4·78	4·09	4·20	82
83	91,394	87,008	90,884	4·51	3·81	3·93	83
84	77,107	71,141	74,554	4·25	3·55	3·68	84
85	64,153	57,016	60,076	4·00	3·30	3·45	85
86	52,587	44,713	47,490	3·78	3·07	3·23	86
87	42,429	34,245	36,777	3·56	2·86	3·03	87
88	33,661	25,563	27,861	3·36	2·66	2·84	88
89	26,231	18,560	20,616	3·17	2·48	2·66	89
90	20,057	13,077	14,877	2·99	2·31	2·50	90
91	15,031	8,920	10,452	2·82	2·15	2·34	91
92	11,028	5,875	7,137	2·66	2·00	2·20	92
93	7,912	3,727	4,728	2·52	1·86	2·07	93
94	5,544	2,271	3,033	2·39	1·74	1·94	94
95	3,789	1,325	1,880	2·25	1·62	1·83	95
96	2,522	738	1,124	2·13	1·52	1·72	96
97	1,634	391	647	2·00	1·42	1·62	97
98	1,028	197	358	1·89	1·33	1·53	98
99	628	93	189	1·78	1·25	1·44	99

TABLE N.—**Comparison** of **Three Healthy District Life Tables,** based respectively upon the Mortality in **1849-53, 1881-90,** and **1891-1900.—Females.**

Age. x	Born and Surviving at each Age. l_x			Mean After-lifetime (Expectation of Life). E_x			Age. x
	1849-53.	1881-90.	1891-1900.	1849-53.	1881-90.	1891-1900.	
0	1,000,000	1,000,000	1,000,000	49·45	54·04	55·71	0
1	907,360	906,497	904,922	53·47	58·57	60·53	1
2	878,430	879,448	881,325	54·21	59·36	61·13	2
3	859,360	868,397	872,248	54·41	59·11	60·76	3
4	846,190	860,904	866,083	54·25	58·62	60·19	4
5	835,559	855,168	861,197	53·93	58·01	59·53	5
6	826,971	850,754	857,339	53·48	57·31	58·80	6
7	819,995	847,300	854,205	52·93	56·54	58·01	7
8	814,259	844,512	851,615	52·30	55·72	57·19	8
9	809,436	842,158	849,413	51·61	54·88	56·33	9
10	805,241	840,057	847,463	50·88	54·01	55·46	10
11	801,431	838,068	845,652	50·12	53·14	54·58	11
12	797,798	836,079	843,888	49·34	52·27	53·69	12
13	794,168	833,998	842,076	48·57	51·39	52·81	13
14	790,404	831,749	840,122	47·80	50·53	51·93	14
15	786,400	829,273	837,953	47·04	49·68	51·06	15
16	782,084	826,532	835,513	46·29	48·84	50·21	16
17	777,417	823,516	832,724	45·57	48·02	49·38	17
18	772,390	820,248	829,644	44·86	47·21	48·56	18
19	767,028	816,768	826,449	44·17	46·41	47·74	19
20	761,383	813,125	823,235	43·50	45·62	46·93	20
21	755,538	809,351	819,965	42·83	44·83	46·11	21
22	749,606	805,464	816,642	42·16	44·04	45·30	22
23	743,601	801,461	813,266	41·50	43·26	44·48	23
24	737,536	797,322	809,816	40·84	42·48	43·67	24
25	731,419	793,029	806,277	40·17	41·71	42·86	25
26	725,261	788,571	802,663	39·51	40·94	42·05	26
27	719,070	783,959	798,985	38·85	40·18	41·24	27
28	712,852	779,204	795,243	38·18	39·42	40·43	28
29	706,614	774,322	791,437	37·52	38·67	39·63	29
30	700,360	769,329	787,565	36·85	37·91	38·82	30
31	694,093	764,238	783,620	36·17	37·16	38·01	31
32	687,817	759,063	779,595	35·50	36·41	37·21	32
33	681,534	753,814	775,483	34·82	35·66	36·40	33
34	675,243	748,499	771,279	34·14	34·91	35·60	34
35	668,945	743,125	766,981	33·46	34·16	34·79	35
36	662,639	737,698	762,578	32·77	33·41	33·99	36
37	656,324	732,224	758,048	32·08	32·65	33·19	37
38	649,996	726,705	753,372	31·39	31·90	32·39	38
39	643,653	721,143	748,552	30·69	31·14	31·60	39
40	637,291	715,538	743,600	30·00	30·38	30·81	40
41	630,905	709,884	738,542	29·29	29·62	30·01	41
42	624,490	704,172	733,398	28·59	28·86	29·22	42
43	618,042	698,390	728,177	27·88	28·09	28·43	43
44	611,552	692,520	722,868	27·17	27·32	27·63	44
45	605,016	686,542	717,439	26·46	26·56	26·84	45
46	598,426	680,434	711,841	25·75	25·79	26·04	46
47	591,775	674,168	706,021	25·03	25·03	25·25	47
48	585,056	667,712	699,940	24·31	24·26	24·47	48
49	578,259	661,023	693,571	23·59	23·50	23·69	49

TABLE N.—**Comparison** of **Three Healthy District Life Tables,** based respectively upon the Mortality in **1849-53, 1881-90, 1891-1900.**—**Females**—*continued.*

Age. x	Born and Surviving at each Age. l_x			Mean After-lifetime (Expectation of Life). E_x			Age. x
	1849-53.	1881-90.	1891-1900.	1849-53.	1881-90.	1891-1900.	
50	571,379	654,064	686,900	22·87	22·75	22·92	50
51	564,405	646,796	679,918	22·15	22·00	22·15	51
52	557,330	639,190	672,611	21·42	21·25	21·38	52
53	550,147	631,219	664,952	20·70	20·52	20·62	53
54	542,846	622,860	656,894	19·97	19·79	19·87	54
55	535,419	614,089	648,371	19·24	19·06	19·12	55
56	527,859	604,874	639,288	18·51	18·34	18·39	56
57	520,158	595,174	629,502	17·77	17·63	17·67	57
58	511,763	584,937	618,922	17·06	16·93	16·96	58
59	502,442	574,110	607,524	16·36	16·24	16·27	59
60	492,264	562,638	595,345	15·69	15·56	15·59	60
61	481,286	550,469	582,451	15·04	14·90	14·92	61
62	469,548	537,562	568,894	14·40	14·24	14·27	62
63	457,081	523,879	554,685	13·78	13·60	13·62	63
64	443,904	509,389	539,770	13·17	12·98	12·98	64
65	430,031	494,065	524,034	12·58	12·36	12·36	65
66	415,472	477,883	507,348	12·01	11·76	11·75	66
67	400,232	460,818	489,645	11·44	11·18	11·15	67
68	384,321	442,857	470,892	10·90	10·61	10·58	68
69	367,752	423,997	451,069	10·37	10·06	10·02	69
70	350,546	404,250	430,185	9·85	9·53	9·48	70
71	332,735	383,648	408,271	9·35	9·02	8·97	71
72	314,365	362,242	385,388	8·87	8·52	8·47	72
73	295,497	340,109	361,632	8·40	8·04	7·99	73
74	276,212	317,352	337,129	7·95	7·58	7·54	74
75	256,608	294,100	312,044	7·52	7·14	7·10	75
76	236,805	270,512	286,574	7·11	6·72	6·69	76
77	216,941	246,776	260,977	6·72	6·32	6·30	77
78	197,170	223,101	235,505	6·34	5·94	5·92	78
79	177,664	199,720	210,423	5·98	5·57	5·57	79
80	158,599	176,876	186,007	5·64	5·23	5·24	80
81	140,158	154,821	162,531	5·32	4·90	4·92	81
82	122,521	133,801	140,256	5·01	4·59	4·62	82
83	105,856	114,048	119,418	4·72	4·30	4·34	83
84	90,314	95,765	100,218	4·44	4·03	4·08	84
85	76,023	79,120	82,813	4·19	3·77	3·83	85
86	63,077	64,234	67,304	3·94	3·53	3·60	86
87	51,536	51,173	53,737	3·71	3·30	3·38	87
88	41,421	39,947	42,099	3·50	3·09	3·17	88
89	32,714	30,510	32,321	3·30	2·89	2·98	89
90	25,363	22,761	24,285	3·11	2·71	2·80	80
91	19,281	16,558	17,834	2·93	2·54	2·63	91
92	14,354	11,725	12,781	2·76	2·37	2·48	92
93	10,454	8,067	8,925	2·61	2·23	2·33	93
94	7,438	5,382	6,065	2·46	2·09	2·19	94
95	5,164	3,475	4,003	2·33	1·96	2·07	95
96	3,493	2,166	2,562	2·19	1·84	1·95	96
97	2,300	1,301	1,587	2·08	1·72	1·84	97
98	1,471	751	950	1·96	1·62	1·73	98
99	913	416	549	1·84	1·53	1·64	99

TABLE O.—SURVIVORS at QUINQUENNIAL AGES out of 100,000 Born: **Comparison of Seven Life Tables.**

Age. x	Born and Surviving at each Age. l_x							Age. x
	England and Wales				Selected Healthy Districts.			
	1838–54.	1871–80.	1881–90.	1891–1900.	1849–53.	1881–90.	1891–1900.	
	MALES.							
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	0
5	72,372	73,407	75,149	75,028	81,409	82,686	83,342	5
10	68,986	70,899	73,348	73,430	78,570	81,182	82,028	10
15	67,278	69,642	72,619	72,537	77,109	80,306	81,221	15
20	65,190	68,003	71,256	71,171	75,086	78,960	80,031	20
25	62,422	65,708	69,381	69,389	72,384	77,144	78,284	25
30	59,509	63,004	66,928	67,320	69,558	74,903	76,325	30
35	56,444	59,886	63,965	64,817	66,698	72,385	74,200	35
40	53,166	56,308	60,492	61,596	63,782	69,585	71,734	40
45	49,577	52,237	56,444	57,701	60,697	66,389	68,856	45
50	45,573	47,698	51,764	53,089	57,266	62,674	65,311	50
55	40,946	42,468	46,298	47,585	53,280	58,159	60,923	55
60	35,633	36,501	39,840	40,952	48,501	52,507	55,197	60
65	29,459	29,716	32,248	33,234	41,940	45,212	47,777	65
70	22,349	22,206	23,863	24,663	33,536	36,096	38,286	70
75	14,808	14,496	15,389	15,861	23,822	25,362	26,732	75
80	8,034	7,735	8,002	8,230	14,121	14,349	14,972	80
85	3,298	3,079	2,987	3,132	6,415	5,702	6,008	85
90	932	802	679	772	2,006	1,308	1,488	90
95	163	118	75	106	379	133	188	95
100	15	8	3	7	37	4	10	100
	FEMALES.							
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	0
5	75,055	76,262	78,324	78,214	83,556	85,517	86,120	5
10	71,577	73,838	76,615	76,527	80,524	84,006	84,746	10
15	69,692	72,496	75,906	75,550	78,640	82,927	83,795	15
20	67,412	70,795	74,432	74,177	76,138	81,313	82,324	20
25	64,434	68,486	72,479	72,539	73,142	79,303	80,628	25
30	61,277	65,842	70,005	70,582	70,036	76,933	78,756	30
35	57,991	62,884	67,099	68,215	66,895	74,313	76,698	35
40	54 584	59,611	63,891	65,301	63,729	71,554	74,360	40
45	51,040	56,017	60,401	61,918	60,502	68,654	71,744	45
50	47,325	52,090	56,430	58,032	57,138	65,406	68,690	50
55	43,333	47,744	51,638	53,311	53,542	61,409	64,837	55
60	38,397	42,284	45,768	47,304	49,226	56,264	59,535	60
65	32,417	35,617	38,550	39,830	43,003	49,407	52,403	65
70	25,316	27,723	29,922	30,917	35,055	40,425	43,019	70
75	17,480	19,057	20,421	21,069	25,661	29,410	31,204	75
80	10,039	10,894	11,454	11,807	15,860	17,688	18,601	80
85	4,442	4,763	4,813	4,993	7,602	7,912	8,281	85
90	1,380	1,423	1,342	1,433	2,536	2,276	2,429	90
95	270	253	212	249	516	348	400	95
100	30	23	16	24	55	22	31	100

TABLE P.—EXPECTATION OF LIFE AT QUINQUENNIAL AGES: **Comparison of Seven Life Tables.**

Age. x	Expectation of Life. E_x							Age. x
	England and Wales.				Selected Healthy Districts.			
	1838-54.	1871-80.	1881-90.	1891-1900.	1849-53.	1881-90.	1891-1900.	
	MALES.							
0	39·91	41·35	43·66	44·13	48·56	51·48	52·87	0
5	49·71	50·87	52·75	53·50	54·39	57·05	58·26	5
10	47·05	47·60	49·00	49·63	51·28	53·07	54·16	10
15	43·18	43·41	44·47	45·21	47·20	48·62	49·67	15
20	39·48	39·40	40·27	41·02	43·40	44·41	45·37	20
25	36·12	35·68	36·28	37·01	39·93	40·39	41·32	25
30	32·76	32·10	32·52	33·07	36·45	36·52	37·32	30
35	29·40	28·64	28·91	29·24	32·90	32·70	33·32	35
40	26·06	25·30	25·42	25·64	29·29	28·92	29·37	40
45	22·76	22·07	22·06	22·20	25·65	25·19	25·49	45
50	19·54	18·93	18·82	18·90	22·03	21·53	21·74	50
55	16·45	15·95	15·74	15·79	18·49	18·00	18·12	55
60	13·53	13·14	12·88	12·93	15·06	14·66	14·72	60
65	10·82	10·55	10·31	10·34	12·00	11·60	11·61	65
70	8·45	8·27	8·04	8·05	9·37	8·88	8·84	70
75	6·49	6·34	6·10	6·15	7·15	6·56	6·56	75
80	4·93	4·79	4·52	4·62	5·37	4·70	4·78	80
85	3·73	3·56	3·29	3·45	4·00	3·30	3·45	85
90	2·84	2·66	2·37	2·58	2·99	2·31	2·50	90
95	2·17	2·01	1·72	1·95	2·25	1·62	1·83	95
100	1·68	1·61	1·24	1·51	1·69	1·17	1·36	100
	FEMALES.							
0	41·85	44·62	47·18	47·77	49·45	54·04	55·71	0
5	50·33	53·08	54·92	55·79	53·93	58·01	59·53	5
10	47·67	49·76	51·10	51·97	50·88	54·01	55·46	10
15	43·90	45·63	46·55	47·61	47·04	49·68	51·06	15
20	40·29	41·66	42·42	43·44	43·50	45·62	46·93	20
25	37·04	37·98	38·50	39·37	40·17	41·71	42·86	25
30	33·81	34·41	34·76	35·39	36·85	37·91	38·82	30
35	30·59	30·90	31·16	31·52	33·46	34·16	34·79	35
40	27·34	27·46	27·60	27·82	30·00	30·38	30·81	40
45	24·06	24·06	24·05	24·20	26·46	26·56	26·84	45
50	20·75	20·68	20·56	20·64	22·87	22·75	22·92	50
55	17·43	17·33	17·23	17·24	19·24	19·06	19·12	55
60	14·34	14·24	14·10	14·10	15·69	15·56	15·59	60
65	11·51	11·42	11·26	11·27	12·58	12·36	12·36	65
70	9·02	8·95	8·77	8·78	9·85	9·53	9·48	70
75	6·93	6·87	6·68	6·70	7·52	7·14	7·10	75
80	5·26	5·20	5·00	5·05	5·64	5·23	5·24	80
85	3·98	3·88	3·71	3·80	4·19	3·77	3·83	85
90	3·01	2·90	2·75	2·87	3·11	2·71	2·80	90
95	2·29	2·17	2·05	2·23	2·33	1·96	2·07	95
100	1·76	1·62	1·54	1·81	1·75	1·44	1·55	100

Local Variations of the Death-rate in England and Wales.

No organized attempt has hitherto been made to co-ordinate the Poor Law Unions (on which the system of registration districts is founded) and the Urban and Rural Districts which are the units of area for sanitary purposes. Practical difficulties have doubtless impeded this co-ordination, but its advantages are so obvious that the attempt to secure it should not be delayed indefinitely. Meanwhile, the simplification of areas already effected by you in your revision of registration areas has facilitated the preparation of local mortality statistics, which are so important in relation to public health.

In my letter* to the Registrar-General in the last decennial Supplement I expressed regret that although since the year 1847 particulars of mortality had been published annually by this Office with respect to the causes of all deaths occurring in each of about 630 Registration Districts of England and Wales; nevertheless this elaborate series of tables could not (except in rare instances) be utilized for public health purposes because of the overlapping and confusion of areas.

It is disappointing to have to remark that since the issue of the previous supplement the Authorities concerned have complied with the recommendations of the Boundary Commissioners of 1888, with respect to the simplification of areas, in only a few instances. It should be remembered however that some modification of the Metropolitan areas was effected by the operation of the London Government Act of 1899. At the date of the 1901 Census the number of urban districts in England and Wales was 1,150, of which 120 were co-extensive with one or more registration districts or sub-districts. By the end of June, 1906, the number of urban districts had increased to 1,166, of which 149 were co-extensive with registration areas. Of these 149 urban districts, 34† (half of which were Metropolitan Boroughs) were co-extensive with one or more entire registration districts, while the other 115 were co-extensive with one or more sub-districts.

The age-constitution of the population in different parts of the country varies so widely that, before comparing the local death-rates, it is necessary that they should be reduced to a common standard. In the last Decennial Supplement (Part I., p. xxxvi.) it was pointed out how fallacious would be a comparison of the *crude* death-rates of the urban with those of the rural parts of England; for while these *crude* rates showed the urban mortality to be only one-fifth part higher than the rural, the *corrected* rates showed an excess of very nearly one-third in the urban rate. As a further illustration of the varying effects of correction in

---

* Supplement to Registrar-General's 55th Annual Report, 1881–90, page v.

† London City.—16 *Metropolitan Boroughs*, viz. :—Bermondsey, Bethnal Green, Camberwell, Chelsea, Hampstead, Islington, Kensington, Lambeth, Paddington, Poplar, St. Pancras, St. Marylebone, Shoreditch, Southwark, Stepney, Westminster. 17 *Other Urban Districts*, viz. :—Barrow in Furness, Bristol, Bury St. Edmunds, Cambridge, Chichester, Colchester, Devonport, East Stonehouse, Gosport, and Alverstoke, Gravesend, Ipswich, Leicester, Norwich, Nottingham, Plymouth, Portsmouth, and Reading.

respect of small areas, a Table was given showing 10 registration districts whose crude death-rates were practically identical (ranging only from 19·78 to 19·90 per 1,000 persons living), while their corrected rates ranged from 16·60 to 21·88 per 1,000.

For the purpose of comparing urban with rural mortality in 1881–90, the 78 principal towns were taken to represent the urban area, and the remainder of England and Wales to represent the rural, the death-rates in these areas being approximately corrected by the indirect method employed in the Annual Summary, when the local death-rates at the several age-groups are not known. For the present report the two selected groups of counties mentioned on p. ix have been taken to represent respectively the urban and the rural areas of England and Wales, and the death-rates in these areas have been corrected by the more precise method adopted throughout this report and described at page xxxvii of Part I. of the last Decennial Supplement. The results are shown in the following Table :—

—	England and Wales.	Urban Counties.	Rural Counties.
Crude Death-rates	18·19	19·41	16·95
Corrected Death-rates		20·34	14·88

It will be seen that while the crude death-rates show a difference of only 2·46 per 1,000 as between urban and rural areas, the corrected rates show a difference of no less than 5·46 per 1,000. The following Table further shows the effect of correction upon the death-rates of smaller areas. The twelve districts included therein would, if judged by their crude death-rates, appear to be normally healthy, because those rates differ very little from the mean rate of the whole country (18·19 per 1,000); the Table shows, however, that five of these districts have corrected rates lower than the mean rate for England and Wales, and seven have higher rates, the mortality in Pwllheli being 19 per cent. below, and that in Bramley 9 per cent. above the standard.

Registration District.		Crude Death-rate.	Death-rate in Standard Population.
Number.	Name.		
626	Pwllheli	18·19	14·78
314	Wells	18·15	15·71
339	Hereford	18·23	15·95
519	Beverley	18·14	16·30
486	Pateley Bridge	18·13	16·55
361	Newcastle under Lyme	18·18	18·34
446	Runcorn	18·11	18·43
22	Southwark	18·16	18·54
585	Newport	18·20	18·81
2	Fulham	18·20	18·82
548	Lanchester	18·15	19·23
500	Bramley	18·20	19·81

On the other hand there are eight districts, the corrected death-rates of which range from 18·10 to 18·28 per 1,000 (or within 0·10 per 1,000 of the mean death-rate for the whole country), and which may be assumed to be in a normally healthy condition. It will be seen, however, that the crude rates cover a range of 3·86 per 1,000, the lowest being 16·35 in Barton upon Irwell, and the highest 20·21 in Carmarthen.

Registration District.		Death-rate in Standard Population.	Crude Death-rate.
Number.	Name.		
463	Barton upon Irwell	18·28	16·35
493	Todmorden	18·12	17·04
575	Whitehaven	18·14	17·52
424A	Grimsby	18·24	17·52
88	Portsmouth	18·28	18·07
511	Doncaster	18·11	18·44
125	Uxbridge	18·13	19·54
597	Carmarthen	18·10	20·21

The crude and corrected death-rates are given for males and females separately for every registration county on pages 6–95 of this report, and those for persons, males, and females, for every registration district, on pages 97–731. In the following Table the crude and corrected death-rates of persons in Registration Counties are given for the two decennia 1881–90 and 1891–1900; the last column of the Table showing the comparative mortality figures in 1891–1900, which represent the corrected death-rate for each county, compared with that for England and Wales, taken as 1,000. In order to afford the means of accurate comparison of the rates of mortality in the two decennia, the death-rates for 1881–90 have been re-calculated on the age and sex constitution of the mean population in 1891–1900; these rates will be found, therefore, to differ from those printed in the Decennial Supplement for 1881–90. In this Table the counties are arranged in ascending order of corrected death-rates, and this arrangement shows at once that the counties with the lowest death-rates are those which are mainly rural in character, while the highest rates occur in those counties which contain the populous mining and industrial centres. It is familiar knowledge that correction for age and sex differences of population increases the death-rate of populous places and diminishes the rate of rural districts. This is well exemplified by the following Table, from which it will be seen that the counties with the highest crude death-rates showed still higher rates after correction, and that the counties with the lowest crude rates showed still lower rates after correction. It was also pointed out in the report for 1881–90 that the death-rates in counties were then generally lower than in the previous decennium; while the present Table shows that there was a still further reduction in the county death-rates during 1891–1900, only four counties showing a higher rate then than in 1881–90, the largest increase being only 0·64 per 1,000 in South Wales.

TABLE Q.—MEAN ANNUAL DEATH-RATES per 1,000 PERSONS LIVING IN REGISTRATION COUNTIES during the periods 1881–90 and 1891–1900, showing (1) Crude Rates, (2) Corrected Death-rates, and (3) Comparative Mortality figures.

Counties in order of Corrected Death-rates in 1891–1900.	Crude Death-rate.		Corrected Death-rate.		Comparative Mortality Figure 1891—1900.
	1881—1890.	1891—1900.	1881—1890.	1891—1900.	
ENGLAND AND WALES...	19·08	18·19	18·73	18·19	1,000
Rutlandshire	16·25	14·68	13·97	12·54	689
Huntingdonshire ...	16·41	16·24	13·72	13·07	719
Dorsetshire	16·18	15·49	14·05	13·43	738
Wiltshire...	16·92	15·59	14·76	13·55	745
Buckinghamshire ...	16·78	15·21	15·00	13·59	747
Westmorland	15·52	14·95	14·13	13·66	751
Oxfordshire	16·81	15·89	14·91	13·91	765
Cambridgeshire	17·29	16·14	15·12	13·95	767
Berkshire	16·17	15·27	14·79	14·03	771
Hertfordshire	16·89	15·57	15·19	14·07	774
Suffolk	17·61	16·72	15·03	14·25	783
Sussex	15·66	15·34	14·71	14·39	791
Somersetshire	17·34	16·21	15·27	14·39	791
Shropshire	17·42	16·69	15·28	14·46	795
Herefordshire	17·32	17·39	14·80	14·57	801
Bedfordshire	17·31	15·85	15·44	14·60	803
Surrey	15·29	14·51	15·35	14·69	808
Norfolk	18·03	17·41	15·27	14·81	814
Northamptonshire ...	17·08	15·87	15·89	14·97	823
Lincolnshire	17·51	16·67	15·66	14·97	823
Kent	16·57	15·61	15·67	15·04	827
Middlesex	16·13	14·64	16·29	15·24	838
Hampshire	16·70	16·26	15·76	15·47	850
Cornwall...	18·98	17·72	16·81	15·58	857
Devonshire	18·30	17·45	16·25	15·64	860
Essex	16·82	15·97	15·99	15·74	865
Worcestershire	16·99	16·32	16·33	15·99	879
Gloucestershire	17·82	17·14	16·58	16·15	888
Cumberland	18·38	17·16	17·66	16·78	922
Leicestershire	18·42	17·28	17·47	17·03	936
North Wales	18·68	18·82	16·83	17·04	937
North Riding	18·15	17·79	17·34	17·22	947
Derbyshire	17·74	17·23	17·55	17·48	961
Nottinghamshire ...	19·44	17·72	18·69	17·62	969
East Riding (with York)	19·48	18·50	18·77	18·11	996
Monmouthshire... ...	19·70	18·77	19·15	18·66	1,026
Cheshire	18·85	18·24	19·08	18·80	1,034
South Wales	19·13	19·27	18·68	19·32	1,062
Warwickshire	19·01	19·16	18·85	19·39	1,066
Northumberland ...	19·78	19·02	19·83	19·55	1,075
Staffordshire	19·65	19·55	19·57	19·78	1,087
Durham	19·83	19·28	20·14	19·82	1,090
West Riding	20·03	18·87	20·80	20·03	1,101
London	20·31	19·20	20·93	20·10	1,105
Lancashire	22·40	21·12	23·69	22·88	1,258

NOTE.—The corrected death-rates both in 1881–90 and 1891–1900 are based on the sex and age constitution of the mean population in 1891–1900.

Density of Population in Relation to Mortality.

The question of the relationship between mortality and density of population is closely associated with that of the local variations of death-rates; for, as has just been remarked, the areas with the highest death-rates are the densely populated mining and industrial Counties, while those with the lowest rates are the more sparsely populated rural Counties. It was pointed out in the last Decennial Supplement, that Dr. Farr had devised a formula showing approximately the relation existing between density and mortality in the districts of England and Wales during 1861–70, but that at the time of writing the relation existing between them had become too complex to admit of expression by a similar formula. And further, the general increase of mortality with increase of density shown in Tables R. and S., may with greater probability be accounted for by other factors, directly due to the increased overcrowding incidental to the growth of large towns. Tables R. and S. are arranged on the same lines as Tables Q. and R. in Part I. of the previous Supplement; whilst Table I. in the Supplement for 1871–80 gives the means of carrying back to that decennium the comparison of the crude death-rates. It may first be mentioned that while the mean density of the English population rose from 471 persons to a square mile in 1881–90 to 525 in 1891–1900, the death-rate fell from 18·73 to 18·19 per 1,000. The tables further show that whereas in 1871–80 there were 101 districts with an aggregate population slightly

TABLE R.—DENSITY and MORTALITY. The GROUPS of DISTRICTS arranged in ORDER of their CRUDE DEATH-RATES, 1891–1900.

Crude Death-Rate.	No. of Districts.	Area in Acres.	Population.	Deaths.	Density (Persons to a Square-Mile.)	Mean Crude Death-Rate.	Range of Corrected Rates.	
							Lowest.	Highest.
12-13	9	430,859	282,834	35,807	420	12·66	10·39	13·67
13-14	22	1,148,353	786,494	107,322	438	13·65	10·82	15·88
14-15	73	3,717,597	2,004,426	289,829	345	14·46	11·39	16·97
15-16	135	8,435,953	4,222,463	654,389	320	15·50	11·59	17·71
16-17	148	11,199,744	3,762,994	620,390	215	16·49	12·20	19·72
17-18	79	4,915,974	4,296,813	752,589	559	17·52	13·46	19·26
18-19	60	3,261,396	4,122,351	758,918	809	18·41	14·78	20·69
19-20	52	2,722,895	4,505,058	877,585	1,059	19·48	15·00	22·23
20-21	24	811,704	2,699,366	551,500	2,128	20·43	16·92	22·46
21-22	13	438,028	1,542,934	329,643	2,254	21·36	16·76	23·72
22-23	6	29,376	791,443	178,745	17,243	22·58	22·47	24·28
23-24	4	143,026	410,280	95,847	1,836	23·36	23·43	24·67
24-25	4	22,372	768.648	186,818	21,989	24·30	24·62	26·97
25-30	2	46,889	159,751	42,034	2,180	26·31	25·54	28·29
30-34	4	3,313	287,624	93,959	55,563	32·67	33·14	39·35
	635	37,327,479	30,643,479	5,575,375	525	18·19	10·39	39·35

TABLE S.—DENSITY and MORTALITY. The GROUPS of DISTRICTS arranged in ORDER of their DEATH-RATES in STANDARD POPULATION, 1891–1900.

Corrected Death-Rate.	No of Districts.	Area in Acres.	Population.	Deaths.	Density (Persons to a Square Mile).	Range of Crude Rates.		Mean Crude Death-Rate.	Mean Corrected Death-Rate.
						Lowest.	Highest.		
10-12	27	1,434,417	305,363	43,374	136	12·53	15·65	14·20	11·63
12-13	112	6,654,217	1,675,837	252,254	161	12·89	16·94	15·05	12·54
13-14	121	8,823,672	2,496,285	385,343	181	12·32	17·40	15·44	13·44
14-15	92	6,985,414	2,848,795	440,496	261	13·49	18·77	15·46	14·52
15-16	53	3,572,719	2,271,828	365,207	407	13·95	19·92	16·08	15·53
16-17	56	3,607,345	2,576,691	429,546	457	14·45	20·60	16·67	16·53
17-18	31	1,597,845	1,839,178	324,429	737	15·23	19·63	17·64	17·58
18-19	40	1,813,474	3,690,975	665,908	1,303	16·35	20·92	18·04	18·53
19-20	31	1,185,809	3,159,033	587,988	1,705	16·67	20·84	18·61	19·42
20-21	21	612,963	2,240,001	436,896	2,339	18·08	21·81	19·50	20·57
21-22	18	401,707	2,776,506	561,075	4,424	19·12	21·25	20·21	21·56
22-23	13	277,734	2,119,515	438,624	4,884	19·70	22·37	20·69	22·36
23-24	6	122,320	801,663	176,777	4,194	21·23	23·79	22·05	23·48
24-25	5	166,769	762,259	177,546	2,925	22·92	24·11	23·29	24·33
25-30	5	67,761	791,926	195,953	7,480	24·10	26·39	24·74	26·54
30-35	4	3,313	287,624	93,959	55,563	30·85	34·12	32·67	34·82
	635	37,327,479	30,643,479	5,575,375	525	12·53	34·12	18·19	18·19

exceeding two millions that had mean annual death-rates below 17 per 1,000, in 1881–90 there were 284 districts containing nearly 7 millions of persons, and in 1891–1900 there were 387 districts with more than 11 millions of persons that had death-rates below that limit. On the other hand, in 1871–80 there were $7\frac{1}{3}$ millions of people living in 82 districts, where the rate exceeded 23 per 1,000; in 1881–90 there were only 19 districts with a population of more than two millions, and in 1891–1900 only 14 districts with a population of rather more than $1\frac{1}{2}$ millions subject to these high death-rates. These comparisons are based on the crude death-rates, but Tables S. of the present, and R. of the previous Supplement afford more reliable means of comparing the mortality in districts grouped according to their corrected death-rates. These tables show that while in 1881–90 no district had a corrected death-rate lower than 12 per 1,000, in the recent decennium there were 27 districts, with an aggregate population of 305,363 persons, where the mortality fell below that limit. It further appears that the number of districts with corrected rates between 12 and 13 per 1,000 rose from 33 in 1881–90 to 112 in 1891–1900. Altogether, there were in the earlier decennium 417 districts with 9 millions of population that had corrected death-rates below 17 per 1,000, against 461 districts with an aggregate population of more than 12 millions in 1891–1900. The other end of the table shows equally improved conditions of mortality, the number of districts, in 1881–90, with

rates above 23 per 1,000 having been 41, with nearly 5½ millions of people, and in the recent decennium only 20 districts with less than half that population.

Certification of Cause of Death.

By reference to past annual reports it may be ascertained that in the course of the decennium 1891–1900 the proportion of deaths certified as to cause by medical men averaged 91·70 per cent., the percentage certified by coroners, after inquests, being 6·05, and the percentage remaining uncertified being 2·25, the proportions in the previous decennium having been 91·11, 5·46, and 3·43 per cent. respectively.

In the decennium ended 1900· the proportion of certified deaths varied enormously in different parts of the country. Thus in Herefordshire the proportion was 5·2 per cent. of the total deaths, and in North Wales 4·8 per cent; whilst in Middlesex, Wiltshire, and Monmouthshire the proportion did not exceed 1·0 per cent.

The numbers and proportions of deaths registered as certified require modification on account of the fact that in many cases inquests are held on the bodies of persons who had been actually under medical treatment at the time of death. Such deaths, although occurring under medical care, are placed under the head of "Inquest cases," and are excluded from the list of deaths medically certified. In many instances medical evidence is undoubtedly given at the inquest; but, except in cases where a post mortem examination is stated to have been made, we have no means of ascertaining whether or not medical evidence had been given.

The medical evidence of cause of death is often obscured by the manner in which the verdicts of Coroners' juries are worded, and consequently this information is lost for the purposes of vital statistics. It is much to be regretted that the reliability of the national death registers should thus be impaired, for a large share of the time of our official staff is occupied in the endeavour to maintain the efficiency of registration.

The inadequacy of Coroners' Certificates was severely criticised in 1899 by a Departmental Committee of the Home Office.* After hearing evidence on the point, the Committee reported as follows on the 17th of January of that year :—

> "Lastly, we are so much impressed by the insufficiency and untrustworthiness of the statistics relating to particular causes of mortality which can be gathered from returns of Coroner's verdicts, that we venture, though the matter is outside the terms of the reference to us, to recommend strongly that some steps should be taken to secure that these verdicts should lend themselves more readily to clear classification by the Registrar-General; and, in particular, we suggest that in every case where the Coroner is in possession of a medical certificate of death, or where medical evidence has been taken at the inquest,

* Report on the Manufacture of Water Gas, p. xi.

a copy of that certificate or an abstract of that evidence should be appended to the Coroner's Certificate when sent to the Registrar-General."

In the previous decennial supplement reference was made to the fact that in the year 1881 my predecessor, Dr. Ogle, had commenced a system of confidential inquiry as to the true cause of death in the large number of instances in which the cause had been medically certified so vaguely as to be useless for purposes of classification. Although the gradually increasing work of this office has hindered the full development of the system, nevertheless in the ten year period ended 1900 more than thirty-nine thousand answers were received to letters of inquiry addressed to medical practitioners, the number in the preceding decennial period having been over twenty-two thousand. In that supplement the hope was expressed that in future a much larger proportion of faulty certificates might be dealt with on similar lines. From the above it will be seen that this hope has been to some extent realized. In this connection it is my grateful duty to acknowledge a very substantial improvement, both in the character of the original medical certificates, and in the character of the replies furnished to our inquiries respecting doubtful cases. As the result of medical inquiries from this office in the last decennium there were added—

To the total mortality from *puerperal sepsis and accidents of childbirth*, 2,050 *deaths*—of which 932 had originally been certified as from peritonitis, 510 as from pyæmia or septicæmia, 151 from metritis, 178 from pelvic cellulitis, and 117 from hæmorrhage—in all the foregoing instances without mention of the puerperal condition.

To the total mortality from *cancer or malignant disease*, 6,252 deaths, of which 5,255 had been originally attributed to tumour, 574 to stricture of œsophagus, 42 to hæmorrhage, 30 to dyspepsia, and 22 to atrophy; whilst 70 deaths had been certified as from surgical causes, without further specification.

To the total mortality from *tuberculosis*, 1,334 deaths, of which 717 had been originally attributed to tumour, 193 to peritonitis, 124 to atrophy, and 52 to pyæmia or septicæmia, whilst 36 were referred to surgical causes.

Analysis of Causes of Death.

Balance of loss and gain in mortality from certain diseases.

Table T indicates that in the decennium under present consideration an average annual saving of 540 lives has been achieved in each million of the population of England and Wales.

From this Table it appears that among the specified causes of death there were nine that showed a higher fatality in the last 10 years than in the corresponding period immediately preceding. These causes were measles, influenza, diphtheria, diarrhœa, pneumonia, other forms of tuberculosis, cancer, diabetes mellitus, and Bright's disease. The remaining causes of death specified in the

Table showed in each case a lower fatality. Further particulars will be found in the following pages, as the several causes of death come under consideration.

TABLE T.—**Annual Deaths** per **Million** PERSONS LIVING of BOTH SEXES.

Causes of Death.	1881-90.*	1891-1900.	Difference in 1891-1900.	
			Annual Decrease.	Annual Increase.
Small-pox	44	13	31	—
Measles	406	414	—	8
Scarlet Fever	312	158	154	—
Influenza	20	361	—	341
Whooping Cough	414	377	37	—
Diphtheria	153	263	—	110
Croup (not membranous)	133	51	82	—
Enteric Fever	198	174	24	—
Diarrhœal Diseases	631	738	—	107
Puerperal Fever and Childbirth	161	152	9	—
Pneumonia	1,041	1,227	—	186
Tuberculosis (all forms)	2,429	2,010	419	—
Phthisis	*1,775*	*1,391*	*384*	—
Tuberculous Meningitis	*234*	*216*	*18*	—
Tuberculous Peritonitis, Tabes Mesenterica ..	*257*	*217*	*40*	—
Tuberculous Diseases (other forms)	*163*	*186*	—	*23*
Rheumatic Fever, *Rheumatism of Heart* ..	94	85	9	—
Cancer	602	758	—	156
Diabetes Mellitus	58	75	—	17
Laryngitis	52	45	7	—
Bronchitis	2,081	1,811	270	—
Pleurisy	56	54	2	—
Bright's Disease	286	337	—	51
Other Causes	9,563	9,091	472	—
All Causes	18,734	18,194	1,516	976
Net Decrease	—	—	540	—

* The death-rates for 1881-1890 are based on the sex and age constitution of the mean population of England and Wales in 1891-1900.

Small-pox.—In the decennium ended 1900 the deaths from small-pox in England and Wales numbered 4,058 at all ages and of both sexes. The mortality, which in 1871-80 had shown an increase of 51 per cent. on the mean rate of the previous decennium,

exhibited in the decennium ended 1890 a decrease equal to 81 per cent. of the mortality in 1871-80. Since the year 1890 the mortality has fallen rapidly, the rate in the last decennium being equal to 13 per million living—a decrease on the rate of the previous decennium of not less than 70 per cent. Ever since 1871–80 the fall in small-pox mortality has affected all ages and both sexes. Among children under five years the fall has been equal to 94 per cent.; from 5 to 25 years it has ranged between 96 and 98 per cent.; whilst from the age 25 years onwards the fall has grown gradually smaller.

The registered mortality from small-pox is at best only a rough indication of the degree in which a community suffers from this eminently preventable scourge. Unfortunately the returns under the Infectious Diseases Notification Acts of 1889 and 1899 are not as yet sufficiently complete to trace the incidence of sickness from small-pox in England and Wales as a whole; but they are complete for the Administrative County of London, where the compulsory notification of infectious diseases has been strictly enforced since the year 1890. Sir Shirley Murphy, the County Medical Officer of Health for London, has courteously supplied me with the figures at foot,* which represent the number of cases of small-pox notified in each of the ten years 1891–1900. In the course of the period 1893–5 London experienced a serious outburst of the disease, which, in the then existing vaccinal condition of the people, would have entailed terrible destruction of life had it not been for the prompt removal of first cases; but this removal, thanks to the co-operation of the Metropolitan Asylums Board, was effected in practically every case. Nevertheless, the recorded mortality conveyed no adequate warning of danger; for, in one year only of the decennium 1891–1900 did the rate reach 0·05 per thousand, the fatality in each of the other nine years being considerably below that figure.

As regards the amount of protection conferred by vaccination on sufferers from small-pox, the information in medical certificates is very scanty. Of the total of 4,058 small-pox deaths recorded in England and Wales in 1891–1900, 14 per cent. were returned as vaccinated and 20 per cent. as not vaccinated, the proportions so returned in the previous decennium having been 17 and 27 per cent. respectively.

In point of accuracy, the information as to the vaccinal condition of the small-pox fatal cases in the Metropolis contrasts favourably with that of the fatal cases in extra Metropolitan England; for while in London the proportion of cases reported without statement as to vaccination amounted to not more than 30 per cent., in the provinces it exceeded 70 per cent. In the decennium last completed 432 deaths from small-pox occurred in London, or in Metropolitan hospitals, and 3,626, or more than eight times that number, in the provinces. In the Metropolis the proportion of cases stated to have been vaccinated was 30 per cent. of the whole, in the provinces it was only 12 per cent. In the former area the

* The numbers of cases of small-pox notified in London in each of the ten years were as follows:—1891, 114; 1892, 425; 1893, 2,815; 1894, 1,193; 1895, 980; 1896, 225; 1897, 104; 1898, 33; 1899, 29; 1900, 86.

unvaccinated cases were stated to have constituted 40 per cent. of the whole; in the latter area 18 per cent. only.

Measles.—On reference to Table 5 it will be seen that in the recently ended decennium measles caused a mortality of 414 per million of the population. In the course of the last 40 years measles has shown a tendency to increased fatality in this country. The Table indicates that since 1861–70 the mortality from that disease has varied somewhat irregularly, and that although between that decennium and its immediate successor there had been a considerable fall in the death-rate, nevertheless in the ten years ended 1890 a rise had occurred of even greater amount. A further limited rise has taken place in the period since elapsed.

Measles fatality is mainly limited to childhood, not less than 93 per cent. of the deaths occurring within the first five years of age. If, with the help of Table H_1 on page cxi, the mortality in each of the first five years of life be examined, it will appear that this disease levies its heaviest death-toll, not on infants in their first year, but on infants between the ages of one and two years—measles contrasting strongly in this respect with whooping cough, which is most destructive in the first year of life. Table 6 shows that in the decennium 1891–1900 measles mortality at the age 0–5 years averaged 4·07 per thousand living in the urban group of counties, exceeding that of the rural group by 159 per cent. Taking the counties separately, measles appears to have been most destructive in London, where the death-rate was equal to 4·82 per thousand living under five years of age, Lancashire coming next with a rate of 4·64 per thousand. The counties with lowest mortality were Herefordshire, where the rate was ·91, Huntingdonshire ·92 and Rutlandshire ·98, in the same number living (Table 2).

Scarlet Fever.—Very remarkable has been the fall in scarlet fever mortality throughout the last 40 years. The distinction between scarlet fever and diphtheria was first officially recognised in the Registrar General's Report for the year 1855, and it is probable that for some years subsequently the two diseases were frequently confused in the death certificates. In the decennium last completed scarlet fever caused a death-rate of 158 per million living at all ages and of both sexes. The rate was below that of the previous decennium by 49 per cent., whilst that rate was again below the rate of the decennium ended with 1880 by not less than 52 per cent.

In part I. of the last Supplement I discussed the question whether the rapid decline of scarlet fever mortality in recent years was due to a diminished prevalence or to a milder form of that infection. Re-examination of the returns of the Metropolitan Asylums Board from 1872 onwards indicates the latter as probably the true explanation, for the fatality among the vast number* of scarlet fever cases treated annually in these hospitals has decreased almost steadily throughout the last 20 years.

---

* In the year 1901 not fewer than 14,539 cases of scarlet fever were admitted to the Hospitals of the Metropolitan Asylums Board.

In the decennial period ended 1900, as well as in previous years, scarlet fever was mainly destructive to children under the age of ten years, the fatality in the first five years being more than twice as heavy as that in the second five. From Table H_1 it appears that among children aged 0–5 years this disease is markedly less fatal in the first year than in any other year of the succeeding four. In proportion to children born, the deaths within the first six months of life are less numerous than in the second six months.

Table 6 on page cxcviii. shows that in the decennium last ended scarlet fever was much more destructive in the town than in the country, the total mortality in the selected urban group of counties being at the rate of 200 per million living, as against 99 per million in the rural group. Among the separate counties of England and Wales scarlet fever seems to have been most destructive to children in Lancashire, Monmouthshire, Staffordshire, the West Riding of Yorkshire, Middlesex, and South Wales. In the counties of Cambridge, Sussex, Hertford, Berks, Surrey, Buckingham, Huntingdon, and Suffolk the the rate of scarlet fever mortality was about one-fifth of that experienced in any of the more populous counties above specified (Table 2).

Influenza.—At the present time, according to the official returns, influenza claims a considerable annual number of victims; but, until the year 1890, no general or excessively fatal prevalence of that disease had been experienced in this country for more than 30 years. Indeed, previous to the year specified, influenza had not manifested truly epidemic proportions since the year 1855. The mortality directly attributed to influenza in the quinquennium ended 1889 averaged no more than three per million of the estimated population. Towards the close of 1889, however, the disease invaded our ports from the Continent, in certain parts of which it was prevalent at the time, and thenceforward it appears to have established a foothold in England. In January of the year following, influenza became excessively prevalent in London, and shortly afterwards, in many other parts of the Kingdom. In 1890, the first complete year of the epidemic, influenza was returned as the cause of death in 4,523 instances; in the next year the deaths rose to 16,686, and in the year following the number was 15,737.

In the decennium 1891–1900 the mortality from influenza was at the average rate of 361 per million living. In no single year of the ten did the rate fall below 122 per million, which was the proportion recorded in 1896. After the first outburst in 1890–2, and before the close of the last decennium, there were two recrudescences of the epidemic; the first in the year 1895, when the rate rose suddenly to 423 per million, the second three years later, culminating in 1900, when the rate reached 504 per million.

At all ages of both sexes the recorded average mortality from influenza in the decennium last ended does not greatly differ from that of the epidemic years 1847, 1848; but at ages from 15 to 65 among both males and females the disease seems to have been more fatal in the later than in the earlier period, whilst at ages

under 15 and above 65 the reverse appears to have been the case. This will be seen by reference to the accompanying Table.

INFLUENZA. AVERAGE ANNUAL DEATH-RATES per MILLION LIVING.

Ages.	Males.		Females.		Both Sexes.	
	1847–8.	1891–1900.	1847–8.	1891–1900.	1847–8.	1891–1900.
0—	780	322	645	255	713	288
5—	78	47	82	51	80	49
10—	41	39	58	43	49	41
15—	51	109	50	85	51	97
25—	71	177	86	138	79	157
35—	131	324	147	242	139	281
45—	289	560	280	429	284	492
55—	741	1,067	872	967	809	1,013
65—	2,236	2,214	2,486	2,232	2,370	2,224
75 and upwards	5,651	4,586	6,064	4,788	5,883	4,703
All Ages	347*	366	389*	356	368*	361

* The death-rate at all ages is based on the sex and age constitution of the mean population in 1891-1900.

Whooping Cough.—In the course of the last forty years the registered mortality from whooping cough in England and Wales has fallen by about 19 per cent., the fall having been nearly continuous throughout that period. In the last decennium the disease was credited with a mortality of 377 per million living at all ages and of both sexes ; but it is certain that this ratio does not completely represent the loss of life for which whooping cough is responsible. Many of the deaths from bronchitis and other diseases of the lungs have their origin in antecedent whooping cough, although the fact is not always stated in the certificate, and consequently the mortality from this affection is understated in the Tables.

This disease is mainly destructive to children under the age of five years, who die of it at the average rate of 3·09 per thousand living. From the Table on page cxi in which the deaths of children are shown in terms of registered births we learn that unlike measles, scarlet fever, and diphtheria, whooping cough is more fatal in the first year of life than in any subsequent year of the first five. Another peculiarity of whooping cough fatality is one that has previously been noted in these reports, namely, its

exceptional sex incidence. Forty years ago this disease was found to be considerably more destructive to girls than to boys, and the same is true at the present day (Table 5). The distribution of mortality from this disease in 1891–1900 is shown in Table 6, from which it appears that in the selected urban areas, children under five died of whooping cough at the rate of 3·54 per thousand living, as compared with 2·39 per thousand in the rural areas.

From Table 2 we learn that the mortality from whooping cough varied enormously in particular localities, being, like most other infectious diseases of children, by far the most fatal in populous places. Thus, in one registration district in the rural county of Westmorland, and in several rural districts elsewhere this disease was fatal in the proportion of less than one per thousand children living under five years of age, whilst in certain urban districts of Lancashire, and in some Metropolitan Boroughs, the mortality was from five to seven times as great as this.

Diphtheria.—The deaths registered as from diphtheria, or from membranous croup, in the period now under review were collectively equal to a rate of 263 per million living, of both sexes and at all ages—being an increase of 72 per cent. on the rate in the decennium immediately preceding.

The distribution of diphtheria is shown in Table 6, from which we gather that, according to recent experience, this disease is much more destructive in the town than in the country.* This is particularly noticeable in children under five years of age, who die of it practically twice as fast in the urban areas as they do in the rural. Of the registration counties of England and Wales there were in 1891–1900 eight in which the uncorrected death-rate at all ages from diphtheria exceeded the average, namely, 26 in each 100,000 living. The rate was 50 in London, 46 in Essex, 39 in South Wales, 36 in Kent and in Leicester, 32 in Monmouth, 31 in Middlesex and 30 in Sussex (Table 7).

The mortality referred in the tables to diphtheria now forms a more nearly accurate measure than it formerly did, of the actual incidence of the disease. Nevertheless the mortality from diphtheria is still probably understated, for it is known that of the deaths ascribed to such conditions as "tonsillitis," "quinsy," "ulcerated sore throat," "catarrhal," and "membranous" laryngitis a considerable proportion are really diphtheritic; the specific nature of many of the cases originally returned under one or other of these headings having been subsequently acknowledged by the medical attendants. With the more general adoption of bacteriological methods of diagnosis it is probable that a still larger proportion of these deaths will eventually be returned as diphtheritic. At any rate, the mortality under every one of the above indefinite headings has steadily fallen in recent years.

It should be mentioned here that in the latest revision of their Nomenclature the Royal College of Physicians direct that neither

* It will be remembered that in earlier years diphtheria was considered mainly a disease of country districts.

the term "membranous laryngitis" nor the term "membranous croup" should be used as a synonym for laryngeal diphtheria.

TABLE U.—DIPHTHERIA and CROUP—AVERAGE ANNUAL DEATH-RATES PER MILLION living in each of the last four decennia.

Ages.	Both Sexes.				Males.				Females.			
	1861-70.	1871-80.	1881-90.	1891-1900.	1861-70.	1871-80.	1881-90.	1891-1900.	1861-70.	1871-80.	1881-90.	1891-1900.
All ages	390	261	286	314	404	274	297	321	377	249	276	308
0—	2,371	1,525	1,595	1,719	2,465	1,610	1,671	1,776	2,275	1,441	1,520	1,663
5—	644	503	641	756	605	483	601	697	684	523	681	815
10—	150	98	109	128	122	81	93	116	177	115	125	140
15—	60	33	36	36	58	28	35	36	62	38	37	37
20—	38	21	20	20	35	20	20	20	41	22	21	21
25—	27	17	17	16	24	14	15	15	28	19	19	18
35—	21	18	16	14	20	16	13	13	22	19	18	15
45—	22	14	14	12	22	17	14	12	22	12	13	12
55—	26	18	17	15	30	19	19	13	22	16	16	16
65—	26	19	17	12	33	20	18	12	21	18	16	12
75 and upw'ds.	25	14	12	9	32	14	15	9	20	15	9	8

NOTE.—The death-rates at all ages in the three earlier decennia are based on the sex and age constitution of the mean population in 1891-1900.

Diphtheria and Croup.—In comparing the mortality actually due to diphtheria in the recent and in previous decennia it becomes necessary to examine with much care the records of other causes of death in the several periods. As has already been stated, diphtheria was not distinguished from scarlet fever in the national returns until the year 1855. Consequently the earliest complete decennium for which statistics of these diseases are available must be that ended 1870. In 1861-70 there were registered in England and Wales not fewer than 52,545 fatal cases of "croup" but only 39,454 of diphtheria. If it be assumed, for the moment, that what is commonly called "croup" is a definite disease, distinct alike from diphtheria and from spasm of the glottis, it is remarkable that, in spite of the enormous increase of population, the deaths referred to this cause in England and Wales should have fallen from an average of more than five thousand annually in 1851-60 to an annual average of fewer than six hundred in the five year period last ended.

In Table U the mortality from diphtheria is taken together with that from croup as representing approximately the amount of life lost by diphtheria in successive periods since the disease was first separately classified. But, in order that the question may be further examined the mortality from these conditions is separately shown in Table 5.

Among several important points suggested by Table U it is noteworthy that when the recorded mortality from "diphtheria" is combined with that from "croup" the age incidence of that mortality in the earlier decennia tallies much more closely with the known incidence of fatal diphtheria to-day than would have been the case had the formerly dominant factor of croup been left out of account. This may readily be seen by reference to Table 5 where the death-rates are given under both headings. The mortality from diphtheria and croup is lower at the present time than it was forty years ago.

In the decennial period under present notice the death-rate from diphtheria and croup at all ages among persons of both sexes averaged 314 per million: among males it was 321 and among females 308. Like scarlet fever, this disease selects its victims mainly from among children under ten years old. Thus, at ages under five the death-rates were 1,776 for males and 1,663 for females. From 5 to 10 years they were 697 and 815, respectively, from 10 to 15 years 116 and 140 and from 15 to 20 years 36 and 37. Although in infancy diphtheria, like most other infectious diseases, was more fatal to the male than to the female sex, the reverse was the case in older children as well as in adults. The death-rates for each year of age under five are given in the Table on page cxi; the figures show that diphtheria, like scarlet fever, is less fatal to children in their first year than in any year of the next four.

Enteric Fever.—In the Registrar-General's reports, up to the year 1868, enteric (or typhoid) fever was grouped with typhus, and with so-called simple continued fever, under the heading Fever. But from that date onwards enteric fever has been distinguished from typhus, in the national returns, and the other indefinite conditions formerly called simple continued fever or febricula are now aggregated under the heading "Pyrexia of uncertain origin." In the latest revision of their Nomenclature of Diseases the Royal College of Physicians have decided that the names febricula and simple continued fever should no longer be used.

Table 5 in the present report shows that the mortality from enteric fever has fallen considerably in the course of the last thirty years: but, whereas the fall between the first and the second decennium of that period was equal to 39 per cent., it did not exceed 12 per cent. between the second decennium and the decennium just closed. Although the official records show substantial reduction in the loss of life from this disease, it is doubtful whether they fully express the amount of that reduction. For, whereas in the first quinquennium after 1868 an annual average of 4,250 deaths were attributed to simple continued fever, the deaths thus returned in the quinquennium ended 1900 were fewer than 130 annually. There is little doubt that many of the deaths referred in 1869–73 to continued fever were really due to enteric fever, and the age distribution of the cases tends to support this contention. If this assumption be correct it follows that in recent years the reduction in enteric fever mortality has been greater than the Tables would indicate. But whatever its exact amount, the fall

of mortality has been somewhat irregular from the year 1869 onwards. If the years 1869–84 be divided into two equal periods the mortality in the first of these periods will be found to have oscillated within narrow limits—the rate never deviating greatly from the mean, which was 369 per million of the population. In the second period the disease was decidedly less destructive, the rate averaging 248 per million. Subsequently to the year 1884 the mortality has fallen still further—the rate attaining 230 per million on one occasion only, namely, in the year 1893.

In order to afford graphic illustration of the behaviour of enteric fever mortality since 1868, a chart has been prepared (see opposite page) showing the corrected mortality from this disease at all ages, for both sexes together, as well as for each sex separately. In this chart the rates of mortality from enteric fever are shown in each of the 37 years elapsed since this disease was first differentiated from other forms of continued fever in the Registrar-General's Reports. From this chart it appears that the rate of mortality from enteric fever has fallen from 384 per million in the year 1869 to 89 per million in 1905. Speaking generally, the curve exhibits an almost steady fall from the year 1875 to 1892, and a much more rapid fall from 1899 to 1902, since which time the fall has been much more gradual. The chart shows that whereas in the earlier years the sexes suffered about equally from this disease, in more recent years males suffered most severely.

Disregarding the data at ages above 65 years, as being of doubtful accuracy, the fall in mortality between the first and last decennia was greatest at ages under five years, differing little from 80 per cent. in either sex. At ages 15–55 the fall in both sexes was below the average for all ages. Among males between the ages of 25 and 35 it was less than five per cent; whilst among females at all age groups over five years the fall was more pronounced than among males (Table 5.)

Throughout the last three decennia the age of maximum mortality from this disease has remained practically constant for the respective sexes, being 20–25 years for males and 15–20 for females; but the Table shows that no stage of life enjoys immunity from attack by enteric fever, although at advanced ages the deaths are relatively few in number.

Table 6 (on page cc) shows the distribution of enteric fever mortality in selected groups of registration counties—urban and rural. The rates at all ages are corrected for age differences of population. From that Table it appears that, in both sexes, enteric fever is enormously more fatal in the town than in the country, and that both in town and in country the male death-rates, at ages above 10 years, considerably exceed the female.

In Table V, which relates to two decennial periods, separated by an interval of 10 years, the crude rate of mortality from enteric fever is shown for each period, in the several Registration Counties of England and Wales.* In the decennium last ended

* The rates in this Table are not corrected for age and sex differences of population.

ENGLAND & WALES:- ENTERIC FEVER, 1869-1905:

CORRECTED DEATH-RATES PER MILLION LIVING AT ALL AGES.



1024. 6.07

Weller & Graham, Ltd Litho. London.

TABLE V.—ENTERIC FEVER.—CRUDE RATES of MORTALITY per Million Persons living.

Registration County.	1871–80.	1891–1900.	Mortality in 1891–1900 to that in 1871–80 the latter being taken as 100
England and Wales... ...	322	174	54
London	241	142	59
Surrey	218	82	38
Kent	251	143	57
Sussex	193	138	72
Hampshire	302	163	54
Berkshire	224	64	29
Middlesex	241	112	46
Hertfordshire	238	100	42
Buckinghamshire	236	86	36
Oxfordshire	256	58	23
Northamptonshire	326	127	39
Huntingdonshire	261	78	30
Bedfordshire...	222	84	38
Cambridgeshire	245	104	42
Essex	238	183	77
Suffolk	215	101	47
Norfolk	252	190	75
Wiltshire	236	61	26
Dorsetshire	190	72	38
Devonshire	312	136	44
Cornwall	338	116	34
Somersetshire	257	73	28
Gloucestershire	261	89	34
Herefordshire	194	35	18
Shropshire	247	87	35
Staffordshire...	363	220	61
Worcestershire	258	114	44
Warwickshire	296	178	60
Leicestershire	342	176	51
Rutlandshire...	306	51	17
Lincolnshire	272	166	61
Nottinghamshire	430	265	62
Derbyshire	338	151	45
Cheshire	288	196	68
Lancashire	391	256	65
West Riding	452	211	47
East Riding (with York) ...	399	236	59
North Riding	444	218	49
Durham	559	302	54
Northumberland	365	194	53
Cumberland	293	76	26
Westmorland...	301	99	33
Monmouthshire	334	167	50
South Wales	451	190	42
North Wales...	239	128	54

the counties with the lowest enteric fever rates were as follows—Hereford 35 per million living, Rutland 51, Oxford 58, Wilts 61, Berks 64, Dorset 72, and Somerset 73. The counties with the highest rates were—The West Riding of York 211 per million, the North Riding 218, Stafford 220, East Riding 236, Lancaster 256, Nottingham 265, and Durham 302. In each of the last three decennia the County of Durham suffered the highest mortality from enteric fever; the mortality there in 1891–1900, although 46 per cent. below that of 1871–80, having exceeded the rate in 1881–90 by 11 per cent. Reference to the reports for each year of the decennium last ended shows that the mortality in the County of Durham exceeded that of England and Wales in every year of the ten, amounting, in the year 1893, to 565 per million; this was mainly due to excessive mortality in the Registration Districts of Stockton, Auckland, Easington, Houghton le Spring, Chester le Street, South Shields, and Sunderland. In the last-named district the death-rates from this cause were very heavy in the two following years also.

Comparison of the rates in the decennium 1871–80 with those of 1891–1900 shows that, speaking generally, those counties which, in the earlier period, had experienced mortality either above or below the average in the earlier decennium, showed a similar tendency in the later. Thus of the 14 counties with rates above the average in 1891–1900, ten had been in the same plight in 1871–80 also; and of the 31 counties with rates below the average 28 had fared similarly in the previous decennium.

Further continuing the comparison, we find that the mortality in England and Wales in 1891–1900 showed a decrease of 46 per cent. Thirty Counties showed a larger proportional decrease than this, while twelve Counties showed a smaller. Taking in detail the twelve counties last mentioned, it may be remarked as follows:—In *Kent* the reduction was equal to 43 per cent., being very slightly below the average in the whole country. But for the severe outbreak in the Borough of Maidstone during the latter half of the year 1897, the improvement in enteric fever mortality would have been greater in Kent than in England and Wales as a whole. In *London* the reduction was equal to 41 per cent., against 46 per cent. in England and Wales, the mortality in the years 1899–1900 being about 30 per cent. higher than that in the preceding eight years of the decennium. In the *East Riding of Yorkshire* the reduction was also 41 per cent. In the year 1893 the death-rate in this county rose to 484 per million, excessive mortality being confined chiefly to the districts of York, Pocklington, and Beverley, and to the Borough of Hull. A further outbreak occurred in York during the last year of the decennium. In *Warwickshire* the reduction was 40 per cent. The returns indicate the occurrence of a mortality in the districts of Birmingham, Atherstone, Nuneaton, and Foleshill, considerably above the average. The highest rate in Warwickshire in the course of the decennium occurred in the year 1900. In *Staffordshire* the reduction was 39 per cent. Nevertheless, high rates were experienced in the districts of Stoke upon Trent, Wolverhampton, and Dudley in several of the 10 years. The highest rate in this county occurred in 1898, the mortality in that year

being exceptionally high in Dudley. In *Lincolnshire* the reduction was also 39 per cent. Reference to the Table on page 520 shows that the mean rate in Grimsby during the 10 years was equal to 409 per million living. The mortality in this district was above 250 per million during the greater part of the 10 years, and in 1893 it rose to more than 800 per million. In *Nottinghamshire* the reduction was 38 per cent. The rate there was considerably above the corresponding rate in England and Wales in each of the 10 years, the mean rates being the highest in the Registration Districts of Basford and Nottingham. In *Lancashire* the reduction was 35 per cent. The rate exceeded 200 per million in each of the 10 years, rising to 321 per million in 1893. Of the 30 Registration Districts comprised in this county only nine had mean rates below 200 per million. In *Cheshire* the reduction was 32 per cent. The rate did not greatly exceed the corresponding rate in England and Wales in any year of the ten except 1893, when it rose to 297 per million. Reference to the District Tables shows that the highest mean rates were 300 per million in the Registration District of Birkenhead, and 310 in Runcorn; more than half the mortality in the last-named district occurring in the first three years of the decennium. In *Sussex* the reduction was 28 per cent., the slightness of the improvement being due to a severe outbreak of enteric fever in the Borough of Worthing during the year 1893. In *Norfolk* the reduction was 25 per cent., the rates in the years 1897–8 being considerably above those experienced in this county in other years of the decennium. The excessive mortality in the years specified was due to the prevalence of enteric fever in the districts of Yarmouth, Norwich, and King's Lynn. The mean annual rate in the last-named district amounted to more than 700 per million, the highest rate occurring in the year 1897. In *Essex*, where the least improvement was shown, the reduction was only 23 per cent. The death-rate in this county in 1891–1900 did not greatly exceed the average in England and Wales, whilst in the preceding 10 years it had been below that average. This interruption of the fall appears to be due to the "urbanizing" of some of the Essex districts. Thus in the 10 years, 1891–1900, the highest mean rates were 197 in West Ham, 205 in Romford, and 586 in Rochford, all of which districts are becoming increasingly urban in character.

Diarrhœal Diseases.—Ever since the establishment of this Office it has been customary to set forth in the Annual Reports the mortality returned under the unsatisfactory heading "diarrhœa," with reference both to population and to locality. The mortality referred to diarrhœal diseases in each of the last four decennia is shown in Table 5, from which it would appear that these diseases are now somewhat less fatal than they were forty years ago. But before accepting unreservedly the indications of this table it is well to remember that in the early days of death-registration, before the era of compulsory death certification, there was much uncertainty as to what diseases should be included in this group. From examination of the death-registers for years earlier than 1874, it would appear that the following

conditions were generally returned under this head :—Diarrhœa, Choleraic diarrhœa, Cholera Nostras, Cholera infantum, Asiatic Cholera, and Dysentery.

Moreover, inasmuch as previous to the year 1869 enteric fever had not been differentiated from other febrile conditions, it is probable that some cases of that disease were included under the head of diarrhœa. At this distance of time it is of course impracticable to determine the proportions in which the several conditions in the above list contributed to the present group. For many years past Asiatic cholera has happily been absent from this country, but the official Tables do not fully express the fact; for, according to these tables the death-rate from "cholera," with the exception of that of 1866, the last epidemic year, has not very greatly varied in the last four decennia. The reason is that until the year 1901 infantile cholera, cholera nostras, and choleraic diarrhœa had been, in the tables, included together with Asiatic cholera, when present, under the head of "Cholera."*

In the latest and in previous editions of the Nomenclature of Diseases issued by authority of the Royal College of Physicians, "diarrhœa," without qualification, is placed among diseases of the digestive system, but is not included either among "general," or among "infective" diseases. In the last two editions of the Nomenclature the College direct that the name "diarrhœa," being that of a symptom merely, should be used only when the cause of that symptom is unknown. Whenever the cause is known the return is to be made under the head of such cause, the local condition being also specified. In the list of "Infective diseases," now for the first time inserted in the Nomenclature, the College include "Epidemic Diarrhœa"; but they authorise, as a preferable substitute for that condition, the name "Infective Enteritis." They further decree that whenever diarrhœa is due to food the fact should be recorded.

Respecting the names used to denote diseases of this nature there exists, even now, less uniformity of practice than is desirable. In certifying deaths from this affection many practitioners unfortunately continue to employ the term "gastro enteritis," while others still adhere to the old term "gastro-intestinal catarrh." It is therefore important to note that neither of these terms is

* The figures in the following Table represent, for successive decennia, the proportions, in a hundred deaths from diarrhœal diseases, that were contributed respectively by (1) diarrhœa and dysentery and (2) cholera.

Decennia.	Diarrhœa and Dysentery.	Cholera.
1861–70†	96	4
1871–80	97	3
1881–90	98	2
1891–1900	97	3

† The Cholera epidemic year 1866 is not included in this average.

sanctioned in the Nomenclature of the Royal College of Physicians. In the interests of scientific medicine it is expedient that their use should be entirely discontinued. On the other hand it is satisfactory to note that many of the deaths which formerly would have been attributed to "diarrhœa" simply, or to some other indefinite symptom, are now coming to be referred very generally to "Infective Enteritis," or its authorised equivalent "Epidemic Diarrhœa."

Because of their relation to infantile mortality, exceptional importance attaches to diarrhœal diseases, at the present day. At certain seasons and in certain localities it is this factor that determines whether the mortality among young children shall be high or low. In that section of the present report which deals with diarrhœal diseases of children the deaths under any one of the following conditions are grouped together under that heading :*—

(*a.*) Diarrhœa, all forms.
(*b.*) Enteritis, gastro-enteritis.
(*c.*) Gastritis, gastro-intestinal catarrh.

Respecting the incidence of diarrhœal fatality in urban as contrasted with rural areas, instructive information is afforded by Table 6. There we learn that children under five years old—the chief sufferers from diarrhœal diseases succumb thereto in the proportion of 6·77 per thousand living in the urban group of counties, and in the proportion of only 2·68 per thousand in the rural group. We further learn that boys of this age succumb to these affections more readily than girls, both in town and in country. From Table 2, which relates exclusively to mortality under five years, it appears that among the English and Welsh registration counties, which in the aggregate experienced, in 1891–1900, a diarrhœa death-rate of 5·49 per thousand, there are eleven in which the mortality exceeded the average. Of these counties the East Riding of Yorkshire experienced the highest mortality, namely 8·69 per thousand, Lancashire coming next highest, with a mortality of 8·27. But even these high rates were greatly exceeded in several of the registration districts of the counties last mentioned. Thus, in one district of the East Riding diarrhœa caused a death-rate of 11·11 per thousand under 5 years, whilst in four districts of Lancashire the mortality ranged from 12·02 to as much as 13·49 per thousand living at that age.

Puerperal Fever and Childbirth.—The deaths in the recent decennium assigned indefinitely to puerperal fever, or else, with greater precision, either to puerperal sepsis or to other accidents of childbirth numbered 46,591 in all, and were equal to a rate of 295 per million women living at all ages; the rates in the three previous decennia having been 335, 343, and 312 per million respectively.

In the four age periods taken collectively as approximately constituting the reproductive stage of life the rates were as follows :—At ages 15 to 20, 99 per million living at that age; at

* The deaths and death-rates in this section are not the same as those under "diarrhœal diseases" in Tables 2 and 5.

20 to 25, 543 per million; at 25 to 35, 879 per million; and at 35 to 45, 756 per million. This method of calculating puerperal mortality is less satisfactory than that of stating the deaths among puerperal women in terms of total births; but even the last-named method is imperfect, because in England the data are lacking as to the mother's age that would enable us to calculate the deaths of puerperal women at the various ages as a proportion of births to mothers at the same ages.* Expressed in terms of registered births (not of actual confinements, a somewhat different thing) the ratios in the last four decennia have been 4·69, 4·75, 4·73, and 5·09 per 1,000 severally.

In the decennial supplement for 1881–90 attention was drawn to certain local variations of the mortality incidental to the puerperal state. It was there shown that if a line were drawn across the map of England from the Humber to the Severn, the area to the North-West of that line would include the 14 Counties in which alone the puerperal death-rate in that decennium exceeded the average for England and Wales, whilst in every one of the 28 Counties to the south-east of that line the rate would be below the average. The distribution of puerperal mortality in the decennium under present notice follows practically similar lines. This will be seen from the following table, which gives for the ten years 1891–1900 the ratio of deaths among puerperal women to 1,000 births:—

TABLE W.—PUERPERAL SEPSIS and Accidents of CHILDBIRTH.—DEATHS OF MOTHERS per 1,000 births, 1891–1900.

North Wales	7·27†	Wiltshire	4·74†
		Warwickshire	4·72†
South Wales	6·91†	North Riding	4·68
Monmouthshire	6·67†	Worcestershire	4·68
Cheshire	6·27†	Somersetshire	4·62†
Lancashire	6·18†	East Riding	4·59†
		Oxfordshire	4·56†
Herefordshire	5·87†	Norfolk	4·55
Derbyshire	5·75†	Northamptonshire	4·53
West Riding	5·74†	Sussex	4·50†
Cumberland	5·66†	Dorsetshire	4·42†
Northumberland	5·60†	Bedfordshire	4·29†
Westmorland	5·54†	Leicestershire	4·28†
Durham	5·26†	Surrey	4·28
Staffordshire	5·32†	Buckinghamshire	4·23
Nottinghamshire	5·16†	Cambridgeshire	4·23
Gloucestershire	5·12†	Suffolk	4·23†
		Hertfordshire	4·17†
England and Wales	5·09†	Hampshire	4·16
		Kent	4·14†
Cornwall	5·05†	Middlesex	4·00
Berkshire	4·86†	Rutlandshire	3·92†
Shropshire	4·82	London	3·89
Devonshire	4·81†	Essex	3·85†
Lincolnshire	4·78†	Huntingdonshire	3·76†

* These data are obtained in New South Wales and in certain other countries.
† The rates marked † were higher than those of 1881–90.

In the period 1891–1900 English mortality from puerperal sepsis and childbirth averaged 5·09 per 1,000 births, and was higher than in any of the three preceding decennia. This increase is due partly to improved certification, and partly to the system of inquiry carried out by this Office. Eleven out of the fourteen counties that in the previous decennium had experienced rates above the mean, also experienced rates above the mean in the last decennium; in addition to which the rates of Cumberland, Westmorland, Gloucestershire, and Staffordshire, which had been somewhat below the mean in 1881–90, were above the mean in 1891–1900 likewise. On the other hand, the rates of Shropshire, the North Riding of Yorkshire, and Worcestershire, which had exceeded the average rate in the earlier period, fell somewhat below the average in the later.

Pneumonia.—In the latest edition of their Nomenclature of Diseases the Royal College of Physicians class *lobar pneumonia* as a definite infective disease, and for several years past there has been an increasing tendency among pathologists to regard all forms of pneumonia as infective, although the infecting organism may not in all cases be the same. In the present volume, as in its predecessor, "pneumonia" is distinguished from other affections of the respiratory organs.

With the aid of Table 5, the incidence of mortality from pneumonia may be seen to have been somewhat irregular in the past 40 years. In the course of the first three decennia of that period there seems to have been little change in the total mortality from this disease, but in the decennium last closed the rates show a decided increase.

As a means of tracing the relation of season to pneumonia mortality the published records for England and Wales afford no assistance; but the method adopted in this Office of publishing weekly returns for the Metropolis offers exceptional facilities for that purpose. Taking the average for the five years 1901–5 it is found that in London 62 per cent. of the annual deaths from this disease occur in the first and last quarters of the year taken together, whilst the proportion in the remaining half of the year does not exceed 38 per cent.

The influence of locality on the prevalence of fatal pneumonia may be seen by the following table, which gives the mean annual mortality* from that disease per million of the population in town and in country, as well as in England and Wales generally:—

—	Urban County group.	Rural County group.	England and Wales.
Males	1,776	1,005	1,466
Females	1,207	704	1,003
Both sexes	1,483	849	1,227

* This mortality is not corrected for sex and age differences of the living.

It thus appears that, taking together both sexes and all ages, the mortality from pneumonia in the town exceeds that in the country by more than 75 per cent.

According to the age and sex of those attacked, the fatality of pneumonia varies considerably. Table 5 shows that throughout the last forty years the mortality of males has greatly exceeded that of females, and this at all stages of life except from 5–15 years, when the rates are nearly equal. Among children under five years pneumonia mortality is greater than at any subsequent age. The period of least mortality is from the fifth to the twenty-fifth year, after which age both men and women succumb to pneumonia in rapidly increasing proportion, the rate of mortality at ages beyond 75 years being the highest after that of childhood.

As regards the deaths of children under five years, from this disease, it may be seen from the Table on page cxi that it is most fatal, not among infants in the first half, but among those in the second half, of the first year of life. After the first year the mortality decreases rapidly, until the end of the fourth year. Subsequently, it still continues to decrease, though more slowly, until some time between the tenth year and the fifteenth.

Tuberculosis.

Since the year 1894 two Royal Commissions have reported on certain aspects of the Tuberculosis question; and yet a third Royal Commission is at this moment engaged in investigating hitherto unforeseen difficulties connected therewith.

The second interim report of the present Royal Commission has just been issued. It contains *inter alia* the following conclusions, which are of profound importance in the present connection, and which are therefore reprinted here verbatim :—

> "There can be no doubt," say the Commissioners, "but that in a certain number of cases the tuberculosis occurring in the human subject, especially in children, is the direct result of the introduction into the human body of the bacillus of bovine tuberculosis; and there also can be no doubt that in the majority at least of these cases the bacillus is introduced through cows' milk. Cows' milk containing bovine tubercle bacilli is clearly a cause of tuberculosis, and of fatal tuberculosis, in man.
>
> . . . . . .
>
> "A very considerable amount of disease and loss of life, especially among the young, must be attributed to the consumption of cows' milk containing tubercle bacilli. The presence of tubercle bacilli in cows' milk can be detected, though with some difficulty, if the proper means be adopted, and such milk ought never to be used as food. There is far less difficulty in recognising clinically that a cow is distinctly suffering from tuberculosis, in which case she may be yielding tuberculous milk. The milk coming from such a cow ought not . . . . . to be used as food at all.

"Our results clearly point to the necessity of measures more stringent than those at present enforced being taken to prevent the sale or the consumption of such milk."

Towards the close of last century a National Association was formed, under Royal patronage, having for its object "the prevention of consumption and other forms of Tuberculosis," and in several parts of England Sanatoria have recently been established for the treatment of those afflicted with pulmonary tuberculosis.

In these circumstances it is earnestly to be hoped that the interest which has at length been aroused in the public mind by the ravages of tuberculosis will not be allowed to flag, but that measures for the suppression of this essentially preventable scourge may be organized on a scale in some degree commensurate to the danger that confronts us.

Before attempting to compare the mortality of tuberculosis at the present time with that of past years, it is necessary to consider any changes that may have taken place of a nature to invalidate such a comparison. It is obvious, at the outset, that the matters referred to at page viii as impairing the comparability of the records of general mortality must be equally detrimental to the returns of mortality from tuberculosis; for these would be similarly affected by the circumstances there fully considered.

In previous Annual Reports mention has been made of the difficulties encountered in our efforts to measure the total loss of life in this country from the ravages of tuberculosis; chief among which difficulties is the looseness of nomenclature observable in the death certificates, especially in the earlier years of civil registration. Among objectionable names still in common use, presumably to designate a tuberculous condition, the time-honoured name "tabes mesenterica" is conspicuous. It is true that the authorised name "tuberculous peritonitis" is now rapidly taking the place of "tabes mesenterica" in medical certificates, especially in hospital cases after *post mortem* examination; nevertheless, the latter term is still used to indicate the cause of between one and two thousand deaths annually in England and Wales. It is reasonable to assume that in a considerable portion of the deaths even now referred to "tabes mesenterica" the tubercle bacillus would be sought for in vain. That this term has long since been discarded by the staffs of the chief metropolitan hospitals I have ascertained by personal correspondence, and as "tabes mesenterica" has now been expunged from the Nomenclature of the Royal College of Physicians, we may hope that its use will speedily be abandoned by practitioners of medicine. In many instances, perhaps the majority among the poor, the victims of this affection do not come under medical observation until its later stages, if at all. Here, during the patient's life, we are without evidence of specific infection, such as that which, in the case of pulmonary tuberculosis, is afforded by the sputum. We are, therefore, largely dependent on the result of *post mortem* examinations, and these it is notoriously difficult to obtain, especially in the case of young children.

In the early days of civil registration the terms "consumption" and "decline" frequently appeared in death certificates, apparently as alternatives for tuberculous phthisis, but these indefinite terms have now happily fallen into disuse. There is reason to believe that, in the present day, the greater portion of the deaths referred to "phthisis" are actually tuberculous in nature, nevertheless we know that this has not always been the case.

The Royal College of Physicians have availed themselves of the opportunity afforded by the preparation of a third revision of their Nomenclature, to direct explicit attention to the necessity for greater care in the differentiation of the various forms of tuberculous disease; the chief recommendations are given at foot.*

With respect to the aggregate mortality from all forms of tuberculosis, although, as previously mentioned, the earlier records scarcely warrant a definite conclusion, it is at least probable that in the fifties and sixties of last century that mortality was to some extent overstated.

In addition to the difficulties caused by changes in the certification of deaths, others are caused by changes in the method of classification. As far as practicable correction has been made for the latter, so as to render the death-rates in the several decades more nearly comparable.

The accompanying chart shows the mortality from tuberculosis for a long series of years. The death-rates have been calculated on the basis of the age and sex constitution of the population at the census of 1901. We there see that, speaking generally, there has been an almost steady and a not slow decline in the aggregate mortality from tuberculosis, the rate in the last year being less than half that in the earlier years, and further that the decline has been greater in females than in males.

The following table shows the mortality from tuberculosis in two decennia separated by an interval of 30 years.

---

* Extract from the "Nomenclature of Diseases," pages 7, 111, 113.

(*a*) Under the heading "Tuberculosis" an instruction is inserted that "the terms 'Strumous' and 'Scrofulous' should no longer be used."

(*b*) In dealing with "Phthisis" the college, whilst recognising that this term for the most part signifies pulmonary tuberculosis, nevertheless add a caution to the effect that where phthisis is ascertained to be due to causes other than tuberculosis, this should be stated.

(*c*) In a note to "Vomica" it is directed that where this condition is due to tuberculous disease the fact should be stated.

(*d*) To the conditions "Hæmoptysis" and "Abscess of lung" a footnote is appended to the effect that when the cause of this condition is known, the return should be made under the head of such cause, the local condition also being specified.

(*e*) In a note to "pleurisy" direction is given that when this condition is known to be tuberculous the fact should be stated.

N.B.—The term "tabes mesenterica" is now expunged from the nomenclature.

ENGLAND & WALES:- TUBERCULOSIS (ALL FORMS), 1851 - 1905:
CORRECTED DEATH-RATES PER MILLION LIVING AT ALL AGES.



1024.6.07

Weller & Graham, Ltd. Litho. London.

TABLE X.—TUBERCULOSIS.—Death-rates per Million living in the decennia 1851–60 and 1891–1900.

Age Groups.	Both Sexes.			Males.			Females.		
	1851-60.	1891-1900.	Ratio.*	1851-60.	1891-1900.	Ratio.*	1851-60.	1891-1900.	Ratio.*
All ages.	3,457†	2,010	58	3,452†	2,265	66	3,462†	1,771	51
0—	5,780	3,930	68	6,323	4,347	69	5,232	3,516	67
5—	1,213	724	60	1,225	705	58	1,201	744	62
10—	1,346	669	50	1,102	521	47	1,595	818	51
15—	3,187	1,396	44	2,636	1,234	47	3,731	1,555	42
20—	4,606	1,936	42	4,245	2,102	50	4,430	1,788	40
25—	4,439	2,302	52	4,163	2,541	61	4,690	2,086	44
35—	4,208	2,742	65	4,119	3,251	79	4,293	2,264	53
45—	3,588	2,492	69	3,957	3,296	83	3,236	1,753	54
55—	2,982	2,007	67	3,479	2,768	80	2,523	1,344	53
65—	2,148	1,263	59	2,573	1,706	66	1,783	906	51
75 & up.	932	512	55	1,061	629	59	834	427	51

* *i.e.*, The ratio of the mortality in 1891–1900 to that in 1851–60, the latter taken as 100.
† Based on the sex and age constitution of the mean population of England and Wales in 1891–1900.

In the decennial period 1851–60, the deaths from all forms of tuberculosis together were in the proportion of 15·6 per cent. of the deaths from all causes, and gave a rate of 3,457 per million of the population, whilst in 1891–1900 the proportion had fallen to 11·0 per cent. of the deaths from all causes, the rate being 2,010 only per million of the population. In 1851–60 the mortality at all ages varied but little in the two sexes; but in 1891–1900 females experienced a death rate of 1,771 per million or about 78 per cent. of the male rate, which was 2,265 per million. At several of the age groups the proportions varied considerably, as shown by the above table. In the following table, which further contrasts the mortality in 1891–1900 with that in 1851–60, the percentage is shown of deaths from tuberculosis to deaths from all causes, at two groups of ages, namely 0–5 years and 15–35.

Decennia.	0–5 Years.			15–35 Years.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
1851–1860 ...	8·5	8·7	8·3	46·7	43·8	49·3
1891–1900 ...	6·8	6·9	6·7	37·5	37·5	37·4

Thus we find that in the earlier decennium the deaths from tuberculosis at ages under five averaged 8·5 per cent. of the total deaths, whilst at ages 15–35 the proportion averaged 46·7 per cent.

In the later decennium the averages fell to 6·8 and 37·5 per cent. respectively, the proportional decrease being practically the same in both age groups. From Table 5 it may be seen that from the first decennium to the last there has been a decrease in mortality from tuberculosis at every age period. In each decennium the mortality under five among boys has been greater than among girls by about the same proportion. Throughout the 40 years there has been a continuous decline in mortality at this age, equal, in the aggregate, to more than a fourth part of the initial rate.

According to Table 5, the total death-rate from tuberculosis has fallen by nearly 38 per cent. within the last forty years, in the course of which period considerable changes have taken place in the fatality of its several forms. Whilst, on the one hand, tuberculosis of the lung, the brain, and the peritoneum is now less destructive than formerly, on the other hand, there has been a significant increase in the fatality of the other manifestations of tuberculosis.*

In the ten years 1891–1900, out of every hundred deaths from tuberculosis 69 were ascribed to phthisis, 11 each to tuberculous meningitis and tuberculous peritonitis (formerly called tabes mesenterica), and 9 to other forms of tuberculosis.

Phthisis.—From the preceding paragraph it appears that of all forms of tuberculous disease Pulmonary Tuberculosis is by far the most fatal; the death-rate in the decennium last closed averaged 1,391 per million living at all ages and of both sexes, as against an average of 2,730 per million in the decennium 1851–60. Phthisis mortality has therefore fallen by 49 per cent. within the last fifty years. This will be seen from Table Y.

Ever since the year 1851 phthisis fatality has varied remarkably with respect both to sex and to age. Table Y shows that in the decennium 1851–60 phthisis was more fatal to females than to males, whilst in the decennium just ended the reverse was the case, owing to the fact that the adult female rates have fallen faster than the adult male rates. The Table further shows that in the decennium 1891–1900 phthisis mortality was in the ratio of 441 per million among boys and 385 among girls under the age of five years; in the next quinquennium of age the ratios were 174 and 239 respectively.

In both sexes it is with the approach of maturity that the real liability to death by phthisis begins, and this is true of recent as well as of earlier years.† Thus at the age group 15–20 years, males succumbed to phthisis in the proportion of 995 and females in the proportion of 1,290 per million living at that age. From this age the mortality increases steadily as one decade succeeds another, attaining the maximum at the age 45–55 in men, and ten years earlier, viz., 35–45, in women, at which ages respectively the rates are 3,144 and 2,121 per million. The mortality thereafter declines, at first slowly, and then more rapidly, until the close of life.

---

* These include general tuberculosis, and scrofula, as well as tuberculous affections of the bones, joints, and other organs not mentioned above.

† For phthisis mortality statistics for four consecutive decennia, *see* Table 5, page cxciii.

From this Table it appears that females are *less liable* than males to die of phthisis at ages under five years, *more liable* at ages from five to twenty years, and again *less liable* at subsequent ages.

TABLE Y.—PHTHISIS.—Death-rates per Million living in the decennia 1851–60 and 1891–1900.

Age Groups.	Both Sexes.			Males.			Females		
	1851–60.	1891–1900.	Ratio.*	1851–60.	1891–1900.	Ratio.*	1851–60.	1891–1900.	Ratio.*
All ages	2,730†	1,391	51	2,625†	1,580	60	2,828†	1,214	43
0—	1,310	413	32	1,333	441	33	1,287	385	30
5—	573	206	36	526	174	33	621	239	38
10—	1,027	368	36	764	234	31	1,294	502	39
15—	2,964	1,144	39	2,398	995	41	3,523	1,290	37
20—	4,184	1,730	41	4,054	1,887	47	4,302	1,591	37
25—	4,319	2,135	49	4,028	2,369	59	4,583	1,923	42
35—	4,109	2,592	63	4,016	3,095	77	4,197	2,121	51
45—	3,479	2,362	68	3,840	3,144	82	3,134	1,642	52
55—	2,852	1,881	66	3,346	2,618	78	2,394	1,239	52
65—	1,989	1,154	58	2,394	1,584	66	1,640	807	49
75 & up.	808	437	54	927	556	60	717	352	49

* *i.e.*, the ratio of the mortality in 1891–1900 to that of 1851–60, the latter taken as 100.
† Based on the sex and age constitution of the mean population of England and Wales in 1891–1900.

The foregoing Table indicates that since 1851–60 phthisis mortality in both sexes has been reduced: having fallen among males by about two-fifths, or from a rate of 2,625 to a rate of 1,580 per million living; and among females by more than half, or from 2,828 to 1,214 per million. The Table clearly shows that, although in varying degrees, the improvement which these rates express has been shared by persons of each sex and of every age group. Generally speaking the amount of reduction is greatest among the young, and least among the middle-aged. Taking separately the figures relating to each sex it will be seen that among males up to the age of 25 the mortality has been reduced by more than 50 per cent. From the 25th year until the age-group 45–55 the amount of improvement gradually diminishes, but at subsequent ages it again increases. Among females the amount of reduction is spread more uniformly over the various ages, being equal to 60 per cent. up to the 25th year, and to nearly 50 per cent. thereafter. It is worthy of note that among young children the mortality in the later decennium from this form of tuberculous disease is only one-third of that in the earlier decennium.

Careful examination of the records suggests the probability that the reduction indicated by the Table, although in great part real,

is not wholly so. It may safely be assumed that in the "fifties" and "sixties" of last century a considerable portion of the deaths were uncertified, for it is known that in those days many persons died without medical attention. As recently as the year 1879 the uncertified deaths in Cornwall, in South Wales, and in North Wales were as high as 10 per cent., 13 per cent., and 14 per cent. respectively. In remote parts of the country many fatal cases of lung affection associated with expectoration were put down without question as phthisical. On the other hand, many deaths which in earlier years would have been returned as from phthisis are now referred to as "tuberculosis" simply without mention of the organ affected.

The changes observed in the course of the last fifty years in the age of maximum mortality from phthisis, are shown in the subjoined Table. The age-groups in heavy type have the maximum rates, the others being approximate.

Periods.	Males.	Females.
1851–60	20–25, 25–35, 35–45.	**25–35.**
1861–70	25–35, **35–45.**	**25–35.**
1871–80	**35–45.**	25–35.
1881–90	35–45, 45–55.	25–35, 35–45.
1891–1900	35–45, **45–55.**	25–35, **35–45.**

According to the experience of 1891–1900, the age of maximum phthisis mortality in men is 45–55 years, and in women 35–45. As compared with 1851–1860, the age of maximum phthisis mortality has been postponed in both sexes.

In order to illustrate graphically the changes of phthisis mortality in the course of the last half century, a chart has been constructed showing, for males and females, as well as for persons, the annual rate of mortality in each year, the rates represented by the curves having been re-calculated on the basis of the age and sex constitution of the population at the Census of 1901.

The chart indicates that in the course of a half century, the mortality from phthisis has fallen considerably both amongst males and amongst females. At the beginning of the period included in the chart, phthisis was most destructive to the female sex, but in their case the decrease has been more rapid than that of the opposite sex, until in recent years the phthisis mortality of males has been considerably in excess of that of females.

Local Distribution of Phthisis.

The following Table shows the local distribution of fatal phthisis in two selected areas representing urban and rural England respectively.* The figures indicate (1) crude and (2)

* For composition of these groups, *see* page ix.

ENGLAND & WALES.– PHTHISIS, 1851–1905: CORRECTED DEATH – RATES PER MILLION LIVING AT ALL AGES.



1024-6.07

Weller & Graham, Ltd. Litho, London.

corrected rates of mortality at all ages, per million living of each sex, in the ten years 1891–1900.

—	Crude Rates.		Corrected Rates.	
	Urban County group.	Rural County group.	Urban County group.	Rural County group.
Males	1,770	1,307	1,753	1,347
Females	1,263	1,199	1,250	1,240
Both sexes	1,508	1,251	1,493	1,292

From this Table we learn that, in both areas, phthisis is more fatal to males than to females, but that the excess is by far the greatest in the Urban County group: the male rate exceeding the female by not more than 9 per cent. in the Rural area whilst the corresponding excess in the Urban area amounts to 40 per cent.

The following Table shows the distribution of phthisis mortality by Registration Counties in the last two decennial periods (p. xcvi).

Disregarding counties containing fewer than 100,000 persons, the areas with the lowest corrected death-rates from phthisis in the decennium ended 1900, were the Counties of Worcester, 1,021; Buckingham, 1,045; Monmouth, 1,047; Wilts, 1,085; Middlesex, 1,087; Oxford and Hereford, 1,110 per million. The counties with the highest rates were London, where the rate was 1,738 per million; Northumberland, 1,717; North Wales, 1,670; Lancaster, 1,564; South Wales, 1,537; and Hants, 1,500.*

If the rates in the decennium 1881–90 be compared with those in the decennium last ended, it will be seen that the counties which had been amongst the greatest sufferers from phthisis in the earlier period were similarly affected in the later period. For the reason previously given under the head of pneumonia,† it has not been practicable to trace the influence of season on phthisis mortality for England and Wales generally. In London, however, in the five years 1901–5, 27·3 per cent. of the mortality from phthisis occurred in the first quarter of the year, and 27·1 per cent. in the fourth quarter; whilst 23·7 and 21·9 per cent. respectively occurred in the second and third quarters of the year.

* The phthisis mortality in Hampshire is unfairly increased by the presence, in the Isle of Wight and in the neighbourhood of Bournemouth, of several hospitals for the treatment of that disease. In the year 1904, there occurred in Consumption Hospitals within the county 50 deaths, of which 47 were those of non-residents. If these deaths are deducted, the Hampshire phthisis death-rate of males will be reduced from 1,720 to 1,627 per million, and that of females will be reduced from 1,063 to 1,037. (67th Annual Report of the Registrar-General, page lxxiv.)

† See page lxxxvii.

TABLE Z.—PHTHISIS 1881–1890, 1891–1900.—MEAN ANNUAL DEATH-RATES per Million in REGISTRATION COUNTIES.

REGISTRATION COUNTIES.	ANNUAL DEATHS in a STANDARD MILLION.						Mortality of Males to that of Females taken as 100 (1891–1900).
	Both sexes.		Males.		Females.		
	1881–1890.	1891–1900.	1881–1890.	1891–1900.	1881–1890.	1891–1900.	
England and Wales ..	1,775	1,391	1,904	1,580	1,655	1,214	130
London	2,058	1,738	2,520	2,208	1,624	1,297	170
Northumberland ..	2,142	1,717	2,165	1,868	2,120	1,576	119
North Wales	2,166	1,670	2,068	1,694	2,258	1,647	103
Lancashire	1,972	1,564	2,130	1,804	1,824	1,339	135
South Wales	2,079	1,537	1,979	1,471	2,173	1,599	92
Hampshire	1,901	1,500	2,157	1,783	1,661	1,235	144
Durham	1,784	1,462	1,647	1,456	1,913	1,467	99
Warwickshire	1,663	1,421	1,967	1,795	1,378	1,070	168
Devonshire	1,760	1,391	1,826	1,502	1,698	1,287	117
West Riding	1,877	1,389	2,014	1,576	1,748	1,213	130
Suffolk	1,849	1,352	1,810	1,415	1,886	1,293	109
Sussex	1,714	1,343	1,940	1,601	1,502	1,101	145
Cambridgeshire ..	1,780	1,341	1,775	1,467	1,785	1,223	120
Cornwall	1,824	1,337	1,938	1,520	1,717	1,165	130
Cumberland	1,698	1,313	1,653	1,310	1,741	1,318	99
East Riding	1,696	1,308	1,715	1,423	1,678	1,200	119
Cheshire	1,640	1,286	1,711	1,401	1,574	1,179	119
Gloucestershire ..	1,549	1,285	1,636	1,459	1,467	1,122	130
Kent	1,565	1,260	1,609	1,401	1,523	1,128	124
Hertfordshire	1,542	1,259	1,675	1,471	1,417	1,060	139
North Riding	1,541	1,218	1,430	1,213	1,646	1,223	99
Northamptonshire ..	1,482	1,206	1,500	1,320	1,465	1,099	120
Huntingdonshire ..	1,686	1,206	1,578	1,283	1,787	1,134	113
Surrey	1,597	1,185	1,865	1,413	1,345	971	146
Norfolk	1,590	1,183	1,549	1,194	1,628	1,173	102
Bedfordshire	1,585	1,167	1,498	1,256	1,667	1,083	116
Lincolnshire	1,571	1,162	1,382	1,107	1,739	1,213	91
Berkshire	1,532	1,160	1,659	1,339	1,413	992	135
Essex	1,516	1,156	1,564	1,289	1,471	1,031	125
Nottinghamshire ..	1,665	1,153	1,661	1,219	1,669	1,091	112
Derbyshire	1,472	1,141	1,417	1,194	1,523	1,091	109
Somersetshire	1,452	1,133	1,558	1,244	1,353	1,029	121
Staffordshire	1,428	1,133	1,492	1,279	1,368	996	128
Dorsetshire	1,463	1,126	1,413	1,101	1,510	1,149	96
Shropshire	1,462	1,122	1,440	1,184	1,483	1,064	111
Leicestershire	1,351	1,121	1,436	1,266	1,271	985	129
Oxfordshire	1,469	1,110	1,554	1,256	1,390	973	129
Herefordshire	1,340	1,110	1,277	1,157	1,399	1,066	109
Middlesex	1,429	1,087	1,640	1,299	1,231	888	146
Wiltshire	1,562	1,085	1,525	1,159	1,597	1,016	114
Monmouthshire ..	1,488	1,047	1,310	987	1,655	1,103	89
Buckinghamshire ..	1,379	1,045	1,330	1,099	1,425	994	111
Worcestershire .	1,249	1,021	1,407	1,194	1,101	859	139
Westmorland	1,451	958	1,384	987	1,514	930	106
Rutlandshire	1,388	925	1,279	961	1,490	892	108

NOTE.—The death-rates are based on the sex and age constitution of the mean population of England and Wales in 1891–1900. The counties are arranged in order of decreasing mortality in 1891–1900.

Tuberculous Meningitis.—In the decennium ended 1900, the general mortality from tuberculous meningitis, including acute hydrocephalus, was lower than that of the preceding decennium by 8 per cent. (Table 5).

Inasmuch as about 72 per cent. of the total deaths from this affection occur in children under five years old, it will be convenient to deal here with the distribution of mortality at that stage of life. The Table on page cxi shows that among young children the mortality from tuberculous meningitis increases from birth to the end of the first year, after which age it steadily declines.

Table 5 (page cxciv) indicates that in the recent decennium boys died at the rate of 1,481 per million living at the age of 0–5 years, a rate which exceeds that of girls by 320 per million. In the course of the last 40 years the mortality among boys has decreased by 43 per cent. against a decrease of 37 per cent. among girls.

In the decennium 1891–1900, the mortality from tuberculous meningitis was not separately tabulated for particular areas; but from the data prepared in this Office for the information of the Committee on Physical Deterioration, I find that in the quinquennial period ended 1902, this disease was very considerably more fatal to young children in the town than in the country. The actual figures are given at foot.*

Tuberculous Peritonitis.—In the decennium last ended, the mortality at all ages referred to tuberculous peritonitis, or to tabes mesenterica, was lower by 16 per cent. than that of the preceding decennium (Table 5). Of the total deaths, numbering 66,381 at all ages, 80 per cent. were those of children under the age of five years; for which reason the following remarks apply almost entirely to the earlier stages of life.

According to the Table on page cxi, the mortality from tuberculous peritonitis is heavier in the earlier months of infancy than that from tuberculous meningitis, but as regards age distribution there is generally a striking resemblance between these diseases, the mortality in both instances rising steadily from birth up to the end of the first year of life, and thereafter gradually declining.

From Table 5 it appears that in 1891–1900, the mortality from tuberculous peritonitis among boys under five years was equal to 1,613 per million living, and among girls of the same age to 1,304 per million; the former rates having declined within the last 40 years by 19 per cent. and the latter by 24 per cent.

* 1898–1902. Deaths of infants under one year per 1,000 births :—

	Urban County Group.	Rural County Group.
Tuberculous Meningitis	1·98	1·24
Tuberculous Peritonitis	3·53	2·07

The mortality from this affection in the decennium under notice has been ascertained for town and country areas separately. Table 6, page cci, shows that among children under 5 years of age tuberculous peritonitis was practically twice as fatal in the urban counties as in the rural; and it appears from the table in the footnote to the previous page that in the quinquennial period 1898–1902 the mortality from this disease was in the proportion of 3·53 per thousand births in the urban group of counties against 2·07 per thousand in the rural group.

Other Tuberculous Diseases.—Under this heading are included general tuberculosis, scrofula, lupus, and tuberculous affections of the bones, joints, and other parts of the body not separately specified in the extended tables. In the aggregate, the deaths attributed to these causes account for an average mortality of 186 per million of the population at all ages.

As in the case of the forms of tuberculosis already dealt with these diseases are more fatal to males than to females, nearly half of the victims being less than five years old. The mortality from these diseases differs from that of the other specified forms of this infection, in that it has risen considerably in the course of the last 40 years, more especially among children under five, whose mortality has increased since 1861–70 by 81 per cent. Table 5 does not enable us to specify the exact forms of disease that are responsible for this increase; but from the Registrar-General's recent Annual Reports it may be seen that the increase observable since 1900 has been under the head of Tuberculosis of the bones, joints, &c., the deaths from "General Tuberculosis" as well as from "Lupus" and from "Scrofula" having shown no increase since that date.

Rheumatic Fever, Rheumatism of Heart.—In the Official Returns from 1861 to the end of last century the deaths from rheumatic fever (or acute rheumatism as it was then called) were classed together with those from rheumatism of the heart; but there is some uncertainty as to what types of disease were included in the earlier years under the head of acute rheumatism. It is important to note, however, that in the first edition of the Nomenclature of Diseases, published in 1869, the Royal College of Physicians included under the head of rheumatic fever, sub-acute as well as acute rheumatism; but that in the second and third editions, covering the period from 1885 to the end of last year, sub-acute rheumatism was placed in a separate group named "rheumatism" or "chronic rheumatism." In their recently issued fourth edition the College have reverted to their original decision, and have classed both sub-acute and acute rheumatism as synonyms for rheumatic fever, placing the latter among the definite infective processes. It has already been mentioned that in the official list of diseases adopted in 1901 for the Registrar-General's Reports the last named classification has been observed.

According to Table 5 the mortality of rheumatic fever (with rheumatism of heart) steadily rose through the first three of the decennia there dealt with, but in the decennium ended 1900 there has been a considerable fall. This disease is fatal at all stages of

ENGLAND & WALES.—CANCER, 1851-1905: CORRECTED DEATH-RATES PER MILLION LIVING AT ALL AGES.



1024. E. 07

Weller & Graham, Ltd Litho. London.

life, and although at the earlier ages girls suffer more severely than boys, at ages above 20 men succumb more readily than women.

The records of the last decennium indicate the following as the local distribution of this disease in its fatal form; the numbers represent average rates of mortality per million living.

—	Urban County Group.	Rural County Group.	England and Wales.
Males	93	81	88
Females...	90	72	83
Both Sexes	92	76	85

Rheumatic fever (with rheumatism of heart) would accordingly appear to be more fatal to both sexes in the town than in the country, and in both areas most fatal to the male sex.

Cancer, Malignant Disease.—In the decennium 1891–1900 the death-rates from malignant disease at all ages and in both sexes averaged 758 annually per million persons living, thus exceeding by 25·9 per cent. the average death-rate in the preceding decennium, after allowance for changes of age constitution of population.

Graphic illustration of the changes in the incidence of fatal cancer in England and Wales for both sexes together, and for each sex separately, is afforded by the chart on the opposite page. The rates represented by the curves are calculated on the basis of the age constitution of the population at the Census of 1901. This chart, unlike the others that have preceded it in the text, shows an almost steady and very considerable increase in mortality from the year 1851 down to the present time. It further indicates that, throughout the entire period, females have suffered more severely than males.

The following table affords the means of comparing the death-rates from cancer in the decennium 1851–60 with those which prevailed during 1891–1900, the rates in the later period for each sex and for each age-group being given as percentages of the corresponding rates in the earlier period. The death-rates of males and of females at all ages in 1851–60 have been calculated on the age constitution of the mean population in the decennium 1891–1900. The table shows that in both decennia the mortality from cancer was much higher among females than among males, being more than twice as high in the decennium 1851–60, and $1\frac{1}{2}$ times as high in 1891–1900. The excess of mortality among females occurs only after the age of 25 years, and is heaviest between that age and the 55th year of life; and it has been previously shown that this may be accounted for entirely by the large number of deaths from cancer of the female generative and mammary organs.

Regarding the changes of cancer mortality during the 40 years covered by the table, it will be seen that among males the corrected death-rate has trebled, and among females it has doubled, and that in both sexes there has been least increase at ages under 5 years and from 20 to 35 years. At ages between 5 and 20 years, the increase has been somewhat more marked, although, owing to the rarity of deaths from cancer at these ages, any inference therefrom should be made with caution. After the age of 35 years the increase becomes rapidly more apparent until at age 55 and upwards the mortality in the recent decennium is about 3½ times as heavy among males, and about 2½ times as heavy among females, as it was in 1851–60. The death-rates shown in the table are based upon the deaths that are stated in the certificates to be due to cancer, or that are found after inquiry of the certifying practitioners to be due to this disease. The practice of writing to medical attendants for further information concerning indefinitely stated causes of death has resulted in the addition of a large number of deaths to this heading, and has probably also indirectly led in many cases to a more precise statement of the cause of death.

TABLE A_1.—CANCER—Death-rates per Million living in the decennia 1851-60 and 1891–1900.

Age Groups.	Both Sexes.			Males.			Females.		
	1851-60.	1891-1900.	Ratio.*	1851-60.	1891-1900.	Ratio.*	1851-60.	1891-1900.	Ratio.*
All ages	325†	758	233	194†	600	309	448†	906	202
0—	22	30	136	21	33	157	23	28	122
5—	9	16	178	9	18	200	9	14	156
10—	8	16	200	8	19	238	9	14	156
15—	17	29	171	16	32	200	18	27	150
20—	28	44	157	27	51	189	29	39	134
25—	103	139	135	62	99	160	140	175	125
35—	390	646	166	175	384	219	595	891	150
45—	862	1,833	213	422	1,300	308	1,283	2,323	181
55—	1,412	3,662	259	932	3,160	339	1,857	4,099	221
65—	1,961	5,604	286	1,503	5,325	354	2,355	5,829	248
75 & up.	2,071	6,145	297	1,738	5,824	335	2,326	6,377	274

* *i.e.*, the ratio of the mortality in 1891–1900 to that of 1851–60, the latter taken as 100.

† Based on the age and sex constitution of the mean population of England and Wales in 1891–1900.

The further analysis of deaths from cancer according to the part of the body affected shows that the increase is largely due to the more frequent detection of internal cancer as a result either of operation or of post-mortem examination.* It

* For Table showing parts of the body affected by Cancer see 68th Annual Report of the Registrar General pp. cii–cv.

TABLE B_1.—CANCER—MEAN ANNUAL DEATH-RATES per MILLION in REGISTRATION COUNTIES. 1881–1890, 1891–1900.

REGISTRATION COUNTIES.	MEAN ANNUAL DEATH-RATES PER MILLION AGED 35 YEARS AND UPWARDS.						Male to Female Mortality, the latter taken as 100. (1891–1900.)
	Both Sexes.		Males.		Females.		
	1881–1890.	1891–1900.	1881–1890.	1891–1900.	1881–1890.	1891–1900.	
England and Wales	1,834	2,316	1,361	1,870	2,258	2,715	69
London	2,252	2,759	1,759	2,411	2,694	3,071	79
Huntingdonshire	2,133	2,682	1,881	2,425	2,359	2,912	83
North Wales	1,899	2,477	1,569	2,201	2,195	2,724	81
Northumberland	1,874	2,451	1,453	1,963	2,250	2,888	68
Warwickshire	1,960	2,438	1,515	1,983	2,359	2,846	70
Cambridgeshire	1,996	2,419	1,637	2,044	2,317	2,754	74
East Riding	1,806	2,403	1,257	1,779	2,298	2,961	60
Cumberland	1,893	2,403	1 501	2,038	2,244	2,730	75
Nottinghamshire	1,793	2,345	1,182	1,766	2,341	2,864	62
Cheshire..	1,765	2,339	1,324	1,970	2,159	2,669	74
Gloucestershire	1,803	2,336	1,257	1,922	2,292	2,706	71
West Riding	1,758	2,326	1,223	1,759	2,238	2,833	62
Middlesex	1,858	2,294	1,379	1,813	2,286	2,724	67
Northamptonshire	1,858	2,287	1,501	1,881	2,177	2,651	71
Surrey	1,874	2,275	1,372	1,800	2,323	2,700	67
Kent	1,809	2,271	1,277	1,847	2,286	2,651	70
Sussex	1,979	2,262	1,467	1,834	2,438	2,645	69
Berkshire	1,800	2,262	1,311	1,881	2,238	2,602	72
Lancashire	1,691	2,249	1,250	1,800	2,086	2,651	68
Norfolk	1,755	2,239	1,195	1,671	2,256	2,748	61
North Riding	1,870	2,227	1,365	1,725	2,323	2,675	64
Hertfordshire	1,758	2,223	1,358	1,807	2,116	2,596	70
Hampshire	1,781	2,220	1,325	1,854	2,189	2,548	73
Rutlandshire	1,649	2,210	1,406	1,942	1,867	2,450	79
Oxfordshire	1,765	2,201	1,277	1,827	2,201	2,535	72
Devonshire	1,816	2,198	1,331	1,732	2,250	2,615	66
Durham	1,675	2,188	1,195	1,596	2,104	2,718	59
Bedfordshire	1,758	2,178	1,270	1,732	2,195	2,578	67
Leicestershire	1,720	2,178	1,263	1,698	2,128	2,608	65
Lincolnshire	1,774	2,172	1,270	1,725	2,225	2,572	67
Shropshire	1,777	2,169	1,338	1,752	2,171	2,542	69
Essex	1,720	2,156	1,223	1,732	2,165	2,535	68
Somersetshire	1,716	2,133	1,270	1,786	2,116	2,444	73
Herefordshire	1,707	2,130	1,202	1,718	2,159	2,499	69
Suffolk	1,736	2,127	1,195	1,705	2,219	2,505	68
Worcestershire	1,633	2,124	1,189	1,603	2,031	2,590	62
Westmorland	1,723	2,117	1,345	1,813	2,061	2,390	76
Cornwall	1,614	2,111	1,352	1,650	1,848	2,523	65
South Wales	1,630	2,108	1,324	1,718	1,903	2,456	70
Staffordshire	1,649	2,098	1,216	1,644	2,037	2,517	65
Derbyshire	1,585	2,089	1,026	1,528	2,086	2,590	59
Dorsetshire	1 566	2,024	1,134	1,630	1,952	2,377	69
Buckinghamshire	1,562	1,999	1,114	1,555	1,964	2,396	65
Wiltshire	1,591	1,996	1,107	1,616	2,025	2,335	69
Monmouthshire	1,559	1,874	1,134	1,487	1,940	2,219	67

The rates are based on the sex and age constitution of the mean population, over 35 years of age in England and Wales, 1891–1900. The counties are arranged in order of decreasing death-rates in the last decennium.

must be borne in mind, therefore, that the increase of cancer mortality shown in the table is, to some extent, and probably to a large extent, due to the more favourable opportunities of correct diagnosis which have become available in recent years.

For the sake of uniformity the death-rate at all ages from cancer is stated, in Table 5, and in the table on page c, in terms of the total population. But Table 5 shows that the mortality from cancer is very low up to the age of 25 years, and is not high until after the 35th year of life. It therefore appears that the relative incidence of this malady on any time or place will be most satisfactorily represented by temporarily disregarding both the deaths and the population under 35, and comparing the deaths with the numbers living beyond the age of 35 years. The Table on page ci shows for each sex separately the death-rate per million living over 35 years of age.

Diabetes Mellitus.—In the decennium last ended this disease was fatal in the proportion of 75 per million living of both sexes and at all ages. According to the national records the fatality of diabetes mellitus would appear to have rapidly increased in the course of the last 40 years. Table 5 indicates that as compared with 1861–70 the mortality in the last decennium has doubled among males, whilst it has fully trebled among females.

There is, however, little doubt that this increase is in great part only apparent, depending on more careful medical diagnosis. In early life the mortality from diabetes is low; it does not become serious until after mid-life, the chief incidence of fatality being upon the higher ages. In the decennial period last ended the local distribution of this disease was as follows—the numbers represent average rates of mortality per million living at all ages:—

—	Urban County Group.	Rural County Group.	England & Wales.
Males	80	103	86
Females	62	74	66
Both Sexes	71	88	75

It thus appears that diabetes mellitus is more fatal in the country than in the town, and that in both areas males succumb to it more readily than females.

Laryngitis.—In the ten years ended 1900 laryngitis is recorded as the cause of death in the ratio of 45 per million of the population, without distinction of age or of sex. The mortality from this disease has not varied greatly in the course of the last 40 years, whatever change has taken place being in the direction of reduction. This is no more than might have been expected from recent improvement in medical diagnosis; for the condition known as laryngitis frequently depends on general infection, such as that of diphtheria, tubercle, or syphilis; and in proportion as this fact is recognised will the deaths from the local manifestation be

diminished in favour of the specific cause. In the latest edition of the Nomenclature of the Royal College of Physicians (page 105) the following instruction appears under the head of Membranous Laryngitis :—

> "Cases of diphtheria should not be returned under this heading."

Laryngitis resembles the indefinite condition known as "croup" in this respect, that it is by far the most fatal in children under the age of 5 years. Unlike croup, however, it appears in medical certificates as the cause of death at all stages of life.

Bronchitis.—In the decennium ended 1900 the mortality attributed to bronchitis averaged 1,811 per million living of both sexes. The rate in that period was lower than in either of the two decennia immediately preceding, but was considerably higher than in 1861–70.

As in the case of pneumonia, season greatly affects the mortality from bronchitis. With the help of the Metropolitan Records* for 1901–5 it will be seen that nearly 40 per cent. of the annual deaths from this disease occurred in the first quarter of the year, and 33 per cent. in the last quarter, the proportions in the second and third quarters being 18 per cent. and 9 per cent. respectively.

Locality exercises a powerful effect on bronchitis mortality. This appears from the following table, which gives the average mortality from bronchitis in 1891–1900 per million living, in the selected urban and rural counties respectively.

—	Urban County Group.	Rural County Group.	England & Wales.
Males	2,052	1,540	1,849
Females	2,007	1,498	1,775
Both Sexes	2,029	1,519	1,811

From this we see that the general mortality from bronchitis in the town exceeds that in the country by 34 per cent. The mortality of bronchitis varies with age and sex. Table 5 shows that it is at the extremes of life that this disease exacts the heaviest death toll. The years of least mortality from bronchitis are those between the ages of 5 and 35; the highest rates being those above 65 years, and the next highest those under 5 years.

By reference to Table H_1, on page cxi, we see that bronchitis differs from pneumonia in that it is much more fatal in the first half than in the second half of the opening year of life, but resembles it in the rapid fall of mortality after the completion of that year. Bronchitis is more fatal than pneumonia in the first year of life, but less fatal in each subsequent year of the first quinquennium.

* The facts for seasons of the year cannot readily be obtained from the tables for England and Wales.

Pleurisy.—The general mortality from pleurisy averaged 54 per million in the 10 years under present notice, the rate having increased somewhat since the year 1870.

The influence of season on mortality is less marked here than in the case of some other respiratory diseases; as regards seasonal prevalence, pleurisy is nearly akin to tuberculous phthisis. In the latest edition of the Nomenclature of Diseases, page 113, there is this instruction: "When pleurisy is known to be tuberculous, the fact should be stated." Of the total deaths from pleurisy in London in the five years 1901–5, 29 per cent. occurred in the first quarter, 28 per cent. in the fourth, 26 per cent. in the second, and 17 per cent. in the third quarter of the year.

The influence of locality on mortality from pleurisy may be seen by the subjoined table, which gives the average mortality in 1891–1900, per million living, in the selected Urban and Rural Counties of England and Wales.

—	Urban County Group.	Rural County Group.	England and Wales.
Males	76	54	67
Females	47	36	42
Both sexes	61	45	54

The relation of sex and age to mortality from pleurisy is shown by Table 5, from which it appears that throughout the last 40 years this disease has been uniformly most fatal to the male sex. Up to the 45th year this disease exhibits less variation in the mortality at successive ages than is the case either with pneumonia or with bronchitis. After the 45th year pleurisy becomes progressively more dangerous to life as the higher ages are reached.

Bright's Disease, Acute and Chronic Nephritis.—The various forms of kidney disease, acute as well as chronic, included under this heading accounted, in the last decennium, for a mortality of 337 per million of the population, without discrimination of age or of sex. Table 5 shows that the mortality from Bright's disease has steadily increased from a rate of 113 per million in 1861–70 to three times that rate in the decennium last ended. Throughout the 40 years dealt with in the table, the mortality has been by far the highest among males. At ages between 5 and 25 years the mortality is not excessive; but among children under 5 years it has, in recent years, been very considerable, and at ages beyond mid-life the rate increases rapidly as the higher ages are attained.

The local distribution of fatal Bright's disease in the last decennium was as follows—the numbers signify average rates of mortality per million living:—

—	Urban County Group.	Rural County Group.	England and Wales.
Males	399	377	379
Females	321	296	299
Both sexes	359	335	337

From this it appears that the difference in mortality between town and country is considerably less in the case of Bright's disease than in that of most of the other diseases hitherto dealt with in this report.

Mortality of Infants and Young Children.

From the following table it appears that, although in the course of the last four decennia the death-rate at all ages has fallen by 15 per cent., and the death-rate at ages one to five years by not less than 33 per cent., nevertheless at ages under one year the death-rate in 1891–1900 has shown no reduction from the high rate recorded in 1861–70. The infant portion of the community has not shared in the common benefit.

Decennia.	Death-rates.*		
	All ages.	Under one year.*	One to five years.*
1861–70	21·5	181·2	36·5
1871–80	20·5	178·1	31·3
1881–90	18·7	166·9	26·9
1891–1900	18·2	181·2	24·3

* The death-rates in this table are based, not on the registered births as they are in the tables following, but on a mean of the enumerated populations at the several Censuses. Therefore, to some extent, these rates may be affected by misstatements of age.

The deleterious effect on child life of residence in town (as compared with residence in the country) is shown by the next two tables, from the second of which we learn that, speaking generally, infant mortality in the selected urban group of English counties is higher than that in the rural group by almost one third part. But, by further analysis it may be shown that whilst many of the agricultural counties contain extensive areas in which the deaths of infants under one year average less than 10 per cent. of the births, there are other and chiefly industrial counties, such as Lancashire, that contain considerable areas in which the waste of infant life is twice as great as it is in the rural areas here alluded to.

The subjoined table shows the average infant mortality per thousand births in each of the Registration Counties of England and Wales in 1891–1900 :—

Wiltshire	102	Cambridgeshire ..	124	North Riding ..	146
Dorsetshire ..		Rural Counties ..	126	Derbyshire	
Westmorland ..	107	Bedfordshire ..		Monmouthshire ..	152
Hertfordshire ..	110	Hampshire.. ..	127	**England and Wales.**	**153**
Rutlandshire ..		Kent	129	Cheshire	156
Herefordshire ..	112	Cumberland ..	130	London	160
Buckinghamshire.	113	Devonshire ..	131	Northumberland ..	161
Oxfordshire ..		Gloucestershire ..		South Wales	163
Berkshire	114	Northamptonshire	133	Nottinghamshire ..	164
Shropshire.. ..		North Wales ..	135	West Riding	
Somersetshire ..		Middlesex	139	Leicestershire ..	
Sussex	118	Cornwall	141	East Riding	166
Huntingdonshire..		Essex		Urban Counties ..	167
Suffolk	121	Worcestershire ..		Durham	
Surrey	122	Lincolnshire ..	142	Warwickshire ..	169
		Norfolk		Staffordshire.. ..	172
				Lancashire	179

From this table it appears that in the ten years above mentioned infant mortality ranged from 102 per 1000 births in Wiltshire and in Dorsetshire to 169 in Warwickshire, 172 in Staffordshire, and 179 in Lancashire.

That the incidence of mortality in the several stages of child life is very unequal will be seen by the appended table :—

TABLE C_1.—INFANTILE MORTALITY in SELECTED URBAN and RURAL COUNTIES, 1891–1900. RATES per 1,000 BIRTHS.

AGES AT DEATH.	BOTH SEXES.			MALES.			FEMALES.		
	England & Wales.	Urban Counties.	Rural Counties.	England & Wales.	Urban Counties.	Rural Counties.	England & Wales.	Urban Counties.	Rural Counties.
0—3 months	73·98	77·75	67·05	82·69	86·68	75·68	64·96	68·52	58·09
3—6 months—	32·33	36·11	24·94	35·02	39·02	27·38	29·53	33·10	22·41
6—12 months—	47·02	53·14	34·28	50·06	56·52	36·96	43·87	49·64	31·50
Total under 1 year ..	153·33	167·00	126·27	167·77	182·22	140·02	138·36	151·26	112·00
1—2 years	42·36	48·99	28·15	42·97	49·56	28·87	41·72	48·41	27·39
2—3 years	16·00	18·56	10·54	15·91	18·43	10·57	16·10	18·69	10·51
3—4 years	10·12	11·54	7·16	9·84	11·22	6·97	10·41	11·86	7·34
4, and under 5 years ..	7·24	8·04	5·45	7·14	7·90	5·52	7·35	8·19	5·38

TABLE D_1.—LIFE TABLE for each month of the FIRST YEAR of AGE and ANNUAL RATE of MORTALITY per 1,000 living in each month. England and Wales, 1905.

Age x.	Born and Surviving at each Age. l_x			Dying in each interval of Age. d_x			Mean Annual Death-rate per 1,000 population.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
Under 1 week ...	100,000	100,000	100,000	2,495	2,809	2,169	1,322*	1,492*	1,147*
1 week	97,505	97,191	97,831	602	669	534	322	359	285
2 weeks	96,903	96,522	97,297	589	652	521	317	352	279
3 "	96,314	95,870	96,776	453	509	397	245	277	214
Under 1 month ...	100,000	100,000	100,000	4,139	4,639	3,621	512	576	446
1 month	95,861	95,361	96,379	1,379	1,564	1,187	174	198	149
2 months	94,482	93,797	95,192	1,081	1,210	947	138	156	120
3 "	93,401	92,587	94,245	920	1,008	828	119	131	106
4 "	92,481	91,579	93,417	802	854	750	105	112	97
5 "	91,679	90,725	92,667	733	798	664	96	106	86
6 "	90,946	89,927	92,003	702	777	624	93	104	82
7 "	90,244	89,150	91,379	642	705	577	86	95	76
8 "	89,602	88,445	90,802	630	687	572	85	94	76
9 "	88,972	87,758	90,230	601	633	566	81	87	76
10 "	88,371	87,125	89,664	548	575	521	75	79	70
11 "	87,823	86,550	89,143	528	544	512	72	76	69
12 "	87,295	86,006	88,631	—	—	—	—	—	—

* An estimate, based on the figures of the Table of page cix of Part II. of the last Decennial Supplement, gives the average duration of life of children who die within one week of birth as $1\frac{3}{4}$ days. The death-rate in the first week of life is based on this estimate; the rates at the other ages are based on the assumption that the deaths occurred evenly throughout the periods.

Thus we find that in the decennium 1891–1900 out of every thousand children born there died in the first three months after birth, 74; in the second three months, 32; between the sixth and twelfth months, 47—the total in the first year being 153. Between one and two years of age there died 42; between two and three years, 16; between three and four years, 10; and between four and five years, 7.

It will further be seen that at every age in the above table the urban rates were considerably in excess of the rural.

Dr. Farr's supplement to the Registrar-General's 25th Annual Report contains a life table, based on the births and deaths registered in the 17 years, 1838–1854, and giving the mortality in each month of the first year.

In order to show the results of the changes of infantile mortality since that period, a new life table of infants has been calculated on the mean of the births registered in the years 1904 and 1905, and the deaths under one year of age in the latter year, which were abstracted in separate weeks of the first month of life, and in successive months up to the end of the first year. Table D_1 shows the number of survivors at each age period out of 100,000 of both sexes, and out of 100,000 of each sex born, together with the deaths and the annual death-rate in each interval.

TABLE E_1.—MEAN ANNUAL DEATH-RATES in each month of the First Year of Life, 1838–54 and 1905.—England and Wales.

Age.	Death-rate per 1,000 living.			
	Males.		Females.	
	1838–54.	1905.	1838–54.	1905.
Under 1 month ...	653*	576	499*	446
1 month	241	198	195	149
2 months	172	156	142	120
3 "	144	131	119	106
4 "	139	112	113	97
5 "	133	106	108	86
6 "	127	104	103	82
7 "	121	95	98	76
8 "	115	94	95	76
9 "	109	87	92	76
10 "	102	79	89	70
11 "	96	76	88	69

* These rates have been re-calculated on revised estimates of the mean population living in the first month of life, in order that they may be more justly comparable with the corresponding rates for 1905; they differ slightly from those published by Dr. Farr, which were 645 for males and 495 for females.

In Table E_1 the death-rates are given for males and females separately in 1905, compared with the corresponding rates in 1838–54. This table shows that in the first month of life the

reduction of mortality amounted to 12 per cent. among males and to 11 per cent. among females; while in the second month it was no less than 18 per cent. among males and 24 per cent. among females. For the next few months, which cover the period of maximum diarrhœa mortality, the amount of reduction was considerably less, but from the fifth month onwards it was again greater, and showed but little fluctuation from that time until the end of the first year of life.

In the year 1904, for the information of the Inter-Departmental Committee on Physical Deterioration—on which Committee I had the honour to serve—certain data were abstracted from the National registers to show the age distribution of mortality in infants, both legitimate and illegitimate (i.) in London; and (ii.) in a selected group of rural counties.* The investigation was limited to the single year 1902; but as the numbers dealt with were 238,000 births and 31,000 deaths, they proved sufficient for the purpose in hand. From these data the accompanying tables have been prepared in which the columns are arranged in a form convenient for present use.

Taking together both legitimate and illegitimate children, we find that at all ages beyond the first week, London is much more destructive to infant life than are the selected rural English counties. As showing the baneful effects of urban conditions on infant life, Table F_1 indicates that in the year 1902 the periods of greatest excess in the London rates were, not the earlier weeks, but the

TABLE F_1.—MORTALITY among LEGITIMATE and ILLEGITIMATE INFANTS in the year 1902. DEATHS per 1,000 BIRTHS at the several age-groups under one year.

AGES AT DEATH.	LONDON.			RURAL COUNTIES.		
	Legitimate.	Illegitimate.	Total.	Legitimate.	Illegitimate.	Total.
Under 1 week ...	23·5	42·4	24·1	25·3	35·7	26·0
1–2 weeks	6·1	11·5	6·4	5·6	11·0	5·8
2–3 "	6·0	10·2	6·2	5·5	9·2	5·6
3–4 "	5·0	8·5	5·1	4·0	5·7	4·1
Total under 1 month	40·6	72·6	41·8	40·4	61·6	41·5
1–2 months	14·3	40·2	15·1	12·8	23·4	13·4
2–3 "	10·8	32·3	11·6	9·5	16·5	9·9
3–4 "	10·0	24·9	10·6	8·1	14·4	8·4
4–5 "	8·4	18·1	8·7	6·7	11·0	6·9
5–6 "	7·5	17·4	7·9	5·7	10·2	5·9
6–7 "	7·8	16·2	8·1	5·6	9·9	5·8
7–8 "	7·5	13·8	7·7	5·2	8·4	5·4
8–9 "	7·6	11·9	7·8	5·1	5·7	5·1
9–10 "	6·9	10·4	7·0	4·8	7·2	5·0
10–11 "	7·0	8·3	7·0	4·6	5·6	4·6
11–12 "	6·8	10·8	7·0	4·0	4·5	4·0
Total under 1 year	135·2	276·9	140·3	112·5	178·4	115·9

* For composition of this group of rural counties *see* page ix.

later months of infancy. In the first week of life the London rate not only did not exceed, it was even slightly lower than, the rural rate. After the first week the rates of London were higher than those of the rural counties. The difference, however, was not great until the latter half of the first year, in the closing months of which period the London rates showed an excess of 75 per cent.

The table further indicates an enormous difference, in town as well as in country, between the mortality of legitimate and that of illegitimate infants—the latter perishing much faster than their more fortunate brethren at every week and month of the first year.

The following table shows, for legitimate and illegitimate children separately, the percentage of infant mortality in the year 1902, in several periods of the first year of life (i) in London, and (ii) in the selected rural counties.

TABLE G_1.—MORTALITY among LEGITIMATE and ILLEGITIMATE INFANTS respectively, in the year 1902. Proportional Age Incidence of Deaths at the Several Age Groups, to 100 Deaths at All Ages under One Year.

AGES AT DEATH.	LONDON.		RURAL COUNTIES.	
	Both Sexes.		Both Sexes.	
	Legitimate.	Illegitimate.	Legitimate.	Illegitimate.
Under one week ...	17·3	15·3	22·6	20·1
1—2 weeks	4·5	4·1	4·9	6·1
2—3 "	4·5	3·7	4·9	5·1
3—4 "	3·7	3·1	3·5	3·2
Total under one month	30·0	26·2	35·9	34·5
1—2 months	10·4	14·5	11·4	13·2
2—3 "	8·0	11·7	8·5	9·4
3—4 "	7·4	9·0	7·2	8·1
4—5 "	6·2	6·5	6·0	6·1
5—6 "	5·6	6·3	5·1	5·7
6—7 "	5·8	5·8	4·9	5·5
7—8 "	5·6	5·0	4·6	4·7
8—9 "	5·7	4·3	4·5	3·2
9—10 "	5·1	3·8	4·3	4·0
10—11 "	5·2	3·0	4·1	3·1
11—12 "	5·0	3·9	3·5	2·5
Total under one year ...	100·0	100·0	100·0	100·0

In Tables H_1, I_1 & J_1 on pages cxi–cxiii are shown the principal diseases that are fatal to infants and young children. To "Wasting Diseases" (Group III.) are attributed not fewer than 44 out of the 153 deaths from all causes occurring in the first year of life—38 of which are those of infants within three months of birth. Of the deaths from wasting diseases nearly half are referred to atrophy or

TABLE H_1.—MORTALITY OF INFANTS AND YOUNG CHILDREN PER 1,000 BIRTHS—ENGLAND & WALES, 1891–1900.—**Both Sexes.**

Causes of Death.	Ages at Death.							
	Under 3 months.	3 to 6 months.	6 to 12 months.	Total under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.
I. COMMON INFECTIOUS DISEASES.	1·30	1·83	6·90	10·03	11·59	6·09	4·54	3·27
II. DIARRHŒAL DISEASES..	7·63	9·10	10·32	27·05	4·62	0·71	0·31	0·18
III. WASTING DISEASES ..	37·57	4·25	2·62	44·44	1·15	0·21	0·07	0·04
IV. TUBERCULOUS DISEASES	1·40	2·52	4·00	7·92	4·14	1·78	1·06	0·82
V. OTHER CAUSES	26·08	14·63	23·18	63·89	20·86	7·21	4·14	2·93
All Causes	**73·98**	**32·33**	**47·02**	**153·33**	**42·36**	**16·00**	**10·12**	**7·24**
I. Small-pox	0·03	0·01	0·01	0·05	0·02	0·02	0·01	0·02
I. Chicken-pox	0·01	0·02	0·04	0·07	0·03	0·01	0·01	0·00
I. Measles	0·08	0·25	2·81	3·14	5·50	2·25	1·25	0·74
I. Scarlet Fever	0·02	0·04	0·23	0·29	0·70	0·85	0·84	0·66
I. Diphtheria, Croup ..	0·06	0·09	0·52	0·67	1·52	1·52	1·66	1·45
I. Whooping Cough ..	1·10	1·42	3·29	5·81	3·82	1·44	0·77	0·40
II. Diarrhœa (all forms) ..	4·74	6·10	7·14	17·98	3·16	0·40	0·14	0·07
II. Enteritis, Gastro-Enteritis.	2·19	2·51	2·76	7·46	1·26	0·24	0·12	0·08
II. Gastritis, Gastro-Intestinal Catarrh.	0·70	0·49	0·42	1·61	0·20	0·07	0·05	0·03
III. Premature Birth.. ..	18·76	0·22	0·04	19·02	0·00	—	—	—
III. Congenital Defects ..	3·49	0·25	0·17	3·91	0·08	0·03	0·02	0·01
III. Injury at Birth	0·20	—	—	0·20	—	0·00	—	—
III. Want of Breast Milk, Starvation.	0·18	0·10	0·06	0·34	0·02	0·00	0·00	0·00
III. Atrophy, Debility, Marasmus.	14·94	3·68	2·35	20·97	1·05	0·18	0·05	0·03
IV. Tuberculous Meningitis	0·25	0·54	1·29	2·08	1·48	0·77	0·51	0·39
IV. Tuberculous Peritonitis, Tabes Mesenterica.	0·77	1·34	1·61	3·72	1·33	0·42	0·19	0·12
IV. Other Tuberculous Diseases.	0·38	0·64	1·10	2·12	1·33	0·59	0·36	0·31
V. Erysipelas	0·24	0·09	0·05	0·38	0·02	0·01	0·00	0·00
V. Syphilis	0·85	0·40	0·21	1·46	0·10	0·02	0·01	0·00
V. Rickets	0·04	0·10	0·40	0·54	0·63	0·18	0·05	0·02
V. Meningitis (not Tuberculous).	0·34	0·72	1·49	2·55	1·41	0·67	0·44	0·33
V. Convulsions	11·25	3·89	3·09	18·23	1·83	0·55	0·24	0·12
V. Bronchitis	4·98	4·30	7·30	16·58	5·99	1·51	0·61	0·33
V. Laryngitis	0·05	0·06	0·15	0·26	0·24	0·18	0·18	0·15
V. Pneumonia..	1·77	2·25	5·53	9·55	6·17	2·11	1·11	0·67
V. Suffocation, overlying ..	1·42	0·51	0·17	2·10	0·05	0·01	0·01	0·00
V. Other Causes	5·14	2·31	4·79	12·24	4·42	1·97	1·49	1·31

TABLE I.—MORTALITY OF INFANTS AND YOUNG CHILDREN PER 1,000 BIRTHS—ENGLAND & WALES, 1891–1900.—**Males.**

Causes of Death.		Ages at Death.							
		Under 3 months.	3 to 6 months.	6 to 12 months.	Total under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.
I. COMMON INFECTIOUS DISEASES.		1·22	1·84	6·97	10·03	11·20	5·78	4·24	3·12
II. DIARRHŒAL DISEASES ..		8·52	9·64	10·67	28·83	4·64	0·68	0·28	0·18
III. WASTING DISEASES ..		41·81	4·44	2·65	48·90	1·14	0·21	0·07	0·03
IV. TUBERCULOUS DISEASES		1·58	2·79	4·36	8·73	4·39	1·87	1·07	0·83
V. OTHER CAUSES		29·56	16·31	25·41	71·28	21·60	7·37	4·18	2·98
All Causes		**82·69**	**35·02**	**50·06**	**167·77**	**42·97**	**15·91**	**9·84**	**7·14**
I.	Small-pox	0·02	0·01	0·02	0·05	0·02	0·01	0·01	0·02
	Chicken-pox	0·01	0·03	0·04	0·08	0·03	0·01	0·01	0·00
	Measles	0·09	0·28	3·01	3·38	5·60	2·21	1·19	0·71
	Scarlet Fever	0·03	0·05	0·23	0·31	0·70	0·85	0·81	0·65
	Diphtheria, Croup ..	0·06	0·10	0·58	0·74	1·58	1·53	1·62	1·43
	Whooping Cough ..	1·01	1·37	3·09	5·47	3·27	1·17	0·60	0·31
II.	Diarrhœa (all forms) ..	5·21	6·42	7·43	19·06	3·19	0·39	0·13	0·07
	Enteritis, Gastro-Enteritis.	2·52	2·70	2·84	8·06	1·26	0·23	0·11	0·08
	Gastritis, Gastro-Intestinal Catarrh.	0·79	0·52	0·40	1·71	0·19	0·06	0·04	0·03
III.	Premature Birth.. ..	20·75	0·23	0·03	21·01	0·00	—	—	—
	Congenital Defects ..	3·87	0·25	0·16	4·28	0·08	0·03	0·02	0·01
	Injury at Birth	0·22	—	—	0·22	—	0·00	—	—
	Want of Breast Milk, Starvation.	0·19	0·11	0·06	0·36	0·02	0·00	0·00	—
	Atrophy, Debility. Marasmus.	16·78	3·85	2·40	23·03	1·04	0·18	0·05	0·02
IV.	Tuberculous Meningitis	0·27	0·62	1·49	2·38	1·64	0·82	0·51	0·40
	Tuberculous Peritonitis, Tabes Mesenterica.	0·88	1·49	1·74	4·11	1·39	0·45	0·20	0·12
	Other Tuberculous Diseases.	0·43	0·68	1·13	2·24	1·36	0·60	0·36	0·31
V.	Erysipelas	0·25	0·08	0·04	0·37	0·02	0·01	0·00	0·00
	Syphilis	0·93	0·42	0·21	1·56	0·10	0·02	0·01	0·00
	Rickets	0·05	0·12	0·47	0·64	0·70	0·19	0·05	0·02
	Meningitis (not Tuberculous).	0·39	0·82	1·62	2·83	1·52	0·70	0·43	0·34
	Convulsions	12·88	4·22	3·38	20·48	1·89	0·55	0·23	0·12
	Bronchitis	5·68	4·83	7·89	18·40	6·01	1·47	0·58	0·33
	Laryngitis	0·05	0·07	0·19	0·31	0·25	0·20	0·18	0·15
	Pneumonia	2·04	2·64	6·13	10·81	6·37	2·12	1·10	0·68
	Suffocation, overlying ..	1·45	0·51	0·17	2·13	0·05	0·01	0·01	0·01
	All Other Causes.. ..	5·84	2·60	5·31	13·75	4·69	2·10	1·59	1·33

TABLE J_1.—MORTALITY OF INFANTS AND YOUNG CHILDREN PER 1,000 BIRTHS—ENGLAND & WALES, 1891–1900.—**Females.**

Causes of Death.	Ages at Death.							
	Under 3 months.	3 to 6 months.	6 to 12 months.	Total under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.
I. COMMON INFECTIOUS DISEASES.	1·36	1·82	6·84	10·02	11·99	6·41	4·85	3·45
II. DIARRHŒAL DISEASES ..	6·72	8·54	9·94	25·20	4·61	0·73	0·33	0·21
III. WASTING DISEASES ..	33·19	4·07	2·56	39·82	1·17	0·22	0·07	0·04
IV. TUBERCULOUS DISEASES	1·19	2·28	3·62	7·09	3·87	1·69	1·07	0·82
V. OTHER CAUSES	22·50	12·82	20·91	56·23	20·08	7·05	4·09	2·83
All Causes	**64·96**	**29·53**	**43·87**	**138·36**	**41·72**	**16·10**	**10·41**	**7·35**
I. Small-pox	0·03	0·01	0·01	0·05	0·02	0·02	0·01	0·02
I. Chicken-pox	0·01	0·02	0·03	0·06	0·03	0·01	0·01	0·00
I. Measles	0·07	0·21	2·60	2·88	5·40	2·29	1·31	0·79
I. Scarlet Fever	0·02	0·03	0·22	0·27	0·69	0·86	0·88	0·67
I. Diphtheria, Croup ..	0·05	0·08	0·47	0·60	1·45	1·51	1·70	1·48
I. Whooping Cough ..	1·18	1·47	3·51	6·16	4·40	1·72	0·94	0·49
II. Diarrhœa (all forms) ..	4·27	5·76	6·84	16·87	3·13	0·41	0·15	0·08
II. Enteritis, Gastro-Enteritis.	1·85	2·31	2·67	6·83	1·27	0·25	0·12	0·09
II. Gastritis, Gastro-Intestinal Catarrh.	0·60	0·47	0·43	1·50	0·21	0·07	0·06	0·04
III. Premature Birth.. ..	16·71	0·22	0·04	16·97	0·00	—	—	—
III. Congenital Defects ..	3·11	0·26	0·17	3·54	0·08	0·03	0·02	0·01
III. Injury at Birth	0·17	—	—	0·17	—	—	—	—
III. Want of Breast Milk, Starvation.	0·16	0·10	0·06	0·32	0·01	0·00	0·00	0·00
III. Atrophy, Debility, Marasmus.	13·04	3·49	2·29	18·82	1·08	0·19	0·05	0·03
IV. Tuberculous Meningitis	0·22	0·46	1·09	1·77	1·32	0·72	0·51	0·38
IV. Tuberculous Peritonitis, Tabes Mesenterica.	0·65	1·20	1·47	3·32	1·26	0·39	0·19	0·12
IV. Other Tuberculous Diseases.	0·32	0·62	1·06	2·00	1·29	0·58	0·37	0·32
V. Erysipelas	0·23	0·10	0·07	0·40	0·03	0·01	0·00	0·00
V. Syphilis	0·76	0·38	0·21	1·35	0·11	0·02	0·00	0·00
V. Rickets	0·04	0·08	0·32	0·44	0·56	0·17	0·05	0·02
V. Meningitis (not Tuberculous).	0·28	0·61	1·37	2·26	1·30	0·64	0·46	0·32
V. Convulsions	9·59	3·54	2·78	15·91	1·76	0·56	0·24	0·12
V. Bronchitis	4·26	3·76	6·68	14·70	5·96	1·55	0·63	0·34
V. Laryngitis	0·04	0·05	0·13	0·22	0·22	0·17	0·17	0·14
V. Pneumonia	1·48	1·86	4·91	8·25	5·97	2·10	1·13	0·66
V. Suffocation, overlying..	1·40	0·51	0·16	2·07	0·05	0·01	0·01	0·00
V. All Other Causes.. ..	4·42	1·93	4·28	10·63	4·12	1·82	1·40	1·23

debility, and almost as many more to prematurity, the children possessing at birth a vitality too feeble to support life apart from the mother; lung diseases contribute 26, and diarrhœal diseases 27, to the total mortality; convulsions appear as the cause of 18 deaths, and tuberculous diseases of another 8. It is important to observe that the heaviest mortality from diarrhœal diseases is sustained, not in the first three months of life, as it is in the case of wasting diseases, but in the interval between the third month and the seventh.

As regards the mortality of young children at ages above the first year, Table H_1 shows that the diseases most fatal to life are as follows:—

Measles, which in the first year of life destroys 3·14 infants in each thousand born, is even more destructive in the second year, when 5·50 children succumb to that disease; the fatality then decreases rapidly and progressively throughout the next three years.

Both scarlet fever and diphtheria (with croup) maintain an almost uniform mortality from the second to the fifth year, being more than twice as destructive in every one of these years as it is in the first.

Diarrhœal diseases and wasting diseases, both of which make terrible havoc among infants in their first year of life, are much less fatal in the second year, and in the three following years cause a scarcely appreciable mortality.

With respect to tuberculous diseases—pulmonary tuberculosis alone excepted—as well as with respect to whooping-cough and to respiratory diseases generally, it may be stated that all of them are much more fatal in the first than in any subsequent year of the first quinquennium of life, they nevertheless maintain a considerable effect on the death-toll throughout the second, third, fourth, and fifth years respectively.

Table K_1 has been compiled from crude data originally prepared for the Committee already mentioned. It shows the rate of infant mortality from several causes, in two quinquennial periods, a quarter of a century apart—the rates in the selected urban districts of England being shown separately from those of the selected rural districts.*

From this table it appears that in the course of the last 25 years there has been a decline in the mortality from the chief epidemic infantile diseases (with the exception of measles and diarrhœa), and also a decline in the mortality from tuberculosis and syphilis as well as from bronchitis, laryngitis, meningitis, convulsions, atrophy, and debility—the decline under the last three headings being largely due to improved certification of causes of death. From these three conditions in the aggregate the mortality in 1898–1902 was lower than in 1873–7 by nearly one-fourth part. On the other hand, there has been a rise in the mortality ascribed to measles, diarrhœa, rickets, pneumonia, and to diseases of the stomach and liver, as well as to prematurity

* For constitution of these selected groups *see* page ix.

and to congenital defects. In the two latter instances likewise the difference is probably due to the more accurate return of causes of death.

TABLE K_1.—AVERAGE RATE of INFANT MORTALITY under ONE YEAR per 1,000 BIRTHS, in selected groups of URBAN and RURAL COUNTIES, respectively, in 1873–1877 and 1898–1902.

CAUSES OF DEATH.	URBAN COUNTIES.		RURAL COUNTIES.	
	1873–1877.	1898–1902.	1873–1877.	1898–1902.
All Causes	161·0	164·8	126·5	125·1
Small-pox...	0·5	0·0	0·1	0·0
Measles	2·8	3·5	1·5	1·7
Scarlet Fever	1·4	0·3	1·0	0·1
Diphtheria and Croup	1·1	0·7	0·8	0·4
Whooping-cough...	6·2	5·5	5·0	5·4
Erysipelas...	1·0	0·3	0·6	0·2
Diarrhœa, Dysentery, Cholera, Enteritis.	20·5	34·6	10·2	16·7
Syphilis	2·1	1·4	1·0	0·8
Rickets	0·1	0·6	0·1	0·5
Tuberculous Diseases	10·6	7·4	7·1	4·7
Meningitis, Convulsions ...	28·3	20·8	23·1	17·7
Laryngismus Stridulus	0·6	0·3	0·2	0·2
Bronchitis, Laryngitis	18·5	15·0	11·3	11·4
Pneumonia	8·7	12·3	6·2	8·2
Diseases of Stomach and Liver...	1·6	3·2	1·4	2·5
Premature Birth...	12·9	20·1	11·4	18·7
Congenital Defects	1·9	4·7	1·8	4·1
Teething	3·3	2·6	2·0	1·8
Atrophy, &c.	27·9	21·6	30·3	21·3
All Other Causes...	11·0	9·9	11·4	8·7

NOTE.—0·0 indicates that the deaths were too few to give a rate of 0·05 per 1,000.

Among the conditions leading to whatever degeneracy may prevail in certain sections of the community, the Committee on Physical Deterioration assigned a prominent place to overcrowding.

It is a fact that for every person who fifty years ago lived in a town there are three so situated at the present time. "Overcrowding," in the opinion of the Right Honourable Charles Booth, "is the great cause of degeneracy"; "Drink is fostered by bad houses"; "Crowded homes send men to the public house"; "Crowding is the main cause of drink and vice" (Booth: Life and Labour in London).

From a table furnished to the before-mentioned Committee by Sir Shirley Murphy, it appears that in seven groups of London districts with an increasing proportion of the inhabitants living in overcrowded tenements infant mortality increases in like proportion. Thus, in districts with less than 10 per cent. of the population living under these conditions the infant death-rate averages 142 per 1000. As the population of those living in overcrowded tenements increases so does the infant mortality increase—going from 142 to 196, and then on to 210, 222, and 223 per thousand births, as the highest degrees of overcrowding are reached.

And now, Sir, in bringing this letter to a close I desire, through you, to offer my sincere thanks to those gentlemen who in various ways have assisted me in the production of this volume. To Mr. A. C. Waters, who up to the time of his promotion was engaged in the preparation of this work, I am indebted for able assistance, at all times willingly rendered, and in particular for his Memorandum on "estimates of population" which accompanies this letter. Mr. Archer Bellingham has rendered me constant and valuable aid, and has shown assiduous care in reading the proof sheets and in the general preparation of the book. To Mr. F. Finch my thanks are due for the close attention he has paid to the details of the work, more especially to the tabular portion which follows this letter. The construction of the two new Life Tables contained in this volume is the work of Mr. Finch, who has also made useful suggestions concerning the application of the Life Table method to Vital Statistics.

Mr. C. E. Hampson has constructed the five charts which accompany the text and has in other ways rendered me valuable assistance. I desire also to acknowledge very appreciatively the services of Mr. Kemp, Mr. Saunders, Mr. Martin and Mr. Sorensen, who, together with every member of my staff, have aided in the production of this volume, and in the preparations for the concluding volume of the Supplement.

I am, Sir,

Your obedient Servant,

JOHN TATHAM,

Sir William Cospatrick Dunbar, Bart., C.B.,
Registrar General.

ESTIMATES OF POPULATION.

By A. C. Waters, Esq., F.S.S., Chief Clerk, General Register Office.

Tabulated numbers of births, deaths, or marriages have of themselves no significance whatever. Before any inference can be drawn from them they must be compared with the numbers of people among whom they occurred; and, before any sound inference can be drawn, information as to ages or other particulars concerning those people must be ascertained.

As a simple illustration, the mere fact that 1,000 deaths occurred in a year may indicate high or low mortality, or any intermediate condition. That number of deaths among 40,000 people would generally be held to show high mortality, and the same number of deaths among 100,000 people to show low mortality. But if the 40,000 people were all more than 65 years old, 1,000 deaths among them in a year would be remarkably few; and if the 100,000 people were all between 5 and 10 years of age, 1,000 deaths among them in a year would be very excessive.

For the purposes of this report the numbers of births, deaths, and marriages during the ten years 1891–1900, in every registration district and county of England and Wales, have been tabulated; and in order to give statistical value to these tabulated numbers it was necessary to determine as precisely as possible the average numbers of people living in the several districts and counties, and also the ages of those people.

If the number of persons living in a place in the middle of each of the ten years could be ascertained, the arithmetical mean of these numbers would in general* approximate closely to the average population during the whole period of ten calendar years. The numbers at more frequent regular intervals—quarterly, monthly, &c.—would give results approximating more and more closely to the true mean population with every decrease in the length of the interval; and if the number of the population could be ascertained for every day, or even for every week, the arithmetical mean of these numbers could be regarded without qualification as the true average population.

Such data are, however, not available. The results of the censuses of 1891 and 1901 show the populations of England and Wales, and of its various sub-divisions, at about the end of March in each of these two years; and the records of registration show at intervals of three months how many infants entered the population by birth and how many persons of all ages left it by death. But persons also enter the population of England and Wales by coming into it from Scotland, and from places beyond the seas, and others leave the population by crossing the border into Scotland, or by going to places beyond the seas. If the total numbers

* The qualifying words "in general" are used because the population of a district might be raised or lowered at particular times in the year by some special local condition.

of such persons had been ascertained quarterly, with as near an approach to accuracy as is attained by registration of births and deaths, the population of England and Wales, at intervals of three months from the beginning of 1891 to the end of 1900, would be practically known, and the average population during the whole period could be calculated with a high degree of accuracy. It may be hoped that in course of time such complete records of emigration and immigration (by which must be understood the total movements from and to the country) will be made, and that the population in intercensal years may then be ascertained as a fact, and not estimated on the basis of some arithmetical assumption. The use of this improved method will, however, necessarily be limited to ascertaining the population of the country as a whole; it is quite impracticable to keep records of the numbers of persons moving from one county, borough, or district, to another, and therefore the intercensal populations of such areas as these must be estimated by some process of calculation.

In the absence of complete records of emigration from and immigration into England and Wales, the best available data for estimates of population in the ten-year period 1891–1900 are the census enumerations of 1891 and 1901 and the intermediate census of London in 1896. Reserving the case of London for later consideration, the arithmetical means of the populations in 1891 and 1901 are the most readily calculated figures that could be used as estimates. And these figures would be accurate if the censuses were taken at the beginning of January instead of at the end of March or the beginning of April, and if also the changes in the numbers of the people during the decennium ight be assumed to take place by arithmetical progression. It is, however, more reasonable to assume that population increases by geometrical progression (after the manner of compound interest) than that it increases by arithmetical progression (after the manner of simple interest). As a concrete example, if a population of 100,000 is found to increase in a given period by 10,000, a population of 110,000 may be expected to increase under similar conditions by 11,000 in an equal period. And, conversely, if a population were found to have increased from 100,000 to 121,000, it would appear more likely that about 10,000 had been added in the first half of the period and 11,000 in the second half, than that 100,000 had increased by 10,500 in the first half of the period and that 110,500 had increased by no more than 10,500 in the second half.

The computation of estimates for all the districts and counties of England and Wales, on the assumption of geometrical increase, is an extremely laborious proceeding, and on that account the simpler assumption of arithmetical increase has been adopted in previous decennial reports. In the report for 1881–90 the weak points of that method were discussed, and a special table was compiled by means of which the rates shown in the body of the Report could be readily corrected (Decennial Supplement 1881–90, Part I, pages xlii–xlvi).

There is, however, an objection to the assumption of geometrical increase, independently of the labour it entails—its results are not

consistent; and, therefore, although, as shown above, it appears reasonable in any particular case, it cannot be generally true. If it is true for districts it is not true for the counties that are made up of those districts; and if it is true either for districts or for counties it is not true for the whole country. Conversely, if it is true for England and Wales, it is not generally true for the counties or for the districts. This is illustrated by the following example:—A district had a population of 10,000 at one census and of 11,025 at the next census; on the assumption of geometrical increase its population midway between the two censuses was 10,500. Another district had populations of 10,000 and 22,500 at the two censuses; on the same assumption, its population midway between the censuses was 15,000. The two districts together increased from 20,000 to 33,525 in the intercensal period; and the aggregate of the estimates for the two districts in the middle of the period is 25,500. But if the assumption of geometrical increase be applied to the two districts together instead of to each district separately, the estimate for the middle of the period will not be 25,500 but 25,894. If then the method of geometrical increase be used at all, and if consistent results be required, the choice lies between two alternative ways of applying it. Either it can be applied to each separate district in the country, and the aggregate of the estimates for the districts can then be taken as the estimate for the whole country, or it can be applied to the country as a whole, and the resulting estimate divided in some manner among the districts.

The apparent analogy of census enumeration might be supposed to indicate the first of these alternatives; for the population of the whole country is ascertained at the census by adding together the populations of all the districts. But the analogy does not hold; for the census populations of districts are in their turn made up by adding together the populations in enumeration areas, and these by adding together the numbers in separate houses or families. If therefore it is wrong to assume geometrical increase for England and Wales as a whole, on the ground that this is an aggregate of districts, it is equally wrong to assume it for districts, since they are themselves aggregates of houses and families. But it is obviously impossible to make a separate estimate for every house or family, and to build up estimates for districts, counties, and the whole country by adding these estimates together. It may therefore be stated as a general principle that estimates of population must be made by first ascertaining or estimating the total for the whole country, and then estimating the populations of counties and districts as portions of that whole. This general principle is supported by the considerations on page cxviii, where it was shown that the population of England and Wales at intervals of three months may possibly be ascertained by means of returns of births, deaths, emigration, and immigration, but that the populations of parts of the country cannot possibly be so ascertained, and must therefore in some way be estimated. Further, the assumption of a regular change in the whole population involves less risk of error than a similar assumption respecting portions of the population, and has the advantage of being independent of internal migration.

From the above considerations it was evident that the best available assumption on which the estimates of population in England and Wales in the decennium 1891–1900 could be based was that the population of the country as a whole increased in regular geometrical progression throughout the period. The problem that then presented itself was how to calculate the estimates for the several districts as portions of the total estimate. A convenient and not unreasonable method of effecting this apportionment can be illustrated on a small scale by means of the numerical example on page cxix. Taking the total populations of 20,000 and 33,525 at two successive censuses as increasing by geometrical progression, the population in the middle of the period would be 25,894.

The relations of the two districts to the total are as follows :—

—	First Census.		Second Census.	
	Population.	Proportion of Total.	Population.	Proportion of Total.
District A	10,000	·5	11,025	·32886
District B	10,000	·5	22,500	·67114
Total	20,000	1·0	33,525	1·00000

District A changed from ·5 to ·32886 of the total; that is to say, its proportion decreased by ·17114. If this decrease be supposed to have occurred by arithmetical progression, the proportion at the middle of the period was $\cdot 5 - \frac{\cdot 17114}{2} = \cdot 41443$. In like manner the population of District B in the middle of the period was ·58557 of the total.

The resulting estimates are as follows .—

—	Population at Middle of Period.	
	Proportion of Total.	Number.
District A	·41443	10,731
District B	·58557	15,163
Total	1·00000	25,894

The application of this method of estimating is not limited to two districts or to the population midway between the censuses. Whatever the number of districts into which the total is divided, and whatever the interval for which the estimate is required, if the *proportions* be calculated by arithmetical progression their

sum will always be unity, and the estimates for the districts will therefore always agree with the estimate for the total.

The process used in the above illustrative example would, if applied to a large number of districts, involve much laborious arithmetic; but there is a short method of obtaining the same results. In a paper which was published in the Journal of the Royal Statistical Society in June, 1901, I showed that, on the two suppositions made above—viz., (1) that the population of the whole changes by geometrical progression, and (2) that the proportion of each district to the whole changes by arithmetical progression—estimates of the populations at any date can be obtained directly from the populations at the two censuses by means of two multiplying factors, and that these factors depend only on the intercensal rate of increase of the total population and the date for which the estimate is required.

The two factors for the population midway between the censuses are given by the formulæ $\frac{\sqrt{r}}{2}$ and $\frac{1}{\sqrt{r}}$, where r is the intercensal rate of increase of the total population. In the example already used r is $\frac{33525}{20000} = 1{\cdot}67625$, and the two factors work out as ·64735 and ·38619. Then, whatever the number of districts, the mid-census population of each of them is calculated by multiplying its population at the first census by ·64735, and its population at the second census by ·38619.

The calculation proceeds as follows :—

—		Census Population.	Factors for Mid-census Estimates.	Census Populations Multiplied by Factors.	Mid-census Estimates.
District A	First Census...	10,000	·64735	6473·5	10731·2
	Second Census	11,025	·38619	4257·7	
District B	First Census...	10,000	·64735	6473·5	15162·8
	Second Census	22,500	·38619	8689·3	

and the estimates are the same as those obtained above by calculating the proportion of each district to the total at each census.

Thus the two factors having once been calculated, the estimates of population for all districts can be obtained by a simple process directly from their census populations.

The method of factors described above would have been easily applicable to the estimates of population for all districts in

1891–1900 but for one circumstance that had to be taken into account. An intermediate census of the populations of London and of its districts was taken in 1896, and, therefore, the estimates for this portion of the country could not be based on the enumerations of 1891 and 1901 alone. Further investigation, however, showed that the method could be extended to meet this difficulty.

In the first place, the assumption that the total population has increased by geometrical progression was found to be unnecessary. The method of factors can be adapted to any other assumption; and, as an important corollary, it will be equally applicable when the intermediate populations can be ascertained with the help of complete returns of emigration and immigration.

In the second place, the method is not limited to estimates for a single intercensal period, but can be extended over any number of such periods.

To establish the first of these propositions let P_0 represent the population of the country at one census, P_1 the population at the next census, and P_x the population (estimated on any assumption whatever, or ascertained by adding the numbers of births and immigrants to P_0 and deducting the numbers of deaths and emigrants) after the lapse of some proportion—represented by x—of the intercensal period.

Let a_0 and a_1 be the proportions which the population of a given district were found to bear to the whole population at the two Censuses, and a_x the assumed proportion at the date represented by x. Then the population of the district was $P_0 a_0$ at the first Census, and $P_1 a_1$ at the later Census, and it is estimated to have been $P_x a_x$ at the date in question.

Now as the proportion changed from a_0 to a_1 in an entire Census period, it increased by $a_1 - a_0$ in the interval ($a_1 - a_0$ being a negative quantity if $a_1 < a$), and the increase in the interval from o to x, on the supposition of increase by arithmetical progression, was $(a_1 - a_0)x$. The proportion at the date x was therefore $a_0 + (a_1 - a_0)x$, and the population of the district at that date was $P_x\{a_0 + (a_1 - a_0)x\}$. By re-arranging the terms this may be written $P_x \cdot a_0 (1 - x) + P_x \cdot a_1 x$, which is equivalent to

$$P_0 a_0 \times \frac{P_x}{P_0}(1-x) + P_1 a_1 \times \frac{P_x}{P_1} x.$$

In this last expression $P\ a_0$ and $P_1 a_1$ are the Census populations of the district, and $\frac{P_x}{P_0}(1-x)$, and $\frac{P_x}{P_1}x$ are factors which depend only on the populations of the whole country, and on the value of x.

The method of factors is, therefore, not limited to the assumption that the total population has increased by geometrical progression.

To establish the second proposition let P_0, P_1, and P_2 represent the populations of the whole country at *three* successive and equidistant Censuses, and P_x the population (either estimated or ascertained) at an interval of x measured from the first of these

Censuses; and let a_0, a_1, a_2 be the proportions which the populations of a given district were found to bear to the total populations at the three Censuses, and a_x the proportion which is to be assumed for the date x. The simplest supposition as to the change of proportion throughout the whole period is that of a modified arithmetical progression—technically a series of two differences. On this supposition

$$a_x = a_0 + (a_1 - a_0)\,x - (a_2 - 2a_1 + a_0)\frac{x(1-x)}{2}$$

and the population of the district at the date x is represented by

$$P_x \times \left\{ a_0 + (a_1 - a_0)\,x - (a_2 - 2a_1 + a_0)\frac{x(1-x)}{2} \right\}.$$

Re-arranging the terms, this becomes

$$P_x \times \left\{ a_0 \frac{2 - 3x + x^2}{2} + a_1(2x - x^2) - a\,\frac{x - x^2}{2} \right\}$$

which is equivalent to

$$P_0 a_0 \times \frac{P_x}{P_0}\left(\frac{2 - 3x + x^2}{2}\right) + P_1 a_1 \times \frac{P_x}{P_1}(2x - x_2) - P_2 a_2 \times \frac{P_x}{P_2}\left(\frac{x - x^2}{2}\right).$$

In this last expression, $P_0 a_0$, $P_1 a_1$, and $P_2 a_2$ are the three Census populations of the district, and $\frac{P_x}{P_0}\left(\frac{2 - 3x + x^2}{2}\right)$, $\frac{P_x}{P_1}(2x - x^2)$, and $\frac{P_x}{P_2}\left(\frac{x - x^2}{2}\right)$ are factors which depend only on the populations of the whole country, and on the value of x.

The method of factors is therefore applicable to estimates based on the populations at *three* Censuses; and it can be shown, by further application of the method of finite differences, to be applicable to four or to any larger number.

The extended formulæ obtained above were used in the following manner.

(1) The population of England and Wales was assumed (in the absence of more precise *data*) to have increased by geometrical progression from the Census of 1891 to that of 1901; the same rate of increase was assumed to have prevailed in the first three months of 1891, in order to bring the estimates of population into line with the deaths for the ten calendar years of 1891–1900, and estimates of population on this basis were made for the middle of every month in the whole period.

(2) The population of London was assumed to have increased by a regularly changing ratio—the logarithms of the populations forming a series of two differences—and this series also was carried back to the beginning of 1891, estimates being made for the middle of every month in the ten years.

(3) The 120 monthly estimates for London were deducted from the 120 monthly estimates for England and Wales, the differences being used as estimates for the remainder of the country, excluding London.

(4) Giving x the 120 successive values $-\frac{5}{240}$, $-\frac{3}{240}$, $-\frac{1}{240}$, $+\frac{1}{240}$, $+\frac{3}{240}$, &c., up to $+\frac{233}{240}$, the values of 120 pairs of factors were calculated by the formulæ $\frac{P_x}{P_0}(1-x)$, and $\frac{P_x}{P_1}x$, where P_0, P_1 and P_x represent populations of England and Wales less London, at the Censuses of 1891 and 1901, and at the date indicated by x. The arithmetical means of the 120 factors obtained from each formula were found to be ·54526446 and ·45478956 respectively, and these were used for estimating the mean populations of the districts in that portion of the country, by multiplying them into the Census populations of each district in 1891 and 1901. In cases of transference from one district to another in the course of the decennium, the proper factors were used to estimate the populations of the transferred areas in the parts of the decennium before and after the transfer in order that adjustments might be made in the estimates for the districts affected.

(5) In a similar manner the formulæ $\frac{P_x}{P_0}\left(\frac{2-3x+x^2}{2}\right)$, $\frac{P_x}{P_1}(2x-x^2)$, and $\frac{P_x}{P}\left(\frac{x-x^2}{2}\right)$, (where P, P_1, P_2, and P_x represent the populations of London at the Censuses of 1891, 1896, and 1901, and at the date indicated by x), were used to obtain three factors for estimating the mean populations of the districts in London, by multiplying them into the populations of the several districts at the Censuses of 1891, 1896, and 1901. The factors thus determined are ·19195292 for the Census of 1891, ·66610371 for the Census of 1896, and ·14195056 for the Census of 1901. A slight final modification of the results was necessary, because (*a*) the ages of the people were not tabulated in 1896, and (*b*) the sex proportions at that census were somewhat abnormal; but in no case did the modification amount to 1 in 10,000 of the population affected.

LIST OF TABLES,

With Explanatory Notes.

PAGE

Table 1.—Crude and Corrected Death-Rates, Infantile Mortality, Birth-Rate per 1000 Population and per 1000 Females aged 15–45 years; Marriage-Rate, Percentage of Tenements of fewer than 5 rooms, and Percentage of these overcrowded, in Registration Counties and Districts. Sexes not distinguished cxxvi

Table 2.—Annual Rates of Mortality from All Causes and from Several Causes, per Million Children living under Five Years of Age, in Registration Counties and Districts. Sexes not distinguished clxiv

Table 3.—Annual Rates of Mortality from All Causes per 1000 living at All Ages, and at Twelve Groups of Ages, in Registration Counties. Persons, Males, and Females clxxix

Table 4.—Annual Rates of Mortality from Several Causes per Million living at All Ages, in Registration Counties. Persons, Males, and Females clxxxii

Table 5.—Annual Rates of Mortality from Several Causes per Million living, at All Ages and at Eleven Groups of Ages, in each of the last Four Decennia, Persons, Males, and Females cxc

Table 6.—Annual Rates of Mortality from Several Causes per Million living at All Ages and at Eleven Groups of Ages in England and Wales and in Urban and in Rural Counties. Persons, Males, and Females cxcviii

Table 7.—Annual Marriage-Rates, Birth-Rates, and Death-Rates from All Causes and from Several Causes, per 1000 Persons living, in Registration Counties, 1891–1900. Sexes not distinguished ccii

TABLE I.—**Crude Death-rates, 1881-1890; Crude and Corrected Death-rates, Infantile Mortality, Birth-rates, and Marriage-rates, 1891-1900; Tenements of fewer than Five Rooms, and Overcrowded Tenements, 1901.**

	Registration Counties.	Crude Death-rate per 1000.		Death-rate in Standard Population, 1891-1900.	Infantile Mortality per 1000 Births, 1891-1900.	Mean Annual Rates, 1891-1900.			At the Census of 1901	
		1881-1890.	1891-1900.			Births per 1000 Population.	Births per 1000 Females aged 15-45 Years.	Persons Married per 1000 Population.	Percentage of Tenements of fewer than Five Rooms.	Percentage of these Tenements with more than Two Persons to a Room.
	ENGLAND AND WALES ..	19·1	18·2	18·2	153	29·88	123	15·63	46·7	11·9
	I.—LONDON.									
1.	**LONDON**	20·3	19·2	20·1	160	30·33	113	17·85	65·9	18·6
	II.—SOUTH-EASTERN.									
2.	**SURREY**	15·3	14·5	14·7	122	24·67	94	13·18	26·9	5·9
3.	**KENT**	16·6	15·6	15·0	129	26·34	112	14·04	26·3	4·9
4.	**SUSSEX**	15·7	15·3	14·4	118	24·05	93	13·64	29·0	4·5
5.	**HAMPSHIRE**	16·7	16·3	15·5	127	26·35	109	14·94	26·3	3·9
6.	**BERKSHIRE**	16·2	15·3	14·0	114	25·95	114	13·74	30·2	5·0
	III.—SOUTH MIDLAND.									
7.	**MIDDLESEX**	16·1	14·6	15·2	139	28·14	107	12·26	37·8	9·7
8.	**HERTFORDSHIRE**	16·9	15·6	14·1	110	25·42	113	12·44	36·3	4·5
9.	**BUCKINGHAMSHIRE**	16·8	15·2	13·6	113	27·10	125	13·42	35·7	4·3
10.	**OXFORDSHIRE**	16·8	15·9	13·9	113	25·96	115	13·23	37·2	6·0

TABLE 1 (*continued*).—**Crude Death-rates, 1881-1890; Crude and Corrected Death-rates, Infantile Mortality, Birth-rates, and Marriage-rates, 1891-1900; Tenements of fewer than Five Rooms, and Overcrowded Tenements, 1901.**

	Registration Counties.	Crude Death-rate per 1000.		Death-rate in Standard Population, 1891-1900.	Infantile Mortality per 1000 Births, 1891-1900.	Mean Annual Rates, 1891-1900.			At the Census of 1901.	
		1881-1890.	1891-1900.			Births per 1000 Population.	Births per 1000 Females aged 15-45 Years.	Persons Married per 1000 Population.	Percentage of Tenements of fewer than Five Rooms.	Percentage of these Tenements with more than Two Persons to a Room.
	III.—SOUTH MIDLAND—*continued.*									
11.	**NORTHAMPTONSHIRE**	17·1	15·9	15·0	133	29·28	131	15·26	30·9	5·7
12.	**HUNTINGDONSHIRE**	16·4	16·2	13·1	118	25·72	125	13·41	43·8	4·8
13.	**BEDFORDSHIRE**	17·3	15·8	14·6	126	26·30	110	14·04	35·0	4·0
14.	**CAMBRIDGESHIRE**	17·3	16·1	14·0	124	26·34	121	13·70	40·9	4·9
	IV.—EASTERN.									
15.	**ESSEX**	16·8	16·0	15·7	141	30·37	134	13·29	39·6	7·3
16.	**SUFFOLK**	17·6	16·7	14·3	121	27·67	129	13·53	37·0	4·9
17.	**NORFOLK**	18·0	17·4	14·8	142	27·80	126	13·82	38·6	5·0
	V.—SOUTH-WESTERN.									
18.	**WILTSHIRE**	16·9	15·6	13·6	102	26·36	123	13·46	39·6	5·5
19.	**DORSETSHIRE**	16·2	15·5	13·4	102	25·32	114	13·88	32·9	4·2
20.	**DEVONSHIRE**	18·3	17·5	15·6	131	25·49	105	15·15	46·7	12·2
21.	**CORNWALL**	19·0	17·7	15·6	141	26·02	110	13·42	39·3	5·8
22.	**SOMERSETSHIRE**	17·3	16·2	14·4	114	26·73	113	13·52	32·5	4·9

TABLE 1 (*continued*).—**Crude Death-rates, 1881-1890; Crude and Corrected Death-rates, Infantile Mortality, Birth-rates, and Marriage-rates, 1891-1900; Tenements of fewer than Five Rooms, and Overcrowded Tenements, 1901.**

	REGISTRATION COUNTIES.	Crude Death-rate per 1000.		Death-rate in Standard Population, 1891-1900.	Infantile Mortality per 1000 Births, 1891-1900.	Mean Annual Rates, 1891-1900.			At the Census of 1901.	
		1881-1890.	1891-1900.			Births per 1000 Population.	Births per 1000 Females aged 15-45 Years.	Persons Married per 1000 Population.	Percentage of Tenements of fewer than Five Rooms.	Percentage of these Tenements with more than Two Persons to a Room.
	VI.—WEST-MIDLAND.									
23.	**GLOUCESTERSHIRE**	17·8	17·1	16·2	131	27·19	110	15·53	35·7	6·3
24.	**HEREFORDSHIRE**	17·3	17·4	14·6	112	25·90	119	12·93	38·1	4·4
25.	**SHROPSHIRE**	17·4	16·7	14·5	114	26·84	125	13·31	48·9	8·8
26.	**STAFFORDSHIRE**	19·7	19·6	19·8	172	34·72	153	16·34	44·5	9·7
27.	**WORCESTERSHIRE**	17·0	16·3	16·0	141	28·90	117	14·84	38·9	8·6
28.	**WARWICKSHIRE**	19·0	19·2	19·4	169	31·52	129	17·08	45·3	10·5
	VII.—NORTH-MIDLAND.									
29.	**LEICESTERSHIRE**	18·4	17·3	17·0	164	31·05	128	15·72	26·2	4·2
30.	**RUTLANDSHIRE**	16·3	14·7	12·5	110	23·79	111	12·30	44·8	6·8
31.	**LINCOLNSHIRE**	17·5	16·7	15·0	142	27·70	126	15·30	35·0	3·9
32.	**NOTTINGHAMSHIRE**	19·4	17·7	17·6	164	32·00	134	16·45	32·1	5·9
33.	**DERBYSHIRE**	17·7	17·2	17·5	146	31·81	138	15·68	36·7	6·1
	VIII.—NORTH-WESTERN.									
34.	**CHESHIRE**	18·9	18·2	18·8	156	29·54	118	14·55	38·6	6·1
35.	**LANCASHIRE**	22·4	21·1	22·9	179	31·51	123	16·60	49·9	7·9

TABLE I (*continued*).—**Crude Death-rates, 1881-1890; Crude and Corrected Death-rates, Infantile Mortality, Birth-rates, and Marriage-rates, 1891-1900; Tenements of fewer than Five Rooms, and Overcrowded Tenements, 1901.**

	Registration Counties.	Crude Death-rate per 1000.		Death-rate in Standard Population, 1891-1900.	Infantile Mortality per 1000 Births, 1891-1900.	Mean Annual Rates, 1891-1900.			At the Census of 1901.	
		1881-1890.	1891-1900.			Births per 1000 Population.	Births per 1000 Females aged 15-45 Years.	Persons Married per 1000 Population.	Percentage of Tenements of fewer than Five Rooms.	Percentage of these Tenements with more than Two Persons to a Room.
	IX.—YORKSHIRE.									
36.	**WEST RIDING**	20·0	18·9	20·0	164	30·26	122	16·44	57·6	11·9
37.	**EAST RIDING (with YORK)**	19·5	18·5	18·1	166	30·81	130	16·34	47·1	6·3
38.	**NORTH RIDING**	18·2	17·8	17·2	146	29·67	130	14·65	42·1	9·2
	X.—NORTHERN.									
39.	**DURHAM**	19·8	19·3	19·8	167	35·80	159	16·14	77·2	26·8
40.	**NORTHUMBERLAND**	19·8	19·0	19·6	161	32·53	138	16·33	77·9	29·6
41.	**CUMBERLAND**	18·4	17·2	16·8	130	29·53	130	13·86	43·6	13·1
42.	**WESTMORLAND**	15·5	15·0	13·7	107	24·83	105	13·28	27·7	5·8
	XI.—WELSH.									
43.	**MONMOUTHSHIRE**	19·7	18·8	18·7	152	34·52	159	15·73	41·9	9·1
44.	**SOUTH WALES**	19·1	19·3	19·3	163	33·89	149	16·28	35·3	9·3
45.	**NORTH WALES**	18·7	18·8	17·0	135	27·06	120	13·98	41·6	8·3

TABLE 1 (*continued*).—**Crude Death-rates, 1881-1890; Crude and Corrected Death-rates, Infantile Mortality, Birth-rates and Marriage-rates, 1891-1900; Tenements of fewer than Five Rooms, and Overcrowded Tenements, 1901.**

	Registration Districts.	Crude Death-rate per 1000. 1881-1890. As recorded.	Crude Death-rate per 1000. 1881-1890. Adjusted for Deaths in Institutions.	Crude Death-rate per 1000. 1891-1900. As recorded.	Crude Death-rate per 1000. 1891-1900. Adjusted for Deaths in Institutions.	Death-rate in Standard Population, 1891-1900.	Infantile Mortality per 1000 Births, 1891-1900.	Mean Annual Rates, 1891-1900. Births per 1000 Population.	Mean Annual Rates, 1891-1900. Births per 1000 Females aged 15-45 Years.	Mean Annual Rates, 1891-1900. Persons Married per 1000 Population.	At the Census of 1901. Percentage of Tenements of fewer than Five Rooms.	At the Census of 1901. Percentage of these Tenements with more than Two Persons to a Room.
	I.—LONDON.											
	1.—LONDON.											
1*a*	PADDINGTON	18·0	15·5	17·7	14·6	19·2	159	23·99	72	18·17	64·8	15·6
1*b*	KENSINGTON	18·5	15·4	18·9	15·2	20·7	173	21·61	60	18·64	55·1	21·8
2	FULHAM	19·1	17·8	18·2	16·4	18·8	168	32·24	121	16·32	64·2	12·2
3	CHELSEA	22·5	19·7	20·3	16·7	21·4	168	27·14	97	20·84	69·2	15·8
4	ST. GEORGE HANOVER SQ.	21·1	16·8	19·5	14·5	21·6	158	20·23	62	20·49	62·4	14·3
5	WESTMINSTER	18·5	18·0	14·5	13·5	17·0	144	21·99	75	26·35	69·9	20·6
6	ST. MARYLEBONE	19·1	19·2	17·3	17·9	18·8	133	30·39	95	20·92	72·6	22·6
7	HAMPSTEAD	13·7	12·2	16·7	10·9	19·7	122	20·08	54	13·73	42·2	12·0
8	ST. PANCRAS	21·4	18·7	20·3	17·0	21·2	164	29·12	112	18·57	78·9	22·6
9	ISLINGTON	18·5	17·2	17·6	15·9	18·3	148	29·04	109	17·37	70·5	18·0
10	HACKNEY	18·6	16·4	17·7	15·2	18·4	149	28·94	105	15·79	57·6	12·0
11	ST. GILES	21·0	—	17·2	16·0	19·0	131	28·52	97	20·08	70·0	26·5
12	STRAND	28·3	20·2	30·9	18·1	35·0	248	18·72	64	28·22	69·4	20·9
13	HOLBORN	20·1	22·5	19·3	21·0	20·3	178	34·93	142	18·53	85·4	29·8
14	LONDON CITY	30·6	21·5	34·1	20·3	39·4	225	16·62	61	34·93	62·1	15·7
15	SHOREDITCH	24·1	20·9	23·4	20·0	23·7	186	35·58	149	18·36	84·9	27·3
16	BETHNAL GREEN	22·7	21·6	20·9	19·6	21·2	161	37·13	158	21·25	84·1	26·9
17	WHITECHAPEL	31·0	19·8	31·6	18·1	33·1	172	39·81	170	11·95	85·1	48·3
18	ST. GEORGE IN THE EAST..	25·9	—	21·9	—	22·5	163	42·46	182	11·55	88·1	43·3
19	STEPNEY	23·1	19·7	22·4	18·8	22·6	241	33·69	148	14·21	77·7	25·6
20	MILE END OLD TOWN ..	20·3	19·7	18·6	17·7	18·8	143	38·04	157	29·14	76·2	23·9
21	POPLAR	22·5	18·1	22·2	16·9	22·5	169	35·26	156	17·31	73·3	16·8
22	SOUTHWARK	21·5	21·7	18·2	20·5	18·5	176	34·70	146	28·61	82·9	20·5
23	ST. OLAVE (BERMONDSEY)	24·4	20·8	24·1	19·8	24·6	170	35·64	156	14·48	75·9	19·5
24	LAMBETH	20·5	18·2	19·6	16·5	20·2	151	31·88	121	16·03	62·8	14·7
25	WANDSWORTH..	16·2	15·8	15·3	14·3	16·3	147	28·72	105	14·93	50·9	10·1

NOTE.—The complete distribution of deaths occurring in public institutions is impracticable; but the death-rates in the second and fourth columns of this table have, where possible, been adjusted for deaths occurring in public institutions.

TABLE 1 (*continued*).—**Crude Death-rates, 1881-1890; Crude and Corrected Death-rates, Infantile Mortality, Birth-rates, and Marriage-rates, 1891-1900; Tenements of fewer than Five Rooms, and Overcrowded Tenements, 1901.**

	Registration Districts.	Crude Death-rate per 1000.				Death-rate in Standard Population, 1891-1900.	Infantile Mortality per 1000 Births, 1891-1900.	Mean Annual Rates, 1891-1900.			At the Census of 1901.	
		1881-1890.		1891-1900.								
		As recorded.	Adjusted for Deaths in Institutions.	As recorded.	Adjusted for Deaths in Institutions.			Births per 1000 Population.	Births per 1000 Females aged 15-45 Years.	Persons Married per 1000 Population.	Percentage of Tenements of fewer than Five Rooms.	Percentage of these Tenements with more than Two Persons to a Room.
	I.—LONDON—*continued.*											
	1.—LONDON—*continued.*											
26	CAMBERWELL	18·7	17·6	19·1	16·1	19·9	156	29·73	117	14·27	56·0	12·8
27	GREENWICH	21·0	18·8	19·4	17·1	19·6	155	31·59	130	13·26	57·0	11·8
28	LEWISHAM	13·5	—	14·2	13·4	14·8	134	24·82	83	13·18	30·7	6·2
29	WOOLWICH	16·8	16·4	16·8	15·9	17·8	139	30·96	136	16·99	57·0	8·9
	II.—SOUTH-EASTERN DIVISION.											
	2.—SURREY.											
30	EPSOM	17·9	12·6	15·6	11·8	15·8	114	21·84	84	10·82	25·9	4·9
31	CHERTSEY	13·5	—	12·9	—	12·8	108	24·68	98	12·62	26·9	4·6
32	GUILDFORD	16·6	13·4	15·8	13·0	15·4	113	25·04	102	12·91	25·6	3·7
33	FARNHAM	15·0	—	14·0	—	15·9	128	27·70	135	13·91	31·8	8·3
34	HAMBLEDON	13·7	—	12·8	—	11·6	88	24·99	113	12·51	22·3	2·5
35	DORKING	14·1	—	13·8	—	12·4	87	21·72	89	12·52	25·7	2·9
36	REIGATE	13·2	—	12·9	—	12·7	97	22·92	89	13·12	25·1	3·5
37	GODSTONE	19·8	11·3	17·2	10·8	15·5	97	22·70	97	11·63	27·4	3·6
38	CROYDON	15·0	14·3	15·1	13·5	15·3	135	24·71	90	13·98	27·8	7·2
39	KINGSTON	14·3	—	13·6	—	14·1	126	26·18	92	13·55	24·1	6·3
40	RICHMOND	16·7	—	15·1	—	15·5	141	23·34	77	13·37	32·4	6·5

TABLE 1 (*continued*).—**Crude Death-rates, 1881-1890; Crude and Corrected Death-rates, Infantile Mortality, Birth-rates, and Marriage-rates, 1891-1900; Tenements of fewer than Five Rooms, and Overcrowded Tenements, 1901.**

	Registration Districts.	Crude Death-rate per 1000.				Death-rate in Standard Population, 1891-1900.	Infantile Mortality per 1000 Births, 1891-1900.	Mean Annual Rates, 1891-1900.			At the Census of 1901.	
		1881-1890.		1891-1900.								
		As recorded.	Adjusted for Deaths in Institutions.	As recorded.	Adjusted for Deaths in Institutions.			Births per 1000 Population.	Births per 1000 Females aged 15-45 Years.	Persons Married per 1000 Population.	Percentage of Tenements of fewer that Five Rooms.	Percentage of these Tenements with more than Two Persons to a Room.
	II.—SOUTH-EASTERN DIVISION—*continued.*											
	3.—KENT.											
41	BROMLEY	13·1	—	12·3	—	13·1	118	24·67	83	12·02	26·7	4·0
42	DARTFORD	18·0	14·7	16·3	13·8	16·3	138	28·98	128	11·72	30·9	6·8
43	GRAVESEND	18·3	—	17·0	—	16·8	137	26·02	107	15·09	28·7	7·6
44	STROOD	17·3	—	15·8	—	15·3	146	32·85	163	14·85	26·6	6·5
45	HOO	16·4	—	14·6	—	14·3	145	30·66	180	11·30	37·4	6·6
46	MEDWAY	17·6	16·5	16·1	14·8	16·8	146	28·03	127	15·72	25·2	6·3
47	MALLING	16·3	—	15·3	—	14·2	126	28·18	137	13·17	33·2	3·8
48	SEVENOAKS	14·6	—	13·3	—	12·4	106	24·55	103	12·66	30·0	3·1
49	TUNBRIDGE	15·2	—	14·8	—	13·8	119	24·17	93	14·62	22·2	3·4
50	MAIDSTONE	20·2	16·7	20·8	16·2	19·6	130	25·61	110	14·64	22·7	3·9
51	HOLLINGBOURN	15·8	—	14·8	—	12·6	109	25·55	121	13·93	29·2	2·2
52	CRANBROOK	15·5	—	14·7	—	12·5	103	23·67	108	12·62	25·6	3·1
53	TENTERDEN	15·7	—	16·1	—	13·1	98	26·08	128	14·10	22·0	3·8
54	WEST ASHFORD	15·3	—	14·3	—	12·8	107	25·61	118	13·28	20·4	3·6
55	EAST ASHFORD	14·7	—	14·1	—	11·5	102	25·49	132	13·59	28·4	2·6
56	BRIDGE	19·9	14·6	20·6	13·4	16·9	109	23·45	112	11·50	35·1	2·4
57	CANTERBURY	21·0	17·6	18·9	16·1	18·0	136	25·39	111	16·85	27·5	4·7
58	BLEAN	15·9	—	14·3	—	12·9	118	25·07	106	13·20	22·1	4·7
59	FAVERSHAM	16·4	—	15·3	—	13·9	131	29·50	143	15·41	28·4	3·0
60	MILTON	16·2	—	15·5	—	14·6	137	31·72	153	15·78	20·9	3·5
61	SHEPPEY	15·0	—	14·2	—	15·0	131	25·05	127	13·52	38·5	5·7
62	THANET	17·7	17·2	16·5	—	16·5	146	22·85	85	13·91	21·5	6·5
63	EASTRY	16·3	—	15·2	—	13·2	111	24·17	111	13·03	28·1	3·7
64	DOVER	16·3	—	15·8	—	15·4	136	26·27	114	17·37	22·9	5·4
65	ELHAM	15·1	—	14·5	—	14·8	127	24·67	93	14·37	27·0	5·6
66	ROMNEY MARSH	15·2	—	14·4	—	12·6	92	27·12	139	13·41	26·0	3·1

TABLE 1 (*continued*).—**Crude Death-rates, 1881-1890; Crude and Corrected Death-rates, Infantile Mortality Birth-rates, and Marriage-rates, 1891-1900; Tenements of fewer than Five Rooms, and Overcrowded Tenements, 1901.**

	Registration Districts.	Crude Death-rate per 1000. 1881–1900. As recorded.	Crude Death-rate per 1000. 1881–1900. Adjusted for Deaths in Institutions.	Crude Death-rate per 1000. 1891–1900. As recorded.	Crude Death-rate per 1000. 1891–1900. Adjusted for Deaths in Institutions.	Death-rate in Standard Population, 1891–1900.	Infantile Mortality per 1000 Births, 1891–1900.	Mean Annual Rates, 1891-1900. Births per 1000 Population.	Mean Annual Rates, 1891-1900. Births per 1000 Females aged 15–45 Years.	Mean Annual Rates, 1891-1900. Persons Married per 1000 Population.	At the Census of 1901. Percentage of Tenements of fewer than Five Rooms.	At the Census of 1901. Percentage of these Tenements with more than Two Persons to a Room.
	II.—SOUTH-EASTERN DIVISION—*continued.*											
	4.—SUSSEX.											
67	RYE	15·8	—	15·2	—	12·3	111	25·82	127	12·85	27·4	3·2
68	HASTINGS	15·7	—	16·1	—	15·9	125	21·38	71	12·77	35·3	5·8
69	BATTLE	14·1	—	13·7	—	12·7	102	25·19	104	14·29	23·0	3·5
70	EASTBOURNE	14·0	—	12·8	—	13·7	123	23·98	77	13·19	30·5	5·2
71	HAILSHAM	16·3	—	14·5	—	12·4	92	27·34	137	13·90	20·3	2·8
72	TICEHURST	14·7	—	13·7	—	12·1	88	24·18	104	13·54	23·7	2·5
73	UCKFIELD	13·9	—	13·3	—	12·0	94	25·47	119	12·40	19·7	2·1
74	EAST GRINSTEAD	13·7	—	13·0	—	12·0	85	25·46	113	12·62	21·4	4·3
75	CUCKFIELD	12·8	—	12·5	—	11·5	87	22·36	95	11·81	24·6	2·7
76*a*	LEWES	17·3	14·8	16·5	13·6	15·3	100	24·03	109	12·36	24·8	2·9
76*b*	NEWHAVEN											
77	BRIGHTON	18·8	17·7	18·7	16·5	18·6	164	25·64	91	17·63	42·4	6·4
78	STEYNING	14·3	—	14·0	12·9	13·6	118	22·81	77	12·23	30·2	4·2
79	HORSHAM	14·5	—	14·5	—	13·0	100	24·63	112	13·25	17·0	2·2
80	PETWORTH	15·8	—	14·7	—	11·9	93	24·43	121	12·02	20·1	1·8
81	THAKEHAM	14·1	—	15·0	—	12·3	94	24·44	125	12·14	27·3	1·5
82	EAST PRESTON	14·7	—	16·2	—	15·0	117	23·06	88	12·67	18·1	3·8
83	WESTHAMPNETT	15·3	—	15·1	—	12·6	98	23·56	104	13·02	22·9	2·1
84	CHICHESTER	18·8	16·4	18·8	15·0	16·9	119	23·02	95	13·09	26·0	2·7
85	MIDHURST	14·9	—	14·6	—	12·4	95	24·69	118	12·81	26·5	2·0
86	WESTBOURNE	14·8	—	15·1	—	12·3	100	25·94	132	13·42	26·5	2·1

TABLE 1 (*continued*).—**Crude Death-rates, 1881-1890; Crude and corrected Death-rates, Infantile Mortality, Birth-rates, and Marriage-rates, 1891-1900; Tenements of fewer than Five Rooms, and Overcrowded Tenements, 1901.**

	Registration Districts.	Crude Death-rate per 1000. 1881-1890. As recorded.	Crude Death-rate per 1000. 1881-1890. Adjusted for Deaths in Institutions.	Crude Death-rate per 1000. 1891-1900. As recorded.	Crude Death-rate per 1000. 1891-1900. Adjusted for Deaths in Institutions.	Death-rate in Standard Population, 1891-1900.	Infantile Mortality per 1000 Births, 1891-1900.	Mean Annual Rates, 1891-1900. Births per 1000 Population.	Mean Annual Rates, 1891-1900. Births per 1000 Females aged 15-45 Years.	Mean Annual Rates, 1891-1900. Persons Married per 1000 Population.	At the Census of 1901. Percentage of Tenements of fewer than Five Rooms.	At the Census of 1901. Percentage of these Tenements with more than Two Persons to a Room.
	II.—SOUTH-EASTERN DIVISION—*continued.*											
	5.—HAMPSHIRE.											
87	HAVANT	16·4	—	14·1	—	12·3	90	25·13	105	11·79	17·5	4·9
88	PORTSMOUTH	18·8	18·3	18·1	17·7	18·3	159	28·19	112	18·03	25·5	3·6
89	ALVERSTOKE	19·6	16·0	19·2	16·3	19·0	151	29·30	136	14·48	23·0	3·3
90	FAREHAM	20·0	14·8	18·4	13·4	16·1	98	24·65	113	12·07	27·0	4·7
91	ISLE OF WIGHT	15·2	14·5	15·2	14·8	13·8	100	22·89	90	13·26	18·6	2·7
92	LYMINGTON	15·1	—	14·4	—	12·4	98	23·69	102	13·63	25·9	2·1
93	CHRISTCHURCH	15·1	14·5	14·8	13·9	15·5	122	22·00	68	12·76	22·7	2·5
94	RINGWOOD	15·3	—	14·5	—	12·2	91	27·26	127	14·05	26·9	2·8
95	FORDINGBRIDGE	16·8	—	15·6	—	12·9	101	27·90	138	15·98	35·1	2·4
96	NEW FOREST	14·5	—	14·3	—	12·4	86	25·47	116	13·39	24·9	3·5
97	SOUTHAMPTON	19·1	18·1	21·0	19·6	20·5	157	30·84	127	20·84	37·8	6·0
98	SOUTH STONEHAM	15·0	14·1	14·7	13·9	14·3	125	28·89	121	13·04	16·4	4·6
99	ROMSEY	15·4	—	14·3	—	11·9	87	25·50	122	12·63	35·2	2·7
100	STOCKBRIDGE	15·6	—	14·9	—	12 0	87	24·83	125	12·62	45·9	4·1
101	WINCHESTER	16·4	15·4	15·2	14·0	14·2	110	24·97	105	14·54	26·1	2·4
102	DROXFORD	15·6	—	13·6	—	10·8	95	24·54	117	11·91	26·1	2·5
103	CATHERINGTON	15·0	—	13·1	—	11·4	103	23·10	100	12·49	28·5	3·6
104	PETERSFIELD	15·5	—	14·6	—	12·6	87	24·79	113	12·56	27·3	2·2
105	ALRESFORD	15·0	—	12·7	—	10·4	80	23·78	113	11·87	31·7	2·9
106	ALTON	14·9	—	14·7	—	12·7	105	24·75	118	14·42	33·1	2·5
107	HARTLEY WINTNEY.. ..	13·2	—	13·4	13·1	13·4	124	24·80	123	11·99	31·4	5·4
108	BASINGSTOKE	15·2	—	14·1	—	12·5	96	25·32	117	12·90	36·9	4·3
109	WHITCHURCH	17·2	—	15·3	—	13·1	111	31·30	148	12·91	44·2	8·1
110	ANDOVER	16·3	—	14·8	—	12·5	95	25·53	121	12·67	42·6	5·6
111	KINGSCLERE	14·[illegible]	—	14·6	—	11·5	98	27·10	138	12·34	43·8	4·4

TABLE 1 (*continued*).—**Crude Death-rates, 1881-1890; Crude and Corrected Death-rates, Infantile Mortality, Birth-rates, and Marriage-rates, 1891-1900; Tenements of fewer than Five Rooms, and Overcrowded Tenements, 1901.**

	Registration Districts.	Crude Death-rate per 1000, 1881-1890. As recorded.	Crude Death-rate per 1000, 1881-1890. Adjusted for Deaths in Institutions.	Crude Death-rate per 1000, 1891-1900. As recorded.	Crude Death-rate per 1000, 1891-1900. Adjusted for Deaths in Institutions.	Death-rate in Standard Population, 1891-1900.	Infantile Mortality per 1000 Births, 1891-1900.	Mean Annual Rates, 1891-1900. Births per 1000 Population.	Mean Annual Rates, 1891-1900. Births per 1000 Females aged 15-45 Years.	Mean Annual Rates, 1891-1900. Persons Married per 1000 Population.	At the Census of 1901. Percentage of Tenements of fewer than Five Rooms.	At the Census of 1901. Percentage of these Tenements with more than Two Persons to a Room.
	II.—SOUTH-EASTERN DIVISION—*continued.*											
	6.—BERKSHIRE.											
112	Newbury	17·0	—	16·8	—	14·1	120	24·41	109	13·29	34·3	3·8
113	Hungerford	16·8	—	15·6	—	12·3	101	26·83	140	12·97	49·2	7·0
114	Faringdon	17·2	—	16·7	—	13·6	109	26·88	134	13·54	49·7	6·3
115	Abingdon	16·3	—	15·2	—	13·2	107	25·88	121	13·27	46·8	5·0
116	Wantage	16·5	—	15·7	—	13·2	107	27·02	137	12·88	47·6	6·5
117	Wallingford	18·8	15·8	18·5	14·8	15·4	102	23·91	117	12·71	45·4	4·4
118	Bradfield	15·0	—	12·9	—	11·4	87	24·31	115	12·32	31·7	3·5
119	Reading	15·9	14·6	15·7	14·0	16·1	138	28·37	117	16·14	12·8	6·3
120	Wokingham	16·5	—	14·0	—	12·3	104	23·67	106	13·47	28·6	2·5
121	Maidenhead	14·9	—	14·4	—	13·7	109	26·32	109	14·17	26·5	2·7
122	Easthampstead	14·2	12·8	12·6	11·5	12·0	94	23·73	106	10·92	24·8	4·3
123	Windsor	15·9	14·8	14·9	13·2	15·2	109	24·74	98	12·88	27·3	5·3
	III.—SOUTH MIDLAND DIVISION.											
	7.—MIDDLESEX.											
124	Staines	15·4	—	14·2	—	14·0	126	27·73	126	14·26	35·9	6·8
125	Uxbridge	19·9	15·7	19·5	14·2	18·1	126	26·44	117	12·29	29·5	6·0
126	Brentford	16·1	—	15·1	—	15·6	152	27·46	100	13·57	36·8	9·2
127	Hendon	15·2	—	13·5	—	14·6	142	29·64	109	11·22	52·1	12·8
128	Barnet	17·7	12·7	16·1	11·7	16·1	106	24·93	90	10·71	30·8	7·3
129	Edmonton	15·7	15·1	14·1	13·2	14·9	139	28·66	111	12·10	33·2	8·5

TABLE 1 (*continued*).—**Crude Death-rates, 1881-1890; Crude and Corrected Death-rates, Infantile Mortality, Birth-rates, and Marriage-rates, 1891-1900; Tenements of fewer than Five Rooms, and Overcrowded Tenements, 1901.**

	Registration Districts.	Crude Death-rate per 1000.				Death-rate in Standard Population, 1891-1900.	Infantile Mortality per 1000 Births, 1891-1900.	Mean Annual Rates, 1891-1900.			At the Census of 1901.	
		1881-1890.		1891-1900.								
		As recorded.	Adjusted for Deaths in Institutions.	As recorded.	Adjusted for Deaths in Institutions.			Births per 1000 Population.	Births per 1000 Females aged 15-45 Years.	Persons Married per 1000 Population.	Percentage of Tenements of fewer than Five Rooms.	Percentage of these Tenements with more than Two Persons to a Room.
	III.—SOUTH MIDLAND DIVISION—*continued.*											
	8.—HERTFORDSHIRE.											
130	WARE	16·2	—	14·5	—	13·3	107	25·69	119	11·96	34·0	3·1
131	BISHOP STORTFORD	16·3	—	15·6	—	13·3	105	24·48	118	12·25	43·8	3·5
132	ROYSTON..	15·9	—	15·3	—	12·1	95	24·02	127	11·40	51·8	5·2
133	HITCHIN	17·1	—	15·7	—	13·8	123	25·83	115	12·02	45·4	5·3
134	HERTFORD	16·2	15·2	15·9	14·6	14·5	102	24·60	113	12·35	37·3	5·3
135	HATFIELD	15·0	—	13·6	—	12·4	97	26·84	121	13·27	48·0	4·6
136	ST. ALBANS	16·2	—	14·1	—	13·0	112	25·52	106	13·00	32·8	5·9
137	WATFORD	19·4	14·6	17·4	12·4	17·1	112	25·94	107	12·24	19·4	4·0
138	HEMEL HEMPSTEAD ..	17·3	16·3	16·1	14·7	14·6	113	25·61	110	14·36	35·1	4·3
139	BERKHAMPSTEAD	16·8	—	15·0	—	13·7	122	25·75	113	12·76	42·0	3·2
	9.—BUCKINGHAMSHIRE.											
140	AMERSHAM	15·8	—	14·7	—	13·0	109	27·83	130	12·25	40·4	4·3
141	ETON	14·9	—	14·1	—	13·8	113	25·66	112	12·98	31·3	4·6
142	WYCOMBE	16·7	—	14·7	—	13·5	117	28·52	132	14·78	32·8	4·0
143	AYLESBURY	18·9	16·6	17·2	14·6	14·7	114	25·66	121	13·08	36·0	3·5
144	WINSLOW	17·0	—	16·7	—	13·7	107	26·41	128	12·25	43·3	3·5
145	NEWPORT PAGNELL.. ..	16·9	—	15·4	—	13·4	115	28·22	133	12·93	37·0	5·2
146	BUCKINGHAM	18·4	—	15·8	—	12·5	103	25·07	120	14·10	43·2	4·7

TABLE 1 (*continued*).—**Crude Death-rates, 1881-1890; Crude and Corrected Death-rates, Infantile Mortality, Birth-rates, and Marriage-rates, 1891-1900; Tenements of fewer than Five Rooms, and Overcrowded Tenements, 1901.**

	Registration Districts.	Crude Death-rate per 1000. 1881-1890. As recorded.	Crude Death-rate per 1000. 1881-1890. Adjusted for Deaths in Institutions.	Crude Death-rate per 1000. 1891-1900. As recorded.	Crude Death-rate per 1000. 1891-1900. Adjusted for Deaths in Institutions.	Death-rate in Standard Population, 1891-1900.	Infantile Mortality per 1000 Births, 1891-1900.	Mean Annual Rates, 1891-1900. Births per 1000 Population.	Mean Annual Rates, 1891-1900. Births per 1000 Females aged 14-45 Years.	Mean Annual Rates, 1891-1900. Persons Married per 1000 Population.	At the Census of 1901. Percentage of Tenements of fewer than Five Rooms.	At the Census of 1901. Percentage of these Tenements with more than Two Persons to a Room.
	III.—SOUTH MIDLAND DIVISION—*continued.*											
	10.—OXFORDSHIRE.											
147	HENLEY	15·0	—	13·8	—	12·7	103	26·47	119	13·00	29·2	4·1
148	THAME	16·5	—	16·2	—	12·8	104	24·85	128	11·74	47·7	6·7
149	HEADINGTON	19·2	14·5	18·3	13·1	17·3	131	25·39	96	12·63	21·8	5·8
150	OXFORD	15·9	17·3	14·3	15·9	14·5	139	26·48	103	15·92	26·7	5·4
151	BICESTER	16·2	—	15·1	—	12·0	95	25·24	125	12·15	50·7	7·8
152	WOODSTOCK	16·8	—	14·8	—	12·2	93	27·12	131	13·80	49·5	6·3
153	WITNEY	17·4	—	16·6	—	13·4	107	26·41	131	12·48	47·1	5·5
154	CHIPPING NORTON	15·1	—	14·9	—	12·4	108	25·79	128	12·55	44·3	6·7
155	BANBURY	17·3	—	16·6	16·2	13·9	110	25·98	120	13·92	43·5	6·0
	11.—NORTHAMPTONSHIRE.											
156	BRACKLEY	17·0	—	16·5	—	13·0	117	26·08	129	13·39	50·2	9·4
157	TOWCESTER	17·3	—	16·8	—	13·4	125	26·02	130	14·32	50·8	7·8
158	POTTERSPURY	16·2	—	14·5	—	13·4	105	25·04	116	13·54	33·4	5·3
159	HARDINGSTONE	16·4	—	15·1	—	13·3	118	27·57	131	14·63	39·4	6·5
160	NORTHAMPTON	19·3	16·9	17·6	15·2	18·0	153	30·36	125	15·85	20·9	4·2
161	DAVENTRY	16·6	—	16·4	—	13·4	109	26·08	127	14·15	47·1	6·0
162	BRIXWORTH	16·6	—	15·9	—	12·5	101	25·50	128	14·12	52·6	6·4
163	WELLINGBOROUH	15·9	—	14·5	—	14·6	129	32·39	141	15·31	25·9	5·5
164	KETTERING	16·0	—	15·2	—	15·2	146	33·75	146	15·53	26·5	6·0
165	THRAPSTON	16·8	—	15·6	—	13·7	114	26·85	132	16·48	44·1	6·5
166	OUNDLE	16·1	—	15·6	—	11·9	92	23·06	116	13·90	53·6	6·1
167	PETERBOROUGH	16·4	—	15·0	14·4	14·1	130	27·85	125	15·84	24·5	3·8

TABLE 1 (*continued*).—**Crude Death-rates, 1881-1890: Crude and Corrected Death-rates, Infantile Mortality, Birth-rates, and Marriage-rates, 1891-1900; Tenements of fewer than Five Rooms, and Overcrowded Tenements, 1901.**

	Registration Districts.	Crude Death-rate per 1000.				Death-rate in Standard Population, 1891-1900.	Infantile Mortality per 1000 Births, 1891-1900.	Mean Annual Rates, 1891-1900.			At the Census of 1901.	
		1881-1890.		1891-1900.								
		As recorded.	Adjusted for Deaths in Institutions.	As recorded.	Adjusted for Deaths in Institutions.			Births per 1000 Population.	Births per 1000 Females aged 14-45 Years.	Persons Married per 1000 Population.	Percentage of Tenements of fewer than Five Rooms.	Percentage of these Tenements with more than Two Persons to a Room.
	III.—SOUTH MIDLAND DIVISION—*continued.*											
	12.—HUNTINGDONSHIRE.											
168	HUNTINGDON	16·6	16·0	16·3	15·5	13·6	128	27·06	130	13·94	42·3	6·5
169	ST. IVES	17·2	—	16·3	—	12·8	113	24·85	123	12·74	43·3	4·3
170	ST. NEOTS	15·4	—	16·0	—	12·6	110	24·91	121	13·46	46·1	3·4
	13.—BEDFORDSHIRE.											
171	BEDFORD	15·4	14·7	13·8	13·1	13·3	117	24·22	95	13·17	23·7	3·5
172	BIGGLESWADE..	19·9	16·4	19·7	15·4	16·9	123	28·29	136	13·73	56·2	5·4
173	AMPTHILL	17·2	—	16·7	—	13·4	111	25·01	122	14·95	52·5	3·6
174	*WOBURN	17·8	—	—	—	—	—	—	—	—	—	—
175	LEIGHTON BUZZARD ..	16·4	—	16·2	—	14·6	127	26·36	120	13·51	41·9	3·0
176	LUTON	18·1	—	15·4	—	15·3	142	28·16	108	14·96	26·1	3·8
	14.—CAMBRIDGESHIRE.											
177	CAXTON	15·6	—	15·1	—	11·7	97	24·42	138	11·82	52·1	5·7
178	CHESTERTON	16·5	15·4	15·5	14·0	13·1	107	25·18	115	13·14	37·3	4·8
179	CAMBRIDGE	17·8	15·7	16·7	14·5	16·4	143	24·84	93	13·98	19·6	4·1
180	LINTON	16·2	—	15·4	—	12·2	99	25·25	130	12·46	51·7	4·7
181	NEWMARKET	17·2	—	16·0	—	14·0	128	28·72	142	12·88	49·8	7·5
182	ELY	18·0	—	15·6	—	12·9	106	26·41	127	13·54	43·8	3·7
183	NORTH WITCHFORD.. ..	16·6	—	16·2	—	14·0	130	28·64	140	14·10	45·2	4·9
184	WHITTLESEY	17·9	—	17·4	—	15·8	130	29·28	151	15·78	51·3	3·8
185	WISBECH..	18·3	—	16·8	—	14·1	138	26·05	122	15·13	47·7	3·6

* 174: Woburn: This district was abolished on October 1st, 1899. *See* page 735.

TABLE 1 (*continued*).—**Crude Death-rates, 1881-1890; Crude and Corrected Death-rates, Infantile Mortality, Birth-rates, and Marriage-rates, 1891-1900; Tenements of fewer than Five Rooms, and Overcrowded Tenements, 1901.**

	Registration Districts.	Crude Death-rate per 1000.				Death-rate in Standard Population, 1891-1900.	Infantile Mortality per 1000 Births, 1891-1900.	Mean Annual Rates, 1891-1900.			At the Census of 1901.	
		1881-1890.		1891-1900.								
		As recorded.	Adjusted for Deaths in Institutions.	As recorded.	Adjusted for Deaths in Institutions.			Births per 1000 Population.	Births per 1000 Females aged 15-45 Years.	Persons Married per 1000 Population.	Percentage of Tenements of fewer than Five Rooms.	Percentage of these Tenements with more than Two Persons to a Room.
	IV.—EASTERN DIVISION.											
	15.—ESSEX.											
186	West Ham	17·2	—	16·0	15·7	16·8	158	33·67	143	13·83	44·6	9·0
187	Epping	15·3	—	14·3	—	13·4	113	24·75	104	12·17	34·8	6·0
188	Ongar	15·4	—	15·4	—	12·8	118	25·21	133	11·08	39·7	4·3
189	Romford	16·1	—	17·0	14·0	17·4	144	30·13	130	12·05	21·5	6·9
190	Orsett	16·3	—	14·0	—	14·4	128	31·87	169	11·64	36·9	6·7
191	Billericay	20·7	15·0	21·8	12·7	20·1	105	22·31	101	10·18	30·6	2·4
192	Chelmsford	15·8	—	15·0	14·7	12·7	96	24·57	115	12·45	31·5	2·8
193	Rochford	15·6	—	15·3	—	14·8	134	27·73	119	14·62	25·3	3·9
194	Maldon	16·0	—	16·0	—	12·9	103	26·65	139	13·00	37·0	3·4
195	Tendring	16·2	—	15·1	—	13·3	116	28·52	135	13·01	41·3	6·5
196	Colchester	17·5	16·0	16·5	15·3	17·3	135	27·22	115	15·15	25·8	4·1
197	Lexden	16·3	—	15·2	—	12·3	93	26·68	134	13·56	48·8	3·8
198	Halstead	17·3	—	15·6	—	12·8	98	24·37	108	12·97	44·4	1·4
199	Braintree	17·1	—	15·7	—	12·7	96	23·17	107	12·77	44·0	3·2
200	Dunmow	17·2	—	16·5	—	12·4	90	24·29	134	11·17	46·1	3·1
201	Saffron Waldon	16·8	—	16·3	15·8	13·1	104	24·09	121	12·24	45·7	3·8
	16.—SUFFOLK.											
202	Risbridge	17·0	—	16·6	—	14·2	123	28·21	135	12·83	46·9	4·7
203	Sudbury	17·0	—	17·0	—	13·9	112	25·33	123	12·36	47·3	4·6
204	Cosford	17·7	—	17·0	—	13·5	102	29·12	148	12·78	54·7	7·0
205	Thingoe	16·1	17·0	14·5	15·4	11·6	96	26·91	141	13·15	50·9	6·4
206	Bury St. Edmunds ..	19·3	17·4	18·9	16·7	17·2	138	25·67	105	12·72	38·3	4·9
207	Mildenhall	19·5	—	16·9	—	13·7	113	27·41	147	13·13	50·2	5·6

TABLE 1 (*continued*).—**Crude Death-rates, 1881-1890; Crude and Corrected Death-rates, Infantile Mortality, Birth-rates and Marriage-rates, 1891-1900; Tenements of fewer than Five Rooms, and Overcrowded Tenements, 1901.**

	Registration Districts.	Crude Death-rate per 1000.				Death-rate in Standard Population, 1891-1900.	Infantile Mortality per 1000 Births, 1891-1900.	Mean Annual Rates, 1891-1900.			At the Census of 1901.	
		1881-1890.		1891-1900.								
		As recorded.	Adjusted for Deaths in Institutions.	As recorded.	Adjusted for Deaths in Institutions.			Births per 1000 Population.	Births per 1000 Females aged 15-45 Years.	Persons Married per 1000 Population.	Percentage of Tenements of fewer than Five Rooms.	Percentage of these Tenements with more than Two Persons to a Room.
	IV.—EASTERN DIVISION —*continued.*											
	16.—SUFFOLK— *continued.*											
208	STOW	16·9	—	16·0	—	13·0	108	27·57	137	13·72	45·1	5·4
209	HARTISMERE	17·2	—	16·9	15·0	12·9	105	26·19	139	12·59	45·0	5·7
210	HOXNE	15·9	—	15·4	—	11·7	103	28·56	157	13·32	44·8	3·5
211	BOSMERE	16·3	—	15·7	—	12·3	106	27·81	146	13·39	45·2	6·5
212	SAMFORD	16·6	—	15·6	—	12·8	108	27·85	143	13·22	48·8	2·8
213	IPSWICH	19·2	18·5	18·8	18·1	18·3	156	28·96	115	15·56	17·8	4·1
214	WOODBRIDGE	18·7	16·6	17·5	14·9	14·4	101	25·36	119	11·86	41·0	5·0
215	PLOMESGATE	16·4	—	16·0	—	12·8	110	25·79	128	12·13	41·8	4·6
216	BLYTHING	16·5	—	15·3	—	12·0	97	27·00	132	12·65	37·0	3·2
217	WANGFORD	16·7	—	15·4	—	12·9	122	26·33	124	13·07	40·6	5·2
218	MUTFORD	16·2	—	15·7	—	14·6	138	31·32	132	15·36	19·2	4·0
	17.—NORFOLK.											
219	YARMOUTH	21·4	21·1	19·7	18·8	18·3	175	28·66	115	16·08	24·2	3·9
220	FLEGG	17·6	—	16·8	—	13·9	142	30·69	151	12·54	47·8	4·0
221	SMALLBURGH	17·3	—	16·7	—	13·8	134	26·37	130	12·70	44·5	3·9
222	ERPINGHAM	16·2	—	15·2	—	12·5	111	27·61	127	13·92	39·6	5·7
223	AYLSHAM	16·6	—	16·2	—	12·5	116	27·82	143	13·14	46·9	6·0
224	ST. FAITH'S	17·2	15·2	17·4	14·6	14·8	130	27·99	131	11·51	40·5	5·0
225	NORWICH	19·8	19·3	18·9	18·2	17·9	181	30·93	122	16·28	27·9	7·1
226	FOREHOE	16·6	—	16·1	—	12·7	121	25·94	131	11·96	46·5	4·5
227	HENSTEAD	16·3	—	14·7	—	11·4	103	25·25	122	13·03	46·4	3·9
228	BLOFIELD	22·0	16·0	21·3	14·3	16·8	121	24·56	115	11·85	40·3	3·7
229	LODDON	16·7	—	15·6	—	12·1	110	26·11	138	13·01	42·7	3·9

TABLE 1 (*continued*).—**Crude Death-rates, 1881-1890; Crude and Corrected Death-rates, Infantile Mortality, Birth-rates, and Marriage-rates, 1891-1900; Tenements of fewer than Five Rooms, and Overcrowded Tenements, 1901.**

	Registration Districts.	Crude Death-rate per 1000.				Death-rate in Standard Population, 1891-1900.	Infantile Mortality per 1000 Births, 1891-1900.	Mean Annual Rates, 1891-1900.			At the Census of 1901.	
		1881-1890.		1891-1900.								
		As recorded.	Adjusted for Deaths in Institutions.	As recorded.	Adjusted for Deaths in Institutions.			Births per 1000 Population.	Births per 1000 Females aged 15-45 Years.	Persons Married per 1000 Population.	Percentage of Tenements of fewer than Five Rooms.	Percentage of these Tenements with more than Two Persons to a Room.
	IV.—EASTERN DIVISION —*continued.*											
	17.—NORFOLK— *continued.*											
230	DEPWADE	16·7	—	15·8	—	12·0	105	25·27	125	12·27	37·5	3·9
231	GUILTCROSS	16·2	—	15·6	—	11·8	97	26·04	139	12·15	39·4	3·9
232	WAYLAND	17·0	—	16·1	—	12·2	119	25·23	128	12·75	45·1	3·6
233	MITFORD	17·5	—	16·9	—	13·3	130	25·91	131	12·08	48·1	3·7
234	WALSINGHAM	17·3	—	16·2	—	13·1	124	26·71	131	11·24	47·7	5·1
235	DOCKING	17·8	—	16·0	—	12·9	117	25·33	122	12·24	50·5	5·6
236	FREEBRIDGE LYNN ..	16·1	—	14·9	—	11·9	108	27·12	141	13·52	55·3	5·7
237	KING'S LYNN	20·4	19·5	19·3	18·2	17·6	147	28·50	122	13·98	32·5	6·0
238	DOWNHAM	17·8	—	17·3	—	14·0	137	27·16	135	13·03	48·3	3·6
239	SWAFFHAM	17·1	—	15·8	—	12·4	115	26·09	135	12·88	52·8	3·7
240	THETFORD	17·3	—	16·0	—	12·9	114	26·08	131	12·19	49·1	6·0
	V.—SOUTH WESTERN DIVISION.											
	18.—WILTSHIRE.											
241	SWINDON	15·3	—	14·0	—	14·6	119	32·01	150	14·03	31·9	3·6
242	CRICKLADE	17·8	—	16·7	—	13·7	99	28·64	147	13·67	43·5	4·6
243	MALMESBURY	17·7	—	15·8	—	12·8	97	25·05	121	14·32	46·6	7·8
244	CHIPPENHAM	16·7	—	15·3	—	12·9	97	26·23	124	12·91	39·4	6·8
245	CALNE	16·5	—	15·3	—	11·9	85	24·73	118	13·45	40·4	4·5
246	MARLBOROUGH	15·9	—	14·6	—	12·9	96	24·63	117	12·85	52·5	8·2
247	DEVIZES	19·1	15·8	18·3	15·1	14·8	83	24·68	119	12·42	46·0	6·5
248	MELKSHAM	16·9	—	15·0	—	13·0	100	23·54	100	13·70	31·9	4·5

TABLE 1 (*continued*).—**Crude Death-rates, 1881-1890; Crude and Corrected Death-rates, Infantile Mortality, Birth-rates and Marriage-rates, 1891-1900; Tenements of fewer than Five Rooms, and Overcrowded Tenements, 1901.**

	Registration Districts.	Crude Death-rate per 1000. 1881-1890. As recorded.	Crude Death-rate per 1000. 1881-1890. Adjusted for Deaths in Institutions.	Crude Death-rate per 1000. 1891-1900. As recorded.	Crude Death-rate per 1000. 1891-1900. Adjusted for Deaths in Institutions.	Death-rate in Standard Population, 1891-1900.	Infantile Mortality per 1000 Births, 1891-1900.	Mean Annual Rates, 1891-1900. Births per 1000 Population.	Mean Annual Rates, 1891-1900. Births per 1000 Females aged 15-45 Years.	Mean Annual Rates, 1891-1900. Persons Married per 1000 Population.	At the Census of 1901. Percentage of Tenements of fewer than Five Rooms.	At the Census of 1901. Percentage of these Tenements with more than Two Persons to a Room.
	V.—SOUTH-WESTERN DIVISION—*continued.*											
	18.—WILTSHIRE— *continued.*											
249	BRADFORD-ON-AVON ..	17·5	—	15·1	—	12·8	106	25·12	110	12·40	44·5	4·6
250	WESTBURY	16·6	—	16·4	—	12·7	115	24·82	121	13·73	36·6	4·2
251	WARMINSTER	16·6	—	16·9	—	13·3	92	24·07	115	12·98	55·2	6·5
252	PEWSEY	17·8	—	16·2	—	12·5	98	26·38	141	13·06	57·4	8·6
253	AMESBURY	16·7	—	14·0	—	12·2	102	22·13	123	12·14	53·2	8·6
254	SALISBURY	18·2	15·0	17·0	13·8	15·4	107	23·64	95	13·78	26·4	3·5
255	WILTON	15·7	—	14·9	—	11·9	86	25·35	128	15·11	41·3	3·4
256	TISBURY	15·7	—	15·3	—	12·0	85	25·11	126	12·66	42·9	4·9
257	MERE	17·0	—	15·4	—	11·6	80	25·57	121	13·19	46·6	5·1
	19.—DORSETSHIRE.											
258	SHAFTESBURY	16·1	—	14·9	—	11·7	85	23·38	108	12·90	37·4	5·0
259	STURMINSTER	16·7	—	15·7	—	12·3	92	24·95	115	12·92	38·3	5·8
260	BLANDFORD	15·3	—	15·5	—	12·5	93	23·32	109	12·58	42·8	4·8
261	WIMBORNE	15·4	—	15·2	—	12·5	89	26·00	122	13·30	30·1	2·5
262	POOLE	15·5	—	14·7	14·3	14·1	122	30·41	125	15·50	16·9	2·0
263	WAREHAM	16·2	—	15·0	—	12·4	84	25·05	117	12·81	36·4	5·2
264	WEYMOUTH	15·1	—	14·4	—	14·2	111	23·83	107	15·04	28·9	5·0
265	DORCHESTER	17·6	15·5	17·3	14·6	14·7	101	24·86	112	13·46	37·8	4·4
266	SHERBORNE	15·8	—	15·5	14·9	13·0	92	24·23	103	13·14	39·2	4·3
267	BEAMINSTER	18·6	—	16·9	—	13·2	93	26·23	128	12·81	42·0	3·7
268	BRIDPORT	17·2	—	17·3	—	14·1	110	23·14	102	14·20	42·5	3·1

TABLE 1 (*continued*).—**Crude Death-rates, 1881-1890; Crude and Corrected Death-rates, Infantile Mortality, Birth-rates, and Marriage-rates, 1891-1900; Tenements of fewer than Five Rooms, and Overcrowded Tenements, 1901.**

	Registration Districts.	Crude Death-rate per 1000. 1881-1890. As recorded.	Crude Death-rate per 1000. 1881-1890. Adjusted for Deaths in Institutions.	Crude Death-rate per 1000. 1891-1900. As recorded.	Crude Death-rate per 1000. 1891-1900. Adjusted for Deaths in Institutions.	Death-rate in Standard Population, 1891-1900.	Infantile Mortality per 1000 Births, 1891-1900.	Mean Annual Rates, 1891-1900. Births per 1000 Population.	Mean Annual Rates, 1891-1900. Births per 1000 Females aged 15-45 Years.	Mean Annual Rates, 1891-1900. Persons Married per 1000 Population.	At the Census of 1901. Percentage of Tenements of fewer than Five Rooms.	At the Census of 1901. Percentage of these Tenements with more than Two Persons to a Room.
	V.—SOUTH-WESTERN DIVISION—*continued.*											
	20.—DEVONSHIRE.											
269	AXMINSTER	16·8	—	16·2	—	12·4	94	23·28	104	12·19	39·3	4·1
270	HONITON	17·2	—	16·5	—	13·1	103	23·46	103	11·86	32·3	3·2
271	ST. THOMAS	18·1	16·5	18·0	15·7	15·6	122	24·25	102	11·55	30·2	4·5
272	EXETER	21·8	20·6	20·2	18·4	19·3	156	24·72	91	20·28	38·4	9·6
273	NEWTON ABBOT	16·6	—	16·6	16·3	14·8	125	21·78	80	13·93	33·3	4·6
274	TOTNES	16·6	—	15·9	15·5	13·8	112	25·53	107	13·38	37·5	5·9
275	KINGSBRIDGE	17·5	—	16·9	—	13·6	109	24·81	111	12·08	41·1	3·2
276	PLYMPTON ST. MARY	16·3	—	15·1	—	13·6	123	23·78	101	9·97	52·4	7·9
277	PLYMOUTH	21·4	20·8	20·0	19·4	19·5	174	28·68	111	20·01	71·2	2·1
278	EAST STONEHOUSE	24·9	20·8	23·8	19·0	23·4	186	31 84	137	20·25	82·3	2·4
279	DEVONPORT	18·5	17·6	17·2	16·3	17·6	146	27·11	120	21·01	77·8	1·8
280	TAVISTOCK	18·6	—	16·5	—	14·3	116	23·81	107	12·60	44·9	6·5
281	OKEHAMPTON	17·0	—	16·2	—	13·1	97	24·95	115	12·53	34·1	5·0
282	CREDITON	17·6	—	16·4	—	13·1	95	26·26	128	11·77	41·0	3·4
283	TIVERTON	17·9	—	16·7	—	14·2	109	25·83	114	12·23	37·3	3·9
284	SOUTH MOLTON	16·3	—	16·2	—	12·9	100	25·44	124	12·35	35·7	4·5
285	BARNSTAPLE	17·3	—	16·2	15·9	13·7	114	25·45	104	13·59	27·2	3·1
286	TORRINGTON	17·9	—	16·1	—	12·9	91	24·52	112	12·63	28·7	3·9
287	BIDEFORD	16·8	—	16·4	—	14·4	117	28·38	113	14·99	26·1	3·3
288	HOLSWORTHY	16·6	—	15·9	—	13·3	103	27·87	123	13·70	25·5	4·0
	21.—CORNWALL.											
289	STRATTON	17·7	—	16·6	—	14·2	111	25·31	111	13·04	27·5	4·8
290	CAMELFORD	19·2	—	15·9	—	13·0	99	27·24	127	12·74	38·4	6·7

TABLE 1 (*continued*).—**Crude Death-rates, 1881-1890; Crude and Corrected Death-rates, Infantile Mortality, Birth-rates, and Marriage-rates, 1891-1900; Tenements of fewer than Five Rooms, and Overcrowded Tenements, 1901.**

	Registration Districts.	Crude Death-rate per 1000.				Death-rate in Standard Population, 1891-1900.	Infantile Mortality per 1000 Births, 1891-1900.	Mean Annual Rates, 1891-1900.			At the Census of 1901.	
		1881-1890.		1891-1900.								
		As recorded.	Adjusted for Deaths in Institutions.	As recorded.	Adjusted for Deaths in Institutions.			Births per 1000 Population.	Births per 1000 Females aged 15-45 Years.	Persons Married per 1000 Population.	Percentage of Tenements of fewer than Five Rooms.	Percentage of these Tenements with more than Two Persons to a Room.
	V.—SOUTH-WESTERN DIVISION—*continued.*											
	21.—CORNWALL—*continued.*											
291	LAUNCESTON	17·1	—	15·5	—	13·3	104	24·13	109	12·58	30·6	3·0
292	ST. GERMANS	18·9	—	15·4	—	13·6	117	24·04	113	8·03	52·2	9·1
293	LISKEARD	17·9	—	16·4	—	13·6	112	25·12	108	12·08	42·7	4·5
294	BODMIN	20·3	17·9	19·8	16·5	16·0	114	25·20	110	12·84	33·7	4·4
295	ST. COLUMB	17·5	—	16·1	—	13·4	116	24·91	104	13·62	29·0	4·5
296	ST. AUSTELL	18·4	—	17·2	—	15·0	133	28·87	127	14·34	39·0	5·3
297	TRURO	18·9	—	17·3	16·9	14·4	123	23·98	97	14·27	39·5	4·7
298	FALMOUTH	17·5	—	17·8	—	16·3	144	24·21	99	14·58	40·7	6·6
299	HELSTON..	20·6	—	19·3	—	16·8	150	26·77	113	13·71	33·8	4·2
300	REDRUTH	20·5	—	19·5	—	18·8	185	27·82	111	14·80	49·2	7·6
301	PENZANCE	19·2	—	18·4	—	16·7	166	26·85	110	13·64	34·9	5·2
302	SCILLY ISLES	21·0	—	15·7	—	12·8	112	24·13	102	11·54	26·9	7·4
	22.—SOMERSETSHIRE.											
303	WILLITON	16·3	—	16·0	—	12·7	92	23·25	108	11·18	34·4	4·9
304	DULVERTON	15·4	—	14·9	—	12·0	85	24·81	119	10·67	33·6	5·1
305	WELLINGTON	17·3	—	15·9	—	12·9	90	25·98	118	13·49	29·7	3·8
306	TAUNTON	18·7	17·7	17·7	16·1	15·7	126	27·06	111	15·41	29·6	3·7
307	BRIDGWATER	16·8	—	16·6	16·0	14·0	105	28·12	131	14·67	29·3	4·1
308	LANGPORT	17·6	—	16·9	—	13·3	99	25·75	123	13·26	37·8	4·6
309	CHARD	17·4	—	16·2	—	14·1	113	27·05	118	14·21	39·9	5·5

TABLE 1 (*continued*).—**Crude Death-rates, 1881-1890; Crude and Corrected Death-rates, Infantile Mortality, Birth-rates, and Marriage-rates, 1891-1900; Tenements of fewer than Five Rooms, and Overcrowded Tenements, 1901.**

	Registration Districts.	Crude Death-rate per 1000.				Death-rate in Standard Population, 1891-1900.	Infantile Mortality per 1000 Births, 1891-1900.	Mean Annual Rates, 1891-1900.			At the Census of 1901.	
		1881-1890.		1891-1900.								
		As recorded.	Adjusted for Deaths in Institutions.	As recorded.	Adjusted for Deaths in Institutions.			Births per 1000 Population.	Births per 1000 Females aged 15-45 Years.	Persons Married per 1000 Population.	Percentage of Tenements of fewer than Five Rooms.	Percentage of these Tenements with more than two Persons to a Room.
	V.—SOUTH-WESTERN DIVISION—*continued.*											
	22.—SOMERSETSHIRE—*continued.*											
310	YEOVIL	16·9	—	15·8	—	14·1	109	26·29	110	14·58	30·1	3·5
311	WINCANTON	17·3	—	14·7	—	12·1	88	23·21	106	11·59	37·5	5·2
312	FROME	16·9	—	15·6	—	13·2	102	24·59	111	13·09	30·1	2·6
313	SHEPTON MALLETT	17·1	—	15·4	—	12·6	93	27·14	129	11·56	41·2	5·9
314	WELLS	19·3	15·7	18·1	14·8	15·7	110	25·32	111	11·51	31·2	4·7
315	AXBRIDGE	16·5	15·8	15·9	15·1	13·8	110	22·27	86	11·98	23·2	4·0
316	CLUTTON..	16·9	—	15·4	—	13·3	105	30·94	162	11·48	44·9	5·3
317	BATH	18·5	17·2	17·1	15·8	15·8	125	23·42	84	15·65	37·0	6·8
318	KEYNSHAM	16·8	—	15·5	—	14·9	131	32·06	139	13·51	26·7	5·2
319	LONG ASHTON	16·8	16·2	15·5	—	15·2	129	31·60	130	13·32	27·7	3·7
	VI.—WEST MIDLAND DIVISION.											
	23.—GLOUCESTERSHIRE.											
320	BRISTOL	23·4	20·0	20·6	17·2	21·1	160	28·38	109	24·02	35·7	7·1
321	BARTON REGIS . ..	17·1	16·2	15·6	14·7	15·9	137	28·85	109	13·22	30·9	4·6
322	CHIPPING SODBURY	17·3	—	16·2	—	13·1	103	25·86	130	11·61	45·8	6·6
323	THORNBURY	16·7	—	15·8	—	13·2	90	26·48	129	11·41	33·7	5·6
324	DURSLEY	17·7	—	16·2	—	12·7	94	24·99	110	11·52	36·4	4·2
325	WESTBURY ON SEVERN ..	17·0	—	16·1	—	14·3	120	31·47	167	13·88	46·3	5·4

TABLE 1 (*continued*).—**Crude Death-rates, 1881-1890; Crude and Corrected Death-rates, Infantile Mortality, Birth-rates, and Marriage-rates, 1891-1900; Tenements of fewer than Five Rooms, and Overcrowded Tenements, 1901.**

	Registration Districts.	Crude Death-rate per 1000. 1881-1890. As recorded.	Crude Death-rate per 1000. 1881-1890. Adjusted for Deaths in Institutions.	Crude Death-rate per 1000. 1891-1900. As recorded.	Crude Death-rate per 1000. 1891-1900. Adjusted for Deaths in Institutions.	Death-rate in Standard Population, 1891-1900.	Infantile Mortality per 1000 Births, 1891-1900.	Mean Annual Rates, 1891-1900. Births per 1000 Population.	Mean Annual Rates, 1891-1900. Births per 1000 Females aged 15-45 Years.	Mean Annual Rates, 1891-1900. Persons Married per 1000 Population.	At the Census of 1901. Percentage of Tenements of fewer than Five Rooms.	At the Census of 1901. Percentage of these Tenements with more than Two Persons to a Room.
	VI.—WEST MIDLAND DIVISION—*continued.*											
	23.—GLOUCESTERSHIRE—*continued.*											
326	NEWENT..	16·9	—	16·7	—	12·7	94	28·07	146	12·48	35·2	3·2
327	GLOUCESTER	18·7	15·5	19·8	16·1	18·8	141	28·79	121	16·78	23·4	6·3
328	WHEATENHURST	15·9	—	15·8	—	12·4	94	23·30	110	10·35	38·4	3·1
329	STROUD	16·4	—	15·6	15·1	14·1	109	23·93	95	14·09	37·4	5·0
330	TETBURY	14·8	—	16·9	—	14·6	119	26·44	120	11·43	43·3	5·2
331	CIRENCESTER	16·9	—	15·6	—	13·1	107	24·52	114	13·59	47·1	6·8
332	NORTHLEACH	15·0	—	15·0	—	11·8	97	24·43	131	12·59	56·5	7·8
333	STOW ON THE WOLD ..	17·5	—	15·3	—	12·2	95	25·29	126	12·07	47·0	6·8
334	WINCHCOMB	15·4	—	15·7	—	12·5	90	26·49	133	13·06	46·4	6·5
335	CHELTENHAM	17·8	—	16·5	15·5	15·1	134	22·09	76	14·42	27·1	3·8
336	TEWKESBURY	18·0	—	18·1	17·4	15·2	124	28·13	130	12·82	45·6	6·2
	24. HEREFORDSHIRE.											
337	LEDBURY	16·9	—	16·9	—	13·9	103	26·92	125	12·27	42·6	6·4
338	ROSS	16·8	—	17·6	—	14·6	110	27·32	127	12·79	38·9	4·9
339	HEREFORD	18·4	17·2	18·2	16·7	16·0	125	25·46	110	14·19	36·9	3·9
340	WEOBLEY	17·3	—	17·2	—	13·5	97	25·10	125	11·36	36·6	2·8
341	BROMYARD	16·4	—	16·3	—	13·3	101	27·14	139	11·50	36·6	6·7
342	LEOMINSTER	16·4	—	16·6	—	13·4	104	24·81	116	12·79	39·6	4·0
343	KINGTON	16·4	—	16·7	—	13·6	108	25·01	120	11·62	36·5	2·8

TABLE 1 (*continued*).—**Crude Death-rates, 1881-1890; Crude and Corrected Death-rates, Infantile Mortality, Birth-rates, and Marriage-rates, 1891-1900; Tenements of fewer than Five Rooms, and Overcrowded Tenements, 1901.**

	Registration Districts.	Crude Death-rate per 1000. 1881–1890. As recorded.	Crude Death-rate per 1000. 1881–1890. Adjusted for Deaths in Institutions.	Crude Death-rate per 1000. 1891–1900. As recorded.	Crude Death-rate per 1000. 1891–1900. Adjusted for Deaths in Institutions.	Death-rate in Standard Population, 1891–1900.	Infantile Mortality per 1000 Births, 1891–1900.	Mean Annual Rates, 1891–1900. Births per 1000 Population.	Mean Annual Rates, 1891–1900. Births per 1000 Females aged 15–45 Years.	Mean Annual Rates, 1891–1900. Persons Married per 1000 Population.	At the Census of 1901. Percentage of Tenements of fewer than Five Rooms.	At the Census of 1901. Percentage of these Tenements with more than Two Persons to a Room.
	VI.—WEST MIDLAND DIVISION—*continued.*											
	25.—SHROPSHIRE.											
344	LUDLOW	16·8	—	15·5	—	13·4	106	26·09	124	12·87	42·8	8·9
345	CLUN	16·6	—	16·7	—	13·6	93	26·27	131	12·51	39·6	6·2
346	CHURCH STRETTON	15·3	—	16·1	—	12·2	101	23·46	116	11·43	42·9	8·1
347	CLEOBURY MORTIMER ..	14·8	—	14·5	—	12·0	95	27·31	146	11·71	51·6	8·5
348	BRIDGNORTH	17·4	—	15·8	—	13·1	113	26·17	118	13·19	47·6	5·0
349	SHIFNAL..	16·2	—	15·1	—	13·4	112	25·82	122	12·28	53·4	13·3
350	MADELEY	18·2	—	17·0	—	14·7	123	28·60	146	13·05	65·6	11·4
351	ATCHAM	19·3	16·9	19·1	16·1	17·1	123	25·58	110	14·48	44·7	7·8
352	OSWESTRY	17·7	—	16·3	—	14·6	115	27·56	128	13·16	48·1	7·8
353	ELLESMERE	16·1	—	16·9	—	14·0	106	27·18	122	12·97	42·1	6·1
354	WEM	16·5	—	15·3	—	12·2	89	26·17	125	12·58	40·9	7·2
355	WHITCHURCH	16·0	—	15·2	—	13·3	95	26·69	115	13·50	41·1	6·7
356	MARKET DRAYTON	15·7	—	16·5	—	14·1	121	26·17	118	12·91	43·1	6·0
357	WELLINGTON	18·1	—	16·8	—	15·2	134	29·48	147	13·63	63·3	12·0
358	NEWPORT	17·6	—	16·1	—	13·7	112	26·95	132	14·27	48·5	8·8
	26.—STAFFORDSHIRE.											
359	STAFFORD	20·1	15·6	20·1	14·2	19·4	123	27·27	117	13·94	32·0	6·0
360	STONE	18·2	—	17·0	—	16·1	132	28·42	121	13·69	41·5	4·5
361	NEWCASTLE UNDER LYME	18·5	—	18·2	—	18·3	156	34·85	159	15·72	51·3	8·3
362	WOLSTANTON	21·0	—	21·1	—	22·1	188	37·97	163	18·31	33·2	7·6
363	STOKE UPON TRENT ..	23·4	22·5	22·9	22·0	24·1	210	37·44	157	17·62	37·1	6·7
364	LEEK	18 3	—	17·5	—	17·2	140	31·93	136	13·93	39·4	6·4

TABLE 1 (*continued*).—**Crude Death-rates, 1881-1890; Crude and Corrected Death-rates, Infantile Mortality, Birth-rates and Marriage-rates, 1891-1900; Tenements of fewer than Five Rooms, and Overcrowded Tenements, 1901.**

	Registration Districts.	Crude Death-rate per 1000.				Death-rate in Standard Population, 1891-1900.	Infantile Mortality per 1000 Births, 1891-1900.	Mean Annual Rates, 1891-1900.			At the Census of 1901.	
		1881-1890.		1891-1900.								
		As recorded.	Adjusted for Deaths in Institutions.	As recorded.	Adjusted for Deaths in Institutions.			Births per 1000 Population.	Births per 1000 Females aged 15-45 Years.	Persons Married per 1000 Population.	Percentage of Tenements of fewer than Five Rooms.	Percentage of these Tenements with more than Two Persons to a Room.
	VI.—WEST MIDLAND DIVISION—*continued.*											
	26.—STAFFORDSHIRE—*continued.*											
365	CHEADLE	17·8	—	17·2	—	16·4	127	31·20	144	16·41	47·4	5·7
366	UTTOXETER	17·0	—	16·0	—	14·5	114	27·29	120	13·65	32·5	6·3
367	BURTON UPON TRENT ..	16·9	16·2	16·5	15·3	17·0	134	31·91	149	14·79	29·8	6·2
368	TAMWORTH	15·6	—	15·1	—	14·8	133	31·27	144	15·32	44·3	8·7
369	LICHFIELD	17·9	16·2	18·5	15·8	17·6	126	31·50	153	14·15	50·6	8·8
370	CANNOCK	16·0	—	16·5	—	15·9	145	35·60	185	14·45	32·6	9·5
371	WOLVERHAMPTON	20·7	19·9	21·2	20·2	21·2	188	34·81	152	16·52	45·5	8·8
372	WALSALL	19·3	—	19·8	—	20·4	184	36·37	158	16·31	43·9	9·1
373	WEST BROMWICH	19·2	—	18·4	18·1	19·1	174	33·38	140	16·26	44·6	10·7
374	DUDLEY	20 5	—	20·4	20·0	20·1	177	37·91	175	18·16	73·1	15·3
	27.—WORCESTERSHIRE.											
375	STOURBRIDGE	19·0	—	18·1	—	17·7	159	35·22	160	16·44	66·2	13·2
376	KIDDERMINSTER	17·6	—	16·7	15·9	16·1	139	25·68	101	14·96	42·5	5·4
377	TENBURY	15·1	—	16·0	—	13·6	105	26·55	131	12·74	38·4	5·0
378	MARTLEY	15·4	—	15·2	—	12·8	110	26·44	122	12·54	50·1	5·2
379	WORCESTER	21·2	19·7	19·6	18·1	19·2	163	28·48	112	16·44	36·0	7·1
380	UPTON ON SEVERN	18·2	14·9	18·1	14·5	15·6	109	21·75	83	12·06	33·1	3·9
381	EVESHAM	15·0	—	14·6	—	12·5	93	29·07	134	14·11	42·3	6·6
382	PERSHORE	16·4	—	16·8	—	13·5	113	26·46	131	14·21	50·3	5·4
383	DROITWICH	15·4	—	15·6	—	13·5	114	27·27	126	11·34	47·6	6·8
384	BROMSGROVE	17·3	—	15·7	—	14·6	137	27·83	120	13·97	49·1	10·4
385	KINGS NORTON	14·7	14·4	14·5	14·2	15·7	143	28·41	102	14·95	21·5	6·5

TABLE 1 (*continued*).—**Crude Death-rates, 1881-1890; Crude and Corrected Death-rates, Infantile Mortality, Birth-rates, and Marriage-rates, 1891-1900; Tenements of fewer than Five Rooms, and Overcrowded Tenements, 1901.**

	Registration Districts.	Crude Death-rate per 1000. 1881-1890. As recorded.	Crude Death-rate per 1000. 1881-1890. Adjusted for Deaths in Institutions.	Crude Death-rate per 1000. 1891-1900. As recorded.	Crude Death-rate per 1000. 1891-1900. Adjusted for Deaths in Institutions.	Death-rate in Standard Population, 1891-1900.	Infantile Mortality per 1000 Births. 1891-1900.	Mean Annual Rates, 1891-1900. Births per 1000 Population.	Mean Annual Rates, 1891-1900. Births per 1000 Females aged 15-45 Years.	Mean Annual Rates, 1891-1900. Persons Married per 1000 Population	At the Census of 1901. Percentage of Tenements of fewer than Five Rooms.	At the Census of 1901. Percentage of these Tenements with more than Two Persons to a Room.
	VI.—WEST MIDLAND DIVISION—*continued.*											
	28.—WARWICKSHIRE.											
386	BIRMINGHAM	23·0	20·3	24·1	23·8	25·4	200	33·56	134	20·67	62·7	14·0
387	ASTON	17·5	—	18·0	—	19·5	178	33·95	137	16·79	39·9	10·8
388	MERIDEN	15·8	—	15·4	—	13·0	105	23·23	110	12·41	45·2	6·3
389	ATHERSTONE	17·2	—	16·3	—	15·0	142	35·43	175	15·11	51·4	12·0
390	NUNEATON	17·6	—	17·7	—	17·0	161	36·03	164	15·12	37·9	6·5
391	FOLESHILL	18·5	—	17·9	—	16·3	150	34·33	157	16·25	57·2	8·3
392	COVENTRY	18·2	17·5	17·6	16·9	17·7	154	30·91	124	18·63	38·2	7·7
393	RUGBY	15·4	—	14·5	14·0	13·1	114	26·21	117	13·22	33·0	5·2
394	SOLIHULL	13·5	13·0	13·1	12·8	12·8	115	25·54	97	12·55	18·5	4·1
395	WARWICK	18·4	16·4	18·0	15·5	16·1	125	22·37	84	14·13	35·9	4·2
396	STRATFORD ON AVON ..	15·2	—	16·4	15·9	13·6	107	24·07	110	12·49	46·1	5·6
397	ALCESTER	16·2	—	15·0	—	13·2	116	26·66	118	13·24	44·6	6·0
398	SHIPSTON ON STOUR ..	16·3	—	16·4	—	12·5	100	25·02	129	12·07	48·2	7·4
399	SOUTHAM	16·6	—	16·5	—	13·2	105	28·39	151	14·01	56·3	7·2
	VII.—NORTH MIDLAND DIVISION.											
	29.—LEICESTERSHIRE.											
400	LUTTERWORTH	16·6	—	16·7	—	12·7	109	23·31	110	13·40	42·8	3·6
401	MARKET HARBOROUGH ..	16·1	—	14·4	—	12·4	104	24·76	103	13·02	34·2	2·8
402	BILLESDON	17·2	13·8	14·8	—	12·5	103	23·05	101	12·09	37·9	3·9

TABLE 1 (*continued*).—**Crude Death-rates, 1881-1890; Crude and Corrected Death-rates, Infantile Mortality, Birth-rates, and Marriage-rates, 1891-1900; Tenements of fewer than Five Rooms, and Overcrowded Tenements, 1901.**

	Registration Districts.	Crude Death-rate per 1000.				Death-rate in Standard Population, 1891-1900.	Infantile Mortality per 1000 Births, 1891-1900.	Mean Annual Rates, 1891-1900.			At the Census of 1901.	
		1881-1890.		1891-1900.								
		As recorded.	Adjusted for Deaths in Institutions.	As recorded.	Adjusted for Deaths in Institutions.			Births per 1000 Population.	Births per 1000 Females aged 15-45 Years.	Persons Married per 1000 Population.	Percentage of Tenements of fewer than Five Rooms.	Percentage of these Tenements with more than Two Persons to a Room.
	VII.—NORTH MIDLAND DIVISION—*continued.*											
	29.—LEICESTERSHIRE—*continued.*											
403	BLABY	16·7	15·9	15·4	—	14·9	134	32·16	142	13·94	30·7	3·7
404	HINCKLEY	18·3	—	18·0	—	16·9	143	34·67	147	15·91	27·9	3·0
405	MARKET BOSWORTH ..	16·4	—	16·2	—	14·6	127	33·13	171	14·55	44·3	6·6
406	ASHBY DE LA ZOUCH ..	16·5	—	16·2	—	15·6	141	34·78	171	15·83	38·6	6·3
407	LOUGHBOROUGH	18·7	—	17·2	—	16·5	156	29·32	122	14·90	27·9	2·8
408	BARROW UPON SOAR ..	18·1	—	16·6	—	15·5	147	30·37	132	13·79	30·5	3·3
409	LEICESTER	20·4	19·6	18·4	17·2	19·6	195	31·65	119	17·30	17·7	4·1
410	MELTON MOWBRAY.. ..	16·9	—	16·0	—	14·0	130	27·75	128	12·67	32·6	4·2
	30.—RUTLANDSHIRE.											
411	OAKHAM..	16·6	—	14·9	—	12·9	116	25·22	114	12·69	45·1	7·2
412	UPPINGHAM	16·0	—	14·4	—	12·3	105	22·36	108	11·92	44·6	6·3
	31.—LINCOLNSHIRE.											
413	STAMFORD	17·2	16·6	16·2	15·2	14·2	113	24·15	106	13·89	45·3	5·4
414	BOURNE	17·0	—	16·5	—	13·5	129	27·22	137	14·58	38·9	4·9
415	SPALDING	17·0	—	16·3	—	13·5	116	25·77	121	14·74	41·0	3·8
416	HOLBEACH	16·9	—	16·2	—	13·5	133	26·17	131	14·39	38·9	3·4

TABLE 1 (*continued*).—**Crude Death-rates, 1881-1890; Crude and Corrected Death-rates, Infantile Mortality, Birth-rates, and Marriage-rates, 1891-1900; Tenements of fewer than Five Rooms, and Overcrowded Tenements, 1901.**

	Registration Districts.	Crude Death-rate per 1000.				Death-rate in Standard Population, 1891-1900.	Infantile Mortality per 1000 Births, 1891-1900.	Mean Annual Rates, 1891-1900.			At the Census of 1901.	
		1881-1890.		1891-1900.								
		As recorded.	Adjusted for Deaths in Institutions.	As recorded.	Adjusted for Deaths in Institutions.			Births per 1000 Population.	Births per 1000 Females aged 15-45 Years.	Persons Married per 1000 Population.	Percentage of Tenements of fewer than Five Rooms.	Percentage of these Tenements with more than Two Persons to a Room.
	VII.—NORTH MIDLAND DIVISION—*continued.*											
	31.—LINCOLNSHIRE—*continued.*											
417	BOSTON	17·9	—	17·6	17·2	14·8	137	27·83	127	15·91	30·2	2·8
418	SLEAFORD	16·6	—	16·0	—	13·3	123	26·21	125	14·69	42·3	5·0
419	GRANTHAM	17·2	—	16·5	16·1	14·9	134	27·67	127	14·68	39·1	5·6
420	LINCOLN..	19·5	17·5	17·6	15·8	16·9	151	26·72	115	16·42	32·0	3·7
421	HORNCASTLE	16·0	—	16·0	—	12·7	106	24·30	115	13·98	39·7	2·7
422	SPILSBY	16·9	—	15·8	—	12·7	114	22·74	107	13·76	32·1	2·8
423	LOUTH	16·5	—	16·1	—	13·2	123	23·91	110	15·03	41·0	2·9
424*a*	GRIMSBY..	17·3	—	17·5	17·1	18·2	185	32·98	135	16·87	24·9	4·3
424*b*	CAISTOR		—	16·3	—	13·4	125	25·56	122	16·87	35·9	2·8
425	GLANFORD BRIGG	17·5	—	15·8	—	14·2	140	30·95	148	14·23	38·8	4·0
426	GAINSBOROUGH	18·2	—	16·1	—	14·9	148	29·68	138	14·79	36·3	3·7
	32.—NOTTINGHAMSHIRE.											
427	EAST RETFORD	16·5	—	15·6	—	13·3	126	27·40	125	13·51	34·0	4·0
428	WORKSOP	17·8	—	16·7	—	16·3	153	34·73	168	15·59	38·7	6·6
429	MANSFIELD	18·6	—	17·6	—	17·4	161	38·93	183	16·39	26·6	8·1
430	BASFORD	18·3	—	16·9	16·4	17·1	162	35·59	157	15·52	27·6	5·5
431	NOTTINGHAM	22·0	21·7	19·3	18·0	20·5	186	28·84	106	18·58	33·8	6·4
432	SOUTHWELL	17·8	—	16·9	—	13·3	109	25·14	115	13·48	35·8	2·9
433	NEWARK	17·5	—	16·6	16·0	14·5	130	25·74	115	14·91	37·2	3·4
434	BINGHAM	17·9	—	16·1	—	12·6	100	24·89	116	12·68	36·5	3·0

TABLE 1 (*continued*).—**Crude Death-rates, 1881-1890; Crude and Corrected Death-rates, Infantile Mortality, Birth-rates, and Marriage-rates, 1891-1900; Tenements of fewer than Five Rooms, and Overcrowded Tenements, 1901.**

	Registration Districts.	Crude Death-rate per 1000.				Death-rate in Standard Population. 1891-1900.	Infantile Mortality per 1000 Births, 1891-1900.	Mean Annual Rates, 1891-1900.			At the Census of 1901	
		1881-1890.		1891-1900.								
		As recorded.	Adjusted for Deaths in Institutions.	As recorded.	Adjusted for Deaths in Institutions.			Births per 1000 Population.	Births per 1000 Females aged 15-45 Years.	Persons Married per 1000 Population.	Percentage of Tenements of fewer than Five Rooms.	Percentage of these Tenements with more than Two Persons to a Room
	VII.—NORTH MIDLAND DIVISION—*continued.*											
	33.—DERBYSHIRE.											
435	SHARDLOW	16·0	—	15·0	—	14·8	127	31·41	137	12·88	23·4	3·9
436	DERBY	17·7	17·5	17·5	16·3	19·0	159	29·34	118	18·27	18·5	4·0
437	BELPER	18·5	17·2	16·9	—	16·3	141	33·85	155	16·48	42·3	6·3
438	ASHBOURNE	17·0	—	16·0	—	14·0	101	28·18	124	14·42	41·6	7·0
439	CHESTERFIELD	18·0	—	18·4	18·2	18·9	165	38·06	185	16·20	46·7	7·7
440	BAKEWELL	17·5	—	16·5	—	15·2	108	26·04	109	13·67	42·4	5·8
441	CHAPEL EN LE FRITH ..	17·0	—	15·9	—	16·3	112	27·00	106	13·97	34·0	7·8
442*a*	GLOSSOP	—	—	19·6	—	20·6	163	26·61	98	13·76	64·2	4·6
442*b*	HAYFIELD	19·5	—	16·9	—	17·4	131	25·26	102	13·76	54·6	4·5
	VIII.—NORTH-WESTERN DIVISION.											
	34.—CHESHIRE.											
443	STOCKPORT	22·1	22·0	20·5	19·9	22·3	194	28·74	107	16·08	53·9	4·4
444	MACCLESFIELD	21·2	20·3	19·7	18·1	19·0	145	26·03	100	15·12	47·2	3·4
445	BUCKLOW	15·8	—	15·4	15·0	16·0	138	24·94	91	12·95	26·4	5·1
446	RUNCORN	18·6	—	18·1	—	18·4	151	32·05	149	13·96	42·4	6·9
447	NORTHWICH	17·8	—	18·7	—	18·5	158	37·25	176	14·13	43·1	7·1
448	CONGLETON	17·9	—	17·3	—	16·3	132	29·49	125	15·24	41·1	4·7
449	NANTWICH	16·9	—	17·5	—	17·5	142	32·89	145	16·75	25·5	4·7
450	CHESTER..	18·7	17·9	17·9	16·1	17·5	132	27·27	115	16·28	41·2	8·6
451	WIRRAL	13·6	—	13·9	—	14·8	119	26·12	101	9·00	25·9	8·6
452	BIRKENHEAD	19·2	—	18·7	18·1	20·0	165	31·41	120	13·33	30·1	9·3

TABLE I (*continued*).—**Crude Death-rates, 1881-1890; Crude and Corrected Death-rates, Infantile Mortality, Birth-rates, and Marriage-rates, 1891-1900; Tenements of fewer than Five Rooms, and Overcrowded Tenements, 1901.**

	Registration Districts.	Crude Death-rate per 1000. 1881-1890. As recorded.	Crude Death-rate per 1000. 1881-1890. Adjusted for Deaths in Institutions.	Crude Death-rate per 1000. 1891-1900. As recorded.	Crude Death-rate per 1000. 1891-1900. Adjusted for Deaths in Institutions.	Death-rate in Standard Population, 1891-1900.	Infantile Mortality per 1000 Births, 1891-1900.	Mean Annual Rates, 1891-1900. Births per 1000 Population.	Mean Annual Rates, 1891-1900. Births per 1000 Females aged 15-45 Years.	Mean Annual Rates, 1891-1900. Persons Married per 1000 Population.	At the Census of 1901. Percentage of Tenements of fewer than Five Rooms.	At the Census of 1901. Percentage of these Tenements with more than Two Persons to a Room.
	VIII.—NORTH-WESTERN DIVISION—*continued.*											
	35.—LANCASHIRE.											
453	LIVERPOOL	33·1	30·7	33·2	29·5	35·4	223	33·52	131	31·83	67·6	2·3
454	TOXTETH PARK	23·9	22·4	22·5	19·9	23·6	180	31·79	119	15·64	37·3	11·9
455	WEST DERBY	21·8	—	20·3	19·7	21·7	174	33·46	134	14·56	35·4	10·5
456	PRESCOT	21·7	20·9	21·8	19·9	23·2	169	36·77	168	14·41	49·6	11·5
457	ORMSKIRK	17·8	—	17·6	17·2	17·8	142	26·43	96	14·19	28·8	7·5
458	WIGAN	22·2	—	21·8	21·3	23·2	179	39·64	174	16·29	61·3	13·9
459	WARRINGTON	20·0	19·7	19·7	19·3	21·2	163	37·02	166	15·25	41·7	7·6
460	LEIGH	20·3	—	20·3	—	21·7	178	36·75	156	15·82	43·6	8·3
461	BOLTON	20·7	—	19·8	19·5	22·1	176	31·79	124	15·79	58·6	5·9
462	BURY	20·6	—	19·8	—	21·9	172	26·36	99	16·38	68·7	4·3
463	BARTON UPON IRWELL ..	17·4	—	16·4	—	18·3	156	27·16	102	13·28	30·1	5·2
464	CHORLTON	20·9	—	19·7	—	22·1	180	30·29	111	17·90	42·5	5·9
465	SALFORD	24·7	23·4	24·3	23·1	26·3	206	35·00	137	17·11	54·3	9·2
466	MANCHESTER	26·9	29·3	26·4	28·5	28·3	211	35·70	142	19·43	70·5	10·5
467	PRESTWICH	27·8	18·6	24·8	16·8	27·0	171	31·38	122	15·64	49·1	4·9
468	ASHTON UNDER LYNE ..	22·4	—	21·0	20·7	22·9	188	29·05	112	16·11	67·7	4·1
469	OLDHAM	22·8	—	21·2	20·7	23·7	178	28·62	110	16·61	73·3	5·1
470	ROCHDALE	19·6	—	19·3	—	21·2	151	24·35	91	16·19	69·2	5·8
471	HASLINGDEN	19·4	—	18·1	—	20·3	163	26·63	101	16·83	61·5	8·6
472	BURNLEY	21·4	—	19·8	19·5	22·2	186	32·20	123	17·30	55·8	6·6
473	CLITHEROE	17·4	—	16·5	—	16·2	120	25·25	104	13·59	33·5	3·3
474	BLACKBURN	22·5	—	20·1	19·7	22·5	186	29·98	113	16·87	52·2	4·1
475	CHORLEY	19·8	—	18·9	—	20·1	166	31·30	124	15·36	38·6	5·5
476	PRESTON..	25·3	24·3	23·5	21·7	24·7	220	31·48	120	15·75	37·0	3·4
477	FYLDE	18·4	—	17·9	—	18·8	161	27·51	101	17·11	16·7	5·7

TABLE I (*continued*).—**Crude Death-rates, 1881-1890; Crude and Corrected Death-rates, Infantile Mortality, Birth-rates, and Marriage-rates, 1891-1900; Tenements of fewer than Five Rooms, and Overcrowded Tenements, 1901.**

	Registration Districts.	Crude Death-rate per 1000. 1881-1890. As recorded.	Crude Death-rate per 1000. 1881-1890. Adjusted for Deaths in Institutions.	Crude Death-rate per 1000. 1891-1900. As recorded.	Crude Death-rate per 1000. 1891-1900. Adjusted for Deaths in Institutions.	Death-rate in Standard Population, 1891-1900.	Infantile Mortality per 1000 Births, 1891-1900.	Mean Annual Rates, 1891-1900. Births per 1000 Population.	Mean Annual Rates, 1891-1900. Births per 1000 Females aged 15-45 Years.	Mean Annual Rates, 1891-1900. Persons Married per 1000 Population.	At the Census of 1901. Percentage of Tenements of fewer than Five Rooms.	At the Census of 1901. Percentage of these Tenements with more than Two Persons to a Room.
	VIII.—NORTH-WESTERN DIVISION—*continued.*											
	36.—LANCASHIRE —*continued.*											
478	GARSTANG	15·5	—	14·7	—	13·4	102	23·77	108	12·63	18·2	3·5
479	LANCASTER	21·1	17·6	19·6	16·2	20·3	153	27·75	112	15·52	21·8	7·2
480	LUNESDALE	15·3	—	14·0	—	12·6	100	25·42	112	12·00	20·6	6·4
481	ULVERSTONE	18·0	—	15·3	—	14·6	116	26·54	120	13·65	23·1	4·3
482	BARROW IN FURNESS ..	16·6	—	15·2	—	17·7	152	30·66	142	13·76	33·8	2·3
	IX.—YORKSHIRE.											
	36.—WEST RIDING.											
483	SEDBERGH	17·3	—	15·4	—	12·7	84	22·87	104	12·22	19·5	3·5
484	SETTLE	16·7	—	15·0	—	13·7	114	25·20	106	12·84	26·3	3·7
485	SKIPTON	18·4	—	16·6	—	16·7	127	27·84	109	15·83	39·4	6·0
486	PATELEY BRIDGE	17·5	—	18·1	—	16·6	102	27·92	127	14·45	34·6	6·3
487	RIPON	16·7	—	16·7	—	14·4	117	24·34	101	13·55	34·4	3·4
488	GREAT OUSEBURN	16·7	—	15·2	—	13·1	118	27·45	125	11·35	29·6	3·4
489	KNARESBOROUGH	16·9	—	16·5	—	16·4	144	24·61	86	15·49	27·6	6·9
490	WETHERBY	16·8	—	16·5	—	14·6	114	24·12	104	12·33	37·9	7·3
491	WHARFEDALE	17·2	17·0	17·9	15·0	18·4	121	25·60	97	13·58	35·6	5·1
492	KEIGHLEY	19·3	—	18·0	17·8	19·5	147	26·20	98	16·56	57·6	10·9

TABLE 1 (*continued*).—**Crude Death-rates, 1881-1890; Crude and Corrected Death-rates, Infantile Mortality, Birth-rates, and Marriage-rates, 1891-1900; Tenements of fewer than Five Rooms, and Overcrowded Tenements, 1901.**

	Registration Districts.	Crude Death-rate per 1000. 1881-1890. As recorded.	Crude Death-rate per 1000. 1881-1890. Adjusted for Deaths in Institutions.	Crude Death-rate per 1000. 1891-1900. As recorded.	Crude Death-rate per 1000. 1891-1900. Adjusted for Deaths in Institutions	Death-rate in Standard Population, 1891-1900.	Infantile Mortality per 1000 Births, 1891-1900.	Mean Annual Rates, 1891-1900. Births per 1000 Population.	Mean Annual Rates, 1891-1900. Births per 1000 Females aged 15-45 Years.	Mean Annual Rates, 1891-1900. Persons Married per 1000 Population.	At the Census of 1901. Percentage of Tenements of fewer than Five Rooms.	At the Census of 1901. Percentage of these Tenements with more than Two Persons to a Room.
	IX.—YORKSHIRE—*continued.*											
	36.—WEST RIDING—*continued.*											
493	TODMORDEN	18·4	—	17·0	—	18·1	136	23·21	90	12·60	46·5	5·9
494	SADDLEWORTH	19·6	—	17·5	—	18·0	122	25·73	103	12·90	56·5	5·7
495	HUDDERSFIELD	19·9	—	17·8	17·4	19·1	145	23·92	89	15·93	67·7	12·4
496	HALIFAX	19·3	—	17·7	17·3	19·3	145	24·18	91	16·37	66·8	14·8
497*a*	BRADFORD	19·9	—	19·1	18·1	21·5	174	26·34	95	16·31	66·7	13·6
497*b*	NORTH BIERLEY	—	—	17·2	—	18·4	148	25·71	97	16·31	67·0	12·2
498	HUNSLET	21·6	—	18·8	—	20·4	179	34·94	147	15·42	66·8	10·1
499	HOLBECK	22·1	—	20·5	—	21·7	189	34·07	139	16·35	64·2	13·9
500	BRAMLEY	19·2	—	18·2	—	19·8	169	31·28	125	12·43	58·0	8·0
501	LEEDS	22·4	21·3	21·0	19·1	22·9	179	31·20	117	18·90	51·7	12·7
502	DEWSBURY	19·8	—	19·5	—	21·5	177	27·81	106	18·93	79·6	16·1
503	WAKEFIELD	21·3	19·6	19·4	17·6	20·5	168	33·51	148	16·40	67·3	13·9
504	PONTEFRACT	19·5	—	19·1	—	19·1	175	38·64	189	15·74	61·8	11·2
505	HEMSWORTH	17·2	—	16·8	—	16·9	155	37·75	194	12·38	48·5	11·0
506	BARNSLEY	20·4	—	20·3	—	20·9	177	40·89	197	16·41	63·9	10·6
507	WORTLEY	20·2	17·3	18·8	16·0	19·6	136	32·17	150	14·42	48·9	12·2
508	ECCLESALL BIERLOW	18·8	—	17·0	15·2	18 8	163	31·04	119	12·73	37·3	8·9
509	SHEFFIELD	23·6	—	23·0	21·2	24·3	195	36·49	160	22·18	60·1	12·9
510	ROTHERHAM	18·7	—	18·0	—	18·6	163	37·31	177	16·72	55·6	8·2
511	DONCASTER	17·8	—	18·4	—	18·1	172	33·93	154	15·85	35·2	5·9
512	THORNE	19·3	—	17·2	—	13·8	122	28·04	138	14·96	43·8	3·5
513	GOOLE	18·2	—	18·4	—	17·6	156	35·59	161	15·63	31·9	4·9
514	SELBY	17·7	—	17·1	—	15·1	138	28·39	131	12·70	42·7	6·9
515	TADCASTER	18·1	—	17·5	—	16·8	139	33·74	160	13·59	52·2	8·1

TABLE 1 (*continued*).—**Crude Death-rates, 1881-1890; Crude and Corrected Death-rates, Infantile Mortality, Birth-rates, and Marriage-rates, 1891-1900; Tenements of fewer than Five Rooms, and Overcrowded Tenements, 1901.**

	Registration Districts.	Crude Death-rate per 1000.				Death-rate in Standard Population, 1891-1900.	Infantile Mortality per 1000 Births, 1891-1900.	Mean Annual Rates, 1891-1900.			At the Census of 1901.	
		1881-1890.		1891-1900.								
		As recorded.	Adjusted for Deaths in Institutions.	As recorded.	Adjusted for Deaths in Institutions.			Births per 1000 Population.	Births per 1000 Females aged 15-45 Years.	Persons Married per 1000 Population.	Percentage of Tenements of fewer than Five Rooms.	Percentage of these Tenements with more than Two Persons to a Room.
	IX.—YORKSHIRE—*continued.*											
	37.—EAST RIDING (WITH YORK).											
516	York	20·2	18·7	19·1	17·0	19·1	167	29·00	120	16·26	40·7	7·9
517	Pocklington	16·9	—	15·6	—	13·4	124	26·85	130	13·20	36·0	4·6
518	Howden	18·1	—	17·2	—	14·6	143	28·01	138	14·56	40·0	3·0
519	Beverley	18·9	17·8	18·1	16·8	16·3	145	29·45	131	13·93	39·8	5·0
520	Sculcoates	19·0	—	17·7	17·0	17·9	171	33·35	138	15·45	52·1	6·1
521	Hull	22·5	21·0	22·2	19·3	22·5	189	32·56	134	21·45	57·2	7·1
522	Patrington	15·9	—	15·2	—	12·5	126	23·72	112	11·17	33·2	2·9
523	Skirlaugh	15·7	—	13·8	—	12·2	119	25·76	116	12·74	35·5	3·5
524	Driffield	17·0	—	15·8	—	13·7	131	27·44	133	14·17	42·8	3·4
525	Bridlington	16·7	—	16·7	—	15·1	138	26·56	108	15·04	26·9	5·6
	38.—NORTH RIDING.											
526	Scarborough	18·1	—	17·7	17·3	16·8	145	25·90	96	16·27	23·3	6·1
527	Malton	16·7	—	15·5	—	13·7	125	27·07	124	13·33	38·8	7·0
528	Easingwold	15·7	—	15·9	—	12·9	106	24·44	118	13·25	29·6	4·5
529	Thirsk	16·8	—	16·1	—	14·1	115	25·45	116	13·00	35·1	2·8
530	Helmsley	15·9	—	16·4	—	13·9	98	25·06	120	12·03	29·3	7·0
531	Pickering	17·9	—	17·8	—	15·6	140	30·01	143	14·95	35·3	5·2
532	Whitby	18·5	—	16·5	—	14·3	107	25·74	111	13·56	37·7	7·8
533	Guisborough..	16·3	—	15·1	—	15·0	138	30·43	137	14·10	36·4	6·9
534	Middlesbrough	20·7	20·4	20·3	19·7	21·9	177	35·10	159	15·97	58·5	12·2

TABLE 1 (*continued*).—**Crude Death-rates, 1881-1900; Crude and Corrected Death-rates, Infantile Mortality, Birth-rates, and Marriage-rates, 1891-1900; Tenements of fewer than Five Rooms, and Overcrowded Tenements, 1901.**

	Registration Districts.	Crude Death-rate per 1000.				Death-rate in Standard Population, 1891-1900.	Infantile Mortality per 1000 Births, 1891-1900.	Mean Annual Rates, 1891-1900.			At the Census of 1901.	
		1881-1890.		1890-1900.								
		As recorded.	Adjusted for Deaths in Institutions.	As recorded.	Adjusted for Deaths in Institutions.			Births per 1000 Population.	Births per 1000 Females aged 15-45 Years.	Persons Married per 1000 Population.	Percentage of Tenements of fewer than Five Rooms.	Percentage of these Tenements with more than Two Persons to a Room.
	IX.—YORKSHIRE—*continued.*											
	38.—NORTH RIDING —*continued.*											
535	STOKESLEY	16·3	—	16·3	—	14·1	117	26·22	115	13·06	41·0	7·9
536	NORTHALLERTON	16·3	—	16·2	—	14·3	111	26·06	117	13·79	40·6	4·8
537	BEDALE	16·6	—	14·8	—	11·9	96	25·62	113	12·54	41·4	6·9
538	LEYBURN	16·0	—	16·2	—	12·6	94	22·10	100	11·64	29·8	5·5
539	AYSGARTH	18·0	—	17·4	—	13·9	114	24·78	114	12·73	24·6	4·3
540	REETH	18·6	—	17·4	—	14·0	78	22·45	103	10·90	29·2	3·6
541	RICHMOND	16·4	—	16·9	16·1	14·8	116	25·84	115	12·24	44·8	10·3
	X.—NORTHERN DIVISION.											
	39.—DURHAM.											
542	DARLINGTON	16·8	—	15·7	—	16·1	139	28·51	117	15·43	57·6	13·2
543*a*	STOCKTON	20·1	18·4	17·8	16·1	18·8	158	32·88	144	14·58	51·7	12·6
543*b*	SEDGEFIELD	—	—	25·8	21·8	25·5	170	37·04	171	14·58	77·3	23·0
544	HARTLEPOOL	18·8	—	17·3	16·9	18·4	149	35·17	153	15·52	60·2	17·6
545	AUCKLAND	18·6	—	18·6	—	19·0	174	36·28	166	16·07	79·4	22·5
546	TEESDALE	16·9	—	16·7	—	15·5	129	28·32	122	15·65	53·1	16·2
547	WEARDALE	18·1	—	16·9	—	17·0	125	29·29	129	14·83	72·0	19·4
548	LANCHESTER	17·6	—	18·2	—	19·2	168	36·27	169	15·61	83·7	35·4
549	DURHAM..	19·1	—	19·3	18·9	19·7	178	34·71	157	16·95	78·8	24·8

TABLE 1 (*continued*).—**Crude Death-rates, 1881-1890; Crude and Corrected Death-rates, Infantile Mortality, Birth-rates, and Marriage-rates, 1891-1900; Tenements of fewer than Five Rooms, and Overcrowded Tenements, 1901.**

	Registration Districts.	Crude Death-rate per 1000.				Death-rate in Standard Population, 1891-1900.	Infantile Mortality per 1000 Births, 1891-1900.	Mean Annual Rates, 1891-1900.			At the Census of 1901.	
		1881-1890.		1891-1900.								
		As recorded.	Adjusted for Deaths in Institutions.	As recorded.	Adjusted for Deaths in Institutions.			Births per 1000 Population.	Births per 1000 Females aged 15-45 Years.	Persons Married per 1000 Population.	Percentage of Tenements of fewer than Five Rooms.	Percentage of these Tenements with more than Two Persons to a Room.
	X.—NORTHERN DIVISION —*continued.*											
	39.—DURHAM— *continued.*											
550	EASINGTON	20·1	—	21·0	—	20·5	176	40·62	195	16·01	85·4	31·0
551	HOUGHTON LE SPRING ..	20·4	—	19·3	—	18·8	172	39·80	187	16·25	83·9	25·1
552	CHESTER LE STREET ..	19·7	—	19·3	—	19·3	176	39·48	186	15·39	86·7	30·6
553	SUNDERLAND	22·2	—	21·6	20·8	22·1	176	36·56	156	17·51	79·0	28·0
554	SOUTH SHIELDS	20·3	—	19·7	—	20·8	162	35·91	160	16·63	83·2	29·9
555	GATESHEAD	20·9	—	19·3	—	20·0	174	36·55	163	15·93	85·5	31·2
	40.—NORTHUMBERLAND.											
556	NEWCASTLE ON TYNE ..	22·0	21·1	20·6	19·3	22·0	173	33·87	137	19·34	79·2	28·6
557	TYNEMOUTH	19·6	—	18·9	18·6	19·5	164	34·73	155	15·48	80·9	30·9
558	CASTLE WARD..	17·2	15·9	16·1	14·3	16·7	148	28·06	120	11·20	68·8	24·7
559	HEXHAM..	17·4	—	16·6	—	16·0	135	27·02	111	13·13	68·3	27·6
560	HALTWHISTLE..	17·3	—	14·2	—	13·9	87	27·27	120	13·75	59·2	23·0
561	BELLINGHAM	16·4	—	16·8	—	14·2	97	22·99	101	10·90	63·5	27·7
562	MORPETH	19·1	18·0	19·7	18·3	20·1	169	36·64	169	16·76	82·2	32·8
563	ALNWICK	18·2	—	17·6	—	16·6	138	28·54	121	13·41	76·4	29·8
564	BELFORD	14·4	—	15·1	—	13·3	103	23·90	96	12·27	74·7	32·9
565	BERWICK	18·6	—	17·8	—	16·4	128	26·84	115	13·01	75·9	33·8
566	GLENDALE	14·5	—	14·8	—	13·2	87	21·45	84	12·60	76·2	29·7
567	ROTHBURY	16·9	—	15·8	—	13·9	97	23·30	95	9·30	67·2	20·3

TABLE 1 (*continued*).—**Crude Death-rates, 1881-1890; Crude and Corrected Death-rates, Infantile Mortality, Birth-rates, and Marriage-rates, 1891-1900; Tenements of fewer than Five Rooms, and Overcrowded Tenements, 1901.**

	Registration Districts.	Crude Death-rate per 1000.				Death-rate in Standard Population, 1891-1900.	Infantile Mortality per 1000 Births, 1891-1900.	Mean Annual Rates, 1891-1900.			At the Census of 1901.	
		1881-1890.		1891-1900.								
		As recorded.	Adjusted for Deaths in Institutions.	As recorded.	Adjusted for Deaths in Institutions.			Births per 1000 Population.	Births per 1000 Females aged 15-45 Years.	Persons Married per 1000 Population.	Percentage of Tenements of fewer than Five Rooms.	Percentage of these Tenements with more than Two Persons to a Room.
	X.—NORTHERN DIVISION —*continued.*											
	41.—CUMBERLAND.											
568	ALSTON	18·7	—	18·4	—	16·1	103	21·59	92	11·87	51·3	8·7
569	PENRITH..	16·4	—	16·3	—	14·6	111	25·87	112	13·33	33·8	7·3
570	BRAMPTON	17·2	—	16·7	—	14·4	98	24·36	107	13·21	47·6	12·3
571	LONGTOWN	17·7	—	16·4	—	13·8	112	25·30	117	12·60	60·0	21·0
572	CARLISLE	20·0	18·3	19·2	17·3	18·9	136	28·94	116	15·25	56·3	17·9
573	WIGTON	16·9	—	16·7	—	14·7	120	27·55	123	13·61	37·3	7·4
574	COCKERMOUTH	18·7	—	16·1	—	16·3	137	31·42	143	13·48	39·3	11·3
575	WHITEHAVEN	18·9	—	17·5	17·2	18·1	132	31·66	143	13·89	45·2	11·7
576	BOOTLE	15·3	—	15·1	—	15·1	129	30·19	142	12·74	16·1	5·2
	42.—WESTMORLAND.											
577	EAST WARD	16·3	—	16·9	—	14·3	118	25·25	113	13·43	25·7	4·7
578	WEST WARD	14·6	—	15·8	—	13·5	108	25·95	117	13·75	30·0	6·1
579	KENDAL	15·5	—	14·2	—	13·5	103	24·51	100	13·16	27·9	6·1

TABLE 1 (*continued*).—**Crude Death-rates, 1881-1890; Crude and Corrected Death-rates, Infantile Mortality, Birth-rates, and Marriage-rates, 1891-1900; Tenements of fewer than Five Rooms, and Overcrowded Tenements, 1901.**

	Registration Districts.	Crude Death-rate per 1000.				Death-rate in Standard Population, 1891-1900.	Infantile Mortality per 1000 Births, 1891-1900.	Mean Annual Rates, 1891-1900.			At the Census of 1901.	
		1881-1890.		1891-1900.								
		As recorded.	Adjusted for Deaths in Institutions.	As recorded.	Adjusted for Deaths in Institutions.			Births per 1000 Population.	Births per 1000 Females aged 15-45 Years.	Persons Married per 1000 Population.	Percentage of Tenements of fewer than Five Rooms.	Percentage of these Tenements with more than Two Persons to a Room.
	XI.—WELSH DIVISION.											
	43.—MONMOUTHSHIRE.											
580	CHEPSTOW	17·4	—	15·3	—	13·4	105	28·52	135	11·20	41·7	5·5
581	MONMOUTH	16·7	—	17·2	—	14·6	110	29·65	146	14·21	48·3	6·6
582	ABERGAVENNY	21·3	18·8	21·6	18·3	20·7	159	28·81	129	14·39	43·5	5·9
583	BEDWELLTY	24·0	—	21·1	—	21·7	173	38·91	188	16·13	52·7	11·5
584	PONTYPOOL	18·4	—	17·1	—	17·0	137	35·20	168	16·22	47·9	11·8
585	NEWPORT	18·3	—	18·2	17·8	18·8	156	35·08	153	16·85	30·9	7·6
	44.—SOUTH WALES.											
	Glamorganshire.											
586	CARDIFF	18·8	18·3	17·9	17·4	19·2	151	36·05	148	18·55	29·4	6·1
587	PONTYPRIDD	20·2	—	20·6	—	21·8	196	40·63	197	17·69	29·9	9·7
588	MERTHYR TIDFIL	22·3	—	23·1	—	24·0	202	37·79	176	17·53	48·2	12·0
589	BRIDGEND	19·8	18·1	19·7	17·6	19·9	162	34·30	161	15·91	27·3	8·2
590	NEATH	18·4	—	18·4	—	19·0	167	36·44	164	15·76	33·8	10·0
591	PONTARDAWE	17·2	—	18·8	—	18·6	159	36·81	167	16·05	36·1	7·2
592	SWANSEA	19·2	—	18·9	18·4	20·0	162	33·60	141	17·02	39·4	8·3
593	GOWER	16·5	—	15·3	—	13·6	104	27·16	114	11·71	27·5	4·0

TABLE 1 (*continued*).—**Crude Death-rates, 1881-1890; Crude and Corrected Death-rates, Infantile Mortality, Birth-rates, and Marriage-rates, 1891-1900; Tenements of fewer than Five Rooms, and Overcrowded Tenements, 1901.**

	Registration Districts.	Crude Death-rate per 1000. 1881-1890. As recorded.	Crude Death-rate per 1000. 1881-1890. Adjusted for Deaths in Institutions.	Crude Death-rate per 1000. 1891-1900. As recorded.	Crude Death-rate per 1000. 1891-1900. Adjusted for Deaths in Institutions.	Death-rate in Standard Population, 1891-1900.	Infantile Mortality per 1000 Births, 1891-1900.	Mean Annual Rates, 1891-1900. Births per 1000 Population.	Mean Annual Rates, 1891-1900. Births per 1000 Females aged 15-45 Years.	Mean Annual Rates, 1891-1900. Persons Married per 1000 Population.	At the Census of 1901. Percentage of Tenements of fewer than Five Rooms.	At the Census of 1901. Percentage of these Tenements with more than Two Persons to a Room.
	XI.—WELSH DIVISION *—continued.*											
	44.—SOUTH WALES *—continued.*											
	Carmarthenshire.											
594	LLANELLY	16·8	—	17·1	—	17·5	147	33·85	146	15·07	24·5	8·4
595	LLANDOVERY	18·4	—	19·2	—	16·5	126	24·01	102	14·40	29·7	6·1
596	LLANDILOFAWR	16·8	—	17·7	—	16·4	143	30·66	134	14·85	30·3	8·7
597	CARMARTHEN	19·8	18·5	20·2	18·4	18·1	135	26·14	108	14·54	44·6	11·9
	Pembrokeshire.											
598	NARBERTH	18·3	—	18·3	—	15·4	106	24·68	106	12·39	47·3	11·7
599	PEMBROKE	17·7	—	17·2	—	16·0	123	27·58	119	13·99	43·1	15·5
600	HAVERFORDWEST	18·7	—	18·7	—	16·3	132	28·29	124	14·01	46·9	15·3
	Cardiganshire.											
601	CARDIGAN	19·4	—	19·9	—	15·7	105	22·74	93	12·39	41·0	6·0
602	NEWCASTLE IN EMLYN ..	17·7	—	18·7	—	15·6	120	24·74	104	11·22	42·9	9·9
603	LAMPETER	16·2	—	18·5	—	15·4	143	23·11	98	11·76	37·2	7·3
604	ABERAYRON	17·7	—	19·6	—	15·0	106	23·88	100	10·14	40·5	9·3
605	ABERYSTWITH	18·1	—	19·6	—	17·4	130	22·49	87	13·87	37·7	5·9
606	TREGARON	17·2	—	18·8	—	14·9	113	23·54	105	10·71	42·1	7·0

TABLE 1 (*continued*).—**Crude Death-rates, 1881-1890; Crude and Corrected Death-rates, Infantile Mortality, Birth-rates, and Marriage-rates, 1891-1900; Tenements of fewer than Five Rooms, and Overcrowded Tenements, 1901.**

	Registration Districts.	Crude Death-rate per 1000.				Death-rate in Standard Population, 1891-1900.	Infantile Mortality per 1000 Births, 1891-1900.	Mean Annual Rates, 1891-1900.			At the Census of 1901.	
		1881-1890.		1891-1900.								
		As recorded.	Adjusted for Deaths in Institutions.	As recorded.	Adjusted for Deaths in Institutions.			Births per 1000 Population.	Births per 1000 Females aged 15-45 Years.	Persons Married per 1000 Population.	Percentage of Tenements of fewer than Five Rooms.	Percentage of these Tenements with more than Two Persons to a Room.
	XI.—WELSH DIVISION —*continued.*											
	44.—SOUTH WALES —*continued.*											
	Brecknockshire.											
607	BUILTH	17·4	—	17·0	—	15·0	117	26·81	118	13·10	17·4	2·9
608	BRECKNOCK	17·5	17·1	17·2	16·9	15·4	122	25·20	109	14·51	28·8	3·8
609	CRICKHOWELL	22·0	—	20·8	—	19·8	158	34·79	163	18·47	54·1	10·0
610	HAY	18·7	—	18·1	—	15·4	120	26·01	119	12·43	33·4	3·5
	Radnorshire.											
611	KNIGHTON	16·9	—	16·9	—	14·5	125	29·02	140	14·50	29·5	6·0
612	RHAYADER	17·2	—	16·6	—	14·8	110	27·12	123	16·38	27·8	9·8
	45.—NORTH WALES.											
	Montgomeryshire.											
613	MACHYNLLETH	18·6	—	19·1	—	15·6	111	24·23	104	12·66	34·0	3·9
614	NEWTOWN	17·5	—	17·0	—	14·7	107	26·69	117	13·41	30·1	5·9
615	FORDEN	17·3	—	17·2	—	14·2	120	24·89	119	13·13	38·3	4·4
616	LLANFYLLIN	19·3	—	17·7	—	14·5	105	25·31	122	11·87	34·2	7·1
	Flintshire.											
617	HOLYWELL	18·3	—	19·4	—	17·9	123	28·94	142	12·38	55·1	6·7

TABLE 1 (*continued*).—**Crude Death-rates, 1881-1890; Crude and Corrected Death-rates, Infantile Mortality, Birth-rates, and Marriage-rates, 1891-1900; Tenements of fewer than Five Rooms, and Overcrowded Tenements, 1901.**

	Registration Districts.	Crude Death-rate per 1000. 1881–1890. As recorded.	Crude Death-rate per 1000. 1881–1890. Adjusted for Deaths in Institutions.	Crude Death-rate per 1000. 1891–1900. As recorded.	Crude Death-rate per 1000. 1891–1900. Adjusted for Deaths in Institutions.	Death-rate in Standard Population, 1891–1900.	Infantile Mortality per 1000 Births, 1891–1900.	Mean Annual Rates, 1891–1900. Births per 1000 Population.	Mean Annual Rates, 1891–1900. Births per 1000 Females aged 15–45 Years.	Mean Annual Rates, 1891–1900. Persons Married per 1000 Population.	At the Census of 1901. Percentage of Tenements of fewer than Five Rooms.	At the Census of 1901. Percentage of these Tenements with more than Two Persons to a Room.
	XI.—WELSH DIVISION —*continued.*											
	45.—NORTH WALES —*continued.*											
	Denbighshire.											
618	WREXHAM	19·1	—	19·4	19·1	19·5	153	35·37	169	16·35	56·4	11·4
619	RUTHIN	17·8	—	17·9	—	14·4	125	22·78	107	12·35	43·6	6·0
620	ST. ASAPH	20·7	18·3	20·9	18·4	18·7	136	23·71	98	13·12	42·7	9·2
621	LLANRWST	18·0	—	19·0	—	16·5	138	24·80	109	14·26	40·2	7·8
	Merionethshire.											
622	CORWEN	17·5	—	18·8	—	16·4	137	26·14	121	13·57	40·6	9·6
623	BALA	17·7	—	17·2	—	14·3	140	22·52	103	12·73	37·8	5·8
624	DOLGELLY	18·3	—	18·7	—	16·6	148	23·49	100	13·56	33·2	5·1
625	FESTINIOG	18·3	—	19·5	—	18·7	152	28·78	133	13·85	33·8	6·2
	Carnarvonshire.											
626	PWLLHELI	18·0	—	18·2	—	14·8	117	22·44	98	11·54	36·4	7·4
627	CARNARVON	19·9	—	19·0	—	17·9	145	26·43	116	15·14	40·2	7·9
628	BANGOR	20·1	—	19·2	—	17·4	130	25·60	108	15·14	41·7	8·8
629	CONWAY	15·4	—	16·8	—	16·8	146	25·26	89	15·84	28·8	9·7
	Anglesey.											
630	ANGLESEY	20·1	—	19·6	—	15·4	118	23·95	105	12·41	43·8	9·0
631	HOLYHEAD	18·9	—	18·7	—	16·1	123	26·37	117	13·32	34·5	8·9

TABLE 2.—**Annual Death-rate** PER **Million** LIVING, among CHILDREN under FIVE YEARS of AGE, from ALL CAUSES and from SEVERAL CAUSES, **1891-1900.**

No.	COUNTIES.	ANNUAL DEATH-RATE PER 1,000,000 LIVING UNDER FIVE YEARS OF AGE.									
		All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Tuberculous Diseases	Respiratory Diseases.
	ENGLAND AND WALES	**57,736**	**29**	**3,247**	**844**	**1,362**	**3,086**	**102**	**5,485**	**3,930**	**12,328**
	I.—LONDON.										
1	**LONDON**	66,782	3	4,818	1,002	2,978	4,214	61	6,231	5,486	14,243
	II.—SOUTH EASTERN.										
2	**SURREY**	40,206	4	1,869	244	1,227	2,575	25	3,894	2,925	7,956
3	**KENT**	43,476	140	2,008	338	1,618	2,306	67	4,407	3,408	8,382
4	**SUSSEX**	40,080	7	1,831	209	355	2,175	61	3,752	3,294	8,030
5	**HAMPSHIRE**	43,411	13	2,299	359	909	2,368	134	4,360	3,291	8,660
6	**BERKSHIRE**	37,713	3	1,757	238	745	2,255	29	2,672	2,544	7,907
	III.—SOUTH MIDLAND.										
7	**MIDDLESEX**	47,364	10	2,506	1,036	1,503	2,960	76	5,929	3,359	8,826
8	**HERTFORDSHIRE** ..	35,724	16	1,523	227	791	2,428	23	3,179	2,103	7,294
9	**BUCKINGHAMSHIRE**	37,635	5	2,010	252	983	2,172	55	2,419	1,864	8,173
10	**OXFORDSHIRE**	37,385	—	1,927	302	963	2,172	24	2,101	2,271	8,297
11	**NORTHAMPTONSH.** ..	45,841	3	2,780	671	544	2,618	61	3,692	2,770	9,439
12	**HUNTINGDONSHIRE**	36,432	—	917	257	642	2,035	18	2,384	2,384	7,939
13	**BEDFORDSHIRE**	41,909	10	1,861	425	1,043	2,616	37	3,958	2,962	8,041
14	**CAMBRIDGESHIRE** ..	40,033	—	1,252	178	708	2,526	49	2,776	2,700	8,029
	IV.—EASTERN.										
15	**ESSEX**	49,296	40	2,627	452	2,032	2,879	95	5,412	3,301	9,726
16	**SUFFOLK**	40,163	—	1,420	261	942	2,644	71	2,832	2,559	8,297
17	**NORFOLK**	46,704	4	1,459	434	914	2,980	102	3,935	2,585	8,400
	V.—SOUTH WESTERN										
18	**WILTSHIRE**	33,733	3	1,451	311	712	1,729	33	1,858	2,176	8,323
19	**DORSETSHIRE**	34,151	—	1,366	382	667	1,604	28	1,884	2,024	8,137
20	**DEVONSHIRE** .. .	46,698	10	2,742	500	823	2,848	72	3,370	3,291	11,141
21	**CORNWALL**	48,233	15	1,551	630	653	3,395	73	3,473	2,904	9,830
22	**SOMERSETSHIRE** ..	39,347	9	2,387	560	631	2,396	26	2,221	2,295	8,860

TABLE 2 (*continued*).—**Annual Death-rate** PER **Million** LIVING, **among** CHILDREN under FIVE YEARS of AGE, from ALL CAUSES and from SEVERAL CAUSES, **1891-1900.**

No.	COUNTIES.	ANNUAL DEATH-RATE PER 1,000,000 LIVING UNDER FIVE YEARS OF AGE.									
		All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Tuberculous Diseases.	Respiratory Diseases.
	VI.—WEST MIDLAND.										
23	**GLOUCESTERSHIRE** ..	47,161	296	2,775	520	948	2,470	40	3,575	2,940	10,888
24	**HEREFORDSHIRE** ..	36,369	—	911	592	616	1,727	32	1,535	2,335	7,635
25	**SHROPSHIRE**	37,708	—	1,216	530	933	2,012	58	1,978	2,474	8,329
26	**STAFFORDSHIRE** ..	66,959	53	3,986	1,157	1,194	3,024	143	6,656	3,903	13,828
27	**WORCESTERSHIRE** ..	50,088	19	2,379	513	1,001	2,523	71	4,205	3,628	10,266
28	**WARWICKSHIRE** ..	63,784	73	3,089	778	1,148	3,428	118	7,985	3,328	13,304
	VII.—NORTH MIDLAND.										
29	**LEICESTERSHIRE** ..	59,116	28	2,846	902	1,851	2,731	95	7,672	3,290	11,214
30	**RUTLANDSHIRE** ..	34,891	—	979	356	801	1,914	45	1,202	2,937	9,212
31	**LINCOLNSHIRE**	46,506	11	1,335	384	646	2,304	91	4,468	2,979	9,368
32	**NOTTINGHAMSHIRE**	59,218	10	3,053	857	517	2,857	137	6,327	3,709	12,303
33	**DERBYSHIRE**	53,846	75	3,193	842	648	2,409	74	4,438	3,766	11,545
	VIII.—NORTH WESTERN.										
34	**CHESHIRE**	57,926	6	2,941	907	1,117	3,043	86	5,506	4,134	12,208
35	**LANCASHIRE**	73,432	22	4,642	1,403	1,122	3,812	167	8,271	4,894	16,309
	IX.—YORK.										
36	**WEST RIDING**	64,504	67	3,543	1,043	1,179	3,005	117	6,352	4,229	14,972
37	**EAST RIDING** (WITH YK.)	59,314	52	2,700	701	658	2,554	136	8,692	3,436	11,852
38	**NORTH RIDING**	52,626	45	2,015	558	708	2,591	142	4,081	4,158	11,106
	X.—NORTHERN.										
39	**DURHAM**	64,933	10	3,345	901	638	2,909	181	5,599	4,870	13,685
40	**NORTHUMBERLAND**	60,332	1	3,118	732	813	3,008	133	4,740	4,920	11,668
41	**CUMBERLAND**	46,960	—	3,755	949	569	2,671	23	2,261	2,919	10,756
42	**WESTMORLAND** ..	34,244	—	1,478	432	627	1,380	42	1,408	2,761	6,776
	XI.—WELSH.										
43	**MONMOUTHSHIRE** ..	59,852	5	3,888	1,198	1,503	3,078	158	2,970	2 788	14,206
44	**SOUTH WALES**	63,016	2	2,991	1,035	2,015	2,959	142	4,067	3,189	13,697
45	**NORTH WALES**	45,991	2	1,637	720	984	2,394	83	2,047	2,697	9,573

TABLE 2 (*continued*).—**Annual Death-rate** PER **Million** LIVING, among CHILDREN under FIVE YEARS of AGE, from ALL CAUSES and from SEVERAL CAUSES, **1891-1900.**

No.	DISTRICTS.	ANNUAL DEATH-RATE PER 1,000,000 LIVING UNDER FIVE YEARS OF AGE. All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Tuberculous Diseases.	Respiratory Diseases.
	I.—LONDON.										
	1.—LONDON.										
1a	PADDINGTON	63,877	—	3,874	206	2,103	3,849	72	6,892	4,788	12,969
1b	KENSINGTON	65,729	—	4,958	208	1,028	3,917	28	5,924	5,160	15,049
2	FULHAM	67,173	—	4,530	2,480	3,962	3,704	48	7,765	4,935	13,478
3	CHELSEA	69,214	—	4,917	296	1,449	4,468	51	7,345	5,825	16,383
4	ST. GEORGE HANOVER SQUARE	65,892	—	4,549	127	2,470	3,670	107	5,408	6,062	15,004
5	WESTMINSTER	56,760	—	5,607	241	757	3,302	34	3,130	4,678	13,691
6	MARYLEBONE	68,232	—	5,033	282	1,417	3,785	48	5,677	5,444	15,349
7	HAMPSTEAD	69,677	31	3,383	9,870	20,608	2,747	78	3,166	3,461	7,169
8	PANCRAS	66,185	—	4,754	240	1,953	4,506	34	6,494	5,708	14,498
9	ISLINGTON	58,438	3	4,835	363	1,515	4,536	64	5,116	5,500	12,658
10	HACKNEY	63,475	—	3,832	2,667	6,156	4,010	43	6,279	4,871	10,795
11	ST. GILES	64,538	—	6,635	63	313	4,100	31	5,446	4,977	14,272
12	STRAND	115,385	—	7,105	411	7,105	4,756	294	6,107	15,913	26,659
13	HOLBORN	83,294	6	7,278	230	2,307	4,917	42	7,218	8,501	18,674
14	LONDON CITY	118,268	91	4,850	680	12,013	5,032	181	4,760	14,415	24,569
15	SHOREDITCH	80,596	—	6,550	392	2,278	5,196	57	8,930	6,734	17,728
16	BETHNAL GREEN	69,140	—	5,943	477	2,067	4,786	56	5,847	5,651	15,728
17	WHITECHAPEL	87,736	—	5,375	391	4,515	3,078	49	4,857	7,261	21,636
18	ST. GEORGE IN THE EAST	73,082	—	6,269	453	1,081	3,434	15	6,766	4,954	17,989
19	STEPNEY	104,995	—	7,505	555	3,013	6,488	79	9,514	9,368	25,079
20	MILE END OLD TOWN	62,868	—	4,852	525	1,972	4,102	55	5,651	4,996	12,987
21	POPLAR	70,633	—	5,318	626	2,495	5,136	107	6,778	5,677	15,487
22	ST. SAVIOUR SOUTHWARK	75,998	4	5,652	360	1,470	5,480	73	7,317	6,571	18,767
23	ST. OLAVE SOUTHWARK	73,136	22	5,308	367	2,257	4,229	44	5,593	6,371	18,981
24	LAMBETH	67,217	—	4,154	1,552	3,832	4,123	76	6,239	5,266	13,197
25	WANDSWORTH	53,450	—	3,940	821	2,587	3,723	48	5,787	3,911	10,363
26	CAMBERWELL	58,693	3	4,113	298	1,671	3,898	56	5,976	4,733	13,225
27	GREENWICH	64,790	14	4,373	3,193	5,332	4,142	113	5,942	4,721	11,726
28	LEWISHAM	47,656	9	2,357	1,044	3,601	2,949	61	5,401	3,844	7,358
29	WOOLWICH	54,923	7	4,261	1,256	3,081	3,185	56	5,052	4,240	10,152
	II.—SOUTH-EASTERN COUNTIES.										
	2.—SURREY.										
30	EPSOM	34,901	—	1,526	377	970	2,011	18	3,393	2,873	6,750
31	CHERTSEY	33,715	—	1,705	171	1,121	2,241	49	3,191	1,510	5,993
32	GUILDFORD	36,999	—	1,202	128	1,683	2,581	48	2,485	2,982	7,166
33	FARNHAM	47,635	16	2,234	394	1,741	2,250	16	4,600	2,612	9,987
34	HAMBLEDON	27,527	—	1,050	131	788	2,888	—	700	2,188	6,040
35	DORKING	28,224	—	1,301	679	1,244	1,470	—	1,301	1,753	5,430
36	REIGATE	31,804	—	1,258	173	642	2,023	25	2,813	2,171	6,884
37	GODSTONE	28,721	—	696	87	696	2,480	—	2,002	2,045	5,701
38	CROYDON	44,224	11	2,008	250	1,047	3,066	22	5,215	3,440	8,714
39	KINGSTON	42,913	—	2,411	161	1,378	2,380	15	4,179	3,444	8,304
40	RICHMOND	47,299	—	2,514	353	1,632	3,374	66	4,498	2,977	9,548
	3.—KENT.										
41	BROMLEY	38,720	12	1,881	288	1,366	2,588	36	3,761	3,031	7,212
42	DARTFORD	47,510	1,282	2,534	587	2,280	2,309	68	5,714	3,346	8,756
43	GRAVESEND	47,814	—	2,616	179	717	2,473	108	5,269	3,584	9,606
44	STROOD	49,786	39	2,395	584	1,908	2,570	97	6,231	3,310	9,132
45	HOO	45,028	—	750	—	938	2,064	375	3,189	3,752	10,507
46	MEDWAY	51,825	—	2,221	436	2,413	2,271	101	6,074	4,472	10,424
47	MALLING	41,879	—	2,907	140	1,985	1,649	—	3,634	2,572	7,940
48	SEVENOAKS	32,915	—	897	90	1,315	2,870	—	1,824	2,123	6,427
49	TUNBRIDGE	38,265	—	1,501	195	1,486	2,566	30	2,656	3,481	6,948
50	MAIDSTONE	47,410	57	2,542	341	2,599	2,220	171	4,553	4,041	9,163
51	HOLLINGBOURN	35,354	—	1,362	—	1,907	2,316	68	1,975	2,316	8,039
52	CRANBROOK	32,962	—	976	—	1,115	1,463	—	1,185	2,230	7,944
53	TENTERDEN	32,495	—	279	186	931	2,514	—	559	1,583	6,890
54	WEST ASHFORD	34,457	—	1,330	89	754	2,173	89	2,882	1,596	8,293
55	EAST ASHFORD	31,103	—	743	372	929	2,478	—	1,301	2,045	7,621

TABLE 2 (*continued*).—**Annual Death-rate** PER **Million** LIVING, among CHILDREN under FIVE YEARS of AGE, from ALL CAUSES and from SEVERAL CAUSES, **1891-1900.**

No.	DISTRICTS.	ANNUAL DEATH-RATE PER 1,000,000 LIVING UNDER FIVE YEARS OF AGE. All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Tuberculous Diseases.	Respiratory Diseases.
	II.—SOUTH-EASTERN COUNTIES—*cont.*										
	3.—KENT—*cont.*										
56	BRIDGE	32,220	—	742	148	965	2,376	—	2,004	2,970	7,202
57	CANTERBURY	50,318	—	2,389	318	1,115	2,813	106	3,291	6,688	8,598
58	BLEAN	36,396	—	1,284	401	762	2,207	—	3,170	4,454	6,541
59	FAVERSHAM	42.331	—	1,704	396	2,069	2,617	30	5,052	2,891	6,817
60	MILTON	46,896	—	2,541	144	1,559	2,541	202	5,891	2,483	9,819
61	SHEPPEY	46,076	—	2,078	600	923	1,754	46	2,955	4,571	7,849
62	THANET	47,971	—	1,783	286	1,353	2,642	16	6,303	4,265	9,852
63	EASTRY	35,823	—	976	335	1,280	1,921	61	2,530	2,866	7,683
64	DOVER	46,583	—	3.601	450	757	1,903	143	4,889	3,151	8,101
65	ELHAM	44,163	—	1,768	383	1,683	1,385	21	5,646	3,686	8,436
66	ROMNEY MARSH	30,153	—	1,272	382	636	2,926	—	1.781	1,654	3,817
	4.—SUSSEX.										
67	RYE	31,713	—	1,080	77	540	1,775	—	1,235	772	4,784
68	HASTINGS	44,296	50	2,479	385	2,044	2,513	34	3,485	3,771	9,683
69	BATTLE	32,361	—	944	129	1,545	1,803	86	2,618	2,918	5,966
70	EASTBOURNE	42,147	—	2,094	200	1,225	2,384	—	4,812	3,988	6,861
71	HAILSHAM	29,773	—	1,273	221	885	1,550	55	1,217	2,878	6,696
72	TICEHURST	29,078	—	436	164	1,309	1,855	55	927	2,019	6,438
73	UCKFIELD	28,963	—	800	38	1,639	1,486	—	953	1,982	6,212
74	EAST GRINSTEAD	29,163	—	1,336	—	1,202	2,449	—	1,336	1,825	7,302
75	CUCKFIELD	28,350	—	891	116	658	1,975	—	1,743	1,510	6 739
76	LEWES	32,913	—	1,551	131	578	1,630	79	2,497	3,917	6,382
77	BRIGHTON	61,961	—	3,892	98	843	2,441	20	7.990	5,657	12,873
78	STEYNING	41,364	—	1,577	628	2,657	2,468	73	5,037	3,212	7,300
79	HORSHAM	32,198	34	775	—	742	2.023	34	2,192	2,529	7,585
80	PETWORTH	27,679	—	496	—	694	2.183	—	397	1 687	6,052
81	THAKEHAM	28,965	—	220	—	1,211	2,533	—	1,101	2,643	6,167
82	EAST PRESTON	40,707	—	1,906	304	2,596	2,237	359	4,612	3,259	6,351
83	WESTHAMPNETT	30,416	—	823	173	433	1,950	130	1.906	1.950	6,413
84	CHICHESTER	41,701	—	2,459	307	512	1 947	205	3,586	1,434	10,349
85	MIDHURST	30,113	—	627	—	1,004	2 196	63	1,129	1,443	6,085
86	WESTBOURNE	31 311	—	485	364	1,699	1,942	121	2,670	2,306	4,490
	5.—HAMPSHIRE.										
87	HAVANT	28,607	—	1,007	168	1,091	2,349	84	2,600	1,678	6,124
88	PORTSMOUTH	58,382	10	4,000	521	1,367	2,891	354	7,995	4,521	11,301
89	ALVERSTOKE	51,777	—	2,922	572	904	2,289	151	5,753	5,000	10,693
90	FAREHAM	32,024	—	1,508	365	685	1,599	46	1,873	2,467	5,573
91	ISLE OF WIGHT	32,254	—	1,352	231	767	1,985	37	2,313	2,143	6,392
92	LYMINGTON	30,529	—	1,560	204	407	2,374	68	1,153	882	8,005
93	CHRISTCHURCH	40,565	—	1,421	491	807	2,297	18	3,560	3,823	6,840
94	RINGWOOD	30,189	—	1,016	—	1,306	1,161	145	1,016	3,483	8,128
95	FORDINGBRIDGE	33,243	—	405	—	135	1,486	—	1,351	2,838	7,298
96	NEW FOREST	27,700	—	1,098	61	549	1,525	—	1,281	2,380	7,261
97	SOUTHAMPTON	62,782	91	3,542	621	1,120	2,724	242	6,826	5,888	13,062
98	SOUTH STONEHAM	39,698	—	1,927	147	687	2,197	49	4,381	2,417	8,062
99	ROMSEY	28,515	—	794	—	715	1,906	159	1,430	1,350	5,719
100	STOCKBRIDGE	27,348	—	1,243	—	691	2,072	—	967	3,177	5,801
101	WINCHESTER	38,377	55	1,822	276	801	2,181	28	3,009	2,678	7,068
102	DROXFORD	28,248	—	831	378	76	2,795	—	906	1,586	6,042
103	CATHERINGTON	30,000	—	606	606	—	—	—	303	3,636	10,606
104	PETERSFIELD	27,797	—	844	70	704	1,970	—	1,830	1,830	6,826
105	ALRESFORD	25,777	—	518	259	777	3,238	—	130	1,943	4,275
106	ALTON	33,599	—	1,082	285	1,025	2,733	—	1,879	1,993	6,948
107	HARTLEY WINTNEY	40,263	—	1,449	337	1,112	2,729	34	2,965	2,561	8,524
108	BASINGSTOKE	30,154	—	1,461	446	365	1,542	—	1,623	1,542	5,926
109	WHITCHURCH	39,208	—	1,773	419	273	1,230	—	2,322	2,049	7,787
110	ANDOVER	30,608	—	2,044	—	592	2,313	—	1,291	1,883	5,164
111	KINGSCLERE	29,801	—	851	189	189	2,271	—	1,135	1,041	6,717

TABLE 2 (*continued*).—**Annual Death-rate** PER **Million** LIVING, among CHILDREN under FIVE YEARS of AGE, from ALL CAUSES and from SEVERAL CAUSES, **1891-1900.**

No.	DISTRICTS.	ANNUAL DEATH-RATE PER 1,000,000 LIVING UNDER FIVE YEARS OF AGE. All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Tuberculous Diseases.	Respiratory Diseases.
	II.—SOUTH-EASTERN COUNTIES—*cont.*										
	6.—BERKSHIRE.										
112	NEWBURY	39,214	—	830	87	786	2,358	44	1,965	1,747	9,127
113	HUNGERFORD	32,767	—	1,082	206	412	1,752	103	1,803	2,318	7,213
114	FARINGDON	33,986	—	1,174	130	652	2,022	—	1,109	3,001	7,633
115	ABINGDON	33,917	—	1,843	46	415	2,258	—	2,074	1,935	6,406
116	WANTAGE	33,176	—	1,153	314	734	2,516	—	1,520	1,625	7,390
117	WALLINGFORD	32,984	—	1,309	262	458	2,356	65	524	1,702	7,984
118	BRADFIELD	27,694	—	731	293	829	2,096	49	829	1,658	5,802
119	READING	47,020	—	3,064	333	474	1,987	51	5,012	3,846	8,999
120	WOKINGHAM	32,273	—	938	—	574	2,711	—	2,138	1,512	8,759
121	MAIDENHEAD	38,732	—	1,715	239	2,314	2,074	—	2,952	2,832	7,579
122	EASTHAMPSTEAD	30,523	—	915	327	392	2,157	—	1,046	1,895	7,451
123	WINDSOR	38,428	25	1,971	303	935	2,906	—	2,880	2,501	7,605
	III.—SOUTH MIDLAND COUNTIES.										
	7.—MIDDLESEX.										
124	STAINES	42,303	—	2,391	247	1,209	3,326	55	4,123	2,281	7,752
125	UXBRIDGE	41,834	—	1,809	391	2,127	2,958	147	3,936	2,421	8,265
126	BRENTFORD	52,470	6	2,766	415	1,178	3,062	68	7,058	4,200	9,801
127	HENDON	47,096	12	2,993	553	1,630	2,792	43	6,155	2,926	8,984
128	BARNET	35,322	35	2,006	366	1,029	2,721	17	3,558	2,983	6,890
129	EDMONTON	48,047	8	2,329	1,813	1,636	2,988	99	6,061	3,421	8,760
	8.—HERTFORDSHIRE.										
130	WARE..	34,609	—	1,892	129	387	2,666	86	3,999	1,290	7,479
131	BISHOP STORTFORD	34,257	—	924	126	714	2,729	—	2,393	2,981	7,011
132	ROYSTON	30,554	—	739	205	452	2,094	123	2,218	1,848	6,858
133	HITCHIN	39,256	—	961	186	527	3,566	—	4,372	1,829	7,814
134	HERTFORD	36,423	—	2,126	164	981	1,745	—	2,835	2,672	7,797
135	HATFIELD	30,973	—	973	—	442	2,301	—	2,566	2,035	6,461
136	ST. ALBANS	35,911	119	1,452	326	741	2,281	—	3,259	3,111	7,111
137	WATFORD	36,025	—	2,176	325	1,241	2,157	—	2,997	1,737	7,007
138	HEMEL HEMPSTEAD	37,122	—	2,087	110	604	1,702	—	2,416	1,483	8,622
139	BERKHAMPSTEAD	39,459	—	1,297	451	1,353	2,706	56	4,228	2,086	6,933
	9.—BUCKINGHAMSH.										
140	AMERSHAM	34,777	—	1,868	79	238	2,584	79	2,464	1,272	6,876
141	ETON	38,999	—	1,780	417	1,892	2,503	—	2,893	2,337	8,540
142	WYCOMBE	39,479	18	2,893	162	737	1,563	90	2,264	1,851	8,823
143	AYLESBURY..	36,464	—	1,837	208	1,109	1,872	—	2,496	1,490	8,735
144	WINSLOW	38,937	—	1,483	247	371	3,832	—	618	3,585	8,653
145	NEWPORT PAGNELL	36,971	—	1,502	399	920	2,606	31	2,882	1,778	6,376
146	BUCKINGHAM	34,815	—	1,970	247	1,235	1,564	247	1,399	1,728	9,959
	10.—OXFORDSHIRE.										
147	HENLEY	35,348	—	2,064	258	1,069	1,696	—	2,285	1,954	9,215
148	THAME	32,610	—	1,118	131	460	2,498	—	1,052	2,498	6,904
149	HEADINGTON	43,745	—	2,533	179	1,074	1,893	26	2,763	3,786	9 158
150	OXFORD	49,835	—	3,309	744	1,985	3,598	—	3,929	2,564	10,959
151	BICESTER	30,494	—	1,352	473	338	2,231	68	2,164	947	6,626
152	WOODSTOCK	23,930	—	991	330	264	1,717	—	1,189	1,982	7,464
153	WITNEY	35,515	—	1,943	127	1,267	2,111	84	1,309	1,900	7,770
154	CHIPPING NORTON	32,623	—	1,537	347	496	1,934	—	1,438	1,537	6,049
155	BANBURY	35,794	—	1,359	247	896	2,069	31	1,668	1,853	8,091

TABLE 2 (*continued*).—**Annual Death-rate** PER **Million** LIVING, among CHILDREN under FIVE YEARS of AGE, from ALL CAUSES and from SEVERAL CAUSES, **1891-1900.**

No.	DISTRICTS.	Annual Death-rate per 1,000,000 living under Five Years of Age. All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Tuberculous Diseases.	Respiratory Diseases.
	III.—SOUTH MIDLAND COUNTIES—*cont.*										
	11.—NORTHMPTNSH.										
156	BRACKLEY	34,091	—	705	78	235	3,056	—	1,097	1,881	6,819
157	TOWCESTER	39,970	75	4,027	522	298	3,207	149	2,013	1,715	8,054
158	POTTERSPURY	34,765	—	2,701	346	693	2,078	—	1,454	1,039	6,302
159	HARDINGSTONE	38,205	—	1,855	371	371	2,300	—	2,819	1,929	8,605
160	NORTHAMPTON	55,792	—	3,851	823	431	2,930	39	6,106	3,636	11,623
161	DAVENTRY	35,773	—	1,125	256	1,075	2,098	—	1,279	2,713	7,626
162	BRIXWORTH	32,246	—	910	379	683	3,490	—	1,517	2,049	5,691
163	WELLINGBOROUGH	46,264	—	2,804	783	470	3,055	63	3,431	2,883	9,776
164	KETTERING	52,265	—	3,082	743	278	1,875	149	3,453	2,599	10,750
165	THRAPSTON..	36,848	—	2,464	458	1,032	2,751	172	1,203	2,923	7,908
166	OUNDLE	30,146	—	1,135	486	891	1,135	—	1,378	1,459	6,888
167	PETERBOROUGH	42,938	—	2,422	836	768	2,508	51	4,214	2,764	8,359
	12.—HUNTINGDONSH.										
168	HUNTINGDON	38,658	—	1,187	228	1,050	1,917	—	2,282	1,369	7,805
169	ST. IVES	36,293	—	1 020	300	240	2,639	—	2,100	3,839	7,319
170	ST. NEOTS	33,521	—	439	251	501	1,566	63	2,820	2,256	8,771
	13.—BEDFORDSHIRE.										
171	BEDFORD	37,758	35	1,886	88	740	2,591	—	4,002	1,692	7.721
172	BIGGLESWADE	43,003	—	2,385	541	1,749	3.372	64	3,753	4,198	6.775
173	AMPTHILL	36,040	—	1,508	425	580	3,249	—	1,740	1,933	7,154
174	WOBURN (*Abolished.*)										
175	LEIGHTON BUZZARD	42,449	—	1,239	619	1,382	2,144	48	2,192	6,432	8,813
176	LUTON	48,036	—	1,937	628	1,040	2,099	72	5,722	2,726	9,202
	14.—CAMBRIDGESH.										
177	CAXTON	29,912	—	1.271	—	684	1.760	98	1,369	2,053	5,180
178	CHESTERTON	33,644	—	1,244	113	565	2,658	—	2,516	2,545	6,588
179	CAMBRIDGE	46,107	—	1,506	179	485	2,961	26	5,744	2,706	9,344
180	LINTON	31,277	—	1,742	145	581	3,411	218	1,016	1,669	4,063
181	NEWMARKET	41,640	—	873	185	582	2,143	26	2,487	4.021	9,577
182	ELY	34,937	—	824	333	303	1.994	87	997	2,991	6,892
183	NORTH WITCHFORD	45 610	—	1,355	100	1,706	2,910	100	1,706	3,111	9,785
184	WHITTLESEY	42,595	—	1 836	—	490	2,203	122	2,693	3,917	9,425
185	WISBECH	43,743	—	1,273	298	1,029	2,411	—	2,925	1,381	8,153
	IV.—EASTERN COUNTIES.										
	15.—ESSEX.										
186	WEST HAM	56,847	61	3,332	603	2,513	3,230	118	6,531	3,760	11,185
187	EPPING	36,077	—	1,933	281	1.185	2,962	94	3,867	1,933	7,109
188	ONGAR	36.714	—	1,341	335	1,593	1,341	—	1,509	2,179	6,538
189	ROMFORD	47,740	53	2,190	310	1 806	2,383	75	7.501	3,024	8,398
190	ORSETT	44,265	24	2,660	293	2,245	1,903	146	4,051	3,075	8,638
191	BILLERICAY	34,551	—	1,358	375	655	2,528	—	3,277	1,826	6,039
192	CHELMSFORD	32,062	—	1,624	129	1,134	2,603	—	2,088	1,778	6,521
193	ROCHFORD	44.285	21	1,778	212	1,757	1,842	191	6,139	2,625	8,340
194	MALDON	34,191	—	1,358	143	1,393	3,287	36	2,287	2,858	5,716
195	TENDRING	38,812	—	826	141	1,047	2,236	60	3,404	2 437	7,895
196	COLCHESTER	52,012	—	2 784	430	1,620	3,012	76	5,315	6,125	12,250
197	LEXDEN	31,051	—	708	512	1,614	1,968	79	1,810	1.928	6,336
198	HALSTEAD	32,493	—	1,737	112	1.008	2.577	—	1,289	1,849	7.450
199	BRAINTREE..	31,501	—	1,417	169	809	2,192	—	1,147	2 698	7,589
200	DUNMOW	29,727	—	503	279	1.115	2,454	—	1,115	1,729	6.972
201	SAFFRON WALDEN	33,527	—	1,667	211	634	3,537	—	1,531	1,531	7,128

TABLE 2 (*continued*).—**Annual Death-rate** PER **Million** LIVING, among CHILDREN under FIVE YEARS of AGE, from ALL CAUSES and from SEVERAL CAUSES, **1891-1900.**

No.	DISTRICTS.	ANNUAL DEATH-RATE PER 1,000,000 LIVING UNDER FIVE YEARS OF AGE. All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Tuberculous Diseases.	Respiratory Diseases.
	IV.—EASTERN COUNTIES—*cont.*										
	16.—SUFFOLK.										
202	RISBRIDGE	41,148	—	1,618	294	1,913	3,335	98	1,766	3,237	8,141
203	SUDBURY	37,653	—	2,066	532	469	2,504	31	1,690	2,660	8,608
204	GOSFORD	37,213	—	783	104	992	3,079	52	1,409	1,722	8,717
205	THINGOE	32,011	—	503	279	894	2,346	—	559	2,458	7,877
206	BURY ST. EDMUNDS	47,218	—	1,068	169	1,237	2,361	—	2,923	5,340	10,905
207	MILDENHALL	38,306	—	907	907	1,512	2.218	—	1,915	2,319	8,669
208	STOW	35,216	—	984	171	428	2,910	—	1.198	1,926	8,258
209	HARTISMERE	31,848	—	528	235	528	2,287	—	762	2,287	5,924
210	HOXNE	31,529	—	366	73	439	1,463	73	1,097	2,121	7,316
211	BOSMERE	34,329	—	451	169	1,015	2.537	—	1,071	2,029	6,990
212	SAMFORD	33,511	—	935	267	601	1,936	67	1,268	1,936	7,143
213	IPSWICH	55,992	—	2,233	410	1,173	2,784	198	7,815	3,010	11,405
214	WOODBRIDGE	32,799	—	1,130	146	692	2 515	—	1,385	1,786	6,596
215	PLOMESGATE	33,747	—	1,156	128	642	1,884	86	1,071	1,713	6.810
216	BLYTHING	30,864	—	1,040	130	520	2,274	—	1,072	1,754	5,913
217	WANGFORD..	35,998	—	551	110	827	2,150	—	1,929	4,355	6,340
218	MUTFORD	46,672	—	2,682	219	1,470	3,775	159	4,510	2,543	8,464
	17.—NORFOLK.										
219	YARMOUTH	63,021	35	2,819	762	2,198	3,421	177	8,137	4,060	10,850
220	FLEGG	44.365	—	1,587	397	556	2.937	—	2.460	2,381	8.810
221	SMALLBURGH	39.814	—	928	391	879	2,687	98	2,687	2.394	6,839
222	ERPINGHAM	35,453	—	379	463	1,263	2.105	—	1.516	2 063	5 853
223	AYLSHAM	36 720	—	446	644	149	3,072	—	892	1,387	6,690
224	ST. FAITH'S	42,197	—	1,540	140	560	3,848	—	1,679	1,330	6,438
225	NORWICH	65,032	—	2,940	599	935	3,475	224	8,292	3,707	10,842
226	FOREHOE	35,403	—	222	222	222	1,848	148	2.661	1,330	6,578
227	HENSTEAD	28,945	—	555	—	476	1,823	—	2,220	1,031	5,790
228	BLOFIELD	35,599	—	658	731	950	2,485	—	1,462	2,558	4,971
229	LODDON	31,367	—	648	194	454	1,491	130	1 037	2,916	5,703
230	DEPWADE	31,917	—	585	39	701	2,884	39	1,286	1,559	6,391
231	GUILTCROSS	31,146	—	1,487	612	700	2,537	—	787	2,100	6,825
232	WAYLAND	34,179	—	254	423	254	2,453	—	677	1,438	6,261
233	MITFORD	39,518	—	734	70	769	2,865	—	2,131	1,922	7,722
234	WALSINGHAM	37,143	—	853	213	469	4,136	—	1,663	1,663	8,487
235	DOCKING	35,145	—	317	317	264	1,478	—	897	1,214	6,543
236	FREEBRIDGE LYNN	34,268	—	491	280	1,121	1,962	—	911	1,051	8,269
237	KING'S LYNN	55,260	—	1,332	666	1,465	4,172	266	4,261	3,728	11,008
238	DOWNHAM	44,021	—	732	488	830	2,831	49	1,952	2,099	8,735
239	SWAFFHAM	35,894	—	74	74	148	3,028	—	1.403	2,437	7,016
240	THETFORD	36,280	—	813	254	1,067	2,693	152	1,169	2,033	6,098
	V.—SOUTH-WESTERN COUNTIES.										
	18.—WILTSHIRE.										
241	SWINDON	41,160	14	1,881	256	627	1,738	57	3,020	3,206	10,415
242	CRICKLADE..	33,266	—	1,420	—	541	1,623	68	1,690	1,826	7,302
243	MALMESBURY	32,784	—	1,306	756	825	1,581	137	1,856	2,062	8,454
244	CHIPPENHAM	31,603	—	1,374	153	840	1.717	38	1,489	1,565	6,870
245	CALNE	27,586	—	539	539	1,401	2,478	—	647	862	6,573
246	MARLBOROUGH	31,435	—	986	329	1,314	1,533	—	1,972	1.643	5,805
247	DEVIZES	29,940	—	2,119	599	1,336	1,566	—	967	1,428	8,660
248	MELKSHAM	32.183	—	1,545	257	463	1,648	—	1,339	3,553	9,011
249	BRADFORD ON AVON	30,390	—	764	340	170	1,019	—	1,697	594	9.847
250	WESTBURY	32,831	—	710	355	355	1,242	—	1,686	2,751	8.784
251	WARMINSTER	30,901	—	2,085	596	1,489	2,010	—	1,042	2,532	6,329
252	PEWSEY	30.371	—	947	73	510	2,695	—	874	1,284	7,210
253	AMESBURY	30,952	—	265	265	661	2,380	—	794	1.720	7,010
254	SALISBURY	36.869	—	1,704	225	418	1,768	64	2,989	1,929	8,582
255	WILTON	27,669	—	979	89	712	1,868	—	1,335	1,779	7,117
256	TISBURY	26,073	—	733	314	209	1,152	—	419	2,513	5,236
257	MERE	25,751	—	1,288	711	715	1,431	—	572	429	6,438

TABLE 2 (*continued*).—**Annual Death-rate** PER **Million** LIVING, among CHILDREN under FIVE YEARS of AGE, from ALL CAUSES and from SEVERAL CAUSES, **1891-1900.**

No.	DISTRICTS.	ANNUAL DEATH-RATE PER 1,000,000 LIVING UNDER FIVE YEARS OF AGE. All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Tuberculous Diseases.	Respiratory Diseases.
	V.—SOUTH-WESTERN COUNTIES—*cont.*										
	19.—DORSETSHIRE.										
258	SHAFTESBURY	24,762	—	586	73	1,026	1,758	—	1,758	2,271	4,542
259	STURMINSTER	28,011	—	1,530	287	669	765	—	1,912	1,052	5,831
260	BLANDFORD	29,442	—	1,523	435	508	1.378	—	653	1,378	6,961
261	WIMBORNE	28,880	—	737	295	639	1,621	49	1,031	1,572	7,613
262	POOLE	44,311	—	2,287	372	715	1,687	—	3,145	3,544	10,320
263	WAREHAM	27,977	—	832	312	416	1,664	52	1,040	1,820	6,708
264	WEYMOUTH	39,632	—	1.814	726	419	1,647	56	4,075	2,093	9,350
265	DORCHESTER	33,125	—	1,504	183	220	1,724	—	770	1,871	7,960
266	SHERBORNE	30,528	—	765	842	459	1,377	77	765	1,301	7,115
267	BEAMINSTER	29,361	—	691	—	345	1,641	—	1,382	950	8,981
268	BRIDPORT	38,526	—	912	351	2,667	1,825	70	491	1,965	9,263
	20.—DEVONSHIRE.										
269	AXMINSTER	29,359	—	724	223	613	2,563	—	780	1,560	6,908
270	HONITON	33,424	—	1,362	454	908	1,453	91	1,181	2,498	8,401
271	ST. THOMAS..	40,915	18	2,410	598	739	2,762	106	2,814	2,252	9,477
272	EXETER	62,051	—	4,505	470	995	3,621	138	5,279	3,925	14,925
273	NEWTON ABBOT	42,574	—	2,194	241	361	2,796	80	2,395	2,582	10,490
274	TOTNES	38,833	23	1,929	272	522	1,997	113	2,542	2,292	10,100
275	KINGSBRIDGE	35,310	—	1,469	490	490	2,503	54	1,959	2,231	7,725
276	PLYMPTON ST. MARY	39,573	—	2,903	801	501	2,536	33	4,471	2,903	9,076
277	PLYMOUTH	69,492	50	5,017	773	793	3,817	159	7,000	5,423	16,369
278	EAST STONEHOUSE	72,732	—	6,844	652	109	3,639	109	6,735	3,476	16,784
279	DEVONPORT	56,417	—	3,169	392	941	2,840	63	3,326	5,773	14,512
280	TAVISTOCK	39,722	—	1,250	483	729	2,986	—	1,840	2,986	10,000
281	OKEHAMPTON	34,395	—	1,762	569	739	2,956	—	1,308	1,762	8,414
282	CREDITON	32,667	—	1,736	631	579	1,841	—	1,841	2,262	7,049
283	TIVERTON	38,486	—	2,428	319	766	1,948	32	1,469	1,916	10,093
284	SOUTH MOLTON	32,668	—	907	484	1.331	2,662	—	665	2,843	6,776
285	BARNSTAPLE	39,031	—	1,498	551	2,313	2,269	—	3,546	3,128	8,524
286	TORRINGTON	32,111	—	1,246	484	1,592	1,938	69	1,869	2 837	5,813
287	BIDEFORD	42,399	—	2,874	500	708	4,248	—	2,416	1,958	9,454
288	HOLSWORTHY	36,059	—	690	394	690	3,645	—	1,872	2,069	7,882
	21.—CORNWALL.										
289	STRATTON	40,314	—	1,047	262	—	5,105	—	1,702	1,309	9,424
290	CAMELFORD	34,082	—	999	499	874	3,246	—	874	749	8,489
291	LAUNCESTON	35.893	—	1,463	—	670	3,595	—	1,463	1,828	7,556
292	ST. GERMANS	36,840	—	1,681	432	240	2,882	144	3,746	2,017	7,974
293	LISKEARD	37,716	—	1,153	216	540	2,666	36	1,297	2,882	8,826
294	BODMIN	40,521	—	1,175	204	971	3,679	—	1,942	2,862	8,585
295	ST. COLUMB..	37,315	—	1,183	355	414	3,607	59	2,543	2,602	7,037
296	ST. AUSTELL	47,393	—	820	370	1,006	3,758	53	1,958	2,805	10,532
297	TRURO	41,222	—	1,419	261	579	2,115	29	2,752	2,868	8,053
298	FALMOUTH	49,868	—	1,711	88	263	2,851	44	4,649	3 465	9,210
299	HELSTON	54,805	—	1,861	649	693	3,636	43	2,381	3,117	10,909
300	REDRUTH	63,345	74	2.155	903	718	3,702	55	6 594	2,984	12,691
301	PENZANCE	58,408	19	1,991	1,820	796	3,924	227	4.967	3,981	11.147
302	SCILLY ISLANDS	32,323	—	—	505	—	3,030	—	3,535	2,020	4,041
	22.—SOMERSETSHIRE.										
303	WILLITON	28,652	—	1,133	453	963	1,755	—	906	1,699	6,058
304	DULVERTON	27,890	—	2.018	550	—	2,385	—	1,468	734	4,221
305	WELLINGTON	30,839	—	953	381	715	2,383	—	1,239	1,478	8,771
306	TAUNTON	44,999	—	3,238	288	600	2,758	—	3,214	1 943	9.259
307	BRIDGWATER	37,110	—	1 859	967	620	1 785	—	2,033	1.339	9,345
308	LANGPORT	32,063	—	1,438	125	—	1,813	—	1,313	2.750	7,937
309	CHARD	38,380	—	2,416	355	462	2,345	36	1,706	2,488	8,955
310	YEOVIL	36,415	—	3,187	252	473	1.736	63	1,168	1,830	8 836
311	WINCANTON	27,617	—	1,036	518	777	1.658	52	1,347	1,658	6,477
312	FROME	32,061	—	1,406	241	402	1,768	—	2,129	3,013	6,509
313	SHEPTON MALLET	29,243	108	972	486	216	1,081	54	649	1,081	8,325
314	WELLS	35 126	—	1,449	191	343	2,403	—	1,793	2,059	8,963

TABLE 2 (*continued*).—**Annual Death-rate** PER **Million** LIVING, among CHILDREN under FIVE YEARS of AGE, from ALL CAUSES and from SEVERAL CAUSES, **1891-1900.**

No.	DISTRICTS.	ANNUAL DEATH-RATE PER 1,000,000 LIVING UNDER FIVE YEARS OF AGE. All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Tuberculous Diseases.	Respiratory Diseases.
	V.—SOUTH-WESTERN COUNTIES.—*cont.*										
	22.—SOMERSETSHIRE.—*cont.*										
315	AXBRIDGE	34,423	—	883	177	464	2,517	22	2 252	2,340	7,839
316	CLUTTON	34 882	—	1,528	929	450	1,498	—	1,588	2,487	8,601
317	BATH	45,361	14	3,214	878	1,053	2,444	41	2,444	2,674	8,980
318	KEYNSHAM	46,087	—	2 449	572	412	2,357	—	3,410	2,494	12,220
319	LONG ASHTON	48,884	22	4,199	822	933	3,832	67	3,188	3,066	9,574
	VI.—WEST MIDLAND COUNTIES.										
	23.—GLOUCESTERSH.										
320	BRISTOL	63,749	9	3.763	651	1,714	2,906	103	6,206	4,397	14,067
321	BARTON REGIS	50.728	42	3 195	671	510	3,153	21	4,277	3,392	13,100
322	CHIPPING SODBURY	32,044	—	1,290	546	496	1,736	—	1,736	1.141	6 349
323	THORNBURY	27.654	—	1 481	198	247	1,481	—	889	1,383	7 160
324	DURSLEY	30,904	—	1,519	228	759	1,519	76	1,595	1,215	9,643
325	WESTBURY-ON-SEVERN	40,238	—	1,740	773	838	1,643	32	1,095	3,286	9,246
326	NEWENT	32,726	—	1,732	273	273	2,644	91	1,185	1,459	8,022
327	GLOUCESTER	52,796	2 804	4,004	389	1,963	2,088	78	4,144	2,072	9,923
328	WHEATENHURST	20,365	—	533	—	799	1,598	—	799	932	7,057
329	STROUD	35 756	47	1,351	419	1,048	1,840	23	1,537	1,817	8 875
330	TETBURY	38,858	—	2,925	139	139	2,786	—	1,114	1,811	9,192
331	CIRENCESTER	32,948	—	1,599	311	666	2 220	—	1,110	2 353	7,194
332	NORTHLEACH	29,240	—	1 041	—	1.145	2,185	—	1,249	937	6,971
333	STOW ON THE WOLD	28,745	—	1,215	—	202	1,619	—	810	3,543	5,567
334	WINCHCOMB	30,725	—	1,336	95	668	573	—	1,336	3,053	7 824
335	CHELTENHAM	45,923	—	2,886	445	872	1,917	—	3,486	2.886	9,142
336	TEWKESBURY	42,027	—	1,872	710	129	3,099	65	3,680	2,582	7,941
	24.—HEREFORDSH.										
337	LEDBURY	33,784	—	1.081	473	473	1,959	—	2,230	2 027	7,297
338	ROSS	36 278	—	1 436	773	773	1,712	110	1,988	1,822	7,519
339	HEREFORD	41 521	—	1.080	706	728	1.588	—	1,720	2,800	9,790
340	WEOBLEY	28 295	—	726	605	242	1.572	121	1,451	1.451	5,078
341	BROMYARD	33 024	—	758	253	421	1.601	84	927	2,190	5 644
342	LEOMINSTER	33 194	—	139	348	487	2,366	—	905	2 296	5,706
343	KINGTON	32,981	—	487	650	731	1,462	—	731	2,518	6,012
	25.—SHROPSHIRE.										
344	LUDLOW	33,252	—	1,217	487	536	1,753	49	1,899	1,314	7,302
345	CLUN	28,973	—	388	97	678	1,453	—	388	872	6,202
346	CHURCH STRETTON	31,095	—	353	—	530	883	—	1,767	2,827	6,360
347	CLEOBURY MORTIMER	33,068	—	996	697	697	1,992	100	1,494	1,394	9,462
348	BRIDGNORTH	35,868	—	1,976	120	659	2,395	120	1,198	1 317	7,305
349	SHIFNAL	35,911	—	1,413	595	520	2,528	74	1,338	3.271	8,402
350	MADELEY	40,741	—	2,046	459	459	1 799	106	2,399	1,905	9,135
351	ATCHAM	40,420	—	1.117	511	1.098	2,234	76	2,556	2,821	9,674
352	OSWESTRY	39 264	—	995	1,055	1 478	2,021	121	1,417	3,197	9,409
353	ELLESMERE	35,333	—	461	132	1,318	1 252	—	857	1,846	6,988
354	WEM	29,690	—	602	258	258	1,377	—	1 205	2,582	6 627
355	WHITCHURCH	32,908	—	1,503	301	526	2,029	—	2,554	1,427	6,236
356	MARKET DRAYTON	40,052	—	916	654	1,309	1,702	65	1,832	4.712	7.854
357	WELLINGTON	44,861	—	1,724	630	1,492	2 818	—	3,714	3,150	8,156
358	NEWPORT	36,538	—	806	868	744	1,861	—	1,365	2,419	8,934
	26.—STAFFORDSHIRE.										
359	STAFFORD	41.762	—	1,837	488	517	1,378	—	2,985	3,875	8.438
360	STONE	45,787	—	2,916	940	486	2,463	97	2,528	1.491	9,850
361	NEWCASTLE UNDER LYME	60,319	—	3,070	1,283	1,108	2,740	78	4,295	2,099	14,749
362	WOLSTANTON	79,671	—	5,025	1,966	2,047	3,221	178	7,769	5,859	16,024
363	STOKE UPON TRENT	85,780	—	5,535	1,424	2,853	3,417	203	8,547	4,868	15,671

TABLE 2 (*continued*).—**Annual Death-rate** PER **Million** LIVING, among CHILDREN under FIVE YEARS of AGE, from ALL CAUSES and from SEVERAL CAUSES, **1891-1900.**

No.	DISTRICTS.	ANNUAL DEATH-RATE PER 1,000,000 LIVING UNDER FIVE YEARS OF AGE. All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Tuberculous Diseases.	Respiratory Diseases.
	VI.—WEST MIDLAND COUNTIES—*cont.*										
	26.—STAFFORDSHIRE—*cont.*										
364	LEEK	52,486	—	3,840	1,091	970	2,142	—	2,587	3,416	12,288
365	CHEADLE	43,927	—	1,864	707	1,510	1,607	64	1,703	3,246	8,258
366	UTTOXETER	38,390	—	1,506	232	405	1,679	58	1,563	3,532	8,164
367	BURTON UPON TRENT	48,711	—	3,200	736	1,481	2,709	96	3,699	2,954	10,536
368	TAMWORTH	44,111	—	2,402	601	634	1,802	—	4,438	2,002	10,143
369	LICHFIELD	44,830	—	1,800	689	651	2,988	57	2,087	2,375	9,020
370	CANNOCK	50,809	16	2,896	760	291	1,893	65	3,688	2,232	12,569
371	WOLVERHAMPTON	75,327	105	3,496	1,184	1,398	3,881	200	9,935	3,890	15,033
372	WALSALL	72,325	332	3,914	1,192	609	3,332	108	9,311	3,975	16,088
373	WEST BROMWICH	67,476	35	4,223	1,007	681	2,885	145	6,712	4,498	14,040
374	DUDLEY	72,104	15	5,181	1,359	565	3,272	229	7,002	4,012	14,744
	27.—WORCESTERSH.										
375	STOURBRIDGE	61,772	43	3,982	1,062	605	2,988	173	5,709	3,688	12,075
376	KIDDERMINSTER	46,275	—	2,154	561	1,504	2,110	22	3,299	2,850	9,224
377	TENBURY	37,591	—	1,703	973	2,068	2,190	122	2,798	1,217	8,151
378	MARTLEY	34,806	—	852	266	745	1,969	106	1,756	2,235	7,930
379	WORCESTER	61,191	20	3,465	358	2,091	3,684	100	4,361	5,098	11,628
380	UPTON ON SEVERN	34,654	—	546	137	501	2,322	—	1,776	1,730	8,197
381	EVESHAM	32,233	—	2,233	194	291	2,427	—	1,650	1,602	7,331
382	PERSHORE	35,429	—	811	338	68	1,082	—	676	1,352	10,345
383	DROITWICH	37,845	—	875	276	1,105	2,394	138	2,348	2,855	8,794
384	BROMSGROVE	44,678	—	2,006	511	734	2,349	—	4,453	4,600	10,154
385	KINGS NORTON	50,432	23	1,912	315	1,076	2,278	34	4,802	4,166	10,101
	28.—WARWICKSHIRE.										
386	BIRMINGHAM	83,536	222	4,097	1,760	1,700	4,726	138	9,792	4,336	16,551
387	ASTON	67,669	17	3,179	270	1,095	3,762	125	9,794	3,106	14,724
388	MERIDEN	33,161	—	691	518	1,123	1,727	—	950	1,727	7,340
389	ATHERSTONE	49,705	42	3,122	549	633	2,911	211	3,755	2,152	10,633
390	NUNEATON	59,605	—	4,204	712	1,261	1,391	129	10,026	3,396	12,257
391	FOLESHILL	53,733	—	2,318	1,262	921	1,841	307	5,796	4,910	9,512
392	COVENTRY	56,803	—	3,229	675	763	2,026	103	9,482	3,669	11,302
393	RUGBY	35,779	28	2,125	397	765	1,615	85	2,408	1,530	8,158
394	SOLIHULL	34,816	22	1,379	200	445	2,225	67	3,626	1,758	7,052
395	WARWICK	41,665	—	1,696	248	705	2,496	38	3,277	2,934	8,496
396	STRATFORD ON AVON	33,591	—	731	301	731	2,108	43	1,591	1,462	8,430
397	ALCESTER	38,001	—	970	253	759	2,024	42	1,982	3,712	10,291
398	SHIPSTON ON STOUR	31,091	—	1,696	339	339	1,639	—	1,752	1,470	6,897
399	SOUTHAM	36,040	—	2,071	166	1,077	2,900	83	2,486	1,408	9,114
	VII.—NORTH MIDLAND COUNTIES.										
	29.—LEICESTERSH.										
400	LUTTERWORTH	33,361	—	1,168	500	834	2,252	83	1,334	1,501	7,423
401	MARKET HARBOROUGH	33,265	—	1,335	411	667	2,361	205	2,361	1,386	6,007
402	BILLESDON	32,361	—	—	278	972	2,500	278	3,056	2,361	5,972
403	BLABY	47,442	32	1,611	1,137	1,137	2,022	63	3,790	3,001	9,349
404	HINCKLEY	58,367	135	3,812	675	6,005	2,227	101	2,901	2,294	12,214
405	MARKET BOSWORTH	45,761	—	2,780	501	1,003	2,097	91	2,826	3,601	10,893
406	ASHBY DE LA ZOUCH	50,709	—	2,598	903	498	2,838	74	1,935	2,653	10,650
407	LOUGHBOROUGH	52,522	—	2,573	739	611	2,267	25	6,954	2,445	9,781
408	BARROW UPON SOAR	52,132	—	2,711	496	1,388	2,645	132	5,521	2,446	11,074
409	LEICESTER	72,697	40	3,584	1,146	2,457	3,156	107	12,581	4,333	12,822
410	MELTON MOWBRAY	42,229	—	667	549	275	2,159	—	3,218	1,570	9,301
	30.—RUTLANDSHIRE.										
411	OAKHAM	37,217	—	1,391	88	1,391	1,130	87	1,130	3,391	9,391
412	UPPINGHAM	32,452	—	547	638	182	2,735	—	1,276	2,461	9,025

TABLE 2 (*continued*).—**Annual Death-rate** PER **Million** LIVING, among CHILDREN under FIVE YEARS OF AGE, from ALL CAUSES and from SEVERAL CAUSES, **1891-1900.**

No.	DISTRICTS.	ANNUAL DEATH-RATE PER 1,000,000 LIVING UNDER FIVE YEARS OF AGE. All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Tuberculous Diseases.	Respiratory Diseases.
	VII.—NORTH MIDLAND COUNTIES—*cont.*										
	31.—LINCOLNSHIRE.										
413	STAMFORD	36,510	—	942	554	332	2,881	166	3,102	2,493	8,477
414	BOURNE	40,750	—	1,233	142	1,281	2.467	—	1,186	3,131	8,871
415	SPALDING	36,427	—	616	370	698	1,807	41	1,150	2,053	7,269
416	HOLBEACH	42,089	—	804	251	954	1,808	—	1,708	2,160	9,342
417	BOSTON	44,807	—	1,351	210	466	2,515	70	5,240	1,956	8,291
418	SLEAFORD	38,899	—	744	446	669	2,046	37	1,450	1,636	9.223
419	GRANTHAM	43,946	—	1,794	659	185	3,034	106	3,930	2,664	7,940
420	LINCOLN	50,989	—	1,585	249	406	2,698	26	4,938	4,506	10,766
421	HORNCASTLE	31,788	—	515	281	562	2,200	—	936	1,498	6,133
422	SPILSBY	32,108	—	631	297	223	1,299	—	1,262	1,893	6,347
423	LOUTH	36.168	—	924	154	462	2,033	62	2,095	2 957	7,055
424*a*	GRIMSBY	66,674	11	2,068	350	1,469	2,339	237	11,086	3,956	12.917
424*b*	CAISTOR	37,935	—	497	276	331	2,209	110	2,043	2.871	5,743
425	GLANFORD BRIGG	45,754	56	1,758	981	389	1,924	19	3,755	2.757	10,212
426	GAINSBOROUGH	49,342	49	1,170	268	487	2,437	244	4,410	3,192	9,551
	32.—NOTTINGHMSH.										
427	EAST RETFORD	38,969	—	807	210	456	1 859	—	3,648	1,754	7,471
428	WORKSOP	52.461	21	2,335	652	400	2,125	21	3.744	2,882	12,284
429	MANSFIELD	60,815	31	4.176	512	522	2,447	92	4.668	4,228	11.987
430	BASFORD	58,999	9	3,208	1,438	549	2,792	173	5,359	3,527	12,811
431	NOTTINGHAM	69,990	—	3,460	578	492	3,642	177	10,434	4,464	13,741
432	SOUTHWELL	36,683	—	1,154	577	673	2,452	96	2,356	2,115	8,462
433	NEWARK	42,499	29	1,474	707	501	2,299	88	2,741	3,330	9.490
434	BINGHAM	32,079	—	574	829	638	1,658	128	1,531	2,041	7,780
	33.—DERBYSHIRE.										
435	SHARDLOW	43,788	—	2,115	559	811	2,009	53	3.033	3,099	8,752
436	DERBY	59,421	35	3,003	764	448	2 976	26	5,786	4,232	10,597
437	BELPER	52,029	12	3,595	807	510	1,934	95	3,322	3,690	11,711
438	ASHBOURNE	33,898	—	1,102	297	339	1,948	42	1,780	1,525	7,754
439	CHESTERFIELD	63.624	179	4,450	1,051	615	2,521	96	6,194	4,301	14,347
440	BAKEWELL	37,909	194	1,303	1,165	721	2,080	—	1,525	2,801	8,486
441	CHAPEL EN LE FRITH	39,972	—	2,165	781	710	1,633	—	1,633	3 550	9,159
442*a*	GLOSSOP	60,498	36	4,199	961	1,174	2,883	356	5,231	4,270	15,053
442*b*	HAYFIELD	45,989	—	1,591	692	1,729	3,665	—	2,835	3 320	11,756
	VIII.—NORTH WESTERN COUNTIES.										
	34.—CHESHIRE.										
443	STOCKPORT	75,435	6	4,948	886	1,247	3,588	89	8.967	5,733	15,927
444	MACCLESFIELD	53 295	—	3,303	588	1,286	2,716	16	3,732	5.034	11 291
445	BUCKLOW	46 158	26	1,615	651	729	1,941	26	4.897	2,618	9,846
446	RUNCORN	58,004	19	3,496	1,040	2,211	2,759	321	6,672	5,405	11,170
447	NORTHWICH	61 200	—	2,685	1,650	461	3,579	56	4,418	3,775	13,270
448	CONGLETON	47,031	—	1,264	885	632	2,982	101	1,718	4,903	9.856
449	NANTWICH	52,968	—	2,368	1,118	976	3,165	83	5,592	3,664	12,790
450	CHESTER	46.201	—	1,510	775	1,359	2,606	60	2,687	2,999	10,094
451	WIRRAL	41.002	—	2,009	1,015	592	2 580	63	4,525	2,284	7 613
452	BIRKENHEAD	63,593	6	3,232	763	1,226	3 345	96	6,052	3,989	12 782
	35.—LANCASHIRE.										
453	LIVERPOOL	114,565	—	5,848	761	1,130	6,506	169	12,535	6,192	26,902
454	TOXTETH PARK	77,193	114	3,004	3,010	1,937	4,089	215	7.302	4,096	16,149
455	WEST DERBY	69.638	6	3.190	1,461	932	3,699	152	8,810	3,949	15.019
456	PRESCOT	70,523	5	4,161	1,408	934	3,420	297	7,922	4,457	15.136
457	ORMSKIRK	51,944	—	1.601	1,198	851	2,086	73	3.623	3,367	11,737
458	WIGAN	79,024	20	5,039	2,269	658	4 172	284	7,068	6 521	17,572
459	WARRINGTON	68,706	95	4,994	1 628	956	3.256	71	9,499	4.576	13,545
460	LEIGH	74,983	9	6,931	1,785	1,063	3.285	171	10,405	4,510	18,001
461	BOLTON	70,025	7	4.442	1,118	709	3,692	145	9,332	4,470	15,815
462	BURY	66,063	7	4,721	1.458	1,631	2,683	160	7,590	3,955	15,121

TABLE 2 (*continued*).—**Annual Death-rate** PER **Million** LIVING, among CHILDREN under FIVE YEARS of AGE, from ALL CAUSES and from SEVERAL CAUSES, **1891-1900.**

No.	DISTRICTS.	Annual Death-rate per 1,000,000 living under Five Years of Age. All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Tuberculous Diseases.	Respiratory Diseases.
	VIII.—NORTH WESTERN COUNTIES—*cont.*										
	35.—LANCASHIRE—*cont.*										
463	BARTON UPON IRWELL ..	57,448	—	3,404	862	1,010	3,378	104	6,512	5,328	11,465
464	CHORLTON	72,260	3	4,651	449	810	4,365	77	9,297	6,599	15,199
465	SALFORD	91,927	30	7,359	2,362	1,777	5,308	178	12,015	7,754	18,070
466	MANCHESTER	99,466	—	8,427	305	1,074	5,704	94	12,957	5,950	21,906
467	PRESTWICH..	72,963	53	5,233	3,354	1,831	3,624	149	7,806	4,900	15,737
468	ASHTON UNDER LYNE	74,386	—	4,751	1,315	1,089	3,988	205	7,645	4,909	16,107
469	OLDHAM	74,170	134	5,681	1,254	1,043	3,944	112	5,094	4,659	19,869
470	ROCHDALE	58,538	50	3,856	1,222	1,429	3,220	58	3,394	3,848	15,425
471	HASLINGDEN	61,613	17	3,544	1,391	1,721	3,222	170	5,054	3,773	15,264
472	BURNLEY	77,245	5	4,577	1,619	1,549	3,440	215	7,961	4,240	19,376
473	CLITHEROE	45,607	—	3,147	1,267	327	3,310	817	1,757	2,902	10,584
474	BLACKBURN	73,591	—	5,762	913	1,115	3,499	210	8,106	5,107	16,813
475	CHORLEY	63,054	28	2,756	1,094	1,108	2,855	199	4,190	4,574	14,574
476	PRESTON	84,469	—	5,613	1,025	936	3,604	247	13,493	5,254	16,650
477	FYLDE	57,746	38	2,389	767	855	2,515	88	6,703	3,395	11,733
478	GARSTANG	33,025	—	1,155	462	1,463	1,539	77	693	1,386	8,083
479	LANCASTER..	56,714	—	3,203	770	1,001	2,433	123	7,114	3,172	12,073
480	LUNESDALE	30,486	—	830	712	593	1 898	—	830	1,423	6,406
481	ULVERSTON..	35,906	—	1,967	356	375	1,854	56	2,791	2,285	8,466
482	BARROW IN FURNESS	54,611	14	3,083	789	1,133	2,940	316	3,542	3,729	12,735
	IX.—YORKSHIRE.										
	36.—WEST RIDING.										
483	SEDBERGH	27,692	—	256	256	—	1,538	—	513	1,538	5,385
484	SETTLE	34,611	62	865	556	247	1,112	—	989	2,658	8,653
485	SKIPTON	47,326	21	2,579	1,057	803	2,959	127	2,473	3,128	11,900
486	PATELEY BRIDGE	37,222	—	333	667	556	444	—	333	1,556	8 444
487	RIPON..	38 357	—	1,655	296	296	1,773	—	1,950	3,310	7,446
488	GREAT OUSEBURN	37,052	80	876	558	319	1,912	—	3,506	1,673	5,817
489	KNARESBOROUGH	48,594	—	1,496	180	1,526	1,975	30	4 428	3,262	8,408
490	WETHERBY	39,369	—	966	773	387	1,418	—	1 546	3,222	8 441
491	WHARFEDALE	43,550	—	1,675	432	950	2,331	52	2,400	2,728	9,843
492	KEIGHLEY	58 379	13	3,354	1,166	1,813	2,979	91	2,888	3,263	16,835
493	TODMORDEN	47,935	—	3.243	861	887	3 547	25	1,900	2,990	12 820
494	SADDLEWORTH	47,775	663	2,746	994	1,705	2,273	142	1,799	4,261	10,606
495	HUDDERSFIELD	53,490	12	2,930	971	971	3.232	41	2 972	2,877	14,041
496	HALIFAX	54,802	219	3,208	955	944	2,665	130	2,832	3,422	13,594
497*a*	BRADFORD	68.562	143	3,422	1,444	623	3.635	92	7.763	4,492	15,414
497*b*	NORTH BIERLEY	55 658	28	2,747	1,170	687	2,467	77	3,805	3,300	13,916
498	HUNSLET	71,257	—	4.550	908	1,313	3,159	49	8,805	5,192	16,020
499	HOLBECK	77,422	—	3,387	344	2,170	3,387	238	9,448	5 029	18,446
500	BRAMLEY	67,993	—	3,305	944	1,889	3,047	169	6,880	3.890	16,335
501	LEEDS	74 836	36	4,316	978	1.290	3,145	62	8,694	5,505	17,068
502	DEWSBURY..	70,853	284	4 834	1,242	1,181	3.219	251	5,397	4,473	17,573
503	WAKEFIELD	64 706	140	2,974	1,009	788	2,768	133	6,302	4 822	15,968
504	PONTEFRACT	68 893	22	3,449	956	637	2,219	44	6,283	2,790	15,883
505	HEMSWORTH	59,597	—	3,099	747	597	2,203	299	5,788	4,705	14,638
506	BARNSLEY	73 997	7	5,075	1,549	814	3.072	236	8,567	5,029	17,836
507	WORTLEY	50 431	—	2 210	716	1.554	2.101	121	3,959	3,327	12,739
508	ECCLESALL BIERLOW	64,494	76	3,369	831	2,003	3,078	97	7,462	4,120	13.530
509	SHEFFIELD	84,427	4	4,654	1.190	2,196	4,186	174	11,405	5,975	18,145
510	ROTHERHAM	63 552	7	4,124	1,405	632	2,951	126	7,264	3,590	14,789
511	DONCASTER	65,519	43	3,800	1,241	896	2,375	130	6,974	4,534	12,793
512	THORNE	42.173	—	935	409	526	2,629	58	2,687	2,920	8,995
513	GOOLE	58,741	89	2 107	683	1,365	3.235	119	6,204	5,699	11,873
514	SELBY..	45,554	—	1,360	366	732	2.458	105	5,021	3,190	7,897
515	TADCASTER..	50,744	—	2,543	703	622	2,002	27	4,815	3,002	9,278
	37.—EAST RIDING (WITH YORK).										
516	YORK	58,232	10	2,299	273	516	2,835	162	9,336	3,595	9,842
517	POCKLINGTON	38,514	—	250	437	562	1,124	62	2,809	1,373	8,864
518	HOWDEN	46,038	—	615	546	1,161	1,503	—	3,142	2,869	8,811

TABLE 2 (*continued*).—**Annual Death-rate** PER **Million** LIVING, among CHILDREN under FIVE YEARS of AGE, from ALL CAUSES and from SEVERAL CAUSES, **1891-1900.**

No.	DISTRICTS.	Annual Death-rate per 1,000,000 living under Five Years of Age. All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Tuberculous Diseases.	Respiratory Diseases.
	IX.—YORKSHIRE—*continued.*										
	37.—EAST RIDING (WITH YORK)—*cont.*										
519	BEVERLEY	49,335	—	1,223	611	683	1,726	72	6,401	2,625	9,529
520	SCULCOATES	62,155	130	3,525	1,001	621	2,609	145	9,944	3,460	11,918
521	HULL	74,494	—	3,707	637	801	3,255	216	11,110	4,723	17,989
522	PATRINGTON	34,636	—	317	317	422	1,584	—	3,273	2,640	5,702
523	SKIRLAUGH..	34,779	—	566	377	660	1,414	—	3,299	848	5,938
524	DRIFFIELD	41,979	—	624	576	961	1,825	—	3,362	1,393	8,886
525	BRIDLINGTON	45,336	—	1,505	1,053	502	2,106	50	4,162	3,210	8,225
	38.—NORTH RIDING.										
526	SCARBOROUGH	50,862	40	1,543	401	641	1,884	20	5,251	3,988	9,198
527	MALTON	39,226	—	715	168	463	2,104	—	3,535	2,104	7,997
528	EASINGWOLD	33,564	—	—	197	987	1,481	—	2,962	1,974	6,318
529	THIRSK	35,172	—	1,146	72	716	1,862	—	2,794	1,361	7,521
530	HELMSLEY	32,829	89	356	712	712	1,957	89	1,335	1,601	6,939
531	PICKERING	45,490	—	784	627	627	3,294	—	3,451	2,039	8,392
532	WHITBY	37,832	—	1,271	299	860	1,757	—	2,617	2,393	8,635
533	GUISBOROUGH	45,124	18	1,464	567	750	2,451	73	2,854	3,458	10,082
534	MIDDLESBROUGH..	69,900	84	3,424	766	727	3,452	285	5,707	6,333	15,352
535	STOKESLEY	39,951	—	1,313	820	492	1,231	82	1,313	1,805	8,695
536	NORTHALLERTON	37,242	79	475	475	1,347	2,377	238	2,694	2,377	7,528
537	BEDALE	30,183	—	859	215	537	1,611	—	1,182	2,363	4,941
538	LEYBURN	27,530	—	135	405	675	1,080	—	810	1,214	4,993
539	AYSGARTH	35,163	—	610	813	610	1,220	—	1,016	1,423	5,894
540	REETH	23,323	—	639	—	639	958	319	319	2,236	2,555
541	RICHMOND (YORKS.)	37,236	—	755	302	302	2,115	76	1,662	2,644	6,723
	X.—NORTHERN COUNTIES.										
	39.—DURHAM.										
542	DARLINGTON	49,512	—	2,587	667	683	2,197	81	4,914	4,035	9,404
543*a*	STOCKTON	59,772	—	3,138	689	963	2,794	250	5,873	5,456	10,711
543*b*	SEDGEFIELD	65,528	—	2,917	1,067	462	2,028	285	3,771	6,475	11,668
544	HARTLEPOOL	57,905	28	2,433	432	658	2,997	94	5,524	4,857	11,582
545	AUCKLAND	64,281	—	3,398	859	633	2,453	227	4,453	3,445	14,289
546	TEESDALE	42,599	—	925	378	547	2,229	—	1,388	3,070	7,569
547	WEARDALE..	42,078	—	1,049	262	839	2,099	157	1,207	3,358	10,231
548	LANCHESTER	63,307	10	2,902	1,352	908	2,606	109	3,524	5,350	14,018
549	DURHAM	66,667	10	3,002	1,132	623	2,576	114	3,127	4,924	17,514
550	EASINGTON	71,415	—	3,377	1,403	926	1,852	449	5,611	6,210	14,054
551	HOUGHTON LE SPRING . ..	66,576	—	2,969	1,297	904	2,610	324	3,788	4,556	13,428
552	CHESTER LE STREET	68,281	25	3,350	1,133	548	2,403	87	5,492	5,791	13,736
553	SUNDERLAND	72,758	4	4,358	853	360	3,090	296	8,451	5,442	15,856
554	SOUTH SHIELDS	65,168	9	3,924	888	553	3,766	126	6,101	4,850	14,075
555	GATESHEAD	67,029	24	3,363	779	638	3,528	109	6,532	4,284	13,304
	40.—NORTHUMBERL.										
556	NEWCASTLE UPON TYNE ..	69,067	—	4,483	490	873	3,836	73	5,250	5,257	13,693
557	TYNEMOUTH	62,508	5	2,864	1,143	1,033	2,803	201	5,321	4,970	11,961
558	CASTLE WARD	46,356	—	1,583	687	657	1,464	209	4,898	4,301	9,349
559	HEXHAM	43,004	—	1,344	580	606	2,451	53	4,005	5,349	7,194
560	HALTWHISTLE	30,329	—	954	636	318	2,439	106	954	3,606	5,727
561	BELLINGHAM	29,452	—	514	—	171	1,541	171	1,541	1,541	4,966
562	MORPETH	62,874	—	2,346	571	340	2,532	170	5,171	5,496	11,670
563	ALNWICK	47,548	—	1,877	1,456	575	1,762	153	1,494	5,747	8,353
564	BELFORD	30,071	—	356	534	178	1,779	—	890	2,135	6,762
565	BERWICK	42,864	—	1,940	323	1,109	2,587	185	2,725	2,171	8,637
566	GLENDALE	25,443	—	313	209	209	1,668	—	626	1,564	5,631
567	ROTHBURY	30,407	—	133	1 301	976	1,951	325	1,951	2,114	6,341

TABLE 2 (*continued*).—**Annual Death-rate** PER **Million** LIVING, among CHILDREN under FIVE YEARS of AGE, from ALL CAUSES and from SEVERAL CAUSES, **1891-1900.**

No.	DISTRICTS.	Annual Death-rate per 1,000,000 living under Five Years of Age. All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Tuberculous Diseases.	Respiratory Diseases.
	X.—NORTHERN COUNTIES—*continued.*										
	41.—CUMBERLAND.										
568	ALSTON	32,039	—	647	1,294	647	3,237	—	2,265	1,294	2,265
569	PENRITH	35,796	—	1,108	534	287	1,888	—	1,847	2,053	7,430
570	BRAMPTON	32,466	—	2,601	520	312	728	—	1,145	937	7,804
571	LONGTOWN	33,827	—	539	270	404	2,022	—	1,078	2,965	8,221
572	CARLISLE	50,676	—	3,203	632	926	2,586	15	2,439	4,217	11,989
573	WIGTON	39,886	—	1,252	721	645	2,011	38	1,176	2,695	7,818
574	COCKERMOUTH	49,125	—	4,235	1,077	629	2,955	32	3,126	2,454	11,169
575	WHITEHAVEN	51,151	—	6,056	1,359	336	3,216	54	1,965	3,068	11,627
576	BOOTLE	45,642	—	3,577	1,108	353	2,519	—	1,612	2,670	12,997
	42.—WESTMORLAND.										
577	EAST WARD	35,801	—	336	336	135	942	—	942	2,355	8,480
578	WEST WARD	33,178	—	584	818	935	2,336	—	1,168	2,921	7,243
579	KENDAL	33,954	—	1,988	393	725	1,346	62	1,594	2,857	6,170
	XI.—WELSH COUNTIES.										
	43.—MONMOUTHSH.										
580	CHEPSTOW	33,775	—	1,285	332	705	1,450	41	1,326	1,948	7,832
581	MONMOUTH	39,462	30	1,774	591	946	2,128	—	1,271	2,306	9,222
582	ABERGAVENNY	58,932	34	2,854	1,142	1,310	4,298	101	1,746	3,257	11,417
583	BEDWELTY	74,226	—	5,829	2,025	2,153	3,273	344	3,824	3,047	18,294
584	PONTYPOOL	54,658	—	3,441	938	1,269	2,954	87	2,607	3,024	15,086
585	NEWPORT	61,162	—	3,841	1,010	1,440	3,238	121	3,453	2,665	13,770
	44.—SOUTH WALES.										
	GLAMORGANSHIRE.										
586	CARDIFF	60,838	—	2,751	906	2,393	3,449	104	5,834	4,034	12,328
587	PONTYPRIDD	80,906	—	4,660	1,362	2,847	3,388	242	6,514	2,465	18,463
588	MERTHYR TYDFIL	85,018	6	4,838	1,722	3,104	2,964	207	6,164	4,759	18,718
589	BRIDGEND	59,678	—	2,115	692	891	2,607	186	2,674	2,541	13,543
590	NEATH	64,755	12	3,103	1,286	1,711	4,614	142	4,555	2,655	13,722
591	PONTARDAWE	59,763	—	2,763	729	1,336	2,369	213	2,247	3,128	13,939
592	SWANSEA	66,963	—	3,450	1,155	2,201	3,478	115	3,043	3,654	15,656
593	GOWER	34,189	—	1,057	528	679	2,491	226	1,887	2,038	6,340
	CARMARTHENSHIRE.										
594	LLANELLY	54,057	—	2,906	884	1,193	2,695	56	1,011	2 976	12,128
595	LLANDOVERY	41,112	—	1,003	729	1,458	912	365	638	1,003	7,201
596	LLANDILOFAWR	48,341	—	1,659	641	1,169	1,735	75	1,508	2,262	10,445
597	CARMARTHEN	45,717	—	1,019	386	1,735	1,955	55	1,625	2,258	9,033
	PEMBROKESHIRE.										
598	NARBERTH	34,810	—	417	521	1,146	1,928	—	782	1,668	7,712
599	PEMBROKE	42,188	27	1,760	244	704	1,733	108	1,652	5,145	8,665
600	HAVERFORDWEST	43,829	—	1,237	928	825	1,469	52	2,293	1,803	8,374
	CARDIGANSHIRE.										
601	CARDIGAN	34,078	—	310	248	807	1,800	—	1,428	2,483	7,076
602	NEWCASTLE IN EMLYN ..	38,076	—	802	802	1,202	1,603	—	902	2,255	7,364
603	LAMPETER	42,495	—	507	304	406	913	—	1,014	2,941	9,331
604	ABERAYRON	33,838	—	505	1,515	1,094	1,010	253	1,515	1,852	5,556
605	ABERYSTWITH	44,134	—	799	399	699	2,396	—	1,947	3,295	7,240
606	TREGARON	35,765	—	588	471	471	2,000	—	1,529	1,412	6,353

TABLE 2 (*continued*).—**Annual Death-rate** PER **Million** LIVING, among CHILDREN under FIVE YEARS of AGE, from ALL CAUSES and from SEVERAL CAUSES, **1891-1900.**

No.	DISTRICTS.	ANNUAL DEATH-RATE PER 1,000,000 LIVING UNDER FIVE YEARS OF AGE. All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Tuberculous Diseases.	Respiratory Diseases.
	XI.—WELSH COUNTIES —*continued.*										
	44.—SOUTH WALES— *cont.*										
	BRECKNOCKSHIRE.										
607	BUILTH	39,112	—	542	325	1,733	2,167	—	1,300	1,408	8,126
608	BRECKNOCK	42,076	—	921	553	1,106	2,088	—	1,106	2,334	8,047
609	CRICKHOWELL	62,606	—	2,853	1,349	2,120	3,085	308	1,773	2,274	14,418
610	HAY	40,377	—	472	755	1,226	1,604	—	1,321	2,547	7,830
	RADNORSHIRE.										
611	KNIGHTON	39,969	—	1,166	311	778	1,788	78	855	2,488	8,088
612	RHAYADER	37,674	—	1,512	—	1,163	2,093	—	581	1,047	7,906
	45.—NORTH WALES.										
	MONTGOMERYSHIRE.										
613	MACHYNLLETH	37,153	—	627	448	1,701	2,059	—	895	2,865	6,088
614	NEWTOWN	35,027	—	578	330	578	2,355	—	2,065	1,487	6,857
615	FORDEN (MONTGOMERY) ..	35,349	—	930	116	523	1,919	116	930	2,152	7,442
616	LLANFYLLIN	32,258	—	655	353	202	1,714	—	806	958	6,502
	FLINTSHIRE.										
617	HOLYWELL	46,151	—	1,980	828	2,425	2,890	202	1,374	2,202	9,558
	DENBIGHSHIRE.										
618	WREXHAM	58,876	12	3,042	1,037	909	2,902	70	3,089	3,474	15,701
619	RUTHIN	37,510	—	566	647	566	2,183	—	647	2,506	5,173
620	ST. ASAPH	45,832	—	1,407	343	1,029	3,499	172	2,744	2,813	6,552
621	LLANRWST	43,695	—	1,100	367	1,686	3,079	—	2,419	2,493	7,551
	MERIONETHSHIRE.										
622	CORWEN	44,525	—	1,341	726	950	2,346	—	2,291	3,520	8,156
623	BALA	38,765	—	343	343	172	1,029	—	343	1,372	8,233
624	DOLGELLY	43,927	—	810	945	945	1,687	—	1,215	2,226	12,213
625	FESTINIOG	50,852	—	1,917	548	1,552	2,069	122	1,400	2,800	10,469
	CARNARVONSHIRE.										
626	PWLLHELI	36,372	—	907	454	1,043	1,769	45	862	2,721	6,621
627	CARNARVON	49,590	—	1,838	886	775	2,193	133	2,326	3,389	10,276
628	BANGOR	46,862	—	2,252	1,215	481	2,480	76	1,797	2,707	9,058
629	CONWAY	48,475	—	983	407	644	2,441	34	4,508	3,424	8,475
	ANGLESEY.										
630	ANGLESEY	36,646	—	1,035	276	276	1,587	138	759	1,311	6,419
631	HOLYHEAD	39,847	—	948	1,309	542	1,444	90	2,076	2,437	7,039

TABLE 3. ENGLAND AND WALES.—**Death-rates** PER **1000** LIVING at DIFFERENT AGE-PERIODS in REGISTRATION COUNTIES, **1891—1900.—Persons.**

COUNTIES.	ALL AGES. Crude Rate.	ALL AGES. Rate in Standard Population.	Under 1 Year.*	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds
ENGLAND AND WALES	**18·19**	**18·19**	**153**	**57·74**	**4·34**	**2·51**	**3·73**	**4·74**	**6·40**	**10·51**	**16·76**	**31·47**	**65·04**	**152·17**
London	19·20	**20·10**	160	66·78	5·15	2·55	3·34	4·14	6·54	12·34	19·93	34·81	67·12	151·59
Surrey	14·51	**14·69**	122	40·21	3·53	2·14	2·92	3·76	5·24	8·73	14·64	26·96	57·63	146·72
Kent	15·61	**15·04**	129	43·48	4·32	2·62	3·58	4·40	5·66	8·80	13·77	25·22	54·45	143·77
Sussex	15·34	**14·39**	118	40·08	3·60	2·24	3·28	4·23	5·61	8·69	13·52	24·48	52·87	143·92
Hampshire..	16·26	**15·47**	127	43·41	3·72	2·26	3·58	5·14	6·66	9·67	14·50	26·22	55·87	145·89
Berkshire	15·27	**14·03**	114	37·71	3·32	2·01	3·29	4·30	5·39	8·28	13·02	25·21	54·56	148·05
Middlesex	14·64	**15·24**	139	47·36	3·85	2·01	2·47	3·03	4·45	8·24	14·23	27·06	58·15	145·30
Hertfordshire	15·57	**14·07**	110	35·72	3·12	2·04	3·20	4·36	5·62	8·23	12·95	26·07	58·50	152·97
Buckinghamshire ..	15·21	**13·59**	113	37·64	3·30	1·87	2·99	3·65	4·90	7·00	11·84	24·23	54·74	151·28
Oxfordshire	15·89	**13·91**	113	37·38	3·35	2·18	3·17	3·86	5·28	7·96	12·21	24·54	56·28	151·68
Northamptonshire ..	15·87	**14·97**	133	45·84	3·33	2·24	3·53	4·50	5·41	7·48	12·21	24·36	57·26	151·44
Huntingdonshire.. ..	16·24	**13·07**	118	36·43	3·03	2·10	3·22	4·23	4·92	6·93	10·90	21·94	50·26	146·22
Bedfordshire	15·85	**14·60**	126	41·91	3·44	2·16	2·86	4·12	5·59	7·89	12·81	24·22	55·59	156·69
Cambridgeshire	16·14	**13·95**	124	40·03	3·33	2·13	3·59	4·75	5·50	8·04	11·65	22·46	51·71	143·48
Essex	15·97	**15·74**	141	49·30	4·24	2·30	3·25	4·04	5·26	8·46	13·90	26·51	57·65	146·55
Suffolk	16·72	**14·25**	121	40·16	3·54	2·29	3·64	4·92	5·83	8·14	12·04	22·53	53·49	148·05
Norfolk	17·41	**14·81**	142	46·70	3·48	2·45	3·39	4·78	5·67	7·96	11·79	22·40	51·78	143·34
Wiltshire	15·59	**13·55**	102	33·73	2·99	2·05	3·12	4·21	5·43	7·81	12·93	24·80	57·69	149·80
Dorsetshire	15·49	**13·43**	102	34·15	3·15	2·07	3·46	4·60	5·46	7·89	12·09	23·97	54·50	145·99
Devonshire..	17·45	**15·64**	131	46·70	3·49	2·49	4·01	4·95	6·43	8·81	13·50	26·03	56·27	142·17
Cornwall	17·72	**15·58**	141	48·23	3·63	2·59	3·75	5·11	6·18	7·91	12·28	25·71	56·48	140·53
Somersetshire	16·21	**14·39**	114	39·35	3·02	2·07	3·40	4·36	5·68	7·98	13·18	26·77	56·46	143·30
Gloucestershire	17·14	**16·15**	131	47·16	3·85	2·40	3·54	4·56	6·20	9·61	14·63	28·75	60·08	145·16
Herefordshire	17·39	**14·57**	112	36·37	3·64	2·28	3·44	5·05	6·13	8·92	13·67	27·34	60·13	147·59
Shropshire	16·69	**14·46**	114	37·71	3·41	2·12	3·39	4·41	5·96	8·46	12·83	25·53	60·42	154·52
Staffordshire	19·55	**19·78**	172	66·96	4·21	2·29	3·42	4·75	6·51	10·77	17·44	34·47	72·49	156·33
Worcestershire	16·32	**15·99**	141	50·09	3·39	2·01	2·81	3·88	5·32	8·40	14·00	28·02	62·17	150·32
Warwickshire	19·16	**19·39**	169	63·78	3·85	2·25	3·43	4·55	6·72	11·83	18·73	33·29	67·87	152·03
Leicestershire	17·28	**17·03**	164	59·12	4·22	2·18	3·43	4·32	5·32	8·57	13·14	26·56	58·96	152·11
Rutlandshire	14·68	**12·54**	110	34·89	2·09	1·67	2·72	4·59	4·67	6·64	10·44	21·58	50·00	144·04
Lincolnshire	16·67	**14·97**	142	46·51	3·48	2·22	3·80	4·98	5·69	8·20	11·66	23·19	53·92	146·42
Nottinghamshire.. ..	17·72	**17·62**	164	59·22	3·58	2·42	3·59	4·41	5·79	9·02	14·52	28·69	63·44	158·28
Derbyshire..	17·23	**17·48**	146	53·85	3·72	2·32	3·64	4·74	5·85	9·34	14·79	30·66	69·35	163·98
Cheshire	18·24	**18·80**	156	57·93	4·23	2·39	3·43	4·63	6·65	10·65	17·49	34·28	72·65	161·01
Lancashire..	21·12	**22·88**	179	73·43	5·28	2·85	4·17	5·29	7·53	13·60	22·51	42·48	84·67	168·50
West Riding	18·87	**20·03**	164	64·50	4·72	2·68	4·19	4·84	6·23	10·55	17·56	35·65	76·59	170·30
East Riding (with York)	18·50	**18·11**	166	59·31	3·98	2·55	3·94	5·06	6·41	10·61	15·85	29·07	62·69	153·36
North Riding	17·79	**17·22**	146	52·63	3·95	2·44	4·09	5·24	6·71	9·96	15·29	29·03	61·52	155·31
Durham	17·28	**19·82**	167	64·93	4·89	3·00	4·75	5·91	6·93	10·42	16·67	33·22	70·80	159·95
Northumberland.. ..	19·02	**19·55**	161	60·33	4·78	3·15	4·78	5·87	7·43	11·36	17·68	32·67	69·58	165·76
Cumberland	17·16	**16·78**	130	46·96	3·99	2·37	3·96	5·22	6·38	9·54	14·93	30·90	66·76	160·85
Westmorland	14·95	**13·66**	107	34·24	3·48	1·96	3·10	3·88	5·70	7·67	12·41	23·92	57·65	159·01
Monmouthshire	18·77	**18·66**	152	59·85	4·68	2·38	3·64	5·11	6·65	10·27	16·86	33·76	69·98	143·25
South Wales	19·27	**19·32**	163	63·02	4·85	3·04	4·73	6·17	7·52	10·80	16·48	32·35	66·06	144·30
North Wales	18·82	**17·04**	135	45·99	4·11	2·95	4·76	6·30	7·62	10·29	14·97	30·16	65·68	154·53

* The death-rates under one year of age are per 1000 births.

TABLE 3 (*continued*).—ENGLAND AND WALES.—**Death-rates PER 1000 LIVING at DIFFERENT AGE-PERIODS in REGISTRATION COUNTIES, 1891–1900.—Males.**

COUNTIES.	ALL AGES. Crude Rate.	ALL AGES. Rate in Standard Population.	Under 1 Year.*	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
ENGLAND AND WALES	**19·32**	**19·32**	**168**	**62·71**	**4·31**	**2·45**	**3·79**	**5·06**	**6·76**	**11·50**	**18·95**	**34·95**	**70·39**	**160·09**
London	20·87	**21·82**	173	71·81	5·07	2·55	3·66	4·85	7·57	14·23	23·31	40·41	75·60	161·03
Surrey	15·83	**15·98**	134	44·04	3·68	2·02	3·13	4·31	6·09	10·65	17·64	30·94	63·94	154·59
Kent	16·46	**15·96**	142	47·37	4·12	2·44	3·57	4·85	6·32	9·89	15·61	27·82	59·29	149·00
Sussex	16·71	**15·38**	130	43·79	3·58	1·96	3·27	4·93	6·66	10·09	15·65	27·27	56·39	152·06
Hampshire..	17·55	**16·69**	140	47·44	3·62	2·01	3·59	6·19	7·98	11·20	16·96	29·68	59·97	153·11
Berkshire	16·09	**14·84**	124	40·76	3·33	2·05	3·05	4·45	5·81	9·44	15·21	27·76	58·06	159·62
Middlesex	15·71	**16·25**	152	50·97	3·90	2·00	2·62	3·45	4·96	9·21	16·09	31·22	64·66	152·63
Hertfordshire	16·52	**15·03**	124	39·86	2·93	1·97	3·04	4·72	6·43	9·48	14·84	28·48	63·76	163·41
Buckinghamshire ..	15·84	**14·16**	127	41·82	3·50	1·73	3·01	3·30	5·25	7·52	12·93	25·78	57·59	154·54
Oxfordshire	16·76	**14·59**	128	41·48	3·19	2·29	3·01	4·23	5·81	8·56	13·49	26·48	59·19	156·76
Northamptonshire ..	16·75	**15·80**	146	50·28	3·54	2·04	3·61	4·55	5·70	7·88	13·57	26·83	61·57	158·85
Huntingdonshire.. ..	16·84	**13·69**	132	40·22	2·88	2·49	2·76	4·09	4·54	7·46	11·98	25·81	54·82	151·29
Bedfordshire	16·95	**15·44**	140	46·03	3·30	2·05	2·75	4·51	6·13	8·91	14·60	26·58	59·70	164·70
Cambridgeshire	16·85	**14·78**	141	45·36	3·22	1·88	3·22	4·97	5·48	8·66	12·81	24·18	56·97	153·52
Essex	16·72	**16·57**	154	53·41	4·23	2·15	3·19	4·23	5·53	9·08	15·59	28·81	62·19	154·42
Suffolk	17·54	**14·90**	134	44·52	3·47	2·19	3·37	5·03	6·11	8·78	13·26	24·32	56·48	152·76
Norfolk	18·10	**15·42**	157	51·23	3·46	2·23	3·28	5·15	5·74	8·24	12·71	23·72	54·53	149·23
Wiltshire	16·10	**14·05**	114	37·36	2·93	1·78	2·82	4·22	5·75	8·19	14·26	26·67	60·60	156·78
Dorsetshire	15·88	**13·94**	113	37·50	3·19	1·86	3·25	4·93	5·48	8·54	13·09	26·02	57·26	153·70
Devonshire..	18·47	**16·72**	144	51·52	3·39	2·50	3·95	5·40	7·08	10·12	15·65	28·79	60·60	148·95
Cornwall	18·63	**16·71**	155	52·93	3·79	2·49	3·63	5·56	6·83	9·01	14·39	29·51	62·09	148·18
Somersetshire	17·18	**15·36**	126	43·36	3·01	2·05	3·26	4·88	6·25	8·70	15·07	30·36	62·76	152·47
Gloucestershire	18·39	**17·32**	145	51·34	3·84	2·34	3·60	5·17	7·00	10·82	16·89	32·44	66·27	156·66
Herefordshire	18·52	**15·47**	124	40·27	3·71	2·14	3·43	5·07	6·34	9·85	15·67	31·10	65·18	156·17
Shropshire	17·44	**15·12**	127	41·36	3·45	2·07	3·21	4·44	5·97	9·00	14·40	28·07	65·81	160·29
Staffordshire	20·63	**20·95**	189	73·03	4·19	2·25	3·49	4·77	6·49	11·47	19·50	38·25	78·03	163·78
Worcestershire	17·70	**17·21**	157	55·36	3·50	2·08	2·90	4·28	5·85	9·10	16·03	31·79	68·71	159·61
Warwickshire	20·42	**20·65**	184	68·46	3·78	2·23	3·57	5·04	7·45	13·06	20·97	38·12	73·15	160·95
Leicestershire	18·36	**17·87**	179	64·60	4·25	2·22	3·54	4·77	5·49	8·66	14·00	28·53	62·50	157·82
Rutlandshire	15·22	**13·08**	124	37·83	2·10	2·01	2·78	4·84	4·90	6·14	11·69	23·96	58·18	140·17
Lincolnshire	17·44	**15·64**	157	51·47	3·41	2·09	3·53	4·93	5·36	8·35	12·62	25·25	57·58	156·49
Nottinghamshire.. ..	18·74	**18·42**	181	65·42	3·54	2·39	3·60	4·31	5·61	9·20	15·41	30·64	67·20	164·19
Derbyshire	17·79	**18·00**	160	58·56	3·71	2·34	3·40	4·48	5·44	9·53	16·26	32·37	72·96	168·84
Cheshire	19·36	**19·75**	170	62·71	4·27	2·39	3·41	4·89	6·72	11·54	19·42	37·50	77·78	167·99
Lancashire	22·52	**24·28**	195	79·39	5·31	2·89	4·41	5·57	7·79	14·88	25·49	46·66	91·62	178·39
West Riding	20·12	**21·29**	181	70·65	4·69	2·61	4·10	4·83	6·27	11·52	20·05	40·16	83·53	177·92
East Riding (with York)	19·63	**19·25**	183	64·97	4·11	2·38	4·13	5·14	6·68	11·51	17·48	31·82	68·18	162·97
North Riding	18·69	**17·95**	160	57·13	3·87	2·27	4·11	5·45	6·96	10·61	16·54	31·52	64·35	158·40
Durham	19·77	**20·31**	181	69·53	4·76	2·93	4·88	5·83	6·41	9·99	17·25	35·04	75·40	167·72
Northumberland.. ..	19·76	**20·37**	177	65·28	4·74	3·13	4·90	6·16	7·28	11·77	19·45	35·15	72·91	173·05
Cumberland	17·73	**17·30**	146	51·29	4·11	2·22	3·80	5·34	6·14	9·70	15·93	33·15	70·11	166·38
Westmorland	15·90	**14·17**	117	37·30	3·12	1·75	3·03	3·86	5·95	8·55	13·47	26·36	61·08	166·84
Monmouthshire	19·43	**19·55**	168	65·58	4·70	2·41	3·76	4·79	6·27	10·31	18·72	36·34	74·77	150·40
South Wales	19·83	**20·25**	178	68·60	4·79	2·99	4·71	6·15	7·19	10·82	18·19	35·85	71·15	152·32
North Wales	19·51	**17·73**	148	50·23	3·87	2·64	4·46	6·51	7·23	10·61	16·54	33·32	71·25	166·16

* The death-rates under one year of age are per 1000 births.

TABLE 3 (*continued*).—ENGLAND AND WALES.—**Death-rates** PER **1000** LIVING at DIFFERENT AGE-PERIODS in REGISTRATION COUNTIES, **1891–1900.—Females.**

COUNTIES.	ALL AGES. Crude Rate.	ALL AGES. Rate in Standard Population.	Under 1 Year.*	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
ENGLAND AND WALES	**17·14**	**17·14**	**138**	**52·80**	**4·37**	**2·57**	**3·67**	**4·46**	**6·08**	**9·59**	**14·74**	**28·44**	**60·72**	**146·46**
London	17·70	**18·49**	146	61·78	5·24	2·56	3·05	3·54	5·65	10·64	16·91	30·20	61·16	146·40
Surrey	13·34	**13·49**	109	36·36	3·38	2·26	2·71	3·31	4·57	7·10	12·08	23·71	52·92	141·37
Kent	14·79	**14·18**	116	39·62	4·52	2·80	3·58	3·97	5·05	7·80	12·09	22·89	50·33	139·60
Sussex	14·18	**13·47**	106	36·36	3·61	2·51	3·28	3·74	4·83	7·58	11·86	22·28	50·06	137·89
Hampshire..	15·06	**14·33**	114	39·40	3·82	2·51	3·57	4·18	5·51	8·32	12·33	23·22	52·44	140·32
Berkshire	14·48	**13·28**	103	34·64	3·32	1·98	3·55	4·15	5·01	7·20	11·04	22·94	51·55	139·06
Middlesex	13·69	**14·28**	126	43·74	3·81	2·01	2·35	2·72	4·04	7·38	12·60	23·75	53·69	140·92
Hertfordshire	14·69	**13·16**	95	31·62	3·31	2·11	3·36	4·04	4·92	7·15	11·30	23·99	54·12	145·06
Buckinghamshire ..	14·60	**13·05**	99	33·51	3·11	2·02	2·96	4·00	4·57	6·52	10·84	22·85	52·26	148·47
Oxfordshire	15·08	**13·27**	99	33·26	3·51	2·06	3·33	3·55	4·83	7·43	11·09	22·83	53·80	147·63
Northamptonshire ..	15·00	**14·20**	119	41·47	3·12	2·43	3·45	4·44	5·13	7·09	10·92	22·02	53·31	145·26
Huntingdonshire.. ..	15·66	**12·48**	104	32·66	3·18	1·71	3·72	4·36	5·27	6·44	9·93	18·46	46·16	142·31
Bedfordshire	14·88	**13·81**	111	37·78	3·59	2·28	2·97	3·82	5·17	7·07	11·39	22·29	52·26	150·51
Cambridgeshire	15·45	**13·17**	106	34·70	3·43	2·39	4·00	4·54	5·51	7·46	10·58	20·92	47·31	136·03
Essex	15·23	**14·97**	128	45·21	4·25	2·45	3·32	3·84	5·01	7·85	12·26	24·41	53·80	140·45
Suffolk	15·94	**13·64**	107	35·81	3·61	2·39	3·93	4·83	5·59	7·55	10·95	20·95	50·82	144·07
Norfolk	16·76	**14·23**	127	42·20	3·50	2·68	3·51	4·45	5·61	7·70	10·97	21·26	49·46	138·72
Wiltshire	15·10	**13·08**	90	30·14	3·05	2·31	3·47	4·20	5·12	7·46	11·71	23·12	55·11	143·94
Dorsetshire	15·11	**12·95**	90	30·74	3·11	2·27	3·72	4·31	5·44	7·29	11·22	22·18	52·19	139·98
Devonshire..	16·54	**14·63**	116	41·88	3·58	2·48	4·07	4·57	5·89	7·70	11·76	23·81	52·93	137·37
Cornwall	16·93	**14·52**	125	43·50	3·46	2·69	3·88	4·73	5·68	7·06	10·70	22·92	52·65	135·62
Somersetshire	15·36	**13·47**	102	35·33	3·04	2·09	3·54	3·97	5·22	7·37	11·65	23·94	51·82	137·15
Gloucestershire	16·06	**15·04**	118	43·01	3·87	2·45	3·49	4·10	5·57	8·58	12·75	25·80	55·50	137·75
Herefordshire	16·33	**13·71**	99	32·53	3·56	2·41	3·46	5·03	5·95	8·05	11·78	23·71	55·56	141·14
Shropshire	15·95	**13·84**	102	34·05	3·37	2·17	3·58	4·39	5·96	7·94	11·36	23·13	55·40	149 85
Staffordshire	18·48	**18·68**	155	60·96	4·23	2·34	3·33	4·74	6·53	10·05	15·41	30·89	67·63	150·56
Worcestershire	15·08	**14·84**	126	44·90	3·28	1·94	2·73	3·56	4·87	7·77	12·19	24·80	56·87	143·83
Warwickshire	17·97	**18·22**	154	59·16	3·93	2·28	3·30	4·12	6·05	10·65	16·66	30·22	63·56	145·51
Leicestershire	16·28	**16·24**	148	53·75	4·19	2·15	3·32	3·94	5·17	8·48	12·35	24·80	55·90	147·46
Rutlandshire	14·15	**12·03**	95	31·94	2·08	1·26	2·64	4·36	4·45	7·10	9·28	19·44	42·88	147·51
Lincolnshire	15·92	**14·35**	127	41·58	3·54	2·35	4·08	5·02	5·99	8·05	10·72	21·23	50·57	138·19
Nottinghamshire ..	16·74	**16·87**	145	53·14	3·61	2·46	3·58	4·50	5·95	8·84	13·67	26·90	60·10	153·41
Derbyshire	16·67	**16·98**	132	49·18	3·73	2·30	3·90	5·00	6·25	9·15	13·32	29·03	66·15	159·91
Cheshire	17·19	**17·91**	141	53·16	4·19	2·39	3·44	4·40	6·59	9·83	15·74	31·49	68·41	155·57
Lancashire	19·81	**21·56**	163	67·56	5·25	2·81	3·95	5·04	7·29	12·40	19·81	38·99	79·43	161·88
West Riding	17·68	**18·85**	147	58·46	4·75	2·74	4·28	4·85	6·20	9·61	15·21	31·67	71·00	164·69
East Riding (with York)	17·41	**17·03**	149	53·70	3·85	2·73	3·75	4·98	6·16	9·73	14·24	26·53	57·95	146·45
North Riding	16·89	**16·54**	132	48·14	4·03	2·60	4·06	5·05	6·47	9·30	14·00	26·52	58·85	152·60
Durham	18·78	**19·35**	154	60·32	5·02	3·07	4·60	6·00	7·47	10·91	16·02	31·32	66·48	153·85
Northumberland ..	18·28	**18·79**	144	55·38	4·82	3·17	4·67	5·59	7·58	10·93	15·84	30·28	66·69	160·39
Cumberland	16·61	**16·29**	114	42·54	3·87	2·53	4·14	5·11	6·61	9·38	13·96	28·84	63·90	156·64
Westmorland	14·07	**13·18**	97	31·23	3·84	2·16	3·16	3·89	5·49	6·84	11·39	21·57	54·48	152·27
Monmouthshire	18·07	**17·82**	135	54·14	4·65	2·35	3·49	5·47	7·08	10·23	14·83	31·14	65·49	137·29
South Wales	18·70	**18·45**	147	57·47	4·90	3·08	4·74	6·19	7·88	10·77	14·72	29·08	61·80	138·56
North Wales	18·16	**16·40**	120	41·71	4·35	3·26	5·09	6·11	7·97	9·99	13·51	27·27	60·95	145·84

* The death-rates under one year of age are per 1000 births.

TABLE 4.—**Annual Rate of Mortality** from SEVERAL CAUSES PER **1,000,000** LIVING in REGISTRATION COUNTIES, **1891-1900.**

COUNTIES.	ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tuberculous and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.
ENGLAND AND WALES.																									
Persons	**18194**	**13**	**414**	**158**	**263**	**377**	**2**	**174**	**6**	**713**	**25**	**758**	**217**	**1391**	**402**	**2171**	**1657**	**3409**	**1193**	**461**	**46**	**68**	**84**	**660**	**3532**
Males	19316	16	439	162	264	349	3	200	6	773	29	600	236	1580	449	2327	1633	3748	1248	579	6	—	—	959	3710
Females	17142	11	391	153	262	404	2	150	6	657	21	906	198	1214	360	2025	1679	3091	1141	350	83	132	163	380	3363
LONDON.																									
Persons	**19198**	**2**	**583**	**169**	**501**	**499**	**1**	**142**	**3**	**760**	**22**	**863**	**251**	**1790**	**500**	**1788**	**1552**	**3911**	**1199**	**534**	**61**	**58**	**60**	**778**	**3171**
Males	20869	2	631	181	514	473	2	174	3	847	25	717	285	2285	583	1922	1553	4268	1258	678	8	—	—	1067	3393
Females	17701	2	539	159	490	522	1	114	3	682	19	994	220	1346	426	1669	1550	3591	1146	406	109	110	114	519	2970
SURREY.																									
Persons	**14511**	**3**	**235**	**55**	**258**	**288**	**0**	**82**	**3**	**465**	**16**	**758**	**118**	**1198**	**326**	**2041**	**1520**	**2281**	**949**	**414**	**37**	**48**	**58**	**536**	**2822**
Males	15828	5	260	65	270	286	0	99	2	530	18	576	136	1420	378	2314	1544	2495	1031	559	5	—	—	814	3021
Females	13340	1	212	46	248	290	—	67	4	408	15	922	102	1001	279	1798	1499	2090	876	286	65	90	109	288	2644
KENT.																									
Persons	**15606**	**50**	**255**	**75**	**360**	**270**	**1**	**143**	**2**	**551**	**19**	**795**	**163**	**1258**	**395**	**1790**	**1604**	**2400**	**999**	**436**	**41**	**47**	**62**	**615**	**3275**
Males	16455	58	266	76	353	254	1	162	2	597	20	638	175	1395	426	1884	1634	2565	1041	573	8	—	—	937	3390
Females	14788	43	244	74	366	286	0	125	2	507	18	946	151	1125	364	1700	1575	2240	958	304	73	93	121	305	3168
SUSSEX.																									
Persons	**15338**	**4**	**216**	**41**	**296**	**236**	**0**	**138**	**2**	**457**	**8**	**879**	**142**	**1340**	**379**	**1725**	**1720**	**2341**	**973**	**447**	**52**	**42**	**66**	**517**	**3317**
Males	16710	6	247	51	316	230	0	155	2	510	12	718	148	1582	433	1860	1788	2569	1044	606	6	—	—	789	3638
Females	14181	2	190	33	278	240	0	123	1	411	4	1015	136	1136	334	1611	1662	2149	913	313	91	78	121	287	3053

TABLE 4 (*continued*).—**Annual Rate of Mortality** from SEVERAL CAUSES PER **1,000,000** LIVING in REGISTRATION COUNTIES, **1891-1900.**

COUNTIES.	ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tuberculous and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.
HAMPSHIRE.																									
Persons	**16256**	**5**	**292**	**74**	**213**	**274**	**—**	**163**	**8**	**550**	**24**	**810**	**186**	**1505**	**351**	**1911**	**1748**	**2496**	**981**	**483**	**42**	**48**	**61**	**538**	**3493**
Males	17547	8	321	79	210	257	—	173	10	593	25	670	206	1783	383	2083	1823	2690	1032	650	7	—	—	804	3740
Females	15058	2	266	69	215	290	—	154	6	510	22	941	168	1246	322	1751	1679	2316	933	327	75	93	118	292	3263
BERKSHIRE.																									
Persons	**15266**	**3**	**225**	**62**	**175**	**267**	**2**	**64**	**3**	**376**	**7**	**858**	**110**	**1149**	**319**	**1856**	**1771**	**2411**	**995**	**470**	**46**	**56**	**70**	**564**	**3407**
Males	16087	4	244	64	172	238	2	69	3	410	7	710	123	1322	375	1974	1754	2578	1028	611	4	—	—	841	3554
Females	14479	1	208	60	178	295	1	58	3	344	7	1000	98	983	266	1743	1788	2251	964	334	86	110	137	297	3267
MIDDLESEX.																									
Persons	**14638**	**3**	**332**	**209**	**312**	**371**	**1**	**112**	**3**	**737**	**46**	**669**	**172**	**1072**	**341**	**1792**	**1194**	**2505**	**1032**	**358**	**34**	**55**	**58**	**484**	**2746**
Males	15709	4	365	223	324	351	1	133	4	826	57	494	198	1272	392	2000	1166	2742	1089	457	7	—	—	706	2898
Females	13694	3	303	197	302	389	0	93	3	657	36	823	149	895	295	1610	1219	2297	983	270	58	103	109	289	2611
HERTFORDSHIRE.																									
Persons	**15574**	**6**	**206**	**55**	**184**	**284**	**0**	**100**	**1**	**448**	**18**	**864**	**92**	**1219**	**321**	**2017**	**1917**	**2415**	**934**	**453**	**41**	**34**	**72**	**509**	**3384**
Males	16519	10	212	56	167	264	—	112	2	500	30	685	99	1416	366	2135	1818	2659	982	612	9	—	—	778	3607
Females	14691	3	199	54	200	303	1	90	—	398	7	1030	85	1035	279	1907	2009	2187	890	304	71	66	139	257	3177
BUCKINGHAMSH.																									
Persons	**15208**	**3**	**278**	**59**	**236**	**267**	**1**	**86**	**2**	**355**	**11**	**776**	**95**	**1009**	**235**	**1822**	**1699**	**2499**	**1028**	**472**	**40**	**47**	**68**	**525**	**3595**
Males	15839	4	299	62	243	231	1	81	1	372	15	611	98	1068	249	1908	1583	2713	1108	576	6	—	—	780	3830
Females	14600	2	259	56	228	301	1	91	2	338	8	935	92	952	220	1740	1810	2294	952	372	72	92	133	280	3370
OXFORDSHIRE.																									
Persons	**15886**	**2**	**257**	**55**	**202**	**252**	**1**	**58**	**3**	**307**	**9**	**887**	**114**	**1078**	**319**	**1927**	**1896**	**2538**	**933**	**494**	**47**	**49**	**69**	**495**	**3894**
Males	16762	1	270	61	225	242	1	61	3	353	14	751	118	1214	335	2062	1843	2741	994	644	6	—	—	727	4096
Females	15082	2	245	50	180	261	—	55	2	264	3	1012	109	953	304	1803	1945	2352	877	356	85	94	133	281	3716

TABLE 4 (*continued*).—**Annual Rate of Mortality** from SEVERAL CAUSES PER **1,000,000** LIVING in REGISTRATION COUNTIES, **1891-1900.**

COUNTIES.	ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tuberculous and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.
NORTHAMPTONSH.																									
Persons	**15867**	**3**	**361**	**135**	**132**	**327**	**—**	**127**	**2**	**510**	**14**	**806**	**117**	**1181**	**361**	**1977**	**1544**	**2529**	**899**	**374**	**35**	**61**	**72**	**514**	**3786**
Males	16751	4	387	137	130	301	—	135	2	546	15	677	126	1300	390	2159	1569	2709	955	487	4	—	—	76	3952
Females	15002	2	335	133	133	352	—	120	2	475	13	932	108	1065	333	1800	1520	2353	844	264	65	120	142	267	3624
HUNTINGDONSH.																									
Persons	**16240**	**8**	**125**	**53**	**166**	**232**	**—**	**73**	**—**	**398**	**8**	**1226**	**105**	**1146**	**277**	**1871**	**1561**	**2648**	**811**	**398**	**35**	**39**	**58**	**581**	**4416**
Males	16843	8	146	46	176	201	—	96	—	373	8	1126	88	1239	297	1871	1561	2670	812	515	8	—	—	896	4706
Females	15658	8	105	61	157	262	—	61	—	424	8	1323	121	1057	258	1872	1561	2626	811	286	61	77	113	278	4128
BEDFORDSHIRE.																									
Persons	**15849**	**4**	**234**	**79**	**229**	**299**	**1**	**84**	**2**	**526**	**8**	**844**	**162**	**1132**	**366**	**2002**	**1611**	**2371**	**944**	**417**	**46**	**45**	**68**	**442**	**3843**
Males	16946	3	262	70	245	283	—	75	5	582	8	663	182	1192	421	2335	1583	2578	1081	569	5	—	—	705	4099
Females	14880	4	209	86	215	313	1	92	—	477	8	1005	145	1078	318	1878	1636	2188	823	283	83	85	127	210	3616
CAMBRIDGSHIRE.																									
Persons	**16137**	**1**	**159**	**44**	**188**	**297**	**2**	**104**	**3**	**401**	**15**	**992**	**173**	**1300**	**284**	**1706**	**1724**	**2422**	**1025**	**469**	**35**	**40**	**72**	**551**	**4130**
Males	16852	1	168	35	194	293	1	98	2	449	24	827	187	1431	321	1787	1690	2550	1096	617	4	—	—	811	4266
Females	15454	—	151	53	183	300	2	111	4	356	7	1150	160	1174	249	1628	1756	2300	958	328	64	78	140	302	4000
ESSEX.																									
Persons	**15969**	**16**	**378**	**106**	**458**	**386**	**1**	**183**	**4**	**743**	**36**	**656**	**193**	**1118**	**358**	**1877**	**1360**	**2824**	**1078**	**341**	**31**	**55**	**62**	**521**	**3184**
Males	16718	22	396	112	444	340	1	207	4	797	41	517	211	1247	377	2004	1349	3037	1115	435	4	—	—	763	3295
Females	15233	11	360	99	472	430	1	158	5	691	31	793	176	991	340	1753	1372	2615	1041	248	56	109	123	283	3075
SUFFOLK.																									
Persons	**16720**	**1**	**197**	**63**	**256**	**323**	**—**	**101**	**6**	**436**	**8**	**879**	**145**	**1283**	**337**	**1845**	**1731**	**2575**	**926**	**473**	**41**	**51**	**66**	**598**	**4379**
Males	17542	1	211	69	245	304	—	108	5	472	7	721	160	1341	350	1939	1706	2783	994	629	7	—	—	896	4594
Females	15942	—	185	58	267	341	—	94	7	401	7	1027	131	1229	323	1756	1755	2378	861	325	73	100	128	316	4180

TABLE 4 (*continued*).—**Annual Rate of Mortality from SEVERAL CAUSES PER 1,000,000 LIVING in REGISTRATION COUNTIES, 1891-1900.**

COUNTIES.	ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tuberculous and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.
NORFOLK.																									
Persons	**17406**	**2**	**188**	**85**	**239**	**357**	**1**	**190**	**4**	**548**	**7**	**943**	**141**	**1134**	**294**	**2085**	**1771**	**2489**	**974**	**431**	**51**	**56**	**70**	**540**	**4806**
Males	18100	4	193	92	235	336	1	213	4	606	7	726	159	1145	308	2123	1818	2651	1019	598	9	—	—	789	5064
Females	16764	1	183	79	243	376	1	168	4	494	6	1142	125	1125	282	2050	1727	2340	931	276	90	109	135	309	4568
WILTSHIRE.																									
Persons	**15594**	**2**	**199**	**74**	**167**	**209**	**—**	**61**	**2**	**285**	**9**	**794**	**132**	**1045**	**276**	**1947**	**2060**	**2702**	**981**	**519**	**41**	**49**	**76**	**534**	**3430**
Males	16100	2	221	74	149	189	—	66	3	325	12	652	142	1122	284	2035	1995	2808	1028	658	5	—	—	797	3533
Females	15099	1	177	73	184	229	—	55	2	246	6	933	121	969	268	1861	2122	2597	935	382	77	98	149	278	3336
DORSETSHIRE.																									
Persons	**15487**	**3**	**174**	**72**	**156**	**184**	**—**	**72**	**5**	**297**	**5**	**827**	**89**	**1098**	**287**	**1975**	**1947**	**2601**	**1003**	**461**	**36**	**37**	**75**	**510**	**3573**
Males	15883	5	173	68	164	185	—	80	3	299	6	665	82	1076	301	2050	1852	2772	1049	621	3	—	—	816	3613
Females	15106	1	174	75	149	183	—	65	6	295	3	982	96	1120	273	1903	2038	2437	959	307	67	73	147	215	3538
DEVONSHIRE.																									
Persons	**17452**	**3**	**321**	**90**	**154**	**313**	**0**	**136**	**6**	**416**	**20**	**900**	**158**	**1385**	**373**	**2161**	**1911**	**3127**	**1102**	**497**	**50**	**51**	**71**	**571**	**3636**
Males	18471	5	372	99	168	315	1	153	6	460	24	687	172	1488	415	2327	1882	3460	1166	688	4	—	—	877	3702
Females	16544	1	276	83	141	312	0	122	7	377	16	1089	146	1292	335	2013	1937	2831	1044	327	91	97	135	297	3575
CORNWALL.																									
Persons	**17717**	**3**	**196**	**128**	**150**	**375**	**—**	**116**	**4**	**442**	**17**	**915**	**170**	**1306**	**334**	**2127**	**1752**	**2847**	**1020**	**466**	**43**	**41**	**91**	**551**	**4623**
Males	18627	1	236	138	154	371	—	120	3	539	24	680	187	1486	378	2209	1685	3185	1069	605	7	—	—	893	4657
Females	16930	5	162	119	146	378	—	112	5	358	12	1117	155	1150	295	2056	1809	2554	978	346	74	76	169	255	4599
SOMERSETSHIRE.																									
Persons	**16211**	**5**	**302**	**106**	**139**	**278**	**1**	**73**	**3**	**319**	**6**	**842**	**130**	**1087**	**297**	**1992**	**2002**	**2785**	**1041**	**470**	**36**	**51**	**72**	**571**	**3603**
Males	17184	8	321	119	144	279	0	86	4	363	8	682	138	1177	336	2118	1987	3071	1114	616	5	—	—	850	3758
Females	15362	2	285	95	134	277	1	62	1	279	6	983	124	1008	263	1882	2016	2534	977	342	64	96	136	326	3469

TABLE 4 (*continued*).—**Annual Rate of Mortality** from SEVERAL CAUSES PER **1,000,000** LIVING in REGISTRATION COUNTIES, **1891-1900.**

COUNTIES.	ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tuberculous and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.
GLOUCESTERSHIRE.																									
Persons	**17143**	**89**	**342**	**95**	**189**	**286**	**1**	**89**	**1**	**466**	**9**	**876**	**146**	**1258**	**348**	**2130**	**1934**	**3106**	**1017**	**503**	**48**	**62**	**77**	**630**	**3441**
Males	18393	103	371	104	200	282	—	107	—	534	12	698	163	1416	389	2279	1953	3400	1068	659	7	—	—	955	3693
Females	16059	78	317	87	180	290	1	74	1	407	7	1030	131	1121	312	2001	1917	2852	972	368	84	116	145	348	3220
HEREFORDSHIRE.																									
Persons	**17390**	**6**	**127**	**114**	**181**	**202**	—	**35**	**1**	**221**	**3**	**936**	**114**	**1063**	**316**	**2331**	**2257**	**2815**	**1042**	**504**	**40**	**66**	**87**	**630**	**4299**
Males	18522	11	124	128	168	203	—	38	2	203	2	784	137	1118	323	2554	2309	3133	1138	732	13	—	—	933	4469
Females	16327	2	129	101	192	201	—	31	—	238	3	1079	93	1012	309	2122	2207	2516	952	288	65	127	168	345	4147
SHROPSHIRE.																									
Persons	**16691**	**2**	**162**	**99**	**210**	**237**	**1**	**87**	**1**	**289**	**7**	**898**	**154**	**1084**	**283**	**1992**	**2158**	**2688**	**1068**	**503**	**40**	**50**	**80**	**616**	**3982**
Males	17443	3	177	94	188	228	1	90	2	294	9	746	146	1155	311	2073	2171	2993	1100	671	3	—	—	914	4074
Females	15954	1	147	103	230	245	1	85	1	282	5	1048	162	1012	255	1912	2146	2390	1036	339	76	98	158	324	3898
STAFFORDSHIRE.																									
Persons	**19554**	**18**	**554**	**217**	**244**	**408**	**1**	**220**	**6**	**955**	**16**	**619**	**278**	**1098**	**329**	**2379**	**1475**	**3913**	**1350**	**417**	**36**	**80**	**105**	**660**	**4176**
Males	20631	19	566	214	239	361	1	248	7	1014	20	482	305	1238	363	2531	1435	4403	1398	489	4	—	—	932	4362
Females	18485	17	543	220	249	455	1	192	5	893	12	756	252	957	296	2228	1515	3419	1303	345	69	160	209	390	3994
WORCESTERSHIRE.																									
Persons	**16323**	**7**	**298**	**93**	**203**	**300**	**4**	**114**	**5**	**555**	**12**	**722**	**215**	**1012**	**338**	**1839**	**1621**	**2936**	**1160**	**460**	**35**	**65**	**70**	**540**	**3719**
Males	17704	10	313	94	204	290	1	135	5	627	14	546	249	1184	399	2014	1605	3337	1262	624	6	—	—	791	3994
Females	15080	6	284	91	203	310	—	95	4	491	9	881	189	858	283	1682	1635	2575	1068	314	62	124	134	315	3467
WARWICKSHIRE.																									
Persons	**19157**	**35**	**399**	**145**	**218**	**427**	**0**	**178**	**6**	**1048**	**19**	**773**	**194**	**1407**	**345**	**2069**	**1610**	**3748**	**1375**	**479**	**58**	**65**	**83**	**701**	**3775**
Males	20424	39	408	152	212	387	0	211	6	1127	24	616	206	1776	381	2218	1543	4129	1423	598	7	—	—	932	4029
Females	17966	31	390	139	223	465	1	148	6	974	15	918	183	1060	311	1930	1672	3389	1330	366	106	127	161	484	3537

TABLE 4 (*continued*).—**Annual Rate of Mortality** from SEVERAL CAUSES PER **1,000,000** LIVING in REGISTRATION COUNTIES, **1891-1900.**

COUNTIES.	ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tuberculous and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.
LEICESTERSHIRE.																									
Persons	**17285**	**10**	**373**	**184**	**361**	**338**	**0**	**176**	**0**	**1015**	**11**	**717**	**181**	**1104**	**369**	**2138**	**1498**	**2878**	**1064**	**366**	**38**	**57**	**76**	**589**	**3742**
Males	18365	9	392	195	373	318	—	198	1	1122	8	568	203	1247	403	2277	1444	3145	1117	497	6	—	—	826	4016
Females	16280	11	356	174	349	357	0	155	—	915	13	856	161	972	337	2008	1548	2629	1014	244	69	110	146	368	3488
RUTLANDSHIRE.																									
Persons	**14684**	**—**	**107**	**56**	**168**	**200**	**—**	**51**	**4**	**182**	**19**	**936**	**191**	**880**	**256**	**1751**	**1676**	**2388**	**857**	**456**	**33**	**33**	**61**	**493**	**3886**
Males	15220	—	94	56	150	187	—	56	—	215	19	843	206	918	225	1780	1864	2548	815	599	9	—	—	721	3915
Females	14155	—	120	56	185	213	—	46	9	148	19	1028	176	843	287	1722	1490	2231	898	315	56	65	120	269	3859
LINCOLNSHIRE.																									
Persons	**16667**	**5**	**171**	**92**	**170**	**274**	**0**	**166**	**6**	**579**	**53**	**846**	**171**	**1125**	**339**	**2284**	**1703**	**2537**	**1063**	**428**	**45**	**53**	**79**	**576**	**3902**
Males	17440	7	181	91	174	250	0	167	6	637	65	699	172	1085	347	2432	1755	2735	1114	582	9	—	—	846	4086
Females	15917	3	161	93	166	297	0	165	5	523	41	989	170	1163	332	2140	1653	2344	1014	279	79	105	156	313	3726
NOTTINGHAMSH.																									
Persons	**17716**	**5**	**405**	**185**	**107**	**364**	**0**	**265**	**4**	**851**	**31**	**738**	**238**	**1132**	**359**	**2094**	**1552**	**3179**	**1202**	**406**	**54**	**79**	**86**	**638**	**3742**
Males	18745	5	423	181	107	318	—	292	3	924	39	571	269	1198	386	2229	1508	3501	1290	519	6	—	—	904	4072
Females	16741	4	388	189	108	408	0	238	4	782	23	896	208	1070	334	1966	1594	2874	1119	299	100	154	167	386	3430
DERBYSHIRE.																									
Persons	**17223**	**25**	**424**	**170**	**132**	**307**	**0**	**151**	**3**	**628**	**15**	**641**	**245**	**1125**	**370**	**2278**	**1673**	**3077**	**1197**	**386**	**42**	**83**	**100**	**623**	**3533**
Males	17789	28	424	168	126	274	0	167	3	651	19	474	266	1185	394	2373	1569	3336	1247	477	9	—	—	898	3701
Females	16672	22	424	172	137	340	0	135	3	605	10	807	224	1066	347	2183	1777	2819	1148	296	75	165	199	349	3369
CHESHIRE.																									
Persons	**18238**	**8**	**368**	**167**	**212**	**365**	**4**	**196**	**8**	**703**	**25**	**736**	**220**	**1294**	**419**	**2211**	**1759**	**3385**	**1289**	**452**	**38**	**84**	**101**	**663**	**3531**
Males	19363	13	401	172	210	335	4	234	8	770	29	611	240	1401	467	2377	1753	3765	1349	551	7	—	—	946	3720
Females	17192	4	336	163	214	392	4	160	8	640	21	851	202	1195	374	2056	1764	3032	1234	360	66	162	195	399	3360

TABLE 4 (*continued*).—**Annual Rate of Mortality from SEVERAL CAUSES PER 1,000,000 LIVING in REGISTRATION COUNTIES, 1891-1900.**

COUNTIES.	ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Simple Continued Fever	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tuberculous and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.
LANCASHIRE.																									
Persons	**21115**	**13**	**585**	**247**	**192**	**470**	**10**	**256**	**11**	**1060**	**46**	**648**	**277**	**1582**	**453**	**2463**	**1695**	**4622**	**1449**	**483**	**49**	**92**	**103**	**759**	**3550**
Males	22521	16	622	256	196	434	11	298	10	1145	53	493	310	1822	520	2665	1629	5113	1512	578	7	—	—	1063	3768
Females	19813	10	550	239	188	504	10	217	11	980	41	791	246	1360	391	2277	1758	4167	1390	396	89	177	198	476	3347
WEST RIDING.																									
Persons	**18868**	**26**	**443**	**201**	**221**	**362**	**1**	**211**	**7**	**811**	**32**	**705**	**240**	**1412**	**425**	**2480**	**1668**	**3812**	**1210**	**460**	**45**	**77**	**97**	**622**	**3300**
Males	20118	30	466	206	225	333	1	240	6	859	37	522	262	1603	476	2697	1619	4283	1280	563	7	—	—	914	3489
Females	17684	22	420	196	219	389	1	183	7	766	27	878	219	1231	378	2274	1716	3366	1144	361	80	149	189	344	3125
EAST RIDING.																									
Persons	**18497**	**44**	**356**	**135**	**130**	**317**	—	**236**	**8**	**1152**	**26**	**802**	**228**	**1303**	**381**	**2563**	**1705**	**3047**	**1104**	**422**	**59**	**61**	**81**	**705**	**3632**
Males	19631	53	379	132	134	279	—	254	7	1255	31	593	239	1421	434	2813	1774	3277	1186	564	9	—	—	1037	3760
Females	17405	37	335	139	125	354	—	218	10	1053	20	1002	218	1189	330	2322	1639	2826	1026	286	107	119	158	385	3507
NORTH RIDING.																									
Persons	**17788**	**68**	**270**	**117**	**142**	**326**	**2**	**218**	**10**	**554**	**35**	**744**	**289**	**1190**	**401**	**2347**	**1663**	**3249**	**1106**	**435**	**41**	**55**	**84**	**655**	**3787**
Males	18692	79	277	106	136	290	3	250	10	613	37	597	284	1193	449	2494	1633	3676	1131	541	8	—	—	965	3920
Females	16892	57	263	127	149	363	2	187	11	497	33	890	295	1187	353	2202	1693	2827	1082	331	75	110	167	347	3644
DURHAM.																									
Persons	**19283**	**7**	**497**	**189**	**135**	**414**	**7**	**302**	**17**	**833**	**32**	**583**	**359**	**1426**	**528**	**2449**	**1505**	**3485**	**1397**	**356**	**36**	**79**	**109**	**706**	**3832**
Males	19767	9	500	174	130	352	7	343	16	846	36	434	362	1433	550	2547	1488	3753	1385	387	3	—	—	1049	3963
Females	18782	5	493	204	140	477	7	260	18	819	29	737	357	1419	507	2348	1523	3208	1410	324	69	161	222	353	3692
NORTHUMBERLD.																									
Persons	**19018**	**2**	**424**	**153**	**155**	**393**	**3**	**194**	**13**	**649**	**19**	**722**	**353**	**1717**	**507**	**2391**	**1803**	**2905**	**1532**	**414**	**60**	**78**	**104**	**804**	**3623**
Males	19758	2	425	154	167	356	4	220	10	683	20	575	362	1872	533	2508	1805	3117	1561	494	4	—	—	1172	3714
Females	18278	3	423	151	142	431	1	168	15	614	19	868	343	1561	482	2274	1801	2694	1503	334	116	156	208	437	3534

TABLE 4 (*continued*).—**Annual Rate of Mortality from SEVERAL CAUSES PER 1,000,000 LIVING in REGISTRATION COUNTIES, 1891-1900.**

COUNTIES.	ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tuberculous and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.
CUMBERLAND.																									
Persons	**17164**	**4**	**495**	**198**	**108**	**338**	**4**	**76**	**4**	**326**	**10**	**797**	**167**	**1273**	**391**	**2016**	**1895**	**2949**	**1095**	**459**	**38**	**72**	**96**	**686**	**3667**
Males	17734	6	528	209	118	307	5	85	4	339	9	666	159	1275	442	2029	1784	3235	1163	535	2	—	—	1042	3792
Females	16611	1	463	187	98	368	4	67	4	314	11	924	175	1272	341	2003	2003	2670	1029	384	73	141	188	340	3551
WESTMORLAND.																									
Persons	**14955**	**—**	**182**	**86**	**142**	**159**	**—**	**99**	**2**	**222**	**12**	**795**	**115**	**953**	**448**	**1910**	**1896**	**2145**	**1067**	**500**	**37**	**64**	**73**	**602**	**3446**
Males	15901	—	190	76	155	152	—	111	—	222	22	719	101	983	453	1959	1927	2434	1144	681	10	—	—	948	3614
Females	14073	—	174	95	130	165	—	89	3	222	3	866	127	925	443	1864	1867	1876	996	331	62	124	142	281	3288
MONMOUTHSHIRE.																									
Persons	**18768**	**4**	**551**	**233**	**322**	**417**	**1**	**167**	**8**	**461**	**19**	**559**	**147**	**1021**	**330**	**2443**	**1616**	**4029**	**1319**	**419**	**30**	**99**	**131**	**762**	**3680**
Males	19428	5	542	228	287	361	1	184	7	494	22	451	155	985	347	2470	1562	4540	1318	490	2	—	—	1154	3823
Females	18067	4	561	238	359	477	1	150	9	425	15	674	139	1058	311	2414	1674	3487	1320	343	60	204	271	345	3528
SOUTH WALES.																									
Persons	**19273**	**4**	**408**	**199**	**390**	**384**	**2**	**190**	**6**	**573**	**15**	**636**	**164**	**1513**	**417**	**2809**	**1566**	**3615**	**1259**	**477**	**38**	**104**	**131**	**846**	**3527**
Males	19829	4	421	196	377	347	3	205	5	591	18	510	170	1469	440	2950	1507	3983	1277	552	6	—	—	1341	3457
Females	18704	3	394	202	404	421	2	175	7	553	12	765	157	1557	394	2666	1627	3239	1241	400	71	209	264	339	3602
NORTH WALES.																									
Persons	**18820**	**3**	**204**	**141**	**222**	**276**	**0**	**128**	**7**	**292**	**15**	**988**	**181**	**1656**	**360**	**3014**	**2094**	**3136**	**1153**	**638**	**43**	**78**	**118**	**613**	**3460**
Males	19508	4	213	135	208	266	0	147	8	299	19	878	180	1699	385	3138	2080	3498	1171	796	5	—	—	942	3437
Females	18163	2	196	146	236	287	—	109	7	285	10	1093	182	1615	336	2895	2107	2790	1136	488	80	153	231	298	3481

TABLE 5.—**Annual Mortality** from SEVERAL CAUSES, per MILLION LIVING, at ALL AGES and a
11 GROUPS of AGES, among PERSONS, MALES, and FEMALES, in SUCCESSIVE DECENNIA.

PERIODS.		ALL AGES.	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
							ALL CAUSES.						
1861-70	Persons..	21,505	68,600	7,992	4,494	6,416	8,209	9,825	12,747	17,399	30,424	62,823	159,518
1871-80	Persons..	20,485	63,379	6,466	3,712	5,354	7,072	8,961	12,669	17,752	31,614	65,031	161,856
1881-90	Persons..	18,734	56,759	5,302	3,031	4,371	5,630	7,563	11,459	17,141	31,387	64,970	154,311
1891-1900	Persons..	18,194	57,736	4,340	2,507	3,727	4,743	6,402	10,514	16,756	31,472	65,042	152,167
1861-70	Males ..	22,475	73,471	8,189	4,483	6,185	8,475	9,941	13,481	19,264	33,142	67,119	165,462
1871-80	Males ..	21,640	68,419	6,705	3,707	5,254	7,361	9,343	13,796	20,070	34,875	69,721	169,301
1881-90	Males ..	19,789	61,607	5,345	2,952	4,317	5,732	7,767	12,395	19,374	34,706	70,462	162,674
1891-1900	Males ..	19,316	62,710	4,309	2,448	3,789	5,060	6,757	11,498	18,946	34,949	70,386	160,086
1861-70	Females	20,595	63,710	7,796	4,506	6,645	7,971	9,721	12,065	15,647	27,915	59,120	154,932
1871-80	Females	19,401	58,344	6,228	3,717	5,453	6,810	8,611	11,628	15,622	28,671	61,020	156,123
1881 90	Females	17,744	51,941	5,259	3,109	4,423	5,539	7,375	10,584	15,109	28,467	60,413	148,054
1891-1900	Females	17,142	52,797	4,370	2,566	3,665	4,461	6,082	9,593	14,741	28,438	60,723	146,464
							SMALL-POX.						
1861-70	Persons..	152	638	145	56	86	136	102	73	49	36	26	22
1871-80	Persons..	230	518	285	138	198	301	240	168	111	72	47	35
1881-90	Persons..	44	80	33	26	42	59	57	44	32	21	17	20
1891-1900	Persons..	13	29	10	3	5	11	16	18	13	10	10	8
1861-70	Males ..	171	642	150	57	92	181	137	98	68	48	38	30
1871-80	Males ..	261	529	302	136	207	379	301	212	145	86	61	48
1881-90	Males ..	52	82	35	25	43	70	72	60	44	28	26	30
1891-1900	Males ..	16	29	10	3	6	12	19	24	20	15	18	12
1861-70	Females	134	634	140	56	80	95	70	50	32	25	16	16
1871-80	Females	200	508	268	139	190	231	184	128	81	58	34	26
1881-90	Females	37	77	31	27	40	49	43	29	22	14	10	12
1891-1900	Females	11	30	9	3	5	10	13	12	7	5	4	5
							MEASLES.						
1861-70	Persons..	391	3,011	243	29	11	9	7	5	2	1	1	1
1871-80	Persons..	334	2,579	208	22	7	6	5	4	3	2	1	1
1881-90	Persons..	406	3,127	271	23	7	6	6	4	2	1	1	1
1891-1900	Persons..	414	3,247	221	18	7	4	4	3	2	1	1	0
1861-70	Males ..	408	3,080	231	26	9	7	4	4	2	2	1	2
1871-80	Males ..	351	2,653	197	22	5	6	4	3	3	2	1	1
1881-90	Males ..	433	3,266	262	19	6	5	3	3	2	1	1	1
1891-1900	Males ..	439	3,368	209	17	6	3	2	2	1	1	0	--
1861-70	Females	375	2,942	256	32	13	10	9	6	3	1	1	1
1871-80	Females	318	2,504	218	22	8	6	7	5	3	1	1	2
1881-90	Females	381	2,989	280	26	8	8	8	5	2	1	1	1
1891-1900	Females	391	3,126	233	18	8	5	6	5	2	1	2	0

Note.—The death-rates at the different age-groups for 1861-70, 1871-80, and 1881-90 have been re-calculated on revise estimates of populations, and those for 1861-70 and 1871-80 have been corrected for changes of classification adopted i 1881. The death-rates at "All Ages" for each decennium and from the several causes are based on the age constitutio of the mean population of England and Wales in 1891-1900.

TABLE 5 (*continued*).—**Annual Mortality** from SEVERAL CAUSES, per MILLION LIVING, at ALL AGES and at 11 GROUPS of AGES, among PERSONS, MALES, and FEMALES, in SUCCESSIVE DECENNIA.

PERIODS.		ALL AGES.	0—	5—	10—	15—	20—	25—	35—	45 -	55—	65—	75 and upwards.
						SCARLET FEVER.							
1861-70	Persons..	890	4,644	2,193	504	153	93	61	28	14	9	6	6
1871-80	Persons..	649	3,504	1,522	326	104	63	46	25	9	5	3	2
1881-90	Persons..	312	1,667	763	154	42	26	22	12	4	2	3	1
1891-1900	Persons..	158	844	353	81	33	22	15	8	4	2	1	0
1861-70	Males ..	926	4,765	2,229	471	149	80	48	23	16	8	5	8
1871-80	Males ..	681	3,606	1,563	320	107	55	36	21	10	5	3	1
1881-90	Males ..	324	1,710	759	149	43	23	16	10	5	2	4	1
1891-1900	Males ..	162	855	348	78	38	21	13	7	4	2	1	—
1861-70	Females	856	4,523	2,156	537	157	106	73	33	12	10	6	5
1871-80	Females	618	3,402	1,482	332	101	70	56	28	7	5	3	2
1881-90	Females	301	1,625	767	159	40	28	28	14	3	3	2	1
1891-1900	Females	153	833	357	85	28	23	18	9	4	2	1	1
						WHOOPING-COUGH.							
1861-70	Persons..	467	3,782	153	8	2	1	0	0	0	0	1	—
1871-80	Persons..	451	3,667	135	6	1	0	0	0	0	0	0	1
1881-90	Persons..	414	3,366	128	4	1	1	0	0	0	1	1	3
1891-1900	Persons..	377	3,086	96	3	1	0	0	0	0	1	1	3
1861-70	Males ..	431	3,408	123	5	1	0	0	1	0	1	1	—
1871-80	Males ..	419	3,323	112	4	1	—	0	0	0	0	0	1
1881-90	Males ..	385	3,062	100	3	1	1	0	0	1	1	1	2
1891-1900	Males ..	349	2,786	74	3	1	0	0	—	0	1	0	3
1861-70	Females	501	4,157	183	11	3	1	1	0	0	0	1	—
1871-80	Females	480	4,011	158	8	1	1	0	0	0	1	0	1
1881-90	Females	441	3,668	156	5	2	0	0	1	0	1	1	4
1891-1900	Females	404	3,385	118	4	1	1	1	0	0	0	1	3
						DIPHTHERIA.							
1861-70	Persons..	171	771	395	137	59	38	27	21	22	26	26	25
1871-80	Persons..	112	474	292	89	33	21	17	18	14	18	19	14
1881-90	Persons..	153	689	424	100	36	20	17	16	14	17	17	12
1891-1900	Persons..	263	1,362	679	125	36	20	16	14	12	15	12	9
1861-70	Males ..	164	760	340	107	58	35	24	20	22	30	33	32
1871-80	Males ..	108	474	257	72	28	20	14	16	17	19	20	14
1881-90	Males ..	149	687	373	84	35	20	15	13	14	19	18	15
1891-1900	Males ..	264	1,388	614	112	36	20	15	13	12	13	12	9
1861-70	Females	178	781	450	166	61	41	28	22	22	22	21	20
1871-80	Females	115	475	327	105	38	22	19	19	12	16	18	15
1881-90	Females	157	692	475	116	37	21	19	18	13	16	16	9
1891-1900	Females	262	1,337	743	137	37	21	18	15	12	16	12	8

TABLE 5 (*continued*).—**Annual Mortality** from SEVERAL CAUSES, per MILLION LIVING, at ALL AGE and at 11 GROUPS of AGES, among PERSONS, MALES, and FEMALES, in SUCCESSIVE DECENNIA.

PERIODS.		ALL AGES.	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upward
CROUP.													
1861-70	Persons..	219	1,600	249	13	1	0	0	0	—	—	—	—
1871-80	Persons..	149	1,051	211	9	0	0	0	—	—	—	—	—
1881-90	Persons..	133	906	217	9	0	0	0	—	—	—	—	—
1891-1900	Persons..	51	357	77	3	0	—	0	0	0	—	—	—
1861-70	Males ..	240	1,705	265	15	0	—	—	0	—	—	—	—
1871-80	Males ..	166	1,136	226	9	0	—	—	—	—	—	—	—
1881-90	Males ..	148	984	228	9	0	—	0	—	—	—	—	—
1891-1900	Males ..	57	388	83	4	0	—	—	0	—	—	—	—
1861-70	Females	199	1,494	234	11	1	0	0	—	—	—	—	—
1871-80	Females	134	966	196	10	0	0	0	—	—	—	—	—
1881-90	Females	119	828	206	9	0	0	—	—	—	—	—	—
1891-1900	Females	46	326	72	3	0	—	0	—	0	—	—	—
ENTERIC FEVER.													
1871-80	Persons..	322	402	338	313	408	382	295	249	251	268	295	218
1881-90	Persons..	198	129	180	209	291	283	233	183	155	142	114	62
1891-1900	Persons..	174	82	127	162	256	272	239	190	144	112	69	29
1871-80	Males ..	325	398	309	274	377	432	311	259	273	291	341	259
1881-90	Males ..	214	131	170	192	300	338	273	202	177	166	132	71
1891-1900	Males ..	200	85	120	152	279	347	296	227	174	137	87	36
1871-80	Females	319	405	366	352	438	336	280	239	230	248	256	187
1881-90	Females	183	128	189	226	281	234	197	165	136	122	99	55
1891-1900	Females	150	80	134	172	233	205	186	154	117	90	54	24
DIARRHŒAL DISEASES (including CHOLERA).													
1861-70*	Persons..	984	6,011	161	68	61	96	156	217	320	662	1,659	4,352
1871-80	Persons..	843	5,752	69	23	21	35	59	96	161	412	1,196	3,516
1881-90	Persons..	631	4,341	54	16	15	24	37	60	107	301	910	2,592
1891-1900	Persons..	738	5,485	37	10	8	12	22	40	85	234	708	2,070
1861-70*	Males ..	1,041	6,405	161	74	61	91	139	205	339	686	1,702	4,452
1871-80	Males ..	906	6,164	65	22	21	30	51	95	170	439	1,246	3,644
1881-90	Males ..	681	4,677	50	15	14	21	34	57	110	317	924	2,736
1891-1900	Males ..	802	5,879	32	10	8	13	23	42	95	243	715	2,151
1861-70*	Females	931	5,615	161	63	60	101	170	229	303	641	1,621	4,275
1871-80	Females	784	5,341	74	24	21	39	67	98	153	388	1,153	3,418
1881-90	Females	584	4,007	57	17	16	26	41	64	104	287	898	2,485
1891-1900	Females	678	5,094	42	11	8	10	21	37	76	226	703	2,011
PUERPERAL FEVER AND CHILDBIRTH.													
1861-70	Females	335	—	—	0	162	634	925	891	60	—	—	—
1871-80	Females	343	—	—	1	168	681	949	890	53	—	—	—
1881-90	Females	312	—	—	0	129	604	892	806	43	0	—	—
1891-1900	Females	295	—	—	0	99	543	879	756	41	0	—	—

* Asiatic Cholera was epidemic in 1866,

ABLE 5 (*continued*).—**Annual Mortality** from SEVERAL CAUSES, per MILLION LIVING, at ALL AGES and at 11 GROUPS of AGES, among PERSONS, MALES, and FEMALES, in SUCCESSIVE DECENNIA.

PERIODS.		ALL AGES.	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
						PNEUMONIA.							
861-70	Persons..	1,008	5,368	273	104	157	219	303	448	631	1,010	1,583	2,071
871-80	Persons..	948	3,999	259	106	173	261	393	645	879	1,342	2,005	2,400
881-90	Persons..	1,041	3,663	299	120	202	303	497	837	1,162	1,765	2,609	3,200
891-1900	Persons..	1,227	4,945	297	112	206	281	448	852	1,271	1,953	2,939	3,973
861-70	Males ..	1,171	5,847	276	101	169	273	387	612	896	1,330	1,940	2,348
871-80	Males ..	1,129	4,370	261	102	195	337	510	886	1,272	1,802	2,446	2,787
881-90	Males ..	1,252	4,000	303	118	237	383	642	1,142	1,690	2,354	3,240	3,704
891-1900	Males ..	1,466	5,425	303	110	256	381	603	1,178	1,801	2,583	3,550	4,481
861-70	Females	856	4,887	269	107	146	170	227	295	381	715	1,275	1,858
871-80	Females	779	3,628	257	110	151	193	287	421	518	926	1,628	2,103
881-90	Females	844	3,329	296	122	168	230	363	551	682	1,246	2,086	2,823
891-1900	Females	1,003	4,468	291	113	157	192	308	547	784	1,403	2,445	3,608
						TUBERCULOSIS (ALL FORMS).							
861-70	Persons..	3,239	5,469	984	1,098	2,845	4,060	4,351	4,111	3,446	2,780	1,734	620
871-80	Persons..	2,862	5,230	865	923	2,219	3,237	3,705	3,822	3,202	2,539	1,576	538
881-90	Persons..	2,429	4,494	846	830	1,783	2,505	3,043	3,251	2,844	2,267	1,446	572
891-1900	Persons..	2,010	3,930	724	669	1,396	1,936	2,302	2,742	2,492	2,007	1,263	512
861-70	Males ..	3,327	6,018	1,029	899	2,382	4,031	4,206	4,244	3,969	3,433	2,174	740
871-80	Males ..	3,053	5,798	900	748	1,857	3,219	3,785	4,198	3,928	3,285	2,025	650
881-90	Males ..	2,633	5,004	817	630	1,510	2,516	3,164	3,685	3,611	3,027	1,913	732
891-1900	Males ..	2,265	4,347	705	521	1,234	2,102	2,541	3,251	3,296	2,768	1,706	629
861-70	Females	3,156	4,917	939	1,300	3,300	4,087	4,482	3,988	2,954	2,178	1,354	528
871-80	Females	2,684	4,663	830	1,099	2,577	3,253	3,631	3,475	2,535	1,866	1,193	452
881-90	Females	2,238	3,987	874	1,030	2,052	2,495	2,932	2,846	2,146	1,597	1,058	452
891-1900	Females	1,771	3,516	744	818	1,555	1,788	2,086	2,264	1,753	1,344	906	427
						PHTHISIS.							
861-70	Persons..	2,545	973	456	828	2,662	3,935	4,260	4,035	3,357	2,669	1,612	542
871-80	Persons..	2,190	770	360	666	2,049	3,133	3,631	3,760	3,137	2,459	1,480	493
881-90	Persons..	1,775	535	291	523	1,552	2,333	2,914	3,144	2,749	2 173	1,362	523
891-1900	Persons..	1,391	413	206	368	1,144	1,730	2,135	2,592	2,362	1,881	1,154	437
861-70	Males ..	2,538	994	433	608	2,196	3,894	4,111	4,170	3,880	3,312	2,037	663
871-80	Males ..	2,288	787	342	483	1,685	3,109	3,713	4,137	3,865	3,206	1,928	604
881-90	Males ..	1,904	553	254	344	1,293	2,341	3,037	3,577	3,505	2,920	1,823	690
891-1900	Males ..	1,580	441	174	234	995	1,887	2,369	3,095	3,144	2,618	1,584	556
861-70	Females	2,552	951	479	1,050	3,121	3,972	4,395	3 909	2,867	2,075	1,246	448
871-80	Females	2,098	753	377	851	2,409	3,154	3,556	3,412	2,468	1,786	1,097	407
881-90	Females	1,655	518	328	702	1,809	2,326	2,801	2,740	2,062	1,515	980	398
891-1900	Females	1,214	385	239	502	1,290	1,591	1,923	2,121	1,642	1,239	807	352

TABLE 5 (*continued*).—**Annual Mortality** from SEVERAL CAUSES, per MILLION LIVING, at ALL AGE and at 11 GROUPS of AGES, among PERSONS, MALES, and FEMALES, in SUCCESSIVE DECENNIA.

PERIODS.		ALL AGES.	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
TUBERCULOUS MENINGITIS.													
1861-70	Persons..	310	2,223	292	90	21	8	5	3	2	2	3	1
1871-80	Persons..	284	1,908	303	118	49	24	16	11	5	4	2	1
1881-90	Persons..	234	1,456	307	121	58	32	20	12	8	3	2	1
1891-1900	Persons..	216	1,320	276	115	61	37	24	16	10	6	3	1
1861-70	Males ..	369	2,589	323	93	20	9	5	3	2	2	3	2
1871-80	Males ..	338	2,251	333	120	48	26	17	12	6	4	2	1
1881-90	Males ..	270	1,688	319	115	55	33	21	12	10	4	2	2
1891-1900	Males ..	242	1,481	283	110	60	37	25	18	11	7	3	1
1861-70	Females	255	1,855	257	86	22	8	4	3	2	2	2	1
1871-80	Females	234	1,565	273	117	49	23	15	10	5	4	3	1
1881-90	Females	201	1,225	295	128	61	31	19	12	6	3	2	—
1891-1900	Females	192	1,161	269	120	63	37	24	14	9	5	3	0
TUBERCULOUS PERITONITIS, TABES MESENTERICA.													
1861-70	Persons..	266	1,864	140	81	60	38	27	21	23	27	20	6
1871-80	Persons..	285	2,036	130	79	60	37	26	22	21	23	24	9
1881-90	Persons..	257	1,808	121	75	56	39	29	25	22	24	23	11
1891-1900	Persons..	217	1,458	103	68	57	46	38	34	30	27	21	9
1861-70	Males ..	288	2,001	155	80	49	34	19	16	20	26	19	6
1871-80	Males ..	311	2,207	142	77	52	32	18	19	18	21	22	8
1881-90	Males ..	284	2,005	121	67	47	33	23	20	19	24	21	10
1891-1900	Males ..	236	1,613	102	62	49	38	30	26	29	27	22	12
1861-70	Females	245	1,725	125	82	70	43	34	25	26	28	21	6
1871-80	Females	260	1,865	117	80	68	42	33	25	25	26	26	9
1881-90	Females	233	1,612	122	84	64	45	35	29	26	24	25	12
1891-1900	Females	198	1,304	104	74	66	53	45	41	31	26	20	8
OTHER TUBERCULOUS DISEASES.													
1861-70	Persons..	118	409	96	99	102	79	59	52	64	82	99	71
1871-80	Persons..	103	516	72	60	61	43	32	29	39	53	70	35
1881-90	Persons..	163	695	127	111	117	101	80	70	65	67	59	37
1891-1900	Persons..	186	739	139	118	134	123	105	100	90	93	85	65
1861-70	Males ..	132	434	113	118	117	94	71	55	67	93	115	69
1871-80	Males ..	116	553	83	68	72	52	37	30	39	54	73	37
1881-90	Males ..	175	758	123	104	115	109	83	76	77	79	67	30
1891-1900	Males ..	207	812	146	115	130	140	117	112	112	116	97	60
1861-70	Females	104	386	78	82	87	64	49	51	59	73	85	73
1871-80	Females	92	480	63	51	51	34	27	28	37	50	67	35
1881-90	Females	149	632	129	116	118	93	77	65	52	55	51	42
1891-1900	Females	167	666	132	122	136	107	94	88	71	74	76	67

TABLE 5 (*continued*).—**Annual Mortality** from SEVERAL CAUSES, per MILLION LIVING, at ALL AGES and at 11 GROUPS of AGES, among PERSONS, MALES, and FEMALES, in SUCCESSIVE DECENNIA.

PERIODS.		ALL AGES.	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
							RHEUMATIC FEVER.						
1861-70	Persons..	44	5	39	62	66	42	40	42	48	61	74	57
1871-80	Persons..	60	6	45	74	82	66	62	65	65	76	101	71
1881-90	Persons..	94	15	67	103	111	96	102	117	117	124	150	125
1891-1900	Persons..	85	20	75	101	105	80	84	97	99	107	130	126
1861-70	Males ..	47	4	38	59	68	48	46	49	53	63	83	60
1871-80	Males ..	63	6	48	68	80	66	72	77	68	81	111	78
1881-90	Males ..	99	15	68	99	109	96	114	140	124	132	160	146
1891-1900	Males ..	88	20	74	92	97	80	96	110	102	116	142	148
1861-70	Females	42	5	39	66	64	38	34	36	42	59	67	55
1871-80	Females	57	6	42	80	84	66	53	54	62	72	92	65
1881-90	Females	89	14	67	106	113	97	91	95	110	116	142	109
1891-1900	Females	83	20	76	109	112	80	73	85	97	100	120	111
							CANCER.						
1861-70	Persons..	390	13	7	7	17	29	113	446	1,054	1,776	2,374	2,568
1871-80	Persons..	477	12	7	7	15	27	124	527	1,257	2,209	3,100	3,289
1881-90	Persons..	602	20	10	11	21	35	128	586	1,552	2,873	4,180	4,312
1891-1900	Persons..	758	30	16	16	29	44	139	646	1,833	3,662	5,604	6,145
1861-70	Males ..	240	13	8	7	18	26	60	205	539	1,206	1,874	2,269
1871-80	Males ..	313	13	7	8	16	27	71	240	706	1,593	2,605	2,939
1881-90	Males ..	437	21	11	12	23	37	80	299	1,002	2,302	3,758	3,926
1891-1900	Males ..	600	33	18	19	32	51	99	384	1,300	3,160	5,325	5,824
1861-70	Females	532	13	7	7	16	32	161	670	1 539	2,302	2,806	2,798
1871-80	Females	632	12	7	7	14	27	174	793	1,764	2,765	3 524	3,520
1881-90	Females	756	19	9	10	18	33	173	855	2,051	3,375	4,531	4,601
1891-1900	Females	906	28	14	14	27	39	175	891	2,323	4,099	5,829	6,377
							DIABETES MELLITUS.						
1861-70	Persons..	31	3	5	9	17	19	32	42	59	96	117	74
1871-80	Persons..	39	1	4	10	19	25	37	51	72	132	172	113
1881-90	Persons..	58	4	7	15	24	31	47	64	107	218	294	239
1891-1900	Persons..	75	4	7	17	29	36	49	71	136	300	460	380
1861-70	Males ..	42	3	5	10	22	24	44	55	83	136	181	121
1871-80	Males ..	51	1	4	10	24	34	48	69	96	182	248	172
1881-90	Males ..	71	5	7	14	26	35	59	79	135	282	399	315
1891-1900	Males ..	86	5	7	16	32	43	57	87	161	347	559	474
1861-70	Females	21	2	4	8	13	14	22	30	37	58	62	38
1871-80	Females	28	2	4	10	14	18	27	35	50	88	107	68
1881-90	Females	46	3	6	15	22	27	36	51	82	161	208	181
1891-1900	Females	66	3	8	17	25	31	42	56	112	258	380	312

TABLE 5 (*continued*).—**Annual Mortality** from SEVERAL CAUSES, per MILLION LIVING, at ALL AGE and at 11 GROUPS of AGES, among PERSONS, MALES, and FEMALES, in SUCCESSIVE DECENNIA.

PERIODS.		ALL AGES.	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
							LARYNGITIS.						
1861-70	Persons..	47	224	48	9	8	11	19	24	33	37	41	37
1871-80	Persons..	45	186	50	11	9	11	21	30	34	40	46	36
1881-90	Persons..	52	256	75	12	7	6	11	18	24	35	47	53
1891-1900	Persons..	45	254	62	8	4	4	6	11	15	22	31	46
1861-70	Males ..	52	236	48	10	7	11	21	29	41	51	53	51
1871-80	Males ..	52	201	53	12	10	10	23	37	47	59	65	45
1881-90	Males ..	57	272	79	12	6	6	12	23	32	46	63	70
1891-1900	Males ..	51	279	64	9	3	3	7	13	19	29	41	60
1861-70	Females	43	212	49	8	9	11	17	19	25	23	31	26
1871-80	Females	39	171	47	11	8	12	20	24	21	23	29	29
1881-90	Females	46	241	72	11	8	7	10	14	17	25	34	40
1891-1900	Females	40	228	61	7	4	5	6	8	10	15	22	35
							BRONCHITIS.						
1861-70	Persons..	1,691	4,762	164	49	64	104	231	609	1,600	4,270	9,940	19,105
1871-80	Persons..	2,186	7,053	185	48	60	92	221	682	1,840	5,016	12,080	24,959
1881-90	Persons..	2,081	7,488	182	40	44	67	160	522	1,556	4,426	10,849	23,322
1891-1900	Persons..	1,811	6 306	110	27	31	45	106	367	1,214	3,850	10,060	23,268
1861-70	Males ..	1,735	5,145	160	44	59	107	247	671	1,749	4,500	10,158	19,901
1871-80	Males ..	2,251	7,686	178	44	57	92	229	745	2,059	5,291	12,234	25,390
1881-90	Males ..	2,149	8,162	175	38	42	63	155	542	1,714	4,737	11,144	23,270
1891-1900	Males ..	1,849	6,896	106	25	30	45	107	372	1,296	4,074	10,228	22,939
1861-70	Females	1,650	4,377	169	55	69	101	217	550	1,460	4,058	9,753	18,491
1871-80	Females	2,124	6,421	191	52	62	91	213	624	1,639	4,767	11,950	24,628
1881-90	Females	2,018	6,819	188	43	46	71	164	504	1,412	4,152	10,603	23,361
1891-1900	Females	1,775	5,720	113	29	33	45	105	362	1,139	3,654	9,923	23,506
							PLEURISY.						
1861-70	Persons..	42	28	13	11	19	27	38	50	67	106	160	197
1871-80	Persons..	50	33	17	13	22	32	44	60	80	126	178	210
1881-90	Persons..	56	43	20	14	25	32	44	69	91	143	212	239
1891-1900	Persons..	54	55	16	11	19	26	37	67	93	139	204	263
1861-70	Males ..	50	31	15	12	22	35	48	67	92	134	169	211
1871-80	Males ..	61	36	19	15	28	43	56	78	114	162	192	218
1881-90	Males ..	68	49	21	17	30	42	55	90	124	184	240	246
1891-1900	Males ..	67	63	18	13	22	34	47	87	131	187	246	282
1861-70	Females	34	25	12	10	17	21	29	35	43	79	152	186
1871-80	Females	40	30	14	12	16	23	34	44	50	93	167	204
1881-90	Females	45	37	19	12	20	24	33	50	60	107	190	234
1891-1900	Females	42	46	14	10	17	19	28	47	58	98	170	249

TABLE 5 (*continued*).—**Annual Mortality** from SEVERAL CAUSES, per MILLION LIVING, at ALL AGES and at 11 GROUPS of AGES, among PERSONS, MALES, and FEMALES, in SUCCESSIVE DECENNIA.

PERIODS.		ALL AGES.	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
BRIGHT'S DISEASE, ACUTE AND CHRONIC NEPHRITIS.													
1861-70	Persons..	113	56	41	29	37	59	97	160	222	315	395	331
1871-80	Persons..	201	108	71	44	60	86	150	266	400	611	779	729
1881-90	Persons..	286	157	78	50	70	105	172	340	559	936	1,386	1,389
1891-1900	Persons..	337	149	64	49	67	99	171	371	690	1,218	1,849	1,997
1861-70	Males ..	137	67	51	33	42	64	114	195	286	399	504	444
1871-80	Males ..	236	126	86	46	61	89	168	313	506	768	984	943
1881-90	Males ..	323	170	91	52	74	107	182	379	674	1,140	1,706	1,765
1891-1900	Males ..	379	162	75	48	70	100	174	400	812	1,497	2 269	2,559
1861-70	Females	91	46	30	24	32	54	83	128	161	239	301	245
1871-80	Females	167	91	55	42	58	84	133	221	302	468	603	564
1881-90	Females	250	143	65	48	67	103	163	303	455	757	1,120	1,108
1891-1900	Females	299	136	53	49	64	98	169	344	578	975	1,510	1,592
VIOLENCE (ACCIDENT, SUICIDE, HOMICIDE).													
1861-70	Persons..	755	1,323	460	450	502	544	587	730	904	1,120	1,327	2,379
1871-80	Persons..	725	1,220	387	356	444	502	567	727	926	1,190	1,465	2,560
1881-90	Persons..	647	1,141	325	264	361	388	471	656	862	1,118	1,456	2,505
1891-1900	Persons..	660	1,352	327	224	327	363	448	649	877	1,121	1,452	2,567
1861-70	Males ..	1,172	1,482	603	761	861	1,019	1,088	1,309	1,562	1,896	2,028	2,503
1871-80	Males ..	1,118	1,359	530	598	765	928	1,035	1,283	1,586	1,976	2,217	2,848
1881-90	Males ..	972	1,264	452	437	605	688	833	1,134	1,457	1,847	2,192	2,780
1891-1900	Males ..	959	1,472	410	358	537	641	778	1,097	1,458	1,830	2,158	2,804
1861-70	Females	363	1,162	317	135	147	119	136	192	285	404	722	2,284
1871-80	Females	356	1,082	244	112	126	114	140	212	320	480	823	2,339
1881-90	Females	341	1,018	200	92	120	116	138	210	321	477	846	2,299
1891-1900	Females	380	1,233	245	90	120	114	150	229	342	502	882	2,397
SUICIDE.													
1861-70	Persons..	67	—	0	4	29	44	62	106	171	226	211	149
1871-80	Persons..	72	—	0	3	25	48	70	114	174	243	241	182
1881-90	Persons..	79	—	0	4	31	52	78	131	192	253	264	190
1891-1900	Persons..	89	—	0	4	35	61	95	156	217	266	262	192
1861-70	Males ..	100	—	—	4	28	59	93	163	263	377	359	251
1871-80	Males ..	110	—	—	4	24	64	104	179	276	408	416	335
1891-90	Males ..	122	—	0	4	29	67	117	202	310	437	478	373
1891-1900	Males ..	137	—	0	5	34	84	142	241	348	456	479	386
1861-70	Females	35	—	0	3	31	31	35	53	84	87	83	70
1871-80	Females	36	—	0	3	26	33	39	54	81	95	92	64
1881-90	Females	39	—	0	3	34	40	43	64	84	92	86	53
1891-1900	Females	44	—	—	4	37	41	52	76	96	100	88	52

TABLE 6.—**Annual Mortality** from SEVERAL CAUSES, per MILLION LIVING, at ALL AGES and at 11 GROUPS of AGES, among PERSONS, MALES, and FEMALES, in GROUPS of **Urban** and **Rural Counties**: 1891–1900.

—	ALL AGES.	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ALL CAUSES.												
England & Wales, Both Sexes	18,194	57,736	4,340	2,507	3,727	4,743	6,402	10,514	16,756	31,472	65,012	152,167
Urban Counties, Both Sexes	20,335	66,507	4,803	2,620	3,800	4,744	6,712	11,814	19,259	36,039	72,723	157,801
Rural Counties, Both Sexes	14,880	42,066	3,519	2,380	3,746	4 999	6,055	8,395	12,713	25,199	56,606	147,276
England & Wales, Males	19,316	62,710	4,309	2,448	3,789	5,060	6,757	11,493	18,916	34,949	70,386	160,086
Urban Counties, Males	21,689	72,048	4,776	2,613	3,968	5,057	7,095	12,980	21,864	40,350	79,491	166,674
Rural Counties, Males	15,611	46,412	3,483	2,230	3,549	5,232	6,174	8,872	14,094	27,651	60,796	154,986
England & Wales, Females	17,142	52,797	4,370	2,566	3,665	4,461	6,082	9,593	14,741	28,438	60,723	146,464
Urban Counties, Females	19,063	61,023	4,830	2,627	3.639	4,464	6,360	10,703	16,829	32,303	67,466	151,918
Rural Counties, Females	14,194	37,730	3,554	2,533	3,959	4,794	5,951	7,964	11,489	23,063	53,099	141,396
SMALL-POX.												
England & Wales, Both Sexes	13	29	10	3	5	11	16	18	13	10	10	8
Urban Counties, Both Sexes	13	27	7	3	6	11	16	20	13	8	8	6
Rural Counties, Both Sexes	3	5	1	1	1	2	3	4	4	4	7	5
England & Wales, Males	16	29	10	3	6	12	19	24	20	15	18	12
Urban Counties, Males	15	26	7	4	6	12	19	27	19	12	11	8
Rural Counties, Males	4	5	1	—	1	2	3	7	6	6	14	10
England & Wales, Females	11	30	9	3	5	10	13	12	7	5	4	5
Urban Counties, Females	11	28	7	3	6	9	13	13	7	5	5	4
Rural Counties, Females	2	5	2	2	1	2	3	2	1	1	1	2
MEASLES.												
England & Wales, Both Sexes	414	3,247	221	18	7	4	4	3	2	1	1	0
Urban Counties, Both Sexes	512	4,067	242	11	5	3	3	2	1	1	1	0
Rural Counties, Both Sexes	212	1,573	165	28	10	5	7	7	3	2	1	—
England & Wales, Males	439	3,368	209	17	6	3	2	2	1	1	0	—
Urban Counties, Males	542	4,211	221	11	4	2	1	1	0	1	—	—
Rural Counties, Males	225	1,647	161	26	8	2	4	4	3	1	1	—
England & Wales, Females	391	3,126	233	18	8	5	6	5	2	1	2	0
Urban Counties, Females	484	3,925	262	11	5	4	5	3	2	1	1	—
Rural Counties, Females	200	1,500	168	30	13	8	10	9	3	2	2	2

Note.—The death-rates at all ages from the several causes in Urban and in Rural Counties are based on the sex and age constitution of the mean population of England and Wales in 1891–1900.

TABLE 6 (*continued*).—**Annual Mortality** from SEVERAL CAUSES, per MILLION LIVING, at ALL AGES and at 11 GROUPS of AGES, among PERSONS, MALES, and FEMALES, in GROUPS of **Urban** and **Rural Counties**: 1891–1900.

—		ALL AGES.	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
SCARLET FEVER.													
England & Wales	Both Sexes	153	844	353	81	33	22	15	8	4	2	1	0
Urban Counties	Both Sexes	200	1,102	446	92	35	23	15	7	3	2	1	1
Rural Counties	Both Sexes	99	466	227	73	29	23	17	13	6	2	1	—
England & Wales	Males ..	162	855	343	78	38	21	13	7	4	2	1	—
Urban Counties	Males ..	206	1,121	438	87	40	21	13	7	4	1	1	—
Rural Counties	Males ..	101	477	225	72	32	19	11	10	7	3	—	—
England & Wales	Females	153	833	357	85	28	23	18	9	4	2	1	1
Urban Counties	Females	194	1,084	454	97	30	24	17	8	3	2	1	2
Rural Counties	Females	96	454	230	74	29	27	21	15	5	2	2	—
WHOOPING COUGH.													
England & Wales	Both Sexes	377	3,086	96	3	1	0	0	0	0	1	1	3
Urban Counties	Both Sexes	433	3,540	114	3	1	0	0	0	0	1	1	3
Rural Counties	Both Sexes	292	2,392	63	6	1	2	1	0	0	1	—	4
England & Wales	Males ..	349	2,786	74	3	1	0	0	—	0	1	0	3
Urban Counties	Males ..	398	3,179	88	2	1	0	0	—	0	1	0	—
Rural Counties	Males ..	277	2,217	55	5	0	1	0	—	—	1	—	5
England & Wales	Females	404	3,385	118	4	1	1	1	0	0	0	1	3
Urban Counties	Females	465	3,897	140	3	0	1	0	0	0	1	2	5
Rural Counties	Females	306	2,568	81	6	1	3	1	0	0	—	—	4
DIPHTHERIA.													
England & Wales	Both Sexes	263	1,362	679	125	36	20	16	14	12	15	12	9
Urban Counties	Both Sexes	297	1,653	704	103	28	18	16	12	12	14	12	9
Rural Counties	Both Sexes	201	829	614	167	52	29	17	20	15	20	15	11
England & Wales	Males ..	264	1,388	614	112	36	20	15	13	12	13	12	9
Urban Counties	Males ..	300	1,686	629	98	29	18	15	11	12	14	13	9
Rural Counties	Males ..	197	829	570	138	43	28	16	21	14	16	13	12
England & Wales	Females	262	1,337	743	137	37	21	18	15	12	16	12	8
Urban Counties	Females	294	1,621	778	1[illegible]8	27	18	18	14	11	14	11	8
Rural Counties	Females	205	829	657	196	62	30	18	18	17	23	16	11

TABLE 6 (*continued*).—**Annual Mortality** from SEVERAL CAUSES, per MILLION LIVING, at ALL AGES and at 11 GROUPS of AGES, among PERSONS, MALES, and FEMALES, in GROUPS of **Urban** and **Rural Counties**: 1891–1900.

—		ALL AGES.	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ENTERIC FEVER.													
England & Wales	Both Sexes	174	82	127	162	256	272	239	190	144	112	69	29
Urban Counties	Both Sexes	198	97	148	183	286	301	270	217	164	130	78	38
Rural Counties	Both Sexes	116	52	84	108	162	179	153	130	104	87	52	26
England & Wales	Males ..	200	85	120	152	279	347	296	227	174	137	87	36
Urban Counties	Males ..	229	102	139	176	321	390	335	263	197	160	100	47
Rural Counties	Males ..	125	48	73	102	163	199	182	144	125	102	67	26
England & Wales	Females	150	80	134	172	233	205	186	154	117	90	54	24
Urban Counties	Females	168	93	157	192	253	221	211	174	132	104	61	32
Rural Counties	Females	108	56	96	114	161	161	127	118	86	73	39	26
DIARRHŒAL DISEASES (including CHOLERA).													
England & Wales	Both Sexes	738	5,485	37	10	8	12	22	40	85	234	708	2,070
Urban Counties	Both Sexes	909	6,771	40	11	9	12	23	47	103	293	901	2,533
Rural Counties	Both Sexes	382	2,678	28	10	8	10	20	26	60	147	491	1,648
England & Wales	Males ..	802	5,879	32	10	8	13	23	42	95	243	715	2,151
Urban Counties	Males ..	985	7,234	35	11	8	14	23	49	114	308	910	2,643
Rural Counties	Males ..	425	2,975	22	10	8	11	19	30	68	157	492	1,743
England & Wales	Females	678	5,094	42	11	8	10	21	37	76	226	703	2,011
Urban Counties	Females	839	6,313	45	11	9	10	21	46	93	280	894	2,460
Rural Counties	Females	341	2,383	34	11	8	9	19	23	53	139	490	1,576
PUERPERAL FEVER AND CHILDBIRTH.													
England & Wales	Females	295	—	—	0	99	543	879	756	41	0	—	—
Urban Counties	Females	309	—	—	0	101	587	922	782	38	—	—	—
Rural Counties	Females	293	—	—	1	91	473	877	797	52	—	—	—
PHTHISIS.													
England & Wales	Both Sexes	1,391	413	206	368	1,144	1,730	2,135	2,592	2,362	1,881	1,154	437
Urban Counties	Both Sexes	1,493	465	219	364	1,124	1,649	2,175	2,941	2,763	2,166	1,313	526
Rural Counties	Both Sexes	1,292	323	176	382	1,293	2,074	2,183	2,038	1,741	1,546	1,064	353
England & Wales	Males ..	1,580	441	174	234	995	1,887	2,369	3,095	3,144	2,618	1,584	556
Urban Counties	Males ..	1,753	500	189	242	1,010	1,815	2,448	3,581	3,798	3,150	1,907	687
Rural Counties	Males ..	1,347	346	143	218	1,039	2,195	2,269	2,248	2,116	1,995	1,319	402
England & Wales	Females	1,214	385	239	502	1,290	1,591	1,923	2,121	1,642	1,239	807	352
Urban Counties	Females	1,250	431	248	484	1,233	1,500	1,925	2,331	1,799	1,313	852	419
Rural Counties	Females	1,240	301	209	549	1,557	1,967	2,108	1,849	1,409	1,155	826	316

TABLE 6 (*continued*).—**Annual Mortality** from SEVERAL CAUSES, per MILLION LIVING, at ALL AGES and at 11 GROUPS of AGES, among PERSONS, MALES, and FEMALES, in GROUPS of **Urban** and **Rural Counties**: 1891–1900.

—		ALL AGES.	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
TUBERCULOUS PERITONITIS (including TABES MESENTERICA).													
England & Wales	Both Sexes	217	1,458	103	68	57	46	38	34	30	27	21	9
Urban Counties	Both Sexes	246	1,714	113	67	50	39	34	31	31	26	22	9
Rural Counties	Both Sexes	152	862	83	69	81	67	50	46	33	28	23	8
England & Wales	Males	236	1,613	102	62	49	38	30	26	29	27	22	12
Urban Counties	Males	272	1,900	115	61	48	34	28	24	32	27	23	11
Rural Counties	Males	158	966	77	58	59	52	37	34	30	27	27	7
England & Wales	Females	198	1,304	104	74	66	53	45	41	31	26	20	8
Urban Counties	Females	221	1,531	111	72	52	43	40	37	30	25	21	7
Rural Counties	Females	145	759	89	79	102	81	61	58	35	29	20	9
OTHER TUBERCULOUS DISEASES (including TUBERCULOUS MENINGITIS).													
England & Wales	Both Sexes	402	2,059	415	233	195	160	129	116	100	99	88	66
Urban Counties	Both Sexes	432	2,344	434	226	174	140	118	113	99	97	89	67
Rural Counties	Both Sexes	333	1,365	362	249	245	212	165	132	99	97	81	64
England & Wales	Males	449	2,293	429	225	190	177	142	130	123	123	100	61
Urban Counties	Males	488	2,619	454	229	178	160	134	130	124	124	106	75
Rural Counties	Males	355	1,491	365	218	223	230	172	143	107	117	84	60
England & Wales	Females	359	1,827	401	242	199	144	118	102	80	79	79	67
Urban Counties	Females	378	2,072	414	223	171	123	103	96	75	74	75	61
Rural Counties	Females	313	1,239	360	281	267	197	159	121	92	80	79	68
CANCER.													
England & Wales	Both Sexes	758	30	16	16	29	44	139	646	1,833	3,662	5,604	6,145
Urban Counties	Both Sexes	789	32	18	18	31	46	153	704	1,958	3,844	5,646	5,967
Rural Counties	Both Sexes	714	29	13	15	31	40	121	583	1,651	3,468	5,539	6,033
England & Wales	Males	600	33	18	19	32	51	99	384	1,300	3,160	5,325	5,824
Urban Counties	Males	626	35	20	22	34	53	111	424	1,403	3,373	5,343	5,480
Rural Counties	Males	574	32	16	19	37	44	89	350	1,140	2,988	5,347	6,067
England & Wales	Females	906	28	14	14	27	39	175	891	2,323	4,099	5,829	6,377
Urban Counties	Females	941	30	16	14	28	40	193	972	2,470	4,253	5,882	6,290
Rural Counties	Females	846	25	10	11	26	37	149	794	2,104	3,885	5,699	6,008

TABLE 7.—**Mean Annual Marriage-, Birth-, and Death-rates PER 1,000 Persons LIVING in ENGLAND AND WALES and in each REGISTRATION COUNTY, 1891-1900.**

—	ENGLAND AND WALES.	London.	Surrey.	Kent.	Sussex.	Hampshire.	Berkshire.	Middlesex.	Hertfordshire.	Buckinghamshire.	Oxfordshire.	Northamptonshire.	Huntingdonshire.	Bedfordshire.	Cambridgeshire.
Mean Population, 1891-1900	30,643,479	4,388,714	638,389	864,964	578,252	712,859	275,161	689,127	226,263	168,405	187,537	326,677	48,683	170,196	198,291
Marriage-Rate	15·63	17·85	13·18	14·04	13·64	14·94	13·74	12·26	12·44	13·42	13·23	15·26	13·41	14·04	13·70
Birth-Rate	29·88	30·33	24·67	26·34	24·05	26·35	25·95	28·14	25·42	27·10	25·96	29·28	25·72	26·30	26·34
Crude Death-Rate* ..	18·19	19·20	14·51	15·61	15·34	16·26	15·27	14·64	15·57	15·21	15·89	15·87	16·24	15·85	16·14
Small-pox	0·01	0·00	0·00	0·05	0·00	0·01	0·00	0·00	0·01	0·00	0·00	0·00	0·01	0·00	0·00
Measles	0·41	0·58	0·23	0·25	0·22	0·29	0·23	0·33	0·21	0·28	0·26	0·36	0·13	0·23	0·16
Scarlet Fever	0·16	0·17	0·05	0·07	0·04	0·07	0·06	0·21	0·05	0·06	0·06	0·13	0·05	0·08	0·04
Diphtheria	0·26	0·50	0·26	0·36	0·30	0·21	0·17	0·31	0·18	0·24	0·20	0·13	0·17	0·23	0·19
Whooping-cough	0·38	0·50	0·29	0·27	0·24	0·27	0·27	0·37	0·28	0·27	0·25	0·33	0·23	0·30	0·30
Typhus	0·00	0·00	0·00	0·00	0·00	—	0·00	0·00	0·00	0·00	0·00	—	—	0·00	0·00
Enteric Fever	0·17	0·14	0·08	0·14	0·14	0·16	0·06	0·11	0·10	0·09	0·06	0·13	0·08	0·08	0·10
Simple Continued Fever..	0·01	0·00	0·00	0·00	0·00	0·01	0·00	0·00	0·00	0·00	0·00	0·00	—	0·00	0·00
Diarrhœa and Dysentery	0·71	0·76	0·47	0·55	0·46	0·55	0·38	0·74	0·45	0·35	0·31	0·51	0·40	0·53	0·40
Cholera	0·02	0·02	0·02	0·02	0·01	0·02	0·01	0·05	0·02	0·01	0·01	0·01	0·01	0·01	0·02
Cancer	0·76	0·86	0·76	0·79	0·88	0·81	0·86	0·67	0·86	0·78	0·89	0·81	1·23	0·84	0·99
Tabes Mesenterica	0·22	0·25	0·12	0·16	0·14	0·19	0·11	0·17	0·09	0·10	0·11	0·12	0·10	0·16	0·17
Phthisis	1·39	1·79	1·20	1·26	1·34	1·50	1·15	1·07	1·22	1·01	1·08	1·18	1·15	1·13	1·30
Other Tub. and Scrof. Dis.	0·40	0·50	0·33	0·39	0·38	0·35	0·32	0·34	0·32	0·23	0·32	0·36	0·28	0·37	0·28
Diseases of: Nervous System ..	2·17	1·79	2·04	1·79	1·73	1·91	1·86	1·79	2·02	1·82	1·93	1·98	1·87	2·09	1·71
Diseases of: Circulatory " ..	1·66	1·55	1·52	1·60	1·72	1·75	1·77	1·19	1·92	1·70	1·90	1·54	1·56	1·61	1·72
Diseases of: Respiratory " ..	3·41	3·91	2·28	2·40	2·34	2·50	2·41	2·50	2·41	2·50	2·54	2·53	2·65	2·37	2·42
Diseases of: Digestive " ..	1·19	1·20	0·95	1·00	0·97	0·98	1·0[illegible]	1·03	0·93	1·03	0·93	0·90	0·81	0·94	1·03
Diseases of: Urinary " ..	0·46	0·53	0·41	0·44	0·45	0·48	0·47	0·36	0·45	0·47	0·49	0·37	0·40	0·42	0·47
Diseases of: Generative " ..	0·05	0·06	0·04	0·04	0·05	0·04	0·05	0·03	0·04	0·04	0·05	0·03	0·03	0·05	0·03
Puerperal Fever	0·07	0·06	0·05	0·05	0·04	0·05	0·06	0·05	0·03	0·05	0·05	0·06	0·04	0·05	0·04
Childbirth	0·08	0·06	0·06	0·06	0·07	0·06	0·07	0·06	0·07	0·07	0·07	0·07	0·06	0·07	0·07
Violence	0·66	0·78	0·54	0·62	0·52	0·54	0·56	0·48	0·51	0·52	0·50	0·51	0·58	0·44	0·55
OTHER CAUSES	3·54	3·19	2·81	3·30	3·30	3·51	3·40	2·78	3·40	3·59	3·83	3·81	4·40	3·85	4·15

* For death-rate in Standard Population, *see* Table 3.

TABLE 7 (*continued*).—**Mean Annual Marriage-, Birth-, and Death-rates** PER **1,000 Persons** LIVING in ENGLAND AND WALES and in each REGISTRATION COUNTY, **1891-1900.**

——	Essex.	Suffolk.	Norfolk.	Wiltshire.	Dorsetshire.	Devonshire.	Cornwall.	Somersetshire.	Gloucestershire.	Herefordshire.	Shropshire.	Stafford shire.	Worcestershire.	Warwickshire.	Leicestershire.	Rutlandshire.
Mean Population, 1891-1900	898,331	357,480	463,750	259,178	193,968	649,255	318,604	509,169	575,135	113,037	256,618	1,172,822	458,189	849,490	407,352	21,479
Marriage-Rate	13·29	13·53	13·82	13·46	13·88	15·15	13·42	13·52	15·53	12·93	13·31	16·34	14·84	17·08	15·72	12·30
Birth-Rate	30·37	27·67	27·80	26·36	25·32	25·49	26·02	26·73	27·19	25·90	26·84	34·72	28·90	31·52	31·05	23·79
Crude Death-Rate* ..	15·97	16·72	17·41	15·59	15·49	17·45	17·72	16·21	17·14	17·39	16·69	19·55	16·32	19·16	17·28	14·68
Small-pox	0·02	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·09	0·01	0·00	0·02	0·01	0·03	0·01	—
Measles	0·38	0·20	0·19	0·20	0·17	0·32	0·20	0·30	0·34	0·13	0·16	0·55	0·30	0·40	0·37	0·11
Scarlet Fever	0·11	0·06	0·09	0·07	0·07	0·09	0·13	0·11	0·09	0·11	0·10	0·22	0·09	0·15	0·18	0·06
Diphtheria	0·46	0·26	0·24	0·17	0·16	0·15	0·15	0·14	0·19	0·18	0·21	0·24	0·20	0·22	0·36	0·17
Whooping-cough	0·39	0·32	0·36	0·21	0·18	0·31	0·37	0·28	0·29	0·20	0·24	0·41	0·30	0·43	0·34	0·20
Typhus	0·00	—	0·00	—	—	0·00	—	0·00	0·00	—	0·00	0·00	0·00	0·00	0·00	—
Enteric Fever	0·18	0·10	0·19	0·06	0·07	0·14	0·12	0·07	0·09	0·03	0·09	0·22	0·11	0·18	0·18	0·05
Simple Continued Fever ..	0·00	0·01	0·00	0·00	0·00	0·01	0·00	0·00	0·00	0·00	0·00	0·01	0·00	0·01	0·00	0·00
Diarrhœa and Dysentery	0·74	0·44	0·55	0·28	0·30	0·42	0·44	0·32	0·47	0·22	0·29	0·96	0·56	1·05	1·02	0·18
Cholera	0·04	0·01	0·01	0·01	0·00	0·02	0·02	0·01	0·01	0·00	0·01	0·02	0·01	0·02	0·01	0·02
Cancer	0·66	0·88	0·94	0·79	0·83	0·90	0·91	0·84	0·88	0·94	0·90	0·62	0·72	0·77	0·72	0·94
Tabes Mesenterica	0·19	0·15	0·14	0·13	0·09	0·16	0·17	0·13	0·15	0·11	0·15	0·28	0·22	0·19	0·18	0·19
Phthisis	1·12	1·28	1·13	1·04	1·10	1·38	1·31	1·09	1·26	1·06	1·08	1·10	1·01	1·41	1·10	0·88
Other Tub. and Scrof. Dis.	0·36	0·34	0·29	0·28	0·29	0·37	0·33	0·30	0·35	0·32	0·28	0·33	0·34	0·35	0·37	0·26
Diseases of: Nervous System ..	1·88	1·85	2·09	1·95	1·98	2·16	2·13	1·99	2·13	2·33	1·99	2·38	1·84	2·07	2·14	1·75
Diseases of: Circulatory „ ..	1·36	1·73	1·77	2·06	1·95	1·91	1·75	2·00	1·93	2·26	2·16	1·48	1·62	1·61	1·50	1·68
Diseases of: Respiratory „ ..	2·82	2·57	2·49	2·70	2·60	3·13	2·85	2·79	3·11	2·82	2·69	3·91	2·94	3·75	2·88	2·39
Diseases of: Digestive „ ..	1·08	0·93	0·97	0·98	1·10	1·10	1·02	1·04	1·02	1·04	1·07	1·35	1·16	1·37	1·06	0·86
Diseases of: Urinary „ ..	0·34	0·47	0·43	0·52	0·46	0·50	0·47	0·47	0·50	0·50	0·50	0·42	0·46	0·48	0·37	0·46
Diseases of: Generative „ ..	0·03	0·04	0·05	0·04	0·04	0·05	0·04	0·04	0·05	0·04	0·04	0·04	0·04	0·06	0·04	0·03
Puerperal Fever	0·05	0·05	0·06	0·05	0·04	0·05	0·04	0·05	0·06	0·07	0·05	0·08	0·07	0·07	0·06	0·03
Childbirth	0·06	0·07	0·07	0·08	0·07	0·07	0·09	0·07	0·08	0·09	0·08	0·10	0·07	0·08	0·08	0·06
Violence	0·52	0·60	0·54	0·53	0·51	0·57	0·55	0·57	0·63	0·63	0·62	0·66	0·54	0·70	0·59	0·49
OTHER CAUSES	3·18	4·36	4·81	3·44	3·58	3·64	4·63	3·60	3·42	4·30	3·98	4·15	3·71	3·76	3·72	3·87

* For death-rate in Standard Population, *see* Table 3.

TABLE 7 (*continued*).—**Mean Annual Marriage-, Birth-, and Death-rates PER 1,000 Persons LIVING in ENGLAND AND WALES and in each REGISTRATION COUNTY, 1891–1900.**

——	Lincolnshire.	Nottinghamshire.	Derbyshire.	Cheshire.	Lancashire.	West Riding.	East Riding.	North Riding.	Durham.	Northumberland.	Cumberland.	Westmorland.	Monmouthshire.	South Wales.	North Wales.
Mean population, 1891–1900	478,994	546,903	459,323	745,074	4,176,413	2,600,984	424,590	364,510	1,101,838	550,212	266,738	65,397	294,361	1,131,395	459,372
Marriage-Rate	15·30	16·45	15·68	14·55	16·60	16·44	16·34	14·65	16·14	16·33	13·86	13·28	15·73	16·28	13·98
Birth-Rate	27·70	32·00	31·81	29·54	31·51	30·26	30·81	29·67	35·80	32·53	29·53	24·83	34·52	33·89	27·06
Crude Death-Rate* ..	16·67	17·72	17·23	18·24	21·12	18·87	18·50	17·79	19·28	19·02	17·16	14·95	18·77	19·27	18·82
Small-pox	0·01	0·00	0·03	0·01	0·01	0·03	0·04	0·07	0·01	0·00	0·00	—	0·00	0·00	0·00
Measles	0·17	0·41	0·42	0·37	0·58	0·44	0·36	0·27	0·50	0·42	0·50	0·18	0·55	0·41	0·20
Scarlet Fever..	0·09	0·18	0·17	0·17	0·25	0·20	0·14	0·12	0·19	0·15	0·20	0·09	0·23	0·20	0·14
Diphtheria	0·17	0·11	0·13	0·21	0·19	0·22	0·13	0·14	0·13	0·15	0·11	0·14	0·32	0·39	0·22
Whooping-cough	0·27	0·36	0·31	0·36	0·47	0·36	0·32	0·33	0·41	0·39	0·34	0·16	0·42	0·38	0·28
Typhus	0·00	0·00	0·00	0·00	0·01	0·00	—	0·00	0·01	0·00	0·00	—	0·00	0·00	0·00
Enteric Fever	0·17	0·26	0·15	0·20	0·26	0·21	0·24	0·22	0·30	0·19	0·08	0·10	0·17	0·19	0·13
Simple Continued Fever ..	0·01	0·00	0·00	0·01	0·01	0·01	0·01	0·01	0·02	0·01	0·00	0·00	0·01	0·01	0·01
Diarrhœa and Dysentery..	0·58	0·85	0·63	0·70	1·06	0·81	1·15	0·65	0·83	0·65	0·33	0·22	0·46	0·57	0·29
Cholera	0·05	0·03	0·01	0·03	0·05	0·03	0·03	0·03	0·03	0·02	0·01	0·01	0·02	0·01	0·01
Cancer	0·85	0·74	0·64	0·74	0·65	0·71	0·80	0·74	0·58	0·72	0·80	0·80	0·56	0·64	0·99
Tabes Mesenterica	0·17	0·24	0·25	0·22	0·28	0·24	0·23	0·29	0·36	0·35	0·17	0·11	0·15	0·16	0·18
Phthisis	1·12	1·13	1·12	1·29	1·58	1·41	1·30	1·19	1·43	1·72	1·27	0·95	1·02	1·51	1·66
Other Tub. and Scrof. Dis.	0·34	0·36	0·37	0·42	0·45	0·43	0·38	0·40	0·53	0·51	0·39	0·45	0·33	0·42	0·36
Diseases of Nervous System ..	2·28	2·09	2·28	2·21	2·46	2·48	2·56	2·35	2·45	2·39	2·02	1·91	2·44	2·81	3·01
Diseases of Circulatory " ..	1·70	1·55	1·67	1·76	1·70	1·67	1·71	1·66	1·51	1·80	1·89	1·90	1·62	1·57	2·09
Diseases of Respiratory " ..	2·54	3·18	3·08	3·39	4·62	3·81	3·05	3·25	3·49	2·91	2·95	2·15	4·03	3·62	3·14
Diseases of Digestive " ..	1·06	1·20	1·20	1·29	1·45	1·21	1·10	1·11	1·40	1·53	1·09	1·07	1·32	1·26	1·15
Diseases of Urinary " ..	0·43	0·41	0·39	0·45	0·48	0·46	0·42	0·44	0·36	0·41	0·46	0·50	0·42	0·48	0·64
Diseases of Generative " ..	0·04	0·05	0·04	0·04	0·05	0·04	0·06	0·04	0·04	0·06	0·04	0·04	0·03	0·04	0·04
Puerperal Fever	0·05	0·08	0·08	0·08	0·09	0·08	0·06	0·06	0·08	0·08	0·07	0·06	0·10	0·10	0·08
Childbirth	0·08	0·09	0·10	0·10	0·10	0·10	0·08	0·08	0·11	0·10	0·10	0·07	0·13	0·13	0·12
Violence	0·58	0·64	0·62	0·66	0·76	0·62	0·70	0·65	0·71	0·80	0·69	0·60	0·76	0·85	0·61
OTHER CAUSES	3·91	3·76	3·54	3·53	3·56	3·30	3·63	3·79	3·80	3·66	3·65	3·44	3·68	3·52	3·47

* For death-rate in Standard Population, *see* Table 3.

MORTALITY

IN

ENGLAND AND WALES

AND IN

REGISTRATION COUNTIES AND DISTRICTS

1891—1900.

EXPLANATORY NOTES.

The marriages, births, and deaths included in the appended Tables are those registered in the ten calendar years 1891–1900. In all cases the mortality is shown by age as well as by cause.

The first Table gives the mortality in England and Wales for persons of both sexes: the two Tables immediately following give the same particulars for Males and Females separately. The Tables on pages 6 to 95 supply corresponding data for each Registration County; but the Tables for Registration Districts, whilst giving particulars for persons of both sexes, do not give them in full for Males and Females separately. The Tables further record the annual average rates of marriage and birth per 1,000 persons living at all ages, and also the birth rates in terms of women aged 15–45 years. In the County Tables the last-mentioned rates will be found under the head of Females only.

Mean Populations.—In previous Decennial supplements the mean populations used for calculating rates of marriage, birth, and death were determined on the assumption of increase of population by arithmetical progression. Facility of calculation constitutes the sole advantage of this method; its disadvantages were pointed out in the Supplement for 1881–90, which contained a Table of correcting constants, based on the rates of increase or of decrease in the several Districts. In default of some such adjustment as this, comparison of the mortality of one District with another would have been, in most cases, invalid.

For the present report the mean population of England and Wales during the decennium 1891–1900 has been calculated on the assumption of increase by geometrical progression and has been distributed among the various parts of the country in proportions depending on the numbers enumerated at the Censuses of 1891 and 1901. The principles of this method are described on pp. cxvii–cxxiv.

In the accompanying Tables the decennial rates of increase or of decrease of population are omitted, as they are not now required for purposes of correction.

The rates of mortality here given have not been corrected for deaths in public institutions. Such correction would undoubtedly have been valuable, statistically, if it could have been achieved with a fair approach to accuracy. This, however, is impracticable; and therefore, having regard to the serious increase in the clerical labour attending the process, the attempt to carry it out has been abandoned.

The term "crude death rate," as used in the Tables, signifies the ratio obtained by dividing the recorded deaths by the mean population. The death rate "at all ages" calculated by this method is very misleading, because of the unequal distribution of the living, in different places. Accordingly, for every Registration County and every District of England and Wales the "Death-rate in standard population" has been calculated—by which expression is meant the rate *at all ages* that would have been recorded had the proportion of persons of each sex and age group living in a given locality been the same as in England and Wales generally. The death rates *at the several ages* are those which actually prevailed in each District throughout the decennium; for the latter rates no correction is necessary.

Changes of boundary have taken place during the decennium in many of the Registration Counties and Districts. Foot-notes indicating such changes have been appended to the Tables relating to the several areas thus changed, and the mean population of each area has been adjusted so as to refer to the same period as do the Births and Deaths. A List of Changes of Boundary will be found at the end of the Tables (page 732 *et seq.*).

ENGLAND AND WALES.—(Persons.)

Causes of Death.	Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	18·19	*153	—	—	—	—	57·74	4·34	2·51	3·73	4·74	6·40	10·51	16·76	31·47	65·04	152·17
Mean Population, 1891–1900	—	30,643,479	774,655	708,873	720,839	717,934	709,578	3,631,879	3,440,937	3,281,033	3,088,880	2,865,912	4,783,359	3,637,012	2,684,624	1,789,481	1,030,268	410,094
Deaths from All Causes, 1891–1900	18·19	5,575,375	1,403,720	387,785	146,482	92,650	66,276	2,096,913	149,331	82,264	115,118	135,944	306,244	382,407	449,835	563,188	670,102	624,029
Small-pox	0·01	4,058	503	164	150	107	146	1,070	328	106	166	307	770	650	350	173	106	32
Measles	0·41	126,841	28,742	50,311	20,626	11,434	6,813	117,926	7,594	577	212	120	205	120	51	23	12	1
Scarlet Fever	0·16	48,290	2,659	6,395	7,825	7,701	6,069	30,649	12,134	2,667	1,014	636	732	304	106	36	10	2
Diphtheria	0·26	80,671	4,186	10,491	11,218	12,390	11,194	49,479	23,348	4,092	1,123	585	786	512	324	260	127	35
Whooping-cough	0·38	115,610	53,190	34,991	13,207	7,025	3,682	112,095	3,299	114	21	13	22	9	6	9	9	13
Typhus	0·00	757	4	6	6	12	13	41	51	50	64	67	157	158	105	43	14	7
Enteric Fever	0·17	53,399	219	500	628	772	872	2,991	4,369	5,321	7,912	7,795	11,410	6,899	3,874	2,001	708	119
Simple Continued Fever ..	0·01	1,840	210	133	149	100	93	685	252	115	93	91	125	122	109	98	97	53
Diarrhœa and Dysentery ..	0·71	218,576	160,408	28,010	3,534	1,240	630	193,822	1,119	290	206	261	856	1,145	1,873	3,667	6,968	8,369
Cholera	0·02	7,567	4,232	915	128	72	50	5,397	152	46	51	70	190	293	411	512	327	118
Cancer	0·76	232,178	203	206	259	247	185	1,100	551	537	906	1,275	6,640	23,499	49,209	65,523	57,736	25,202
Tabes Mesenterica	0·22	66,381	34,065	12,136	3,879	1,756	1,112	52,948	3,551	2,235	1,776	1,311	1,799	1,225	804	478	216	38
Phthisis	1·39	426,224	5,137	4,463	2,285	1,650	1,470	15,005	7,093	12,061	35,323	49,592	102,112	94,283	63,402	33,669	11,891	1,793
Other Tub. and Scrof. Dis...	0·40	123,401	32,713	20,844	10,042	6,247	4,922	74,768	14,280	7,667	6,015	4,593	6,209	4,207	2,708	1,776	910	268
Diseases of: Nervous System	2·17	665,301	199,075	33,537	12,806	7,481	5,123	258,022	13,141	7,289	7,540	6,797	18,258	33,981	51,427	79,955	108,372	80,519
Diseases of: Circulatory „	1·66	507,730	4,599	792	496	569	659	7,115	5,831	8,741	10,345	9,654	25,969	44,945	70,917	109,844	133,727	80,642
Diseases of: Respiratory „	3·41	1,044,719	253,939	120,613	38,912	21,000	13,257	447,721	20,212	5,683	8,558	10,930	31,036	51,981	78,074	119,100	149,399	122,025
Diseases of: Digestive „	1·19	365,484	129,874	30,476	5,710	3,052	2,412	171,524	7,752	5,333	6,740	7,094	14,712	23,205	33,014	38,756	36,535	20,819
Diseases of: Urinary „	0·46	141,202	2,249	1,643	914	813	784	6,403	2,436	1,830	2,374	3,391	9,725	15,976	21,853	27,707	30,297	19,210
Diseases of: Generative „	0·05	14,094	393	162	72	26	10	663	24	59	314	635	2,253	3,173	2,857	1,859	1,534	723
Puerperal Fever	0·07	20,813	—	—	—	—	—	—	—	1	753	4,450	10,565	4,900	144	—	—	—
Childbirth	0·08	25,778	—	—	—	—	—	—	—	6	781	3,769	11,501	9,286	432	3	—	—
Violence	0·66	202,363	27,735	6,066	6,286	5,129	3,905	49,121	11,259	7,362	10,088	10,393	21,439	23,609	23,541	20,063	14,960	10,528
Other Causes	3·54	1,082,098	459,385	24,931	7,350	3,827	2,875	498,368	10,555	10,082	12,743	12,115	28,773	37,925	44,244	57,633	116,147	253,513

Marriages 2,394,105
Births 9,155,153

Average Annual Rate per 1000 { Persons Married .. .. 15·63
Births .. .. .. 29·88 }

Deaths from Childbirth and Puerperal Fever, 5·09 per 1000 Births.

Annual Births to 1000 Females aged 15–45 years = 123.
* The death-rate under one year of age is per 1000 Births.

ENGLAND AND WALES.—(MALES.)

CAUSES OF DEATH.	DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	19·32	*168	—	—	—	—	62·71	4·31	2·45	3·79	5·06	6·76	11·50	18·95	34·95	70·39	160·09
Mean Population, 1891–1900	—	14,833,198	386,456	353,142	359,372	357,018	353,584	1,809,572	1,716,048	1,640,058	1,531,756	1,351,555	2,272,493	1,759,309	1,286,406	833,879	460,434	171,688
Deaths from All Causes, 1891–1900	19·32	2,865,226	781,475	200,159	74,091	45,820	33,241	1,134,786	73,950	40,154	58,043	68,384	153,545	202,280	243,724	291,430	324,081	274,849
Small-pox	0·02	2,352	256	82	63	50	74	525	175	53	85	163	434	431	259	125	81	21
Measles	0·44	65,061	15,759	26,053	10,307	5,526	3,308	60,953	3,580	276	93	43	50	34	19	11	2	—
Scarlet Fever	0·16	24,082	1,432	3,284	3,939	3,779	3,037	15,471	5,968	1,280	575	286	291	130	57	20	4	—
Diphtheria	0·26	39,211	2,313	5,477	5,678	6,110	5,534	25,112	10,533	1,836	554	267	345	228	155	108	57	16
Whooping-cough	0·35	51,760	25,466	15,233	5,472	2,777	1,467	50,415	1,269	42	10	2	7	—	2	6	2	5
Typhus	0·00	399	3	—	2	8	6	19	27	26	36	41	74	86	59	22	6	3
Enteric Fever	0·20	29,633	124	260	311	396	445	1,536	2,062	2,491	4,277	4,692	6,737	3,998	2,234	1,143	402	61
Simple Continued Fever ..	0·01	880	115	63	69	48	42	337	100	54	42	45	59	62	58	44	56	23
Diarrhœa and Dysentery ..	0·77	114,643	86,459	14,348	1,737	580	294	103,418	490	137	95	141	414	562	933	1,697	3,117	3,639
Cholera	0·03	4,259	2,342	497	61	41	30	2,971	65	24	34	41	104	181	283	327	175	54
Cancer	0·60	88,987	110	105	138	137	101	591	313	308	485	691	2,248	6,761	16,722	26,350	24,519	9,999
Tabes Mesenterica	0·24	35,077	19,144	6,443	2,094	923	580	29,184	1,758	1,013	754	511	673	460	374	229	101	20
Phthisis	1·58	234,341	2,846	2,376	1,199	813	753	7,987	2,978	3,830	15,235	25,498	53,832	54,457	40,444	21,831	7,294	955
Other Tub. and Scrof. Dis..	0·45	66,543	18,643	11,634	5,433	3,218	2,556	41,484	7,355	3,695	2,911	2,407	3,241	2,285	1,581	1,021	458	105
Diseases of: Nervous System	2·33	345,132	113,865	18,171	6,695	3,773	2,674	145,178	6,670	3,694	3,844	3,307	9,638	18,789	26,018	39,471	52,345	36,178
Diseases of: Circulatory „	1·63	242,276	2,562	409	266	281	345	3,863	2,641	3,801	4,777	4,315	12,421	22,048	35,284	53,752	62,870	36,504
Diseases of: Respiratory „	3·75	555,968	144,490	62,628	19,790	10,557	6,852	244,317	10,287	2,827	5,063	6,672	18,809	31,994	47,277	64,779	72,045	51,898
Diseases of: Digestive „	1·25	185,047	72,787	15,810	2,879	1,470	1,127	94,073	3,730	2,915	3,275	2,855	6,534	11,140	16,084	18,775	16,736	8,930
Diseases of: Urinary „	0·58	85,820	1,338	855	491	441	439	3,564	1,439	920	1,243	1,603	4,673	8,438	12,694	17,056	20,150	14,040
Diseases of: Generative „	0·01	946	261	31	10	4	2	308	5	3	13	18	40	65	117	149	150	78
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0·96	142,207	14,472	3,379	3,703	2,955	2,135	26,644	7,039	5,879	8,221	8,664	17,683	19,306	18,759	15,262	9,936	4,814
OTHER CAUSES	3·70	550,602	256,688	13,021	3,754	1,933	1,440	276,836	5,466	5,050	6,421	6,122	15,238	20,825	24,311	29,252	53,575	107,506

Marriages 2,394,105
Births 4,657,871

Average Annual Rate per 1000 { Marriages .. .. .. 16·14
Births .. .. .. 31·40

* The death-rate under one year of age is per 1000 Births.

ENGLAND AND WALES.—(FEMALES.)

CAUSES OF DEATH.	DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	17·14	*138	—	—	—	—	52·80	4·37	2·57	3·67	4·46	6·08	9·59	14·74	28·44	60·72	146·46
Mean Population, 1891-1900	—	15,810,281	388,199	355,731	361,467	360,916	355,994	1,822,307	1,724,889	1,640,975	1,557,124	1,514,357	2,510,866	1,877,703	1,398,218	955,602	569,834	238,406
Deaths from All Causes, 1891-1900.	17·14	2,710,149	622,245	187,626	72,391	46 830	33,035	962,127	75,381	42,110	57,075	67,560	152,699	180,127	206,111	271,758	346,021	349,180
Small-pox	0·01	1,706	247	82	87	57	72	545	153	53	81	144	336	219	91	48	25	11
Measles	0·39	61,780	12.983	24,258	10,319	5,908	3,505	56.973	4 014	301	119	77	155	86	32	12	10	1
Scarlet Fever	0·15	24,208	1,227	3.111	3,886	3,922	3,032	15,178	6.166	1,387	439	350	441	174	49	16	6	2
Diphtheria	0·26	41,460	1,873	5,014	5,540	6,280	5,660	24 367	12 815	2,256	569	318	441	284	169	152	70	19
Whooping-cough	0·40	63,850	27,724	19,758	7,735	4,248	2,215	61,680	2,030	72	11	11	15	9	4	3	7	8
Typhus	0·00	358	1	6	4	4	7	22	24	24	28	26	83	72	46	21	8	4
Enteric Fever	0·15	23,766	95	240	317	376	427	1,455	2,307	2,830	3,635	3,103	4,673	2,901	1,640	858	306	58
Simple Continued Fever ..	0·01	960	95	70	80	52	51	348	152	61	51	46	66	60	51	54	41	30
Diarrhœa and Dysentery ..	0·66	103,933	73,949	13,662	1,797	660	336	90,404	629	153	111	120	442	583	940	1,970	3,851	4,730
Cholera	0·02	3,308	1,890	418	67	31	20	2,426	87	22	17	29	86	112	128	185	152	64
Cancer	0·91	143,191	93	101	121	110	84	509	238	229	421	584	4,392	16,738	32,487	39,173	33,217	15,203
Tabes Mesenterica	0·20	31,304	14,921	5,693	1.785	833	532	23,764	1,793	1,222	1,022	800	1.126	765	430	249	115	18
Phthisis	1·21	191,883	2,291	2,087	1.086	837	717	7,018	4,115	8,231	20,088	24,094	48,280	39,826	22,958	11,838	4,597	838
Other Tub. and Scrof. Dis. ..	0·36	56,858	14,070	9,210	4,609	3,029	2 366	33,284	6,925	3,972	3,104	2,186	2,968	1,922	1,127	755	452	163
Diseases of: Nervous System	2·03	320,169	85,210	15,366	6.111	3,708	2,449	112,844	6,471	3,595	3,696	3,490	8,620	15,192	25,409	40,484	56,027	44,341
Diseases of: Circulatory „	1·68	265,454	2,037	383	230	288	314	3,252	3,190	4,940	5,568	5,339	13 548	22,897	35,633	56,092	70,857	44,138
Diseases of: Respiratory „	3·09	488,751	109 449	57,985	19 122	10,443	6,405	203,404	9,925	2,856	3,495	4,258	12.227	19,987	30,797	54,321	77,354	70,127
Diseases of: Digestive „	1·14	180,437	57,087	14,666	2,831	1,582	1,285	77,451	4,022	2,418	3,465	4,239	8,178	12,065	16,930	19,981	19,799	11,889
Diseases of: Urinary „	0·35	55,382	911	788	423	372	345	2,839	997	910	1,131	1,788	5,052	7,538	9,159	10,651	10,147	5,170
Diseases of: Generative „	0·08	13,148	132	131	62	22	8	355	19	56	301	617	2,213	3,108	2,740	1,710	1,384	645
Puerperal Fever	0·13	20 813	—	—	—	—	—	—	—	1	753	4,450	10.565	4,900	144	—	—	—
Childbirth	0·16	25,778	—	—	—	—	—	—	—	6	781	3,769	11,501	9.286	432	3	—	—
Violence	0·38	60,156	13.263	2.687	2.583	2,174	1,770	22.477	4,220	1.483	1,867	1.729	3,756	4,303	4,782	4,801	5,024	5,714
OTHER CAUSES	3·37	531,496	202,697	11,910	3,596	1,894	1,435	221 532	5,089	5,032	6,322	5,993	13.535	17,100	19,933	28,381	62,572	146,007

Marriages 2,394,105
Births 4,497,282

Deaths from Childbirth and Puerperal Fever .. .. } 5·09 per 1000 Births of both Sexes.

Average Annual Rate per 1000 { Marriages .. 15·14 / Births .. .. 28·45

Annual to Births 1000 Females aged 15—45 years = 123.

* The death-rate under one year of age is per 1000 Births.

1.—LONDON.—(MALES).

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*21·82	†173	—	—	—	—	71·81	5·07	2·55	3·66	4·85	7·57	14·23	23·31	40·41	75·60	161·03
Mean Population, 1891–1900	—	2,073,973	54,800	48,838	50,270	48,827	47,624	250,359	224,905	208,421	204,096	206,007	353,164	263,736	184,462	108,684	52,934	17,205
Deaths from All Causes, 1891–1900	20·87	432,816	117,122	34,522	13,696	8,621	5,830	179,791	11,392	5,314	7,464	9,985	26,719	37,518	42,994	43,914	40,020	27,705
Small-pox	0·00	40	6	—	—	—	2	8	2	3	2	1	8	7	6	2	1	—
Measles	0·63	13,085	2,939	5,404	2,197	1,239	696	12,475	558	20	7	6	8	7	2	2	—	—
Scarlet Fever	0·18	3,759	227	531	694	666	465	2,583	820	167	78	48	40	12	6	4	1	—
Diphtheria	0·51	10,658	718	1,878	1,822	1,746	1,424	7,588	2,416	342	86	55	63	46	34	17	10	1
Whooping-cough	0·47	9,803	4,283	3,082	1,209	619	333	9,526	263	7	3	—	2	—	1	1	—	—
Typhus	0·00	33	1	—	—	—	—	1	3	1	1	6	6	3	7	2	2	1
Enteric Fever	0·17	3,602	17	23	24	35	34	133	215	298	487	599	1,011	467	252	99	36	5
Simple Continued Fever ..	0·00	72	7	3	5	2	3	20	7	4	3	2	8	5	6	5	10	2
Diarrhœa and Dysentery ..	0·85	17,573	13,891	2,096	217	89	23	16,316	41	13	5	19	60	89	123	190	344	373
Cholera	0·02	518	306	68	11	5	4	394	3	4	1	4	13	18	32	28	13	8
Cancer	0·72	14 861	26	19	25	29	21	120	62	68	105	145	497	1,390	3,354	4,546	3,452	1,122
Tabes Mesenterica	0·28	5,909	3,806	924	301	135	86	5,252	217	103	70	47	78	52	51	26	11	2
Phthisis	2·28	47,383	550	502	225	142	129	1,548	417	415	1,953	4,047	10,603	12,621	9,423	4,713	1,454	189
Other Tub. and Scrof. Dis...	0·58	12,084	3,647	2,315	1,144	694	519	8,319	1 223	522	355	319	488	390	251	131	67	19
Diseases of: Nervous System	1·92	39,859	12,752	2,303	859	518	327	16,759	721	379	416	384	1,115	2,286	3,512	4.988	5.795	3,504
Diseases of: Circulatory „	1·55	32,210	555	104	50	63	75	847	532	746	932	856	2,423	4,088	5,559	6,705	6,306	3,216
Diseases of: Respiratory „	4·27	88,526	22,065	10,560	3,322	1,649	986	38,582	1,207	322	618	915	3,372	5,816	8,426	10,882	11,174	7,212
Diseases of: Digestive „	1·26	26,085	10,396	2,003	398	198	147	13,142	563	365	474	452	1,101	1.853	2,544	2,700	1,965	926
Diseases of: Urinary „	0·68	14,056	137	78	56	62	59	392	197	122	187	250	892	1,759	2,587	2,936	2,891	1,843
Diseases of: Generative „	0·01	165	56	6	2	1	—	65	—	—	4	3	4	11	12	20	31	15
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	1·07	22,137	4,434	633	550	424	299	6,340	1,101	711	827	971	2,410	2,950	2,848	2,047	1,260	672
OTHER CAUSES	3·42	70,398	36,303	1,990	585	305	198	39,381	824	702	850	856	2,517	3,648	3,958	3,870	5,197	8,595

Marriages 391,619
Births 677,652

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

1.—LONDON.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*18·49	†146	—	—	—	—	61·78	5·24	2·56	3·05	3·54	5·65	10·64	16·91	30·20	61·16	146·40
Mean Population, 1891–1900	—	2,314,741	55,169	49,067	50,301	49,713	47,632	251,882	227,157	212,361	226,977	247,661	410,878	292,106	207,156	131,951	75,304	31,308
Deaths from All Causes, 1891–1900	17·70	409,741	95,392	32,128	13,449	8,669	5,980	155,618	11,899	5,429	6,928	8,778	23,227	31,078	35,040	39,853	46,055	45,836
Small-pox	0·00	40	4	5	—	—	—	9	2	1	3	4	10	5	3	—	2	1
Measles	0·54	12,484	2,490	5,066	2,190	1,276	699	11,721	682	25	8	6	19	15	5	2	1	—
Scarlet Fever	0·16	3,679	197	508	659	627	460	2,451	850	178	56	60	56	15	8	4	1	—
Diphtheria	0·49	11,349	616	1,665	1 716	1,770	1,604	7,371	3,164	403	108	59	108	58	29	34	12	3
Whooping-cough	0·52	12,088	4,621	4,005	1,634	883	495	11,638	431	6	2	2	1	1	2	3	1	1
Typhus	0·00	18	—	1	—	1	—	2	2	1	1	3	3	3	1	1	1	—
Enteric Fever	0·11	2,646	12	16	24	26	43	121	214	295	412	379	609	335	157	92	26	6
Simple Continued Fever ..	0 00	80	8	5	7	5	5	30	7	5	6	4	6	5	7	5	3	2
Diarrhœa and Dysentery ..	0·68	15,784	11,989	1,942	208	64	42	14,245	68	7	11	12	42	65	109	221	411	593
Cholera	0·02	442	266	56	11	4	3	340	10	5	1	2	10	16	12	18	21	7
Cancer	0·99	23,010	16	24	18	19	19	96	46	47	89	112	940	3,138	5,585	5,898	4,699	2,360
Tabes Mesenterica	0·22	5,090	3,025	852	251	117	67	4,312	222	131	81	64	114	85	43	25	11	2
Phthisis	1·35	31,154	446	436	209	173	120	1,384	532	877	2,173	2,889	7,565	7,972	4,718	2,091	781	172
Other Tub. and Scrof. Dis...	0·43	9,863	2,847	1,821	978	597	494	6,737	1,113	469	337	259	386	241	134	89	69	29
Diseases of: Nervous System	1·67	38,628	9,793	1,876	766	468	304	13,207	700	358	370	370	1,043	2,051	3,552	4,900	6,577	5,500
Circulatory „	1·55	35,884	452	97	59	64	65	737	610	909	976	892	2,199	3,691	5,223	7,034	8,120	5,493
Respiratory „	3·59	83,116	17,458	9,612	3,329	1 663	888	32,950	1,279	363	423	590	1,942	3,613	6,040	9,883	13,463	12,570
Digestive „	1·15	26,523	8,380	1,828	356	229	161	10,954	537	327	467	652	1,442	2,261	2,870	2,801	2,574	1,638
Urinary „	0·41	9,392	100	79	42	52	37	310	103	129	164	277	822	1,465	1,722	1,835	1,627	938
Generative „	0·11	2,521	23	25	9	9	2	68	3	16	37	109	468	701	556	277	203	83
Puerperal Fever	0·11	2,556	—	—	—	—	—	—	—	—	72	544	1,331	594	15	—	—	—
Childbirth	0·11	2,628	—	—	—	—	—	—	—	2	69	388	1,238	887	44	—	—	—
Violence	0·52	12,024	4,092	496	428	334	246	5,596	553	207	242	286	769	893	877	847	849	905
Other Causes	2·97	68,742	28,557	1,713	555	288	226	31,339	771	668	820	815	2,104	2,968	3,328	3,793	6,603	15,533

Marriages 391,619
Births 653,362

Deaths from Childbirth and Puerperal Fever .. .. } 3·89 per 1000 Births of both Sexes.

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

Annual Births to 1000 Females aged 15–45 years = 113.

2.—SURREY.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*15·98	†134	—	—	—	—	44·04	3·68	2·02	3·13	4·31	6·09	10·65	17·64	30·94	63·94	154·59
Mean Population, 1891–1900	—	300,478	7,005	6,656	6,908	6,892	6,828	34,289	34,275	33,294	31,834	28,899	45,700	36,134	26,009	16,839	9,446	3,759
Deaths from All Causes, 1891–1900	15·83	47,560	10,779	2,366	907	600	449	15,101	1,262	674	995	1,245	2,785	3,849	4,588	5,210	6,040	5,811
Small-pox	0·01	16	1	—	—	—	—	1	—	—	—	—	2	5	2	2	3	1
Measles	0·26	781	180	281	111	57	41	670	88	12	6	4	1	—	—	—	—	—
Scarlet Fever	0·07	196	9	14	21	25	19	88	68	18	8	7	4	1	1	1	—	—
Diphtheria	0·27	812	30	72	99	102	108	411	289	64	20	4	10	6	4	2	1	1
Whooping-cough	0·29	859	414	263	87	41	24	829	29	—	—	—	—	—	—	—	—	1
Typhus	0·00	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Enteric Fever	0·10	297	3	2	2	1	4	12	23	25	39	45	64	53	17	14	3	2
Simple Continued Fever ..	0·00	7	—	—	—	—	—	—	—	—	1	—	1	1	—	1	2	1
Diarrhœa and Dysentery ..	0·53	1,592	1,252	143	14	2	7	1,418	6	4	—	5	5	11	12	26	37	68
Cholera	0·02	53	34	5	—	—	—	39	1	—	1	—	—	2	5	2	2	1
Cancer	0·58	1,732	—	1	1	2	1	5	5	6	12	13	26	105	291	506	497	266
Tabes Mesenterica	0·14	410	208	58	29	8	6	309	33	21	8	10	10	7	9	1	1	1
Phthisis	1·42	4,268	60	34	17	17	10	138	56	56	247	402	919	980	763	468	200	39
Other Tub. and Scrof. Dis..	0·38	1,135	324	156	93	53	40	666	127	71	59	52	53	37	32	25	9	4
Diseases of: Nervous System	2·31	6,952	1,274	237	72	48	27	1,658	94	67	92	127	396	778	833	902	1,151	854
Diseases of: Circulatory "	1·54	4,640	48	5	4	4	4	65	44	62	68	71	209	392	635	969	1,272	853
Diseases of: Respiratory "	2·50	7,498	1,845	682	225	144	77	2,973	138	33	82	103	298	397	566	803	1,036	1,069
Diseases of: Digestive "	1·03	3,099	1,076	209	27	20	19	1,351	56	49	66	67	89	180	334	337	332	238
Diseases of: Urinary "	0·56	1,680	20	9	3	4	2	38	10	17	17	29	90	124	232	347	424	352
Diseases of: Generative "	0·01	16	3	—	—	—	—	3	—	—	—	—	1	—	5	3	2	2
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0·81	2,446	262	38	46	38	29	413	93	85	133	176	306	351	352	256	181	100
OTHER CAUSES	3·00	9,070	3,736	157	56	34	31	4,014	102	84	136	130	301	419	494	545	887	1,958

Marriages 42,074
Births 80,409

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

2.—SURREY.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*13·49	†109	—	—	—	—	36·36	3·38	2·26	2·71	3·31	4·57	7·10	12·08	23·71	52·92	141·37
Mean Population, 1891-1900	—	337,911	6,963	6,667	6,791	6,875	6,850	34,146	33,960	33,080	32,455	34,494	57,886	42,562	30,532	20,644	12,624	5,528
Deaths from All Causes, 1891-1900	13·34	45,079	8,373	2,161	855	597	428	12,414	1,147	749	881	1,141	2,648	3,022	3,687	4,895	6,680	7,815
Small-pox	0·00	5	2	—	—	—	—	2	—	—	—	—	—	1	—	1	1	—
Measles	0·21	718	138	236	116	75	44	609	85	12	1	1	3	1	4	1	1	—
Scarlet Fever	0·05	154	7	15	19	16	22	79	47	10	7	2	6	2	—	1	—	—
Diphtheria	0·25	837	25	68	96	127	113	429	273	61	20	19	15	8	7	4	1	—
Whooping-cough	0·29	979	464	269	99	71	30	933	40	2	2	—	1	—	—	—	1	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·07	228	—	1	—	1	2	4	20	20	41	38	47	23	24	7	4	—
Simple Continued Fever ..	0·00	15	—	—	—	1	—	1	1	—	—	—	1	1	3	4	3	1
Diarrhœa and Dysentery ..	0·41	1,377	1,003	142	12	11	2	1,170	6	2	1	2	9	6	16	26	52	87
Cholera	0·01	49	33	4	1	—	—	38	1	—	—	1	2	—	3	2	2	—
Cancer	0·92	3,114	—	1	2	—	—	3	—	3	10	12	80	282	629	815	813	467
Tabes Mesenterica	0·10	346	152	39	17	11	6	225	29	27	15	11	9	10	9	7	4	—
Phthisis	1·00	3,383	50	35	12	6	9	112	69	141	279	380	817	700	463	289	105	28
Other Tub. and Scrof. Dis...	0·28	943	240	149	78	42	43	552	106	86	41	35	55	36	10	7	15	—
Diseases of: Nervous System	1·80	6,076	940	176	67	37	27	1,247	91	55	72	91	273	452	590	912	1,175	1,118
Diseases of: Circulatory "	1·50	5,066	46	2	5	7	4	64	46	86	83	99	240	361	567	933	1,418	1,169
Diseases of: Respiratory "	2·09	7,063	1,414	661	209	116	72	2,472	134	42	43	63	183	225	373	684	1,273	1,571
Diseases of: Digestive "	0·88	2,960	747	169	44	22	18	1,000	60	50	66	83	146	217	302	353	391	292
Diseases of: Urinary "	0·29	966	8	6	2	2	4	22	10	17	21	26	51	102	144	199	237	137
Diseases of: Generative "	0·06	219	3	3	—	—	1	7	—	—	4	6	32	36	55	28	25	26
Puerperal Fever	0·09	305	—	—	—	—	—	—	—	—	7	55	176	66	1	—	—	—
Childbirth	0·11	369	—	—	—	—	—	—	—	—	5	49	174	130	11	—	—	—
Violence	0·29	974	226	31	29	25	11	322	44	26	40	42	60	66	90	82	87	115
OTHER CAUSES	2·64	8,933	2,875	154	47	27	20	3,123	85	109	123	126	268	297	386	540	1,072	2,804

Marriages 42,074
Births 77,093

Deaths from Childbirth and Puerperal Fever .. .. } 4·28 per 1000 Births of both Sexes.

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

Annual Births to 1000 Females aged 15-45 years = 94.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

3.—KENT.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*15·96	†142	—	—	—	—	47·37	4·12	2·44	3·57	4·85	6·32	9·89	15·61	27·82	59·29	149·00
Mean Population, 1891–1900	—	424,302	10,061	9,526	9,716	9,803	9,743	48,849	48,686	47,802	45,654	40,419	62,271	48,064	36,180	24,881	14,908	6,588
Deaths from All Causes, 1891–1900	16·46	69,819	16,351	3,627	1,388	980	792	23,138	2,006	1,168	1,632	1,960	3,937	4,755	5,646	6,922	8,839	9,816
Small-pox	0·06	247	30	12	14	4	10	70	16	5	8	17	39	41	19	21	10	1
Measles	0·27	1,129	290	430	149	100	55	1,024	88	12	1	1	1	2	—	—	—	—
Scarlet Fever	0·08	322	13	22	37	50	38	160	93	21	18	10	9	7	4	—	—	—
Diphtheria	0·35	1,496	68	141	168	221	231	829	501	91	31	13	11	11	2	4	3	—
Whooping-cough	0·25	1,076	582	299	99	42	22	1,044	29	3	—	—	—	—	—	—	—	—
Typhus	0·00	6	—	—	—	—	—	—	1	2	1	1	—	—	—	1	—	—
Enteric Fever	0·16	688	3	2	6	10	5	26	52	56	99	104	171	93	44	30	12	1
Simple Continued Fever ..	0·00	10	1	2	—	—	—	3	—	1	2	1	1	—	1	—	1	—
Diarrhœa and Dysentery ..	0·60	2,533	1,954	256	41	5	4	2,260	13	3	5	2	9	7	17	37	67	113
Cholera	0·02	84	47	12	—	—	—	59	2	—	2	—	3	5	4	6	3	—
Cancer	0·64	2,705	4	5	4	2	2	17	7	7	7	18	45	170	444	706	841	443
Tabes Mesenterica	0·18	744	412	104	38	18	9	581	41	39	23	14	11	13	10	9	3	—
Phthisis	1·40	5,920	91	63	19	17	24	214	76	111	385	718	1,354	1,196	970	587	258	51
Other Tub. and Scrof. Dis..	0·43	1,809	485	270	115	96	75	1,041	221	134	87	77	100	67	38	26	11	7
Diseases of Nervous System	1·88	7,995	1,859	318	129	75	49	2,430	192	141	136	121	310	520	620	942	1,315	1,268
Diseases of Circulatory "	1·63	6,935	77	10	7	17	8	119	82	112	118	124	317	525	918	1,313	1,874	1,433
Diseases of Respiratory "	2·57	10,884	2,780	1,054	337	200	143	4,514	205	69	131	145	324	470	710	1,094	1,554	1,668
Diseases of Digestive "	1·04	4,417	1,562	257	59	38	21	1,937	80	68	89	69	154	271	375	508	523	343
Diseases of Urinary "	0·57	2,433	25	9	4	2	7	47	17	26	34	40	95	185	293	440	687	569
Diseases of Generative "	0·01	33	2	1	—	—	—	3	—	—	—	1	4	1	4	6	10	4
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0·94	3,976	281	77	79	43	47	527	134	121	261	309	576	655	534	418	261	180
OTHER CAUSES	3·38	14,377	5,785	283	83	40	42	6,233	156	146	194	175	403	516	639	774	1,406	3,735

Marriages 60,714
Births 115,380

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

3.—KENT.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*14·18	†116	—	—	—	—	39·62	4·52	2·80	3·58	3·97	5·05	7·80	12·09	22·89	50·33	139·60
Mean Population, 1891-1900	—	440,662	10,014	9,671	9,756	9,931	9,940	49,312	48,142	46,546	41,876	40,983	68,425	52,385	39,371	27,866	17,496	8,260
Deaths from All Causes, 1891-1900	14·79	65,163	13,093	3,331	1,384	978	752	19,538	2,175	1,305	1,501	1,625	3,456	4,086	4,761	6,379	8,806	11,531
Small-pox	0·04	189	25	14	10	7	11	67	17	8	5	24	36	16	8	6	1	1
Measles	0·24	1,076	229	375	173	97	73	947	96	15	4	3	7	2	2	—	—	—
Scarlet Fever	0·07	325	15	30	44	47	36	172	97	26	8	5	12	2	2	1	—	—
Diphtheria	0·37	1,615	45	114	177	196	227	759	647	128	29	9	14	17	7	1	3	1
Whooping-cough	0·29	1,262	648	360	125	57	30	1,220	39	2	—	—	—	1	—	—	—	—
Typhus	0·00	2	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
Enteric Fever	0·13	551	—	4	9	11	9	33	49	70	94	71	110	70	34	16	4	—
Simple Continued Fever ..	0·00	11	—	1	2	1	—	4	1	—	1	1	1	1	—	2	—	—
Diarrhœa and Dysentery ..	0·51	2,236	1,653	246	28	14	2	1,943	15	6	—	4	12	12	18	34	66	126
Cholera	0·02	78	51	12	1	—	—	64	—	—	—	1	2	2	2	2	4	1
Cancer	0·95	4 168	3	2	5	4	5	19	7	8	13	11	109	431	843	1,059	1,061	607
Tabes Mesenterica	0·15	665	298	102	27	16	11	454	52	44	23	16	29	18	14	12	3	—
Phthisis	1·12	4,957	78	55	22	18	21	194	122	256	543	619	1,075	937	631	379	169	32
Other Tub. and Scrof. Dis..	0·36	1 606	358	232	121	86	64	861	226	149	93	64	86	49	35	22	16	5
Diseases of: Nervous System	1·70	7,490	1,414	287	119	75	48	1,943	213	111	133	138	241	358	576	949	1,382	1,446
Diseases of: Circulatory "	1·57	6,940	57	14	4	12	11	98	70	109	123	117	284	507	808	1,317	1,941	1,566
Diseases of: Respiratory "	2·24	9,872	2,114	940	335	208	117	3,714	216	70	65	71	219	312	455	901	1,637	2,212
Diseases of: Digestive "	0·96	4,221	1,167	223	50	52	28	1,520	79	73	84	88	198	304	427	510	522	416
Diseases of: Urinary "	0·30	1,341	15	9	7	2	1	34	17	17	19	40	101	139	178	275	289	232
Diseases of: Generative "	0·07	322	3	3	2	1	—	9	1	1	10	14	41	74	59	52	45	16
Puerperal Fever	0·09	408	—	—	—	—	—	—	—	—	21	78	197	107	5	—	—	—
Childbirth	0·12	535	—	—	—	—	—	—	—	—	19	66	243	194	13	—	—	—
Violence	0·30	1,345	242	58	45	35	25	405	73	34	55	41	108	105	134	116	114	160
OTHER CAUSES	3·19	13,948	4,678	250	78	39	33	5,078	138	178	159	143	330	428	510	725	1,549	4,710

Marriages 60,714
Births 112,421

Deaths from Childbirth and Puerperal Fever .. .. 4·14 per 1000 Births of both Sexes.

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

Annual Births to 1000 Females aged 15-45 years = 112.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

4.—SUSSEX.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*15·38	†130	—	—	—	—	43·79	3·58	1·96	3·27	4·93	6·66	10·09	15·65	27·27	56·39	152·06
Mean Population, 1891-1900	—	264,614	6,125	5,809	5,989	6,082	6,155	30,160	31,049	31,069	26,690	21,256	36,954	30,791	23,933	17,055	10,878	4,779
Deaths from All Causes, 1891-1900	16·71	44,217	9,198	2,143	867	554	445	13,207	1,113	609	874	1,048	2,461	3,108	3,745	4,651	6,134	7,267
Small-pox	0·01	17	3	—	—	—	—	3	—	—	—	—	1	3	2	1	7	—
Measles	0·25	653	155	235	110	44	38	582	55	12	1	—	2	—	1	—	—	—
Scarlet Fever	0·05	134	10	7	18	14	25	74	29	12	6	4	4	4	—	1	—	—
Diphtheria	0·32	837	30	56	96	122	113	417	291	70	18	7	18	7	6	3	—	—
Whooping-cough	0·23	609	309	182	58	24	16	589	17	2	—	—	—	—	—	—	—	1
Typhus	0·00	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Enteric Fever	0·15	410	2	2	4	4	6	18	20	29	52	63	95	58	37	26	12	—
Simple Continued Fever ..	0·00	6	2	—	—	—	—	2	—	—	—	—	—	—	—	1	1	2
Diarrhœa and Dysentery ..	0·51	1,350	992	140	17	6	3	1,158	6	1	1	2	6	4	12	20	55	85
Cholera	0·01	31	22	6	—	—	—	28	—	—	—	—	—	1	—	1	1	—
Cancer	0·72	1,901	2	3	3	5	4	17	9	6	9	13	31	98	299	482	616	321
Tabes Mesenterica	0·15	392	208	77	17	10	3	315	19	17	8	6	9	7	7	2	2	—
Phthisis	1·58	4,186	49	26	18	8	9	110	37	54	251	439	966	982	726	438	158	25
Other Tub. and Scrof. Dis...	0·43	1,147	278	187	97	65	50	677	136	69	58	33	59	39	31	24	18	3
Diseases of Nervous System	1·86	4,923	979	194	71	43	31	1,318	75	59	77	44	168	317	424	625	911	905
Diseases of Circulatory "	1·79	4,731	46	5	5	2	4	62	38	32	60	70	182	328	555	973	1,371	1,060
Diseases of Respiratory "	2·57	6,799	1,586	658	223	124	92	2,683	144	25	42	55	168	284	431	690	1,001	1,276
Diseases of Digestive "	1·04	2,762	721	162	33	19	19	954	70	53	69	38	131	196	293	325	360	273
Diseases of Urinary "	0·61	1,603	17	12	1	1	3	34	17	23	19	24	72	120	203	300	416	375
Diseases of Generative "	0·01	15	3	1	—	—	—	4	—	—	1	1	—	1	2	1	2	3
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0·79	2,088	188	45	36	31	12	312	67	57	99	133	293	324	280	229	184	110
OTHER CAUSES	3·63	9,622	3,596	145	60	32	17	3,850	83	87	103	116	256	335	436	509	1,019	2,828

Marriages 39,431
Births 71,004

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

4.—SUSSEX.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	5—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*13·47	†106	—	—	—	—	36·36	3·61	2·51	3·28	3·74	4·83	7·58	11·86	22·28	50·06	137·89
Mean Population, 1891–1900	—	313,638	6,097	5,760	5,981	6,105	6,131	30,074	30,611	30,756	30,477	30,280	50,138	39,098	30,465	21,696	13,593	6,450
Deaths from All Causes, 1891–1900	14·18	44,478	7,205	1,987	783	562	398	10,935	1,106	773	999	1,131	2,424	2,965	3,612	4,834	6,805	8,894
Small-pox	0·00	7	—	—	1	—	—	1	—	—	—	1	2	—	1	1	—	1
Measles	0·19	597	119	214	101	55	32	521	52	9	5	5	5	—	—	—	—	—
Scarlet Fever	0·03	102	9	5	15	10	13	52	23	7	6	4	3	6	—	1	—	—
Diphtheria	0·28	873	22	55	94	119	109	399	323	84	21	7	14	10	4	8	3	—
Whooping-cough	0·24	754	355	204	98	51	13	721	30	2	—	—	—	—	1	—	—	—
Typhus	0·00	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Enteric Fever	0·12	386	4	2	2	3	5	16	26	47	72	45	63	54	33	16	10	4
Simple Continued Fever ..	0·00	3	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—	1
Diarrhœa and Dysentery ..	0·41	1,290	873	157	15	12	7	1,064	6	2	—	2	5	3	10	34	51	113
Cholera	0·00	14	8	1	—	1	—	10	—	—	—	—	—	1	—	2	—	1
Cance	1·02	3,184	2	3	3	—	1	9	4	5	6	13	68	330	678	800	782	489
Tabes Mesenterica	0·14	427	157	76	14	12	8	267	34	20	29	13	24	16	13	10	1	—
Phthisis	1·14	3,562	24	20	10	10	18	82	54	138	364	467	861	716	488	251	119	22
Other Tub. and Scrof. Dis...	0·33	1,047	212	149	80	55	37	533	127	98	64	59	59	43	24	21	14	5
Diseases of Nervous System	1·61	5,053	731	166	63	40	26	1,026	69	83	66	52	133	237	435	727	1,101	1,124
Diseases of Circulatory „	1·66	5,214	29	7	6	5	2	49	32	63	85	83	195	356	545	1,022	1,537	1,247
Diseases of Respiratory „	2·15	6,740	1,179	586	196	121	72	2,154	134	37	45	52	134	230	341	693	1,183	1,737
Diseases of Digestive „	0·91	2,864	544	146	22	23	17	752	61	53	61	75	150	203	326	390	459	334
Diseases of Urinary „	0·31	981	11	8	3	4	2	28	12	5	11	23	62	116	144	187	244	149
Diseases of Generative „	0·09	286	1	1	—	—	—	2	—	1	2	13	32	63	72	38	44	19
Puerperal Fever	0·08	245	—	—	—	—	—	—	—	—	8	42	128	64	3	—	—	—
Childbirth	0·12	381	—	—	—	—	—	—	—	—	11	33	171	158	7	1	—	—
Violence	0·29	901	190	29	17	16	11	263	47	20	27	23	68	80	83	85	80	125
Other Causes	3·06	9,566	2,735	157	43	25	25	2,985	72	99	116	119	246	279	403	547	1,177	3,523

Marriages 39,431
Births 68,065

Deaths from Childbirth and Puerperal Fever .. .. } 4·50 per 1000 Births of both Sexes.

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

Annual Births to 1000 Females aged 15-45 years = 93.

Note.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

5.—HAMPSHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*16·69	†140	—	—	—	—	47·44	3·62	2·01	3·59	6·19	7·98	11·20	16·96	29·68	59·97	153·11
Mean Population, 1891-1900	—	343,052	8,135	7,803	7,951	7,999	7,982	39,870	38,591	37,174	35,601	31,586	51,111	39,581	30,071	21,139	12,932	5,396
Deaths from All Causes, 1891-1900	17·55	60,195	13,347	3,004	1,173	755	636	18,915	1,397	749	1,278	1,955	4,077	4,432	5,100	6,275	7,755	8,262
Small-pox	0·01	27	4	1	—	—	1	6	2	—	—	5	4	3	2	1	2	2
Measles	0·32	1,100	230	415	165	97	65	972	105	6	4	2	3	3	2	3	—	—
Scarlet Fever	0·08	272	7	26	45	39	38	155	70	18	12	10	4	3	—	—	—	—
Diphtheria	0·21	720	20	53	81	103	106	363	251	57	21	8	12	4	3	—	1	—
Whooping-cough	0·26	880	466	242	81	44	29	862	16	—	—	—	—	—	1	—	—	1
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·17	594	2	5	7	15	16	45	59	48	87	104	123	66	34	19	8	1
Simple Continued Fever ..	0·01	33	4	1	3	—	2	10	3	1	1	2	4	5	1	3	2	1
Diarrhœa and Dysentery ..	0·59	2,034	1,502	218	38	12	3	1,773	9	4	—	12	33	17	19	25	65	77
Cholera	0·03	86	66	5	1	1	1	74	—	—	1	—	1	4	1	2	1	2
Cancer	0·67	2,298	2	1	3	—	2	8	4	3	7	26	50	165	389	617	722	307
Tabes Mesenterica	0·21	707	419	102	37	16	9	583	34	21	11	9	19	13	9	6	1	1
Phthisis	1·78	6,117	47	38	18	15	11	129	43	63	387	826	1,763	1,394	876	464	147	25
Other Tub. and Scrof. Dis..	0·38	1,315	344	182	99	53	45	723	124	81	72	78	84	62	50	23	14	4
Diseases of: Nervous System	2·08	7,145	1,769	274	130	61	49	2,283	119	81	90	84	239	434	654	914	1,198	1,049
Diseases of: Circulatory "	1·82	6,254	53	15	3	6	7	84	55	63	91	109	362	529	830	1,331	1,664	1,136
Diseases of: Respiratory "	2·69	9,228	2,230	947	309	179	142	3,807	200	46	82	116	315	452	643	960	1,327	1,280
Diseases of: Digestive "	1·03	3,542	1,091	197	34	29	30	1,381	79	52	77	83	180	251	338	462	387	252
Diseases of: Urinary "	0·65	2,230	18	8	6	5	3	40	19	17	22	39	111	236	330	435	545	436
Diseases of: Generative "	0·01	23	4	—	—	—	—	4	—	—	1	1	2	3	1	4	5	2
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0·80	2,757	266	66	61	45	42	480	102	94	161	215	369	365	385	276	200	110
OTHER CAUSES	3·75	12,833	4,803	208	52	35	35	5,133	103	94	151	226	399	423	532	730	1,466	3,576

Marriages 53,235
Births 95,599

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

5.—HAMPSHIRE.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*14·33	†114	—	—	—	—	39·40	3·82	2·51	3·57	4·18	5·51	8·32	12·33	23·22	52·44	140·32
Mean Population, 1891–1900	—	369,807	8,214	7,763	8,044	8,047	8,015	40,083	38,568	37,116	34,361	34,646	58,976	45,045	34,094	24,450	15,466	7,002
Deaths from All Causes, 1891–1900	15·06	55,685	10,507	2,813	1,073	792	608	15,793	1,474	932	1,225	1,447	3,250	3,748	4,203	5,677	8,111	9,825
Small-pox	0·00	9	1	1	1	1	—	4	—	—	—	1	1	1	1	1	—	—
Measles	0·27	983	177	373	147	103	66	866	85	13	3	3	4	6	3	—	—	—
Scarlet Fever	0·07	256	14	18	31	28	41	132	69	19	6	10	9	8	3	—	—	—
Diphtheria	0·22	796	17	61	87	101	98	364	310	67	20	7	12	10	3	2	1	—
Whooping-cough	0·29	1,072	509	311	126	51	34	1,031	38	1	—	—	1	—	—	—	1	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·15	569	3	7	10	15	14	49	67	88	81	65	96	74	25	15	8	1
Simple Continued Fever ..	0·01	23	—	—	1	1	1	3	2	2	—	4	3	3	2	2	—	2
Diarrhœa and Dysentery ..	0·51	1,885	1,333	196	24	11	6	1,570	19	4	2	3	15	25	21	35	75	116
Cholera	0·02	83	59	9	1	—	—	69	1	1	—	—	—	3	2	3	1	3
Cancer	0·94	3,479	1	2	7	2	—	12	7	7	8	12	90	347	707	920	897	472
Tabes Mesenterica	0·17	620	326	99	15	15	7	462	34	20	18	22	25	18	13	5	2	1
Phthisis	1·25	4,609	46	23	15	11	15	110	69	192	452	603	1,232	911	589	313	119	19
Other Tub. and Scrof. Dis..	0·32	1,189	275	154	75	66	54	624	144	98	85	59	72	49	25	14	14	5
Diseases of: Nervous System	1·75	6,477	1,234	245	103	72	58	1,712	132	70	94	79	185	327	535	869	1,301	1,173
Diseases of: Circulatory „	1·68	6,210	50	7	6	8	12	83	64	103	112	101	255	467	745	1,214	1,775	1,291
Diseases of: Respiratory „	2·32	8,565	1,658	881	268	188	122	3,117	195	61	47	59	202	282	419	833	1,517	1,833
Diseases of: Digestive „	0·93	3,449	848	185	52	28	18	1,131	64	54	77	86	167	263	367	453	469	318
Diseases of: Urinary „	0·33	1,211	7	9	2	4	7	29	16	17	20	23	98	164	201	233	260	150
Diseases of: Generative „	0·07	277	4	3	1	—	—	8	—	—	8	23	34	67	44	35	41	17
Puerperal Fever	0·09	345	—	—	—	—	—	—	—	—	12	71	165	94	3	—	—	—
Childbirth	0·12	436	—	—	—	—	—	—	—	—	11	56	196	162	11	—	—	—
Violence	0·29	1,078	241	56	34	44	27	402	56	14	29	29	61	82	87	90	91	137
OTHER CAUSES	3·26	12,064	3,704	173	67	43	28	4,015	102	101	140	131	327	385	397	640	1,539	4,287

Marriages 53,235
Births 92,211

Deaths from Childbirth and Puerperal Fever .. .. } 4·16 per 1000 Births of both Sexes.

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

Annual Births to 1000 Females aged 15–45 years = 109.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

6.—BERKSHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*14·84	†124	—	—	—	—	40·76	3·33	2·05	3·05	4·45	5·81	9·44	15·21	27·76	58·06	159·62
Mean Population, 1891–1900	—	134,634	3,135	3,018	3,110	3,208	3,176	15,647	15,678	15,640	13,884	11,183	18,835	15,597	12,035	8,506	5,336	2,293
Deaths from All Causes, 1891–1900	16·09	21,658	4,511	1,013	384	259	210	6,377	522	320	423	498	1,095	1,473	1,831	2,361	3,098	3,660
Small-pox	0·00	6	1	—	—	—	—	1	—	—	2	—	1	—	1	—	1	—
Measles	0·24	328	76	116	51	25	19	287	28	7	3	1	2	—	—	—	—	—
Scarlet Fever	0·06	86	4	7	8	8	9	36	28	7	8	2	2	2	—	1	—	—
Diphtheria	0·17	231	7	12	25	39	37	120	73	23	6	2	2	2	1	1	1	—
Whooping-cough	0·24	320	162	85	31	18	12	308	12	—	—	—	—	—	—	—	—	—
Typhus	0·00	3	—	—	—	—	—	—	—	—	—	—	1	1	—	1	—	—
Enteric Fever	0·07	93	1	1	—	1	1	4	4	6	13	13	22	18	6	4	3	—
Simple Continued Fever ..	0·00	4	—	—	—	—	—	—	1	1	—	1	1	—	—	—	—	—
Diarrhœa and Dysentery ..	0·41	552	367	58	5	1	7	438	7	3	—	3	2	3	3	8	26	59
Cholera	0·01	10	5	1	—	—	—	6	—	—	—	—	—	—	1	2	—	1
Cancer	0·71	956	—	—	—	1	1	2	9	3	4	6	20	49	157	269	283	154
Tabes Mesenterica	0·12	166	82	27	3	9	3	124	13	6	—	6	5	6	3	2	—	1
Phthisis	1·32	1,780	26	21	5	7	7	66	19	28	109	189	427	374	301	176	73	18
Other Tub. and Scrof. Dis...	0·38	505	115	76	44	19	25	279	55	34	25	21	28	22	23	13	5	—
Diseases of: Nervous System	1·97	2,658	591	89	38	23	14	755	47	22	34	32	85	178	206	306	517	476
Diseases of: Circulatory "	1·75	2,362	18	5	1	3	1	28	16	32	23	35	93	139	264	471	688	573
Diseases of: Respiratory "	2·58	3,471	824	328	84	57	46	1,339	61	23	29	27	73	147	268	359	537	608
Diseases of: Digestive "	1·03	1,384	457	87	20	11	4	579	37	23	17	26	47	99	117	148	172	119
Diseases of: Urinary "	0·61	823	10	1	4	1	3	19	7	7	12	14	36	72	99	158	201	198
Diseases of: Generative "	0·00	6	3	—	—	—	—	3	—	—	—	—	—	—	1	1	1	—
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0·84	1,133	66	20	32	21	10	149	54	44	66	72	143	157	152	154	89	53
OTHER CAUSES	3·58	4,781	1,696	79	33	15	11	1,834	51	51	72	48	105	204	228	287	501	1,400

Marriages 18,907
Births 36,329

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

6.—BERKSHIRE.—(FEMALES.)

CAUSES OF DEATH	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	—	—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*13·28	†103	—	—	—	—	34·64	3·32	1·98	3·55	4·15	5·01	7·20	11·04	22·94	51·55	139·06
Mean Population, 1891-1900	—	140,527	3,109	3,006	3,118	3,154	3,101	15,488	15,677	14,907	12,687	11,896	20,890	16,920	13,383	9,542	6,190	2,947
Deaths from All Causes, 1891-1900	14·48	20,347	3,612	938	380	230	205	5,365	520	295	451	494	1,047	1,219	1,478	2,189	3,191	4,098
Small-pox	0·00	2	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—
Measles	0·21	292	60	96	45	36	23	260	24	2	1	—	4	1	—	—	—	—
Scarlet Fever	0·06	84	2	10	9	8	9	38	27	13	1	2	2	—	1	—	—	—
Diphtheria	0·18	250	2	23	21	33	33	112	97	23	7	2	1	3	—	4	—	1
Whooping-cough	0·29	414	194	117	44	20	19	394	19	—	—	1	—	—	—	—	—	—
Typhus	0·00	2	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—
Enteric Fever	0·06	82	—	2	1	—	1	4	2	7	15	9	21	10	11	1	2	—
Simple Continued Fever ..	0·00	4	—	—	1	—	—	1	1	—	1	—	—	—	1	—	—	—
Diarrhœa and Dysentery ..	0·34	483	331	40	7	2	3	383	1	—	—	2	3	3	5	10	28	48
Cholera	0·01	10	4	1	—	—	—	5	2	—	—	—	1	—	—	1	—	1
Cancer	1·00	1,405	—	1	2	3	—	6	3	1	3	4	40	146	303	358	341	200
Tabes Mesenterica	0·10	138	49	16	8	6	3	82	14	8	12	8	6	2	2	1	2	1
Phthisis	0·98	1,382	22	9	12	4	4	51	29	58	155	177	290	249	186	111	60	16
Other Tub. and Scrof. Dis. ..	0·27	374	84	54	23	14	15	190	43	35	25	21	20	18	6	9	4	3
Diseases of: Nervous System	1·74	2,449	445	76	34	18	12	585	49	22	32	32	68	104	181	336	485	555
Diseases of: Circulatory "	1·79	2,512	9	3	2	4	4	22	24	32	45	47	101	171	236	483	742	609
Diseases of: Respiratory "	2·25	3,163	609	314	109	43	48	1,123	60	23	20	15	66	88	140	309	590	729
Diseases of: Digestive "	0·96	1,355	346	72	17	9	11	455	32	15	38	34	69	76	117	181	192	146
Diseases of: Urinary "	0·33	469	3	3	—	2	2	10	8	4	8	6	35	50	68	86	113	81
Diseases of: Generative "	0·09	121	1	1	—	—	—	2	—	1	1	3	19	24	20	17	25	9
Puerperal Fever	0·11	155	—	—	—	—	—	—	—	—	5	32	79	39	—	—	—	—
Childbirth	0·14	192	—	—	—	—	—	—	—	—	10	23	84	72	3	—	—	—
Violence	0·30	418	66	22	12	11	3	114	40	11	18	21	26	26	35	39	34	54
OTHER CAUSES	3·27	4,591	1,385	78	33	17	15	1,528	45	40	54	53	112	137	161	243	573	1,645

Marriages.. .. .. 18,907 | Deaths from Childbirth and Puerperal Fever .. .. 4·86 per 1000 Births of both Sexes.
Births 35,067

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

Annual Births to 1000 Females aged 15—45 years = 114.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

7.—MIDDLESEX.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*16·25	†152	—	—	—	—	50·97	3·90	2·00	2·62	3·45	4·96	9·21	16·09	31·22	64·66	152·63
Mean Population, 1891-1900	—	322,756	8,702	8,135	8,463	8,381	8,302	41,983	40,328	37,267	30,920	27,813	50,866	40,142	26,853	15,523	8,021	3,040
Deaths from All Causes, 1891-1900	15·71	50,702	14.916	3,508	1,347	918	710	21,399	1,572	744	811	959	2,525	3,699	4,321	4,846	5,186	4,640
Small-pox	0·00	13	2	—	—	—	1	3	1	—	1	1	1	1	2	—	3	—
Measles	0·36	1,177	270	441	198	98	89	1,096	74	5	—	—	—	1	—	1	—	—
Scarlet Fever	0·22	721	40	78	97	122	100	437	200	43	18	11	6	3	3	—	—	—
Diphtheria	0·32	1,047	48	127	138	168	147	628	325	61	8	6	11	2	2	2	2	—
Whooping-cough	0·35	1,134	541	374	135	55	29	1,104	28	2	—	—	—	—	—	—	—	—
Typhus	0·00	2	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
Enteric Fever	0·13	431	—	4	5	9	14	32	43	28	52	54	97	72	25	22	5	1
Simple Continued Fever ..	0·00	12	4	—	1	3	—	8	—	—	—	2	—	—	—	1	—	1
Diarrhœa and Dysentery ..	0·83	2,668	2.184	280	26	12	7	2,509	8	2	1	3	4	9	14	22	43	53
Cholera	0·06	185	136	22	1	2	—	161	1	—	1	1	3	6	5	5	2	—
Cancer	0·49	1,594	2	5	1	2	—	10	7	5	5	10	30	113	274	489	463	188
Tabes Mesenterica	0·20	640	399	94	33	15	11	552	39	18	5	4	6	4	4	3	4	1
Phthisis	1·27	4.104	61	36	26	18	14	155	51	81	218	362	920	1,006	772	392	132	15
Other Tub. and Scrof. Dis. ..	0·39	1,266	387	238	105	74	48	852	133	66	27	43	51	47	28	11	5	3
Diseases of Nervous System	2·00	6,454	1,569	260	95	64	39	2,027	124	74	67	61	287	579	709	822	970	734
Diseases of Circulatory "	1·17	3,762	59	18	7	3	7	94	52	74	70	63	169	322	557	839	921	601
Diseases of Respiratory "	2·74	8,850	2,435	992	322	168	121	4,038	206	49	51	85	257	514	653	874	1,107	1,016
Diseases of Digestive "	1·09	3 514	1,610	246	62	21	20	1,959	54	56	56	39	95	184	277	343	275	176
Diseases of Urinary "	0·46	1,475	26	7	7	2	3	45	16	14	16	16	69	146	234	277	328	314
Diseases of Generative "	0·01	23	7	—	—	—	—	7	—	1	—	1	—	2	4	4	—	4
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0·71	2,278	366	66	56	41	26	555	120	75	101	110	261	293	308	231	156	68
OTHER CAUSES	2·91	9,352	4,770	220	62	41	34	5,127	90	90	114	87	256	395	450	508	770	1,465

Marriages 42,245
Births 98,443

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

7.—MIDDLESEX.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*14·28	†126	—	—	—	—	43·74	3·81	2·01	2·35	2·72	4·04	7·38	12·60	23·75	53·69	140·92
Mean Population, 1891-1900	—	366,371	8,645	8,170	8,300	8,445	8,175	41,735	40,064	36,979	36,425	36,584	62,542	45,237	30,499	19,515	11,703	5,088
Deaths from All Causes, 1891-1900	13·69	50,170	12,020	3,272	1,340	956	665	18,253	1,526	745	855	995	2,527	3,339	3,843	4,634	6,283	7,170
Small-pox	0·00	10	2	3	—	—	—	5	—	—	—	1	2	1	—	1	—	—
Measles	0·30	1,109	260	399	175	112	56	1,002	91	6	4	1	3	1	—	1	—	—
Scarlet Fever	0·20	721	21	85	113	115	96	430	196	47	10	9	21	6	—	1	—	1
Diphtheria	0·30	1,106	41	110	130	177	172	630	376	49	9	5	18	8	5	2	3	1
Whooping-cough	0·39	1,425	632	430	167	91	54	1,374	45	3	—	—	2	—	—	—	—	1
Typhus	0·00	2	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—
Enteric Fever	0·09	339	2	4	5	7	3	21	24	34	54	44	73	50	28	9	2	—
Simple Continued Fever ..	0·00	11	1	1	—	—	—	2	2	—	—	1	—	2	2	1	1	—
Diarrhœa and Dysentery ..	0·66	2,408	1,867	254	40	15	2	2,178	12	2	2	3	7	11	16	24	52	101
Cholera	0·04	132	95	20	—	1	—	116	1	1	—	1	—	2	5	4	1	1
Cancer	0·82	3,017	—	—	5	1	1	7	3	2	10	7	75	304	670	769	759	411
Tabes Mesenterica	0·15	546	311	74	34	14	10	443	25	25	13	8	12	9	1	5	4	1
Phthisis	0·90	3,280	38	35	23	16	7	119	63	128	259	291	796	798	451	240	106	29
Other Tub. and Scrof. Dis. ..	0·30	1,081	320	161	97	72	41	691	116	70	57	34	42	34	16	13	4	4
Diseases of Nervous System	1·61	5,898	1,163	228	75	57	35	1,558	104	63	47	57	197	394	556	758	1,117	1,047
Diseases of Circulatory "	1·22	4,465	61	14	7	6	7	95	69	80	92	70	218	383	593	841	1,194	830
Diseases of Respiratory "	2·30	8,414	1,846	927	296	179	103	3,351	154	48	54	64	169	307	447	826	1,331	1,663
Diseases of Digestive "	0·98	3,601	1,249	254	57	30	22	1,612	77	40	44	81	136	213	355	360	411	272
Diseases of Urinary "	0·27	990	23	6	—	5	2	36	13	10	12	35	78	115	176	182	213	120
Diseases of Generative "	0·06	211	7	3	2	1	—	13	—	—	3	9	23	53	44	28	22	16
Puerperal Fever	0·10	376	—	—	—	—	—	—	—	—	10	74	198	91	3	—	—	—
Childbirth	0·11	400	—	—	—	—	—	—	—	—	16	53	171	152	8	—	—	—
Violence	0·29	1,059	305	52	34	19	27	437	54	23	45	35	66	70	77	60	79	113
Other Causes	2·60	9,569	3,776	212	80	38	26	4,132	101	113	114	112	220	335	390	509	984	2,559

Marriages 42,245
Births 95,487

Deaths from Childbirth and Puerperal Fever .. .. } 4·00 per 1000 Births of both Sexes.

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

Annual Births to 1000 Females aged 15—45 years = 107.

8.—HERTFORDSHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*15·03	†124	—	—	—	—	39·86	2·93	1·97	3·04	4·72	6·43	9·48	14·84	28·48	63·76	163·41
Mean Population, 1891-1900	—	109,288	2.588	2,443	2,574	2,483	2,648	12,736	13,164	13,475	11 400	8,559	14,440	12,143	9,842	7,088	4,525	1,916
Deaths from All Causes, 1891-1900	16·52	18,053	3,632	763	305	218	158	5,076	386	265	347	404	928	1,151	1,461	2,019	2,885	3,131
Small-pox	0·01	11	2	—	1	—	—	3	—	—	1	1	2	1	1	2	—	—
Measles	0·21	232	44	78	41	21	19	203	25	2	1	—	—	1	—	—	—	—
Scarlet Fever	0·06	61	3	2	8	9	5	27	14	16	1	1	1	—	1	—	—	—
Diphtheria	0·17	183	7	16	22	30	28	103	52	11	10	3	2	1	1	—	—	—
Whooping-cough	0·26	289	159	68	28	23	5	283	6	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·11	122	—	—	1	2	—	3	11	12	18	15	29	18	9	5	2	—
Simple Continued Fever ..	0·00	2	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—	—
Diarrhœa and Dysentery ..	0·50	547	382	57	7	3	1	450	5	1	—	—	1	4	4	11	28	43
Cholera	0·03	33	19	1	—	—	—	20	1	—	—	—	1	—	2	3	5	1
Cancer	0·69	749	—	1	—	—	—	1	—	4	2	2	9	39	112	216	255	109
Tabes Mesenterica	0·10	108	48	11	4	2	4	69	5	6	5	6	4	5	2	3	2	1
Phthisis	1·42	1,548	21	11	4	3	7	46	10	25	93	173	368	331	301	133	58	10
Other Tub. and Scrof. Dis. ..	0·37	400	81	55	32	14	10	192	45	19	22	22	38	31	15	10	4	2
Diseases of Nervous System	2·14	2,333	402	80	26	17	8	533	30	24	32	29	56	125	180	311	552	461
Diseases of Circulatory "	1·82	1,987	12	3	—	2	2	19	17	28	29	26	72	107	207	415	623	444
Diseases of Respiratory "	2·66	2.906	644	232	79	54	37	1,046	52	14	22	21	55	123	180	305	495	593
Diseases of Digestive "	0·98	1,073	328	58	12	4	5	407	23	27	21	18	44	64	102	124	148	95
Diseases of Urinary "	0·61	669	3	2	—	4	3	12	6	6	6	8	18	42	66	148	202	155
Diseases of Generative "	0·01	10	1	—	—	—	—	1	—	—	—	—	1	2	3	2	1	—
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0·78	850	55	18	16	13	12	114	42	34	42	36	125	117	106	105	82	47
OTHER CAUSES	3·59	3,940	1,421	70	23	17	12	1,543	42	36	41	43	102	140	169	226	428	1,170

Marriages 14,078
Births 29,238

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

8.—HERTFORDSHIRE.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*13·16	†95	—	—	—	—	31·62	3·31	2·11	3·36	4·04	4·92	7·15	11·30	23·99	54·12	145·06
Mean Population, 1891-1900	—	116,975	2,583	2,493	2,533	2,579	2,616	12,804	13,108	12,732	10,381	9,701	16,714	14,003	11,337	8,231	5,432	2,532
Deaths from All Causes, 1891-1900	14·69	17,185	2,696	718	275	207	152	4,048	434	269	349	392	823	1,001	1,281	1,975	2,940	3,673
Small-pox	0·00	4	—	—	—	1	—	1	2	—	—	—	—	1	—	—	—	—
Measles	0·20	233	42	77	29	25	13	186	33	8	1	—	3	1	1	—	—	—
Scarlet Fever	0·05	63	1	10	9	9	2	31	18	6	4	1	2	1	—	—	—	—
Diphtheria	0·20	234	4	17	26	28	24	99	97	22	6	3	—	4	1	2	—	—
Whooping-cough	0·30	354	170	103	34	17	13	337	15	—	1	—	—	1	—	—	—	—
Typhus	0·00	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Enteric Fever	0·09	105	—	1	—	—	1	2	4	20	17	15	16	14	7	7	3	—
Simple Continued Fever ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa and Dysentery ..	0·40	466	282	37	9	4	3	335	3	—	2	—	4	5	5	15	37	60
Cholera	0·01	8	7	—	—	—	—	7	—	—	—	—	—	—	—	1	—	—
Cancer	1·03	1,205	3	—	1	—	—	4	1	1	—	4	29	93	222	338	326	187
Tabes Mesenterica	0·09	100	32	10	4	4	5	55	7	6	11	3	6	6	2	2	2	—
Phthisis	1·03	1,211	14	6	9	1	2	32	15	45	128	163	280	256	136	111	35	10
Other Tub. and Scrof. Dis. ..	0·28	326	72	37	10	13	11	143	44	35	16	25	18	17	12	8	4	4
Diseases of: Nervous System	1·91	2,231	317	60	24	20	14	435	38	22	24	18	71	103	170	320	518	512
Diseases of: Circulatory "	2·01	2,350	12	2	1	3	3	21	25	31	34	30	75	125	240	478	766	525
Diseases of: Respiratory "	2·19	2,558	421	234	77	52	33	817	46	14	17	17	40	68	108	244	511	676
Diseases of: Digestive "	0·89	1,041	228	53	8	9	10	308	36	14	15	14	47	66	114	145	153	129
Diseases of: Urinary "	0·30	356	2	2	1	—	2	7	4	4	7	8	24	29	63	61	96	53
Diseases of: Generative "	0·07	83	2	1	—	—	—	3	—	—	—	2	9	14	15	16	18	6
Puerperal Fever	0·07	77	—	—	—	—	—	—	—	—	5	20	38	14	—	—	—	—
Childbirth	0·14	163	—	—	—	—	—	—	—	—	4	22	69	62	6	—	—	—
Violence	0·26	301	41	11	10	8	7	77	13	7	7	16	16	19	29	28	34	55
OTHER CAUSES	3·17	3,715	1,046	57	23	13	9	1,148	33	34	49	31	76	102	150	199	437	1,456

Marriages.. 14,078
Births 28,279

Deaths from Childbirth and Puerperal Fever .. .. } 4·17 per 1000 Births of both Sexes.

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

Annual Births to 1000 Females aged 15—45 years = 113.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

9.—BUCKINGHAMSHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*14·16	†127	—	—	—	—	41·82	3·50	1·73	3·01	3·30	5·25	7·52	12·93	25·78	57·59	154·54
Mean Population, 1891-1900	—	82,611	1,995	1,903	1,974	2 020	1,965	9,857	9,806	9,821	8,665	6,433	11,108	9,150	7,319	5,449	3,483	1,520
Deaths from All Causes, 1891-1900	15·84	13,085	2,942	634	247	183	116	4,122	343	170	261	212	583	688	946	1,405	2,006	2,349
Small-pox	0·00	3	1	—	—	—	—	1	—	—	—	—	—	1	—	1	—	—
Measles	0·30	247	53	91	32	22	11	209	27	10	1	—	—	—	—	—	—	—
Scarlet Fever	0·06	51	2	8	6	7	3	26	16	5	3	—	1	—	—	—	—	—
Diphtheria	0·24	201	5	14	23	34	28	104	72	16	5	3	1	—	—	—	—	—
Whooping-cough	0·23	191	101	63	7	4	8	183	7	1	—	—	—	—	—	—	—	—
Typhus	0·00	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Enteric Fever	0·08	67	—	2	3	1	1	7	4	8	11	8	11	7	7	3	—	1
Simple Continued Fever ..	0·00	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Diarrhœa and Dysentery ..	0·37	307	224	27	4	1	—	256	—	—	—	—	1	—	2	5	16	27
Cholera	0·01	12	4	—	—	—	—	4	—	—	—	1	2	2	1	2	—	—
Cancer	0·61	505	2	—	2	2	—	6	2	1	1	4	6	32	68	144	161	80
Tabes Mesenterica	0·10	81	35	13	2	2	1	53	6	4	6	1	3	4	—	1	3	—
Phthisis	1·07	882	16	12	4	3	2	37	11	7	74	85	199	185	144	99	36	5
Other Tub. and Scrof. Dis. ..	0·25	206	53	27	14	6	5	105	23	9	10	9	20	9	10	6	5	—
Diseases of: Nervous System	1·91	1,576	273	49	21	10	8	361	24	16	29	15	59	60	102	214	330	366
Diseases of: Circulatory „	1·58	1,308	14	2	1	2	1	20	6	13	17	12	35	63	143	257	391	351
Diseases of: Respiratory „	2·71	2,241	544	212	85	48	27	916	52	9	15	17	51	72	129	231	369	380
Diseases of: Digestive „	1·11	915	330	54	9	9	4	406	14	13	12	4	29	48	76	97	133	83
Diseases of: Urinary „	0·58	476	6	—	—	1	3	10	6	5	12	3	19	21	57	84	131	128
Diseases of: Generative „	0·01	5	3	—	—	—	—	3	—	—	—	—	—	—	—	1	—	1
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0·78	644	57	15	16	15	6	109	35	33	25	25	75	91	77	72	62	40
OTHER CAUSES	3·84	3,165	1,219	45	18	16	7	1,305	38	20	40	25	71	93	130	187	369	887

Marriages 11,304
Births 23,145

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

9.—BUCKINGHAMSHIRE.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*13·05	†99	—	—	—	—	33·51	3·11	2·02	2·96	4·00	4·57	6·52	10·84	22·85	52·26	148·47
Mean Population, 1891-1900	—	85,794	1,975	1,926	2,014	2,017	2,058	9,990	9,950	9,490	7,695	6,730	12,132	9,922	8,032	6,080	4,005	1,768
Deaths from All Causes, 1891-1900	14·60	12,526	2,224	554	259	171	140	3,348	309	192	228	269	555	647	871	1,389	2,093	2,625
Small-pox	0·00	2	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
Measles	0·26	222	41	82	27	24	16	190	30	2	—	—	—	—	—	—	—	—
Scarlet Fever	0·06	48	1	2	6	7	8	24	15	4	1	—	1	2	1	—	—	—
Diphtheria	0·23	196	3	18	19	21	30	91	76	18	3	2	2	1	—	2	1	—
Whooping-cough	0·30	258	140	63	28	10	7	248	10	—	—	—	—	—	—	—	—	—
Typhus	0·00	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Enteric Fever	0·09	78	—	—	1	—	1	2	11	14	15	10	9	4	6	5	2	—
Simple Continued Fever ..	0·00	2	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—
Diarrhœa and Dysentery ..	0·34	290	177	32	7	2	—	218	3	—	—	—	—	4	2	3	21	39
Cholera	0·01	7	2	—	—	—	—	2	1	—	—	—	—	2	—	1	1	—
Cancer	0·93	802	2	—	2	—	—	4	2	1	3	4	11	59	157	232	209	120
Tabes Mesenterica	0·09	79	29	8	5	4	2	48	4	3	5	5	5	4	2	2	1	—
Phthisis	0·95	817	11	3	6	—	4	24	19	40	86	103	192	155	100	69	25	4
Other Tub. and Scrof. Dis. ..	0·22	189	44	21	18	16	4	103	17	18	6	12	11	8	5	4	3	2
Diseases of: Nervous System	1·74	1,493	192	47	27	7	13	286	19	12	18	20	48	56	116	190	382	346
Diseases of: Circulatory "	1·81	1,553	6	5	1	2	1	15	9	18	17	17	42	73	152	307	506	397
Diseases of: Respiratory "	2·29	1,968	376	183	64	49	34	706	35	7	9	8	28	52	102	216	316	489
Diseases of: Digestive "	0·95	817	200	41	11	3	3	258	22	15	12	14	27	47	66	120	133	103
Diseases of: Urinary "	0·37	319	4	2	—	1	1	8	2	4	5	4	20	22	40	66	93	55
Diseases of: Generative "	0·07	62	1	—	—	—	—	1	—	1	3	3	6	10	9	15	10	4
Puerperal Fever	0·09	79	—	—	—	—	—	—	—	—	4	17	43	14	1	—	—	—
Childbirth	0·13	114	—	—	—	—	—	—	—	—	4	13	47	46	4	—	—	—
Violence	0·28	240	57	9	13	12	5	96	11	1	7	9	15	13	11	11	25	41
OTHER CAUSES	3·39	2,890	938	38	24	13	10	1,023	22	34	30	27	47	75	96	146	365	1,025

Marriages 11,304
Births 22,493

Deaths from Childbirth and Puerperal Fever .. .. } 4·23 per 1000 Births of both Sexes.

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

Annual Births to 1000 Females aged 15—45 years = 125.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables

10.—OXFORDSHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*14·59	†128	—	—	—	—	41·48	3·19	2·29	3·01	4·23	5·81	8·56	13·49	26·48	59·19	156·76
Mean Population, 1891–1900	—	89,764	2,112	2,095	2,086	2,177	2,149	10,619	10,824	10,725	9,110	6,759	11,628	9,904	8,100	6,193	4,119	1,783
Deaths from All Causes, 1891–1900	16·76	15,046	3,146	659	263	198	139	4,405	345	246	274	286	676	848	1,093	1,640	2,438	2,795
Small-pox	0·00	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Measles	0·27	242	52	84	33	24	14	207	25	9	1	—	—	—	—	—	—	—
Scarlet Fever	0·06	55	—	8	8	8	9	33	12	6	1	—	3	—	—	—	—	—
Diphtheria	0·23	202	10	14	27	35	25	111	65	14	5	1	2	1	2	—	1	—
Whooping-cough	0·24	217	111	56	23	10	10	210	7	—	—	—	—	—	—	—	—	—
Typhus	0·00	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Enteric Fever	0·06	55	—	—	—	—	1	1	6	4	7	7	11	8	6	3	1	1
Simple Continued Fever ..	0·00	3	—	—	—	—	1	1	—	—	—	1	—	—	—	—	1	—
Diarrhœa and Dysentery ..	0·35	317	200	38	4	8	1	251	2	1	1	—	3	4	2	8	14	31
Cholera	0·01	13	7	1	1	—	—	9	—	1	—	—	—	1	—	2	—	—
Cancer	0·75	674	1	1	—	—	—	2	1	3	5	2	11	34	103	187	231	95
Tabes Mesenterica	0·12	106	50	8	7	4	1	70	8	8	4	8	2	1	1	2	2	—
Phthisis	1·21	1,090	11	12	6	4	1	34	10	23	75	112	259	225	180	114	55	3
Other Tub. and Scrof. Dis. ..	0·34	301	76	49	16	12	7	160	47	26	16	14	15	16	4	2	1	—
Diseases of Nervous System	2·06	1,851	345	43	20	15	6	429	16	35	20	16	46	100	141	224	442	382
Diseases of Circulatory „	1·84	1,654	18	—	—	1	4	23	10	9	23	25	54	102	167	325	507	409
Diseases of Respiratory „	2·74	2,460	601	232	73	41	31	978	44	13	14	17	63	95	154	267	409	406
Diseases of Digestive „	0·99	892	249	44	5	7	2	307	22	29	22	18	24	42	80	107	153	88
Diseases of Urinary „	0·64	578	4	2	—	1	3	10	7	6	5	1	23	34	49	113	163	167
Diseases of Generative „	0·01	5	3	—	—	—	—	3	—	—	—	—	—	—	—	2	—	—
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0·73	653	41	12	16	16	15	100	31	28	31	35	65	86	85	89	70	33
OTHER CAUSES	4·11	3,676	1,367	55	24	12	8	1,466	32	31	44	29	93	99	119	195	388	1,180

Marriages 12,403
Births 24,674

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

10.—OXFORDSHIRE.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*13·27	†99	—	—	—	—	33·26	3·51	2·06	3·33	3·55	4·83	7·43	11·09	22·83	53·80	147·63
Mean Population, 1891-1900	—	97,773	2,092	2,054	2,109	2,168	2,135	10,558	10,873	10,649	9,079	8,061	13,794	11,276	9,365	7,064	4,822	2,232
Deaths from All Causes, 1891-1900	15·08	14,746	2,376	604	232	167	133	3,512	382	219	302	286	666	838	1,039	1,613	2,594	3,295
Small-pox	0·00	2	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
Measles	0·25	240	43	90	32	19	17	201	34	2	—	—	2	1	—	—	—	—
Scarlet Fever	0·05	49	2	4	11	9	5	31	10	3	1	1	3	—	—	—	—	—
Diphtheria	0·18	176	5	12	16	29	31	93	55	16	6	3	1	—	—	1	1	—
Whooping-cough	0·26	255	123	83	25	14	5	250	5	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·06	54	—	—	—	1	1	2	9	6	10	6	5	9	3	4	—	—
Simple Continued Fever ..	0·00	2	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—
Diarrhœa and Dysentery ..	0·26	258	153	22	3	3	1	182	2	1	1	—	1	3	1	16	20	31
Cholera	0·00	3	3	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—
Cancer	1·01	989	1	1	—	2	—	4	1	1	2	4	12	89	187	295	268	126
Tabes Mesenterica	0·11	107	38	10	1	3	2	54	14	5	12	5	6	6	4	1	—	—
Phthisis	0·95	932	10	9	3	5	1	28	21	47	97	104	210	178	125	73	45	4
Other Tub. and Scrof. Dis. ..	0·30	297	67	29	13	14	12	135	47	23	29	14	19	16	5	4	4	1
Diseases of: Nervous System	1·80	1,763	252	43	26	8	9	338	39	20	22	16	32	67	124	250	433	422
Diseases of: Circulatory „	1·95	1,902	17	3	—	4	—	24	20	30	33	25	67	87	175	354	613	474
Diseases of: Respiratory „	2·35	2,300	461	192	65	33	28	779	48	14	14	13	42	62	94	196	461	577
Diseases of: Digestive „	0·88	857	140	42	7	5	10	204	14	9	17	22	29	66	76	128	163	129
Diseases of: Urinary „	0·36	348	5	2	—	1	—	8	8	5	7	10	31	27	56	77	75	44
Diseases of: Generative „	0·08	83	1	—	—	—	—	1	1	—	2	4	15	13	21	9	9	8
Puerperal Fever	0·09	92	—	—	—	—	—	—	—	—	1	13	47	28	3	—	—	—
Childbirth	0·13	130	—	—	—	—	—	—	—	—	6	9	58	53	4	—	—	—
Violence	0·28	275	31	10	17	8	2	68	16	11	12	8	16	32	31	18	31	32
OTHER CAUSES	3·73	3,632	1,024	51	13	9	9	1,106	38	25	30	29	68	101	130	187	471	1,447

Marriages 12,403
Births 24,011

Deaths from Childbirth and Puerperal Fever .. .. } 4·56 per 1000 Births of both Sexes.

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

Annual Births to 1000 Females aged 15—45 years = 115.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables

11.—NORTHAMPTONSHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*15·80	†146	—	—	—	—	50·28	3·54	2·04	3·61	4·55	5·70	7·88	13·57	26·88	61·57	158·85
Mean Population, 1891-1900	—	161,670	4,044	3,816	3,934	3,942	3,853	19,589	19,045	18,031	16,857	14,035	23,580	18,309	13,713	9,917	6,193	2,401
Deaths from All Causes, 1891-1900	16·75	27,081	7,105	1,559	561	358	266	9,849	675	368	608	639	1,345	1,443	1,861	2,666	3,813	3,814
Small-pox	0·00	6	—	—	—	—	—	—	—	—	—	1	2	1	—	1	1	—
Measles	0·39	626	153	258	92	53	36	592	28	3	3	—	—	—	—	—	—	—
Scarlet Fever	0·14	221	10	22	42	27	29	130	65	10	7	5	2	1	—	—	1	—
Diphtheria	0·13	210	3	15	27	29	33	107	78	16	3	1	2	1	1	—	1	—
Whooping-cough	0·30	487	268	129	38	28	9	472	15	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·13	218	1	1	1	1	5	9	23	22	25	38	57	21	15	3	4	1
Simple Continued Fever ..	0·00	3	—	—	1	—	—	1	—	—	1	—	—	—	—	—	1	—
Diarrhœa and Dysentery ..	0·55	883	654	92	10	8	2	766	6	1	—	1	6	4	4	12	32	51
Cholera	0·01	24	13	3	1	—	—	17	—	—	—	1	—	1	4	1	—	—
Cancer	0·68	1,094	1	1	3	1	—	6	5	3	7	4	23	68	174	293	362	149
Tabes Mesenterica	0·13	203	108	24	10	3	8	153	14	10	5	5	7	4	2	2	1	—
Phthisis	1·30	2,101	28	16	14	8	5	71	34	36	184	289	536	416	253	205	70	7
Other Tub. and Scrof. Dis. ..	0·39	630	185	99	34	37	21	376	74	36	34	16	40	21	15	11	6	1
Diseases of: Nervous System	2·16	3,490	853	128	45	32	14	1,072	71	51	64	30	93	136	220	473	704	576
Diseases of: Circulatory "	1·57	2,537	29	1	1	2	5	38	24	21	46	45	107	167	286	504	799	500
Diseases of: Respiratory "	2·71	4,379	1,201	478	155	83	65	1,982	94	20	40	34	117	165	280	404	615	628
Diseases of: Digestive "	0·96	1,544	533	105	22	11	6	677	24	21	28	24	48	91	137	175	209	110
Diseases of: Urinary "	0·49	788	12	8	3	4	3	30	9	8	12	16	45	55	92	124	240	157
Diseases of: Generative "	0·00	6	—	1	—	—	—	1	—	—	—	—	—	1	—	1	2	1
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0·77	1,239	100	35	32	17	16	200	63	54	75	72	139	130	166	156	108	76
OTHER CAUSES	3·94	6,392	2,953	143	30	14	9	3,149	48	56	74	57	121	160	212	301	657	1,557

Marriages 24,918
Births 48,511

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

11.—NORTHAMPTONSHIRE.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*14·20	†119	—	—	—	—	41·47	3·12	2·43	3·45	4·44	5·13	7·09	10·92	22·02	53·31	145·26
Mean Population, 1891–1900	—	165,007	4,085	3,954	3,941	4,016	3,910	19,906	19,001	18,160	16,066	14,374	24,152	18,614	14,407	10,686	6,762	2,879
Deaths from All Causes, 1891–1900	15·00	24,754	5,617	1,385	605	403	246	8,256	593	441	555	638	1,238	1,320	1,573	2,353	3,605	4,182
Small-pox	0·00	4	1	—	—	—	—	1	—	—	—	1	1	1	—	—	—	—
Measles	0·34	553	122	199	95	62	28	506	42	1	2	1	1	—	—	—	—	—
Scarlet Fever	0·13	220	13	22	41	28	31	135	50	11	4	6	7	7	—	—	—	—
Diphtheria	0·13	220	7	17	21	36	27	108	84	18	2	3	2	2	—	1	—	—
Whooping-cough	0·35	581	276	167	65	37	17	562	17	1	—	—	—	—	—	—	—	1
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·12	198	—	1	5	5	2	13	17	27	32	33	31	23	14	6	2	—
Simple Continued Fever ..	0·00	3	1	—	—	—	—	1	—	—	—	—	—	1	—	—	1	—
Diarrhœa and Dysentery ..	0·48	784	555	83	14	6	4	662	3	3	2	—	3	3	7	13	27	61
Cholera	0·01	21	12	1	—	—	—	13	3	—	—	—	—	—	—	1	2	2
Cancer	0·93	1,538	1	1	—	1	1	4	2	5	2	7	31	136	318	418	443	172
Tabes Mesenterica	0·11	179	70	22	6	3	1	102	13	15	12	12	12	8	2	1	2	—
Phthisis	1·07	1,758	25	28	15	6	6	80	37	98	214	244	419	303	193	118	45	7
Other Tub. and Scrof. Dis. ..	0·33	549	146	78	39	28	21	312	50	47	34	31	29	21	11	6	5	3
Diseases of Nervous System	1·80	2,970	590	120	52	32	15	809	58	50	36	39	59	109	190	357	665	598
Diseases of Circulatory "	1·52	2,508	17	—	3	5	2	27	27	47	55	47	93	150	270	534	743	515
Diseases of Respiratory "	2·35	3,883	985	442	159	107	53	1,746	87	18	27	17	70	97	142	327	649	703
Diseases of Digestive "	0·84	1,393	397	80	27	13	16	533	22	14	26	36	73	84	123	166	194	122
Diseases of Urinary "	0·26	435	8	3	5	3	2	21	11	6	7	15	31	50	71	100	85	38
Diseases of Generative "	0·07	108	1	—	—	—	—	1	1	—	5	10	9	19	24	19	17	3
Puerperal Fever	0·12	198	—	—	—	—	—	—	—	—	10	30	113	44	1	—	—	—
Childbirth	0·14	235	—	—	—	—	—	—	—	—	5	34	103	91	2	—	—	—
Violence	0·27	441	68	17	21	14	7	127	26	13	11	17	28	37	32	33	50	67
OTHER CAUSES	3·63	5,975	2,322	104	37	17	13	2,493	43	67	69	55	123	134	173	253	675	1,890

Marriages.. 24,918
Births 47,132

Deaths from Childbirth and Puerperal Fever .. .. } 4·53 per 1000 Births of both Sexes.

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

Annual Births to 1000 Females aged 15—45 years = 131.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

12.—HUNTINGDONSHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*13·69	†132	—	—	—	—	40·22	2·88	2·49	2·76	4·09	4·54	7·46	11·98	25·81	54·82	151·29
Mean Population, 1891-1900	—	23,891	536	542	544	547	551	2,720	2,740	2,728	2,460	1,811	3,037	2,520	2,195	1,813	1,286	581
Deaths from All Causes, 1891-1900	16·84	4,024	837	126	60	51	20	1,094	79	68	68	74	138	188	263	468	705	879
Small-pox	0·01	2	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—
Measles	0·15	35	8	11	6	4	—	29	3	2	1	—	—	—	—	—	—	—
Scarlet Fever	0·05	11	2	3	1	1	—	7	3	1	—	—	—	—	—	—	—	—
Diphtheria	0·18	42	3	2	2	9	5	21	17	3	1	—	—	—	—	—	—	—
Whooping-cough	0·20	48	27	11	5	3	2	48	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·10	23	1	—	—	—	—	1	1	5	3	3	1	2	1	6	—	—
Simple Continued Fever ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa and Dysentery ..	0·37	89	53	9	1	1	—	64	—	—	1	—	—	—	4	3	6	11
Cholera	0·01	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1
Cancer	1·13	269	—	—	—	1	—	1	1	1	2	1	4	6	33	91	89	40
Tabes Mesenterica	0·09	21	11	3	2	1	—	17	—	—	—	1	1	1	—	—	1	—
Phthisis	1·24	296	10	4	1	1	—	16	2	5	19	34	72	58	34	34	21	1
Other Tub. and Scrof. Dis. ..	0·30	71	17	6	5	5	1	34	11	6	5	4	2	3	2	1	3	—
Diseases of: Nervous System	1·87	447	63	13	7	4	3	90	4	4	3	3	10	13	24	57	112	127
Circulatory "	1·56	373	3	1	—	—	—	4	3	1	6	1	5	21	31	75	126	100
Respiratory "	2·67	638	152	39	18	11	6	226	10	4	2	7	7	18	34	59	124	147
Digestive "	0·81	194	39	5	3	—	—	47	2	1	4	2	9	10	25	28	45	21
Urinary "	0·51	123	1	—	—	1	—	2	1	1	3	—	1	7	6	17	48	37
Generative "	0·01	2	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0·90	214	10	5	5	6	2	28	12	26	11	14	13	30	22	31	20	7
OTHER CAUSES	4·68	1,124	437	14	4	3	1	459	9	8	7	4	13	19	42	66	110	387

Marriages 3,265
Births 6,335

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

12.—HUNTINGDONSHIRE.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*12·48	†104	—	—	—	—	32·66	3·18	1·71	3·72	4·36	5·27	6·44	9·93	18·46	46·16	142·31
Mean Population, 1891–1900	—	24,792	546	532	533	582	541	2,734	2,734	2,688	2,204	1,833	3,245	2,717	2,436	2,015	1,432	754
Deaths from All Causes, 1891–1900	15·66	3,882	643	137	55	35	23	893	87	46	82	80	171	175	242	372	661	1,073
Small-pox	0·01	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1
Measles	0·10	26	4	10	4	3	—	21	3	—	—	—	1	—	1	—	—	—
Scarlet Fever	0·06	15	1	—	3	1	2	7	4	3	—	—	1	—	—	—	—	—
Diphtheria	0·16	39	—	1	6	4	3	14	15	4	4	2	—	—	—	—	—	—
Whooping-cough	0·26	65	26	20	8	7	2	63	2	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·06	15	—	—	—	—	—	—	4	2	1	1	5	1	1	—	—	—
Simple Continued Fever ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa and Dysentery ..	0·42	105	56	7	2	—	—	65	3	1	—	—	2	—	2	1	8	23
Cholera	0·01	2	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
Cancer	1·32	328	—	—	—	—	—	—	—	—	—	—	5	27	53	73	113	57
Tabes Mesenterica	0·12	30	12	8	3	—	—	23	2	1	3	1	—	—	—	—	—	—
Phthisis	1·06	262	10	2	—	1	—	13	5	5	37	37	58	49	31	14	10	3
Other Tub. and Scrof. Dis. ..	0·26	64	11	5	6	4	1	27	14	7	4	3	4	—	3	—	1	1
Diseases of: Nervous System	1·87	464	60	10	4	4	2	80	7	5	4	4	9	8	29	57	111	150
Diseases of: Circulatory "	1·56	387	3	—	—	—	—	3	2	4	4	6	22	16	36	68	118	108
Diseases of: Respiratory "	2·63	651	136	45	15	5	6	207	11	2	3	5	7	13	23	58	124	198
Diseases of: Digestive "	0·81	201	34	16	1	1	2	54	2	3	6	5	6	14	23	27	35	26
Diseases of: Urinary "	0·29	71	2	1	—	—	—	3	3	—	2	—	2	5	7	13	17	19
Diseases of: Generative "	0·06	15	—	—	—	—	—	—	—	—	—	1	—	4	4	5	1	—
Puerperal Fever	0·08	19	—	—	—	—	—	—	—	—	2	2	9	6	—	—	—	—
Childbirth	0·11	28	—	—	—	—	—	—	—	—	1	2	17	8	—	—	—	—
Violence	0·28	69	6	2	1	3	4	16	5	4	1	2	4	5	3	7	12	10
OTHER CAUSES	4·13	1,024	281	10	2	2	1	296	4	5	10	8	19	19	26	49	111	477

Marriages 3,265
Births 6,184

Deaths from Childbirth and Puerperal Fever .. .. } 3·76 per 1000 Births of both Sexes.

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

Annual Births to 1000 Females aged 15—45 years = 125.

13.—BEDFORDSHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*15·44	†140	—	—	—	—	46·03	3·30	2·05	2·75	4·51	6·13	8·91	14·60	26·58	59·70	164·70
Mean Population, 1891–1900	—	79,844	1,977	1,856	1,891	1895	1,931	9,550	9,690	9,797	8,728	6,095	10,460	8,611	6,884	5,268	3,387	1,374
Deaths from All Causes, 1891–1900	16·95	13,530	3,199	652	233	172	140	4,396	320	201	240	275	641	767	1,005	1,400	2,022	2,263
Small-pox	0·00	2	1	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—
Measles	0·26	209	48	83	24	20	10	185	21	3	—	—	—	—	—	—	—	—
Scarlet Fever	0·07	56	1	7	4	8	7	27	11	9	6	—	1	2	—	—	—	—
Diphtheria	0·25	136	5	20	22	35	25	107	63	14	6	2	3	1	—	—	—	—
Whooping-cough	0·28	226	146	51	13	7	6	223	2	—	1	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·08	60	—	—	1	—	2	3	4	5	5	9	15	7	6	3	2	1
Simple Continued Fever ..	0·01	4	—	—	—	—	—	—	1	—	—	—	—	—	1	—	2	—
Diarrhœa and Dysentery ..	0·58	465	344	47	9	1	—	401	1	—	1	—	—	1	2	10	16	33
Cholera	0·01	6	2	—	—	—	—	2	1	—	—	—	—	—	2	1	—	—
Cancer	0·66	529	1	1	—	1	—	3	1	1	2	3	9	31	77	152	173	77
Tabes Mesenterica	0·18	145	98	14	4	1	—	117	4	5	4	4	5	2	3	1	—	—
Phthisis	1·19	952	9	9	—	1	5	24	10	13	65	97	239	211	158	94	36	5
Other Tub. and Scrof. Dis. ..	0·42	336	88	50	23	11	10	182	45	18	16	14	24	15	11	4	6	1
Diseases of: Nervous System	2·34	1,864	403	42	13	12	17	487	25	23	17	30	51	123	153	223	388	344
Diseases of: Circulatory "	1·58	1,264	13	1	1	—	—	15	13	14	19	18	44	74	131	255	404	277
Diseases of: Respiratory "	2·58	2,058	498	216	80	44	40	878	38	9	8	16	56	74	114	225	280	360
Diseases of: Digestive "	1·08	863	230	38	9	7	2	286	18	24	15	13	29	52	95	127	126	78
Diseases of: Urinary "	0·57	454	8	3	—	1	—	12	4	9	10	5	17	22	56	84	119	116
Diseases of: Generative "	0·01	4	1	—	—	—	—	1	—	—	—	—	—	—	1	—	2	—
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0·71	563	38	15	13	12	6	84	35	34	34	30	61	73	67	54	60	31
OTHER CAUSES	4·09	3,274	1,265	55	17	11	10	1,358	23	20	31	34	87	79	128	166	408	940

Marriages 11,948
Births 22,778

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

13.—BEDFORDSHIRE.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*13·81	†111	—	—	—	—	37·78	3·59	2·28	2·97	3·82	5·17	7·07	11·39	22·29	52·26	150·51
Mean Population, 1891-1900	—	90,352	1,927	1,876	1,876	1,929	1,919	9,527	9,644	9,479	8,886	8,005	13,026	10,716	8,691	6,419	4,181	1,778
Deaths from All Causes, 1891-1900	14·88	13,444	2,433	610	247	178	131	3,599	346	216	264	306	673	758	990	1,431	2,185	2,676
Small-pox	0·00	4	1	—	—	—	—	1	—	—	—	—	2	—	—	—	—	1
Measles	0·21	189	40	71	25	25	9	170	13	6	—	—	—	—	—	—	—	—
Scarlet Fever	0·09	78	3	13	16	10	12	54	14	4	3	1	1	1	—	—	—	—
Diphtheria	0·21	194	4	11	21	24	32	92	70	25	2	1	1	—	1	2	—	—
Whooping-cough	0·31	283	141	83	27	17	8	276	7	—	—	—	—	—	—	—	—	—
Typhus	0·00	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Enteric Fever	0·09	83	—	—	1	2	1	4	6	11	18	10	14	7	7	3	3	—
Simple Continued Fever ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa and Dysentery ..	0·48	431	294	41	11	—	1	347	6	—	—	1	1	5	3	9	19	40
Cholera	0·01	7	3	—	2	—	—	5	—	—	—	—	—	—	—	1	1	—
Cancer	1·01	908	—	—	1	1	—	2	1	—	—	3	21	67	169	267	237	141
Tabes Mesenterica	0·14	131	71	15	4	1	2	93	5	8	5	3	7	4	4	1	1	—
Phthisis	1·08	974	7	9	1	4	1	22	13	32	91	119	259	165	147	88	31	7
Other Tub. and Scrof. Dis. ..	0·32	287	54	30	24	11	8	127	47	25	17	18	19	11	6	12	4	1
Diseases of: Nervous System	1·88	1,697	253	57	17	11	9	347	24	23	21	20	47	90	131	239	379	376
Diseases of: Circulatory „	1·64	1,478	10	1	—	—	2	13	23	15	18	28	48	87	159	306	486	295
Diseases of: Respiratory „	2·19	1,977	336	185	56	46	33	656	44	14	19	15	35	51	110	188	381	464
Diseases of: Digestive „	0·82	744	181	28	10	6	6	231	25	11	21	13	20	51	68	86	124	94
Diseases of: Urinary „	0·28	256	2	5	—	1	1	9	3	2	3	6	20	28	44	58	50	33
Diseases of: Generative „	0·08	75	—	1	—	—	—	1	—	1	1	2	12	14	10	12	10	12
Puerperal Fever	0·09	77	—	—	—	—	—	—	—	—	2	15	36	22	2	—	—	—
Childbirth	0·13	115	—	—	—	—	—	—	—	—	4	14	48	47	2	—	—	—
Violence	0·21	190	31	5	10	5	3	54	10	8	5	10	14	16	12	17	18	26
OTHER CAUSES	3·61	3,265	1,002	55	21	14	3	1,095	34	31	34	27	68	92	115	142	441	1,186

Marriages.. 11,948
Births 21,988

Deaths from Childbirth and Puerperal Fever .. .. } 4·29 per 1000 Births of both Sexes.

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

Annual Births to 1000 Females aged 15—45 years = 110.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

14.—CAMBRIDGESHIRE—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*14·78	†141	—	—	—	—	45·36	3·22	1·88	3·22	4·97	5·48	8·66	12·81	24·18	56·97	153·52
Mean Population, 1891-1900	—	96,938	2,291	2,176	2,240	2,230	2,293	11,230	11,232	11,196	10,276	7,579	12,836	10,732	8,940	6,567	4,302	2,048
Deaths from All Causes, 1891-1900	16·85	16,336	3,784	736	259	170	145	5,094	362	211	331	377	704	929	1,145	1,588	2,451	3,144
Small-pox	0·00	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Measles	0·17	163	40	57	29	10	9	145	17	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·04	34	—	3	5	9	1	18	6	5	3	1	1	—	—	—	—	—
Diphtheria	0·19	188	6	13	22	26	25	92	63	19	5	3	—	3	—	3	—	—
Whooping-cough	0·29	284	157	74	23	16	5	275	9	—	—	—	—	—	—	—	—	—
Typhus	0·00	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Enteric Fever	0·10	95	—	—	—	1	1	2	3	11	20	12	19	14	6	5	3	—
Simple Continued Fever ..	0·00	2	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—	—
Diarrhœa and Dysentery ..	0·45	435	295	41	6	3	1	346	2	1	—	1	4	—	7	14	24	36
Cholera	0·02	23	4	3	1	—	—	8	—	—	—	—	1	3	2	6	3	—
Cancer	0·83	802	1	1	—	1	1	4	1	1	2	5	7	49	114	234	247	138
Tabes Mesenterica	0·19	181	102	26	9	3	4	144	8	6	5	3	4	3	3	3	1	1
Phthisis	1·43	1,387	24	9	7	4	5	49	15	18	117	176	280	304	204	155	61	8
Other Tub. and Scrof. Dis. ..	0·32	311	88	38	22	8	12	168	46	16	11	12	23	16	11	6	2	—
Diseases of Nervous System	1·79	1,732	351	69	24	12	15	471	31	13	17	23	37	81	123	190	364	382
Diseases of Circulatory "	1·69	1,638	18	2	2	—	2	24	10	19	25	13	53	86	155	254	512	487
Diseases of Respiratory "	2·55	2,472	652	219	59	42	40	1,012	51	13	14	19	57	78	136	199	424	469
Diseases of Digestive "	1·10	1,062	301	68	12	8	6	395	18	14	20	16	39	57	108	137	147	111
Diseases of Urinary "	0·62	598	9	1	1	2	2	15	7	4	2	6	14	39	56	113	176	166
Diseases of Generative "	0·00	4	2	—	—	1	—	3	—	—	—	—	—	—	—	—	1	—
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0·81	786	69	24	21	16	11	141	42	43	58	46	87	84	80	79	72	54
OTHER CAUSES	4·26	4,137	1,665	88	16	7	5	1,781	33	27	32	40	78	112	139	190	413	1,292

Marriages 13,579
Births 26,892

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

14.—CAMBRIDGESHIRE.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*13·17	†106	—	—	—	—	34·70	3·43	2·39	4·00	4·54	5·51	7·46	10·58	20·92	47·31	136·03
Mean Population, 1891-1900	—	101,353	2,267	2,136	2,241	2,307	2,263	11,214	11,107	10,893	9,419	8,341	13,877	11,545	9,693	7,365	5,143	2,756
Deaths from All Causes, 1891-1900	15·45	15,663	2,693	635	272	158	133	3,891	381	260	377	379	765	861	1,026	1,541	2,433	3,749
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·15	153	41	55	25	9	6	136	11	1	—	1	3	—	—	—	—	1
Scarlet Fever	0·05	54	1	2	6	8	5	22	12	8	1	4	3	2	2	—	—	—
Diphtheria	0·18	185	8	6	12	18	23	67	76	24	7	—	2	2	2	3	1	1
Whooping-cough	0·30	304	138	90	38	12	14	292	9	2	—	—	—	—	—	—	—	1
Typhus	0·00	2	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—
Enteric Fever	0·11	112	1	1	—	1	4	7	9	11	19	18	15	12	12	5	3	1
Simple Continued Fever ..	0·00	4	—	—	—	—	1	1	2	—	1	—	—	—	—	—	—	—
Diarrhœa and Dysentery ..	0·36	361	219	36	8	3	—	266	2	2	—	2	6	1	5	6	21	50
Cholera	0·01	7	3	—	—	—	—	3	—	—	—	—	—	—	2	—	1	1
Cancer	1·15	1,166	1	1	—	2	—	4	1	1	5	4	21	100	213	310	325	182
Tabes Mesenterica	0·16	162	63	23	7	2	3	98	15	10	8	11	8	6	2	2	1	1
Phthisis	1·17	1,190	15	10	4	2	—	31	34	55	152	172	285	215	122	74	37	13
Other Tub. and Scrof. Dis. ..	0·25	252	48	31	15	11	11	116	40	33	11	11	18	9	5	4	2	3
Diseases of: Nervous System	1·63	1,650	217	58	15	17	13	320	26	15	28	15	46	59	117	232	371	421
Diseases of: Circulatory "	1·76	1,780	11	2	4	1	3	21	25	16	27	24	52	97	171	303	530	514
Diseases of: Respiratory "	2·30	2,331	447	180	89	44	30	790	51	15	18	17	45	67	91	207	424	606
Diseases of: Digestive "	0·96	971	225	65	9	9	7	315	21	20	21	22	38	44	88	113	149	140
Diseases of: Urinary "	0·33	332	7	2	1	—	—	10	1	3	10	5	17	43	41	67	75	60
Diseases of: Generative "	0·06	65	1	—	—	—	—	1	—	—	3	1	7	14	13	11	8	7
Puerperal Fever	0·08	79	—	—	—	—	—	—	—	—	1	11	43	24	—	—	—	—
Childbirth	0·14	142	—	—	—	—	—	—	—	—	10	20	60	48	4	—	—	—
Violence	0·30	306	43	17	17	11	8	96	22	9	8	8	20	16	19	26	21	61
OTHER CAUSES	4·00	4,055	1,204	56	22	8	5	1,295	24	35	47	32	76	102	117	177	464	1,686

Marriages 13,579
Births 25,343

Deaths from Childbirth and Puerperal Fever .. .. } 4·23 per 1000 Births of both Sexes.

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

Annual Births to 1000 Females aged 15—45 years = 121.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

15.—ESSEX.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*16·57	†154	—	—	—	—	53·41	4·23	2·15	3·19	4·23	5·53	9·08	15·59	28·81	62·19	154·42
Mean Population, 1891-1900	—	445,059	11,970	11,346	11,575	11,643	11,537	58,071	55,952	52,389	44,298	37,447	66,717	52,784	36,457	22,662	13,030	5,252
Deaths from All Causes, 1891-1900	16·72	74,403	21,358	5,307	2,071	1,222	1,056	31,014	2,364	1,128	1,412	1,584	3,687	4,791	5,682	6,528	8,103	8,110
Small-pox	0·02	97	12	3	—	3	4	22	10	3	3	8	17	9	13	6	5	1
Measles	0·40	1,763	374	680	302	129	126	1,611	136	7	4	1	1	2	1	—	—	—
Scarlet Fever	0·11	498	32	65	68	61	60	286	136	35	16	9	9	2	5	—	—	—
Diphtheria	0·44	1,976	80	229	298	283	310	1,200	599	102	26	10	14	9	7	5	3	1
Whooping-cough	0·34	1,513	792	417	150	69	44	1,472	38	1	1	—	—	—	—	1	—	—
Typhus	0·00	5	—	—	—	—	2	2	—	—	—	1	1	—	—	—	1	—
Enteric Fever	0·21	923	2	7	15	10	13	47	66	99	126	133	213	115	69	39	14	2
Simple Continued Fever ..	0·00	18	2	1	1	2	—	6	2	1	—	1	2	1	2	—	1	2
Diarrhœa and Dysentery ..	0·80	3,546	2,762	399	45	18	9	3,233	19	3	4	6	15	19	27	29	86	105
Cholera	0·04	181	122	20	2	2	3	149	3	—	1	1	4	4	5	9	3	2
Cancer	0·52	2,301	2	1	5	3	2	13	3	6	8	10	36	140	398	645	703	339
Tabes Mesenterica	0·21	939	562	178	49	17	11	817	36	24	17	11	14	7	3	6	3	1
Phthisis	1·25	5,548	71	61	23	21	16	192	77	119	392	602	1,230	1,239	921	560	186	30
Other Tub. and Scrof. Dis. ..	0·38	1,680	502	306	152	84	58	1,102	213	78	54	50	58	42	47	18	16	2
Diseases of Nervous System	2·00	8,917	2,548	445	175	87	56	3,311	165	111	94	81	316	672	791	897	1,328	1,151
Diseases of Circulatory „	1·35	6,002	114	12	9	15	7	157	74	115	124	95	271	500	789	1,176	1,585	1,116
Diseases of Respiratory „	3·04	13,515	3,586	1,633	531	255	196	6,201	288	84	105	134	449	707	971	1,332	1,743	1,501
Diseases of Digestive „	1·11	4,961	2,162	446	69	37	33	2,747	120	62	68	51	144	244	393	431	440	261
Diseases of Urinary „	0·44	1,937	17	15	9	9	10	60	38	16	26	30	72	154	248	372	506	415
Diseases of Generative „	0·00	18	8	—	1	—	—	9	—	—	—	—	1	1	1	2	1	3
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0·76	3,395	421	77	76	65	54	693	177	130	192	210	461	416	441	339	234	102
OTHER CAUSES	3·30	14,670	7,187	312	91	52	42	7,684	164	132	151	140	359	508	550	661	1,245	3,076

Marriages 59,675
Births 138,724

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

15.—ESSEX.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*14·97	†128	—	—	—	—	45·21	4·25	2·45	3·32	3·84	5·01	7·85	12·26	24·41	53·80	140·45
Mean Population, 1891-1900	—	453,272	12,204	11,295	11,634	11,740	11,538	58,411	55,890	51,162	41,580	38,013	69,829	53,781	37,694	24,787	15,346	6,779
Deaths from All Causes, 1891-1900	15·23	69,049	17,157	4,982	1,905	1,364	999	26,407	2,377	1,253	1,380	1,461	3,500	4,220	4,623	6,051	8,256	9,521
Small-pox	0·01	50	13	2	5	4	1	25	3	1	3	2	6	7	1	—	1	1
Measles	0·36	1,630	336	570	287	141	115	1,449	154	12	5	1	2	6	—	—	1	—
Scarlet Fever	0·10	451	25	43	75	61	37	241	127	39	11	11	15	4	2	1	—	—
Diphtheria	0·47	2,141	77	230	242	333	285	1,167	729	155	35	11	22	9	4	3	6	—
Whooping-cough	0·43	1,951	846	648	209	110	69	1,882	65	1	—	—	1	2	—	—	—	—
Typhus	0·00	5	—	1	—	—	1	2	1	—	—	1	—	—	—	1	—	—
Enteric Fever	0·16	718	7	5	5	13	18	48	69	87	108	88	162	83	43	22	6	2
Simple Continued Fever ..	0·00	21	1	2	—	1	2	6	3	4	—	2	3	1	—	1	—	1
Diarrhœa and Dysentery ..	0·69	3,132	2,330	368	63	24	13	2,798	26	3	2	3	15	9	20	51	79	126
Cholera	0·03	140	105	12	5	1	1	124	3	—	—	1	1	1	2	6	1	1
Cancer	0·79	3,596	—	1	2	2	3	8	4	5	10	12	102	389	750	994	849	473
Tabes Mesenterica	0·18	799	461	134	43	20	7	665	34	29	19	9	20	13	4	4	2	—
Phthisis	0·99	4,492	51	43	21	20	21	156	94	246	474	523	1,063	919	601	269	123	24
Other Tub. and Scrof. Dis. ..	0·34	1,539	361	280	128	86	58	913	196	93	89	47	78	35	30	32	14	12
Diseases of: Nervous System	1·75	7,947	1,887	358	130	98	69	2,542	154	99	81	80	277	435	619	953	1,394	1,313
Diseases of: Circulatory „	1·37	6,217	92	9	5	8	14	128	98	153	140	111	307	512	743	1,200	1,678	1,147
Diseases of: Respiratory „	2·62	11,851	2,720	1,479	460	298	171	5,128	264	74	67	84	263	464	624	1,101	1,821	1,961
Diseases of: Digestive „	1·04	4,720	1,730	414	80	37	30	2,291	100	63	73	82	175	279	382	442	505	328
Diseases of: Urinary „	0·25	1,125	17	4	8	12	8	49	24	16	21	37	95	151	175	225	226	106
Diseases of: Generative „	0·06	256	4	2	1	—	—	7	1	1	6	7	31	38	74	31	38	22
Puerperal Fever	0·11	493	—	—	—	—	—	—	—	—	19	98	250	124	2	—	—	—
Childbirth	0·12	557	—	—	—	—	—	—	—	—	18	75	239	208	17	—	—	—
Violence	0·28	1,281	377	48	44	46	28	543	81	26	34	39	85	104	97	76	77	119
Other Causes	3·08	13,937	5,717	329	92	49	48	6,235	147	146	165	137	288	427	433	639	1,435	3,885

Marriages.. 59,675
Births 134,118

Deaths from Childbirth and Puerperal Fever .. .. } 3·85 per 1000 Births of both Sexes.

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

Annual Births to 1000 Females aged 15—45 years = 134.

16.—SUFFOLK.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds
Annual Death-Rate per 1000	—	*14·90	†134	—	—	—	—	44·52	3·47	2·19	3·37	5·03	6·11	8·78	13·26	24·32	56·48	152·76
Mean Population, 1891-1900	—	173,817	4,262	4,144	4,199	4,284	4,324	21,213	21,269	20,766	17,726	12,872	22,190	18,772	15,080	11,636	8,311	3,982
Deaths from All Causes, 1891-1900	17·54	30,491	6,801	1,537	496	344	267	9,445	737	454	597	648	1,355	1,648	2,000	2,830	4,694	6,083
Small-pox	0·00	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—
Measles	0·21	366	89	142	43	32	14	320	37	6	2	—	—	1	—	—	—	—
Scarlet Fever	0·07	120	10	17	9	8	12	56	37	13	7	2	1	2	1	1	—	—
Diphtheria	0·24	425	9	33	43	50	47	182	161	39	18	4	6	8	3	2	1	1
Whooping-cough	0·30	529	301	143	43	25	6	518	10	—	—	—	—	—	—	—	—	1
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·11	188	—	3	—	3	4	10	8	19	27	19	37	29	28	4	5	2
Simple Continued Fever ..	0·00	8	3	2	—	—	—	5	1	1	—	—	1	—	—	—	—	—
Diarrhœa and Dysentery ..	0·47	821	567	68	8	6	4	653	4	3	3	—	1	5	4	20	49	79
Cholera	0·01	12	2	1	—	2	—	5	—	—	—	—	1	—	2	1	3	—
Cancer	0·72	1,254	1	2	3	2	1	9	2	5	6	11	19	65	175	304	453	205
Tabes Mesenterica	0·16	278	139	45	13	6	3	206	20	17	6	3	6	9	4	5	1	1
Phthisis	1·34	2,331	19	28	9	8	10	74	38	49	186	298	536	444	336	233	117	20
Other Tub. and Scrof. Dis. ..	0·35	609	137	108	47	22	22	336	73	46	44	24	31	18	19	9	7	2
Diseases of: Nervous System	1·94	3,370	597	141	46	32	25	841	62	42	38	36	108	190	199	373	770	711
Diseases of: Circulatory "	1·71	2,966	33	6	4	3	1	47	26	26	40	36	98	157	272	560	922	782
Diseases of: Respiratory "	2·78	4,837	1,184	510	134	86	56	1,970	89	25	25	31	103	173	259	420	796	946
Diseases of: Digestive "	0·99	1,728	461	108	28	8	13	618	34	31	24	30	45	112	154	207	275	198
Diseases of: Urinary "	0·63	1,094	14	5	1	3	2	25	9	7	12	14	47	67	124	178	326	285
Diseases of: Generative "	0·01	13	3	1	—	—	—	4	—	—	—	—	—	1	1	2	4	1
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0·90	1,557	101	33	29	28	23	214	69	70	87	83	188	185	183	184	177	117
OTHER CAUSES	4·60	7,983	3,131	141	36	20	24	3,352	57	55	72	57	127	182	235	327	787	2,732

Marriages 24,184
Births 50,695

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

16.—SUFFOLK.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*13·64	†107	—	—	—	—	35·81	3·61	2·39	3·93	4·83	5·59	7·55	10·95	20·95	50·82	144·07
Mean Population, 1891-1900	—	183,663	4,263	4,146	4,196	4,328	4,326	21,259	21,297	20,126	16,858	14,445	24,957	20,696	16,881	13,154	9,286	4,704
Deaths from All Causes, 1891-1900	15·94	29,280	5,170	1,309	494	373	267	7,613	768	481	663	697	1,394	1,563	1,849	2,756	4,719	6,777
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·18	339	62	105	60	35	21	283	39	7	3	—	4	2	1	—	—	—
Scarlet Fever	0·06	106	3	13	12	17	10	55	23	11	5	6	4	1	1	—	—	—
Diphtheria	0·27	491	16	35	45	62	60	218	179	58	10	4	5	5	5	6	1	—
Whooping-cough	0·34	627	309	174	62	44	16	605	20	—	1	1	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·09	173	—	4	—	1	3	8	18	22	20	17	27	35	15	6	4	1
Simple Continued Fever ..	0·01	12	5	—	1	—	1	7	1	—	1	1	—	—	1	1	—	—
Diarrhœa and Dysentery ..	0·40	737	450	74	6	6	5	541	4	2	—	4	7	2	13	22	63	79
Cholera	0·01	12	1	1	1	1	—	4	3	—	—	—	—	2	—	1	1	1
Cancer	1·03	1,887	2	1	4	—	1	8	3	4	3	4	50	176	328	505	520	286
Tabes Mesenterica	0·13	241	82	35	8	7	2	134	26	20	23	5	11	11	2	6	3	—
Phthisis	1·23	2,257	22	20	8	5	8	63	43	114	289	297	533	375	278	161	90	14
Other Tub. and Scrof. Dis. ..	0·32	594	117	63	38	30	26	274	88	45	43	29	43	26	19	13	9	5
Diseases of: Nervous System	1·76	3,226	449	87	44	32	18	630	60	44	34	52	74	158	231	405	770	768
Diseases of: Circulatory "	1·75	3,223	19	4	1	4	—	28	30	25	50	40	96	179	309	579	1,053	834
Diseases of: Respiratory "	2·38	4,368	855	441	115	93	50	1,554	93	25	21	30	74	116	159	355	842	1,099
Diseases of: Digestive "	0·86	1,582	330	100	24	13	13	480	49	26	35	40	73	75	127	210	258	209
Diseases of: Urinary "	0·32	596	9	4	3	2	4	22	11	5	15	10	41	48	81	120	153	90
Diseases of: Generative "	0·07	134	1	1	—	1	—	3	—	1	3	3	16	15	31	27	28	7
Puerperal Fever	0·10	183	—	—	—	—	—	—	—	—	4	46	86	45	2	—	—	—
Childbirth	0·13	235	—	—	—	—	—	—	—	—	10	29	97	94	5	—	—	—
Violence	0·32	581	95	25	23	7	18	168	29	12	21	11	33	35	35	47	67	123
OTHER CAUSES..	4·18	7,676	2,343	122	39	13	11	2,528	49	60	72	68	120	163	206	292	857	3,261

Marriages 24,184
Births 48,263

Deaths from Childbirth and Puerperal Fever .. .. } 4·23 per 1000 Births of both Sexes.

* The death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births

Annual Births to 1000 Females aged 15—45 years = 129.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

17.—NORFOLK.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*15·42	†157	—	—	—	—	51·23	3·46	2·23	3·28	5·15	5·74	8·24	12·71	23·72	54·53	149·23
Mean Population, 1891–1900	—	222,758	5,481	5,123	5,378	5,423	5,443	26,848	26,561	25,817	22,333	16,550	29,054	24,667	19,666	15,211	10,851	5,200
Deaths from All Causes, 1891–1900	18·10	40,320	10,306	1,944	712	448	345	13,755	919	575	732	853	1,668	2,033	2,500	3,608	5,917	7,760
Small-pox	0·00	8	—	—	—	—	—	—	1	—	1	—	1	—	—	—	3	2
Measles	0·19	430	117	140	81	34	26	398	29	1	1	—	1	—	—	—	—	—
Scarlet Fever	0·09	205	13	22	30	32	30	127	52	13	6	3	1	2	1	—	—	—
Diphtheria	0·24	524	17	36	50	76	74	253	189	44	11	5	6	8	2	4	2	—
Whooping-cough	0·34	748	408	204	75	28	16	731	14	1	—	—	1	—	—	—	—	1
Typhus	0·00	2	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
Enteric Fever	0·21	474	3	1	5	8	7	24	35	58	56	61	105	56	42	28	8	1
Simple Continued Fever ..	0·00	9	—	—	—	—	1	1	1	1	1	—	—	2	1	—	2	—
Diarrhœa and Dysentery ..	0·61	1,351	1,005	134	14	—	4	1,157	7	2	1	—	5	4	5	19	55	96
Cholera	0·01	16	6	1	—	—	—	7	—	1	1	—	1	1	—	3	1	1
Cancer	0·73	1,618	2	—	3	4	1	10	7	8	13	13	30	80	230	432	522	273
Tabes Mesenterica	0·16	354	190	56	19	13	6	284	21	11	7	8	9	3	5	1	5	—
Phthisis	1·14	2,550	25	23	11	9	5	73	48	68	219	338	562	490	373	245	117	17
Other Tub. and Scrof. Dis. ..	0·31	685	205	105	44	26	23	403	68	41	31	31	37	32	18	12	7	5
Diseases of: Nervous System	2·12	4,729	1,027	174	67	28	22	1,318	62	37	44	43	128	253	298	548	999	999
Diseases of: Circulatory "	1·82	4,049	41	2	3	—	3	49	34	42	48	49	152	218	370	681	1,267	1,139
Diseases of: Respiratory "	2·65	5,906	1,575	588	167	109	55	2,494	99	33	34	53	96	188	277	494	929	1,209
Diseases of: Digestive "	1·02	2,271	714	128	30	17	8	897	42	40	45	33	69	114	202	260	334	235
Diseases of: Urinary "	0·60	1,331	24	6	8	4	5	47	20	13	19	17	53	86	107	194	399	376
Diseases of: Generative "	0·01	20	5	1	—	—	—	6	—	—	—	—	—	2	—	6	5	1
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0·79	1,757	94	36	47	31	30	238	103	94	110	113	203	218	206	207	171	94
OTHER CAUSES	5·06	11,283	4,835	287	58	29	29	5,238	87	67	84	85	208	275	363	474	1,091	3,311

Marriages 32,044
Births 65,442

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

17.—NORFOLK.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*14·23	†127	—	—	—	—	42·20	3·50	2·68	3·51	4·45	5·61	7·70	10·97	21·26	49·46	138·72
Mean Population, 1891-1900	—	240,992	5,441	5,175	5,391	5,553	5,448	27,008	26,856	25,618	22,213	19,395	32,981	27,325	22,452	17,662	12,847	6,635
Deaths from All Causes, 1891-1900	16·76	40,401	8,034	1,834	702	489	339	11,398	940	687	780	864	1,851	2,104	2,464	3,755	6,354	9,204
Small-pox	0·00	3	1	—	—	1	—	2	—	—	—	—	1	—	—	—	—	—
Measles	0·18	442	98	133	85	41	31	388	38	11	—	1	2	1	—	—	1	—
Scarlet Fever	0·08	191	14	13	25	33	22	107	53	13	5	6	5	2	—	—	—	—
Diphtheria	0·24	585	13	36	61	68	61	239	231	57	19	11	9	7	4	6	2	—
Whooping-cough	0·38	906	441	263	93	54	23	874	27	2	1	1	1	—	—	—	—	—
Typhus	0·00	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
Enteric Fever	0·17	406	1	5	4	8	10	28	62	54	52	49	76	45	24	12	3	1
Simple Continued Fever ..	0·00	10	—	1	—	1	—	2	1	1	—	1	3	1	—	—	1	—
Diarrhœa and Dysentery ..	0·49	1,190	816	106	13	10	2	947	13	2	2	1	3	3	6	26	69	118
Cholera	0·01	15	7	1	—	—	—	8	1	—	—	—	1	1	3	—	1	—
Cancer	1·14	2,753	—	1	4	1	1	7	6	3	6	9	62	280	545	709	737	389
Tabes Mesenterica	0·12	301	138	44	12	5	4	203	15	11	23	10	17	8	9	4	—	1
Phthisis	1·12	2,710	28	22	13	5	6	74	58	156	316	337	618	499	335	197	105	15
Other Tub. and Scrof. Dis. ..	0·28	679	135	91	56	33	40	355	70	62	35	26	41	41	19	15	9	6
Diseases of Nervous System	2·05	4,941	796	144	64	32	33	1,069	77	48	34	45	121	209	304	608	1,166	1,260
Diseases of Circulatory "	1·73	4,162	29	5	4	2	1	41	27	67	46	51	131	188	337	750	1,327	1,197
Diseases of Respiratory "	2·34	5,639	1,145	567	167	107	44	2,030	91	26	34	28	119	135	183	456	1,059	1,478
Diseases of Digestive "	0·93	2,244	566	133	27	21	18	765	53	41	47	53	70	111	196	284	384	240
Diseases of Urinary "	0·28	666	10	2	3	4	2	21	7	12	12	16	55	66	84	132	165	96
Diseases of Generative "	0·09	218	1	—	—	—	—	1	—	3	2	5	28	36	45	41	29	28
Puerperal Fever	0·11	262	—	—	—	—	—	—	—	—	11	46	124	78	3	—	—	—
Childbirth	0·13	325	—	—	—	—	—	—	—	—	11	51	136	120	7	—	—	—
Violence	0·31	745	77	28	21	25	20	171	38	23	39	19	42	58	57	52	83	163
OTHER CAUSES	4·58	11,006	3,718	239	50	38	21	4,066	71	94	85	98	186	215	303	463	1,213	4,212

Marriages 32,044
Births 63,469

Deaths from Childbirth and Puerperal Fever .. .. } 4·55 per 1000 Births of both Sexes.

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

Annual Births to 1000 Females aged 15—45 years = 126.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

18.—WILTSHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*14·05	†114	—	—	—	—	37·36	2·93	1·78	2·82	4·22	5·75	8·19	14·26	26·67	60·60	156·78
Mean Population, 1891-1900	—	128,041	3,015	2,912	3,052	3,048	3,012	15,039	15,097	14,571	13,340	10,332	17,486	14,290	11,140	8,464	5,744	2,538
Deaths from All Causes, 1891-1900	16·10	20,615	3,966	894	340	240	178	5,618	443	260	376	436	1,006	1,170	1,589	2,257	3,481	3,979
Small-pox	0·00	3	—	—	—	—	—	—	—	—	—	—	—	1	—	1	1	—
Measles	0·22	283	68	102	43	24	17	254	20	4	2	—	1	—	1	—	1	—
Scarlet Fever	0·07	95	3	13	12	18	5	51	27	6	3	3	2	3	—	—	—	—
Diphtheria	0·15	191	5	15	26	26	33	105	61	16	3	1	2	1	2	—	—	—
Whooping-cough	0·19	242	140	56	24	9	4	233	8	—	—	—	1	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·07	85	—	—	—	2	2	4	8	13	13	15	12	6	8	4	2	—
Simple Continued Fever ..	0·00	4	1	—	—	—	—	1	—	1	—	—	—	—	1	—	1	—
Diarrhœa and Dysentery ..	0·32	416	259	47	11	2	2	321	4	—	—	—	1	2	7	14	20	47
Cholera	0·01	16	6	1	1	—	—	8	1	—	—	1	—	—	3	1	2	—
Cancer	0·65	835	—	1	2	3	—	6	2	1	3	5	13	44	114	223	296	128
Tabes Mesenterica	0·14	182	99	31	11	5	3	149	11	3	6	6	4	3	—	—	—	—
Phthisis	1·12	1,437	18	13	4	—	1	36	12	17	88	168	381	311	230	121	56	17
Other Tub. and Scrof. Dis. ..	0·28	364	63	52	26	22	14	177	45	21	29	19	28	19	6	14	3	3
Diseases of: Nervous System	2·04	2,606	472	74	17	23	11	597	35	28	32	37	92	152	217	313	575	528
Diseases of: Circulatory "	2·00	2,555	18	3	1	1	3	26	20	24	35	33	81	122	247	499	845	623
Diseases of: Respiratory "	2·81	3,596	824	321	98	54	56	1,353	60	17	19	34	84	119	232	367	576	735
Diseases of: Digestive "	1·03	1,316	316	74	16	7	8	421	26	22	33	25	47	77	130	185	203	147
Diseases of: Urinary "	0·66	843	5	4	1	1	1	12	6	5	7	8	25	67	100	165	252	196
Diseases of: Generative "	0·00	6	—	1	—	—	—	1	—	—	—	—	—	1	2	1	1	—
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0·80	1,020	79	23	28	23	13	166	66	54	51	36	123	112	123	123	116	50
OTHER CAUSES	3·54	4,520	1,590	63	19	20	5	1,697	31	28	52	45	109	130	166	226	531	1,505

Marriages 17,440
Births 34,817

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

18.—WILTSHIRE.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*13·08	†90	—	—	—	—	30·14	3·05	2·31	3·47	4·20	5·12	7·46	11·71	23·12	55·11	143·94
Mean Population, 1891–1900	—	131,137	3,097	3,003	2,990	3,000	3,064	15,154	15,194	14,279	11,564	10,286	18,362	15,187	12,164	9,424	6,503	3,020
Deaths from All Causes, 1891–1900.	15·10	19,801	3,007	836	318	234	172	4,567	463	330	401	432	941	1,133	1,424	2,179	3,584	4,347
Small-pox	0·00	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Measles	0·18	232	41	76	33	20	14	184	37	4	2	1	1	2	—	1	—	—
Scarlet Fever	0·07	96	2	8	15	11	7	43	28	14	4	1	4	1	1	—	—	—
Diphtheria	0·18	241	7	13	25	33	32	110	80	32	7	1	3	3	2	2	—	1
Whooping-cough	0·23	300	148	90	24	20	7	289	11	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·05	72	—	—	3	2	—	5	7	8	12	14	2	15	5	4	—	—
Simple Continued Fever ..	0·00	2	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
Diarrhœa and Dysentery ..	0·25	322	187	29	9	2	—	227	3	5	2	—	3	4	3	7	23	45
Cholera	0·01	8	4	—	—	—	1	5	—	—	—	—	1	—	—	—	1	1
Cancer	0·93	1,223	—	—	1	—	2	3	1	2	2	2	19	115	234	309	354	182
Tabes Mesenterica	0·12	159	66	24	7	2	3	102	12	11	8	5	8	6	3	—	3	1
Phthisis	0·97	1,271	11	11	6	7	1	36	14	50	131	165	336	229	158	97	45	10
Other Tub. and Scrof. Dis. ..	0·27	352	59	50	18	17	13	157	41	28	40	14	29	16	10	9	5	3
Diseases of: Nervous System	1·86	2,440	285	70	30	22	8	415	44	35	31	31	66	118	220	350	582	548
Diseases of: Circulatory "	2·12	2,783	8	5	1	1	1	16	15	32	37	32	74	145	261	522	943	706
Diseases of: Respiratory "	2·60	3,406	651	300	96	62	51	1,160	65	14	19	23	60	100	142	350	683	790
Diseases of: Digestive "	0·93	1,226	233	80	18	9	9	349	38	36	30	32	48	64	108	160	208	153
Diseases of: Urinary "	0·38	501	6	2	1	1	2	12	4	11	4	14	36	54	64	92	128	82
Diseases of: Generative "	0·08	101	—	—	—	—	—	—	—	—	2	1	12	18	31	14	15	8
Puerperal Fever	0·10	128	—	—	—	—	—	—	—	—	6	20	61	38	3	—	—	—
Childbirth	0·15	196	—	—	—	—	—	—	—	—	4	25	89	74	4	—	—	—
Violence	0·28	365	71	20	18	12	8	129	21	10	8	9	16	14	26	26	48	58
Other Causes	3·34	4,376	1,227	58	13	13	13	1,324	41	38	52	42	72	117	149	236	546	1,759

Marriages 17,440
Births 33,495

Deaths from Childbirth and Puerperal Fever .. .. } 4·74 per 1000 Births of both Sexes.

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

Annual Births to 1000 Females aged 15—45 years = 123.

Note.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

19.—DORSETSHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*13·94	†113	—	—	—	—	37·50	3·19	1·86	3·25	4·93	5·48	8·54	13·09	26·02	57·26	153·70
Mean Population, 1891-1900	—	95,118	2,125	2,130	2,166	2,224	2,173	10,818	10,738	10,519	10,684	7,649	13,315	10,696	8,212	6,300	4,228	1,959
Deaths from All Causes, 1891-1900	15·88	15,108	2,842	683	230	175	127	4,057	343	196	347	377	729	913	1,075	1,639	2,421	3,011
Small-pox	0·01	5	—	—	—	—	—	—	—	—	1	—	1	—	2	—	1	—
Measles	0·17	165	33	69	17	12	10	141	18	4	2	—	—	—	—	—	—	—
Scarlet Fever	0·07	65	5	5	8	12	9	39	12	5	3	1	1	2	1	1	—	—
Diphtheria	0·16	156	6	13	13	25	24	81	56	7	8	—	1	2	—	1	—	—
Whooping-cough	0·19	176	99	45	18	6	3	171	5	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·08	76	—	—	—	—	—	—	4	3	17	11	17	15	5	3	1	—
Simple Continued Fever ..	0·00	3	1	1	—	—	—	2	1	—	—	—	—	—	—	—	—	—
Diarrhœa and Dysentery ..	0·30	284	166	32	3	2	1	204	6	1	1	1	5	2	6	5	22	31
Cholera	0·01	6	2	—	—	—	—	2	—	—	—	—	—	—	1	—	3	—
Cancer	0·67	633	1	—	—	2	1	4	2	—	3	4	15	40	87	165	208	105
Tabes Mesenterica	0·08	78	27	17	9	2	1	56	3	6	5	1	2	1	1	2	1	—
Phthisis	1·08	1,023	15	7	5	3	1	31	15	23	72	132	262	202	158	84	36	8
Other Tub. and Scrof. Dis. ..	0·30	286	75	37	13	14	8	147	37	21	20	14	19	12	4	8	4	—
Diseases of: Nervous System	2·05	1,950	433	83	19	12	12	559	30	22	31	31	50	85	120	253	372	397
Diseases of: Circulatory „	1·85	1,762	8	2	2	2	4	18	9	18	28	22	54	113	154	331	565	450
Diseases of: Respiratory „	2·77	2,637	566	230	80	48	31	955	43	8	28	31	64	109	172	272	426	529
Diseases of: Digestive „	1·05	998	216	77	14	13	5	325	32	16	18	11	45	62	78	143	143	125
Diseases of: Urinary „	0·62	591	7	1	1	—	—	9	8	3	6	10	24	47	54	111	166	153
Diseases of: Generative „	0·00	3	1	—	—	—	—	1	—	—	—	—	—	—	—	1	1	—
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0·82	776	36	13	15	10	11	85	32	26	57	69	96	111	99	92	68	41
OTHER CAUSES	3·60	3,435	1,145	51	13	12	6	1,227	30	33	47	39	73	110	133	167	404	1,172

Marriages 13,457
Births 25,189

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

19.—DORSETSHIRE.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*12·95	†90	—	—	—	—	30·74	3·11	2·27	3·72	4·31	5·44	7·29	11·22	22·18	52·19	139·98
Mean Population, 1891-1900	—	98,850	2,115	2,058	2,136	2,125	2,194	10,628	10,625	10,300	8,985	8,357	14,349	11,544	9,316	7,192	5,045	2,509
Deaths from All Causes, 1891-1900	15·11	14,932	2,156	611	227	146	127	3,267	330	234	334	360	781	841	1,045	1,595	2,633	3,512
Small-pox	0·00	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Measles	0·17	172	30	70	17	21	14	152	8	4	2	3	2	1	—	—	—	—
Scarlet Fever	0·07	74	4	7	6	12	14	43	16	5	5	2	—	3	—	—	—	—
Diphtheria	0·15	147	6	8	15	17	16	62	60	15	3	3	2	1	1	—	—	—
Whooping-cough	0·18	181	95	43	20	10	5	173	7	1	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·06	64	—	—	1	—	1	2	4	4	8	9	18	8	6	3	2	—
Simple Continued Fever ..	0·01	6	1	—	1	—	—	2	1	1	—	—	—	—	—	—	1	1
Diarrhœa and Dysentery ..	0·30	292	154	30	7	—	5	196	3	1	1	2	4	—	7	12	30	36
Cholera	0·00	3	1	1	—	—	—	2	1	—	—	—	—	—	—	—	—	—
Cancer	0·98	971	—	1	1	1	—	3	1	1	4	1	18	73	196	254	265	155
Tabes Mesenterica	0·10	95	24	14	2	3	3	46	8	7	13	6	5	2	4	2	2	—
Phthisis	1·12	1,107	13	12	4	1	5	35	25	48	120	146	290	191	130	84	35	3
Other Tub. and Scrof. Dis. ..	0·27	270	56	36	11	11	5	119	27	22	20	19	20	13	9	10	9	2
Diseases of Nervous System	1·90	1,881	269	60	32	14	7	382	31	21	26	26	48	69	150	237	426	465
Diseases of Circulatory "	2·04	2,015	9	1	2	2	1	15	10	24	33	26	58	105	158	402	680	504
Diseases of Respirative "	2·44	2,409	443	213	75	32	27	790	56	16	24	10	49	56	110	224	459	615
Diseases of Digestive "	0·96	948	158	50	11	6	8	233	27	22	20	13	51	69	88	119	183	123
Diseases of Urinary "	0·31	303	3	2	4	1	1	11	3	3	5	16	22	36	43	68	52	44
Diseases of Generative "	0·07	66	—	—	—	—	—	—	—	—	1	1	9	17	16	7	4	11
Puerperal Fever	0·07	72	—	—	—	—	—	—	—	—	4	20	38	10	—	—	—	—
Childbirth	0·15	145	—	—	—	—	—	—	—	—	1	14	59	71	—	—	—	—
Violence	0·22	213	30	14	10	5	6	65	14	7	4	8	12	15	14	19	20	35
OTHER CAUSES	3·54	3,497	860	49	8	10	9	936	28	32	40	35	76	101	113	154	465	1,517

Marriages 13,457
Births 23,930

Deaths from Childbirth and Puerperal Fever .. .. } 4·42 per 1000 Births of both Sexes.

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

Annual Births to 1000 Females aged 15—45 years = 114.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

20.—DEVONSHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*16·72	†144	—	—	—	—	51·52	3·39	2·50	3·95	5·40	7·08	10·12	15·65	28·79	60·60	148·95
Mean Population, 1891-1900	—	306,058	7,074	6,683	6,892	6,940	6,907	34,496	34,385	33,221	33,095	26,943	43,417	34,111	26,530	20,088	13,480	6,292
Deaths from All Causes, 1891-1900	18·47	56,531	12,200	3,221	1,129	739	483	17,772	1,167	829	1,306	1,455	3,074	3,453	4,151	5,783	8,169	9,372
Small-pox	0·00	14	2	2	—	—	—	4	—	—	—	2	1	3	2	1	—	1
Measles	0·37	1,138	290	437	168	101	43	1,039	74	11	5	2	3	4	—	—	—	—
Scarlet Fever	0·10	303	22	35	52	45	24	178	66	17	24	4	9	2	2	—	1	—
Diphtheria	0·17	515	34	55	59	84	65	297	137	38	14	7	8	3	9	—	2	—
Whooping-cough	0·31	963	501	270	105	42	24	942	16	3	1	—	—	—	—	—	1	—
Typhus	0·00	2	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
Enteric Fever	0·15	467	—	4	4	4	5	17	26	54	107	75	83	48	25	19	12	1
Simple Continued Fever ..	0·01	19	2	3	1	—	1	7	2	3	—	1	1	1	1	3	—	—
Diarrhœa and Dysentery ..	0·46	1,408	1,042	125	12	4	2	1,185	9	2	1	3	6	7	15	25	54	101
Cholera	0·02	74	50	9	2	—	—	61	1	—	1	1	2	—	2	4	2	—
Cancer	0·69	2,104	—	5	3	—	1	9	3	4	10	10	41	139	308	595	634	351
Tabes Mesenterica	0·17	525	296	69	23	10	8	406	24	14	17	11	19	8	13	10	3	—
Phthisis	1·49	4,555	66	53	18	17	13	167	51	70	328	583	1,197	913	626	393	188	39
Other Tub. and Scrof. Dis. ..	0·41	1,269	365	153	67	42	45	672	153	102	85	64	73	51	34	30	3	2
Diseases of: Nervous System	2·33	7,123	1,669	329	104	74	37	2,213	113	76	106	83	213	404	460	801	1,380	1,274
Diseases of: Circulatory "	1·88	5,761	62	7	6	7	5	87	41	60	84	77	242	404	647	1,162	1,710	1,247
Diseases of: Respiratory "	3·46	10,590	2,523	1,131	336	193	120	4,303	161	50	133	119	291	400	656	1,076	1,659	1,742
Diseases of: Digestive "	1·17	3,569	1,220	232	37	30	24	1,543	60	60	62	55	123	220	294	401	458	293
Diseases of: Urinary "	0·69	2,107	24	15	3	11	1	54	18	17	32	30	112	139	277	360	531	537
Diseases of: Generative "	0·00	13	2	—	—	—	—	2	—	—	—	2	—	—	1	2	3	3
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0·88	2,685	189	55	51	45	36	376	118	139	157	164	332	350	365	321	248	115
OTHER CAUSES	3·71	11,327	3,841	232	78	30	29	4,210	94	108	138	162	318	357	414	580	1,280	3,666

Marriages 49,193
Births 84,464

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

20.—DEVONSHIRE.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*14·63	†116	—	—	—	—	41·88	3·58	2·48	4·07	4·57	5·89	7·70	11·76	23·81	52·93	137·37
Mean Population, 1891-1900	—	343,197	7,129	6,733	6,885	6,897	6,901	34,545	34,320	33,264	31,974	31,648	52,667	40,636	32,775	24,975	17,500	8,893
Deaths from All Causes, 1891-1900	16·54	56,778	9,399	2,798	1,054	720	498	14,469	1,230	824	1,301	1,445	3,101	3,130	3,853	5,947	9,262	12,216
Small-pox	0·00	5	1	—	—	1	1	3	—	—	—	—	2	—	—	—	—	—
Measles	0·28	946	200	369	139	101	45	854	59	13	8	2	6	1	1	—	2	—
Scarlet Fever	0·08	284	19	39	35	40	34	167	72	19	8	5	11	1	—	1	—	—
Diphtheria	0·14	485	19	36	61	84	71	271	146	33	12	4	6	2	5	6	—	—
Whooping-cough	0·31	1,070	475	319	126	68	36	1,024	39	6	1	—	—	—	—	—	—	—
Typhus	0·00	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Enteric Fever	0·12	419	1	1	5	2	8	17	39	59	83	58	66	50	25	11	10	1
Simple Continued Fever ..	0·01	23	6	1	—	—	2	9	4	—	1	1	1	1	—	3	3	—
Diarrhœa and Dysentery ..	0·38	1,293	906	110	14	5	2	1,037	8	5	3	1	9	15	16	30	57	112
Cholera	0·02	54	40	4	—	—	—	44	3	—	—	1	2	—	2	1	1	—
Cancer	1·09	3,737	3	1	—	5	2	11	5	8	10	11	73	317	713	1,031	970	588
Tabes Mesenterica	0·15	502	241	62	18	9	9	339	22	28	25	27	24	18	10	5	3	1
Phthisis	1·29	4,435	59	50	22	18	21	170	82	171	487	594	1,166	753	489	338	153	32
Other Tub. and Scrof. Dis. ..	0·34	1,151	222	145	66	43	42	518	137	95	108	65	81	58	36	30	16	7
Diseases of: Nervous System	2·01	6,910	1,110	242	103	76	51	1,582	120	76	97	78	176	262	499	868	1,517	1,635
Diseases of: Circulatory "	1·94	6,649	35	6	5	5	5	56	50	91	99	101	234	351	636	1,306	2,095	1,630
Diseases of: Respiratory "	2·83	9,715	1,851	964	303	169	102	3,389	173	43	61	76	209	286	420	910	1,872	2,276
Diseases of: Digestive "	1·04	3,583	948	197	42	28	18	1,233	79	47	68	80	167	226	300	399	558	426
Diseases of: Urinary "	0·33	1,122	14	3	4	4	3	28	12	16	27	34	91	128	158	231	252	145
Diseases of: Generative "	0·09	313	4	1	1	—	—	6	1	1	7	15	48	62	68	44	37	24
Puerperal Fever	0·10	333	—	—	—	—	—	—	—	—	8	68	171	82	4	—	—	—
Childbirth	0·13	463	—	—	—	—	—	—	—	—	11	60	238	143	11	—	—	—
Violence	0·30	1,019	173	36	44	25	22	300	65	28	23	30	56	62	88	77	116	174
OTHER CAUSES	3·56	12,266	3,072	212	66	37	24	3,411	113	85	154	134	264	312	372	656	1,600	5,165

Marriages 49,193
Births 81,031

Deaths from Childbirth and Puerperal Fever .. .. } 4·81 per 1000 Births of both Sexes.

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

Annual Births to 1000 Females aged 15—45 years = 105

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

21.—CORNWALL.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*16·71	†155	—	—	—	—	52·93	3·79	2·49	3·63	5·56	6·83	9·01	14·39	29·51	62·09	148·18
Mean Population, 1891–1900	—	147,772	3,585	3,201	3,539	3,444	3,507	17,276	17,354	16,750	16,977	12,414	19,333	15,538	12,682	9,880	6,552	3,016
Deaths from All Causes, 1891–1900	18·63	27,525	6,572	1,541	500	295	236	9,144	658	417	617	690	1,321	1,400	1,825	2,916	4,068	4,469
Small-pox	0·00	2	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Measles	0·24	349	90	120	47	32	19	308	32	2	1	—	2	2	2	—	—	—
Scarlet Fever	0·14	204	16	23	31	21	17	108	54	25	9	3	3	—	—	2	—	—
Diphtheria	0·15	228	4	17	22	30	39	112	78	23	2	2	2	5	3	—	1	—
Whooping-cough	0·37	548	302	161	48	17	11	539	8	1	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·12	178	—	—	1	2	1	4	16	13	26	31	36	18	17	9	8	—
Simple Continued Fever ..	0·00	5	—	1	—	—	—	1	—	—	—	—	1	1	—	2	—	—
Diarrhœa and Dysentery ..	0·54	796	617	50	10	4	3	684	5	2	3	5	6	6	6	11	27	41
Cholera	0·02	35	20	3	—	—	1	24	—	1	—	—	2	—	1	4	2	1
Cancer	0·68	1,005	4	—	1	—	1	6	2	4	8	3	21	52	118	262	332	197
Tabes Mesenterica	0·19	277	156	43	13	5	4	221	7	11	5	3	7	9	6	5	3	—
Phthisis	1·49	2,196	26	31	8	3	5	73	25	32	164	264	503	351	342	321	114	7
Other Tub. & Scrof. Dis. ..	0·38	559	96	68	39	33	17	253	73	38	39	34	41	32	19	17	8	5
Diseases of Nervous System	2·21	3,265	811	197	49	26	18	1,101	61	44	46	36	79	126	198	360	633	581
Diseases of Circulatory „	1·69	2,490	11	1	2	1	6	21	19	30	36	30	71	116	217	535	830	585
Diseases of Respiratory „	3·19	4,707	1,152	498	122	69	39	1,880	110	30	45	40	122	184	325	579	753	639
Diseases of Digestive „	1·07	1,579	496	93	19	8	15	631	30	39	34	35	45	60	112	199	238	156
Diseases of Urinary „	0·60	894	19	7	1	3	1	31	11	7	14	11	31	62	95	154	264	214
Diseases of Generative „	0·01	11	1	—	—	—	—	1	—	—	1	1	—	1	2	4	1	—
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0·89	1,319	88	20	32	27	14	181	68	49	100	139	179	189	140	121	102	51
OTHER CAUSES	4·65	6,878	2,661	208	55	14	25	2,963	59	66	84	53	170	186	222	331	752	1,992

Marriages 21,377
Births 42,381

* Death rate in Standard Population.
† The death-rate under one year of age is per 1000 births.

21.—CORNWALL.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*14·52	†125	—	—	—	—	43·50	3·46	2·69	3·88	4·73	5·68	7·06	10·70	22·92	52·65	135·62
Mean Population, 1891-1900	—	170,832	3,564	3,263	3,483	3,428	3,421	17,159	17,169	16,422	15,846	14,728	24,874	19,990	16,949	13,445	9,564	4,686
Deaths from All Causes, 1891-1900	16·93	28,922	5,080	1,419	468	301	197	7,465	594	441	615	697	1,413	1,412	1,813	3,082	5,035	6,355
Small-pox	0·01	9	1	1	—	—	1	3	2	1	—	—	2	1	—	—	—	—
Measles	0·16	276	63	96	34	21	12	226	34	5	4	1	3	3	—	—	—	—
Scarlet Fever	0·12	203	19	27	18	22	23	109	47	25	11	2	6	2	1	—	—	—
Diphtheria	0·15	249	11	22	27	25	28	113	94	30	4	1	1	—	3	—	1	2
Whooping-cough	0·38	646	327	195	56	34	18	630	14	1	—	1	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·11	191	—	2	5	6	3	16	9	21	35	27	36	20	12	15	—	—
Simple Continued Fever ..	0·01	9	3	1	—	—	—	4	1	—	1	—	1	—	—	—	1	1
Diarrhœa and Dysentery ..	0·36	612	421	47	5	5	—	478	4	—	1	1	5	1	10	20	41	51
Cholera	0·01	20	9	1	—	—	—	10	—	1	1	—	—	—	—	1	4	3
Cancer	1·12	1,909	1	1	1	1	1	5	—	1	7	6	35	140	348	554	513	300
Tabes Mesenterica	0·15	264	124	32	12	7	3	178	13	13	10	9	18	13	6	2	2	—
Phthisis	1·15	1,965	25	32	5	2	1	65	25	88	212	303	492	332	209	143	82	14
Other Tub. and Scrof. Dis. ..	0·30	504	88	56	34	16	16	210	67	52	40	23	39	29	23	15	6	—
Diseases of: Nervous System	2·06	3,513	573	136	37	31	17	794	49	30	52	41	98	115	242	471	878	743
Diseases of: Circulatory "	1·81	3,091	7	1	1	1	1	11	23	35	33	50	85	130	283	655	1,050	736
Diseases of: Respiratory "	2·55	4,363	803	451	140	77	34	1,505	83	38	36	36	92	111	187	458	841	976
Diseases of: Digestive "	0·98	1,671	372	93	14	9	10	498	34	28	45	39	74	89	141	203	288	232
Diseases of: Urinary "	0·35	591	11	5	3	3	2	24	8	7	13	15	50	62	69	115	146	82
Diseases of: Generative "	0·07	126	1	—	—	1	—	2	—	—	4	5	12	24	26	23	20	10
Puerperal Fever	0·08	130	—	—	—	—	—	—	—	—	1	17	67	44	1	—	—	—
Childbirth	0·17	289	—	—	—	—	—	—	—	—	13	41	122	101	12	—	—	—
Violence	0·25	435	66	21	24	12	12	135	33	8	12	17	27	26	18	32	45	82
OTHER CAUSES	4·58	7,856	2,155	199	52	28	15	2,449	54	57	80	62	148	169	222	375	1,117	3,123

Marriages 21,377
Births 40,523

Deaths from Childbirth and Puerperal Fever .. .. } 5·05 per 1000 Births of both Sexes.

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

Annual Births to 1000 Females aged 15—45 years = 110.

22.—SOMERSETSHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*15·36	†126	—	—	—	—	43·36	3·01	2·05	3·26	4·88	6·25	8·70	15·07	30·36	62·76	152·47
Mean Population, 1891-1900	—	237,430	5,762	5,494	5,841	5,894	5,884	28,875	28,844	28,591	24,511	18,355	31,788	26,094	20,781	15 147	9,897	4,547
Deaths from All Causes, 1891-1900	17·18	40.799	8,761	2,133	706	528	393	12,521	867	586	798	895	1,988	2,271	3,131	4,598	6,211	6,933
Small-pox	0·01	18	2	—	—	2	—	4	—	—	—	2	3	3	4	2	—	—
Measles	0·32	761	177	308	104	64	40	693	50	10	3	1	2	1	1	—	—	—
Scarlet Fever	0·12	282	18	25	42	54	36	175	65	21	10	5	2	3	1	—	—	—
Diphtheria	0·14	343	13	44	34	44	51	186	103	25	10	5	5	5	1	1	1	1
Whooping-cough	0·28	663	359	169	62	38	17	645	13	4	—	1	—	—	—	—	—	—
Typhus	0·00	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Enteric Fever	0·09	204	1	—	3	1	1	6	19	20	38	26	43	23	16	8	4	1
Simple Continued Fever ..	0·00	10	2	—	—	—	—	2	2	1	—	—	2	—	2	—	1	—
Diarrhœa and Dysentery ..	0·36	863	606	68	12	3	5	694	5	1	1	2	4	5	16	24	38	73
Cholera	0·01	18	8	—	—	1	1	10	—	—	—	—	1	4	—	2	—	1
Cancer	0·68	1,619	—	1	4	3	1	9	5	2	6	2	35	99	247	482	497	235
Tabes Mesenterica	0·14	327	157	52	20	11	8	248	17	14	11	8	14	3	8	3	1	—
Phthisis	1·18	2,795	33	16	10	9	3	71	31	32	216	380	740	543	450	228	90	14
Other Tub. and Scrof. Dis. ..	0·34	797	184	131	45	30	28	418	83	55	47	45	69	33	24	15	8	—
Diseases of: Nervous System	2·12	5,029	1,193	213	69	46	42	1,563	73	70	64	48	145	221	360	618	1,008	859
Diseases of: Circulatory "	1·99	4,718	42	11	4	4	9	70	43	65	62	53	163	259	526	1,021	1,447	1,009
Diseases of: Respiratory "	3·07	7,291	1,735	726	177	124	79	2,841	115	39	43	74	184	305	444	770	1,175	1,301
Diseases of: Digestive "	1·11	2,644	731	157	30	17	21	956	53	56	55	27	108	166	260	367	357	239
Diseases of: Urinary "	0·62	1,462	18	9	6	7	5	45	14	9	16	25	68	112	211	271	379	312
Diseases of: Generative "	0·00	11	2	1	—	—	—	3	—	—	1	—	—	—	2	2	2	1
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0·85	2,018	180	51	39	41	25	336	101	78	106	101	217	239	243	292	185	120
OTHER CAUSES	3·75	8,925	3,300	151	45	29	21	3,546	74	84	109	90	183	247	315	492	1,018	2,767

Marriages 34,432
Births 69,492

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

22.—SOMERSETSHIRE.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*13·47	†102	—	—	—	—	35·33	3·04	2·09	3·54	3·97	5·22	7·37	11·66	23·94	51·82	137·15
Mean Population, 1891–1900	—	271,739	5,877	5,523	5,752	5,855	5,848	28,855	28,863	28,135	26,085	24,106	39,502	31,146	25,591	19,259	13,413	6,784
Deaths from All Causes, 1891–1900	15·36	41,745	6,767	1,905	698	478	346	10,194	878	587	923	958	2,061	2,296	2,983	4,611	6,950	9,304
Small-pox	0·00	6	1	—	—	—	—	1	—	1	—	—	1	—	2	—	1	—
Measles	0·29	775	162	284	120	75	44	685	67	9	5	2	—	3	1	2	1	—
Scarlet Fever	0·09	258	12	29	39	38	30	148	74	14	7	3	4	8	—	—	—	—
Diphtheria	0·13	363	16	27	36	54	45	178	117	31	10	4	5	7	5	3	2	1
Whooping-cough	0·28	754	375	224	70	42	27	738	15	—	—	—	1	—	—	—	—	—
Typhus	0·00	2	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
Enteric Fever	0·06	169	—	1	1	2	3	7	15	19	28	26	26	17	14	12	4	1
Simple Continued Fever ..	0·00	3	—	—	—	—	—	—	—	—	1	—	1	—	—	1	—	—
Diarrhœa and Dysentery ..	0·28	759	484	70	10	4	3	571	6	1	1	2	6	5	12	18	59	78
Cholera	0·01	15	5	—	1	—	1	7	1	—	1	—	1	—	3	—	1	1
Cancer	0·98	2,670	1	—	2	—	1	4	6	3	5	10	54	242	523	738	734	351
Tabes Mesenterica	0·12	336	124	46	15	8	5	198	26	26	24	14	21	11	10	6	—	—
Phthisis	1·01	2,739	23	24	5	9	8	69	40	107	345	382	728	502	314	174	66	12
Other Tub. and Scrof. Dis. ..	0·26	715	147	95	34	25	20	321	89	61	59	50	57	28	21	14	13	2
Diseases of: Nervous System	1·88	5,115	892	178	64	33	19	1,186	83	54	55	47	103	191	370	704	1,122	1,200
Diseases of: Circulatory "	2·02	5,478	31	7	2	1	—	41	45	69	101	65	192	314	571	1,088	1,655	1,337
Diseases of: Respiratory "	2·53	6,887	1,296	599	201	110	68	2,274	109	35	47	44	124	182	314	687	1,341	1,730
Diseases of: Digestive "	0·98	2,654	547	144	23	19	14	747	67	35	61	63	133	159	267	374	423	325
Diseases of: Urinary "	0·34	930	4	5	4	4	4	21	17	21	10	21	76	87	136	178	215	148
Diseases of: Generative "	0·06	173	3	—	—	—	—	3	1	—	3	9	12	36	38	23	31	17
Puerperal Fever	0·10	260	—	—	—	—	—	—	—	—	2	43	140	72	3	—	—	—
Childbirth	0·14	369	—	—	—	—	—	—	—	—	14	47	162	135	11	—	—	—
Violence	0·33	887	185	41	30	30	25	311	39	20	29	18	44	53	74	84	73	142
OTHER CAUSES	3·47	9,428	2,459	131	41	24	29	2,684	61	80	115	108	170	244	294	504	1,209	3,959

Marriages 34,432
Births 66,601

Deaths from Childbirth and Puerperal Fever .. .. } 4·62 per 1000 Births of both Sexes.

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

Annual Births to 1000 Females aged 15—45 years = 113.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

23.—GLOUCESTERSHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*17·32	†145	—	—	—	—	51·34	3·84	2·34	3·60	5·17	7·00	10·82	16·89	32·44	66·27	156·66
Mean Population, 1891-1900	—	267,243	6,666	6,065	6,480	6,542	6,436	32,189	31,980	31,575	27,799	21,927	37,087	30,248	23,534	16,580	10,104	4,220
Deaths from All Causes, 1891-1900	18·39	49,155	11 487	2,768	1,078	641	552	16,526	1,227	738	1,000	1.134	2,597	3,273	3,974	5,379	6,696	6,611
Small-pox	0·10	275	33	16	11	11	26	97	59	5	7	10	29	30	20	10	5	3
Measles	0·37	990	226	408	140	74	54	902	64	12	7	3	—	—	—	2	—	—
Scarlet Fever	0·10	277	15	39	34	42	40	170	68	23	7	4	3	2	—	—	—	—
Diphtheria	0·20	535	25	76	70	75	86	332	151	29	5	4	4	3	2	3	—	2
Whooping-cough	0·28	752	371	217	89	42	17	736	16	—	—	—	—	—	—	—	—	—
Typhus	0·00	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Enteric Fever	0·11	285	1	1	4	3	9	18	19	24	44	46	64	33	18	10	9	—
Simple Continued Fever ..	0·00	4	—	—	1	—	—	1	—	—	—	—	1	—	1	1	—	—
Diarrhœa and Dysentery ..	0·53	1,427	1,047	162	17	11	5	1,242	8	1	—	3	5	15	6	27	58	62
Cholera	0·01	31	14	6	1	—	—	21	1	—	—	—	—	—	4	2	2	1
Cancer	0·70	1,867	2	1	1	1	2	7	7	11	4	18	50	125	283	552	569	241
Tabes Mesenterica	0·16	436	210	82	19	12	5	328	28	24	14	8	12	11	5	5	—	1
Phthisis	1·42	3,784	64	39	20	16	11	150	46	54	245	432	900	886	597	338	116	20
Other Tub. and Scrof. Dis. ..	0·39	1,040	259	142	83	45	46	575	140	64	47	50	68	42	24	20	8	2
Diseases of: Nervous System	2·28	6,091	1,603	194	96	44	38	1,975	95	51	76	53	179	315	486	730	1,177	954
Diseases of: Circulatory "	1·95	5,219	34	6	7	8	7	62	49	76	104	78	286	431	644	1,150	1,432	907
Diseases of: Respiratory "	3·40	9,085	2,297	976	310	144	99	3,826	145	42	81	101	244	413	621	1,041	1,367	1,204
Diseases of: Digestive "	1·07	2,853	921	147	36	22	22	1,148	54	61	81	41	113	188	293	345	317	212
Diseases of: Urinary "	0·66	1,761	23	15	5	9	8	60	26	14	24	29	90	162	253	340	426	337
Diseases of: Generative "	0·01	19	5	—	—	—	—	5	1	—	—	—	1	1	5	1	3	2
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0·95	2,551	173	52	77	52	44	398	143	134	152	136	299	309	353	271	223	133
OTHER CAUSES	3·70	9,872	4,164	189	57	30	33	4,473	107	113	102	118	249	306	359	531	984	2,530

Marriages 44,673
Births 79,252

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

23.—GLOUCESTERSHIRE.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*15·04	†118	—	—	—	—	43·01	3·87	2·45	3·49	4·10	5·57	8·58	12·75	25·80	55·50	137·75
Mean Population, 1891-1900	—	307,892	6,700	6,258	6,416	6,558	6,466	32,398	32,170	31,840	30,879	29,051	46,488	35,926	28,197	20,734	13,666	6,543
Deaths from All Causes, 1891-1900	16·06	49,444	9,067	2,562	1,049	723	533	13,934	1,245	781	1,079	1,192	2,588	3,084	3,595	5,349	7,584	9,013
Small-pox	0·08	239	35	8	15	15	21	94	47	5	7	4	36	26	10	8	2	—
Measles	0·32	976	193	357	169	109	62	890	66	7	4	2	3	3	1	—	—	—
Scarlet Fever	0·09	269	11	32	36	46	41	166	66	19	5	4	7	2	—	—	—	—
Diphtheria	0·18	553	21	44	62	73	80	280	193	40	11	6	8	4	4	5	2	—
Whooping-cough	0·29	893	420	260	90	65	24	859	33	1	—	—	—	—	—	—	—	—
Typhus	0·00	3	—	—	—	—	—	—	—	1	—	—	1	1	—	—	—	—
Enteric Fever	0·07	229	—	2	2	1	2	7	16	23	32	38	47	31	20	12	3	—
Simple Continued Fever ..	0·00	3	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—
Diarrhœa and Dysentery ..	0·41	1,253	849	149	21	10	6	1,035	14	1	3	—	7	5	11	19	65	93
Cholera	0·01	21	10	—	1	—	—	11	1	—	2	—	2	—	—	1	1	3
Cancer	1·03	3,170	3	3	4	2	1	13	7	5	13	16	83	325	630	869	803	406
Tabes Mesenterica	0·13	403	163	62	17	7	7	256	23	24	30	19	23	16	8	3	1	—
Phthisis	1·12	3,452	48	36	20	11	13	128	73	168	391	442	853	687	398	215	84	13
Other Tub. and Scrof. Dis. ..	0·31	962	169	136	66	49	42	462	138	96	82	41	59	32	24	14	12	2
Diseases of: Nervous System	2·00	6,160	1,207	173	70	57	39	1,546	88	69	72	64	158	268	460	844	1,308	1,283
Diseases of: Circulatory "	1·92	5,902	24	7	2	4	10	47	49	91	110	106	230	386	669	1,195	1,732	1,287
Diseases of: Respiratory "	2·85	8,781	1,735	894	316	166	95	3,206	165	53	50	61	178	236	439	940	1,611	1,792
Diseases of: Digestive "	0·97	2,994	708	153	46	23	24	954	73	39	71	79	158	226	296	386	423	289
Diseases of: Urinary "	0·37	1,132	17	11	5	6	10	49	16	21	27	30	76	139	190	208	237	139
Diseases of: Generative "	0·08	259	1	5	—	—	1	7	1	—	6	7	38	54	49	33	41	23
Puerperal Fever	0·12	356	—	—	—	—	—	—	—	—	9	70	183	91	3	—	—	—
Childbirth	0·14	445	—	—	—	—	—	—	—	—	11	81	200	145	8	—	—	—
Violence	0·35	1,070	170	47	47	50	29	343	75	23	32	26	54	62	75	98	123	159
OTHER CAUSES	3·22	9,919	3,283	183	60	29	26	3,581	99	94	111	96	184	295	300	499	1,136	3,524

Marriages 44,673
Births 77,128

Deaths from Childbirth and Puerperal Fever .. .. } 5·12 per 1000 Births of both Sexes.

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

Annual Births to 1000 Females aged 15—45 years = 110.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

24.—HEREFORDSHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*15·47	†124	—	—	—	—	40·27	3·71	2·14	3·43	5·07	6·34	9·85	15·67	31·10	65·18	156·17
Mean Population, 1891-1900	—	54,734	1,202	1,133	1,292	1,272	1,301	6,200	6,380	6,392	5,188	3,864	6,908	6,164	5,355	4,305	2,794	1,184
Deaths from All Causes, 1891-1900	18·52	10,138	1,847	341	125	94	90	2,497	237	137	178	196	438	607	839	1,339	1,821	1,849
Small-pox	0·01	6	—	—	—	—	—	—	1	—	—	—	—	2	—	1	2	—
Measles	0·12	68	15	20	10	6	5	56	8	—	—	—	2	1	—	1	—	—
Scarlet Fever	0·13	70	9	4	9	7	10	39	21	4	1	2	2	1	—	—	—	—
Diphtheria	0·17	92	1	9	7	8	7	32	40	10	3	2	5	—	—	—	—	—
Whooping-cough	0·20	111	69	27	7	4	—	107	4	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·04	21	2	—	—	1	—	3	—	1	—	3	4	5	4	1	—	—
Simple Continued Fever ..	0·00	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Diarrhœa and Dysentery ..	0·20	111	75	8	5	—	1	89	2	—	—	—	1	—	3	2	5	9
Cholera	0·00	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Cancer	0·78	429	—	—	1	1	1	3	2	—	1	1	5	17	58	140	128	74
Tabes Mesenterica	0·14	75	37	8	7	4	—	56	5	3	5	1	—	3	1	1	—	—
Phthisis	1·12	612	10	9	6	1	2	28	12	14	44	61	136	138	86	70	21	2
Other Tub. and Scrof. Dis. ..	0·32	177	43	18	7	9	4	81	21	13	14	6	13	10	10	8	1	—
Diseases of Nervous System	2·55	1,398	326	38	12	7	9	392	13	14	7	10	32	56	99	199	315	261
Diseases of Circulatory „	2·31	1,264	6	1	1	—	—	8	11	16	12	16	35	51	151	293	408	263
Diseases of Respiratory „	3·13	1,715	333	119	31	16	24	523	32	11	8	17	46	80	140	227	327	304
Diseases of Digestive „	1·14	623	153	29	7	2	4	195	19	7	13	14	22	49	76	79	93	56
Diseases of Urinary „ .. .	0·73	401	6	1	—	—	2	9	2	1	7	2	15	26	56	73	111	99
Diseases of Generative „ .. .	0·01	7	3	—	—	—	—	3	—	1	—	—	—	1	1	1	—	—
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0·93	511	26	13	4	18	9	70	19	19	32	32	67	71	60	64	50	27
OTHER CAUSES	4·49	2,445	733	37	11	10	12	803	24	23	31	28	53	96	94	179	360	754

Marriages 7,307
Births 14,849

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

24.—HEREFORDSHIRE.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*13·71	†99	—	—	—	—	32·53	3·56	2·41	3·46	5·03	5·95	8·05	11·78	23·71	55·56	141·14
Mean Population, 1891-1900	—	58,303	1,289	1,214	1,264	1,268	1,273	6,308	6,397	6,170	5,351	4,735	7,985	6,561	5,669	4,467	3,085	1,575
Deaths from All Causes, 1891-1900	16·33	9,519	1,432	341	127	83	69	2,052	228	149	185	238	475	528	668	1,059	1,714	2,223
Small-pox	0·00	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Measles	0·13	75	9	28	8	8	5	58	9	4	1	—	1	2	—	—	—	—
Scarlet Fever	0·10	59	2	15	8	7	3	35	10	3	2	1	4	4	—	—	—	—
Diphtheria	0·19	112	4	5	8	11	17	45	41	17	1	3	1	1	2	1	—	—
Whooping-cough	0·20	117	61	31	6	7	4	109	7	—	—	—	—	—	—	—	—	1
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·03	18	—	—	1	—	—	1	3	3	1	1	7	1	1	—	—	—
Simple Continued Fever ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa and Dysentery ..	0·24	139	85	13	5	—	—	103	—	1	—	—	—	1	4	10	6	14
Cholera	0·00	2	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—
Cancer	1·08	629	1	1	—	—	—	2	—	1	—	2	20	44	132	172	165	91
Tabes Mesenterica	0·09	54	18	1	2	4	—	25	3	2	4	11	2	4	2	—	—	1
Phthisis	1·01	590	8	8	6	2	—	24	10	26	65	92	143	104	68	42	11	5
Other Tub. and Scrof. Dis ..	0·31	180	41	25	7	2	3	78	16	18	21	12	16	6	3	3	5	2
Diseases of: Nervous System	2·12	1,237	247	37	7	5	9	305	20	16	14	21	41	53	78	160	256	273
Diseases of: Circulatory "	2·21	1,287	6	—	1	—	1	8	5	10	19	11	40	66	122	263	440	303
Diseases of: Respiratory "	2·52	1,467	257	111	37	21	6	432	32	9	11	12	31	51	68	155	313	353
Diseases of: Digestive "	0·95	555	115	24	5	4	4	152	26	5	6	11	26	26	59	71	104	69
Diseases of: Urinary "	0·29	168	6	2	2	1	2	13	—	4	3	6	12	13	27	28	36	26
Diseases of: Generative "	0·07	38	1	—	—	—	—	1	—	—	2	1	6	4	8	5	9	2
Puerperal Fever	0·13	74	—	—	—	—	—	—	—	—	2	12	38	22	—	—	—	—
Childbirth	0·17	98	—	—	—	—	—	—	—	—	2	11	32	51	2	—	—	—
Violence	0·34	201	22	7	9	6	11	55	17	8	10	6	7	14	11	20	21	32
OTHER CAUSES	4·15	2,418	549	33	15	5	4	606	28	22	20	25	48	61	81	128	348	1,051

Marriages.. 7,307
Births 14,427

Deaths from Childbirth and Puerperal Fever .. .. } 5·87 per 1000 Births of both Sexes,

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

Annual Births to 1000 Females aged 15—45 years = 119.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

25.—SHROPSHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*15·12	†127	—	—	—	—	41·36	3·45	2·07	3·21	4·44	5·97	9·00	14·40	28·07	65·81	160·29
Mean Population, 1891-1900	—	127,001	2,922	2,823	2,965	2,972	2,974	14,656	14,507	14,316	13,178	10,167	16,915	14,013	11,622	9,174	5,975	2,478
Deaths from All Causes, 1891-1900	17·44	22,153	4,432	896	341	214	178	6,061	500	296	423	451	1,009	1,261	1,673	2,575	3,932	3,972
Small-pox	0·00	4	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	1
Measles	0·18	225	56	76	35	11	13	191	32	—	2	—	—	—	—	—	—	—
Scarlet Fever	0·09	120	7	14	28	11	14	74	28	9	1	—	6	—	1	1	—	—
Diphtheria	0·19	239	13	26	23	26	42	130	69	20	3	4	1	6	2	3	1	—
Whooping-cough	0·23	289	160	79	23	12	7	281	7	1	—	—	—	—	—	—	—	—
Typhus	0·00	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Enteric Fever	0·09	114	2	2	—	—	1	5	10	11	12	23	16	19	8	6	3	1
Simple Continued Fever ..	0·00	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—
Diarrhœa and Dysentery ..	0·29	374	269	27	6	2	1	305	2	—	—	—	1	5	2	9	25	25
Cholera	0·01	12	7	1	—	—	1	9	—	—	—	—	—	—	—	3	—	—
Cancer	0·75	947	2	3	2	—	—	7	2	1	4	1	16	45	122	268	318	163
Tabes Mesenterica	0·15	186	108	22	7	5	5	147	9	4	7	2	7	1	7	2	—	—
Phthisis	1·16	1,469	17	10	3	3	2	35	15	30	100	168	371	315	209	158	64	4
Other Tub. and Scrof. Dis. ..	0·31	395	99	52	26	9	11	197	50	33	24	31	23	15	11	7	4	—
Diseases of Nervous System	2·07	2,633	651	86	37	24	11	809	50	29	22	26	66	119	172	334	557	449
Diseases of Circulatory "	2·17	2,757	13	4	—	1	3	21	21	25	33	30	85	148	248	546	930	670
Diseases of Respiratory "	2·99	3,801	856	324	83	57	31	1,351	58	18	29	30	96	161	251	403	718	686
Diseases of Digestive "	1·10	1,397	393	72	13	14	9	501	35	13	30	18	36	94	139	180	219	132
Diseases of Urinary "	0·67	852	9	6	3	3	2	23	9	3	11	10	33	51	93	164	249	206
Diseases of Generative "	0·00	4	1	—	—	—	—	1	—	—	—	—	—	—	—	3	—	—
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0·91	1,158	68	20	29	21	23	161	54	52	76	55	121	130	152	162	132	63
OTHER CAUSES	4·08	5,174	1,700	72	23	15	2	1,812	49	47	69	53	130	152	256	325	709	1,572

Marriages 17,077
Births 34,991

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

25.—SHROPSHIRE.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*13·84	†102	—	—	—	—	34·05	3·37	2·17	3·58	4·39	5·96	7·94	11·36	23·13	55·40	149·85
Mean Population, 1891-1900	—	129,617	2,997	2,804	2,916	2,881	3,016	14,614	14,589	13,916	11,970	10,439	17,995	14,539	12,337	9,740	6,417	3,061
Deaths from All Causes, 1891-1900	15·95	20,679	3,441	799	325	236	175	4,976	101	302	429	458	1,072	1,155	1,401	2,253	3,555	4,587
Small-pox	0·00	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Measles	0·15	190	49	62	27	21	6	165	11	6	1	1	3	3	—	—	—	—
Scarlet Fever	0·10	134	9	27	9	20	16	81	33	7	1	3	2	4	1	2	—	—
Diphtheria	0·23	298	9	25	33	40	36	143	102	32	5	4	6	2	—	3	1	—
Whooping-cough	0·25	318	161	97	23	16	11	308	8	2	—	—	—	—	—	—	—	—
Typhus	0·00	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Enteric Fever	0·08	110	2	1	1	4	3	11	6	14	17	13	18	15	5	6	4	1
Simple Continued Fever ..	0·00	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Diarrhœa and Dysentery ..	0·28	365	230	24	5	1	3	263	6	1	—	—	2	—	2	11	29	51
Cholera	0·01	7	2	—	—	—	—	2	1	—	—	—	—	1	—	2	—	1
Cancer	1·05	1,358	2	1	—	—	—	3	1	1	6	5	31	98	2 3	367	393	200
Tabes Mesenterica	0·16	210	106	24	11	7	4	152	12	5	8	9	10	9	2	2	1	—
Phthisis	1·01	1,312	11	5	3	4	7	30	26	48	159	182	363	229	139	86	44	6
Other Tub. and Scrof. Dis. ..	0·26	331	80	40	21	11	11	163	39	33	22	19	16	22	7	7	3	—
Diseases of: Nervous System	1·91	2,478	468	69	33	21	10	601	44	29	31	26	63	101	173	338	553	519
Diseases of: Circulatory „	2·15	2,781	15	—	—	2	2	19	29	44	27	31	87	135	238	566	862	743
Diseases of: Respiratory „	2·39	3,098	632	294	88	40	33	1,087	59	13	18	24	60	114	148	281	554	740
Diseases of: Digestive „	1·04	1,343	321	53	15	9	6	404	23	18	33	36	58	86	116	192	205	172
Diseases of: Urinary „	0·34	439	10	2	—	2	2	16	4	7	15	11	34	46	50	79	113	64
Diseases of: Generative „	0·08	99	1	—	—	—	—	1	—	—	2	4	16	16	20	19	12	9
Puerperal Fever	0·10	127	—	—	—	—	—	—	—	—	2	23	68	31	3	—	—	—
Childbirth	0·16	205	—	—	—	—	—	—	—	—	7	22	86	85	5	—	—	—
Violence	0·32	420	41	10	33	16	15	115	51	8	14	8	21	17	35	27	60	64
OTHER CAUSES	3·88	5,053	1,292	65	23	22	10	1,412	36	34	61	36	128	140	203	265	721	2,017

Marriages.. 17,077
Births 33,873

Deaths from Childbirth and Puerperal Fever .. .. } 4·82 per 1000 Births of both Sexes.

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

Annual Births to 1000 Females aged 15—45 years = 125.

NOTE.—The mean population has been corrected for changes of boundary details of which will be found at the end of these tables.

26.—STAFFORDSHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*20·95	†189	—	—	—	—	73·03	4·19	2·25	3·49	4·77	6·49	11·47	19·50	38·25	78·03	163·78
Mean Population, 1891-1900	—	584,748	16,934	14,986	15,169	14,663	14,919	76,671	71,205	67,394	63,222	53,527	87,041	65,909	47,647	30,804	16,123	5,205
Deaths from All Causes, 1891-1900	20·63	120,639	39,097	9,802	3,507	2,122	1,461	55,989	2,987	1,515	2,208	2,552	5,649	7,559	9,290	11,784	12.581	8,525
Small-pox	0·02	111	14	4	9	4	4	35	5	4	9	8	22	18	6	4	—	—
Measles	0·57	3,310	813	1,350	523	289	183	3,158	139	7	3	2	—	—	1	—	—	—
Scarlet Fever	0·21	1,254	88	226	232	197	151	894	263	38	23	13	12	10	1	—	—	—
Diphtheria	0·24	1,397	74	232	195	230	176	907	381	62	24	6	7	2	3	5	—	—
Whooping-cough	0·36	2,110	1,050	616	220	118	65	2,063	44	1	—	—	1	—	—	1	—	—
Typhus	0·00	6	—	—	—	—	1	1	—	1	2	—	—	2	—	—	—	—
Enteric Fever	0·25	1,448	9	14	15	33	33	104	108	122	227	215	328	192	99	40	11	2
Simple Continued Fever ..	0·01	41	5	3	5	1	1	15	11	2	—	1	4	3	1	1	2	1
Diarrhœa and Dysentery ..	1·01	5,927	4,366	864	133	39	24	5,426	23	5	4	7	8	21	41	90	149	153
Cholera	0·02	115	57	16	1	3	—	77	2	1	1	—	3	4	9	14	4	—
Cancer	0·48	2,821	5	2	7	7	5	26	14	10	15	23	85	235	508	872	795	238
Tabes Mesenterica	0·31	1,786	1,046	382	115	37	21	1,601	60	30	22	17	15	17	18	6	—	—
Phthisis	1·24	7,239	155	100	51	28	24	358	89	112	419	775	1,674	1,662	1,285	673	175	17
Other Tub. and Scrof. Dis. ..	0·36	2,121	662	410	180	85	65	1,402	196	103	98	88	97	68	41	24	3	1
Diseases of Nervous System	2·53	14,798	6,103	882	327	171	123	7,606	310	151	158	134	421	769	957	1,539	1,840	913
Diseases of Circulatory „	1·44	8,391	85	11	10	9	13	128	98	128	200	172	445	845	1,295	2,084	2,128	868
Diseases of Respiratory „	4·40	25,745	6,974	2,982	882	530	320	11,688	449	132	247	300	791	1,504	2,339	3,333	3,335	1,627
Diseases of Digestive „	1·40	8,173	3,666	808	148	69	51	4,742	146	113	115	118	269	434	648	760	586	242
Diseases of Urinary „	0·49	2,859	73	75	44	20	16	228	64	41	54	76	179	291	427	581	585	333
Diseases of Generative „	0·00	23	3	—	1	—	—	4	1	—	—	1	1	3	6	3	2	2
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0·93	5,450	320	139	212	174	140	985	383	282	356	349	682	723	649	562	350	129
OTHER CAUSES	4·36	25,514	13,529	692	197	78	45	14,541	201	170	231	247	605	756	956	1,192	2,616	3,999

Marriages 95,829
Births 207,348

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

26.—STAFFORDSHIRE.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*18·68	†155	—	—	—	—	60·96	4·23	2·34	3·33	4·74	6·53	10·05	15·41	30·89	67·63	150·56
Mean Population, 1891-1900	—	588,074	16,849	15,209	15,378	15,067	15,054	77,557	71,944	67,010	59,480	54,072	87,391	64,784	48,125	32,604	18,384	6,723
Deaths from All Causes, 1891-1900	18·48	108,703	30,885	9,317	3,459	2,148	1,472	47,281	3,044	1,568	1,983	2,564	5,711	6,512	7,414	10,070	12,434	10,122
Small-pox	0·02	98	23	5	13	2	4	47	5	2	2	11	15	10	4	—	2	—
Measles	0·54	3,191	649	1,301	555	295	190	2,990	180	5	4	—	6	4	1	—	1	—
Scarlet Fever	0·22	1,294	69	180	257	216	169	891	317	50	11	13	7	4	1	—	—	—
Diphtheria	0·25	1,464	78	220	187	237	213	935	423	57	10	8	12	10	4	2	2	1
Whooping-cough	0·46	2,677	1,204	812	340	153	92	2,601	70	1	1	1	—	—	—	—	2	1
Typhus	0·00	6	—	—	1	—	—	1	—	—	1	—	2	2	—	—	—	—
Enteric Fever	0·19	1,132	3	19	20	19	28	89	121	144	183	159	204	110	65	42	13	2
Simple Continued Fever ..	0·01	32	2	2	2	2	3	11	5	4	3	2	3	1	2	1	—	—
Diarrhœa and Dysentery ..	0·90	5,283	3,657	837	135	59	22	4,710	39	9	3	4	21	22	36	91	174	174
Cholera	0·01	73	44	7	1	1	—	53	1	1	1	2	4	2	2	6	1	—
Cancer	0·76	4,444	1	5	5	1	7	19	8	4	11	24	155	584	1,054	1,297	950	338
Tabes Mesenterica	0·25	1,481	773	362	87	39	15	1,276	70	31	22	16	32	19	7	8	—	—
Phthisis	0·96	5,629	113	97	33	24	23	290	120	237	548	743	1,454	1,181	632	313	99	12
Other Tub. and Scrof. Dis. ..	0·30	1,741	488	328	135	83	58	1,092	186	114	81	56	105	52	29	14	8	4
Diseases of: Nervous System	2·22	13,101	4,463	783	292	167	125	5,830	280	169	166	157	414	649	931	1,524	1,927	1,054
Diseases of: Circulatory "	1·51	8,910	75	9	4	4	13	105	114	183	216	180	501	823	1,343	2,083	2,341	1,021
Diseases of: Respiratory "	3·42	20,104	5,158	2,745	939	524	273	9,639	446	129	153	194	537	827	1,271	2,240	2,810	1,858
Diseases of: Digestive "	1·30	7,662	2,870	717	113	71	56	3,827	149	121	128	176	308	483	693	837	663	277
Diseases of: Urinary "	0·35	2,031	64	87	28	19	15	213	44	32	50	66	197	285	374	356	297	117
Diseases of: Generative "	0·07	404	6	6	5	2	—	19	—	1	15	34	64	74	79	61	38	19
Puerperal Fever	0·16	939	—	—	—	—	—	—	—	—	31	215	483	204	6	—	—	—
Childbirth	0·21	1,227	—	—	—	—	—	—	—	—	30	192	535	453	17	—	—	—
Violence	0·39	2,292	329	118	132	148	103	830	234	83	107	75	153	139	162	161	186	162
OTHER CAUSES	3·98	23,488	10,816	677	175	82	63	11,813	232	191	206	236	499	574	701	1,034	2,920	5,082

Marriages 95,829
Births 199,865

Deaths from Childbirth and Puerperal Fever .. .. } 5·32 per 1000 Births of both Sexes.

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

Annual Births to 1000 Females aged 15—45 years = 153.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

27.—WORCESTERSHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*17·21	†157	—	—	—	—	55·36	3·50	2·08	2·90	4·28	5·85	9·10	16·03	31·79	68·71	159·61
Mean Population, 1891-1900	—	217,109	5,462	5,144	5,307	5,366	5,101	26,380	25,589	24,665	22,722	18,695	31,897	25,010	18,852	12,942	7,527	2,830
Deaths from All Causes, 1891-1900	17·70	38,438	10,544	2,316	867	513	365	14,605	895	513	658	800	1,867	2,275	3,022	4,114	5,172	4,517
Small-pox	0·01	21	2	—	1	—	1	4	—	1	1	2	4	2	5	1	—	1
Measles	0·31	679	151	285	99	68	39	642	30	2	—	1	1	2	—	1	—	—
Scarlet Fever	0·09	205	11	30	44	23	27	135	47	11	7	4	1	—	—	—	—	—
Diphtheria	0·20	443	20	49	53	64	68	254	133	32	10	4	2	2	1	3	2	—
Whooping-cough	0·29	629	335	159	64	39	17	614	15	—	—	—	—	—	—	—	—	—
Typhus	0·00	2	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—
Enteric Fever	0·14	294	1	1	2	2	2	8	21	24	48	47	61	41	25	14	3	2
Simple Continued Fever ..	0·01	11	4	2	1	—	—	7	2	1	—	—	—	1	—	—	—	—
Diarrhœa and Dysentery ..	0·63	1,361	995	162	22	8	3	1,190	11	2	—	2	4	7	4	24	57	60
Cholera	0·01	31	16	4	—	—	—	20	—	—	—	—	1	2	1	6	1	—
Cancer	0·55	1,186	—	3	3	2	1	9	3	3	5	10	27	59	220	337	358	155
Tabes Mesenterica	0·25	540	344	95	23	7	3	472	20	12	17	3	7	1	—	3	3	2
Phthisis	1·18	2,570	24	19	16	5	5	69	29	46	157	294	629	564	442	239	92	9
Other Tub. and Scrof. Dis. ..	0·40	867	293	144	58	33	29	557	83	42	34	27	59	30	16	10	9	—
Diseases of: Nervous System	2·01	4,373	1,064	183	67	42	25	1,381	83	47	43	42	146	253	337	589	858	594
Diseases of: Circulatory „	1·60	3,484	39	7	3	5	3	57	34	57	52	60	166	272	447	808	996	535
Diseases of: Respiratory „	3·34	7,246	1,912	720	243	123	74	3,072	127	35	51	78	213	355	565	832	1,106	812
Diseases of: Digestive „	1·26	2,741	1,040	227	57	27	16	1,367	51	45	37	36	78	147	252	319	253	156
Diseases of: Urinary „	0·62	1,355	26	13	6	4	5	54	20	12	15	23	86	108	186	291	341	219
Diseases of: Generative „	0·01	13	3	—	—	—	1	4	—	—	—	—	1	—	2	3	1	2
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0·79	1,716	178	41	54	28	31	332	125	67	89	88	178	192	202	194	168	81
OTHER CAUSES	4·00	8,671	4,086	172	51	33	15	4,357	61	74	91	79	203	237	316	440	924	1,889

Marriages 34,003
Births 67,281

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

27.—WORCESTERSHIRE—(FEMALES).

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*14·84	†126	—	—	—	—	44·90	3·28	1·94	2·73	3·56	4·87	7·77	12·19	24·80	56·87	143·83
Mean Population, 1891-1900	—	241,080	5,611	5,211	5,413	5,309	5,300	26,844	25,888	25,059	24,466	23,544	37,757	27,888	21,140	15,139	9,303	4,052
Deaths from All Causes, 1891-1900	15·08	36,354	8,182	2,086	835	553	398	12,054	850	485	669	838	1,839	2,167	2,578	3,755	5,291	5,828
Small-pox	0·01	14	4	—	2	—	—	6	—	1	—	1	2	2	1	—	—	1
Measles	0·28	684	146	249	120	65	44	624	52	2	—	1	4	1	—	—	—	—
Scarlet Fever	0·09	219	6	31	44	35	22	138	57	12	1	4	3	3	1	—	—	—
Diphtheria	0·20	488	16	49	71	72	71	279	138	37	9	4	8	8	3	1	1	—
Whooping-cough	0·31	748	312	221	76	56	34	729	17	2	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·10	229	—	2	1	6	7	16	17	25	47	33	44	24	14	5	3	1
Simple Continued Fever ..	0·00	10	2	1	1	3	—	7	1	1	—	—	—	—	—	1	—	—
Diarrhœa and Dysentery ..	0·49	1,185	824	156	18	7	5	1,010	5	3	1	1	8	5	11	16	53	72
Cholera	0·01	22	13	4	1	—	—	18	—	—	—	—	—	—	1	1	1	1
Cancer	0·88	2,123	—	1	1	2	1	5	1	1	5	7	47	216	485	611	533	212
Tabes Mesenterica . ..	0·19	455	253	91	20	8	4	376	17	12	12	8	13	11	1	2	3	—
Phthisis	0·86	2,068	14	14	9	7	9	53	41	73	204	281	544	444	237	128	57	6
Other Tub. and Scrof. Dis. ..	0·28	683	194	105	44	31	30	404	73	54	31	31	43	21	15	6	3	2
Diseases of Nervous System	1·68	4,054	785	150	70	39	26	1,070	56	42	51	41	134	209	311	542	856	742
Diseases of Circulatory „	1·64	3,942	32	6	4	6	4	52	42	60	71	69	158	260	495	843	1,180	712
Diseases of Respiratory „	2·58	6,207	1,338	616	223	137	78	2,392	119	24	53	58	133	211	299	684	1,123	1,111
Diseases of Digestive „	1·07	2,574	834	206	39	24	21	1,124	65	27	38	46	96	163	229	297	293	196
Diseases of Urinary „	0·31	756	14	6	7	5	5	37	17	8	9	24	66	95	121	134	165	80
Diseases of Generative „	0·06	149	—	3	—	—	—	3	—	—	4	6	27	36	27	18	16	12
Puerperal Fever	0·12	298	—	—	—	—	—	—	—	—	5	71	147	73	2	—	—	—
Childbirth	0·13	322	—	—	—	—	—	—	—	—	11	36	152	115	8	—	—	—
Violence	0·31	759	139	30	41	23	25	258	66	18	22	25	50	53	48	54	61	104
OTHER CAUSES	3·48	8,365	3,226	145	43	27	12	3,453	66	83	95	91	160	217	269	412	943	2,576

Marriages 34,003
Births 65,149

Deaths from Childbirth and Puerperal Fever .. .. } 4·68 per 1000 Births of both Sexes.

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

Annual Births to 1000 Females aged 15—45 years = 117.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

28.—WARWICKSHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*20·65	†184	—	—	—	—	68·46	3·78	2·23	3·57	5·04	7·45	13·06	20·97	38·12	73·15	160·95
Mean Population, 1891-1900	—	411,676	10,930	10,059	10,290	10,145	9,783	51,207	48,106	46,648	42,685	37,843	63,458	48,394	34,588	22,150	12,213	4,384
Deaths from All Causes, 1891-1900	20·42	84,080	24,978	5,793	2,124	1,266	896	35,057	1,817	1,041	1,524	1,906	4,727	6,321	7,253	8,444	8,934	7,056
Small-pox	0·04	161	30	6	—	2	2	40	2	3	6	14	29	43	11	7	4	2
Measles	0·41	1,682	429	630	278	160	93	1,590	81	4	5	1	1	—	—	—	—	—
Scarlet Fever	0·15	624	34	81	96	106	86	403	147	30	24	5	9	3	2	1	—	—
Diphtheria	0·21	874	57	131	117	134	139	578	210	41	9	11	12	5	4	4	—	—
Whooping-cough	0·39	1,593	748	498	184	86	46	1,562	30	1	—	—	—	—	—	—	—	—
Typhus	0·00	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Enteric Fever	0·21	868	6	9	16	9	16	56	57	58	147	165	194	105	55	28	2	1
Simple Continued Fever ..	0·01	25	4	3	1	2	2	12	5	1	1	—	—	2	2	—	2	—
Diarrhœa and Dysentery ..	1·13	4,639	3,726	485	64	16	7	4,298	16	5	3	3	7	19	27	44	102	115
Cholera	0·02	100	53	21	2	1	—	77	1	—	2	—	3	5	2	5	5	—
Cancer	0·62	2,537	1	4	4	5	2	16	11	16	11	19	83	218	486	822	629	226
Tabes Mesenterica	0·21	847	465	147	58	26	16	712	28	21	17	20	21	8	7	10	3	—
Phthisis	1·78	7,313	71	28	29	16	12	156	52	89	369	690	1,801	1,860	1,380	702	194	20
Other Tub. and Scrof. Dis. ..	0·38	1,569	436	243	122	90	66	957	154	62	70	64	93	70	49	29	15	6
Diseases of: Nervous System	2·22	9,129	2,782	490	210	89	67	3,638	154	92	105	101	280	590	762	1,084	1,405	918
Diseases of: Circulatory "	1·54	6,354	85	14	10	11	12	132	79	109	135	105	387	654	1,021	1,439	1,503	790
Diseases of: Respiratory "	4·13	16,999	4,338	1,940	613	292	175	7,358	240	77	143	191	653	1,123	1,477	2,081	2,238	1,418
Diseases of: Digestive "	1·42	5,857	2,609	475	86	45	26	3,241	105	105	100	92	186	304	477	542	483	222
Diseases of: Urinary "	0·60	2,464	42	27	15	13	12	109	46	21	46	54	152	270	412	488	541	325
Diseases of: Generative "	0·01	29	10	—	—	1	—	11	—	—	—	2	—	2	6	1	4	3
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0·93	3,838	601	106	116	100	77	1,000	245	153	155	187	370	456	442	403	280	147
OTHER CAUSES	4·01	16,577	8,451	455	103	62	40	9,111	153	153	176	182	446	584	631	754	1,524	2,863

Marriages 72,552
Births 135,492

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

28.—WARWICKSHIRE.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*18·22	†154	—	—	—	—	59·16	3·93	2·28	3·30	4·12	6·05	10·65	16·66	30·22	63·56	145·51
Mean Population, 1891-1900	—	437,814	11,168	10,196	10,342	10,122	9,975	51,803	48,639	46,409	44,535	42,508	68,933	50,872	37,613	25,514	14,991	5,997
Deaths from All Causes, 1891-1900	17·97	78,657	20,312	5,870	2,207	1,363	895	30,647	1,912	1,056	1,468	1,752	4,170	5,418	6,268	7,711	9,529	8,726
Small-pox	0·03	135	19	5	7	2	2	35	4	5	8	12	34	19	11	3	3	1
Measles	0·39	1,706	329	693	301	169	100	1,592	98	8	3	1	4	—	—	—	—	—
Scarlet Fever	0·14	609	24	99	85	109	81	398	149	29	16	7	9	—	1	—	—	—
Diphtheria	0·22	977	43	126	149	151	136	605	291	40	10	6	10	4	4	5	1	1
Whooping-cough	0·46	2,034	843	653	252	156	65	1,969	65	—	—	—	—	—	—	—	—	—
Typhus	0·00	3	—	—	—	—	—	—	1	—	—	—	—	2	—	—	—	—
Enteric Fever	0·15	646	3	11	9	10	10	43	58	90	96	88	123	89	36	18	4	1
Simple Continued Fever ..	0·01	27	1	1	4	3	2	11	5	4	—	2	2	—	2	—	—	1
Diarrhœa and Dysentery ..	0·97	4,263	3,168	515	79	20	17	3,799	22	5	3	2	8	17	21	62	169	155
Cholera	0·02	66	41	9	1	—	—	51	—	1	—	1	1	4	4	2	2	—
Cancer	0·92	4,020	4	8	1	6	2	21	9	7	13	19	146	520	927	1,098	900	360
Tabes Mesenterica	0·18	800	412	131	58	17	9	627	45	26	21	12	33	11	16	6	2	1
Phthisis	1·06	4,639	44	36	21	19	15	135	76	159	407	541	1,165	1,078	676	278	97	27
Other Tub. and Scrof. Dis. ..	0·31	1,364	355	251	111	71	53	841	126	87	72	40	80	50	41	16	9	2
Diseases of: Nervous System	1·93	8,448	2,053	503	165	104	68	2,893	154	87	109	97	283	468	698	1,093	1,493	1,073
Diseases of: Circulatory „	1·67	7,321	69	7	9	8	6	99	100	166	169	153	391	692	1,108	1,605	1,827	1,011
Diseases of: Respiratory „	3·39	14,838	3,325	1,879	635	329	178	6,346	254	69	113	101	382	749	1,078	1,676	2,265	1,805
Diseases of: Digestive „	1·33	5,822	2,190	438	107	59	45	2,839	112	51	101	122	237	374	566	585	541	294
Diseases of: Urinary „	0·37	1,602	28	29	15	12	3	87	39	20	21	52	131	227	285	326	296	118
Diseases of: Generative „	0·11	462	2	2	—	—	1	5	—	2	15	23	99	140	76	42	36	24
Puerperal Fever	0·13	555	—	—	—	—	—	—	—	—	17	144	273	118	3	—	—	—
Childbirth	0·16	707	—	—	—	—	—	—	—	—	19	99	301	273	15	—	—	—
Violence	0·48	2,120	612	88	76	63	59	898	150	55	66	63	106	150	163	171	163	135
OTHER CAUSES	3·54	15,493	6,747	386	122	55	43	7,353	154	145	189	167	352	433	537	725	1,721	3,717

Marriages 72,552
Births 132,264

Deaths from Childbirth and Puerperal Fever .. .. } 4·72 per 1000 Births of both Sexes.

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

Annual Births to 1000 Females aged 15—45 years = 129.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

29.—LEICESTERSHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*17·87	†179	—	—	—	—	64·60	4·25	2·22	3·54	4·77	5·49	8·66	14·00	28·53	62·50	157·82
Mean Population, 1891-1900	—	196,302	5,227	4,836	4,812	4,896	4,728	24,499	23,340	22,073	20,212	17,303	29,473	22,825	16,484	10,948	6,563	2,582
Deaths from All Causes, 1891-1900	18·36	36,050	11,504	2,359	894	633	437	15,827	992	489	715	825	1,618	1,976	2,308	3,123	4,102	4,075
Small-pox	0·01	17	2	1	—	—	1	4	2	2	—	1	2	2	2	2	—	—
Measles	0·39	769	183	305	111	81	35	715	45	6	—	1	—	—	1	1	—	—
Scarlet Fever	0·20	383	17	46	55	61	45	224	114	22	13	5	3	1	—	1	—	—
Diphtheria	0·37	733	42	86	121	120	105	474	210	26	10	5	4	2	—	1	1	—
Whooping-cough	0·32	625	336	189	48	32	12	617	8	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·20	389	—	5	7	4	6	22	30	44	57	64	77	43	33	9	8	2
Simple Continued Fever ..	0·00	2	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—	—
Diarrhœa and Dysentery ..	1·12	2,202	1,824	191	16	4	2	2,037	4	4	2	2	3	—	14	29	42	65
Cholera	0·01	16	5	1	1	—	—	7	—	—	—	1	1	—	—	5	—	2
Cancer	0·57	1,115	1	2	6	4	4	17	2	5	6	15	27	54	191	297	353	148
Tabes Mesenterica	0·20	399	234	65	20	6	4	329	16	10	12	10	12	5	3	1	—	1
Phthisis	1·25	2,447	39	26	10	5	8	88	28	40	194	335	624	569	318	191	51	9
Other Tub. and Scrof. Dis. ..	0·40	791	257	119	60	25	29	490	82	38	32	38	47	34	10	15	4	1
Diseases of: Nervous System	2·28	4,470	1,695	237	80	56	38	2,106	77	46	46	35	96	180	236	454	706	488
Diseases of: Circulatory "	1·44	2,834	37	2	5	3	—	47	31	51	56	44	134	242	402	628	790	409
Diseases of: Respiratory "	3·15	6,175	1,828	743	252	155	89	3,067	122	28	61	61	146	281	353	596	779	681
Diseases of: Digestive "	1·12	2,193	868	162	21	19	13	1,083	47	29	45	31	84	119	193	226	219	117
Diseases of: Urinary "	0·50	976	24	10	6	4	5	49	28	10	24	18	42	65	110	193	233	204
Diseases of: Generative "	0·01	12	3	—	—	—	—	3	—	—	1	1	2	2	—	—	1	2
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0·83	1,621	190	34	46	43	29	342	88	62	91	89	152	185	208	194	125	85
OTHER CAUSES	3·99	7,881	3,919	134	29	11	12	4,105	58	66	65	68	162	192	234	280	790	1,861

Marriages 32,014
Births 64,160

* Death-rate in Standard Population.
The death-rate under one year of age is per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

29.—LEICESTERSHIRE.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*16·24	†148	—	—	—	—	53·75	4·19	2·15	3·32	3·94	5·17	8·48	12·35	24·80	55·90	147·46
Mean Population, 1891-1900	—	211,050	5,332	4,916	5,032	4,936	4,832	25,048	23,641	22,648	21,871	20,368	32,492	24,082	17,894	12,219	7,622	3,165
Deaths from All Causes, 1891-1900	16·28	34,359	9,219	2,300	879	639	426	13,463	990	487	727	803	1,679	2,042	2,210	3,030	4,261	4,667
Small-pox	0·01	23	3	1	1	2	3	10	5	1	—	1	2	1	2	1	—	—
Measles	0·36	751	156	288	124	87	40	695	45	4	2	1	2	2	—	—	—	—
Scarlet Fever	0·17	368	17	36	58	61	51	223	100	25	7	6	5	1	1	—	—	—
Diphtheria	0·35	737	23	99	101	133	87	443	230	37	6	5	8	4	3	1	—	—
Whooping-cough	0·36	753	350	234	86	49	17	736	17	—	—	—	—	—	—	—	—	—
Typhus	0·00	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Enteric Fever	0·16	328	1	3	6	5	9	24	34	54	51	44	56	33	22	7	3	—
Simple Continued Fever ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa and Dysentery ..	0·92	1,934	1,541	177	19	5	2	1,744	4	3	2	4	2	10	14	19	54	78
Cholera	0·01	27	9	2	—	—	2	13	—	—	—	—	3	2	1	3	4	1
Cancer	0·86	1,806	1	1	3	3	5	13	7	6	10	10	50	197	404	515	407	187
Tabes Mesenterica	0·16	340	193	36	10	10	4	253	18	14	15	15	12	5	5	3	—	—
Phthisis	0·97	2,052	39	11	10	5	9	74	39	79	243	289	541	449	210	95	30	3
Other Tub. and Scrof. Dis. ..	0·34	711	179	102	49	35	31	396	88	43	47	18	50	22	23	16	3	5
Diseases of: Nervous System	2·01	4,238	1,239	227	80	40	29	1,615	76	47	53	56	111	160	300	486	714	620
Diseases of: Circulatory "	1·55	3,267	33	2	1	6	4	46	52	59	83	79	150	288	429	703	924	454
Diseases of: Respiratory "	2·63	5,548	1,363	693	223	132	78	2,489	112	21	39	41	113	206	273	515	914	825
Diseases of: Digestive "	1·01	2,141	709	183	27	28	14	961	46	24	37	58	86	139	156	218	267	149
Diseases of: Urinary "	0·24	514	22	13	7	5	6	53	14	14	9	18	38	72	74	82	89	51
Diseases of: Generative "	0·07	145	—	3	—	—	—	3	—	2	6	5	21	28	27	28	17	8
Puerperal Fever	0·11	232	—	—	—	—	—	—	—	—	9	34	120	65	4	—	—	—
Childbirth	0·15	309	—	—	—	—	—	—	—	—	10	34	122	136	7	—	—	—
Violence	0·37	776	170	38	37	20	18	283	47	21	33	31	35	48	56	55	63	104
OTHER CAUSES	3·47	7,358	3,171	151	37	13	17	3,389	56	33	65	54	151	174	199	283	772	2,182

Marriages 32,014
Births 62,321

Deaths from Childbirth and Puerperal Fever .. .. } 4·28 per 1000 Births of both Sexes.

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

Annual Births to 1000 Females aged 15—45 years = 128.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

30.—RUTLANDSHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*13·08	†124	—	—	—	—	37·83	2·10	2·01	2·78	4·84	4·90	6·14	11·69	23·96	58·18	140·17
Mean Population, 1891-1900	—	10,677	230	224	219	237	216	1,126	1,193	1,293	1,296	723	1,366	1,173	967	768	538	234
Deaths from All Causes, 1891-1900	15·22	1,625	327	70	8	12	9	426	25	26	36	35	67	72	113	184	313	328
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·09	10	3	7	—	—	—	10	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·06	6	1	—	1	—	1	3	—	2	1	—	—	—	—	—	—	—
Diphtheria	0·15	16	—	1	1	3	3	8	7	—	—	—	—	—	—	1	—	—
Whooping-cough	0·19	20	13	6	—	1	—	20	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·06	6	—	—	—	—	—	—	—	—	1	1	2	1	—	—	1	—
Simple Continued Fever ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa and Dysentery ..	0·22	23	12	2	—	—	—	14	—	—	—	—	—	1	—	1	5	2
Cholera	0·02	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
Cancer	0·84	90	—	—	—	—	—	—	—	—	—	1	1	—	17	22	35	14
Tabes Mesenterica	0·21	22	16	2	—	1	—	19	—	—	1	—	—	—	1	1	—	—
Phthisis	0·92	98	3	3	—	—	—	6	—	4	9	13	20	18	13	11	4	—
Other Tub. and Scrof. Dis. ..	0·22	24	3	3	—	3	1	10	5	1	3	2	1	1	—	1	—	—
Diseases of: Nervous System	1·78	190	43	7	1	1	—	52	2	4	2	1	3	5	17	21	44	39
Diseases of: Circulatory „	1·86	199	—	—	—	—	—	—	—	1	4	2	5	6	17	41	72	51
Diseases of: Respiratory „	2·55	272	77	30	3	1	2	113	4	3	4	3	8	8	18	14	46	51
Diseases of: Digestive „	0·82	87	24	3	1	—	1	29	—	2	4	2	2	7	6	16	13	6
Diseases of: Urinary „	0·60	64	—	—	—	—	—	—	—	1	—	—	2	3	3	16	19	20
Diseases of: Generative „	0·01	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0·72	77	4	2	1	1	—	8	4	5	3	8	12	8	9	9	8	3
OTHER CAUSES	3·90	418	127	4	—	1	1	133	2	3	4	2	11	14	12	30	65	142

Marriages 1,321
Births 2,627

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

30.—RUTLANDSHIRE.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*12·03	†95	—	—	—	—	31·94	2·08	1·26	2·64	4·36	4·45	7·10	9·28	19·44	42·88	147·51
Mean Population, 1891-1900	—	10,302	205	249	206	237	224	1,121	1,202	1,108	984	825	1,527	1,268	1,034	854	618	261
Deaths from All Causes, 1891-1900	14·15	1,529	237	63	26	18	14	358	25	14	26	36	68	90	96	166	265	385
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·12	13	4	3	2	1	2	12	1	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·06	6	—	3	—	2	—	5	—	—	—	—	1	—	—	—	—	—
Diphtheria	0·19	20	—	—	4	—	6	10	6	1	2	1	—	—	—	—	—	—
Whooping-cough	0·21	23	9	9	3	2	—	23	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·05	5	—	1	—	—	—	1	2	—	1	—	—	1	—	—	—	—
Simple Continued Fever ..	0·01	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Diarrhœa and Dysentery ..	0·15	16	9	1	1	—	2	13	—	—	—	—	—	—	—	—	—	3
Cholera	0·02	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
Cancer	1·03	111	—	—	—	—	—	—	—	—	—	—	—	14	16	33	32	16
Tabes Mesenterica	0·18	19	12	2	1	—	—	15	—	1	1	1	1	—	—	—	—	—
Phthisis	0·84	91	3	1	1	1	—	6	1	4	12	12	22	17	10	7	—	—
Other Tub. and Scrof. Dis. ..	0·29	31	2	5	—	3	—	10	3	1	3	2	6	3	1	1	1	—
Diseases of: Nervous System	1·72	186	34	4	1	4	—	43	1	2	1	3	2	7	9	31	35	52
Diseases of: Circulatory „	1·49	161	1	—	—	—	—	1	—	—	—	6	3	9	19	26	49	48
Diseases of: Respiratory „	2·23	241	57	22	9	4	2	94	4	1	1	4	2	11	9	18	46	51
Diseases of: Digestive „	0·90	97	20	6	—	—	1	27	5	2	—	1	6	4	7	12	23	10
Diseases of: Urinary „	0·31	34	—	—	—	—	—	—	—	—	—	2	2	2	2	8	11	7
Diseases of: Generative „	0·06	6	—	—	—	—	—	—	—	—	—	—	1	1	1	1	1	1
Puerperal Fever	0·06	7	—	—	—	—	—	—	—	—	—	1	5	1	—	—	—	—
Childbirth	0·12	13	—	—	—	—	—	—	—	—	—	—	5	7	1	—	—	—
Violence	0·27	29	1	3	3	1	1	9	—	—	—	—	2	—	5	3	7	3
Other Causes	3·84	417	85	3	1	—	—	89	1	2	4	3	10	13	16	26	60	193

Marriages 1,321
Births 2,482

Deaths from Childbirth and Puerperal Fever .. .. } 3·92 per 1000 Births of both Sexes.

* Death-rate in Standard Population
† The death-rate under one year of age is per 1000 Births.

Annual Births to 1000 Females aged 15—45 years = 111.

Note.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

31.—LINCOLNSHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*15·64	†157	—	—	—	—	51·47	3·41	2·09	3·53	4·93	5·36	8·35	12·62	25·25	57·58	156·49
Mean Population, 1891-1900	—	236,038	5,671	5,387	5,453	5,421	5,462	27,394	27,531	26,539	24,507	19,088	32,100	26,572	21,530	15,925	10,267	4,585
Deaths from All Causes, 1891-1900	17·44	41,165	10,637	2,015	702	391	355	14,100	939	554	866	941	1,720	2,220	2,717	4,021	5,912	7,175
Small-pox	0·01	17	1	—	1	—	1	3	—	—	1	1	—	3	3	3	2	1
Measles	0·18	427	123	169	61	16	19	388	34	2	2	—	1	—	—	—	—	—
Scarlet Fever	0·09	214	15	18	29	29	24	115	67	16	5	1	4	4	2	—	—	—
Diphtheria	0·17	411	22	22	32	52	58	186	153	31	12	4	6	0	5	3	3	2
Whooping-cough	0·25	590	321	158	59	23	12	573	13	3	—	—	—	—	—	1	—	—
Typhus	0·00	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Enteric Fever	0·17	395	1	4	4	5	6	20	35	36	55	44	73	48	33	35	14	2
Simple Continued Fever ..	0·01	15	1	1	1	2	—	5	—	—	—	2	—	2	2	2	1	1
Diarrhœa and Dysentery ..	0·64	1,503	1,108	144	13	10	4	1,279	9	4	2	1	3	4	15	18	66	102
Cholera	0·07	154	80	17	2	—	1	100	1	4	—	2	3	8	15	12	6	3
Cancer	0·70	1,649	1	—	1	1	1	4	4	7	10	5	22	89	221	430	558	299
Tabes Mesenterica	0·17	406	224	46	20	9	3	302	23	19	19	12	11	8	6	4	2	—
Phthisis	1·09	2,561	39	26	14	9	8	96	44	65	236	364	547	510	338	238	113	10
Other Tub. and Scrof. Dis. ..	0·35	818	251	118	59	31	38	497	92	44	49	30	42	25	15	15	7	2
Diseases of Nervous System	2·43	5,740	1,814	227	64	31	38	2,174	76	43	72	49	135	244	360	540	1,028	1,019
Diseases of Circulatory "	1·76	4,142	23	3	5	1	1	33	23	32	50	47	171	278	416	856	1,259	977
Diseases of Respiratory "	2·74	6,456	1,817	670	200	89	71	2,847	108	35	50	50	155	263	348	609	901	1,090
Diseases of Digestive "	1·11	2,630	936	180	35	10	12	1,173	48	33	46	40	77	146	223	282	330	232
Diseases of Urinary "	0·58	1,373	35	6	4	3	1	49	20	9	14	20	42	79	130	250	397	363
Diseases of Generative "	0·01	21	8	1	—	—	—	9	—	—	—	—	2	1	4	3	2	—
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0·85	1,997	91	45	51	44	39	270	115	93	150	163	227	225	203	243	202	106
OTHER CAUSES	4·06	9,645	3,726	160	47	26	18	3,977	74	78	93	105	199	277	378	477	1,021	2,966

Marriages 36,653
Births 67,613

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

31.—LINCOLNSHIRE.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*14·35	†127	—	—	—	—	41·58	3·54	2·35	4·08	5·02	5·99	8·05	10·72	21·23	50·57	138·19
Mean Population, 1891–1900	—	242,956	5,611	5,451	5,444	5,570	5,528	27,599	27,505	26,524	23,438	20,604	34,238	27,376	22,130	16,707	11,223	5,612
Deaths from All Causes, 1891–1900	15·92	38,671	8,252	1,863	651	409	300	11,475	975	624	956	1,034	2,052	2,204	2,373	3,547	5,676	7,755
Small-pox	0·00	7	1	2	—	—	—	3	1	1	—	—	1	—	—	1	—	—
Measles	0·16	391	99	135	68	26	18	346	30	5	5	1	2	1	1	—	—	—
Scarlet Fever	0·09	225	12	23	24	18	19	96	82	19	6	9	9	3	1	—	—	—
Diphtheria	0·17	404	20	22	35	51	41	169	148	43	18	6	6	4	2	4	3	1
Whooping-cough	0·30	721	379	198	75	30	12	694	23	3	—	—	—	—	1	—	—	—
Typhus	0·00	2	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
Enteric Fever	0·17	401	4	6	1	5	7	23	34	46	60	49	80	49	33	19	5	3
Simple Continued Fever ..	0·00	12	—	1	—	1	—	2	3	—	3	1	—	1	1	—	1	—
Diarrhœa and Dysentery ..	0·52	1,271	875	108	14	7	1	1,005	16	3	5	2	5	7	17	32	61	118
Cholera	0·04	99	58	14	1	—	—	73	—	2	1	1	3	4	4	5	4	2
Cancer	0·99	2,402	3	1	—	3	2	9	1	5	8	5	49	231	490	632	642	330
Tabes Mesenterica	0·17	413	193	47	16	5	3	264	24	28	17	21	17	25	11	4	2	—
Phthisis	1·16	2,826	33	25	8	8	7	81	59	147	384	419	732	507	269	157	63	8
Other Tub. and Scrof. Dis. ..	0·33	806	185	99	50	39	25	398	103	79	67	50	50	35	12	14	4	3
Diseases of Nervous System	2·14	5,199	1,268	174	74	36	26	1,578	103	60	56	41	130	189	313	598	998	1,133
Diseases of Circulatory „	1·65	4,017	19	6	4	3	3	35	20	37	59	62	157	252	409	722	1,280	984
Diseases of Respiratory „	2·34	5,694	1,352	614	171	94	74	2,305	126	29	32	47	89	152	209	491	975	1,239
Diseases of Digestive „	1·01	2,464	732	158	26	17	14	947	60	31	62	58	109	143	180	264	338	272
Diseases of Urinary „	0·28	679	17	6	2	2	4	31	10	12	13	32	66	70	81	113	163	88
Diseases of Generative „	0·08	193	2	1	—	—	—	3	—	—	5	8	24	36	37	37	28	15
Puerperal Fever	0·10	255	—	—	—	—	—	—	—	1	11	50	123	66	4	—	—	—
Childbirth	0·16	379	—	—	—	—	—	—	—	—	15	48	162	147	7	—	—	—
Violence	0·31	760	76	39	38	34	29	216	69	21	23	19	60	56	44	61	75	116
Other Causes	3·75	9,051	2,924	184	44	30	15	3,197	63	61	105	104	178	226	247	393	1,034	3,443

Marriages 36,653
Births 65,047

Deaths from Childbirth and Puerperal Fever .. .. } 4·78 per 1000 Births of both Sexes.

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

Annual Births to 1000 Females aged 15—45 years = 126.

Note.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

32.—NOTTINGHAMSHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*18·42	†181	—	—	—	—	65·42	3·54	2·39	3·60	4·31	5·61	9·20	15·41	30·64	67·20	164·19
Mean Population, 1891–1900	—	266,209	7.127	6,638	6,601	6,682	6,567	33 615	32,382	29,600	27,579	23,195	39,666	31,269	22,417	14,752	8,537	3,197
Deaths from All Causes, 1891–1900	18·74	49,900	16,148	3,451	1,182	721	490	21,992	1,147	706	993	1,000	2,225	2,876	3,455	4,520	5,737	5,249
Small-pox	0·01	14	3	—	1	—	—	4	—	—	—	2	1	2	3	1	1	—
Measles	0·42	1,126	285	443	166	107	56	1,057	67	1	1	—	—	—	—	—	—	—
Scarlet Fever	0·18	483	21	67	69	71	49	277	146	29	15	9	3	2	2	—	—	—
Diphtheria	0·11	284	15	43	27	37	51	173	77	14	2	—	12	2	3	—	1	—
Whooping-cough	0·32	846	415	264	85	49	16	829	17	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·29	778	4	6	9	13	8	40	51	66	129	111	166	112	56	31	14	2
Simple Continued Fever ..	0·00	8	2	—	—	—	—	2	2	—	—	1	1	—	1	—	—	1
Diarrhœa and Dysentery ..	0·92	2,459	1,941	267	30	10	3	2,251	9	2	5	2	5	2	5	34	64	80
Cholera	0·04	105	68	9	—	1	—	78	2	1	—	1	3	3	4	7	5	1
Cancer	0·57	1.521	5	1	3	1	4	14	8	5	5	9	48	124	248	465	442	153
Tabes Mesenterica	0·27	716	435	118	37	18	9	617	37	17	14	8	9	6	3	3	1	1
Phthisis	1·20	3,189	40	32	20	16	12	120	40	60	262	367	726	692	519	287	95	21
Other Tub. and Scrof. Dis. ..	0·39	1,028	307	198	68	59	28	660	115	56	44	27	55	25	20	17	8	1
Diseases of Nervous System	2·23	5,934	2,136	299	119	51	35	2,640	109	60	49	57	144	316	393	575	911	680
Diseases of Circulatory „	1·51	4,015	41	8	8	5	5	67	34	56	56	68	191	342	526	863	1,180	632
Diseases of Respiratory „	3·50	9.320	2,850	1.097	335	165	122	4,569	148	38	63	77	212	403	615	988	1,226	981
Diseases of Digestive „	1·29	3,434	1,650	274	43	22	19	2,008	48	57	49	40	90	160	233	297	294	158
Diseases of Urinary „	0·52	1,382	23	16	10	8	6	63	26	26	18	17	68	107	149	252	387	269
Diseases of Generative „	0·01	16	8	—	1	—	—	9	—	—	—	—	—	1	1	2	2	1
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0·90	2,405	215	67	78	60	41	461	127	121	155	110	272	287	301	273	181	117
OTHER CAUSES	4·06	10,837	5,684	242	73	28	26	6,053	84	97	126	94	219	290	373	425	925	2,151

Marriages 44,970
Births 89,039

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

32.—NOTTINGHAMSHIRE.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*16·87	†145	—	—	—	—	53·14	3·61	2·46	3·58	4·50	5·95	8·84	13·67	26·90	60·10	153·41
Mean Population, 1891–1900	—	280,694	7,326	6,710	6,737	6,797	6,750	34,320	32,941	30,249	28,523	26,440	43,174	32,297	23,320	15,973	9,583	3,874
Deaths from All Causes, 1891–1900	16·74	46,992	12,465	3,282	1,160	763	568	18,238	1,189	743	1,020	1,191	2,571	2,855	3,187	4,296	5,759	5,943
Small-pox	0·00	11	2	1	—	—	—	3	3	—	—	1	2	2	—	—	—	—
Measles	0·39	1,089	225	430	172	105	85	1,017	62	4	1	—	3	2	—	—	—	—
Scarlet Fever	0·19	527	21	64	74	83	63	305	153	37	9	7	9	5	2	—	—	—
Diphtheria	0·11	302	16	33	36	43	50	178	93	11	3	2	3	4	1	5	1	1
Whooping-cough	0·41	1,144	488	347	152	91	34	1,112	32	—	—	—	—	—	—	—	—	—
Typhus	0·00	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Enteric Fever	0·24	669	5	7	11	15	10	48	75	71	99	93	137	74	33	27	9	3
Simple Continued Fever ..	0·00	12	—	1	2	—	—	3	—	—	1	1	—	2	—	1	3	1
Diarrhœa and Dysentery ..	0·78	2,195	1,631	242	29	11	8	1,921	7	1	4	1	7	9	17	34	83	111
Cholera	0·02	65	39	8	—	1	—	48	2	—	—	1	3	1	2	4	1	3
Cancer	0·90	2,516	2	—	2	1	1	6	4	4	5	11	71	302	550	735	583	245
Tabes Mesenterica	0·21	583	302	102	33	14	11	462	34	26	18	12	11	9	4	5	2	—
Phthisis	1·07	3,004	32	23	22	12	13	102	64	148	374	419	815	569	299	144	57	13
Other Tub. and Scrof. Dis. ..	0·33	936	238	136	86	52	47	559	118	69	49	32	47	26	13	11	9	3
Diseases of: Nervous System	1·97	5,519	1,630	268	93	62	27	2,080	102	62	58	57	168	222	437	625	975	733
Diseases of: Circulatory "	1·59	4,473	25	7	4	1	2	39	42	75	70	71	188	401	584	998	1,280	725
Diseases of: Respiratory "	2·87	8,066	2,139	1,062	288	178	122	3,789	163	53	67	69	168	252	349	785	1,200	1,171
Diseases of: Digestive "	1·12	3,141	1,205	251	40	14	22	1,532	63	40	53	58	130	186	291	261	331	196
Diseases of: Urinary "	0·30	840	17	14	6	10	10	57	16	15	15	26	83	102	147	152	162	65
Diseases of: Generative "	0·10	280	3	1	—	—	1	5	—	—	6	21	52	65	60	33	25	13
Puerperal Fever	0·15	433	—	—	—	—	—	—	—	—	25	99	206	97	6	—	—	—
Childbirth	0·17	470	—	—	—	—	—	—	—	—	16	76	178	191	9	—	—	—
Violence	0·39	1,082	199	50	55	37	32	373	82	36	31	33	70	76	79	78	92	132
OTHER CAUSES	3·43	9,634	4,246	235	55	33	30	4,599	73	91	116	101	220	258	304	398	946	2,528

Marriages 44,970
Births 85,959

Deaths from Childbirth and Puerperal Fever .. .. } 5·16 per 1000 Births of both Sexes.

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births

Annual Births to 1000 Females aged 15—45 years=134.

33.—DERBYSHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*18·00	†160	—	—	—	—	58·56	3·71	2·34	3·40	4·48	5·44	9·53	16·26	32·37	72·96	168·84
Mean Population, 1891-1900	—	228 942	6,096	5,648	5,717	5,466	5,488	28,415	27,058	25,305	23,846	21,268	35,082	26,701	19,269	12,715	6,937	2,346
Deaths from All Causes, 1891-1900 .. .	17·79	40,726	11,911	2,727	934	633	435	16,640	1,004	593	810	952	1,910	2,545	3,134	4,116	5,061	3,961
Small-pox	0·03	65	19	3	—	1	1	24	3	2	—	4	11	9	4	5	2	1
Measles	0·42	972	259	402	133	78	42	914	56	—	—	1	—	—	1	—	—	—
Scarlet Fever	0·17	384	27	38	68	62	51	246	97	17	6	6	10	2	—	—	—	—
Diphtheria	0·13	289	18	42	44	49	38	191	69	14	5	2	2	2	3	1	—	—
Whooping-cough	0·27	628	327	167	72	31	18	615	13	—	—	—	—	—	—	—	—	—
Typhus	0·00	2	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Enteric Fever	0·17	383	1	3	4	10	4	22	21	27	65	61	86	56	32	10	2	1
Simple Continued Fever ..	0·00	6	—	—	1	1	—	2	—	1	—	—	1	—	—	—	2	—
Diarrhœa and Dysentery ...	0·65	1,490	1,106	179	14	11	3	1,313	2	1	3	—	4	5	15	26	64	57
Cholera	0·02	43	19	5	—	—	—	24	2	1	1	—	2	2	3	6	1	1
Cancer	0·47	1,086	2	—	3	3	2	10	2	2	6	10	25	68	207	341	315	100
Tabes Mesenterica	0·27	608	351	108	24	17	11	511	30	19	10	4	18	8	3	5	—	—
Phthisis	1·18	2,712	35	36	10	8	5	94	36	68	199	323	599	586	436	272	91	8
Other Tub. and Scrof. Dis. ..	0·39	902	287	163	70	33	32	585	99	39	37	30	40	25	23	16	6	2
Diseases of Nervous System	2·37	5,433	2,143	273	112	71	46	2,645	109	58	64	34	102	223	327	545	819	507
Diseases of Circulatory „	1·57	3,591	23	4	3	4	4	38	36	60	71	78	164	310	462	853	1,033	486
Diseases of Respiratory „	3·34	7,638	2,267	866	237	147	99	3,616	148	36	58	77	194	354	563	824	1,065	703
Diseases of Digestive „	1·25	2,855	1,090	220	35	26	15	1,386	62	66	47	40	106	188	263	295	287	115
Diseases of Urinary „	0·48	1,092	17	11	8	2	9	47	23	18	13	21	52	95	129	220	286	188
Diseases of Generative „	0·01	21	5	1	1	—	—	7	—	—	1	—	—	2	3	3	4	1
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0·90	2,055	132	49	50	43	27	301	107	87	111	161	248	293	286	231	159	71
OTHER CAUSES	3·70	8,471	3,783	157	45	36	28	4,049	89	77	113	100	245	316	374	463	925	1,720

Marriages 36,019
Births 74,275

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

33.—DERBYSHIRE.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*16·98	†132	—	—	—	—	49·18	3·73	2·30	3·90	5·00	6·25	9·15	13·32	29·03	66·15	159·91
Mean Population, 1891-1900	—	230,381	6,126	5,683	5,655	5,644	5 594	28,702	27,105	25,346	22,782	21,441	35,430	26,242	19,339	13,357	7,828	2,809
Deaths from All Causes, 1891-1900	16·67	38,408	9,464	2,667	945	591	448	14,115	1.011	582	889	1,073	2,216	2,400	2,575	3,877	5,178	4,492
Small-pox	0·02	50	12	1	1	2	3	19	3	—	1	4	11	7	—	3	2	—
Measles	0·42	978	225	398	141	84	62	910	55	4	3	1	4	1	—	—	—	—
Scarlet Fever	0·17	397	20	43	69	62	41	235	107	29	7	8	7	2	2	—	—	—
Diphtheria	0·14	316	14	33	37	55	40	179	96	22	6	5	6	1	1	—	—	—
Whooping-cough	0·34	783	366	236	83	50	26	761	21	1	—	—	—	—	—	—	—	—
Typhus	0·00	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Enteric Fever	0·13	311	1	—	4	2	5	12	32	44	54	40	63	34	19	8	5	—
Simple Continued Fever ..	0·00	6	2	2	—	1	1	6	—	—	—	—	—	—	—	—	—	—
Diarrhœa and Dysentery ..	0·61	1,394	992	159	23	3	6	1,183	14	4	1	—	6	8	9	35	61	73
Cholera	0·01	24	14	1	—	—	—	15	2	—	—	—	1	—	1	3	—	2
Cancer	0·81	1,859	1	—	1	2	1	5	3	3	8	8	51	205	437	517	466	156
Tabes Mesenterica	0·22	517	246	110	31	11	10	408	23	19	18	17	17	8	6	1	—	—
Phthisis	1·07	2,455	28	22	9	15	6	80	63	130	299	344	640	499	232	120	41	7
Other Tub. and Scrof. Dis. ..	0·35	799	219	133	49	39	33	473	86	40	56	35	44	29	20	10	5	1
Diseases of: Nervous System	2·18	5,030	1,710	246	103	48	35	2,142	107	48	58	61	129	268	289	588	817	583
Diseases of: Circulatory "	1·78	4,093	26	5	—	3	6	40	44	66	97	89	216	347	528	942	1,193	531
Diseases of: Respiratory "	2·82	6,495	1,656	833	276	129	84	2 978	146	28	48	64	146	212	309	671	1,074	819
Diseases of: Digestive "	1·15	2,645	779	235	38	25	24	1,101	73	44	43	63	120	158	245	346	294	158
Diseases of: Urinary "	0·30	682	11	9	5	4	3	32	17	10	13	27	86	97	98	124	136	42
Diseases of: Generative "	0·07	172	1	—	—	—	—	1	—	1	5	10	30	42	37	25	17	4
Puerperal Fever	0·17	381	—	—	—	—	—	—	—	—	23	100	175	78	5	—	—	—
Childbirth	0·20	459	—	—	—	—	—	—	—	—	18	81	202	149	8	1	—	—
Violence	0·35	805	108	36	34	36	40	254	50	20	27	29	61	60	59	71	79	95
OTHER CAUSES	3·36	7,756	3,033	165	41	20	22	3,281	69	69	104	87	201	255	270	411	988	2,021

Marriages 36,019
Births 71,849

Deaths from Childbirth and Puerperal Fever .. .. } 5·75 per 1000 Births of both Sexes.

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

Annual Births to 1000 Females aged 15—45 years = 138.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

34.—CHESHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*19·75	†170	—	—	—	—	62·71	4·27	2·39	3·41	4·89	6·72	11·54	19·42	37·50	77·78	167·99
Mean Population, 1891-1900	—	358,889	9,231	8,422	8,546	8,641	8,562	43,402	41,436	39,952	37,145	33,297	55,660	42,595	30,880	20,122	10,785	3,615
Deaths from All Causes, 1891-1900	19·36	69,493	19,055	4,709	1,644	1,067	743	27,218	1,769	954	1,266	1,627	3,741	4,915	5,996	7,545	8,389	6,073
Small-pox	0·01	47	2	1	—	—	—	3	1	1	—	2	14	10	9	2	5	—
Measles	0·40	1,440	374	590	194	132	56	1,346	81	10	—	1	1	—	1	—	—	—
Scarlet Fever	0·17	618	24	83	102	111	77	397	151	32	9	6	14	5	1	3	—	—
Diphtheria	0·21	755	56	102	112	102	102	474	220	27	9	4	10	5	—	3	2	1
Whooping-cough	0·34	1,203	609	357	114	70	24	1,174	28	—	—	—	1	—	—	—	—	—
Typhus	0·00	16	—	—	—	1	—	1	2	1	1	—	3	6	2	—	—	—
Enteric Fever	0·23	839	4	7	3	6	9	29	55	60	102	139	203	132	66	42	9	2
Simple Continued Fever ..	0·01	28	2	1	3	2	—	8	2	2	1	1	1	2	3	4	3	1
Diarrhœa and Dysentery ..	0·77	2,765	2,148	274	49	11	9	2,491	14	1	3	3	13	13	22	42	91	72
Cholera	0·03	105	53	17	2	3	—	75	—	1	1	1	1	7	2	11	5	1
Cancer	0·61	2,193	6	3	1	1	1	12	10	1	9	19	46	148	428	692	619	209
Tabes Mesenterica	0·24	860	505	133	50	20	16	724	43	22	24	9	11	10	7	7	3	—
Phthisis	1·40	5,028	48	51	20	14	18	151	65	88	290	551	1,230	1,214	844	461	116	18
Other Tub. and Scrof. Dis. ..	0·47	1,677	477	304	157	100	61	1,099	153	84	64	56	84	45	47	36	9	—
Diseases of: Nervous System	2·38	8,531	2,826	473	147	96	82	3,624	153	98	89	78	243	477	667	1,044	1,363	695
Diseases of: Circulatory "	1·75	6,292	58	9	2	4	5	78	62	85	93	104	276	532	914	1,531	1,787	830
Diseases of: Respiratory "	3·77	13,513	3,612	1,445	428	232	158	5,875	236	82	132	190	502	799	1,186	1,641	1,787	1,083
Diseases of: Digestive "	1·35	4,842	2,030	436	75	41	38	2,620	95	75	70	69	158	276	438	482	390	169
Diseases of: Urinary "	0·55	1,978	59	19	11	6	12	107	46	26	24	37	112	214	286	417	485	224
Diseases of: Generative "	0·01	26	8	—	—	—	—	8	1	—	—	—	1	2	2	3	4	5
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0·95	3,397	239	79	91	74	40	523	217	140	190	225	451	517	449	375	211	99
OTHER CAUSES ..	3·71	13,340	5,915	325	83	41	35	6,399	134	118	155	132	366	501	622	749	1,500	2,664

Marriages 54,202
Births 112,229

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

34.—CHESHIRE.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*17·91	†141	—	—	—	—	53·16	4·19	2·39	3·44	4·40	6·59	9·83	15·74	31·49	68·41	155·57
Mean Population, 1891–1900	—	386,185	9,403	8,408	8,678	8,461	8,594	43,544	41,250	39,592	38,724	38,419	63,349	46,441	33,894	23,294	13,042	4,636
Deaths from All Causes, 1891–1900	17·19	66,392	15,241	4,407	1,701	1,050	747	23,146	1,730	947	1,334	1,691	4,174	4,565	5,335	7,336	8,922	7,212
Small-pox	0·00	15	2	—	—	—	—	2	1	—	1	3	4	1	2	—	1	—
Measles	0·34	1,297	288	531	200	125	67	1,211	75	3	3	—	4	—	—	1	—	—
Scarlet Fever	0·16	629	31	75	106	97	83	392	156	34	16	11	14	6	—	—	—	—
Diphtheria	0·21	825	46	92	115	136	108	497	247	35	14	6	10	6	2	4	2	2
Whooping-cough	0·39	1,514	662	464	197	97	52	1,472	38	3	1	—	—	—	—	—	—	—
Typhus	0·00	17	—	—	—	—	—	—	1	1	2	—	4	4	5	—	—	—
Enteric Fever	0·16	619	1	5	7	3	9	25	52	56	81	85	120	90	66	27	16	1
Simple Continued Fever ..	0·01	30	2	3	1	2	4	12	2	2	1	3	4	2	2	—	2	—
Diarrhœa and Dysentery ..	0·64	2,471	1,783	304	43	15	13	2,158	13	3	7	2	18	8	24	58	100	80
Cholera	0·02	82	50	7	4	1	1	63	4	2	—	—	—	—	3	5	5	—
Cancer	0·85	3,285	1	3	5	5	3	17	2	7	6	14	87	372	763	958	768	291
Tabes Mesenterica	0·20	781	370	145	53	20	16	604	54	23	19	21	29	16	5	8	2	—
Phthisis	1·20	4,615	45	47	27	20	21	160	90	184	412	568	1,292	964	557	285	97	6
Other Tub. and Scrof. Dis. ..	0·37	1,446	362	238	118	79	59	856	186	71	61	65	92	54	28	19	9	5
Diseases of: Nervous System	2·06	7,939	2,223	405	159	101	54	2,942	139	77	95	74	193	358	714	1,072	1,443	832
Diseases of: Circulatory "	1·76	6,812	34	11	4	8	4	61	73	127	145	133	366	605	959	1,636	1,838	869
Diseases of: Respiratory "	3·03	11,709	2,656	1,321	419	203	140	4,739	241	75	97	123	347	504	822	1,465	1,949	1,347
Diseases of: Digestive "	1·23	4,765	1,601	382	76	37	29	2,125	115	67	97	98	202	332	447	553	495	234
Diseases of: Urinary "	0·36	1,392	32	13	16	12	6	79	19	24	20	56	153	207	242	274	212	106
Diseases of: Generative "	0·07	255	6	6	—	1	1	14	1	2	4	9	40	52	50	48	27	8
Puerperal Fever	0·16	625	—	—	—	—	—	—	—	—	20	125	332	146	2	—	—	—
Childbirth	0·20	755	—	—	—	—	—	—	—	—	17	98	363	273	4	—	—	—
Violence	0·40	1,541	272	73	69	45	45	504	114	41	50	52	122	117	139	136	148	118
OTHER CAUSES	3·37	12,973	4,774	282	82	43	32	5,213	107	110	165	145	378	448	499	787	1,808	3,313

Marriages 54,202
Births 107,861

Deaths from Childbirth and Puerperal Fever .. .. } 6·27 per 1000 Births of both Sexes.

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

Annual Births to 1000 Females aged 15—45 years = 118.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

35.—LANCASHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*24·28	†195	—	—	—	—	79·39	5·31	2·89	4·41	5·57	7·79	14·88	25·49	46·66	91·62	178·39
Mean Population, 1891–1900	—	2,008,256	54,342	48,640	48,679	48,048	47,863	247,572	230,208	221,678	208,175	192,054	327,031	249,276	173,975	100,617	45,514	12,156
Deaths from All Causes, 1891–1900	22·52	452,289	130,318	38,225	14,044	8,125	5,831	196,543	12,216	6,415	9,184	10,701	25,474	37,080	44,344	46,948	41,699	21,685
Small-pox	0·02	330	24	13	5	9	5	56	21	9	11	26	69	77	43	15	3	—
Measles	0·62	12,480	3,206	5,111	2,028	984	562	11,891	548	25	12	4	—	—	—	—	—	—
Scarlet Fever	0·26	5,147	296	775	944	822	691	3,528	1,231	198	87	37	44	17	5	—	—	—
Diphtheria	0·20	3,940	323	696	632	632	564	2,847	838	105	38	26	29	20	16	14	6	1
Whooping-cough	0·43	8,710	3,996	2,639	1,025	505	291	8,456	248	3	1	—	1	—	—	1	—	—
Typhus	0·01	215	1	—	2	6	2	11	12	13	15	19	43	53	33	13	2	1
Enteric Fever	0·30	5,994	21	63	78	81	93	336	411	458	829	940	1,368	891	459	238	58	6
Simple Continued Fever ..	0·01	208	29	15	21	14	7	86	19	13	13	10	15	18	14	8	8	4
Diarrhœa and Dysentery ..	1·15	23,001	16,911	3,435	431	145	79	21,001	111	30	14	28	93	131	236	390	538	429
Cholera	0·05	1,057	565	137	15	12	8	737	20	4	8	13	27	46	73	81	40	8
Cancer	0·49	9,909	17	14	14	18	13	76	37	39	52	108	321	1,019	2,350	3,094	2,206	607
Tabes Mesenterica	0·31	6,216	3,152	1,311	446	211	134	5,254	325	164	111	67	110	75	67	33	9	1
Phthisis	1·82	36,587	407	344	222	137	146	1,256	538	641	2,260	3,590	8,213	9,463	6,778	2,943	843	62
Other Tub. & Scrof. Dis. ..	0·52	10,453	3,187	2,051	929	469	403	7,039	1,117	545	383	281	414	311	192	117	50	4
Diseases of: Nervous System	2·66	53,515	19,235	3,658	1,395	773	552	25,613	1,318	605	574	486	1,496	3,186	4,459	6,400	6,605	2,773
Diseases of: Circulatory "	1·63	32,719	358	58	45	36	64	561	371	632	792	675	1,942	3,713	6,061	8,155	7,275	2,542
Diseases of: Respiratory "	5·11	102,677	25,193	11,674	3,788	2,031	1,295	43,981	2,176	626	1,224	1,599	4,279	7,737	11,366	13,221	11,478	4,990
Diseases of: Digestive "	1·51	30,361	12,840	3,317	623	285	222	17,287	686	468	534	460	1,053	1,875	2,677	2,718	1,929	674
Diseases of: Urinary "	0·58	11,605	266	170	93	84	83	696	261	136	192	273	786	1,555	2,138	2,486	2,160	922
Diseases of: Generative "	0·01	135	42	9	1	—	1	53	1	—	1	2	3	7	17	24	18	9
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	1·06	21,354	2,430	574	669	562	373	4,608	1,071	907	1,063	1,131	2,568	3,033	2,993	2,257	1,292	431
OTHER CAUSES	3·77	75,676	37,819	2,161	638	309	243	41,170	856	794	970	926	2,600	3,853	4,367	4,740	7,179	8,221

Marriages 346,694
Births 668,670

* Death-rate in Standard Population.
† The Death-rate under one year of age is per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

35.—LANCASHIRE.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*21·56	†163	—	—	—	—	67·56	5·25	2·81	3·95	5·04	7·29	12·40	19·81	38·99	79·43	161·88
Mean Population, 1891–1900	—	2,168,157	54,810	49,255	49,565	49,127	48,413	251,170	233,938	226,181	221,142	218,537	360,390	266,284	191,764	120,285	60,292	18,174
Deaths from All Causes, 1891–1900	19·81	429,574	105,748	36,178	13,648	8,403	5,716	169,693	12,277	6,350	8,726	11,011	26,289	33,027	37,993	46,897	47,891	29,420
Small-pox	0·01	210	26	5	10	3	10	54	17	6	13	17	52	29	13	7	1	1
Measles	0·55	11,943	2,589	4,918	2,093	1,073	590	11,263	620	19	9	10	12	5	4	—	1	—
Scarlet Fever	0·24	5,189	236	736	881	916	699	3,468	1,299	220	73	58	46	19	5	1	—	—
Diphtheria	0·19	4,078	277	661	637	646	526	2,747	1,018	143	41	24	44	30	19	9	3	—
Whooping-cough	0·50	10,930	4,384	3,476	1,457	787	450	10,554	361	8	—	1	3	2	—	—	—	1
Typhus	0·01	209	—	4	2	3	3	12	12	13	13	12	59	47	22	13	4	2
Enteric Fever	0·22	4,707	19	55	57	78	80	289	490	531	644	586	963	616	347	173	61	7
Simple Continued Fever ..	0·01	237	32	23	20	11	12	98	44	15	6	4	8	19	11	18	9	5
Diarrhœa and Dysentery ..	0·98	21,258	14,859	3,343	446	157	65	18,870	135	32	27	28	92	139	247	460	712	516
Cholera	0·04	881	472	136	20	7	6	641	29	7	3	8	28	28	36	57	35	9
Cancer	0·79	17,146	14	13	16	12	11	66	20	25	55	79	634	2,505	4,610	4,914	3,314	915
Tabes Mesenterica	0·25	5,333	2,483	1,156	350	160	108	4,257	288	169	124	101	156	111	65	41	20	1
Phthisis	1·36	29,490	320	325	175	158	114	1,092	660	1,119	2,901	3,608	7,709	6,725	3,550	1,568	498	60
Other Tub. and Scrof. Dis. ..	0·39	8,472	2,342	1,582	768	486	333	5,511	963	484	333	270	358	266	146	95	41	5
Diseases of: Nervous System	2·28	49,363	14,343	3,041	1,250	757	473	19,864	1,250	566	566	554	1,415	2,749	4,556	6,917	7,373	3,553
Diseases of: Circulatory "	1·76	38,077	298	53	33	44	45	473	536	806	906	978	2,450	4,386	6,621	9,132	8,584	3,205
Diseases of: Respiratory "	4·17	90,340	19,599	10,876	3,656	1,970	1,259	37,360	1,999	581	731	942	2,826	5,139	8,040	12,449	13,245	7,028
Diseases of: Digestive "	1·39	30,139	10,366	3,120	606	331	242	14,665	684	392	534	673	1,345	2,040	2,980	3,246	2,622	958
Diseases of: Urinary "	0·40	8,584	197	155	84	69	88	593	198	185	213	304	850	1,347	1,638	1,636	1,254	366
Diseases of: Generative "	0·09	1,928	17	28	17	2	—	64	3	10	48	98	379	492	401	237	154	42
Puerperal Fever	0·18	3,846	—	—	—	—	—	—	—	—	131	825	1,974	897	19	—	—	—
Childbirth	0·20	4,288	—	—	—	—	—	—	—	—	95	629	1,934	1,577	53	—	—	—
Violence	0·48	10,331	2,320	471	463	395	351	4,000	838	261	311	260	600	829	949	944	780	559
OTHER CAUSES	3·32	72,595	30,555	2,001	607	338	251	33,752	804	758	949	942	2,352	3,030	3,661	4,980	9,180	12,187

Marriages 346,694
Births 647,329

Deaths from Childbirth and Puerperal Fever .. .. } 6·18 per 1000 Births of both Sexes.

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

Annual Births to 1000 Females aged 15—45 years = 123.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

36.—YORKSHIRE (WEST RIDING).—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*21·29	†181	—	—	—	—	70·65	4·69	2·61	4·10	4·83	6·27	11·52	20·05	40·16	83·53	177·92
Mean Population, 1891–1900	—	1,265,734	33,303	29,960	29,547	29,414	29,070	151,294	141,285	136,671	130,813	121,409	203,698	156,058	112,256	68,974	33,503	9,773
Deaths from All Causes, 1891–1900	20·12	254,636	72,238	20,408	7,070	4,185	2,986	106,887	6,624	3,568	5,365	5,861	12,775	17,981	22,504	27,699	27,984	17,388
Small-pox	0·03	384	43	13	16	10	9	91	24	6	13	29	84	79	35	14	7	2
Measles	0·47	5,902	1,445	2,455	959	461	269	5,589	284	22	1	1	3	2	—	—	—	—
Scarlet Fever	0·21	2,606	138	359	386	407	311	1,601	720	152	63	20	32	12	6	—	—	—
Diphtheria	0·22	2,843	158	382	406	500	424	1,870	752	112	31	14	24	18	9	7	4	2
Whooping-cough	0·33	4,213	2,069	1,281	435	216	120	4,121	90	1	1	—	—	—	—	—	—	—
Typhus	0·00	14	—	—	—	—	—	—	—	1	2	—	2	3	5	—	—	1
Enteric Fever	0·24	3,037	11	30	29	29	34	133	169	267	423	466	650	466	271	140	44	8
Simple Continued Fever ..	0·01	81	16	4	4	5	8	37	9	3	4	4	4	6	4	6	1	3
Diarrhœa and Dysentery ..	0·86	10,870	8,098	1,543	155	49	25	9,870	39	14	6	6	31	53	96	182	310	263
Cholera	0·04	467	247	44	7	4	4	306	9	3	6	6	6	21	42	39	25	4
Cancer	0·52	6,601	3	10	11	8	10	42	23	23	47	58	214	588	1,359	2,082	1,648	517
Tabes Mesenterica	0·26	3,319	1,637	722	199	94	54	2,706	188	87	90	54	72	50	34	24	13	1
Phthisis	1·60	20 286	161	212	111	88	58	630	274	336	1,450	2,142	4,178	4,730	3,743	2,129	601	73
Other Tub. and Scrof. Dis. ..	0·48	6,018	1,621	1,189	509	280	244	3,843	614	349	237	193	267	195	169	106	39	6
Diseases of Nervous System	2·70	34,140	12.861	2,170	776	411	274	16,492	699	362	336	285	764	1,535	2,391	3,874	4,904	2,498
Diseases of Circulatory „	1·62	20,487	164	29	20	19	19	251	200	339	434	376	986	1,992	3,442	5,095	5,284	2,088
Diseases of Respiratory „	4·28	54,214	14,667	6,539	2.039	1,012	690	24,947	1,064	262	480	598	1,772	3,082	4.726	6,864	6,817	3.602
Diseases of Digestive „	1·28	16,199	6,236	1,756	258	126	91	8,467	299	237	318	283	573	1,002	1,367	1,695	1,394	564
Diseases of Urinary „	0·56	7,128	104	94	58	49	55	360	149	70	109	158	370	760	1,160	1,561	1,621	810
Diseases of Generative „	0·01	90	21	1	2	1	—	25	—	—	1	1	9	8	13	12	17	4
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0·91	11,575	905	259	315	229	172	1,880	553	487	709	670	1,491	1,654	1,652	1,344	805	330
OTHER CAUSES	3·49	44,162	21,633	1,316	375	187	115	23,626	465	435	604	497	1,243	1,725	1,980	2,525	4,450	6,612

Marriages 213,860
Births 399,152

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

36.—YORKSHIRE (WEST RIDING).—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*18·85	†147	—	—	—	—	58·46	4·75	2·74	4·28	4·85	6·20	9·61	15·21	31·67	71·00	164·69
Mean Population, 1891–1900	—	1,335,250	33,521	30,501	30,181	30,030	29,669	153,902	144,023	138,492	134,810	131,881	217,870	162,188	118,989	78,207	41,622	13,266
Deaths from All Causes. 1891–1900	17·68	236,127	57,004	18,817	6,869	4,302	2,984	89,976	6,848	3,796	5,764	6,390	13,502	15,584	18,097	24,769	29,553	21,848
Small-pox	0·02	299	51	21	17	13	10	112	25	10	20	24	45	38	14	7	4	—
Measles	0·42	5,615	1,236	2,255	905	527	300	5,223	352	14	8	7	6	4	1	—	—	—
Scarlet Fever	0·20	2,619	119	275	406	448	333	1,581	738	155	48	31	45	16	2	1	1	1
Diphtheria	0·22	2,917	112	348	410	463	394	1,727	953	117	24	29	28	18	11	6	4	—
Whooping-cough	0·39	5,192	2,226	1,685	637	336	165	5,049	134	6	—	1	—	1	—	—	—	1
Typhus	0·00	16	—	—	—	—	—	—	—	1	1	2	4	3	3	—	1	1
Enteric Fever	0·18	2,448	12	25	40	39	33	149	225	264	386	311	500	296	190	90	30	7
Simple Continued Fever ..	0·01	90	10	8	8	5	6	37	12	4	6	7	10	3	5	4	1	1
Diarrhœa and Dysentery ..	0·77	10,223	7,152	1,541	175	62	35	8,965	46	17	12	12	28	69	96	194	404	380
Cholera	0·03	364	185	50	5	3	3	246	6	—	2	3	9	22	14	29	24	9
Cancer	0·88	11,730	9	8	6	10	5	38	21	20	32	51	382	1,561	2,870	3,437	2,506	812
Tabes Mesenterica	0·22	2,921	1,257	564	206	83	61	2,171	185	118	100	79	103	79	53	22	9	2
Phthisis	1·23	16,432	170	170	93	75	61	569	395	806	2,207	2,388	4,043	2,950	1,629	1,007	377	61
Other Tub. and Scrof. Dis. ..	0·38	5,047	1,221	888	412	270	196	2,987	622	333	307	173	230	173	109	68	37	8
Diseases of: Nervous System	2·27	30,365	9,419	1,692	673	396	268	12,448	629	360	361	317	679	1,344	2,427	3,900	5,074	2,826
Circulatory "	1·72	22,910	134	32	16	21	22	225	282	458	541	490	1,324	2,282	3,546	5,260	5,944	2,558
Respiratory "	3·37	44,942	10,900	6,189	1,933	1,051	675	20,748	909	283	368	411	1,156	1,780	2,776	5,084	6,836	4,591
Digestive "	1·14	15,269	4,753	1,615	288	113	102	6,871	373	192	300	374	643	982	1,396	1,744	1,641	753
Urinary "	0·36	4,826	69	87	62	40	38	296	106	81	113	159	489	691	794	985	797	315
Generative "	0·08	1,071	8	12	5	1	1	27	2	4	33	36	189	284	210	147	107	32
Puerperal Fever	0·15	1,995	—	—	—	—	—	—	—	—	79	447	1,031	425	13	—	—	—
Childbirth	0·19	2,521	—	—	—	—	—	—	—	—	80	382	1,130	902	27	—	—	—
Violence	0·34	4,595	791	210	211	186	165	1,563	425	125	159	153	314	315	389	394	413	345
OTHER CAUSES ..	3·11	41,720	17,170	1,142	361	160	111	18,944	408	428	577	503	1,114	1,346	1,522	2,390	5,343	9,145

Marriages 213,860
Births 387,803

Deaths from Childbirth and Puerperal Fever .. .. } 5·74 per 1000 Births of both Sexes.

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

Annual Births to 1000 Females aged 15—45 years = 122.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

37.—YORKSHIRE (EAST RIDING).—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*19·25	†183	—	—	—	—	64·97	4·11	2·38	4·13	5·14	6·68	11·51	17·48	31·82	68·18	162·97
Mean Population, 1891–1900	—	208,182	5,478	5,021	5,133	5,035	5,006	25,673	23,942	22,946	21,316	18,760	31,022	24,442	18,515	12,112	6,929	2,525
Deaths from All Causes, 1891–1900	19·63	40,869	12,196	2,509	909	606	460	16,680	984	546	880	965	2,071	2,813	3,237	3,854	4,724	4,115
Small-pox	0·05	110	5	3	—	2	1	11	5	6	4	6	26	23	20	6	2	1
Measles	0·38	789	190	277	126	82	55	730	51	3	3	1	1	—	—	—	—	—
Scarlet Fever	0·13	275	16	36	42	44	37	175	71	16	3	4	5	1	—	—	—	—
Diphtheria	0·13	279	16	27	39	48	49	179	71	10	5	6	3	3	1	1	—	—
Whooping-cough	0·28	580	286	171	60	30	18	565	13	2	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·25	529	—	3	5	6	10	24	36	45	85	92	108	64	40	17	16	2
Simple Continued Fever ..	0·01	14	4	1	—	—	—	5	4	1	—	—	—	2	—	1	—	1
Diarrhœa and Dysentery ..	1·26	2,613	2,105	239	19	13	5	2,381	7	1	2	2	7	11	20	44	62	76
Cholera	0·03	65	35	4	—	—	—	39	1	—	—	2	2	3	7	7	4	—
Cancer	0·59	1,234	—	1	2	6	3	12	7	4	4	9	30	88	237	401	309	133
Tabes Mesenterica	0·24	497	293	65	27	13	7	405	30	20	6	15	6	2	11	—	2	—
Phthisis	1·42	2,958	43	27	22	20	11	123	57	69	280	368	665	640	428	234	83	11
Other Tub. and Scrof. Dis. ..	0·43	904	200	112	64	53	40	469	113	39	48	31	68	51	44	31	8	2
Diseases of: Nervous System	2·81	5,856	2,060	291	102	43	46	2,542	79	40	53	45	175	379	450	635	868	590
Circulatory "	1·77	3,694	29	6	6	1	3	45	30	38	46	41	195	372	565	793	969	600
Respiratory "	3·28	6,822	2,034	781	252	144	86	3,297	119	40	55	70	170	382	483	670	895	641
Digestive "	1·19	2,468	927	217	29	17	12	1,202	39	37	30	29	100	156	220	246	265	144
Urinary "	0·56	1,174	20	8	12	7	5	52	19	13	16	21	69	118	150	202	323	191
Generative "	0·01	18	5	—	—	—	—	5	—	—	—	—	1	1	2	6	2	1
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	1·04	2,158	164	52	56	44	44	360	149	98	153	143	260	278	282	213	128	94
OTHER CAUSES	3·77	7,832	3,764	188	46	33	28	4,059	83	64	87	80	180	239	277	347	788	1,628

Marriages 34,680
Births 66,807

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

37.—YORKSHIRE (EAST RIDING).—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*17·03	†149	—	—	—	—	53·70	3·85	2·73	3·75	4·98	6·16	9·73	14·24	26·53	57·95	146·45
Mean Population, 1891-1900	—	216,408	5,557	5,138	5,045	5,059	5,045	25,844	24,014	22,769	21,556	20,323	33,492	25,005	18,810	13,076	8,010	3,509
Deaths from All Causes, 1891-1900	17·41	37,666	9,508	2,528	863	578	400	13,877	924	621	808	1,012	2,064	2,432	2,678	3,469	4,642	5,139
Small-pox	0·04	80	5	5	2	1	3	16	2	4	4	7	15	25	3	3	1	—
Measles	0·34	725	138	287	112	74	50	661	56	3	2	—	1	—	1	1	—	—
Scarlet Fever	0·14	300	19	42	41	51	33	186	78	21	8	2	4	—	1	—	—	—
Diphtheria	0·13	271	9	33	31	40	47	160	81	17	3	5	2	2	1	—	—	—
Whooping-cough	0·35	767	374	228	89	48	12	751	15	1	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·22	472	2	4	10	5	11	32	50	42	64	69	87	60	47	15	5	1
Simple Continued Fever ..	0·01	21	3	1	2	1	2	9	2	—	1	1	1	2	1	2	1	1
Diarrhœa and Dysentery ..	1·05	2,279	1,696	283	30	12	9	2,030	8	1	2	1	7	18	10	29	63	110
Cholera	0·02	44	22	4	2	—	—	28	1	—	1	1	2	2	2	2	5	—
Cancer	1·00	2,169	1	2	1	1	—	5	5	8	9	10	80	268	520	578	468	218
Tabes Mesenterica	0·22	472	213	67	29	6	5	320	36	26	24	20	22	12	8	1	3	—
Phthisis	1·19	2,573	20	25	15	9	14	83	77	162	316	363	637	503	258	114	49	11
Other Tub. and Scrof. Dis. ..	0·33	715	140	96	57	46	31	370	91	66	40	26	37	42	17	18	6	2
Diseases of: Nervous System	2·32	5,026	1,467	260	84	56	35	1,902	91	48	36	59	140	265	373	560	848	704
Diseases of: Circulatory "	1·64	3,546	14	5	3	4	2	28	34	67	62	64	198	289	476	699	953	676
Diseases of: Respiratory "	2·83	6,116	1,546	796	246	142	79	2,809	122	31	37	55	114	186	324	619	899	920
Diseases of: Digestive "	1·03	2,221	720	192	20	17	14	963	42	26	53	67	95	148	187	248	252	140
Diseases of: Urinary "	0·29	619	7	10	5	3	1	26	5	15	19	21	74	85	89	120	112	53
Diseases of: Generative "	0·11	232	1	1	2	—	—	4	—	—	6	9	48	58	39	29	23	16
Puerperal Fever	0·12	258	—	—	—	—	—	—	—	—	10	64	116	68	—	—	—	—
Childbirth	0·16	342	—	—	—	—	—	—	—	—	13	45	151	125	8	—	—	—
Violence	0·39	834	154	32	40	33	34	293	70	16	30	28	50	70	72	67	66	72
OTHER CAUSES	3·48	7,584	2,957	155	42	29	18	3,201	58	67	68	95	183	204	241	364	888	2,215

Marriages 34,680
Births 64,009

Deaths from Childbirth and Puerperal Fever .. .. } 4·59 per 1000 Births of both Sexes.

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

Annual Births to 1000 Females aged 15—45 years = 130.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

38.—YORKSHIRE (NORTH RIDING).—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*17·95	†160	—	—	—	—	57·13	3·87	2·27	4·11	5·45	6·96	10·61	16·54	31·52	64·35	158·40
Mean Population, 1891–1900	—	181,358	4,740	4,355	4,350	4,393	4,338	22,176	21,313	20,425	19,078	15,727	25,918	20,775	16,049	10,912	6,415	2,570
Deaths from All Causes, 1891–1900	18·69	33,900	8,846	2,284	761	445	334	12,670	824	463	784	857	1,803	2,205	2,655	3,440	4,128	4,071
Small-pox	0·08	143	3	3	3	2	2	13	16	3	10	13	37	28	18	3	2	—
Measles	0·28	503	104	218	80	32	25	459	33	4	—	2	3	—	1	—	1	—
Scarlet Fever	0·11	192	8	32	32	28	18	118	44	11	5	4	5	2	2	1	—	—
Diphtheria	0·14	246	14	37	30	27	48	156	60	13	3	2	3	7	1	—	1	—
Whooping-cough	0·29	525	260	156	54	23	14	507	18	—	—	—	—	—	—	—	—	—
Typhus	0·00	5	—	—	—	—	—	—	—	—	—	1	—	1	2	1	—	—
Enteric Fever	0·25	453	2	6	1	8	8	25	35	36	61	57	93	56	51	24	14	1
Simple Continued Fever ..	0·01	18	—	1	3	2	1	7	2	—	—	3	1	—	1	1	2	1
Diarrhœa and Dysentery ..	0·61	1,111	802	143	19	3	4	971	5	1	1	3	5	9	11	14	39	52
Cholera	0·04	67	34	8	1	—	1	44	3	—	—	1	2	—	2	5	5	5
Cancer	0·60	1,082	1	1	2	1	3	8	4	3	6	1	16	60	176	301	345	162
Tabes Mesenterica	0·28	515	247	120	44	14	6	431	25	19	6	10	13	6	2	1	1	1
Phthisis	1·19	2,164	25	36	5	7	9	82	41	42	198	288	498	426	332	177	71	9
Other Tub. and Scrof. Dis. ..	0·45	815	219	162	64	36	21	502	95	45	45	28	37	30	19	7	6	1
Diseases of: Nervous System	2·49	4,523	1,577	290	88	43	37	2,035	108	49	49	36	94	169	238	488	690	567
Diseases of: Circulatory "	1·63	2,962	19	2	3	5	—	29	21	43	41	44	132	197	361	669	830	595
Diseases of: Respiratory "	3·68	6,666	1 469	669	225	143	87	2,593	135	30	90	121	364	533	653	793	751	603
Diseases of: Digestive "	1·13	2,051	736	190	30	15	10	981	46	31	38	27	62	131	158	203	234	140
Diseases of: Urinary "	0·54	981	12	14	5	7	10	48	18	10	14	18	42	69	105	170	254	233
Diseases of: Generative "	0·01	14	4	—	—	—	—	4	—	—	—	1	1	—	2	2	4	—
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0·97	1,751	107	37	35	30	19	228	48	70	137	123	217	256	244	222	142	64
OTHER CAUSES	3·91	7,113	3,203	159	37	19	11	3,429	67	53	80	74	178	225	276	358	736	1,637

Marriages 26,699
Births 55,175

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

38.—YORKSHIRE (North Riding).—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*16·54	†132	—	—	—	—	48·14	4·03	2·60	4·06	5·05	6·47	9·30	14·00	26·52	58·85	152·60
Mean Population, 1891-1900	—	183,152	4,679	4,305	4,417	4,453	4,440	22,294	21,214	20,541	18,430	16,738	27,016	20,724	15,618	10,842	6,794	2,941
Deaths from All Causes, 1891-1900	16·89	30,938	6,969	2,142	793	466	363	10,733	855	535	749	845	1,747	1,927	2,186	2,875	3,998	4,488
Small-pox	0·06	104	4	—	1	1	1	7	9	4	9	15	33	15	10	1	1	—
Measles	0·26	482	99	202	75	34	27	437	33	3	3	—	3	2	1	—	—	—
Scarlet Fever	0·13	233	6	32	24	38	30	130	71	10	5	4	7	4	2	—	—	—
Diphtheria	0·15	273	6	31	34	36	52	159	78	19	2	3	6	1	1	3	1	—
Whooping-cough	0·36	664	308	203	72	44	18	645	18	1	—	—	—	—	—	—	—	—
Typhus	0·00	4	—	—	—	—	—	—	—	—	—	—	—	2	1	1	—	—
Enteric Fever	0·19	342	—	5	8	8	7	28	30	42	45	45	64	38	22	19	7	2
Simple Continued Fever ..	0·01	20	—	—	2	—	1	3	9	—	1	2	2	2	—	—	—	1
Diarrhœa and Dysentery ..	0·50	910	605	117	17	11	4	754	6	3	1	1	6	4	12	27	45	51
Cholera	0·03	60	36	10	—	—	—	46	3	—	—	—	1	4	1	3	2	—
Cancer	0·89	1,630	2	—	1	4	1	8	—	2	3	3	58	147	360	444	397	208
Tabes Mesenterica	0·29	540	219	114	33	24	16	406	28	19	17	18	26	14	9	2	1	—
Phthisis	1·19	2,174	33	29	15	13	10	100	55	125	272	307	519	408	218	121	41	8
Other Tub. and Scrof. Dis. ..	0·35	647	133	112	33	31	19	328	96	53	32	26	46	27	17	13	8	1
Diseases of Nervous System	2·20	4,033	1,131	207	99	48	34	1,519	103	57	55	32	61	142	292	435	693	644
Diseases of Circulatory „	1·69	3,100	19	6	4	1	3	33	25	44	50	63	158	241	363	622	867	634
Diseases of Respiratory „	2·83	5,177	1,174	728	246	105	93	2,346	118	35	51	67	162	247	303	448	713	687
Diseases of Digestive „	1·08	1,981	574	161	37	17	13	802	46	31	49	48	96	140	176	202	241	150
Diseases of Urinary „	0·33	606	10	11	7	5	3	36	10	10	19	14	55	76	87	94	124	81
Diseases of Generative „	0·07	137	1	2	3	1	—	7	—	1	1	11	21	26	26	16	18	10
Puerperal Fever	0·11	201	—	—	—	—	—	—	—	—	7	39	94	60	1	—	—	—
Childbirth	0·17	305	—	—	—	—	—	—	—	—	10	55	131	103	6	—	—	—
Violence	0·35	635	103	24	32	25	19	203	54	17	25	19	29	53	48	56	52	79
Other Causes	3·65	6,680	2,506	148	50	20	12	2,736	63	59	92	73	169	171	230	368	787	1,932

Marriages 26,699
Births 52,987

Deaths from Childbirth and Puerperal Fever .. .. } 4·68 per 1000 Births of both Sexes.

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

Annual Births to 1000 Females aged 15—45 years = 130.

Note.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

39.—DURHAM.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*20·31	†181	—	—	—	—	69·53	4·76	2·93	4·88	5·83	6·41	9·99	17·25	35·04	75·40	167·72
Mean Population, 1891-1900	—	560,026	17,062	15,062	14,804	14,758	14,488	76,174	68,106	62,965	58,695	52,081	85,168	64,396	46,749	28,152	13,531	4,009
Deaths from All Causes, 1891-1900	19·77	110,703	36,405	9,864	3,453	1,88	1,363	52,967	3,243	1,844	2,865	3,038	5,463	6,430	8,062	9,864	10,203	6,724
Small-pox	0·01	51	3	1	—	—	3	7	3	—	1	4	12	7	11	5	—	1
Measles	0·50	2,800	624	1,150	487	220	139	2,620	167	4	3	2	4	—	—	—	—	—
Scarlet Fever	0·17	977	75	135	157	145	130	642	251	55	16	5	4	2	1	1	—	—
Diphtheria	0·13	730	66	121	107	117	93	504	175	22	16	3	3	2	2	2	1	—
Whooping-cough	0·35	1,973	946	632	198	105	43	1,924	49	—	—	—	—	—	—	—	—	—
Typhus	0·01	39	—	—	—	1	—	1	5	2	5	7	6	8	4	1	—	—
Enteric Fever	0·34	1,919	6	13	21	33	34	107	141	158	326	343	410	212	143	58	18	3
Simple Continued Fever ..	0·02	91	7	8	10	7	5	37	11	7	8	5	4	5	5	3	5	1
Diarrhœa and Dysentery ..	0·85	4,739	3,277	911	112	20	13	4,333	34	10	10	5	16	23	46	64	91	107
Cholera	0·04	200	102	25	5	2	3	137	3	1	—	1	7	10	19	13	8	1
Cancer	0·43	2,429	3	4	5	2	2	16	9	4	19	24	55	195	514	787	602	204
Tabes Mesenterica	0·36	2,028	903	510	172	69	49	1,703	117	69	43	28	21	21	16	8	2	—
Phthisis	1·43	8,026	106	114	44	34	54	352	208	248	845	1,173	1,839	1,525	1,113	555	158	10
Other Tub. and Scrof. Dis. ..	0·55	3,082	794	559	260	147	134	1,894	393	196	157	122	112	70	74	43	21	—
Diseases of Nervous System	2·55	14,262	5,770	933	345	188	155	7,391	356	171	170	118	337	564	921	1,551	1,804	879
Diseases of Circulatory „	1·49	8,334	83	15	5	14	19	136	107	148	158	141	430	844	1,364	2,042	2,068	896
Diseases of Respiratory „	3·75	21,020	6,579	2,944	1,011	478	290	11,302	519	111	210	297	625	998	1,555	2,109	2,176	1,118
Diseases of Digestive „	1·39	7,759	3,619	975	167	77	42	4,880	155	122	115	104	210	357	495	644	490	187
Diseases of Urinary „	0·39	2,168	53	79	40	31	37	240	81	44	51	45	127	189	259	406	466	260
Diseases of Generative „	0·00	19	1	2	1	—	—	4	1	—	1	—	—	4	2	5	1	1
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	1·05	5,872	408	121	128	114	71	842	249	295	488	411	791	778	837	653	388	140
OTHER CAUSES	3·96	22,185	12,980	612	178	78	47	13,895	209	177	223	200	450	616	681	914	1,904	2,916

Marriages 88,904
Births 201,352

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

39.—DURHAM.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*19·35	†154	—	—	—	—	60·32	5·02	3·07	4·60	6·00	7·47	10·91	16·02	31·32	66·48	153·85
Mean Population, 1891–1900	—	541,812	16,750	14,953	14,936	14,790	14,500	75,929	67,954	62,526	56,725	50,617	81,512	58,536	41,703	26,793	14,405	5,112
Deaths from All Causes, 1891–1900	18·78	101,765	29,668	9,252	3,404	1,987	1,487	45,798	3,414	1,919	2,612	3,035	6,090	6,384	6,680	8,391	9,577	7,865
Small-pox	0·01	28	4	2	1	—	1	8	1	—	2	3	8	3	1	1	1	—
Measles	0·49	2,673	520	1,076	479	226	167	2,468	186	9	2	4	1	2	—	—	1	—
Scarlet Fever	0·20	1,107	71	142	183	188	144	728	271	63	18	5	18	3	1	—	—	—
Diphtheria	0·14	757	34	107	103	121	102	467	236	32	6	2	3	4	2	2	2	1
Whooping-cough	0·48	2,585	1,142	770	311	189	89	2,501	76	5	—	—	3	—	—	—	—	—
Typhus	0·01	37	1	—	1	—	2	4	2	3	7	4	5	4	6	1	—	1
Enteric Fever	0·26	1,411	2	13	23	31	24	93	139	204	248	181	255	140	88	51	11	1
Simple Continued Fever ..	0·02	96	7	7	11	5	4	34	20	8	5	2	10	6	4	3	3	1
Diarrhœa and Dysentery ..	0·82	4,439	2,962	807	105	39	18	3,931	34	4	4	6	20	22	34	96	159	129
Cholera	0·03	158	81	24	3	6	1	115	4	—	3	3	2	3	10	10	6	2
Cancer	0·74	3,992	3	3	4	3	—	13	10	7	11	21	151	564	1,009	1,126	794	286
Tabes Mesenterica	0·36	1,933	744	477	152	75	43	1,491	117	73	59	45	72	42	21	8	4	1
Phthisis	1·42	7,689	101	90	54	45	38	328	313	481	997	1,129	2,014	1,388	664	295	70	10
Other Tub. and Scrof. Dis. ..	0·51	2,741	627	480	259	138	136	1,640	368	196	161	88	135	82	40	19	9	3
Diseases of Nervous System	2·35	12,724	4,612	850	357	198	144	6,161	394	152	137	128	281	539	914	1,445	1,617	956
Diseases of Circulatory „	1·52	8,254	60	14	9	15	13	111	118	185	194	220	526	926	1,337	1,808	1,888	941
Diseases of Respiratory „	3·21	17,384	5,063	2,777	890	453	331	9,514	488	136	157	187	494	672	902	1,502	1,966	1,366
Diseases of Digestive „	1·41	7,638	2,952	919	168	73	61	4,173	169	104	153	197	337	422	562	703	573	245
Diseases of Urinary „	0·32	1,754	38	76	29	27	20	190	65	41	53	79	176	255	292	292	230	81
Diseases of Generative „	0·07	373	9	6	8	2	—	25	2	2	9	20	84	79	73	37	33	9
Puerperal Fever	0·16	873	—	—	—	—	—	—	—	—	52	200	408	210	3	—	—	—
Childbirth	0·22	1,203	—	—	—	—	—	—	—	—	66	248	491	381	16	1	—	—
Violence	0·35	1,910	354	96	96	88	91	725	192	55	56	50	120	114	151	153	149	145
Other Causes	3·68	20,006	10,281	516	158	65	58	11,078	209	159	212	213	476	523	550	838	2,061	3,687

Marriages 88,904
Births 193,120

Deaths from Childbirth and Puerperal Fever .. .. } 5·26 per 1000 Births of both Sexes.

Annual Births to 1000 Females aged 15—45 years = 159.

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

40.—NORTHUMBERLAND.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*20·37	†177	—	—	—	—	65·28	4·74	3·13	4·90	6·16	7·28	11·77	19·45	35·15	72·91	173·05
Mean Population, 1891–1900	—	275,104	7,605	6,882	6,726	6,765	6,692	34,670	31,718	29,891	28,553	26,376	43,691	32,271	23,596	14,513	7,402	2,423
Deaths from All Causes, 1891–1900	19·76	54,354	16,182	3,672	1,414	796	570	22,634	1,505	935	1,398	1,624	3,180	3,798	4,589	5,101	5,397	4,193
Small-pox	0·00	6	—	—	—	—	—	—	—	—	—	1	1	2	1	1	—	—
Measles	0·42	1,168	281	461	197	99	61	1,099	58	6	2	1	2	—	—	—	—	—
Scarlet Fever	0·15	424	33	55	66	60	49	263	110	30	5	5	5	5	—	—	1	—
Diphtheria	0·17	460	49	73	62	62	67	313	98	15	9	2	8	5	5	2	1	2
Whooping-cough	0·36	978	506	269	107	49	17	948	29	—	—	—	—	—	—	—	1	—
Typhus	0·00	12	—	—	—	—	—	—	1	1	1	1	3	1	3	1	—	—
Enteric Fever	0·22	604	5	9	11	6	8	39	52	64	78	111	125	74	34	20	6	1
Simple Continued Fever ..	0·01	28	2	2	2	2	3	11	4	2	1	2	2	1	3	—	2	—
Diarrhœa and Dysentery ..	0·68	1,880	1,437	249	34	7	5	1,732	9	3	2	2	10	6	11	23	44	38
Cholera	0·02	54	22	4	—	—	1	27	1	—	1	1	1	4	10	5	2	2
Cancer	0·58	1,583	2	1	2	2	2	9	5	7	9	9	46	150	336	480	390	142
Tabes Mesenterica	0·36	997	465	202	76	27	13	783	75	36	27	16	28	13	9	6	3	1
Phthisis	1·87	5,151	46	50	40	18	18	172	109	154	484	664	1,220	1,041	776	412	107	12
Other Tub. and Scrof. Dis. ..	0·53	1 467	341	250	115	81	70	857	201	88	99	68	68	34	25	16	9	2
Diseases of Nervous System	2·51	6,900	2,469	349	137	82	47	3,084	156	69	75	69	189	368	542	741	984	623
Diseases of Circulatory „	1·81	4,967	49	3	8	4	4	68	63	48	77	84	232	516	773	1,200	1,197	709
Diseases of Respiratory „	3·12	8,575	2,814	1,022	324	183	103	4,446	192	60	104	106	270	437	660	811	888	601
Diseases of Digestive „	1·56	4,294	1,941	400	79	32	24	2,476	72	64	71	82	149	226	362	349	294	149
Diseases of Urinary „	0·49	1,358	24	20	15	14	8	81	25	30	23	40	97	123	199	244	304	192
Diseases of Generative „	0·00	10	2	—	—	—	—	2	—	1	—	—	2	—	2	1	2	—
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	1·17	3,223	300	58	69	44	37	508	131	144	217	252	456	457	451	341	194	72
OTHER CAUSES	3·73	10,215	5,394	195	70	24	33	5,716	114	113	113	108	266	335	387	448	968	1,647

Marriages 44,932
Births 91,266

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

40.—NORTHUMBERLAND.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*18·79	†144	—	—	—	—	55·38	4·82	3·17	4·67	5·59	7·58	10·93	15·84	30·28	66·69	160·39
Mean Population, 1891–1900	—	275,108	7,575	6,984	6,767	6,678	6,697	34,701	31,392	29,701	28,232	27,385	43,484	30,753	22,620	15,020	8,525	3,295
Deaths from All Causes, 1891–1900	18·28	50,283	12,596	3,676	1,400	908	639	19,219	1,513	941	1,319	1,532	3,296	3,362	3,583	4,548	5,685	5,285
Small-pox	0·00	7	1	—	—	—	—	1	2	—	1	2	—	1	—	—	—	—
Measles	0·42	1,163	240	451	172	127	74	1,064	82	6	1	3	5	1	1	—	—	—
Scarlet Fever	0·15	416	22	50	66	59	48	245	107	31	8	3	14	7	—	1	—	—
Diphtheria	0·14	392	14	61	60	72	44	251	110	14	6	3	5	—	1	—	1	1
Whooping-cough	0·43	1,187	520	340	147	87	45	1,139	44	2	—	—	1	—	—	—	1	—
Typhus	0·00	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—
Enteric Fever	0·17	461	2	5	5	7	12	31	59	65	80	55	82	43	31	8	4	3
Simple Continued Fever ..	0·01	41	—	—	5	4	2	11	9	2	2	5	2	1	4	1	2	2
Diarrhœa and Dysentery ..	0·61	1,690	1,204	246	25	14	7	1,496	7	1	—	3	3	6	11	25	56	82
Cholera	0·02	52	30	1	2	—	—	33	—	—	—	—	3	2	4	4	3	3
Cancer	0·87	2,388	3	2	5	3	1	14	7	4	7	8	94	300	573	640	530	211
Tabes Mesenterica	0·34	944	395	180	73	32	21	701	77	45	17	31	29	26	10	7	1	—
Phthisis	1·56	4,295	38	54	41	16	16	165	131	272	557	574	1,084	785	430	223	68	6
Other Tub. and Scrof. Dis. ..	0·48	1,325	265	207	120	80	63	735	206	107	76	55	62	37	19	17	9	2
Diseases of: Nervous System	2·27	6,257	1,840	349	140	83	58	2,470	158	83	73	64	163	295	470	741	1,040	700
Diseases of: Circulatory "	1·80	4,955	46	4	1	1	7	59	44	77	91	113	311	465	724	1,053	1,267	751
Diseases of: Respiratory "	2·70	7,411	1,947	1,028	340	197	136	3,648	204	46	68	94	218	297	360	699	920	857
Diseases of: Digestive "	1·50	4,136	1,515	414	81	38	32	2,080	85	46	85	101	163	252	336	392	380	216
Diseases of: Urinary "	0·33	920	18	27	9	11	9	74	15	16	24	40	132	143	135	178	121	42
Diseases of: Generative "	0·12	318	4	3	4	—	—	11	—	—	9	24	61	81	63	30	25	14
Puerperal Fever	0·16	430	—	—	—	—	—	—	—	—	24	108	208	89	1	—	—	—
Childbirth	0·21	573	—	—	—	—	—	—	—	—	20	97	277	173	6	—	—	—
Violence	0·44	1,203	255	52	45	48	39	439	71	28	44	35	94	88	108	95	98	103
OTHER CAUSES	3·55	9,717	4,237	202	59	29	25	4,552	95	96	126	114	285	270	295	434	1,158	2,292

Marriages.. 44,932
Births 87,699

Deaths from Childbirth and Puerperal Fever .. .. } 5·60 per 1000 Births of both Sexes.

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

Annual Births to 1000 Females aged 15—45 years = 138.

41.—CUMBERLAND.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*17·30	†146	—	—	—	—	51·29	4·11	2·22	3·80	5·34	6·14	9·70	15·93	33·15	70·11	166·38
Mean Population, 1891–1900	—	131,420	3,519	3,246	3,266	3,218	3,256	16,505	15,946	15,235	14,066	11,406	18,261	14,951	11,492	7,568	4,336	1,654
Deaths from All Causes, 1891–1900	17·73	23,306	5,804	1,508	538	376	240	8,466	656	338	534	609	1,121	1,450	1,831	2,509	3,040	2,752
Small-pox	0·01	8	—	—	—	—	—	—	—	—	2	—	—	1	2	1	2	—
Measles	0·53	694	171	292	92	57	34	646	43	2	—	—	1	—	2	—	—	—
Scarlet Fever	0·21	275	13	44	35	40	26	158	80	21	5	5	5	1	—	—	—	—
Diphtheria	0·12	155	9	27	22	27	19	104	35	10	2	—	1	—	2	1	—	—
Whooping-cough	0·31	404	229	109	26	27	8	399	5	—	—	—	—	—	—	—	—	—
Typhus	0·00	6	1	—	—	—	—	1	1	1	1	—	—	2	—	—	—	—
Enteric Fever	0·09	112	1	—	—	—	—	1	7	9	24	20	21	18	8	3	1	—
Simple Continued Fever ..	0·00	5	1	—	1	—	—	2	1	—	—	1	1	—	—	—	—	—
Diarrhœa and Dysentery ..	0·34	445	323	58	7	5	1	394	5	—	2	—	1	3	6	12	10	12
Cholera	0·01	12	2	2	—	—	—	4	1	—	2	—	—	1	2	1	1	—
Cancer	0·67	875	1	—	—	1	1	3	3	2	5	6	14	71	166	2	250	113
Tabes Mesenterica	0·16	209	75	33	13	4	8	133	22	9	7	9	9	9	3	5	3	—
Phthisis	1·28	1,675	18	14	11	5	8	56	30	49	138	233	381	322	246	153	60	7
Other Tub. and Scrof. Dis. ..	0·44	581	161	105	38	30	21	355	76	37	36	23	16	14	14	4	6	—
Diseases of: Nervous System	2·03	2,666	726	123	53	34	23	959	68	28	36	28	59	131	196	351	470	340
Diseases of: Circulatory "	1·78	2,345	10	1	—	3	1	15	21	22	41	23	78	155	276	559	693	462
Diseases of: Respiratory "	3·24	4,252	1,208	448	151	94	45	1,946	82	21	45	56	137	226	315	426	582	416
Diseases of: Digestive "	1·16	1,528	620	122	23	7	6	778	32	31	32	32	65	87	108	138	150	75
Diseases of: Urinary "	0·54	703	14	6	6	4	5	35	17	9	8	19	35	56	84	150	163	127
Diseases of: Generative "	0·00	3	1	1	—	—	—	2	—	—	—	—	—	—	—	—	—	1
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	1·04	1,370	81	28	38	25	20	192	73	48	89	90	174	167	196	177	113	51
OTHER CAUSES	3·77	4,983	2,139	95	22	13	14	2,283	54	39	59	64	123	186	205	286	536	1,148

Marriages 18,484
Births 39,868

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

41.—CUMBERLAND.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*16·29	†114	—	—	—	—	42·54	3·87	2·53	4·14	5·11	6·61	9·38	13·96	28·84	63·90	156·64
Mean Population, 1891-1900	—	135,318	3,399	3,097	3,292	3,180	3,206	16,174	16,012	15,052	13,688	12,284	19,504	15,295	11,771	8,288	5,080	2,170
Deaths from All Causes, 1891-1900	16·61	22,477	4,432	1,343	544	339	222	6,880	620	381	566	628	1,289	1,435	1,643	2,390	3,246	3,399
Small-pox	0·00	2	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—
Measles	0·46	627	163	234	97	51	36	581	37	7	1	—	1	—	—	—	—	—
Scarlet Fever	0·19	253	12	37	41	38	24	152	60	22	3	5	8	1	1	—	1	—
Diphtheria	0·10	132	10	15	19	19	19	82	30	7	—	5	—	4	3	1	—	—
Whooping-cough	0·37	498	221	140	68	35	10	474	22	2	—	—	—	—	—	—	—	—
Typhus	0·00	5	—	—	—	—	—	—	—	—	1	—	1	—	2	—	1	—
Enteric Fever	0·07	91	—	1	—	1	1	3	8	13	13	9	16	16	6	6	1	—
Simple Continued Fever ..	0·00	5	1	—	1	—	—	2	—	—	—	—	—	—	—	—	—	3
Diarrhœa and Dysentery ..	0·31	425	240	73	16	2	2	333	6	4	—	2	2	3	4	11	28	32
Cholera	0·01	15	5	3	—	—	—	8	—	1	—	—	—	2	1	—	1	2
Cancer	0·92	1,250	—	1	—	1	2	4	6	4	3	7	32	133	250	317	358	136
Tabes Mesenterica	0·18	237	66	35	13	9	5	128	25	15	12	11	18	16	3	4	3	2
Phthisis	1·27	1,721	11	10	8	4	8	41	52	83	228	242	438	325	172	96	37	7
Other Tub. and Scrof. Dis. ..	0·34	462	97	73	32	21	18	241	72	44	33	22	15	15	12	4	3	1
Diseases of: Nervous System	2·00	2,711	572	118	44	37	20	791	60	40	43	25	79	110	199	381	549	434
Diseases of: Circulatory „	2·00	2,711	8	—	1	—	2	11	24	32	49	34	114	190	329	594	795	539
Diseases of: Respiratory „	2·67	3,613	926	390	136	71	46	1,569	81	15	33	36	89	136	187	391	538	538
Diseases of: Digestive „	1·03	1,393	417	97	25	6	10	555	32	19	45	48	67	89	133	157	134	114
Diseases of: Urinary „	0·38	520	9	9	3	2	2	25	14	12	10	19	48	71	91	93	98	39
Diseases of: Generative „	0·07	99	1	—	—	—	—	1	—	—	1	9	16	26	23	11	9	3
Puerperal Fever	0·14	191	—	—	—	—	—	—	—	—	7	42	102	39	1	—	—	—
Childbirth	0·19	255	—	—	—	—	—	—	—	—	10	39	105	95	6	—	—	—
Violence	0·34	460	54	20	15	29	9	127	38	8	17	17	23	29	35	39	57	70
OTHER CAUSES	3·57	4,801	1,619	87	25	13	8	1,752	53	53	57	56	114	135	185	284	633	1,479

Marriages 18,484
Births 38,890

Deaths from Childbirth and Puerperal Fever .. .. } 5·66 per 1000 Births of both Sexes.

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

Annual Births to 1000 Females aged 15—45 years = 130.

42.—WESTMORLAND.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*14·17	†117	—	—	—	—	37·30	3·12	1·75	3·03	3·86	5·95	8·55	13·47	26·36	61·08	166·84
Mean Population, 1891-1900	—	31,552	745	683	708	716	711	3,563	3,591	3,492	3,296	2,592	4,269	3,744	2,924	2,147	1,367	567
Deaths from All Causes, 1891-1900	15·90	5,017	960	206	68	56	39	1,329	112	61	100	100	254	320	394	566	835	946
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·19	60	15	23	9	7	2	56	3	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·08	24	2	4	2	3	6	17	3	2	—	1	—	—	1	—	—	—
Diphtheria	0·16	49	2	8	8	6	5	29	16	2	1	—	—	—	1	—	—	—
Whooping-cough	0·15	48	29	13	1	1	1	45	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·11	35	—	—	—	—	1	1	1	2	5	4	9	5	7	1	—	—
Simple Continued Fever ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa and Dysentery ..	0·22	70	42	3	3	1	—	49	1	—	1	—	2	1	1	1	6	8
Cholera	0·02	7	2	1	—	—	—	3	—	1	—	—	1	—	—	1	1	—
Cancer	0·72	227	—	—	—	—	—	—	—	—	—	1	—	11	30	57	84	44
Tabes Mesenterica	0·10	32	10	4	3	2	1	20	3	2	1	1	2	3	—	—	—	—
Phthisis	0·98	310	1	1	2	1	—	5	—	3	24	36	73	85	43	27	11	3
Other Tub. and Scrof. Dis. ..	0·45	143	34	23	7	7	2	73	17	4	7	6	7	16	4	7	2	—
Diseases of Nervous System	1·96	618	164	20	6	7	1	198	7	7	10	5	11	16	39	74	133	118
Diseases of Circulatory "	1·93	608	5	1	—	—	2	8	5	3	6	7	22	37	66	116	187	151
Diseases of Respiratory "	2·43	768	165	55	14	14	9	257	16	2	5	9	24	43	54	104	117	137
Diseases of Digestive "	1·14	361	98	20	4	1	2	125	7	11	5	5	19	22	32	45	52	38
Diseases of Urinary "	0·68	215	3	1	1	1	1	7	3	1	5	2	9	15	20	33	64	56
Diseases of Generative "	0·01	3	1	—	—	—	—	1	—	—	—	—	—	—	—	—	1	1
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0·95	299	16	10	6	3	6	41	11	7	11	18	44	34	43	45	27	18
OTHER CAUSES	3·62	1,140	371	19	2	2	—	394	16	13	19	5	31	32	53	55	150	372

Marriages 4,343
Births 8,234

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

42.—WESTMORLAND.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*13·18	†97	—	—	—	—	31·23	3·84	2·16	3·16	3·89	5·49	6·84	11·39	21·57	54·48	152·27
Mean Population, 1891-1900	—	33,845	726	714	744	715	710	3,609	3,618	3,650	3,476	3,083	5,047	3,934	3,055	2,230	1,483	660
Deaths from All Causes, 1891-1900	14·07	4,763	776	186	73	50	42	1,127	139	79	110	120	277	269	348	481	808	1,005
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·17	59	17	14	12	3	4	50	5	1	1	—	1	1	—	—	—	—
Scarlet Fever	0·09	32	1	5	3	4	1	14	12	2	—	—	2	1	—	—	1	—
Diphtheria	0·13	44	1	3	3	5	4	16	19	3	3	—	1	1	1	—	—	—
Whooping-cough	0·17	56	37	11	4	1	1	54	1	1	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·09	30	—	—	—	1	—	1	4	2	4	1	7	3	3	2	1	2
Simple Continued Fever ..	0·00	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
Diarrhœa and Dysentery ..	0·22	75	34	12	2	—	—	48	1	—	—	—	1	1	4	2	9	9
Cholera	0·00	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	0·87	293	1	—	—	—	—	1	—	—	—	—	2	26	54	73	94	43
Tabes Mesenterica	0·13	43	13	8	1	1	—	23	2	2	6	5	3	1	1	—	—	—
Phthisis	0·92	313	2	1	—	1	1	5	9	15	35	44	80	58	28	22	13	4
Other Tub. and Scrof. Dis. ..	0·44	150	35	22	8	3	4	72	19	13	10	4	10	8	9	3	2	—
Diseases of: Nervous System	1·86	631	135	20	5	6	5	171	13	7	7	8	18	18	49	58	151	131
Diseases of: Circulatory "	1·87	632	4	—	—	—	—	4	7	6	11	6	22	37	71	146	175	147
Diseases of: Respiratory "	1·88	635	129	57	21	14	8	229	17	4	1	3	15	28	27	66	111	134
Diseases of: Digestive "	1·00	337	65	15	5	5	5	95	7	10	10	13	15	16	36	40	55	40
Diseases of: Urinary "	0·33	112	2	1	1	—	1	5	1	1	1	7	12	11	13	15	26	20
Diseases of: Generative "	0·06	21	—	—	—	—	—	—	—	—	1	—	5	5	4	3	3	—
Puerperal Fever	0·12	42	—	—	—	—	—	—	—	—	2	8	21	10	1	—	—	—
Childbirth	0·14	48	—	—	—	—	—	—	—	—	3	6	21	16	2	—	—	—
Violence	0·28	95	8	6	2	3	4	23	9	3	5	2	12	2	7	7	15	10
Other Causes	3·30	1,113	291	11	5	3	4	314	13	9	10	13	29	26	38	44	152	465

Marriages 4,343
Births 8,006

Deaths from Childbirth and Puerperal Fever .. .. } 5·54 per 1000 Births of both Sexes.

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

Annual Births to 1000 Females aged 15—45 years = 105.

43.—MONMOUTHSHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*19·55	†168	—	—	—	—	65·58	4·70	2·41	3·76	4·79	6·27	10·31	18·72	36·34	74·77	150·40
Mean Population, 1891-1900	—	151,712	4,256	3,693	3,812	3,803	3,738	19,302	17,694	15,990	16,001	14,683	23,901	17,589	12,487	8,061	4,383	1,621
Deaths from All Causes, 1891-1900	19·43	29,474	8,688	2,238	827	537	369	12,659	832	385	602	703	1,499	1,813	2,337	2,929	3,277	2,438
Small-pox	0·00	7	1	—	—	—	—	1	1	—	—	—	2	2	—	—	1	—
Measles	0·54	822	210	319	131	72	41	773	46	1	1	—	—	1	—	—	—	—
Scarlet Fever	0·23	346	29	52	52	54	48	235	87	13	4	5	1	—	—	1	—	—
Diphtheria	0·29	436	38	59	66	65	51	279	108	20	13	4	5	1	3	2	1	—
Whooping-cough	0·36	547	296	147	52	23	17	535	11	—	1	—	—	—	—	—	—	—
Typhus	0·00	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Enteric Fever	0·18	279	4	6	4	5	7	26	21	19	29	61	60	33	15	10	5	—
Simple Continued Fever ..	0·01	10	3	3	2	1	—	9	1	—	—	—	—	—	—	—	—	—
Diarrhœa and Dysentery ..	0·49	749	511	100	16	1	2	630	3	—	—	—	4	2	11	19	41	39
Cholera	0·02	33	21	1	—	—	—	22	2	—	—	—	1	2	1	3	—	2
Cancer	0·45	684	1	4	1	1	—	7	5	4	3	3	19	57	136	203	168	79
Tabes Mesenterica	0·15	235	116	57	12	6	3	194	16	7	5	2	5	1	5	—	—	—
Phthisis	0·99	1,495	32	35	16	6	7	96	23	27	107	164	348	298	256	123	45	8
Other Tub. and Scrof. Dis. ..	0·35	527	155	94	43	21	14	327	53	24	18	24	36	25	4	11	3	2
Diseases of: Nervous System	2·47	3,748	1,719	178	59	39	23	2,018	78	40	45	28	96	184	225	334	442	258
Diseases of: Circulatory "	1·56	2,369	23	2	2	1	2	30	35	44	65	42	115	210	356	527	615	330
Diseases of: Respiratory "	4·54	6,887	1,739	839	255	147	99	3,079	125	27	54	113	258	385	586	863	861	536
Diseases of: Digestive "	1·32	2,000	914	189	33	19	7	1,162	38	29	20	14	65	119	129	161	181	82
Diseases of: Urinary "	0·49	743	4	12	8	12	7	43	15	6	9	17	49	65	122	150	183	84
Diseases of: Generative "	0·00	3	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	1·15	1,751	57	32	41	38	25	193	108	81	152	149	289	230	228	177	103	41
OTHER CAUSES	3·84	5,802	2,815	109	34	26	16	3,000	56	42	76	77	146	198	260	344	626	977

Marriages 23,155
Births 51,728

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

43.—MONMOUTHSHIRE.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*17·82	†135	—	—	—	—	54·14	4·65	2·35	3·49	5·47	7·08	10 23	14·83	31·14	65·49	137·29
Mean Population, 1891–1900	—	142,649	4,282	3,720	3,762	3,811	3,782	19,357	17,746	15,890	14,022	12,999	21,312	15,407	11,432	7,931	4,668	1,885
Deaths from All Causes, 1891–1900	18·07	25,773	6,730	2,108	775	470	396	10,479	825	374	490	711	1,508	1,576	1,695	2,470	3,057	2,588
Small-pox	0·00	6	1	—	—	—	—	1	—	1	—	1	1	—	1	—	—	1
Measles	0·56	800	166	296	156	68	44	730	63	—	—	4	1	—	—	2	—	—
Scarlet Fever	0·24	340	24	57	58	42	47	228	77	16	4	6	7	—	1	—	1	—
Diphtheria	0·36	512	23	62	59	77	81	302	159	23	6	5	5	5	3	2	2	—
Whooping-cough	0·48	681	289	233	74	32	27	655	25	—	—	—	—	—	—	—	1	—
Typhus	0·00	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Enteric Fever	0·15	214	2	4	6	4	4	20	19	28	35	20	50	26	8	6	1	1
Simple Continued Fever ..	0·01	13	3	2	1	—	—	6	2	—	2	—	—	2	1	—	—	—
Diarrhœa and Dysentery ..	0·43	607	394	65	9	4	3	475	3	1	—	3	9	11	7	22	36	40
Cholera	0·02	22	16	5	—	—	—	21	—	—	—	—	—	1	—	—	—	—
Cancer	0·67	962	1	—	—	2	1	4	3	—	1	7	29	111	251	270	225	61
Tabes Mesenterica	0·14	199	87	45	12	2	2	148	14	6	7	10	9	1	3	1	—	—
Phthisis	1·06	1,509	20	21	13	10	10	74	47	63	160	230	411	305	119	62	35	3
Other Tub. and Scrof. Dis. ..	0·31	443	120	62	24	13	20	239	63	31	25	23	30	17	5	6	4	—
Diseases of Nervous System	2·41	3,444	1,379	175	62	32	30	1,678	62	40	38	37	85	151	224	390	442	297
Diseases of Circulatory „	1·67	2,388	23	1	1	1	3	29	33	49	50	44	117	197	309	554	648	358
Diseases of Respiratory „	3·49	4,974	1,291	724	207	118	73	2,413	101	31	42	51	139	173	299	513	698	514
Diseases of Digestive „	1·32	1,883	761	193	27	16	17	1,014	49	21	26	32	71	107	141	183	152	87
Diseases of Urinary „	0·34	490	8	12	5	3	3	31	8	2	11	16	42	72	75	93	98	42
Diseases of Generative „	0·06	85	3	2	—	—	—	5	—	1	1	4	9	19	23	12	8	3
Puerperal Fever	0·20	291	—	—	—	—	—	—	—	—	13	74	146	57	1	—	—	—
Childbirth	0·27	387	—	—	—	—	—	—	—	—	10	72	179	122	4	—	—	—
Violence	0·34	492	53	29	31	29	23	165	50	14	15	10	32	31	44	39	43	49
OTHER CAUSES	3·54	5,030	2,066	120	30	17	8	2,241	47	47	44	62	136	167	176	315	663	1,132

Marriages 23,155
Births 49,900

Deaths from Childbirth and Puerperal Fever .. .. } 6·67 per 1000 Births of both Sexes.

Annual Births to 1000 Females aged 15—45 years = 159.

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

44.—SOUTH WALES.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*20·25	†178	—	—	—	—	68·60	4·79	2·99	4·71	6·15	7·19	10·82	18·19	35·85	71·15	152·32
Mean population, 1891-1900	—	571,862	15,649	13,681	14,070	14,064	13,860	71,324	65,976	60,941	60,277	55,935	92,133	67,143	46,991	29,610	15,576	5,956
Deaths from All Causes, 1891-1900	19·83	113,396	34,767	7,641	3,015	1,996	1,509	48,928	3,161	1,825	2,840	3,438	6,622	7,266	8,548	10,614	11,082	9,072
Small-pox	0·00	25	1	—	1	—	—	2	—	—	1	2	5	7	7	1	—	—
Measles	0·42	2,405	664	917	353	213	110	2,257	133	6	1	4	2	2	—	—	—	—
Scarlet Fever	0·20	1,123	88	170	165	182	160	765	260	49	17	11	14	3	4	—	—	—
Diphtheria	0·38	2,156	141	298	338	346	303	1,426	567	82	22	18	19	9	7	5	1	—
Whooping-cough	0·35	1,984	1,148	496	152	95	51	1,942	36	3	1	1	—	—	—	1	—	—
Typhus	0·00	17	—	—	—	—	1	1	—	—	5	2	4	3	1	1	—	—
Enteric Fever	0·20	1,171	4	16	12	29	30	91	116	103	162	195	273	118	73	27	9	4
Simple Continued Fever ..	0·01	30	4	2	—	—	5	11	4	4	1	2	1	3	3	1	—	—
Diarrhœa and Dysentery ..	0·59	3,382	2,585	403	49	18	5	3,060	9	4	4	4	12	23	20	51	85	110
Cholera	0·02	101	41	10	1	2	—	54	1	—	3	1	3	7	11	11	10	—
Cancer	0·51	2,914	5	1	4	8	3	21	13	14	26	20	87	228	559	847	765	334
Tabes Mesenterica	0·17	972	493	180	52	18	18	761	47	33	42	23	28	20	13	2	3	—
Phthisis	1·47	8,403	137	113	64	48	34	396	110	178	757	1,233	1,988	1,453	1,160	770	317	41
Other Tub. and Scrof. Dis. ..	0·44	2,515	584	369	177	123	91	1,344	329	199	155	134	143	96	51	44	15	5
Diseases of: Nervous System	2·95	16,869	9,085	763	281	153	130	10,412	295	141	149	136	349	*666	852	1,307	1,509	1,053
Diseases of: Circulatory „	1·51	8,620	63	4	7	8	15	97	109	134	201	154	556	809	1,332	1,880	2,163	1,185
Diseases of: Respiratory „	3·98	22,779	6,470	2,643	909	452	324	10,798	441	129	215	316	809	1,164	1,759	2,680	2,780	1,688
Diseases of: Digestive „	1·28	7,300	3,450	625	98	54	51	4,278	131	106	117	103	277	425	522	597	474	270
Diseases of: Urinary „	0·55	3,156	52	38	17	22	25	154	66	61	50	77	208	302	443	659	699	437
Diseases of: Generative „	0·01	35	12	3	—	—	—	15	—	—	—	—	2	3	3	7	4	1
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	1·34	7,671	287	153	199	168	104	911	287	372	700	754	1,291	1,189	957	683	383	144
OTHER CAUSES	3·45	19,768	9,453	437	136	57	49	10,132	207	207	211	248	551	736	771	1,040	1,865	3,800

Marriages 92,100
Births 195,362

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

44.—SOUTH WALES.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*18·45	†147	—	—	—	—	57·47	4·90	3·08	4·74	6·19	7·88	10·77	14·72	29·08	61·80	138·56
Mean Population, 1891–1900	—	559,533	15,661	13,674	14,178	14,332	13,909	71,754	65,777	60,616	55,941	53,321	85,976	61,733	45,851	31,656	18,603	8,305
Deaths from All Causes, 1891–1900	18·70	104,656	27,655	7,212	2,921	2,025	1,421	41,234	3,224	1,867	2,652	3,299	6,774	6,647	6,751	9,204	11,497	11,507
Small-pox	0·00	16	—	—	—	1	—	1	1	—	1	—	4	4	2	2	1	—
Measles	0·39	2,205	524	840	315	216	128	2,023	144	14	6	5	9	2	1	1	—	—
Scarlet Fever	0·20	1,130	88	160	171	174	123	716	263	78	18	14	27	10	2	1	1	—
Diphtheria	0·40	2,262	108	313	342	376	318	1,457	624	98	22	18	16	8	10	4	5	—
Whooping-cough	0·42	2,363	1,147	681	251	150	63	2,292	66	3	—	1	—	1	—	—	—	—
Typhus	0·00	9	—	—	—	—	—	—	1	1	—	—	2	2	2	1	—	—
Enteric Fever	0·18	979	5	10	21	22	28	86	131	115	134	120	180	123	49	31	10	—
Simple Continued Fever ..	0·01	41	3	3	5	2	1	14	4	5	5	1	1	3	—	3	1	4
Diarrhœa and Dysentery ..	0·55	3,094	2,234	362	52	10	2	2,660	17	4	3	2	20	25	35	64	133	131
Cholera	0·01	67	30	8	2	4	1	45	—	—	—	1	2	4	4	1	9	1
Cancer	0·77	4,282	3	4	4	3	1	15	9	5	15	18	135	512	990	1,196	990	397
Tabes Mesenterica	0·16	881	384	135	41	22	17	599	44	40	45	33	61	29	18	7	5	—
Phthisis	1·56	8,714	102	115	68	47	35	367	168	433	1,049	1,244	2,243	1,598	851	513	201	47
Other Tub. and Scrof. Dis. ..	0·39	2,205	477	253	151	123	92	1,096	308	200	161	132	141	78	51	22	12	4
Diseases of: Nervous System	2·67	14,915	7,004	662	270	150	89	8,175	245	151	159	163	329	508	870	1,301	1,767	1,247
Diseases of: Circulatory "	1·63	9,101	48	10	7	9	14	88	138	199	223	213	589	822	1,185	1,938	2,334	1,372
Diseases of: Respiratory "	3·24	18,121	4,789	2,418	846	458	289	8,800	466	133	148	214	476	603	943	1,824	2,536	1,978
Diseases of: Digestive "	1·24	6,945	2,722	614	99	58	57	3,550	164	72	146	180	312	395	500	657	610	359
Diseases of: Urinary "	0·40	2,236	28	34	23	20	21	126	58	52	49	101	252	306	347	441	342	162
Diseases of: Generative "	0·07	400	3	5	1	—	—	9	1	1	13	25	75	92	92	43	35	14
Puerperal Fever	0·21	1,172	—	—	—	—	—	—	—	—	49	270	579	263	11	—	—	—
Childbirth	0·26	1,477	—	—	—	—	—	—	—	3	52	221	676	509	16	—	—	—
Violence	0·34	1,899	252	133	137	117	82	721	168	62	92	59	114	118	129	132	147	157
OTHER CAUSES	3·60	20,142	7,704	452	115	63	60	8,394	204	198	262	264	531	632	643	1,022	2,358	5,634

Marriages 92,100
Births 188,030

Deaths from Childbirth and Puerperal Fever .. .. } 6·91 per 1000 Births of both Sexes.

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

Annual Births to 1000 Females aged 15—45 years = 149.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

45.—NORTH WALES.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*17·73	†148	—	—	—	—	50·23	3·87	2·64	4·46	6·51	7·23	10·61	16·54	33·32	71·25	166·16
Mean Population, 1891–1900	—	224,556	5,279	4,905	5,134	5,115	5,038	25,471	25,349	25,008	22,968	18,639	31,458	25,425	21,143	15,718	9,272	4,105
Deaths from All Causes, 1891–1900	19·51	43,806	9,429	1,785	712	481	388	12,795	982	660	1,023	1,214	2,273	2,697	3,497	5,238	6,606	6,821
Small-pox	0·00	9	1	—	—	—	—	1	—	—	—	—	2	5	—	—	1	—
Measles	0·21	478	156	163	52	35	18	424	39	9	1	—	1	2	2	—	—	—
Scarlet Fever	0·14	304	18	33	45	30	45	171	78	27	11	5	3	6	3	—	—	—
Diphtheria	0·21	468	26	55	47	63	58	249	153	44	5	4	4	2	2	2	2	1
Whooping-cough	0·27	597	319	145	65	28	18	575	20	2	—	—	—	—	—	—	—	—
Typhus	0·00	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Enteric Fever	0·15	330	3	5	4	3	3	18	16	21	40	39	74	60	29	23	10	—
Simple Continued Fever ..	0·01	17	1	2	—	1	1	5	1	2	3	1	1	1	1	—	2	—
Diarrhœa and Dysentery ..	0·30	672	433	74	9	5	4	525	2	1	2	3	2	5	10	13	39	70
Cholera	0·02	43	18	2	2	—	1	23	—	—	—	—	2	4	2	5	3	4
Cancer	0·88	1,970	—	1	2	—	1	4	2	5	11	11	33	104	304	578	596	322
Tabes Mesenterica	0·18	403	166	55	17	7	5	250	31	22	26	17	17	17	9	9	4	1
Phthisis	1·70	3,815	49	26	11	10	18	114	44	68	326	520	856	684	561	411	203	28
Other Tub. and Scrof. Dis. ..	0·38	864	178	98	61	29	23	389	102	81	64	53	70	39	27	21	13	5
Diseases of: Nervous System	3·14	7,047	2,780	252	85	55	44	3,216	101	70	65	57	138	211	348	708	1,099	1,034
Diseases of: Circulatory "	2·08	4,671	23	3	3	1	5	35	33	48	66	61	131	260	485	973	1,442	1,137
Diseases of: Respiratory "	3·50	7,854	1,789	616	189	126	75	2,795	134	47	72	119	235	373	584	987	1,296	1,212
Diseases of: Digestive "	1·17	2,629	787	118	30	21	22	978	58	52	49	39	95	175	249	345	366	223
Diseases of: Urinary "	0·80	1,787	25	12	9	9	6	61	28	16	27	30	74	119	204	329	459	440
Diseases of: Generative "	0·01	12	4	—	—	—	—	4	—	—	—	—	1	—	2	3	1	1
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0·94	2,116	59	31	42	32	25	189	67	76	158	161	301	308	300	293	166	97
OTHER CAUSES	3·42	7,719	2,594	94	39	26	16	2,769	73	69	97	94	233	322	375	538	903	2,246

Marriages 32,112
Births 63,568

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

45.—NORTH WALES.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	—	*16·40	†120	—	—	—	—	41·71	4·35	3·26	5·09	6·11	7·97	9·99	13·51	27·27	60·95	145·84
Mean Population, 1891–1900	—	234,816	5,246	4,810	5,094	5,097	4,996	25,243	25,120	24,544	22,006	20,176	34,308	27,117	22,630	17,250	10,933	5,489
Deaths from All Causes, 1891–1900	18·16	42,649	7,308	1,660	662	518	381	10,529	1,093	801	1,120	1,232	2,736	2,708	3,057	4,704	6,664	8,005
Small-pox	0·00	5	—	—	—	—	—	—	—	1	1	—	1	2	—	—	—	—
Measles	0·20	460	121	164	57	38	26	406	35	6	1	4	4	3	1	—	—	—
Scarlet Fever	0·15	342	22	44	35	51	42	194	88	26	9	8	10	5	2	—	—	—
Diphtheria	0·24	554	25	47	50	64	64	250	200	58	17	7	10	6	3	2	1	—
Whooping-cough	0·29	673	338	168	64	47	22	639	32	—	1	1	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·11	256	—	4	2	4	4	14	17	28	33	31	43	30	29	15	12	4
Simple Continued Fever ..	0·01	17	1	1	1	2	—	5	3	1	1	—	1	—	1	—	4	1
Diarrhœa and Dysentery ..	0·28	669	392	59	13	8	3	475	10	3	—	1	8	8	7	20	42	95
Cholera	0·01	24	13	1	1	—	—	15	—	—	—	1	1	—	2	1	4	—
Cancer	1·09	2,567	—	2	1	1	1	5	1	1	2	7	60	222	488	728	684	369
Tabes Mesenterica	0·18	428	126	54	23	8	8	219	28	30	34	18	40	27	13	11	7	1
Phthisis	1·62	3,793	28	28	10	7	8	81	83	177	464	518	973	649	418	263	142	25
Other Tub. and Scrof. Dis. ..	0·34	790	138	70	47	34	26	315	106	98	81	48	70	27	22	8	10	5
Diseases of: Nervous System	2·90	6,799	2,119	229	84	57	38	2,527	109	67	80	54	129	207	385	763	1,246	1,232
Diseases of: Circulatory "	2·11	4,947	14	3	3	2	9	31	35	60	82	62	184	303	551	1,008	1,486	1,145
Diseases of: Respiratory "	2·79	6,551	1,213	522	153	105	67	2,060	125	58	64	63	180	234	338	699	1,280	1,450
Diseases of: Digestive "	1·14	2,667	588	107	33	16	23	767	62	40	61	73	159	173	267	363	386	316
Diseases of: Urinary "	0·49	1,145	16	10	9	6	6	47	24	14	21	37	120	139	142	220	217	164
Diseases of: Generative "	0·08	187	—	—	1	—	—	1	—	2	2	7	33	46	40	23	22	11
Puerperal Fever	0·15	360	—	—	—	—	—	—	—	—	10	67	193	90	—	—	—	—
Childbirth	0·23	543	—	—	—	—	—	—	—	1	9	73	247	202	11	—	—	—
Violence	0·30	700	67	27	35	35	21	185	60	38	21	31	41	35	45	68	72	104
OTHER CAUSES	3·45	8,172	2,087	120	40	33	13	2,293	75	92	126	121	229	300	292	512	1,049	3,083

Marriages 32,112
Births 60,718

Deaths from Childbirth and Puerperal Fever .. .. } 7·27 per 1000 Births of both Sexes.

Annual Births to 1000 Females aged 15—45 years=120.

* Death-rate in Standard Population.
† The death-rate under one year of age is per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

1A.—PADDINGTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		19·18	*159	—	—	—	—	63·88	5·50	3·25	3·50	3·67	5·52	11·17	19·48	30·26	61·39	143·90
Males	—					21·70	*175	—	—	—	—	70·64	5·57	3·84	4·40	4·93	7·24	14·53	25·57	36·91	73·77	146·79
Females	—					16·82	*143	—	—	—	—	57·20	5·43	2·71	2·88	2·90	4·45	8·83	15·27	25·89	54·60	142·65
Mean Population, 1891–1900. Persons	—			123,648			2508	2217	2164	2196	2088	11173	9906	9390	11626	14717	24764	16620	11841	7686	4188	1737
Males	—			51,495			1258	1078	1085	1105	1026	5552	4863	4485	4750	5582	9513	6815	4841	3051	1483	560
Females	—			72,153			1250	1139	1079	1091	1062	5621	5043	4905	6876	9135	15251	9805	7000	4635	2705	1177
Deaths from All Causes, 1891–1900. Persons	17·68			21,862			4727	1276	536	328	270	7137	545	305	407	540	1367	1856	2307	2326	2571	2501
Males	20·99			10,808			2662	679	266	172	143	3922	271	172	209	275	689	990	1238	1126	1094	822
Females	15·32			11,054			2065	597	270	156	127	3215	274	133	198	265	678	866	1069	1200	1477	1679
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	—	0·00	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Measles	0·37	0·47	0·30	460	243	217	102	172	91	42	26	433	23	1	—	1	—	1	1	—	—	—
Scarlet Fever	0·03	0·03	0·03	40	17	23	2	2	7	10	2	23	9	3	1	—	2	2	—	—	—	—
Diphtheria	0·28	0·34	0·24	346	173	173	34	54	55	44	48	235	73	12	3	3	7	8	1	2	2	—
Whooping-cough	0·37	0·37	0·37	452	188	264	190	132	59	31	18	430	20	1	—	—	—	—	—	1	—	—
Typhus	0·00	—	0·00	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Enteric Fever	0·12	0·18	0·07	145	92	53	—	1	2	3	2	8	11	14	12	28	32	20	16	4	—	—
Simple Continued Fever	0·00	0·01	0·00	5	4	1	—	—	—	—	—	—	—	—	—	—	1	—	3	—	1	—
Diarrhœa & Dysentery	0·66	0·87	0·50	812	448	364	690	66	4	2	—	762	2	—	—	1	3	2	4	11	11	16
Cholera	0·01	0·02	0·01	14	9	5	7	—	—	1	—	8	—	—	—	—	—	1	2	2	1	—
Cancer	1·08	0·94	1·19	1340	482	858	3	2	3	2	3	13	—	2	6	8	30	138	322	363	304	154
Tabes Mesenterica	0·18	0·22	0·15	223	112	111	128	31	9	5	5	178	11	4	7	5	9	2	3	3	1	—
Phthisis	1·27	1·73	0·94	1572	892	680	18	26	6	4	4	58	18	21	70	136	343	376	317	155	60	18
Other Tub. & Scrof. Dis.	0·43	0·57	0·32	526	294	232	98	88	52	25	36	299	73	26	27	15	34	25	15	6	3	3
Diseases of Nervous System	1·57	1·90	1·33	1936	979	957	503	90	32	25	16	666	43	22	23	25	52	103	162	220	321	299
Circulatory	1·76	1·91	1·65	2179	985	1194	36	7	4	7	4	58	34	64	69	53	151	239	314	391	449	357
Respiratory	3·34	3·89	2·95	4129	2003	2126	821	404	116	63	45	1449	58	19	24	59	136	226	353	482	642	681
Digestive	1·34	1·52	1·22	1660	782	878	414	74	22	7	8	525	31	33	47	53	112	167	215	198	169	110
Urinary	0·68	0·99	0·45	838	512	326	8	3	1	3	4	19	11	7	15	24	58	114	153	128	181	128
Generative	0·08	0·02	0·13	101	9	92	—	1	2	1	—	4	—	—	3	8	20	28	20	7	7	4
Puerperal Fever	0·05	—	0·09	63	—	63	—	—	—	—	—	—	—	—	—	16	37	10	—	—	—	—
Childbirth	0·06	—	0·11	79	—	79	—	—	—	—	—	—	—	—	3	8	41	26	1	—	—	—
Violence	1·00	1·53	0·63	1241	789	452	192	37	42	36	36	343	80	40	39	36	138	166	161	103	79	56
Other Causes	3·00	3·48	2·64	3699	1795	1904	1481	86	29	17	13	1626	47	36	58	61	161	202	244	249	340	675

Marriages 11,234

Births .. { Males .. 15,186 / Females 14,472 } 29,658

Annual Rate per 1000 living { Persons Married .. 18·17 / Births .. .. .. 23·99

Annual Births to 1000 Females aged 15—45 years = 72.

Deaths from Childbirth and Puerperal Fever .. .. } 4·79 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

1B.—KENSINGTON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		20·69	*173	—	—	—	—	65·73	3·86	2·22	3·18	3·48	6·24	12·41	19·55	36·31	75·99	170·04
Annual Death-Rate per 1000. Males ..	—					23·43	*187	—	—	—	—	70·74	3·71	2·19	3·94	5·52	9·64	17·11	25·86	45·92	91·13	178·14
Annual Death-Rate per 1000. Females	—					18·11	*159	—	—	—	—	60·76	4·01	2·25	2·71	2·50	4·55	9·46	15·36	30·01	66·82	165·82
Mean Population, 1891–1900. Persons	—			170,077			3065	2824	2847	2843	2821	14400	13437	12885	16813	20712	33172	23285	16751	10444	5735	2443
Mean Population, 1891–1900. Males ..	—			66,691			1516	1382	1419	1427	1426	7170	6547	6117	6391	6688	10998	8968	6678	4133	2164	837
Mean Population, 1891–1900. Females	—			103,386			1549	1442	1428	1416	1395	7230	6890	6768	10422	14024	22174	14317	10073	6311	3571	1606
Deaths from All Causes, 1891–1900. Persons	18·85			32,061			6356	1850	649	391	219	9465	519	286	534	720	2070	2889	3274	3792	4358	4154
Deaths from All Causes, 1891–1900. Males ..	23·62			15,752			3483	950	331	205	103	5072	243	134	252	369	1060	1534	1727	1898	1972	1491
Deaths from All Causes, 1891–1900. Females	15·77			16,309			2873	900	318	186	116	4393	276	152	282	351	1010	1355	1547	1894	2386	2663
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	0·00	0·00	0·00	3	2	1	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—
Measles	0·45	0·60	0·35	762	400	362	176	323	109	77	29	714	41	2	—	1	2	2	—	—	—	—
Scarlet Fever	0·03	0·04	0·03	58	29	29	5	10	4	6	5	30	20	1	3	1	1	1	1	—	—	—
Diphtheria	0·14	0·16	0·12	238	110	128	21	33	29	41	24	148	57	12	4	4	5	2	4	1	—	1
Whooping-cough ..	0·34	0·43	0·29	583	286	297	243	195	75	30	21	564	17	1	—	1	—	—	—	—	—	—
Typhus	0·00	0·00	0·00	2	1	1	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
Enteric Fever	0·07	0·10	0·05	117	64	53	—	—	—	—	—	—	3	6	14	16	32	10	20	12	4	—
Simple Continued Fever	0·01	0·01	0·00	10	5	5	2	—	1	1	—	4	1	—	1	—	—	—	—	2	1	1
Diarrhœa & Dysentery	0·57	0·79	0·43	971	528	443	705	107	14	8	3	837	3	—	1	2	5	7	14	11	32	59
Cholera	0·02	0·02	0·01	29	16	13	13	2	1	—	—	16	—	—	—	1	2	1	1	2	3	3
Cancer	1·04	0·95	1·10	1766	633	1133	1	2	2	1	—	6	3	4	8	5	33	177	348	458	487	237
Tabes Mesenterica ..	0·15	0·20	0·11	251	136	115	143	33	10	7	2	195	15	8	6	8	11	3	2	3	—	—
Phthisis	2·53	3·79	1·71	4297	2529	1768	29	9	11	10	5	64	25	58	249	401	1041	1183	738	354	156	28
Other Tub. & Scrot. Dis.	0·43	0·57	0·35	737	377	360	219	135	63	42	25	484	89	27	31	14	24	30	18	10	5	5
Diseases of Nervous System ..	1·72	1·95	1·57	2922	1303	1619	557	99	40	26	15	737	35	22	22	25	76	159	304	457	605	480
Diseases of Circulatory „ ..	1·69	2·01	1·49	2877	1341	1536	31	7	3	1	2	44	30	44	54	59	155	262	425	595	741	468
Diseases of Respiratory „ ..	3·96	4·98	3·30	6732	3321	3411	1216	597	194	102	58	2167	71	21	34	40	209	378	578	877	1168	1189
Diseases of Digestive „	1·14	1·38	0·99	1945	918	1027	607	126	19	12	11	775	31	22	26	33	79	141	206	236	229	167
Diseases of Urinary „ ..	0·64	0·97	0·42	1080	645	435	7	3	3	1	3	17	7	6	5	12	58	125	174	224	259	193
Diseases of Generative „ ..	0·05	0·01	0·07	77	5	72	1	1	1	—	—	3	—	—	2	—	14	12	18	11	12	5
Puerperal Fever ..	0·04	—	0·06	67	—	67	—	—	—	—	—	—	—	—	—	11	36	20	—	—	—	—
Childbirth	0·05	—	0·09	89	—	89	—	—	—	—	—	—	—	—	2	12	45	29	1	—	—	—
Violence	0·51	0·75	0·35	861	497	364	280	17	13	13	10	333	27	15	15	19	59	69	72	100	70	82
OTHER CAUSES.. ..	3·27	3·91	2·88	5587	2606	2981	2100	151	57	13	6	2327	44	37	57	53	183	278	348	438	586	1236

Marriages 15,855

Births .. { Males .. 18,653 / Females 18,109 } 36,762

Annual Rate per 1000 living { Persons Married .. 18·64 / Births .. .. .. 21·61

Annual Births to 1000 Females aged 15—45 years = 60.

Deaths from Childbirth and Puerperal Fever .. .. } 4·24 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

2.—FULHAM.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 18·82			*168	—	—	—	—	67·17	5·92	2·59	3·11	3·67	5·22	9·61	16·26	29·99	60·80	150·29
Annual Death-Rate per 1000. Males	—			20·00			*183	—	—	—	—	72·91	5·25	2·51	3·08	3·76	5·67	10·48	18·02	33·83	68·08	161·70
Annual Death-Rate per 1000. Females	—			17·71			*153	—	—	—	—	61·47	6·58	2·67	3·14	3·59	4·84	8·85	14·74	27·07	56·54	144·88
Mean Population, 1891-1900. Persons	—			216,828			5899	5223	5475	5366	5170	27133	23970	21086	19679	20454	38538	28304	18736	10947	5750	2231
Mean Population, 1891-1900. Males	—			100,893			2975	2588	2707	2654	2605	13529	11872	10183	9073	9062	17592	13306	8708	4726	2124	718
Mean Population, 1891-1900. Females	—			115,935			2924	2635	2768	2712	2565	13604	12098	10903	10606	11392	20946	14998	10028	6221	3626	1513
Deaths from All Causes, 1891-1900. Persons	18·20			39,465			11767	3283	1431	992	753	18226	1419	547	612	750	2011	2721	3047	3283	3496	3353
Deaths from All Causes, 1891-1900. Males	19·36			19,529			6540	1727	720	502	375	9864	623	256	279	341	997	1394	1569	1599	1446	1161
Deaths from All Causes, 1891-1900. Females	17·20			19,936			5227	1556	711	490	378	8362	796	291	333	409	1014	1327	1478	1684	2050	2192
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	—	0·00	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Measles	0·61	0·68	0·54	1,316	691	625	285	533	219	120	72	1,229	78	3	1	—	4	1	—	—	—	—
Scarlet Fever	0·44	0·44	0·43	944	445	499	57	151	199	161	105	673	191	36	9	10	17	2	3	3	—	—
Diphtheria	0·78	0·82	0·74	1,681	823	858	72	245	227	260	271	1,075	486	69	14	10	11	7	5	2	2	—
Whooping-cough	0·48	0·46	0·50	1,042	463	579	483	303	126	59	34	1,005	35	1	—	1	—	—	—	—	—	—
Typhus	0·00	0·00	0·00	2	1	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
Enteric Fever	0·15	0·19	0·11	316	187	129	—	2	1	1	3	7	13	16	36	56	97	57	22	7	5	—
Simple Continued Fever	0·01	0·01	0·01	18	9	9	1	1	1	1	2	6	1	1	1	—	3	2	1	1	2	—
Diarrhœa & Dysentery	1·01	1·16	0·87	2,184	1,172	1,012	1,802	219	25	5	5	2,056	3	2	1	—	5	9	7	21	32	48
Cholera	0·03	0·03	0·03	61	32	29	41	7	3	—	—	51	2	—	—	—	—	—	3	3	2	—
Cancer	0·70	0·54	0·83	1,511	546	965	1	2	2	2	2	9	3	4	3	4	41	170	346	445	322	164
Tabes Mesenterica	0·23	0·27	0·19	494	270	224	326	70	17	13	2	428	19	9	9	2	9	8	6	2	1	1
Phthisis	1·41	1·61	1·24	3,054	1,621	1,433	51	46	21	16	13	147	43	82	188	269	679	763	483	271	97	32
Other Tub. & Scrof. Dis.	0·49	0·58	0·42	1,070	583	487	373	198	80	61	52	764	99	49	34	28	35	22	18	12	9	—
Diseases of Nervous System	1·49	1·52	1·45	3,221	1,536	1,685	933	154	70	36	29	1,222	68	40	26	27	80	184	288	380	514	392
Diseases of Circulatory „	1·29	1·24	1·34	2,802	1,253	1,549	58	15	4	7	11	95	40	58	68	48	177	310	456	564	606	380
Diseases of Respiratory „	3·54	3·79	3·33	7,680	3,821	3,859	2,139	958	311	164	85	3,657	127	28	45	63	227	348	553	767	969	896
Diseases of Digestive „	1·14	1·19	1·10	2,476	1,198	1,278	1,048	178	37	21	15	1,299	55	25	37	41	117	178	217	181	200	126
Diseases of Urinary „	0·44	0·55	0·35	961	550	411	9	5	6	4	4	28	9	9	16	17	62	113	185	217	176	129
Diseases of Generative „	0·04	0·01	0·07	84	7	77	3	2	—	—	1	6	1	1	3	5	9	19	13	13	7	7
Puerperal Fever	0·06	—	0·11	129	—	129	—	—	—	—	—	—	—	—	5	24	65	35	—	—	—	—
Childbirth	0·06	—	0·12	140	—	140	—	—	—	—	—	—	—	—	1	16	70	49	4	—	—	—
Violence	0·64	0·84	0·46	1,386	852	534	408	41	35	33	28	545	71	49	59	46	111	145	129	87	70	74
OTHER CAUSES	3·16	3·43	2·96	6,892	3,469	3,423	3,677	153	47	28	19	3,924	74	65	56	83	191	299	308	307	482	1,103

Marriages 17,691

Births .. { Males .. 35,817 / Females 34,081 } 69,898

Annual Rate per 1000 living { Persons Married .. 16·32 / Births .. .. .. 32·24

Annual Births to 1000 Females aged 15—45 years = 121.

Deaths from Childbirth and Puerperal Fever .. .. } 3·85 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

3.—CHELSEA.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.	21·37		*168	—	—	—	—	69·21	5·20	3·08	3·52	4·68	7·37	13·60	22·30	37·25	71·33	156·56
Annual Death-Rate per 1000. Males	—				23·36		*184	—	—	—	—	75·49	5·11	2·96	3·81	5·92	8·99	15·64	24·66	43·67	81·20	169·95
Annual Death-Rate per 1000. Females	—				19·51		*152	—	—	—	—	62·98	5·29	3·21	3·25	3·59	6·12	11·93	20·32	32·05	64·23	148·77
Mean Population, 1891–1900. Persons	—			96,130			2093	1950	1975	1942	1843	9803	8978	8775	8808	10501	17405	12813	9118	5670	3101	1158
Mean Population, 1891–1900. Males	—			44,844			1021	1017	995	945	906	4884	4462	4563	4256	4901	7573	5787	4157	2537	1298	426
Mean Population, 1891–1900. Females	—			51,286			1072	933	980	997	937	4919	4516	4212	4552	5600	9832	7026	4961	3133	1803	732
Deaths from All Causes, 1891–1900. Persons	20·30			19,519			4393	1407	484	293	208	6785	467	270	310	491	1283	1743	2033	2112	2212	1813
Deaths from All Causes, 1891–1900. Males	22·30			9,999			2450	739	246	150	102	3687	228	135	162	290	681	905	1025	1108	1054	724
Deaths from All Causes, 1891–1900. Females	18·56			9,520			1943	668	238	143	106	3098	239	135	148	201	602	838	1008	1004	1158	1089
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·00	—	2	2	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
Measles	0·53	0·55	0·50	505	248	257	102	234	80	41	25	482	21	—	—	—	—	—	1	1	—	—
Scarlet Fever	0·05	0·06	0·04	46	26	20	5	6	5	8	5	29	9	4	2	—	1	—	—	—	1	—
Diphtheria	0·23	0·22	0·24	221	99	122	10	37	28	35	32	142	52	12	2	—	1	6	1	4	1	—
Whooping-cough	0·48	0·45	0·50	458	200	258	179	139	60	34	26	438	19	—	1	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·09	0·11	0·06	83	51	32	—	1	1	2	1	5	4	7	9	12	19	9	10	5	3	—
Simple Continued Fever	0·01	0·00	0·01	5	1	4	—	—	—	—	—	—	1	—	1	—	—	—	—	3	—	—
Diarrhœa & Dysentery	0·80	0·92	0·69	765	412	353	634	67	8	2	—	711	2	2	—	—	1	3	2	5	14	25
Cholera	0·01	0·01	0·01	9	6	3	6	2	1	—	—	9	—	—	—	—	—	—	—	—	—	—
Cancer	1·70	1·18	2·15	1633	530	1103	2	3	2	2	4	13	3	4	3	19	99	262	468	411	243	108
Tabes Mesenterica	0·18	0·23	0·14	176	104	72	98	25	13	7	6	149	6	6	5	—	6	—	2	1	—	1
Phthisis	2·63	3·71	1·69	2532	1665	867	23	30	8	10	5	76	28	41	161	286	626	641	432	177	57	7
Other Tub. & Scrof. Dis.	0·55	0·65	0·47	533	292	241	141	91	49	36	29	346	78	28	11	11	12	17	8	8	11	3
Diseases of Nervous System	1·55	1·74	1·38	1488	779	709	341	70	30	15	13	469	38	19	14	14	40	60	154	216	284	180
Diseases of Circulatory	1·68	1·86	1·52	1611	833	778	19	5	7	2	5	38	31	45	30	32	77	152	199	345	421	241
Diseases of Respiratory	4·12	4·51	3·78	3961	2024	1937	903	487	123	61	32	1606	55	21	12	23	101	198	300	491	638	516
Diseases of Digestive	1·22	1·28	1·17	1172	574	598	447	85	17	8	10	567	16	16	14	18	49	86	107	120	127	52
Diseases of Urinary	0·48	0·58	0·40	464	260	204	6	5	2	4	4	21	5	4	5	10	18	58	101	96	84	62
Diseases of Generative	0·15	0·02	0·26	142	7	135	7	1	1	—	—	9	—	2	—	5	28	42	35	8	11	2
Puerperal Fever	0·06	—	0·11	54	—	54	—	—	—	—	—	—	—	—	—	9	33	12	—	—	—	—
Childbirth	0·08	—	0·14	73	—	73	—	—	—	—	—	—	—	—	2	12	28	31	—	—	—	—
Violence	0·57	0·77	0·40	547	344	203	138	27	18	16	5	204	34	16	8	11	39	43	54	52	45	41
OTHER CAUSES	3·13	3·45	2·90	3039	1542	1497	1332	92	31	10	6	1471	64	43	30	29	105	123	158	169	272	575

Marriages 10,016

Births .. { Males .. 13,302 / Females 12,784 } 26,086

Annual Rate per 1000 living { Persons Married .. 20·84 / Births .. .. .. 27·14 }

Annual Births to 1000 Females aged 15—45 years=97.

Deaths from Childbirth and Puerperal Fever .. .. } 4·87 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

4.—ST. GEORGE HANOVER SQUARE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 21·59			*158	—	—	—	—	65·89	6·42	3·68	4·06	4·37	7·56	14·96	23·53	39·29	67·59	153·00
Annual Death-Rate per 1000. Males	—			24·74			*171	—	—	—	—	71·06	6·78	3·84	5·22	5·97	10·18	20·43	31·06	50·28	77·89	160·46
Annual Death-Rate per 1000. Females	—			18·63			*146	—	—	—	—	60·79	6·07	3·53	3·12	3·15	5·59	10·58	17·26	30·46	61·78	148·81
Mean Population, 1891–1900. Persons	—			133,035			2281	2035	2090	1960	1878	10244	9096	8824	12659	17286	27711	19228	13469	8299	4517	1702
Mean Population, 1891–1900. Males	—			59,887			1148	1014	1051	955	919	5087	4512	4318	5695	7482	11871	8553	6118	3699	1940	612
Mean Population, 1891–1900. Females	—			73,148			1133	1021	1039	1005	959	5157	4584	4506	6964	9804	15840	10675	7351	4600	2577	1090
Deaths from All Causes, 1891–1900. Persons	19·53			25,986			4263	1371	517	335	264	6750	584	325	514	756	2094	2876	3169	3261	3053	2604
Deaths from All Causes, 1891–1900. Males	23·44			14,040			2330	729	244	169	143	3615	306	166	297	447	1209	1747	1900	1860	1511	982
Deaths from All Causes, 1891–1900. Females	16·33			11,946			1933	642	273	166	121	3135	278	159	217	309	885	1129	1269	1401	1542	1622
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	—	0·00	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Measles	0·38	0·45	0·32	507	270	237	113	201	75	36	41	466	30	1	—	2	2	4	1	1	—	—
Scarlet Fever	0·03	0·03	0·02	35	18	17	1	4	3	2	3	13	11	3	1	3	4	—	—	—	—	—
Diphtheria	0·28	0·32	0·25	374	189	185	25	60	55	68	45	253	86	10	6	3	5	4	3	4	—	—
Whooping-cough	0·30	0·32	0·29	398	189	209	149	137	33	32	25	376	21	1	—	—	—	—	—	—	—	—
Typhus	0·00	0·00	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Enteric Fever	0·18	0·25	0·12	238	150	88	1	1	3	1	3	9	8	17	38	42	75	22	12	14	1	—
Simple Continued Fever	0·00	0·00	0·01	5	1	4	—	1	—	1	—	2	—	1	—	—	—	—	1	—	1	—
Diarrhœa & Dysentery	0·47	0·58	0·39	631	345	286	468	72	5	—	—	545	—	1	1	2	3	7	8	16	18	30
Cholera	0·01	0·01	0·01	13	6	7	8	1	—	—	—	9	—	—	—	—	1	1	—	—	2	—
Cancer	1·15	1·20	1·11	1526	717	809	1	1	1	3	2	8	3	1	8	16	66	181	380	428	311	124
Tabes Mesenterica	0·15	0·16	0·14	198	98	100	99	24	9	10	2	144	16	9	3	4	7	8	5	1	1	—
Phthisis	2·02	2·93	1·28	2688	1753	935	19	30	12	7	9	77	21	27	113	186	584	748	535	276	111	10
Other Tub. & Scrof. Dis.	0·52	0·66	0·40	691	397	294	144	113	62	50	31	400	88	36	19	19	50	37	14	11	6	1
Diseases of Nervous System	1·70	1·84	1·59	2265	1103	1162	406	99	43	18	18	584	35	17	29	29	83	153	241	369	408	317
Diseases of Circulatory „	2·06	2·42	1·76	2738	1451	1287	31	8	4	5	2	50	37	74	84	77	248	382	473	503	510	300
Diseases of Respiratory „	4·03	4·75	3·45	5364	2842	2522	860	440	137	59	41	1537	59	17	32	75	219	371	527	769	904	854
Diseases of Digestive „	1·26	1·39	1·16	1682	835	847	339	67	19	8	13	446	50	27	45	80	144	192	252	217	153	76
Diseases of Urinary „	0·79	1·11	0·53	1055	664	391	7	2	—	3	2	14	10	7	13	25	95	193	194	189	199	113
Diseases of Generative „	0·10	0·01	0·17	130	6	124	1	—	1	—	—	2	—	1	1	8	22	27	33	16	16	4
Puerperal Fever	0·06	—	0·10	75	—	75	—	—	—	—	—	—	—	—	—	12	40	23	—	—	—	—
Childbirth	0·05	—	0·09	63	—	63	—	—	—	—	—	—	—	1	1	8	30	23	—	—	—	—
Violence	1·09	1·70	0·59	1451	1020	431	182	26	20	19	12	259	55	29	49	88	196	221	213	168	98	75
OTHER CAUSES	2·90	3·31	2·55	3857	1985	1872	1409	84	35	13	15	1556	54	45	71	67	217	279	277	278	313	700

Marriages 13,627

Births .. { Males .. 13,653 / Females 13,255 } 26,908

Annual Rate per 1000 living { Persons Married .. 20·49 / Births .. .. .. 20·23 }

Annual Births to 1000 Females aged 15—45 years = 62.

Deaths from Childbirth and Puerperal Fever .. .. } 5·13 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

5.—WESTMINSTER.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		16·97	*144	—	—	—	—	56·76	2·65	1·80	1·76	2·36	4·46	10·02	17·13	30·53	66·89	143·11
Annual Death-Rate per 1000. Males ..	—					17·01	*157	—	—	—	—	61·20	2·42	2·04	1·79	2·39	4·19	9·09	18·35	30·21	66·67	134·73
Annual Death-Rate per 1000. Females	—					16·93	*131	—	—	—	—	52·42	2·87	1·56	1·73	2·33	4·74	10·98	15·84	30·86	67·10	151·15
Mean Population, 1891-1900. Persons	—			35,233			638	561	598	577	533	2907	2606	2506	3693	4786	7331	4809	3229	1995	1030	341
Mean Population, 1891-1900. Males ..	—			17,559			313	274	311	284	256	1438	1280	1225	1848	2301	3700	2441	1657	1013	489	167
Mean Population, 1891-1900. Females	—			17,674			325	287	287	293	277	1469	1326	1281	1845	2485	3631	2368	1572	982	541	174
Deaths from All Causes, 1891-1900. Persons	14·45			5,090			1117	332	114	46	41	1650	69	45	65	113	327	482	553	609	689	488
Deaths from All Causes, 1891-1900. Males ..	14·59			2,562			619	164	58	21	18	880	31	25	33	55	155	222	304	306	326	225
Deaths from All Causes, 1891-1900. Females	14·30			2,528			498	168	56	25	23	770	38	20	32	58	172	260	249	303	363	263
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·50	0·52	0·48	175	91	84	43	76	26	13	5	163	10	—	1	—	1	—	—	—	—	—
Scarlet Fever	0·02	0·03	0·01	8	6	2	1	2	3	—	1	7	1	—	—	—	—	—	—	—	—	—
Diphtheria	0·08	0·06	0·11	29	10	19	4	8	3	3	4	22	5	1	—	—	—	—	—	—	1	—
Whooping-cough	0·29	0·27	0·32	101	44	57	42	36	13	2	3	96	5	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·08	0·11	0·05	28	20	8	—	1	—	—	—	1	1	—	3	3	9	6	2	2	1	—
Simple Continued Fever	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Diarrhœa & Dysentery	0·32	0·36	0·28	113	64	49	81	5	—	—	—	86	—	1	—	—	—	1	1	3	8	13
Cholera	0·02	0·02	0·02	6	3	3	4	1	—	—	—	5	—	—	—	—	—	—	—	—	1	—
Cancer	0·61	0·48	0·74	214	84	130	—	—	—	—	—	—	—	1	—	—	4	34	63	65	34	13
Tabes Mesenterica	0·13	0·17	0·10	46	29	17	29	9	—	1	2	41	3	—	—	1	—	—	—	1	—	—
Phthisis	1·25	1·43	1·06	439	251	188	7	2	—	1	—	10	4	13	16	36	107	127	85	32	9	—
Other Tub. & Scrof. Dis.	0·32	0·38	0·27	113	66	47	37	22	12	4	10	85	5	3	4	3	4	3	2	2	2	—
Diseases of Nervous System	1·24	1·33	1·15	438	234	204	92	20	10	—	3	125	6	1	2	8	18	23	51	71	83	50
Diseases of Circulatory „	1·36	1·35	1·37	480	237	243	3	2	—	1	—	6	3	8	8	14	36	57	73	100	122	53
Diseases of Respiratory „	3·21	3·12	3·27	1130	551	579	235	107	36	10	10	398	14	3	6	5	24	62	109	162	213	134
Diseases of Digestive „	0·95	1·04	0·87	335	182	153	114	20	6	2	—	142	3	—	1	4	18	33	42	44	31	17
Diseases of Urinary „	0·43	0·50	0·35	150	88	62	—	—	—	1	1	2	1	—	1	1	14	19	28	40	32	12
Diseases of Generative „	0·25	—	0·50	88	—	88	1	—	—	—	—	1	—	—	1	4	21	37	16	7	1	—
Puerperal Fever	0·05	—	0·10	17	—	17	—	—	—	—	—	—	—	—	1	4	10	1	1	—	—	—
Childbirth	0·05	—	0·09	16	—	16	—	—	—	—	—	—	—	—	—	2	9	4	1	—	—	—
Violence	0·51	0·67	0·36	181	117	64	50	2	2	1	1	56	2	4	9	8	20	28	23	16	6	9
Other Causes	2·78	2·74	2·80	982	484	498	374	19	3	7	1	404	6	10	12	20	32	47	55	64	145	187

Marriages 4,642

Births .. { Males .. 3,942 / Females 3,804 } 7,746

Annual Rate per 1000 living { Persons Married .. 26·35 / Births .. .. .. 21·99

Annual Births to 1000 Females aged 15—45 years = 75.

Deaths from Childbirth and Puerperal Fever .. .. } 4·26 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

6.—MARYLEBONE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 18·79	*133	—	—	—	—	68·23	4·58	2·76	2·78	3·17	5·65	11·34	20·25	32·57	53·93	114·19
Annual Death-Rate per 1000. Males ..	—	20·15	*145	—	—	—	—	73·95	4·89	2·88	2·80	3·44	6·10	12·53	22·42	37·24	59·84	114·77
Annual Death-Rate per 1000. Females	—	17·51	*121	—	—	—	—	62·52	4·28	2·65	2·77	2·99	5·34	10·42	18·52	29·06	49·95	113·86
Mean Population, 1891-1900. Persons	—	140,171	2799	2432	2440	2387	2360	12418	11002	10495	13511	16794	27280	19472	13826	8686	4784	1903
Mean Population, 1891-1900. Males ..	—	61,489	1397	1221	1224	1195	1170	6207	5421	5028	5957	6802	11128	8474	6133	3730	1925	684
Mean Population, 1891-1900. Females	—	78,682	1402	1211	1216	1192	1190	6211	5581	5467	7554	9992	16152	10998	7693	4956	2859	1219
Deaths from All Causes, 1891-1900. Persons	17·34	24,308	5682	1627	573	355	236	8473	504	290	376	533	1542	2208	2800	2829	2580	2173
Deaths from All Causes, 1891-1900. Males ..	19·26	11,843	3144	842	297	182	125	4590	265	145	167	234	679	1062	1375	1389	1152	785
Deaths from All Causes, 1891-1900. Females	15·84	12,465	2538	785	276	173	111	3883	239	145	209	299	863	1146	1425	1440	1428	1388

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							Persons.															
Small-pox..	0·00	0·00	0·00	4	3	1	—	—	—	—	—	—	—	1	—	1	1	1	—	—	—	—
Measles	0·48	0·53	0·44	671	328	343	141	277	111	63	33	625	39	5	1	1	—	—	—	—	—	—
Scarlet Fever	0·04	0·05	0·04	60	29	31	5	5	6	10	9	35	14	4	1	2	3	—	—	1	—	—
Diphtheria	0·20	0·22	0·18	280	135	145	23	52	41	29	31	176	72	10	—	8	3	6	2	1	2	—
Whooping-cough ..	0·35	0·33	0·36	490	205	285	210	151	58	32	19	470	19	1	—	—	—	—	—	—	—	—
Typhus	0·00	—	0·00	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Enteric Fever	0·11	0·15	0·09	159	91	68	1	1	—	1	1	4	7	11	14	25	49	27	12	7	2	1
Simple Continued Fever	0·00	0·00	—	2	2	—	—	—	1	—	1	2	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·54	0·68	0·43	756	417	339	603	70	11	4	1	689	4	—	1	—	6	4	7	8	12	25
Cholera	0·02	0·02	0·02	24	12	12	10	6	—	—	—	16	1	1	—	—	1	2	—	1	2	—
Cancer	1·54	1·35	1·68	2151	830	1321	3	1	—	—	2	6	6	5	15	11	105	314	574	611	365	139
Tabes Mesenterica ..	0·19	0·24	0·15	260	145	115	143	45	10	3	3	204	12	11	10	1	6	7	7	1	—	1
Phthisis	1·24	1·49	1·04	1738	916	822	22	25	9	10	12	78	23	37	94	166	396	443	317	147	34	3
Other Tub. & Scrof. Dis.	0·45	0·56	0·36	628	346	282	166	107	54	41	26	394	69	42	22	20	34	24	12	5	6	—
Diseases of: Nervous System ..	1·46	1·64	1·32	2052	1010	1042	560	116	38	29	19	762	39	20	17	19	71	105	222	262	290	245
Diseases of: Circulatory " ..	1·50	1·60	1·42	2101	985	1116	37	5	—	1	6	49	18	36	42	51	136	237	373	389	466	304
Diseases of: Respiratory " ..	3·52	4·01	3·14	4938	2464	2474	1051	561	159	89	46	1906	63	20	27	41	158	274	417	663	723	646
Diseases of: Digestive " ..	1·24	1·32	1·18	1740	812	928	580	79	22	10	4	695	25	18	32	35	96	156	227	200	166	90
Diseases of: Urinary " ..	0·57	0·82	0·38	801	502	299	3	7	2	1	2	15	7	13	11	20	69	123	139	166	147	91
Diseases of: Generative " ..	0·24	0·01	0·42	338	6	332	3	1	—	—	—	4	—	2	4	9	68	112	83	32	16	8
Puerperal Fever ..	0·05	—	0·09	69	—	69	—	—	—	—	—	—	—	—	4	16	34	15	—	—	—	—
Childbirth..	0·07	—	0·12	93	—	93	—	—	—	—	—	—	—	1	4	17	49	22	—	—	—	—
Violence	0·67	0·95	0·44	936	587	349	264	25	18	11	13	331	31	14	18	34	79	124	121	83	60	41
OTHER CAUSES ..	2·86	3·29	2·54	4016	2018	1998	1857	93	33	21	8	2012	55	38	59	56	178	211	287	252	289	579

Marriages 14,661

Births .. { Males .. 21,648 / Females 20,956 } 42,604

Annual Rate per 1000 living { Persons Married .. 20·92 / Births .. .. .. 30·39 }

Annual Births to 1000 Females aged 15—45 years = 95.

Deaths from Childbirth and Puerperal Fever .. .. } 3·80 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

7.—HAMPSTEAD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-rate per 1000. Persons	—			In Standard Population.		19·72	*122	—	—	—	—	69·68	15·97	4·46	4·09	4·04	5·58	8·37	14·37	25·43	52·34	130·26
Annual Death-rate per 1000. Males ..	—					21·12	*133	—	—	—	—	72·05	14·28	3·78	5·36	6·96	7·92	10·99	17·62	32·05	57·64	123·94
Annual Death-rate per 1000. Females	—					18·41	*111	—	—	—	—	67·33	17·58	5·02	3·43	2·75	4·36	6·64	12·11	20·94	49·12	133·66
Mean Population, 1891–1900. Persons	—			75,094			1377	1291	1260	1287	1229	6444	6073	6055	7869	9796	15239	9772	6570	4042	2289	945
Mean Population, 1891–1900. Males ..	—			29,234			713	627	639	629	598	3206	2962	2726	2703	3005	5217	3896	2690	1635	864	330
Mean Population, 1891–1900. Females	—			45,860			664	664	621	658	631	3238	3111	3329	5166	6791	10022	5876	3880	2407	1425	615
Deaths from All Causes, 1891–1900. Persons	16·67			12,517			1846	843	634	649	518	4490	970	270	322	396	850	818	944	1028	1198	1231
Deaths from All Causes, 1891–1900. Males ..	20·31			5,936			1013	433	303	340	221	2310	423	103	145	209	413	428	474	524	498	409
Deaths from All Causes, 1891–1900. Females	14·35			6,581			833	410	331	309	297	2180	547	167	177	187	437	390	470	504	700	822
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	0·00	0·00	0·00	2	1	1	1	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Measles	0·31	0·41	0·25	235	121	114	53	81	35	38	11	218	17	—	—	—	—	—	—	—	—	—
Scarlet Fever	1·21	1·51	1·02	909	442	467	25	118	172	186	135	636	212	29	10	10	10	2	—	—	—	—
Diphtheria	2·66	3·10	2·37	1994	906	1088	73	287	307	344	317	1328	552	62	16	8	14	6	4	3	1	—
Whooping-cough ..	0·25	0·26	0·25	190	76	114	76	55	22	14	10	177	10	1	1	—	—	—	—	1	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·44	0·67	0·29	329	195	134	—	—	—	2	1	3	17	41	50	66	85	41	15	8	2	1
Simple Continued Fever	0·01	0·00	0·01	4	1	3	—	1	—	—	1	2	—	—	—	—	—	—	—	—	—	2
Diarrhœa & Dysentery	0·29	0·39	0·23	219	113	106	181	12	2	—	—	195	—	—	—	—	1	1	3	3	7	9
Cholera	0·01	0·03	0·01	11	8	3	9	—	—	—	—	9	—	1	—	—	1	—	—	—	—	—
Cancer	0·94	0·79	1·04	708	231	477	—	—	—	—	—	—	2	1	6	6	21	69	155	197	167	84
Tabes Mesenterica ..	0·12	0·14	0·10	87	42	45	43	6	9	—	—	58	7	4	5	3	7	3	—	—	—	—
Phthisis	1·73	2·47	1·26	1302	723	579	7	4	5	1	1	18	17	30	119	175	393	316	153	53	23	5
Other Tub. & Scrof. Dis.	0·35	0·44	0·29	261	130	131	57	47	19	17	7	147	31	19	16	13	16	8	6	2	2	1
Diseases of Nervous System ..	1·16	1·43	0·99	870	418	452	180	24	14	11	6	235	13	11	17	8	22	33	93	113	178	147
Diseases of Circulatory „ ..	1·23	1·33	1·17	925	389	536	11	—	—	—	1	12	12	19	20	21	37	66	131	168	275	164
Diseases of Respiratory „ ..	1·86	2·23	1·63	1398	651	747	272	131	31	15	13	462	30	15	11	16	40	59	114	155	205	291
Diseases of Digestive „ ..	0·79	0·96	0·69	595	280	315	146	29	6	7	4	192	15	4	15	19	33	45	64	84	78	46
Diseases of Urinary „ ..	0·46	0·70	0·31	349	205	144	7	1	—	1	—	9	3	1	4	3	26	20	57	81	75	70
Diseases of Generative „ ..	0·05	0·00	0·08	36	1	35	1	—	—	1	—	2	1	—	1	2	7	8	8	4	2	1
Puerperal Fever ..	0·05	—	0·07	34	—	34	—	—	—	—	—	—	—	—	1	7	19	6	1	—	—	—
Childbirth..	0·04	—	0·07	30	—	30	—	—	—	—	—	—	—	—	1	2	17	10	—	—	—	—
Violence	0·49	0·77	0·31	366	224	142	84	12	6	7	8	117	9	15	7	14	46	37	37	36	27	21
OTHER CAUSES ..	2·22	2·68	1·91	1663	779	884	620	34	6	5	3	668	22	17	22	23	55	88	103	120	156	389

Marriages 5,154

Births .. { Males .. 7,591 / Females 7,486 } 15,077

Annual Rate per 1000 living { Persons Married .. 13·73 / Births .. .. 20·08

Annual Births to 1000 Females aged 15–45 years = 54.

Deaths from Childbirth and Puerperal Fever .. .. } 4·24 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

8.—PANCRAS.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 21·24			*164	—	—	—	—	66·18	4·60	2·54	3·77	4·93	7·47	14·85	22·82	39·37	71·76	155·71
Males ..	—						*178	—	—	—	—	71·58	4·72	2·49	3·88	5·24	8·22	16·52	26·72	45·55	79·01	164·72
Females	—						*149	—	—	—	—	60·89	4·47	2·59	3·66	4·62	6·76	13·25	19·29	34·35	66·85	151·00
Mean Population, 1891–1900. Persons	—			238,692			5829	5138	5252	5078	4913	26210	23172	21575	22084	25290	43640	31100	22138	13753	7136	2594
Males ..	—			115,637			2891	2566	2588	2518	2415	12978	11536	10842	10941	12431	21282	15170	10516	6169	2882	890
Females	—			123,055			2938	2572	2664	2560	2498	13232	11636	10733	11143	12859	22358	15930	11622	7584	4254	1704
Deaths from All Causes, 1891–1900. Persons	20·34			48,543			11388	3383	1293	775	508	17347	1065	548	832	1246	3261	4617	5052	5415	5121	4039
Males ..	21·45			24,799			6275	1746	647	372	250	9290	545	270	424	652	1749	2506	2810	2810	2277	1466
Females	19·30			23,744			5113	1637	646	403	258	8057	520	278	408	594	1512	2111	2242	2605	2844	2573
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	0·00	—	0·00	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Measles	0·56	0·59	0·52	1325	685	640	277	498	276	125	70	1246	71	5	1	—	—	1	1	—	—	—
Scarlet Fever	0·05	0·05	0·04	111	60	51	6	13	14	20	10	63	31	7	5	1	2	—	2	—	—	—
Diphtheria	0·30	0·31	0·29	717	359	358	45	121	114	124	108	512	145	19	14	4	9	6	4	2	2	—
Whooping-cough ..	0·51	0·46	0·56	1218	534	684	522	394	140	85	40	1181	37	—	—	—	—	—	—	—	—	—
Typhus	0·00	0·00	—	1	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Enteric Fever	0·13	0·15	0·12	316	172	144	4	2	—	3	—	9	21	23	40	56	82	45	24	13	3	—
Simple Continued Fever	0·00	0·00	0·00	2	1	1	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—
Diarrhœa & Dysentery	0·75	0·81	0·69	1793	939	854	1440	213	14	4	4	1675	5	4	3	1	4	5	12	17	30	37
Cholera	0·02	0·02	0·01	44	28	16	21	4	—	—	2	27	2	1	—	—	2	2	3	4	2	1
Cancer	1·06	0·85	1·25	2519	986	1533	1	—	3	3	1	8	4	7	14	23	106	318	571	698	557	213
Tabes Mesenterica ..	0·23	0·25	0·22	559	289	270	308	90	38	11	13	460	29	18	11	8	18	6	3	3	3	—
Phthisis	2·22	2·81	1·67	5294	3244	2050	49	48	18	12	11	138	47	59	210	425	1240	1486	1040	527	106	16
Other Tub. & Scrof. Dis.	0·55	0·62	0·49	1321	715	606	405	242	112	77	62	898	134	53	44	35	55	42	28	16	12	4
Diseases of Nervous System ..	1·75	1·80	1·69	4168	2084	2084	983	197	74	43	24	1321	73	27	37	44	124	231	400	565	785	561
Circulatory „ ..	1·69	1·60	1·77	4029	1846	2183	35	5	4	2	9	55	57	113	118	130	275	532	653	831	807	458
Respiratory „ ..	4·06	4·31	3·82	9686	4988	4698	2131	1109	327	157	76	3800	137	25	53	94	339	610	895	1326	1441	966
Digestive „ ..	1·28	1·31	1·25	3045	1509	1536	1075	192	32	27	17	1343	55	37	63	90	156	238	346	361	233	123
Urinary „ ..	0·63	0·79	0·48	1501	916	585	12	3	7	4	3	29	16	17	27	42	112	236	282	323	268	149
Generative „ ..	0·07	0·01	0·13	173	11	162	4	4	—	—	1	9	—	1	4	8	33	52	33	10	20	3
Puerperal Fever ..	0·07	—	0·13	159	—	159	—	—	—	—	—	—	—	—	3	51	75	30	—	—	—	—
Childbirth	0·06	—	0·12	152	—	152	—	—	—	—	—	—	—	—	4	21	79	48	—	—	—	—
Violence	0·98	1·28	0·71	2348	1479	869	519	51	60	52	34	716	118	50	64	94	225	272	283	223	185	118
Other Causes ..	3·37	3·43	3·34	8061	3953	4108	3551	197	60	26	23	3857	83	82	116	118	325	456	471	496	667	1390

Marriages 22,168

Births .. { Males .. 35,258 / Females 34,246 } 69,504

Annual Rate per 1000 living { Persons Married .. 18·57 / Births .. .. .. 29·12 }

Annual Births to 1000 Females aged 15—45 years=112.

Deaths from Childbirth and Puerperal Fever .. .. } 4·47 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The boundary of this district was altered during the decennium; the part transferred contained no population.

9.—ISLINGTON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 18·31			*148	—	—	—	—	58·44	3·79	1·77	2·91	3·61	5·73	11·71	19·05	33·19	65·10	149·57
Annual Death-Rate per 1000. Males ..	—			19·68			*161	—	—	—	—	62·71	3·76	1·86	3·18	4·00	6·28	13·50	22·38	37·79	72·49	157·19
Annual Death-Rate per 1000. Females	—			17·02			*134	—	—	—	—	54·13	3·81	1·68	2·68	3·27	5·24	10·10	16·15	29·54	60·20	145·73
Mean Population, 1891–1900. Persons	—			333,153			8268	7417	7571	7381	7109	37746	33889	31358	32243	34253	58838	42386	29937	18770	9910	3823
Mean Population, 1891–1900. Males ..	—			157,919			4137	3752	3784	3721	3557	18951	16902	15587	15240	15824	27868	20102	13915	8302	3948	1280
Mean Population, 1891–1900. Females	—			175,234			4131	3665	3787	3660	3552	18795	16987	15771	17003	18429	30970	22284	16022	10468	5962	2543
Deaths from All Causes, 1891–1900. Persons	17·56			58,510			14319	4353	1701	1014	671	22058	1283	555	939	1236	3374	4965	5702	6229	6451	5718
Deaths from All Causes, 1891–1900. Males ..	18·69			29,517			7959	2213	867	512	334	11885	635	290	484	634	1750	2714	3114	3137	2862	2012
Deaths from All Causes, 1891–1900. Females	16·55			28,993			6360	2140	834	502	337	10173	648	265	455	602	1624	2251	2588	3092	3589	3706
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	0·01	0·01	0·00	25	17	8	1	—	—	—	—	1	—	1	2	2	9	6	3	—	1	—
Measles	0·58	0·62	0·55	1938	975	963	402	784	324	191	124	1825	105	1	2	1	4	—	—	—	—	—
Scarlet Fever	0·08	0·09	0·06	262	149	113	14	33	31	32	27	137	70	10	11	15	14	3	—	1	1	—
Diphtheria	0·28	0·28	0·27	918	446	472	52	134	144	131	111	572	269	40	12	5	10	3	4	2	—	1
Whooping-cough ..	0·54	0·51	0·55	1784	812	972	717	561	237	131	66	1712	69	1	—	—	—	—	—	1	—	1
Typhus	0·00	0·00	—	3	3	—	—	—	—	—	—	—	—	—	—	1	—	1	1	—	—	—
Enteric Fever	0·09	0·10	0·07	285	161	124	5	3	3	3	6	20	12	20	38	46	54	47	35	9	4	—
Simple Continued Fever	0·00	0·00	0·00	10	3	7	1	—	1	1	1	4	1	1	1	2	—	1	—	—	—	—
Diarrhœa & Dysentery	0·61	0·67	0·56	2043	1054	989	1583	242	26	8	3	1862	9	1	—	2	10	18	11	35	38	57
Cholera	0·02	0·03	0·02	82	42	40	53	13	1	1	1	69	1	—	—	1	2	2	—	2	4	1
Cancer	0·80	0·59	1·00	2670	926	1744	2	1	3	2	1	9	—	10	3	13	81	251	644	748	619	292
Tabes Mesenterica ..	0·28	0·33	0·24	934	514	420	624	149	41	25	11	850	26	16	10	7	10	10	2	3	—	—
Phthisis	1·82	2·39	1·30	6053	3777	2276	72	59	19	22	10	182	57	66	291	482	1348	1735	1149	543	179	21
Other Tub. & Scrof. Dis.	0·43	0·49	0·38	1438	780	658	491	270	144	80	59	1044	124	39	48	48	62	31	18	14	8	2
Diseases of Nervous System ..	1·71	1·84	1·59	5686	2900	2786	1394	266	105	75	43	1883	93	50	55	55	166	347	556	772	983	726
Diseases of Circulatory „ ..	1·49	1·41	1·57	4979	2230	2749	93	5	3	3	7	111	59	89	138	114	300	549	760	1054	1122	683
Diseases of Respiratory „ ..	3·71	3·96	3·47	12347	6260	6087	2636	1364	442	215	121	4778	135	46	70	100	394	688	1141	1604	1815	1546
Diseases of Digestive „ ..	1·03	1·08	0·98	3427	1707	1720	1115	191	54	24	21	1405	61	43	58	57	149	283	387	437	344	203
Diseases of Urinary „ ..	0·46	0·56	0·37	1535	879	656	15	4	9	7	6	41	12	10	21	37	113	222	291	299	307	182
Diseases of Generative „ ..	0·04	0·01	0·07	125	10	115	5	—	—	—	—	5	—	—	3	4	22	26	27	25	10	3
Puerperal Fever ..	0·06	—	0·12	212	—	212	—	—	—	—	—	—	—	—	2	48	116	41	5	—	—	—
Childbirth	0·06	—	0·11	191	—	191	—	—	—	—	—	—	—	—	6	34	96	52	3	—	—	—
Violence	0·53	0·67	0·41	1782	1061	721	586	59	40	29	23	737	84	29	36	43	133	185	172	121	132	110
OTHER CAUSES ..	2·93	3·05	2·86	9781	4811	4970	4458	215	74	34	30	4811	96	82	132	119	281	464	493	559	854	1890

Marriages 28,939

Births .. { Males .. 49,378 / Females 47,386 } 96,764

Annual Rate per 1000 living { Persons Married .. 17·37 / Births .. .. .. 29·04 }

Annual Births to 1000 Females aged 15—45 years = 109.

Deaths from Childbirth and Puerperal Fever .. .. } 4·16 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

10.—HACKNEY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 18·39			*149	—	—	—	—	63·47	7·00	2·64	3·10	4·11	5·61	9·76	15·97	29·15	58·88	142·56
Annual Death-Rate per 1000. Males	—			In Standard Population. 19·78			*161	—	—	—	—	67·86	6·73	2·35	3·33	5·04	6·65	11·22	19·10	34·35	65·96	145·27
Annual Death-Rate per 1000. Females	—			In Standard Population. 17·08			*136	—	—	—	—	59·12	7·28	2·91	2·91	3·41	4·76	8·52	13·34	25·17	54·18	141·05
Mean Population, 1891–1900. Persons	—			244,231			6017	5356	5647	5378	5235	27633	25366	23997	25258	25342	41619	29566	21120	13467	7705	3158
Mean Population, 1891–1900. Males	—			112,318			2986	2705	2823	2676	2586	13776	12696	11697	11227	10809	18824	13630	9621	5831	3076	1131
Mean Population, 1891–1900. Females	—			131,913			3031	2651	2824	2702	2649	13857	12670	12300	14031	14533	22795	15936	11499	7636	4629	2027
Deaths from All Causes, 1891–1900. Persons	17·74			43,331			10501	3345	1623	1175	896	17540	1776	633	783	1041	2336	2886	3372	3925	4537	4502
Deaths from All Causes, 1891–1900. Males	19·31			21,690			5788	1721	807	595	437	9348	854	275	374	545	1252	1529	1838	2003	2029	1643
Deaths from All Causes, 1891–1900. Females	16·41			21,641			4713	1624	816	580	459	8192	922	358	409	496	1084	1357	1534	1922	2508	2859
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	—	0·00	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Measles	0·46	0·50	0·43	1130	563	567	243	446	182	124	64	1059	66	4	1	—	—	—	—	—	—	—
Scarlet Fever	0·43	0·47	0·40	1056	527	529	70	143	189	176	159	737	234	46	12	16	7	4	—	—	—	—
Diphtheria	1·05	1·10	1·02	2575	1233	1342	134	365	423	407	372	1701	724	83	29	11	12	5	7	3	—	—
Whooping-cough	0·47	0·45	0·48	1142	506	636	484	384	141	62	37	1108	32	—	—	—	1	—	1	—	—	—
Typhus	0·00	0·00	0·00	8	5	3	—	—	—	—	—	—	—	—	1	1	2	3	1	—	—	—
Enteric Fever	0·25	0·29	0·21	600	327	273	2	2	3	2	3	12	42	67	110	107	137	69	32	16	6	2
Simple Continued Fever	0·00	0·00	0·00	3	2	1	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—
Diarrhœa & Dysentery	0·76	0·86	0·68	1863	966	897	1473	201	16	8	4	1702	6	1	1	1	2	4	11	22	53	60
Cholera	0·02	0·02	0·01	45	27	18	29	4	—	—	—	33	1	1	1	—	—	3	2	3	—	1
Cancer	0·74	0·60	0·87	1818	671	1147	—	—	1	—	1	2	5	10	8	12	59	198	395	506	438	185
Tabes Mesenterica	0·24	0·26	0·21	575	294	281	362	87	29	13	7	498	29	4	3	6	8	11	8	4	3	1
Phthisis	1·45	1·92	1·04	3530	2157	1373	48	36	19	15	8	126	38	56	183	412	864	834	589	297	111	20
Other Tub. & Scrof. Dis.	0·41	0·50	0·33	996	560	436	342	189	86	67	38	722	88	36	25	30	39	24	21	7	4	—
Disease of: Nervous System	1·80	1·98	1·64	4388	2223	2165	1244	254	69	56	25	1648	76	38	48	49	116	209	342	514	765	583
Disease of: Circulatory	1·39	1·35	1·43	3394	1511	1883	48	7	6	6	6	73	59	74	106	84	196	306	483	748	758	507
Disease of: Respiratory	3·06	3·24	2·91	7485	3643	3842	1572	832	324	150	105	2983	127	44	54	66	240	369	572	819	1187	1024
Disease of: Digestive	1·02	1·09	0·96	2493	1229	1264	869	190	29	20	16	1124	55	35	45	56	111	188	234	248	229	168
Disease of: Urinary	0·45	0·58	0·33	1089	649	440	11	11	3	3	6	34	23	20	14	18	79	123	187	224	229	138
Disease of: Generative	0·04	0·00	0·06	87	3	84	1	1	—	—	—	2	1	—	2	1	10	25	15	13	12	6
Puerperal Fever	0·05	—	0·10	132	—	132	—	—	—	—	—	—	—	—	3	25	67	37	—	—	—	—
Childbirth	0·05	—	0·09	119	—	119	—	—	—	—	—	—	—	—	2	15	66	35	1	—	—	—
Violence	0·63	0·86	0·43	1537	970	567	348	58	51	42	24	523	95	55	33	45	120	156	170	134	117	89
Other Causes	2·97	3·24	2·78	7265	3624	3641	3221	135	52	24	21	3453	75	59	102	84	200	282	301	367	624	1718

Marriages 19,278

Births .. { Males .. 35,915 / Females 34,764 } 70,679

Annual Rate per 1000 living { Persons Married .. 15·79 / Births .. .. .. 28·94 }

Annual Births to 1000 Females aged 15—45 years = 105.

Deaths from Childbirth and Puerperal Fever .. .. } 3·55 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

11.—ST GILES

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 19·03			*131	—	—	—	—	64·54	2·70	1·53	2·36	2·99	6·30	12·77	20·19	34·12	66·61	144·39
Annual Death-Rate per 1000. Males ..	—			In Standard Population. 20·31			*136	—	—	—	—	67·14	2·16	1·35	2·80	3·69	7·17	14·99	22·78	37·93	72·17	161·18
Annual Death-Rate per 1000. Females	—			In Standard Population. 17·83			*125	—	—	—	—	62·05	3·22	1·71	1·98	2·43	5·51	10·47	17·53	30·12	61·51	133·75
Mean Population, 1891–1900. Persons	—			38,006			692	651	624	646	582	3195	2893	2808	3561	4610	7614	5499	3889	2380	1165	392
Mean Population, 1891–1900. Males ..	—			18,438			345	323	302	310	284	1564	1435	1408	1643	2059	3640	2795	1967	1218	557	152
Mean Population, 1891–1900. Females	—			19,568			347	328	322	336	298	1631	1458	1400	1918	2551	3974	2704	1922	1162	608	240
Deaths from All Causes, 1891–1900. Persons	17·17			6,526			1415	375	147	81	44	2062	78	43	84	138	480	702	785	812	776	566
Deaths from All Causes, 1891–1900. Males ..	18·76			3,459			750	176	74	37	13	1050	31	19	46	76	261	419	448	462	402	245
Deaths from All Causes, 1891–1900. Females	15·67			3,067			665	199	73	44	31	1012	47	24	38	62	219	283	337	350	374	321
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·58	0·62	0·55	222	115	107	55	83	43	27	4	212	10	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·02	0·02	0·02	6	3	3	1	—	1	—	—	2	2	—	—	1	—	—	1	—	—	—
Diphtheria	0·05	0·07	0·04	20	12	8	2	1	4	3	—	10	6	1	—	—	—	3	—	—	—	—
Whooping-cough ..	0·37	0·27	0·45	139	50	89	56	44	14	8	9	131	8	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·09	0·10	0·08	33	18	15	—	—	—	—	—	—	—	2	5	3	13	6	3	1	—	—
Simple Continued Fever	0·00	—	0·01	1	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·51	0·54	0·49	194	99	95	150	18	2	1	—	171	—	—	—	—	—	1	1	6	4	11
Cholera	0·01	0·02	0·01	5	3	2	2	1	—	—	—	3	—	—	—	—	—	—	1	1	—	—
Cancer	0·57	0·49	0·64	216	90	126	—	—	1	—	—	1	—	1	—	1	6	29	52	56	48	22
Tabes Mesenterica ..	0·18	0·16	0·20	69	29	40	35	19	4	1	—	59	2	2	—	1	1	—	4	—	—	—
Phthisis	2·50	3·31	1·74	952	611	341	7	9	2	2	2	22	8	13	30	64	216	286	184	90	35	4
Other Tub. & Scrof. Dis.	0·29	0·33	0·25	109	60	49	36	24	13	3	2	78	9	3	7	2	5	2	3	—	—	—
Diseases of Nervous System ..	1·44	1·59	1·30	549	295	254	127	23	13	4	5	172	3	4	2	5	16	38	58	80	99	72
Diseases of Circulatory „ ..	1·59	1·59	1·60	606	293	313	7	2	—	1	—	10	6	5	11	6	35	67	113	132	149	72
Diseases of Respiratory „ ..	4·17	4·48	3·87	1585	828	757	274	106	39	20	17	456	10	3	10	15	66	102	181	249	269	224
Diseases of Digestive „ ..	0·83	0·82	0·83	314	151	163	93	16	4	2	1	116	3	1	6	5	16	35	38	51	31	12
Diseases of Urinary „ ..	0·49	0·65	0·35	187	119	68	1	1	—	1	—	3	1	—	—	9	17	33	42	39	26	17
Diseases of Generative „ ..	0·03	0·01	0·05	11	1	10	—	—	—	—	—	—	—	—	—	—	1	5	1	3	1	—
Puerperal Fever ..	0·04	—	0·07	14	—	14	—	—	—	—	—	—	—	—	1	1	9	3	—	—	—	—
Childbirth	0·05	—	0·10	19	—	19	—	—	—	—	—	—	—	—	—	2	11	6	—	—	—	—
Violence	0·58	0·73	0·44	221	135	86	85	1	2	4	2	94	4	2	4	6	24	18	26	22	13	8
OTHER CAUSES ..	2·78	2·96	2·58	1054	547	507	484	27	5	3	2	521	6	6	8	17	44	68	77	82	101	124

Marriages 3,816

Births .. { Males .. 5,514 / Females 5,325 } 10,839

Annual Rate per 1000 living { Persons Married .. 20·08 / Births .. .. .. 28·52 }

Annual Births to 1000 Females aged 15—45 years = 97.

Deaths from Childbirth and Puerperal Fever .. .. } 3·04 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The boundary of this district was altered during the decennium; the part transferred contained no population.

12.—STRAND.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		34·96	*248	—	—	—	—	115·38	10·76	7·95	8·84	9·62	16·47	28·98	40·98	55·66	85·89	147·78
Annual Death-Rate per 1000. Males	—					40·45	*280	—	—	—	—	131·45	12·19	7·80	9·66	11·81	20·35	33·27	47·26	66·67	103·47	168·35
Annual Death-Rate per 1000. Females	—					29·81	*215	—	—	—	—	100·11	9·35	8·09	8·01	7·70	12·73	23·79	33·41	42·88	69·46	131·68
Mean Population, 1891-1900. Persons	—			24,760			386	314	346	324	333	1703	1617	1673	2456	3213	5077	3734	2738	1653	716	180
Mean Population, 1891-1900. Males	—			12,518			195	150	173	148	164	830	804	808	1232	1499	2492	2044	1496	888	346	79
Mean Population, 1891-1900. Females	—			12,242			191	164	173	176	169	873	813	865	1224	1714	2585	1690	1242	765	370	101
Deaths from All Causes, 1891-1900. Persons	30·85			7,639			1150	407	209	111	88	1965	174	133	217	309	836	1082	1122	920	615	266
Deaths from All Causes, 1891-1900. Males	36·15			4,525			665	222	114	49	41	1091	98	63	119	177	507	680	707	592	358	133
Deaths from All Causes, 1891-1900. Females	25·44			3,114			485	185	95	62	47	874	76	70	98	132	329	402	415	328	257	133
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·53	0·58	0·47	130	72	58	20	59	23	10	9	121	8	—	—	—	—	—	1	—	—	—
Scarlet Fever	0·04	0·07	0·02	11	9	2	1	—	3	1	2	7	4	—	—	—	—	—	—	—	—	—
Diphtheria	0·62	0·69	0·56	154	86	68	17	31	37	20	16	121	23	—	3	—	1	3	2	1	—	—
Whooping-cough	0·34	0·34	0·34	84	42	42	28	26	16	8	3	81	3	—	—	—	—	—	—	—	—	—
Typhus	0·00	—	0·01	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Enteric Fever	0·54	0·69	0·38	133	87	46	1	3	—	—	1	5	6	8	15	31	40	19	6	3	—	—
Simple Continued Fever	0·00	—	0·01	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Diarrhœa & Dysentery	0·48	0·50	0·46	118	62	56	93	8	1	1	—	103	—	—	—	—	—	2	3	2	5	3
Cholera	0·00	0·01	—	1	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	2·26	2·56	1·93	559	321	238	4	3	2	—	—	9	—	1	5	10	47	77	159	145	94	12
Tabes Mesenterica	0·21	0·22	0·21	53	27	26	11	6	4	2	2	25	5	3	3	2	1	6	6	2	—	—
Phthisis	2·77	3·42	2·10	685	428	257	18	15	10	5	4	52	11	9	34	58	173	169	109	53	16	1
Other Tub. & Scrof. Dis.	1·36	1·45	1·27	337	181	156	69	52	40	18	15	194	33	23	15	17	18	20	10	3	4	—
Diseases of Nervous System	1·83	2·00	1·66	453	250	203	89	22	13	10	4	138	11	9	12	12	31	46	59	54	52	29
Diseases of Circulatory "	3·52	4·21	2·81	871	527	344	11	2	2	—	2	17	15	23	49	46	106	151	166	154	107	37
Diseases of Respiratory "	5·44	6·07	4·80	1347	760	587	271	120	35	17	11	454	15	4	10	15	78	154	173	209	154	81
Diseases of Digestive "	2·52	2·74	2·30	625	343	282	117	20	4	5	3	149	15	13	17	26	63	101	106	86	37	12
Diseases of Urinary "	1·80	2·55	1·03	445	319	126	3	1	1	1	—	6	1	7	4	18	58	74	104	83	60	30
Diseases of Generative "	0·25	0·02	0·49	63	3	60	2	—	—	—	—	2	—	1	1	3	16	22	12	5	1	—
Puerperal Fever	0·11	—	0·23	28	—	28	—	—	—	—	—	—	—	—	3	3	12	10	—	—	—	—
Childbirth	0·08	—	0·17	21	—	21	—	—	—	—	—	—	—	—	—	4	11	6	—	—	—	—
Violence	2·42	3·62	1·19	599	453	146	46	8	13	9	11	87	13	10	23	34	104	117	102	59	34	16
Other Causes	3·73	4·41	3·00	920	554	366	348	31	5	4	5	393	11	22	23	29	77	104	104	61	51	45

Marriages 3,494

Births .. { Males .. 2,375 / Females 2,259 } 4,634

Annual Rate per 1000 living { Persons Married .. 28·22 / Births .. .. .. 18·72 }

Annual Births to 1000 Females aged 15—45 years = 64.

Deaths from Childbirth and Puerperal Fever .. .. } 10·57 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

13.—HOLBORN.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 20·25			*178	—	—	—	—	83·29	5·51	2·46	2·74	3·66	6·30	10·79	17·30	28·57	54·27	118·83
Annual Death-Rate per 1000. Males	—			21·26			*192	—	—	—	—	90·98	5·08	2·30	2·31	3·66	6·20	11·03	18·07	29·64	57·39	127·69
Annual Death-Rate per 1000. Females	—			19·29			*164	—	—	—	—	75·70	5·94	2·63	3·17	3·66	6·39	10·55	16·55	27·60	51·92	113·66
Mean Population, 1891–1900. Persons	—			138,191			3750	3180	3264	3259	3062	16515	14778	13673	13943	13554	23008	17957	12755	7522	3477	1009
Mean Population, 1891–1900. Males	—			68,496			1855	1594	1621	1610	1526	8206	7408	6792	6999	6670	11637	9048	6303	3566	1495	372
Mean Population, 1891–1900. Females	—			69,695			1895	1586	1643	1649	1536	8309	7370	6881	6944	6884	11371	8909	6452	3956	1982	637
Deaths from All Causes, 1891–1900. Persons	19·26			26,614			8606	2929	1118	680	423	13756	814	337	382	496	1449	1938	2207	2149	1887	1199
Deaths from All Causes, 1891–1900. Males	19·93			13,653			4759	1591	582	313	221	7466	376	156	162	244	722	998	1139	1057	858	475
Deaths from All Causes, 1891–1900. Females	18·60			12,961			3847	1338	536	367	202	6290	438	181	220	252	727	940	1068	1092	1029	724
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·00	—	1	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Measles	0·91	0·96	0·86	1259	660	599	280	540	204	113	65	1202	52	—	1	—	3	—	1	—	—	—
Scarlet Fever	0·05	0·05	0·06	70	31	39	6	12	6	10	4	38	24	3	—	3	1	1	—	—	—	—
Diphtheria	0·36	0·34	0·37	494	235	259	43	84	88	96	70	381	101	5	2	2	1	1	—	1	—	—
Whooping-cough	0·61	0·57	0·64	840	392	448	327	281	122	50	32	812	28	—	—	—	—	—	—	—	—	—
Typhus	0·00	0·00	—	2	2	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
Enteric Fever	0·09	0·09	0·08	119	63	56	2	1	1	1	1	6	10	13	21	11	29	15	10	4	—	—
Simple Continued Fever	0·00	—	0·00	3	—	3	—	—	1	—	—	1	1	—	—	—	—	—	—	1	—	—
Diarrhœa & Dysentery	0·91	0·92	0·89	1254	631	623	979	170	19	5	1	1174	3	1	—	—	3	5	11	14	22	21
Cholera	0·02	0·02	0·02	23	11	12	17	1	—	—	—	18	—	—	—	—	—	1	1	1	2	—
Cancer	0·53	0·42	0·62	726	291	435	2	4	3	7	4	20	12	6	12	13	53	119	178	152	126	35
Tabes Mesenterica	0·28	0·31	0·24	383	214	169	200	76	30	19	13	338	25	6	2	1	6	2	1	2	—	—
Phthisis	1·90	2·18	1·62	2623	1491	1132	82	70	44	27	17	240	46	59	139	238	636	616	442	155	44	8
Other Tub. & Scrof. Dis.	0·81	0·91	0·72	1123	623	500	280	241	144	96	65	826	149	51	18	19	23	16	9	6	3	3
Diseases of Nervous System	1·67	1·78	1·57	2311	1219	1092	869	191	56	37	35	1188	56	22	26	18	60	147	195	225	235	139
Diseases of Circulatory „	1·35	1·26	1·43	1862	865	997	49	12	6	6	4	77	72	75	62	52	125	210	328	383	339	139
Diseases of Respiratory „	4·36	4·43	4·29	6020	3031	2989	1734	876	269	141	64	3084	85	23	23	39	162	325	505	697	685	392
Diseases of Digestive „	1·18	1·22	1·14	1629	837	792	778	138	36	14	10	976	38	15	15	13	50	100	143	149	92	38
Diseases of Urinary „	0·37	0·36	0·37	506	249	257	9	13	6	7	9	44	14	5	9	11	41	76	98	103	74	31
Diseases of Generative „	0·05	0·01	0·08	64	6	58	4	3	1	—	—	8	—	—	1	2	14	20	10	7	2	—
Puerperal Fever	0·04	—	0·08	53	—	53	—	—	—	—	—	—	—	—	1	11	31	10	—	—	—	—
Childbirth	0·05	—	0·11	76	—	76	—	—	—	—	—	—	—	—	1	14	38	21	2	—	—	—
Violence	0·69	0·82	0·56	957	565	392	511	35	22	14	9	591	17	9	13	12	44	65	78	69	40	19
Other Causes	3·03	3·28	2·85	4216	2236	1980	2433	181	60	37	20	2731	80	44	36	37	129	188	194	180	223	374

Marriages 12,806

Births .. { Males .. 24,779 / Females 23,485 } 48,264

Annual Rate per 1000 living { Persons Married .. 18·53 / Births .. .. .. 34·93

Annual Births to 1000 Females aged 15—45 years = 142.

Deaths from Childbirth and Puerperal Fever .. .. } 2·67 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

14.—LONDON CITY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 39·35			*225	—	—	—	—	118·27	17·63	11·93	10·87	10·58	20·28	34·84	46·96	62·30	87·07	135·09
Annual Death-Rate per 1000. Males	—			In Standard Population. 47·91			*252	—	—	—	—	132·17	19·28	12·76	12·70	12·06	26·68	46·29	64·52	83·81	124·57	170·92
Annual Death-Rate per 1000. Females	—			In Standard Population. 31·31			*197	—	—	—	—	104·74	16·06	10·74	8·52	8·79	14·05	23·80	30·84	45·24	65·35	120·45
Mean Population, 1891-1900. Persons	—			32,381			482	419	429	437	439	2206	2155	2909	4130	4670	5632	4004	3122	2053	1121	379
Mean Population, 1891-1900. Males	—			16,392			239	199	221	207	222	1088	1053	1708	2323	2554	2777	1966	1494	908	411	110
Mean Population, 1891-1900. Females	—			15,989			243	220	208	230	217	1118	1102	1201	1807	2116	2855	2038	1628	1145	710	269
Deaths from All Causes, 1891-1900. Persons	34·12			11,049			1212	635	339	242	181	2609	380	347	449	494	1142	1395	1466	1279	976	512
Deaths from All Causes, 1891-1900. Males	39·89			6,538			691	351	177	119	100	1438	203	218	295	308	741	910	964	761	512	188
Deaths from All Causes, 1891-1900. Females	28·21			4,511			521	284	162	123	81	1171	177	129	154	186	401	485	502	518	464	324
	Persons.	Males.	Females.	Persons.	Males	Females.	Persons.															
Small-pox	0·01	—	0·01	2	—	2	1	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Measles	0·35	0·35	0·34	113	58	55	17	53	26	6	5	107	4	—	1	—	1	—	—	—	—	—
Scarlet Fever	0·08	0·09	0·06	25	15	10	2	5	4	3	1	15	6	2	1	1	—	—	—	—	—	—
Diphtheria	1·00	1·09	0·91	325	179	146	25	98	66	50	26	265	39	4	3	1	9	2	2	—	—	—
Whooping-cough	0·36	0·32	0·41	117	52	65	32	41	12	20	6	111	5	—	1	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·58	0·79	0·36	187	130	57	—	—	—	—	4	4	11	20	33	38	48	24	5	4	—	—
Simple Continued Fever	0·01	0·01	0·01	3	2	1	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—
Diarrhœa & Dysentery	0·37	0·41	0·33	120	68	52	72	24	2	—	1	99	3	—	—	3	—	3	2	3	4	3
Cholera	0·04	0·05	0·02	12	9	3	4	—	1	—	1	6	—	—	—	—	1	1	4	—	—	—
Cancer	2·67	2·90	2·44	866	476	390	—	2	2	—	2	6	4	7	16	10	71	133	242	249	107	21
Tabes Mesenterica	0·26	0·29	0·23	84	47	37	15	11	3	5	5	39	9	7	7	6	7	7	2	—	—	—
Phthisis	2·19	2·79	1·58	710	458	252	7	15	12	5	8	47	19	17	46	65	164	164	123	49	14	2
Other Tub. & Scrof. Dis.	1·28	1·45	1·09	413	237	176	59	67	43	40	23	232	59	32	20	14	27	16	9	3	1	—
Diseases of Nervous System	2·27	2·51	2·02	735	412	323	123	33	15	15	9	195	23	20	25	28	44	64	93	107	89	47
Diseases of Circulatory "	4·19	4·94	3·43	1358	809	549	8	4	4	8	8	32	30	66	66	74	166	213	238	215	173	85
Diseases of Respiratory "	5·27	5·85	4·67	1705	959	746	248	158	77	36	23	542	21	10	24	30	103	158	184	208	264	161
Diseases of Digestive "	2·94	2·97	2·91	953	487	466	143	47	6	8	10	214	32	37	44	37	97	116	141	128	77	30
Diseases of Urinary "	1·55	2·06	1·03	502	337	165	3	3	—	5	5	16	9	10	19	35	63	83	83	87	72	25
Diseases of Generative "	0·30	0·03	0·58	98	5	93	5	1	2	1	—	9	—	—	2	8	13	32	17	10	5	2
Puerperal Fever	0·12	—	0·25	40	—	40	—	—	—	—	—	—	—	—	1	5	24	9	1	—	—	—
Childbirth	0·12	—	0·24	38	—	38	—	—	—	—	—	—	—	—	1	6	15	15	1	—	—	—
Violence	4·05	6·18	1·86	1310	1013	297	66	34	40	28	26	194	68	64	84	87	168	218	195	122	75	35
OTHER CAUSES	4·11	4·81	3·43	1333	785	548	382	38	24	12	18	474	38	51	55	46	119	137	124	94	94	101

Marriages 5,656

Births .. { Males .. 2,740 / Females 2,642 } 5,382

Annual Rate per 1000 living { Persons Married .. 34·93 / Births .. .. .. 16·62 }

Annual Births to 1000 Females aged 15—45 years = 61.

Deaths from Childbirth and Puerperal Fever .. .. 14·49 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

15.—SHOREDITCH.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 23·74			*186	—	—	—	—	80·60	4·66	2·10	2·48	3·71	6·52	13·87	23·55	41·88	90·94	192·35
Annual Death-Rate per 1000. Males ..	—			25·42			*201	—	—	—	—	87·38	4·29	2·08	2·34	3·68	7·28	14·83	26·49	46·15	101·83	218·45
Annual Death-Rate per 1000. Females	—			22·17			*171	—	—	—	—	73·94	5·03	2·13	2·62	3·73	5·78	12·90	20·85	38·12	82·49	178·53
Mean Population, 1891–1900. Persons	—			122,004			3565	3021	3198	3082	2935	15801	13793	12637	12169	11760	19434	14796	10330	6406	3610	1268
Mean Population, 1891–1900. Males ..	—			59,938			1757	1499	1606	1503	1462	7827	6921	6216	6110	5650	9789	7412	4986	3001	1587	439
Mean Population, 1891–1900. Females	—			62,066			1808	1522	1592	1579	1473	7974	6872	6421	6059	6110	9645	7384	5344	3405	2023	829
Deaths from All Causes, 1891–1900. Persons	23·40			28,544			8086	2709	1034	577	329	12735	643	266	302	436	1270	2052	2435	2683	3283	2439
Deaths from All Causes, 1891–1900. Males ..	24·54			14,709			4435	1416	540	280	168	6839	297	129	143	208	713	1099	1321	1385	1616	959
Deaths from All Causes, 1891–1900. Females	22·29			13,835			3651	1293	494	297	161	5896	346	137	159	228	557	953	1114	1298	1667	1480
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·88	0·92	0·85	1077	551	526	211	486	183	110	45	1035	39	2	—	—	—	1	—	—	—	—
Scarlet Fever	0·08	0·07	0·08	94	44	50	4	11	16	18	13	62	20	5	3	2	2	—	—	—	—	—
Diphtheria	0·38	0·40	0·35	460	241	219	44	100	85	76	55	360	83	7	2	3	1	—	3	1	—	—
Whooping-cough ..	0·69	0·60	0·78	846	362	484	290	311	125	65	30	821	25	—	—	—	—	—	—	—	—	—
Typhus	0·00	0·00	0·00	2	1	1	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—
Enteric Fever	0·08	0·09	0·07	95	51	44	—	1	3	4	—	8	7	12	15	13	23	13	3	—	1	—
Simple Continued Fever	0·00	0·00	0·00	4	1	3	—	—	1	—	—	1	1	—	1	—	1	—	—	—	—	—
Diarrhœa & Dysentery	1·24	1·31	1·18	1515	783	732	1168	191	19	7	2	1387	5	1	—	—	—	5	11	20	42	44
Cholera	0·03	0·04	0·02	32	22	10	17	6	1	—	—	24	1	—	—	—	—	1	3	2	—	1
Cancer	0·58	0·45	0·71	708	270	438	3	3	—	1	1	8	7	—	2	4	12	90	179	178	175	53
Tabes Mesenterica ..	0·37	0·41	0·32	449	248	201	303	76	24	10	4	417	14	6	—	1	2	2	3	2	2	—
Phthisis	1·98	2·45	1·53	2416	1467	949	54	39	24	16	6	139	40	32	84	184	526	667	465	191	83	5
Other Tub. & Scrof. Dis.	0·58	0·68	0·49	710	407	303	209	150	82	34	33	508	81	36	13	11	21	20	9	6	3	2
Diseases of Nervous System ..	2·66	2·77	2·55	3243	1661	1582	906	160	65	33	24	1188	51	26	28	19	88	209	335	402	569	328
Diseases of Circulatory „ ..	1·75	1·58	1·92	2140	949	1191	47	7	3	4	4	65	39	49	49	40	111	221	363	460	499	244
Diseases of Respiratory „ ..	5·35	5·87	4·85	6527	3516	3011	1455	832	309	138	67	2801	95	20	29	46	158	323	506	851	1100	598
Diseases of Digestive „ ..	1·15	1·16	1·14	1404	696	708	582	131	22	9	11	755	28	13	11	19	53	98	123	127	126	51
Diseases of Urinary „ ..	0·53	0·59	0·47	647	354	293	10	6	3	3	4	26	8	8	10	14	31	93	128	146	117	66
Diseases of Generative „ ..	0·04	0·02	0·06	45	9	36	5	1	—	—	—	6	—	—	1	—	1	3	13	4	8	9
Puerperal Fever ..	0·04	—	0·08	50	—	50	—	—	—	—	—	—	—	—	1	16	18	15	—	—	—	—
Childbirth	0·07	—	0·15	91	—	91	—	—	—	—	—	—	—	—	3	17	46	24	1	—	—	—
Violence	0·80	0·92	0·69	978	549	429	426	42	29	24	11	532	42	17	13	12	57	74	74	58	62	37
OTHER CAUSES ..	4·12	4·21	4·00	5011	2527	2484	2352	156	40	25	19	2592	57	32	37	34	119	193	215	235	496	1001

Marriages 11,201

Births .. { Males .. 22,115 / Females 21,291 } 43,406

Annual Rate per 1000 living { Persons Married .. 18·36 / Births .. .. .. 35·58 }

Annual Births to 1000 Females aged 15—45 years = 149.

Deaths from Childbirth and Puerperal Fever .. .. } 3·25 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

16.—BETHNAL GREEN.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 21·17			*161	—	—	—	—	69·14	3·63	1·76	3·41	4·49	7·45	14·29	22·16	37·83	74·34	157·13
Annual Death-Rate per 1000. Males ..	—			22·81			*172	—	—	—	—	73·80	3·53	1·41	3·20	4·87	8·51	16·58	26·20	42·19	82·57	172·19
Annual Death-Rate per 1000. Females				19·62			*149	—	—	—	—	64·59	3·73	2·11	3·60	4·14	6·39	12·04	18·33	33·95	68·00	147·92
Mean Population, 1891–1900. Persons	—			129,225			3871	3497	3625	3462	3348	17803	15780	14385	13333	12183	19632	14672	10410	6226	3441	1360
Mean Population, 1891–1900. Males ..	—			63,253			1917	1692	1812	1699	1673	8793	7899	7213	6478	5852	9815	7266	5064	2880	1497	496
Mean Population, 1891–1900. Females	—			65,972			1954	1805	1813	1763	1675	9010	7881	7172	6855	6331	9817	7406	5346	3346	1944	864
Deaths from All Causes, 1891–1900. Persons	20·93			27,052			7704	2610	1051	565	379	12309	573	253	454	547	1462	2097	2307	2355	2558	2137
Deaths from All Causes, 1891–1900. Males ..	22·20			14,043			4174	1359	510	275	171	6489	279	102	207	285	835	1205	1327	1219	1236	859
Deaths from All Causes, 1891–1900. Females	19·72			13,009			3530	1251	541	290	208	5820	294	151	247	262	627	892	980	1136	1322	1278
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·86	0·89	0·83	1108	563	545	217	452	210	125	54	1058	45	2	—	—	1	1	—	1	—	—
Scarlet Fever	0·09	0·08	0·10	121	52	69	11	20	26	17	11	85	25	5	3	2	—	1	—	—	—	—
Diphtheria	0·36	0·35	0·37	466	224	242	32	101	85	82	68	368	81	5	5	1	1	2	—	3	—	—
Whooping-cough ..	0·68	0·57	0·79	882	363	519	341	278	135	57	41	852	27	2	1	—	—	—	—	—	—	—
Typhus	0·00	0·00	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Enteric Fever	0·09	0·08	0·10	117	52	65	2	1	1	3	3	10	11	9	23	16	21	12	8	5	1	1
Simple Continued Fever	0·00	0·00	—	2	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—
Diarrhœa & Dysentery	0·87	0·91	0·84	1129	576	553	808	181	23	9	3	1024	7	—	1	—	1	5	8	19	23	41
Cholera	0·02	0·02	0·02	26	12	14	11	4	1	1	—	17	1	1	1	1	—	—	3	2	—	—
Cancer	0·58	0·49	0·66	746	312	434	—	—	1	—	—	1	1	—	—	6	21	93	170	209	170	75
Tabes Mesenterica ..	0·40	0·43	0·36	511	274	237	367	79	25	10	5	486	13	6	1	1	2	1	1	—	—	—
Phthisis	2·30	3·05	1·59	2973	1926	1047	25	26	12	10	8	81	34	38	180	262	712	820	546	237	58	5
Other Tub. & Scrof. Dis.	0·44	0·48	0·40	568	305	263	182	146	56	25	30	439	45	24	16	7	16	6	9	3	3	—
Diseases of Nervous System ..	2·35	2·49	2·22	3033	1571	1462	1105	169	63	28	20	1385	41	17	24	25	71	174	264	332	435	265
Diseases of Circulatory „ ..	1·36	1·29	1·44	1763	815	948	29	4	4	2	2	41	38	56	71	69	170	225	270	333	326	164
Diseases of Respiratory „ ..	5·12	5·38	4·89	6615	3395	3220	1396	863	309	139	93	2800	95	26	49	51	181	347	608	794	961	703
Diseases of Digestive „ ..	1·02	1·03	1·02	1323	653	670	534	129	16	10	10	699	26	9	17	17	48	91	109	125	119	63
Diseases of Urinary „ ..	0·38	0·47	0·30	496	296	200	7	8	6	4	5	30	11	6	11	15	35	63	88	87	98	52
Diseases of Generative „ ..	0·02	0·00	0·03	25	3	22	2	—	—	—	—	2	—	—	—	1	4	2	6	6	1	3
Puerperal Fever ..	0·05	—	0·09	60	—	60	—	—	—	—	—	—	—	—	4	16	25	15	—	—	—	—
Childbirth	0·07	—	0·13	88	—	88	—	—	—	—	—	—	—	—	3	8	40	37	—	—	—	—
Violence	0·69	0·80	0·58	893	509	384	444	26	38	21	11	540	30	21	12	8	33	51	51	50	47	50
OTHER CAUSES ..	3·18	3·39	2·96	4106	2139	1967	2191	123	40	22	15	2391	42	26	32	41	79	151	166	149	314	715

Marriages 13,732

Births .. { Males .. 24,316 / Females 23,660 } 47,976

Annual Rate per 1000 living { Persons Married .. 21·25 / Births .. .. .. 37·13 }

Annual Births to 1000 Females aged 15—45 years = 158.

Deaths from Childbirth and Puerperal Fever .. .. } 3·08 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

17.—WHITECHAPEL.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		33·14	*172	—	—	—	—	87·74	8·65	6·71	8·44	9·05	16·57	30·77	46·74	66·98	95·07	169·42
Annual Death-Rate per 1000. Males ..	—					36·93	*188	—	—	—	—	97·38	9·34	7·67	9·47	10·25	17·85	33·92	52·76	79·59	108·87	174·32
Annual Death-Rate per 1000. Females	—					29·59	*156	—	—	—	—	78·26	7·96	5·75	7·36	7·71	14·99	26·75	39·32	52·47	81·55	165·27
Mean Population, 1891–1900. Persons	—			77,850			2336	1954	1995	2016	1932	10233	8626	7426	7942	8684	13365	9554	6235	3616	1685	484
Mean Population, 1891–1900. Males ..	—			40,855			1143	991	981	990	968	5073	4294	3703	4057	4586	7355	5356	3440	1935	834	222
Mean Population, 1891–1900. Females	—			36,995			1193	963	1014	1026	964	5160	4332	3723	3885	4098	6010	4198	2795	1681	851	262
Deaths from All Causes, 1891–1900. Persons	31·59			24,590			5344	1972	825	510	327	8978	746	498	670	786	2214	2940	2914	2422	1602	820
Deaths from All Causes, 1891–1900. Males ..	34·90			14,259			2980	1049	454	262	195	4940	401	284	384	470	1313	1817	1815	1540	908	387
Deaths from All Causes, 1891–1900. Females	27·93			10,331			2364	923	371	248	132	4038	345	214	286	316	901	1123	1099	882	694	433
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	0·00	0·00	0·00	2	1	1	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
Measles	0·72	0·75	0·70	563	305	258	156	264	68	43	19	550	12	—	—	—	—	—	1	—	—	—
Scarlet Fever	0·06	0·06	0·07	50	25	25	7	8	13	7	5	40	4	4	1	1	—	—	—	—	—	—
Diphtheria	0·72	0·70	0·74	558	286	272	51	140	103	100	68	462	63	15	2	1	6	3	3	1	2	—
Whooping-cough ..	0·41	0·37	0·46	323	153	170	122	108	49	28	8	315	8	—	—	—	—	—	—	—	—	—
Typhus	0·00	0·00	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Enteric Fever	0·45	0·52	0·38	351	212	139	—	1	1	2	—	4	28	42	57	59	105	40	13	3	—	—
Simple Continued Fever	0·00	0·00	0·00	3	2	1	—	—	1	—	—	1	—	—	—	1	—	1	—	—	—	—
Diarrhœa & Dysentery	0·66	0·68	0·65	517	278	239	382	75	7	3	2	469	2	—	—	2	4	4	7	10	13	6
Cholera	0·04	0·04	0·04	33	17	16	21	6	1	—	—	28	—	—	—	1	—	2	2	—	—	—
Cancer	1·63	1·74	1·50	1266	712	554	3	—	—	3	2	8	9	11	23	25	106	203	337	355	152	37
Tabes Mesenterica ..	0·40	0·43	0·38	315	175	140	148	56	26	6	3	239	17	9	11	4	7	15	5	6	2	—
Phthisis	2·77	3·64	1·82	2158	1486	672	19	26	17	10	7	79	13	20	82	129	447	659	423	235	61	10
Other Tub. & Scrof. Dis.	0·98	1·12	0·82	763	459	304	163	107	68	48	39	425	106	52	29	32	51	44	15	6	3	—
Diseases of Nervous System ..	2·02	2·12	1·91	1574	867	707	541	102	42	23	13	721	27	23	27	26	63	112	170	173	146	86
Diseases of Circulatory „ ..	2·94	2·96	2·89	2282	1211	1071	32	7	4	4	11	58	49	89	148	105	314	433	424	344	229	89
Diseases of Respiratory „ ..	6·22	7·04	5·30	4837	2877	1960	1159	662	231	108	54	2214	91	28	50	63	256	405	485	542	447	256
Diseases of Digestive „ ..	2·99	3·16	2·80	2328	1291	1037	816	187	35	19	9	1066	74	46	58	85	161	207	247	199	140	45
Diseases of Urinary „ ..	1·32	1·74	0·85	1024	709	315	5	7	5	3	6	26	21	15	33	34	121	189	237	184	126	38
Diseases of Generative „ ..	0·20	0·04	0·38	154	15	139	6	3	1	2	—	12	—	—	2	8	41	40	30	12	4	5
Puerperal Fever ..	0·15	—	0·32	117	—	117	—	—	—	—	—	—	—	—	5	22	60	29	1	—	—	—
Childbirth	0·15	—	0·31	113	—	113	—	—	—	—	—	—	—	—	1	22	48	41	1	—	—	—
Violence	2·56	3·33	1·72	1996	1361	635	224	118	110	82	68	602	162	65	59	77	212	258	247	161	107	46
Other Causes ..	4·20	4·46	3·89	3262	1816	1446	1489	95	43	19	13	1659	60	79	82	88	211	255	266	190	170	202

Marriages 4,650

Births .. { Males .. 15,824 / Females 15,168 } 30,992

Annual Rate per 1000 living { Persons Married .. 11·95 / Births .. .. .. 39·81

Annual Births to 1000 Females aged 15—45 years = 170.

Deaths from Childbirth and Puerperal Fever .. .. } 7·42 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

18.—ST. GEORGE IN THE EAST.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 22·45			*163	—	—	—	—	73·08	2·62	1·20	2·34	4·11	7·07	15·43	24·88	46·75	85·93	151·08
Annual Death-Rate per 1000. Males	—			23·83			*173	—	—	—	—	79·77	2·50	0·84	2·49	4·17	7·56	16·11	27·33	51·16	89·22	172·41
Annual Death-Rate per 1000. Females	—			21·16			*152	—	—	—	—	66·70	2·72	1·56	2·19	4·05	6·53	14·68	22·45	42·65	83·03	137·33
Mean Population, 1891–1900. Persons	—			47,394			1552	1270	1375	1335	1311	6843	5657	4819	4582	4841	7798	5431	3690	2233	1130	370
Mean Population, 1891–1900. Males	—			23,676			742	607	690	661	642	3342	2757	2376	2253	2448	4076	2836	1837	1077	529	145
Mean Population, 1891–1900. Females	—			23,718			810	663	685	674	669	3501	2900	2443	2329	2393	3722	2595	1853	1156	601	225
Deaths from All Causes, 1891–1900. Persons	21·93			10,394			3276	1070	350	194	111	5001	148	58	107	199	551	838	918	1044	971	559
Deaths from All Causes, 1891–1900. Males	23·03			5,453			1767	576	177	93	53	2666	69	20	56	102	308	457	502	551	472	250
Deaths from All Causes, 1891–1900. Females	20·83			4,941			1509	494	173	101	58	2335	79	38	51	97	243	381	416	493	499	309
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·92	0·98	0·86	436	231	205	112	194	68	35	20	429	7	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·08	0·10	0·07	39	23	16	7	5	12	5	2	31	6	2	—	—	—	—	—	—	—	—
Diphtheria	0·19	0·17	0·21	90	40	50	12	17	24	16	5	74	13	1	1	—	—	1	—	—	—	—
Whooping-cough	0·51	0·49	0·53	242	117	125	88	87	29	19	12	235	6	1	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·07	0·07	0·06	31	17	14	—	—	1	—	—	1	2	3	5	8	8	2	1	1	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	1·11	1·15	1·08	527	271	256	365	84	6	3	3	461	2	—	1	1	—	4	3	16	24	15
Cholera	0·01	0·00	0·01	4	1	3	1	1	—	—	—	2	—	—	—	—	—	2	—	—	—	—
Cancer	0·51	0·45	0·57	243	107	136	1	—	—	1	—	2	1	—	1	2	6	26	63	73	52	17
Tabes Mesenterica	0·32	0·33	0·32	154	78	76	94	35	9	4	2	144	5	3	—	1	—	—	—	1	—	—
Phthisis	2·33	2·79	1·86	1102	660	442	8	9	4	4	3	28	7	6	41	80	290	340	177	97	32	4
Other Tub. & Scrof. Dis.	0·46	0·53	0·38	216	125	91	63	49	32	11	12	167	15	6	2	4	6	5	7	—	3	1
Diseases of Nervous System	1·68	1·75	1·61	796	414	382	322	62	20	15	11	430	14	6	6	4	17	22	69	104	80	44
Diseases of Circulatory "	1·40	1·30	1·51	663	308	358	5	1	—	—	—	6	6	8	13	24	43	82	135	144	134	71
Diseases of Respiratory "	5·75	6·22	5·29	2727	1472	1255	713	322	106	61	29	1231	29	3	14	23	62	154	255	390	376	190
Diseases of Digestive "	1·71	1·77	1·65	809	418	391	484	108	15	3	6	616	13	2	2	8	16	36	30	48	24	14
Diseases of Urinary "	0·58	0·58	0·58	274	137	137	2	6	3	3	—	14	4	2	3	4	16	50	65	58	43	15
Diseases of Generative "	0·02	0·01	0·03	10	2	8	1	—	—	—	—	1	—	—	—	—	1	1	2	3	2	—
Puerperal Fever	0·07	—	0·13	32	—	32	—	—	—	—	—	—	—	—	1	12	14	5	—	—	—	—
Childbirth	0·07	—	0·13	31	—	31	—	—	—	—	—	—	—	—	1	5	13	11	1	—	—	—
Violence	0·84	1·01	0·67	398	239	159	172	19	8	6	4	209	13	7	9	8	22	34	28	24	27	17
Other Causes	3·30	3·33	5·28	1567	793	774	826	71	13	8	2	920	5	8	7	15	37	63	82	85	174	171

Marriages 2,737
Births .. { Males .. 10,207, Females 9,917 } 20,124

Annual Rate per 1000 living { Persons Married .. 11·55, Births .. .. .. 42·46 }
Annual Births to 1000 Females aged 15—45 years = 182.

Deaths from Childbirth and Puerperal Fever .. .. } 3·13 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

19.—STEPNEY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 22·62			*241	—	—	—	—	104·99	6·95	3·36	3·43	3·45	5·18	10·53	15·50	27·32	52·35	116·54
Annual Death-Rate per 1000. Males	—			23·55			*259	—	—	—	—	111·66	8·03	3·87	4·06	3·76	5·02	10·12	14·02	26·49	53·82	126·47
Annual Death-Rate per 1000. Females	—			21·74			*223	—	—	—	—	98·40	5·86	2·83	2·72	3·14	5·35	10·98	17·14	28·19	51·15	111·16
Mean Population, 1891–1900. Persons	—			58,088			1677	1445	1509	1506	1431	7568	6796	6312	6012	5444	9111	7049	5065	3001	1343	387
Mean Population, 1891–1900. Males	—			29,708			831	725	757	730	722	3765	3401	3201	3177	2765	4741	3724	2667	1529	602	136
Mean Population, 1891–1900. Females	—			28,380			846	720	752	776	709	3803	3395	3111	2835	2679	4370	3325	2398	1472	741	251
Deaths from All Causes, 1891–1900. Persons	22·37			12,997			4717	1870	693	424	242	7946	472	212	206	188	472	742	785	820	703	451
Deaths from All Causes, 1891–1900. Males	22·63			6,724			2554	946	369	204	131	4204	273	124	129	104	238	377	374	405	324	172
Deaths from All Causes, 1891–1900. Females	22·10			6,273			2163	924	324	220	111	3742	199	88	77	84	234	365	411	415	379	279
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	1·02	1·02	1·03	595	302	293	115	243	125	57	28	568	24	2	1	—	—	—	—	—	—	—
Scarlet Fever	0·10	0·09	0·12	60	27	33	10	16	7	7	2	42	12	4	2	—	—	—	—	—	—	—
Diphtheria	0·48	0·48	0·48	279	144	135	35	67	39	54	33	228	43	6	1	—	—	1	—	—	—	—
Whooping-cough	0·86	0·75	0·98	501	222	279	188	170	69	43	21	491	10	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·11	0·12	0·10	65	37	28	—	1	2	2	1	6	12	8	13	5	11	5	3	2	—	—
Simple Continued Fever	0·00	0·00	—	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	1·28	1·31	1·25	743	388	355	583	113	10	4	—	710	2	—	—	—	2	1	7	5	10	6
Cholera	0·02	0·03	0·02	14	8	6	7	3	—	—	—	10	1	—	—	—	1	—	1	1	—	—
Cancer	0·46	0·30	0·63	267	89	178	4	—	1	4	1	10	2	1	3	—	5	40	70	61	54	21
Tabes Mesenterica	0·33	0·37	0·28	189	109	80	114	37	6	7	6	170	11	5	2	—	1	—	—	—	—	—
Phthisis	1·44	1·51	1·37	837	449	388	20	35	21	12	8	96	30	22	56	75	161	207	118	56	14	2
Other Tub. & Scrof. Dis.	0·99	1·07	0·91	574	317	257	157	153	61	44	28	443	80	25	10	2	7	4	—	—	2	1
Diseases of Nervous System	1·82	1·80	1·84	1056	534	522	445	92	41	25	18	621	27	17	9	4	18	38	71	96	102	53
Diseases of Circulatory „	1·21	1·10	1·34	705	326	379	12	15	7	8	5	47	30	33	20	11	42	94	105	145	117	61
Diseases of Respiratory „	5·12	5·09	5·11	2968	1516	1452	951	605	209	89	44	1898	60	16	12	14	65	118	171	245	218	151
Diseases of Digestive „	1·87	1·91	1·84	1088	566	522	616	151	33	14	13	827	28	11	12	11	18	31	53	43	35	19
Diseases of Urinary „	0·38	0·38	0·37	218	113	105	11	9	6	8	6	40	13	9	4	1	9	20	41	32	38	11
Diseases of Generative „	0·02	0·01	0·04	14	3	11	4	2	—	—	—	6	—	—	—	—	2	2	2	—	2	—
Puerperal Fever	0·04	—	0·09	25	—	25	—	—	—	—	—	—	—	—	1	7	9	8	—	—	—	—
Childbirth	0·04	—	0·09	25	—	25	—	—	—	—	—	—	—	—	—	3	9	13	—	—	—	—
Violence	1·20	1·61	0·77	697	478	219	171	19	17	30	14	251	51	23	38	41	74	86	61	42	26	4
Other Causes	3·58	3·68	3·44	2076	1095	981	1274	139	39	16	14	1482	35	30	22	14	38	74	82	92	85	122

Marriages 4,126

Births .. { Males .. 9,866 / Females 9,703 } 19,569

Annual Rate per 1000 living { Persons Married .. 14·21 / Births .. .. .. 33·69

Annual Births to 1000 Females aged 15—45 years = 148.

Deaths from Childbirth and Puerperal Fever .. .. } 2·56 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

20.—MILE END OLD TOWN.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 18·76			*143	—	—	—	—	62·87	3·00	1·40	2·08	3·08	5·22	10·35	18·62	34·84	71·69	163·46
Annual Death-Rate per 1000. Males	—			19·55			*155	—	—	—	—	67·30	2·76	1·57	1·77	3·33	5·67	10·56	20·36	37·66	78·08	167·44
Annual Death-Rate per 1000. Females	—			18·02			*131	—	—	—	—	58·49	3·22	1·23	2·38	2·85	4·78	10·14	17·01	32·49	67·34	161·38
Mean Population, 1891–1900. Persons	—			110,600			3314	2803	2929	2886	2721	14653	12611	11629	10953	11238	17841	12515	9062	5692	3147	1259
Mean Population, 1891–1900. Males	—			53,646			1639	1390	1457	1437	1355	7278	6221	5844	5321	5374	8838	6137	4341	2586	1273	433
Mean Population, 1891–1900. Females	—			56,954			1675	1413	1472	1449	1366	7375	6390	5785	5632	5864	9003	6378	4721	3106	1874	826
Deaths from All Causes, 1891–1900. Persons	18·57			20,537			6037	1814	685	407	269	9212	378	163	228	346	931	1295	1687	1983	2256	2058
Deaths from All Causes, 1891–1900. Males	18·94			10,161			3318	899	348	197	136	4898	172	92	94	179	501	648	884	974	994	725
Deaths from All Causes, 1891–1900. Females	18·22			10,376			2719	915	337	210	133	4314	206	71	134	167	430	647	803	1009	1262	1333
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·66	0·71	0·62	734	383	351	163	310	130	76	32	711	22	—	—	—	1	—	—	—	—	—
Scarlet Fever	0·09	0·09	0·09	100	48	52	13	20	17	13	14	77	18	1	2	1	1	—	—	—	—	—
Diphtheria	0·35	0·35	0·35	387	188	199	30	68	60	69	62	289	73	10	2	2	4	3	1	2	1	—
Whooping-cough	0·56	0·52	0·59	614	280	334	249	200	87	42	23	601	13	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·09	0·10	0·08	103	55	48	—	—	2	1	5	8	12	9	12	11	25	14	6	4	2	—
Simple Continued Fever	0·00	0·00	0·00	3	1	2	—	—	—	—	—	—	—	—	—	—	1	—	1	—	1	—
Diarrhœa & Dysentery	0·86	0·93	0·80	954	498	456	644	144	17	5	4	814	11	2	—	1	2	5	9	18	35	57
Cholera	0·02	0·02	0·02	23	12	11	13	1	—	—	—	14	1	—	—	1	1	2	—	2	1	1
Cancer	0·59	0·43	0·74	652	233	419	—	1	1	1	—	3	—	1	—	3	13	58	131	198	174	71
Tabes Mesenterica	0·31	0·34	0·28	342	182	160	251	38	15	6	5	315	10	7	1	2	5	1	1	—	—	—
Phthisis	1·54	1·95	1·16	1708	1045	663	9	11	6	6	6	38	9	27	86	148	392	412	337	183	66	10
Other Tub. & Scrof. Dis.	0·42	0·46	0·40	470	245	225	180	104	53	20	22	379	27	15	6	8	9	8	10	3	3	2
Diseases of Nervous System	1·99	2·05	1·94	2206	1100	1106	836	143	57	30	22	1088	29	12	13	12	39	86	166	242	291	228
Diseases of Circulatory	1·65	1·39	1·90	1828	744	1084	13	3	1	2	3	22	25	32	27	32	101	175	303	358	434	319
Diseases of Respiratory	4·00	4·18	3·80	4404	2240	2164	1010	560	183	102	48	1903	59	14	27	37	115	227	343	511	684	484
Diseases of Digestive	1·12	1·04	1·20	1244	559	685	589	115	18	9	11	742	18	8	11	12	33	67	102	123	81	47
Diseases of Urinary	0·45	0·50	0·40	494	266	228	12	5	1	4	—	22	5	5	5	13	24	60	75	114	93	78
Diseases of Generative	0·03	0·01	0·05	30	3	27	3	1	—	1	—	5	—	1	—	1	3	4	3	2	10	1
Puerperal Fever	0·04	—	0·08	47	—	47	—	—	—	—	—	—	—	—	4	15	17	11	—	—	—	—
Childbirth	0·04	—	0·09	48	—	48	—	—	—	—	—	—	—	—	2	7	21	16	2	—	—	—
Violence	0·47	0·56	0·39	519	298	221	216	18	11	13	4	262	13	8	7	9	34	34	36	38	38	40
Other Causes	3·29	3·31	3·24	3627	1781	1846	1806	72	26	7	8	1919	33	11	23	31	90	112	161	185	342	720

Marriages 16,113

Births .. { Males .. 21,353 / Females 20,721 } 42,074

Annual Rate per 1000 living { Persons Married .. 29·14 / Births .. .. .. 38·04 }

Annual Births to 1000 Females aged 15—45 years = 157.

Deaths from Childbirth and Puerperal Fever .. .. } 2·26 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

21.—POPLAR.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 22·47	*169	—	—	—	—	70·63	4·36	2·41	3·38	4·79	7·36	15·06	23·71	43·43	82·87	172·65
Annual Death-Rate per 1000. Males ..	—	24·23	*182	—	—	—	—	74·82	4·36	2·34	3·45	5·23	8·51	17·12	27·25	48·91	91·58	191·55
Annual Death-Rate per 1000. Females	—	20·82	*156	—	—	—	—	66·50	4·35	2·48	3·30	4·34	6·17	12·92	19·99	37·96	74·81	159·65
Mean Population, 1891–1900. Persons	—	168,709	4998	4376	4556	4367	4232	22529	20306	18529	16673	15275	25716	19811	14658	8933	4652	1627
Mean Population, 1891–1900. Males ..	—	84,880	2451	2154	2336	2132	2123	11196	10086	9320	8544	7749	13016	10091	7518	4463	2234	663
Mean Population, 1891–1900. Females	—	83,829	2547	2222	2220	2235	2109	11333	10220	9209	8129	7526	12700	9720	7140	4470	2418	964
Deaths from All Causes, 1891–1900. Persons	22·19	37,435	10073	3175	1345	807	513	15913	885	446	563	732	1892	2984	3476	3880	3855	2809
Deaths from All Causes, 1891–1900. Males ..	23·70	20,119	5479	1596	658	386	258	8377	440	218	295	405	1108	1728	2049	2183	2046	1270
Deaths from All Causes, 1891–1900. Females	20·66	17,316	4594	1579	687	421	255	7556	445	228	268	327	784	1256	1427	1697	1809	1539

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·75	0·74	0·76	1268	630	638	239	477	248	146	88	1198	63	2	1	—	2	—	—	1	1	—
Scarlet Fever	0·13	0·12	0·13	217	104	113	11	38	39	27	26	141	52	13	4	3	2	1	—	1	—	—
Diphtheria	0·45	0·41	0·49	760	352	408	69	132	134	135	92	562	161	20	4	2	4	3	1	2	1	—
Whooping-cough ..	0·70	0·64	0·76	1182	545	637	473	381	168	90	45	1157	24	1	—	—	—	—	—	—	—	—
Typhus	0·00	0·00	—	2	2	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
Enteric Fever	0·13	0·14	0·12	224	120	104	2	3	1	11	6	23	27	22	30	25	36	25	17	13	4	2
Simple Continued Fever	0·00	0·00	0·01	6	1	5	—	1	—	—	—	1	—	2	1	—	1	—	—	1	—	—
Diarrhœa & Dysentery	0·97	0·97	0·97	1639	827	812	1204	236	31	11	7	1489	9	1	1	3	3	16	11	27	41	38
Cholera	0·03	0·03	0·03	54	27	27	25	8	4	1	—	38	1	2	—	—	3	2	2	1	3	2
Cancer	0·69	0·58	0·81	1171	491	680	2	1	2	1	—	6	1	2	5	3	30	139	291	351	254	89
Tabes Mesenterica ..	0·38	0·41	0·35	640	350	290	445	103	35	13	3	599	17	9	3	4	3	2	2	1	—	—
Phthisis	2·10	2·60	1·59	3543	2208	1335	41	33	11	7	11	103	37	62	154	304	753	972	679	337	127	15
Other Tub. & Scrof. Dis.	0·46	0·51	0·41	772	431	341	258	139	86	51	43	577	68	41	14	12	14	18	13	10	3	2
Diseases of Nervous System ..	2·22	2·34	2·11	3745	1980	1765	1185	216	80	56	29	1566	68	33	33	17	88	218	365	512	547	298
Diseases of Circulatory „ ..	1·64	1·61	1·67	2770	1366	1404	43	9	4	4	6	66	31	62	58	50	165	313	476	630	604	315
Diseases of Respiratory „ ..	4·83	5·23	4·41	8130	4432	3698	1937	922	369	166	95	3489	117	31	45	72	230	459	733	1052	1175	727
Diseases of Digestive „ ..	1·24	1·23	1·25	2096	1047	1049	832	219	37	27	10	1125	32	22	24	23	72	137	193	217	181	70
Diseases of Urinary „ ..	0·54	0·67	0·41	916	572	344	11	4	6	3	5	29	11	8	18	14	53	129	183	208	183	80
Diseases of Generative „ ..	0·03	0·01	0·05	51	6	45	2	—	—	—	—	2	—	2	3	—	4	9	14	10	3	4
Puerperal Fever ..	0·06	—	0·12	98	—	98	—	—	—	—	—	—	—	—	3	20	53	22	—	—	—	—
Childbirth	0·07	—	0·14	114	—	114	—	—	—	—	—	—	—	—	5	17	44	45	3	—	—	—
Violence	1·18	1·67	0·69	1998	1419	579	385	72	49	31	32	569	101	63	109	104	199	238	217	180	131	87
Other Causes ..	3·59	3·79	3·38	6039	3209	2830	2909	181	41	27	15	3173	64	48	48	59	132	236	276	326	597	1080

Marriages 14,602

Births .. { Males .. 30,123 / Females 29,366 } 59,489

Annual Rate per 1000 living { Persons Married .. 17·31 / Births .. .. .. 35·26 }

Annual Births to 1000 Females aged 15—45 years = 156.

Deaths from Childbirth and Puerperal Fever .. .. } 3·56 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

22.—ST. SAVIOUR, SOUTHWARK.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		18·54	*176	—	—	—	—	76·00	4·03	1·84	2·25	2·98	4·94	9·79	15·82	28·13	52·54	122·93
Males ..	—					19·00	*189	—	—	—	—	81·45	3·92	1·80	2·11	2·98	4·69	9·46	15·83	28·46	53·65	124·41
Females	—					18·12	*163	—	—	—	—	70·63	4·14	1·88	2·41	2·97	5·20	10·15	15·81	27·80	51·63	122·08
Mean Population, 1891–1900. Persons	—			205,747			5879	5167	5163	5051	4871	26131	22773	20705	19701	19556	34272	26213	18425	10844	5409	1718
Males ..	—			103,326			2869	2574	2564	2499	2459	12965	11427	10250	10109	9941	17463	13411	9338	5351	2440	631
Females	—			102,421			3010	2593	2599	2552	2412	13166	11346	10455	9592	9615	16809	12802	9087	5493	2969	1087
Deaths from All Causes, 1891–1900. Persons	18·16			37,363			12591	4222	1618	884	544	19859	918	381	444	582	1693	2567	2915	3050	2842	2112
Males ..	18·28			18,883			6864	2196	816	434	250	10560	448	184	213	296	819	1268	1478	1523	1309	785
Females	18·04			18,480			5727	2026	802	450	294	9299	470	197	231	286	874	1299	1437	1527	1533	1327
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	—	0·00	1	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Measles	0·74	0·78	0·71	1530	805	725	288	681	293	138	77	1477	52	—	—	—	—	1	—	—	—	—
Scarlet Fever	0·06	0·07	0·06	131	70	61	14	15	28	15	22	94	25	4	4	4	—	—	—	—	—	—
Diphtheria	0·25	0·25	0·25	509	256	253	47	102	78	96	61	384	100	14	2	1	2	3	1	2	—	—
Whooping-cough ..	0·72	0·65	0·80	1490	670	820	533	505	227	111	56	1432	58	—	—	—	—	—	—	—	—	—
Typhus	0·00	0·00	0·00	2	1	1	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—
Enteric Fever	0·06	0·06	0·05	115	62	53	—	—	5	4	4	13	11	9	16	11	21	20	9	4	1	—
Simple Continued Fever	0·00	0·00	0·00	7	3	4	2	2	1	—	—	5	—	—	—	—	—	—	—	—	2	—
Diarrhœa & Dysentery	0·98	1·04	0·91	2006	1077	929	1536	294	42	12	5	1889	5	—	—	—	6	5	13	17	36	35
Cholera	0·01	0·02	0·01	29	16	13	18	3	2	—	—	23	—	—	—	—	—	—	4	1	—	1
Cancer	0·45	0·31	0·59	925	316	609	—	—	3	3	4	10	1	3	4	4	24	108	223	273	204	71
Tabes Mesenterica ..	0·36	0·40	0·32	733	409	324	518	117	27	12	13	687	17	10	4	1	4	5	4	—	1	—
Phthisis	1·49	1·63	1·34	3058	1687	1371	46	74	29	24	17	190	76	63	149	278	677	785	550	222	63	5
Other Tub. & Scrof. Dis.	0·51	0·54	0·48	1054	561	493	317	240	141	87	55	840	111	28	16	12	16	17	9	2	2	1
Diseases of: Nervous System ..	1·82	1·85	1·80	3750	1911	1839	1515	278	108	45	46	1992	90	30	34	21	84	189	275	379	370	286
Circulatory „ ..	1·12	0·99	1·24	2299	1025	1274	45	14	10	11	12	92	65	69	63	52	152	266	400	480	461	199
Respiratory „ ..	4·67	4·67	4·67	9607	4829	4778	2648	1409	484	244	119	4904	161	44	44	66	255	514	771	1030	1081	737
Digestive „ ..	1·01	1·00	1·03	2084	1028	1056	915	203	47	25	11	1201	30	33	28	20	65	156	172	187	131	61
Urinary „ ..	0·33	0·35	0·31	679	359	320	15	12	3	9	2	41	16	12	8	10	42	92	148	120	132	58
Generative „ ..	0·02	0·00	0·04	49	5	44	5	—	—	—	—	5	—	—	—	—	6	11	8	8	10	1
Puerperal Fever ..	0·04	—	0·09	91	—	91	—	—	—	—	—	—	—	—	4	16	51	19	1	—	—	—
Childbirth	0·05	—	0·09	96	—	96	—	—	—	—	—	—	—	—	—	18	38	37	3	—	—	—
Violence	0·57	0·66	0·49	1180	679	501	557	40	27	19	14	657	37	15	22	24	85	104	81	72	47	36
Other Causes ..	2·90	3·01	2·76	5938	3114	2824	3572	231	63	29	26	3921	63	47	46	44	164	235	243	253	301	621

Marriages 29,435

Births .. { Males .. 36,252 / Females 35,139 } 71,391

Annual Rate per 1000 living { Persons Married .. 28·61 / Births .. .. .. 34·70 }

Annual Births to 1000 Females aged 15—45 years = 146.

Deaths from Childbirth and Puerperal Fever .. .. } 2·62 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

23.—ST. OLAVE, SOUTHWARK.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 24·62			*170	—	—	—	—	73·14	5·30	3·37	5·21	6·78	10·48	18·75	28·67	46·73	78·75	159·72
Males	—			27·17			*183	—	—	—	—	77·75	5·67	3·49	5·74	7·80	12·00	21·34	34·47	55·96	91·93	170·81
Females	—			22·23			*156	—	—	—	—	68·50	4·93	3·26	4·63	5·74	8·91	16·05	22·78	38·33	68·98	153·54
Mean Population, 1891–1900. Persons	—			136,473			4010	3559	3648	3565	3473	18255	16438	14796	13558	12630	21218	16198	11584	7042	3520	1234
Males	—			68,447			2030	1781	1808	1748	1779	9146	8215	7516	6998	6375	10802	8261	5837	3356	1499	442
Females	—			68,026			1980	1778	1840	1817	1694	9109	8223	7280	6560	6255	10416	7937	5747	3686	2021	792
Deaths from All Causes, 1891–1900. Persons	24·11			32,899			8246	2859	1089	686	471	13351	871	499	706	856	2224	3037	3321	3291	2772	1971
Males	26·04			17,820			4528	1476	545	331	231	7111	466	262	402	497	1296	1763	2012	1878	1378	755
Females	22·17			15,079			3718	1383	544	355	240	6240	405	237	304	359	928	1274	1309	1413	1394	1216
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	0·01	13	8	5	3	—	—	—	1	4	1	1	1	—	2	2	2	—	—	—
Measles	0·74	0·70	0·78	1009	476	533	228	435	148	103	55	969	34	2	1	1	—	2	—	—	—	—
Scarlet Fever	0·08	0·09	0·08	114	61	53	10	11	14	16	16	67	25	16	3	1	2	—	—	—	—	—
Diphtheria	0·39	0·38	0·39	527	261	266	51	112	104	86	59	412	88	15	2	1	3	3	1	2	—	—
Whooping-cough	0·58	0·52	0·64	789	356	433	300	256	109	62	45	772	17	—	—	—	—	—	—	—	—	—
Typhus	0·00	0·00	0·00	5	3	2	—	—	—	—	—	—	1	—	—	1	1	—	1	—	1	—
Enteric Fever	0·16	0·18	0·14	214	120	94	—	1	1	2	2	6	16	20	33	39	59	28	9	1	3	—
Simple Continued Fever	0·00	—	0·00	2	—	2	1	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·81	0·82	0·80	1106	563	543	794	176	19	10	4	1003	4	1	1	—	5	6	10	9	29	38
Cholera	0·02	0·02	0·02	27	12	15	15	3	—	1	—	19	—	—	—	—	—	2	3	2	1	—
Cancer	1·05	1·02	1·08	1435	699	736	3	—	2	1	2	8	9	5	13	11	68	209	383	413	246	70
Tabes Mesenterica	0·37	0·41	0·34	508	279	229	315	96	29	10	6	456	14	15	7	3	3	7	1	1	1	—
Phthisis	2·20	2·65	1·75	3001	1811	1190	42	36	18	13	13	122	44	48	157	255	732	773	569	237	57	7
Other Tub. & Scrof. Dis.	0·64	0·71	0·57	874	487	387	237	174	86	48	40	585	98	40	36	22	42	28	14	5	3	1
Diseases of Nervous System	2·20	2·38	2·01	2997	1627	1370	959	188	65	50	33	1295	75	36	33	29	69	157	249	407	398	249
Circulatory "	1·94	2·06	1·82	2654	1413	1241	33	6	7	4	3	53	61	76	101	111	214	405	444	568	422	199
Respiratory "	5·34	5·59	5·08	7282	3826	3456	1837	995	343	175	115	3465	115	43	54	87	218	430	648	831	873	518
Digestive "	1·41	1·46	1·36	1928	1002	926	555	171	30	20	10	786	55	32	52	50	123	191	227	207	153	52
Urinary "	0·63	0·84	0·41	855	574	281	8	6	7	6	4	31	13	11	19	28	80	158	178	168	124	45
Generative "	0·10	0·01	0·19	134	6	128	2	—	—	—	—	2	—	—	2	8	26	51	27	12	3	3
Puerperal Fever	0·07	—	0·15	100	—	100	—	—	—	—	—	—	—	—	4	16	50	28	2	—	—	—
Childbirth	0·08	—	0·15	104	—	104	—	—	—	—	—	—	—	—	6	12	52	32	2	—	—	—
Violence	1·58	2·21	0·94	2150	1513	637	389	61	68	61	40	619	137	82	97	112	263	262	269	180	80	49
Other Causes	3·71	3·98	3·46	5071	2723	2348	2464	132	38	18	23	2675	64	56	84	69	212	263	282	248	378	740

Marriages 9,880

Births .. { Males .. 24,757 / Females 23,883 } 48,640

Annual Rate per 1000 living { Persons Married .. 14·48 / Births .. .. .. 35·64 }

Annual Births to 1000 Females aged 15—45 years = 156.

Deaths from Childbirth and Puerperal Fever .. .. } 4·19 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

24.—LAMBETH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 20·24			*151	—	—	—	—	67·22	6·05	3·04	3·52	4·30	6·60	11·92	19·19	34·42	66·63	153·98
Annual Death-Rate per 1000. Males	—			21·91			*165	—	—	—	—	72·11	6·04	3·08	3·86	4·75	7·21	13·53	22·84	40·86	77·44	160·16
Annual Death-Rate per 1000. Females	—			18·66			*137	—	—	—	—	62·28	6·06	3·00	3·21	3·91	6·06	10·44	16·00	29·41	59·65	150·75
Mean Population, 1891–1900. Persons	—			291,776			7304	6443	6575	6448	6214	32984	29689	28082	27697	29447	51193	36920	26384	16590	9218	3572
Mean Population, 1891–1900. Males	—			137,968			3660	3237	3322	3205	3145	16569	14807	13818	13012	13630	24064	17636	12336	7254	3617	1225
Mean Population, 1891–1900. Females	—			153,808			3644	3206	3253	3243	3069	16415	14882	14264	14685	15817	27129	19284	14048	9336	5601	2347
Deaths from All Causes, 1891–1900. Persons	19·62			57,258			14059	4194	1797	1281	840	22171	1797	853	974	1267	3379	4401	5064	5710	6142	5500
Deaths from All Causes, 1891–1900. Males	21·08			29,084			7867	2122	894	668	397	11948	895	425	502	648	1735	2387	2817	2964	2801	1962
Deaths from All Causes, 1891–1900. Females	18·32			28,174			6192	2072	903	613	443	10223	902	428	472	619	1644	2014	2247	2746	3341	3538
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·50	0·52	0·49	1462	715	747	300	563	258	164	85	1370	86	2	2	1	1	—	—	—	—	—
Scarlet Fever	0·26	0·27	0·25	768	379	389	42	120	126	140	84	512	186	35	14	6	8	5	1	1	—	—
Diphtheria	0·68	0·67	0·69	1981	927	1054	110	294	289	312	259	1264	548	91	19	14	24	8	9	2	2	—
Whooping-cough	0·48	0·45	0·51	1403	617	786	616	437	176	88	43	1360	40	1	—	—	—	—	1	—	1	—
Typhus	0·00	0·00	0·00	7	6	1	1	—	—	—	—	1	1	2	1	1	—	—	1	—	—	—
Enteric Fever	0·17	0·20	0·14	491	279	212	1	3	6	1	7	18	24	57	60	82	132	70	29	12	5	2
Simple Continued Fever	0·01	0·01	0·01	21	11	10	1	2	1	2	—	6	4	1	—	—	3	1	4	2	—	—
Diarrhœa & Dysentery	0·74	0·83	0·67	2170	1145	1025	1694	242	29	13	4	1982	4	—	—	3	7	8	9	35	55	67
Cholera	0·03	0·03	0·03	91	46	45	62	12	1	1	—	76	—	—	—	—	1	2	5	2	3	2
Cancer	0·94	0·80	1·06	2729	1100	1629	3	4	3	3	5	18	13	11	13	20	115	310	626	731	601	271
Tabes Mesenterica	0·21	0·22	0·20	606	305	301	341	100	30	15	3	489	22	23	17	9	16	13	11	5	1	—
Phthisis	1·62	2·03	1·25	4715	2795	1920	86	70	39	23	24	242	55	80	273	382	1097	1220	830	401	115	20
Other Tub. & Scrof. Dis.	0·51	0·61	0·42	1475	836	639	438	275	133	84	76	1006	153	69	56	47	68	33	28	11	3	1
Diseases of Nervous System	1·77	1·87	1·67	5156	2585	2571	1417	259	97	65	37	1875	92	59	59	56	129	238	400	674	850	724
Diseases of Circulatory	1·47	1·46	1·49	4300	2009	2291	74	19	9	17	5	124	83	124	122	107	275	498	623	850	898	596
Diseases of Respiratory	3·95	4·26	3·67	11520	5873	5647	2466	1176	397	192	122	4353	152	44	42	94	354	591	938	1477	1876	1599
Diseases of Digestive	1·36	1·43	1·31	3980	1972	2008	1274	240	35	30	20	1599	90	65	80	116	246	311	436	438	369	230
Diseases of Urinary	0·60	0·74	0·48	1754	1017	737	15	9	5	5	4	38	24	18	23	40	132	214	267	345	381	272
Diseases of Generative	0·07	0·01	0·13	211	12	199	5	5	—	1	—	11	—	—	1	13	37	49	50	23	22	5
Puerperal Fever	0·07	—	0·12	191	—	191	—	—	—	—	—	—	—	—	8	38	99	46	—	—	—	—
Childbirth	0·06	—	0·11	175	—	175	—	—	—	—	—	—	—	—	7	25	83	54	6	—	—	—
Violence	0·81	1·12	0·53	2362	1542	820	541	106	100	75	41	863	114	62	63	82	213	270	260	209	118	108
Other Causes	3·31	3·55	3·09	9690	4913	4777	4572	258	63	50	21	4964	106	109	114	131	339	460	530	492	842	1603

Marriages 23,387

Births .. { Males .. 47,670 / Females 45,360 } 93,030

Annual Rate per 1000 living { Persons Married .. 16·03 / Births .. .. .. 31·88 }

Annual Births to 1000 Females aged 15—45 years = 121.

Deaths from Childbirth and Puerperal Fever .. .. } 3·93 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

25.—WANDSWORTH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 16·25			*147	—	—	—	—	53·45	4·24	1·89	2·67	3·18	4·57	8·61	14·38	27·96	60·29	147·04
Annual Death-Rate per 1000. Males	—			In Standard Population. 17·21			*159	—	—	—	—	56·95	4·21	1·90	3·19	3·62	4·99	9·36	15·78	31·55	66·88	157·06
Annual Death-Rate per 1000. Females	—			In Standard Population. 15·34			*134	—	—	—	—	49·92	4·27	1·87	2·25	2·84	4·23	7·95	13·14	25·10	55·68	141·52
Mean Population, 1891-1900. Persons	—			350,964			8789	8124	8308	8291	8009	41521	38106	35378	34175	33905	60779	45072	30514	18246	9582	3686
Mean Population, 1891-1900. Males	—			162,778			4443	4089	4186	4127	3998	20843	18831	17236	15408	14527	27234	21065	14272	8105	3946	1311
Mean Population, 1891-1900. Females	—			188,186			4346	4035	4122	4164	4011	20678	19275	18142	18767	19378	33545	24007	16242	10141	5636	2375
Deaths from All Causes, 1891-1900. Persons	15·33			53,813			14808	4032	1571	1031	751	22193	1616	668	914	1077	2779	3880	4387	5102	5777	5420
Deaths from All Causes, 1891-1900. Males	16·49			26,845			8165	2041	783	516	365	11870	792	328	491	526	1359	1972	2252	2557	2639	2059
Deaths from All Causes, 1891-1900. Females	14·33			26,968			6643	1991	788	515	386	10323	824	340	423	551	1420	1908	2135	2545	3138	3361
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·50	0·55	0·45	1749	899	850	384	708	280	151	113	1636	100	4	1	4	1	3	—	—	—	—
Scarlet Fever	0·15	0·18	0·13	529	286	243	27	54	89	100	71	341	131	28	13	4	10	—	2	—	—	—
Diphtheria	0·49	0·51	0·47	1723	833	890	80	224	268	263	239	1074	513	77	19	9	13	7	3	3	4	1
Whooping-cough	0·45	0·45	0·46	1591	732	859	686	508	197	103	52	1546	44	—	—	—	1	—	—	—	—	—
Typhus	0·00	0·00	0·00	2	1	1	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—
Enteric Fever	0·10	0·12	0·08	339	195	144	1	4	2	3	2	12	26	36	49	30	90	50	32	10	2	2
Simple Continued Fever	0·01	0·01	0·00	19	11	8	4	—	2	—	2	8	2	3	—	1	—	3	1	—	—	1
Diarrhœa & Dysentery	0·70	0·81	0·60	2462	1324	1138	2055	241	18	5	1	2320	1	—	1	1	4	3	13	17	41	61
Cholera	0·03	0·03	0·03	101	50	51	65	14	2	1	1	83	—	1	—	—	4	3	2	5	2	1
Cancer	0·66	0·45	0·84	2311	735	1576	1	3	1	4	1	10	5	8	7	9	70	261	488	639	544	270
Tabes Mesenterica	0·16	0·18	0·15	566	293	273	372	81	23	6	8	490	23	7	7	8	14	6	7	2	2	—
Phthisis	1·25	1·49	1·03	4376	2432	1944	73	65	19	16	7	180	58	91	293	437	960	1073	747	377	124	36
Other Tub. & Scrof. Dis.	0·40	0·45	0·35	1395	736	659	536	229	96	48	45	954	125	58	53	45	55	45	24	23	10	3
Diseases of Nervous System	1·54	1·67	1·44	5413	2711	2702	1314	230	109	68	42	1763	98	46	60	50	195	401	512	663	918	707
Diseases of Circulatory „	1·31	1·30	1·32	4603	2119	2484	72	14	5	5	10	106	78	73	83	78	253	440	639	935	1122	796
Diseases of Respiratory „	2·82	3·09	2·58	9882	5036	4846	2565	1155	317	173	93	4303	158	34	73	84	297	454	723	1096	1360	1300
Diseases of Digestive „	0·99	1·04	0·95	3469	1689	1780	1406	238	48	26	19	1737	62	45	58	54	116	239	313	309	321	215
Diseases of Urinary „	0·39	0·49	0·31	1381	804	577	21	8	3	3	3	38	18	18	17	27	81	152	224	313	279	214
Diseases of Generative „	0·03	0·00	0·06	118	7	111	2	2	1	1	—	6	—	—	3	7	20	26	25	15	11	5
Puerperal Fever	0·06	—	0·11	202	—	202	—	—	—	—	—	—	—	—	3	46	106	47	—	—	—	—
Childbirth	0·05	—	0·09	174	—	174	—	—	—	—	—	—	—	—	4	20	77	69	4	—	—	—
Violence	0·50	0·71	0·32	1758	1150	608	491	53	34	23	20	621	85	53	57	79	148	176	169	158	115	97
OTHER CAUSES	2·74	2·96	2·56	9650	4802	4848	4653	201	57	32	22	4965	89	86	113	84	263	422	458	537	922	1711

Marriages 26,207

Births .. { Males .. 51,327 / Females 49,471 } 100,798

Annual Rate per 1000 living { Persons Married .. 14·93 / Births .. .. .. 28·72

Annual Births to 1000 Females aged 15—45 years = 105.

Deaths from Childbirth and Puerperal Fever .. .. } 3·73 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

26.—CAMBERWELL.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 19·88			*156	—	—	—	—	58·69	3·62	1·69	2·83	3·78	6·55	12·75	20·71	38·19	78·18	178·02
Annual Death-Rate per 1000. Males ..	—			21·82			*169	—	—	—	—	63·14	3·48	1·55	3·15	4·41	7·40	15·27	24·90	45·94	90·09	201·74
Annual Death-Rate per 1000. Females	—			18·05			*142	—	—	—	—	54·22	3·75	1·84	2·55	3·25	5·80	10·52	17·03	31·93	70·08	166·03
Mean Population, 1891–1900. Persons	—			250,567			6397	5924	6019	6051	5778	30169	28495	26825	25264	23346	40297	30602	22085	13355	7226	2903
Mean Population, 1891–1900. Males ..	—			118,624			3201	2966	3027	3019	2916	15129	14245	13383	11967	10656	18677	14370	10328	5969	2925	975
Mean Population, 1891–1900. Females	—			131,943			3196	2958	2992	3032	2862	15040	14250	13442	13297	12690	21620	16232	11757	7386	4301	1928
Deaths from All Causes, 1891–1900. Persons	19·09			47,823			11619	3488	1270	804	526	17707	1031	454	716	883	2638	3903	4574	5100	5649	5168
Deaths from All Causes, 1891–1900. Males ..	20·74			24,597			6431	1809	623	415	275	9553	496	207	377	470	1383	2195	2572	2742	2635	1967
Deaths from All Causes, 1891–1900. Females	17·60			23,226			5188	1679	647	389	251	8154	535	247	339	413	1255	1708	2002	2358	3014	3201
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	0·00	0·00	0·00	2	1	1	1	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—
Measles	0·53	0·59	0·47	1320	703	617	306	519	202	135	79	1241	73	2	—	—	1	3	—	—	—	—
Scarlet Fever	0·06	0·07	0·05	146	83	63	13	18	23	24	12	90	43	8	2	1	—	—	2	—	—	—
Diphtheria	0·30	0·31	0·28	743	373	370	33	119	118	118	116	504	188	25	5	3	10	5	1	1	—	1
Whooping-cough ..	0·48	0·46	0·51	1214	543	671	490	411	144	82	49	1176	37	—	—	—	—	—	1	—	—	—
Typhus	0·00	—	0·00	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Enteric Fever	0·08	0·10	0·06	201	119	82	4	3	1	4	4	16	20	14	27	31	37	27	19	5	5	—
Simple Continued Fever	0·00	0·00	0·00	2	1	1	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·77	0·85	0·69	1921	1006	915	1489	243	20	8	3	1763	5	—	2	1	8	6	11	13	48	64
Cholera	0·02	0·03	0·02	51	30	21	32	6	1	1	—	40	—	1	—	1	1	1	1	3	3	—
Cancer	0·88	0·71	1·04	2207	841	1366	2	4	—	2	1	9	3	1	11	6	62	215	474	601	547	278
Tabes Mesenterica ..	0·22	0·26	0·19	560	306	254	353	98	29	11	7	498	21	5	6	8	8	6	3	4	1	—
Phthisis	2·18	2·88	1·55	5466	3416	2050	49	43	13	10	10	125	51	68	258	405	1174	1448	1077	570	249	41
Other Tub. & Scrof. Dis.	0·47	0·56	0·39	1175	664	511	380	205	108	61	51	805	103	42	38	33	49	33	28	23	10	11
Diseases of Nervous System ..	2·06	2·25	1·89	5171	2672	2499	1412	270	119	65	28	1894	89	40	50	46	156	298	446	662	873	617
Diseases of Circulatory „ ..	1·57	1·56	1·59	3945	1846	2099	53	8	5	10	6	82	54	73	85	79	211	382	596	855	902	626
Diseases of Respiratory „ ..	3·96	4·36	3·61	9924	5166	4758	2217	1117	345	198	113	3990	162	40	66	76	270	537	832	1134	1517	1300
Diseases of Digestive „ ..	0·98	1·00	0·96	2458	1192	1266	745	172	47	23	14	1001	47	28	42	40	115	187	276	286	267	169
Diseases of Urinary „ ..	0·62	0·76	0·49	1553	901	652	6	2	3	6	4	21	15	4	14	14	71	172	254	341	388	259
Diseases of Generative „ ..	0·04	0·01	0·07	95	8	87	3	—	1	—	—	4	—	3	1	3	10	23	14	11	17	9
Puerperal Fever.. ..	0·06	—	0·11	145	—	145	—	—	—	—	—	—	—	—	3	18	92	32	—	—	—	—
Childbirth	0·06	—	0·11	139	—	139	—	—	—	—	—	—	—	—	2	18	58	57	4	—	—	—
Violence	0·44	·57	0·32	1099	675	424	301	31	28	20	10	390	43	30	26	21	74	113	136	107	82	77
OTHER CAUSES	3·31	3·41	3·20	8285	4051	4234	3729	219	63	26	19	4056	77	70	77	79	230	358	399	483	740	1716

Marriages 17,876
Births .. { Males .. 37,953 / Females 36,548 } 74,501

Annual Rate per 1000 living { Persons Married .. 14·27 / Births .. .. .. 29·73 }
Annual Births to 1000 Females aged 15—45 years = 117.

Deaths from Childbirth and Puerperal Fever .. .. } 3·81 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

27.—GREENWICH.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 1891			*155	—	—	—	—	64·79	6·60	2·79	3·60	4·52	7·01	11·13	17·88	32·35	65·34	151·90
Annual Death-Rate per 1000. Males	—			In Standard Population. 1901			*168	—	—	—	—	68·63	6·25	2·80	4·07	5·51	8·40	13·00	20·71	36·62	70·24	166·80
Annual Death-Rate per 1000. Females	—			In Standard Population. 1900			*143	—	—	—	—	60·95	6·95	2·77	3·14	3·64	5·75	9·35	15·24	28·58	61·55	142·83
Mean Population, 1891–1900. Persons	—			175,020			4690	4289	4482	4317	4335	22113	20250	19065	16853	16117	28293	21046	14829	9260	5173	2021
Mean Population, 1891–1900. Males	—			85,190			2369	2130	2247	2126	2192	11064	10112	9836	8323	7601	13478	10243	7166	4347	2255	765
Mean Population, 1891–1900. Females	—			89,830			2321	2159	2235	2191	2143	11049	10138	9229	8530	8516	14815	10803	7663	4913	2918	1256
Deaths from All Causes, 1891–1900. Persons	19·40			33,955			8593	2775	1384	904	671	14327	1337	531	607	729	1984	2342	2652	2996	3380	3070
Deaths from All Causes, 1891–1900. Males	20·73			17,658			4697	1448	683	440	325	7593	632	275	339	419	1132	1332	1484	1592	1584	1276
Deaths from All Causes, 1891–1900. Females	18·14			16,297			3896	1327	701	464	346	6734	705	256	268	310	852	1010	1168	1404	1796	1794
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·01	0·00	0·01	12	2	10	2	1	—	—	—	3	1	1	2	1	3	1	—	—	—	—
Measles	0·58	0·60	0·56	1022	515	507	199	414	189	102	63	967	50	2	—	—	2	1	—	—	—	—
Scarlet Fever	0·55	0·60	0·51	969	512	457	32	145	209	191	129	706	186	46	17	4	5	4	1	—	—	—
Diphtheria	1·00	0·99	1·01	1749	840	909	99	280	322	238	240	1179	474	64	10	10	6	3	1	2	—	—
Whooping-cough	0·54	0·50	0·58	948	430	518	397	299	123	66	31	916	28	1	1	—	1	1	—	—	—	—
Typhus	0·00	0·00	0·00	4	2	2	—	—	—	—	—	—	—	—	—	—	—	1	1	—	1	1
Enteric Fever	0·28	0·35	0·22	496	294	202	2	2	5	3	11	23	49	58	73	68	148	46	20	8	3	—
Simple Continued Fever	0·00	0·00	—	3	3	—	2	—	—	—	—	2	—	—	—	—	1	—	—	—	—	—
Diarrhœa & Dysentery	0·80	0·88	0·73	1401	746	655	1080	164	16	9	2	1271	4	2	1	5	10	8	14	17	39	30
Cholera	0·03	0·03	0·03	50	27	23	29	10	2	1	1	43	1	—	—	—	1	2	—	2	1	—
Cancer	0·77	0·67	0·86	1343	567	776	—	5	1	2	1	9	6	3	2	3	36	150	298	366	327	143
Tabes Mesenterica	0·29	0·32	0·27	513	273	240	324	95	18	10	5	452	19	9	5	9	13	—	5	—	1	—
Phthisis	1·58	2·00	1·18	2769	1707	1062	27	28	9	8	12	84	57	67	167	270	722	648	457	231	53	13
Other Tub. & Scrof. Dis.	0·46	0·52	0·39	797	443	354	243	128	71	36	30	508	92	38	30	21	38	36	17	10	6	1
Diseases of Nervous System	1·85	1·91	1·78	3232	1629	1603	1072	155	65	34	23	1349	47	31	23	34	60	148	251	387	525	377
Diseases of Circulatory „	1·38	1·38	1·38	2411	1174	1237	35	3	2	2	4	46	40	59	69	58	185	261	390	467	532	304
Diseases of Respiratory „	3·38	3·67	3·10	5910	3127	2783	1473	695	232	123	70	2593	92	20	41	40	180	297	426	699	846	676
Diseases of Digestive „	1·09	1·11	1·07	1906	949	957	709	146	24	20	10	909	54	20	30	31	92	131	184	195	169	91
Diseases of Urinary „	0·47	0·60	0·34	820	515	305	5	7	4	3	1	20	4	7	14	16	70	113	155	180	155	86
Diseases of Generative „	0·04	0·00	0·07	66	4	62	1	2	—	1	—	4	—	1	—	3	8	15	15	10	8	2
Puerperal Fever	0·06	—	0·11	103	—	103	—	—	—	—	—	—	—	—	3	29	52	18	1	—	—	—
Childbirth	0·05	—	0·11	95	—	95	—	—	—	—	—	—	—	—	4	12	45	33	1	—	—	—
Violence	0·69	0·94	0·46	1213	801	412	248	49	40	22	22	381	66	41	46	52	107	139	122	98	90	71
OTHER CAUSES	3·50	3·66	3·37	6123	3098	3025	2614	147	52	33	16	2862	67	61	69	63	199	286	293	324	624	1275

Marriages 11,605

Births .. { Males .. 28,004 / Females 27,285 } 55,289

Annual Rate per 1000 living { Persons Married .. 13·26 / Births .. .. .. 31·59

Annual Births to 1000 Females aged 15—45 years = 130.

Deaths from Childbirth and Puerperal Fever .. .. } 3·58 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

28.—LEWISHAM.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 14·84			*134	—	—	—	—	47·66	4·87	2·28	2·46	2·87	4·22	7·32	12·49	24·97	52·26	143·68
Annual Death-Rate per 1000. Males	—			16·12			*146	—	—	—	—	52·35	4·85	1·92	2·93	3·76	5·22	8·23	14·62	30·02	58·47	152·61
Annual Death-Rate per 1000. Females	—			13·63			*122	—	—	—	—	43·03	4·89	2·63	2·14	2·34	3·54	6·61	10·86	21·33	48·24	138·96
Mean Population, 1891–1900. Persons	—			107,883			2432	2201	2305	2301	2258	11497	10951	10566	11230	11018	18651	13492	9448	6064	3471	1495
Mean Population, 1891–1900. Males	—			47,009			1212	1110	1111	1146	1129	5708	5486	5203	4511	4124	7591	5870	4098	2538	1363	517
Mean Population, 1891–1900. Females	—			60,874			1220	1091	1194	1155	1129	5789	5465	5363	6719	6894	11060	7622	5350	3526	2108	978
Deaths from All Causes, 1891–1900. Persons	14·16			15,276			3595	939	455	275	215	5479	533	241	276	316	788	987	1180	1514	1814	2148
Deaths from All Causes, 1891–1900. Males	15·88			7,467			1989	502	235	151	111	2988	266	100	132	155	396	483	599	762	797	789
Deaths from All Causes, 1891–1900. Females	12·83			7,809			1606	437	220	124	104	2491	267	141	144	161	392	504	581	752	1017	1359
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·00	0·00	2	1	1	—	—	—	—	1	1	—	—	—	—	—	—	1	—	—	—
Measles	0·27	0·34	0·21	290	160	130	69	110	46	28	18	271	15	2	—	—	1	1	—	—	—	—
Scarlet Fever	0·17	0·21	0·13	179	99	80	7	26	40	27	20	120	35	12	5	4	2	—	1	—	—	—
Diphtheria	0·62	0·71	0·55	673	336	337	33	89	110	92	90	414	215	27	4	5	4	—	—	4	—	—
Whooping-cough	0·33	0·36	0·30	353	169	184	193	92	30	15	9	339	13	—	—	—	—	—	—	1	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·14	0·19	0·11	156	91	65	1	—	2	1	3	7	7	14	21	19	48	19	8	9	4	—
Simple Continued Fever	0·00	0·00	0·00	2	1	1	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
Diarrhœa & Dysentery	0·61	0·74	0·50	654	350	304	541	56	7	1	—	605	3	—	—	—	3	4	2	6	11	20
Cholera	0·02	0·02	0·01	18	9	9	14	2	—	—	—	16	—	—	—	—	—	—	—	1	—	1
Cancer	0·83	0·66	0·96	897	312	585	—	1	1	—	—	2	5	4	1	7	27	83	163	242	238	125
Tabes Mesenterica	0·17	0·20	0·16	188	93	95	101	31	17	4	5	158	9	4	1	2	7	4	—	3	—	—
Phthisis	0·98	1·24	0·78	1059	583	476	18	6	12	3	4	43	12	34	75	113	240	240	162	97	36	7
Other Tub. & Scrof. Dis.	0·35	0·44	0·29	382	206	176	114	64	33	18	12	241	43	28	16	10	21	7	5	8	3	—
Diseases of Nervous System	1·51	1·72	1·35	1629	808	821	426	82	31	20	4	563	21	20	16	16	29	68	117	193	297	289
Diseases of Circulatory	1·14	1·14	1·14	1233	538	695	26	4	1	—	—	31	16	25	32	28	69	99	168	236	298	231
Diseases of Respiratory	2·26	2·66	1·95	2439	1249	1190	491	220	72	34	29	846	39	10	17	25	63	95	181	279	387	497
Diseases of Digestive	1·06	1·17	0·97	1139	550	589	365	82	16	8	4	475	30	15	29	21	35	87	99	117	127	104
Diseases of Urinary	0·37	0·53	0·25	402	251	151	5	2	2	4	—	13	4	4	2	6	21	49	59	86	82	76
Diseases of Generative	0·04	—	0·07	44	—	44	—	—	—	1	—	1	—	1	—	1	6	5	14	6	6	4
Puerperal Fever	0·06	—	0·11	65	—	65	—	—	—	—	—	—	—	—	3	12	33	17	—	—	—	—
Childbirth	0·05	—	0·09	55	—	55	—	—	—	—	—	—	—	—	—	8	29	17	1	—	—	—
Violence	0·39	0·59	0·24	426	278	148	85	11	14	6	6	122	23	8	17	10	50	48	52	50	28	18
OTHER CAUSES	2·79	2·96	2·66	2991	1383	1608	1106	61	21	13	10	1211	42	33	37	29	100	143	147	176	297	776

Marriages 7,112
Births .. Males .. 13,639 } 26,778
Births .. Females 13,139 }

Annual Rate per 1000 living { Persons Married .. 13·18
Annual Rate per 1000 living { Births .. .. .. 24·82
Annual Births to 1000 Females aged 15—45 years = 83.

Deaths from Childbirth and Puerperal Fever .. .. } 4·48 per 1000 Births

* The death-rates under one year of age are per 1000 Births.

29.—WOOLWICH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 17·80			*139	—	—	—	—	54·92	5·42	2·46	3·17	4·57	6·37	9·72	16·42	32·08	64·88	155·20
Males ..	—			18·74			*148	—	—	—	—	59·03	5·18	2·35	3·34	5·17	7·10	10·60	17·73	34·88	69·87	159·52
Females	—			16·92			*129	—	—	—	—	50·83	5·65	2·57	2·91	3·76	5·59	8·81	15·04	29·27	60·92	152·29
Mean Population, 1891-1900. Persons	—			116,784			3071	2824	2902	2801	2813	14411	12853	11619	12598	12246	19574	13922	9660	5760	3007	1134
Males ..	—			60,865			1547	1403	1423	1421	1401	7195	6450	5819	7550	7060	10113	7063	4940	2887	1331	457
Females	—			55,919			1524	1421	1479	1380	1412	7216	6403	5800	5048	5186	9461	6859	4720	2873	1676	677
Deaths from All Causes, 1891-1900. Persons	16·78			19,601			5024	1505	610	474	302	7915	696	286	399	560	1247	1353	1586	1848	1951	1760
Males ..	16·99			10,344			2746	804	328	231	138	4247	334	137	252	365	718	749	876	1007	930	729
Females	16·55			9,257			2278	701	282	243	164	3668	362	149	147	195	529	604	710	841	1021	1031
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	0·00	0·00	0·01	4	1	3	—	1	—	—	—	1	—	—	—	—	2	—	—	—	1	—
Measles	0·56	0·54	0·59	658	327	331	133	254	115	76	36	614	43	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·24	0·23	0·25	280	140	140	15	28	47	61	30	181	64	14	5	12	2	1	—	1	—	—
Diphtheria	0·63	0·59	0·67	736	362	374	28	88	98	124	106	444	247	28	8	3	5	—	—	—	1	—
Whooping-cough ..	0·41	0·34	0·48	475	205	270	200	165	47	33	14	459	16	—	—	—	—	—	—	—	—	—
Typhus	0·00	0·00	0·00	2	1	1	—	—	—	1	—	1	—	—	—	—	1	—	—	—	—	—
Enteric Fever	0·14	0·15	0·13	162	90	72	—	1	1	1	3	6	11	15	27	21	55	14	8	5	—	—
Simple Continued Fever	0·00	0·00	0·00	4	2	2	—	—	—	—	1	1	—	—	1	—	—	—	—	—	2	—
Diarrhœa & Dysentery	0·67	0·70	0·63	777	423	354	583	104	12	5	3	707	5	—	—	2	4	2	7	5	18	27
Cholera	0·02	0·03	0·02	28	16	12	17	3	—	—	1	21	—	—	—	—	1	1	1	3	1	—
Cancer	0·64	0·43	0·87	748	263	485	—	—	2	—	—	2	—	1	2	3	20	73	146	222	191	88
Tabes Mesenterica ..	0·29	0·30	0·26	333	185	148	221	53	13	6	5	298	13	9	5	3	1	2	—	—	2	—
Phthisis	1·62	1·96	1·24	1887	1195	692	20	13	4	6	4	47	21	46	128	215	475	442	308	154	45	6
Other Tub. & Scrof. Dis.	0·36	0·36	0·37	426	221	205	100	87	43	19	17	266	61	22	16	14	23	10	6	5	3	—
Diseases of Nervous System ..	1·72	1·72	1·72	2004	1044	960	689	115	41	29	17	891	40	19	16	29	53	77	156	257	280	186
Circulatory „ ..	1·44	1·33	1·56	1683	812	871	11	1	—	4	2	18	24	34	42	43	97	152	261	362	403	247
Respiratory „ ..	2·88	3·00	2·75	3363	1826	1537	842	389	125	71	36	1463	54	13	43	46	114	156	244	356	429	445
Digestive „ ..	1·08	1·03	1·13	1261	629	632	469	87	18	9	7	590	28	17	22	30	60	86	125	140	100	63
Urinary „ ..	0·40	0·48	0·32	472	294	178	3	4	1	4	3	15	4	8	6	9	42	58	89	90	90	61
Generative „ ..	0·02	0·00	0·04	23	2	21	—	—	—	—	—	—	—	—	—	—	5	4	4	4	4	2
Puerperal Fever.. ..	0·07	—	0·15	84	—	84	—	—	—	—	—	—	—	—	—	18	44	20	2	—	—	—
Childbirth..	0·07	—	0·14	81	—	81	—	—	—	—	—	—	—	—	3	23	30	24	1	—	—	—
Violence	0·66	0·89	0·41	771	540	231	117	31	23	11	6	188	29	22	33	41	102	92	86	72	60	46
Other Causes	2·86	2·91	2·81	3339	1766	1573	1576	81	20	14	11	1702	36	37	42	48	111	139	142	172	321	589

Marriages 9,919

Births .. { Males .. 18,495, Females 17,657 } 36,152

Annual Rate per 1000 living { Persons Married .. 16·99, Births .. .. .. 30·96 }

Annual Births to 1000 Females aged 15—45 years = 136.

Deaths from Childbirth and Puerperal Fever .. .. } 4·56 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

30.—EPSOM.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.	15·83		*114	—	—	—	—	34·90	3·63	1·97	3·00	4·16	6·82	13·02	19·31	30·49	65·50	151·38
Annual Death-Rate per 1000. Males ..	—				17·46		*123	—	—	—	—	37·15	3·83	1·92	3·53	5·11	8·66	16·73	24·65	34·67	69·03	164·86
Annual Death-Rate per 1000. Females	—				14·30		*104	—	—	—	—	32·59	3·40	2·02	2·53	3·48	5·46	9·90	14·73	27·08	62·76	141·72
Mean Population, 1891–1900. Persons	—			55,537			1119	1061	1147	1089	1154	5570	6372	6556	5200	4976	8721	6845	5147	3381	1971	798
Mean Population, 1891–1900. Males ..	—			26,057			593	532	602	544	565	2836	3287	3489	2437	2073	3717	3126	2377	1520	862	333
Mean Population, 1891–1900. Females	—			29,480			526	529	545	545	589	2734	3085	3067	2763	2903	5004	3719	2770	1861	1109	465
Deaths from All Causes, 1891–1900. Persons	15·62			8,677			1381	269	115	106	73	1944	231	129	156	207	595	891	994	1031	1291	1208
Deaths from All Causes, 1891–1900. Males ..	17·42			4,540			773	136	57	57	30	1053	126	67	86	106	322	523	586	527	595	549
Deaths from All Causes, 1891–1900. Females	14·03			4,137			608	135	58	49	43	891	105	62	70	101	273	368	408	504	696	659
	Persons.	Males.	Females.	Persons.	Males.	Females	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·22	0·26	0·18	121	69	52	17	30	14	13	11	85	30	5	—	—	1	—	—	—	—	—
Scarlet Fever	0·08	0·09	0·08	46	23	23	1	—	6	9	5	21	16	5	3	—	—	—	—	1	—	—
Diphtheria	0·21	0·23	0·18	114	61	53	4	9	12	16	13	54	43	11	3	1	—	1	1	—	—	—
Whooping-cough ..	0·21	0·22	0·20	115	57	58	64	28	11	6	3	112	1	1	1	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·06	0·09	0·04	34	23	11	—	—	—	—	1	1	1	3	6	2	10	8	1	2	—	—
Simple Continued Fever	0·00	0·00	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Diarrhœa & Dysentery	0·39	0·41	0·36	214	107	107	168	18	1	1	—	188	—	—	1	1	—	1	5	3	10	5
Cholera	0·00	—	0·00	1	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	0·65	0·49	0·79	360	128	232	—	—	1	—	—	1	—	2	1	1	7	34	71	103	93	47
Tabes Mesenterica ..	0·12	0·12	0·11	64	32	32	36	6	2	1	1	46	10	—	1	1	—	—	4	2	—	—
Phthisis	1·67	1·96	1·41	926	511	415	16	8	3	1	1	29	12	18	43	81	219	210	157	98	49	10
Other Tub. & Scrof. Dis.	0·30	0·28	0·32	165	72	93	33	23	16	8	5	85	21	17	7	7	14	7	2	1	3	1
Diseases of Nervous System ..	3·83	4·67	3·08	2126	1217	909	177	31	10	7	5	230	16	10	21	36	166	354	355	341	371	226
Diseases of Circulatory " ..	1·35	1·33	1·36	747	346	401	11	—	—	4	1	16	9	10	10	11	33	66	110	133	216	133
Diseases of Respiratory " ..	2·08	2·32	1·87	1155	605	550	234	77	24	26	15	376	32	6	8	10	31	53	97	115	214	213
Diseases of Digestive " ..	0·86	0·98	0·75	475	255	220	119	23	5	2	4	153	12	11	8	18	13	32	52	60	72	44
Diseases of Urinary " ..	0·27	0·39	0·17	151	101	50	2	—	—	—	—	2	1	6	4	3	4	14	27	36	33	21
Diseases of Generative " ..	0·04	0·00	0·07	22	1	21	—	—	—	—	—	—	—	—	—	1	4	3	6	4	2	2
Puerperal Fever ..	0·04	—	0·07	22	—	22	—	—	—	—	—	—	—	—	—	4	12	6	—	—	—	—
Childbirth	0·05	—	0·10	29	—	29	—	—	—	—	—	—	—	—	2	3	13	11	—	—	—	—
Violence	0·39	0·61	0·20	219	160	59	35	5	5	4	2	51	9	9	8	10	16	28	38	24	17	9
OTHER CAUSES ..	2·80	2·97	2·69	1570	771	799	463	11	5	8	6	493	18	15	29	17	52	63	68	108	210	497

Marriages 3,005

Births .. { Males .. 6,266 / Females 5,862 } 12,128

Annual Rate per 1000 living { Persons Married .. 10·82 / Births .. .. .. 21·84 }

Annual Births to 1000 Females aged 15—45 years = 84.

Deaths from Childbirth and Puerperal Fever .. .. } 4·20 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

31.—CHERTSEY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 12·78	*108	—	—	—	—	33·71	3·12	1·72	2·96	3·28	4·13	6·52	11·78	23·97	57·11	139·13
Annual Death-Rate per 1000. Males ..	—	13·73	*116	—	—	—	—	36·89	3·03	1·50	2·87	3·68	4·65	7·74	14·62	26·15	62·12	154·62
Annual Death-Rate per 1000. Females	—	11·89	* 99	—	—	—	—	30·63	3·21	1·97	3·06	3·00	3·73	5·47	9·26	22·05	52·84	127·39
Mean Population, 1891-1900. Persons	—	36,401	835	802	839	812	817	4105	4005	4248	3515	3167	5716	4430	3208	2182	1273	552
Mean Population, 1891-1900. Males ..	—	17,355	426	395	400	391	413	2025	2013	2264	1815	1331	2495	2055	1512	1021	586	238
Mean Population, 1891-1900. Females	—	19,046	409	407	439	421	404	2080	1992	1984	1700	1836	3221	2375	1696	1161	687	314
Deaths from All Causes, 1891-1900. Persons	12·94	4,711	967	208	89	64	56	1384	125	73	104	104	236	289	378	523	727	768
Deaths from All Causes, 1891-1900. Males ..	14·05	2,438	529	102	52	34	30	747	61	34	52	49	116	159	221	267	364	368
Deaths from All Causes, 1891-1900. Females	11·93	2,273	438	106	37	30	26	637	64	39	52	55	120	130	157	256	363	400

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·23	0·23	0·23	83	40	43	21	21	14	7	7	70	10	2	—	—	—	—	1	—	—	—
Scarlet Fever	0·04	0·03	0·04	14	6	8	—	—	2	3	2	7	6	1	—	—	—	—	—	—	—	—
Diphtheria	0·21	0·21	0·20	75	36	39	3	7	12	10	14	46	19	7	—	—	—	1	1	1	—	—
Whooping-cough ..	0·26	0·24	0·28	94	41	53	44	20	13	11	4	92	2	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·07	0·09	0·05	25	16	9	—	—	—	—	2	2	1	1	5	3	5	6	2	—	—	—
Simple Continued Fever	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·43	0·47	0·40	158	81	77	103	17	—	1	2	123	1	—	—	—	2	1	2	4	7	18
Cholera	0·03	0·03	0·03	12	6	6	6	2	—	—	—	8	—	—	—	—	—	—	2	—	1	1
Cancer	0·72	0·62	0·81	262	107	155	—	—	—	—	—	—	—	—	1	—	6	18	46	66	79	46
Tabes Mesenterica ..	0·06	0·07	0·05	23	13	10	11	2	—	—	1	14	5	1	—	1	—	—	1	—	1	—
Phthisis	1·01	1·19	0·84	367	207	160	5	5	—	1	1	12	6	7	24	29	85	77	56	39	23	9
Other Tub. & Scrof. Dis.	0·23	0·24	0·22	83	41	42	14	8	7	5	2	36	13	10	6	4	7	5	1	1	—	—
Diseases of: Nervous System ..	1·45	1·48	1·43	528	256	272	130	17	10	2	4	163	12	5	6	9	18	20	28	63	106	98
Diseases of: Circulatory „ ..	1·46	1·51	1·41	530	262	268	8	1	—	—	—	9	5	9	8	9	23	41	67	110	143	106
Diseases of: Respiratory „ ..	2·05	2·26	1·86	748	393	355	155	53	17	14	7	246	12	4	6	5	22	26	44	92	142	149
Diseases of: Digestive „ ..	0·96	1·01	0·91	348	175	173	93	21	5	3	3	125	8	5	11	8	9	12	32	40	52	46
Diseases of: Urinary „ ..	0·40	0·59	0·23	146	103	43	1	—	—	—	1	2	2	1	2	4	8	13	15	30	39	30
Diseases of: Generative „ ..	0·01	0·01	0·02	5	1	4	1	—	—	—	—	1	—	—	—	—	—	—	1	—	1	2
Puerperal Fever ..	0·03	—	0·06	11	—	11	—	—	—	—	—	—	—	—	1	—	7	3	—	—	—	—
Childbirth	0·06	—	0·11	21	—	21	—	—	—	—	—	—	—	—	1	—	7	12	1	—	—	—
Violence	0·53	0·80	0·28	193	139	54	14	4	5	4	1	28	8	8	17	11	13	25	28	18	13	24
OTHER CAUSES.. ..	2·70	2·96	2·47	984	514	470	358	30	4	3	5	400	15	12	15	21	24	29	50	59	120	239

Marriages 2,297

Births .. { Males .. 4,563 / Females 4,422 } 8,985

Annual Rate per 1000 living { Persons Married .. 12·62 / Births .. .. .. 24·68 }

Annual Births to 1000 Females aged 15—45 years = 98.

Deaths from Childbirth and Puerperal Fever .. .. } 3·56 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which may be found at the end of these tables.

32.—GUILDFORD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.	15·37		*113	—	—	—	—	37·00	4·07	2·49	3·74	5·03	7·00	10·64	15·64	27·78	59·92	152·04
Annual Death-Rate per 1000. Males	—				16·65		*126	—	—	—	—	42·05	4·09	2·35	3·31	5·24	7·26	13·17	18·94	32·28	66·03	154·64
Annual Death-Rate per 1000. Females	—				14·17		* 99	—	—	—	—	31·98	4·04	2·66	4·24	4·85	6·77	8·40	12·78	23·97	54·90	149·90
Mean Population, 1891-1900. Persons	—			56,506			1270	1191	1223	1273	1281	6238	5977	6215	5613	5045	8820	7058	5114	3441	2101	884
Mean Population, 1891-1900. Males	—			27,531			646	588	614	628	632	3108	3034	3355	2994	2385	4034	3318	2376	1580	948	399
Mean Population, 1891-1900. Females	—			28,975			624	603	609	645	649	3130	2943	2860	2619	2660	4786	3740	2738	1861	1153	485
Deaths from All Causes, 1891-1900. Persons	15·75			8,897			1591	398	146	96	77	2308	243	155	210	254	617	751	800	956	1259	1344
Deaths from All Causes, 1891-1900. Males	16·95			4,667			908	232	80	51	36	1307	124	79	99	125	293	437	450	510	626	617
Deaths from All Causes, 1891-1900. Females	14·60			4,230			683	166	66	45	41	1001	119	76	111	129	324	314	350	446	633	727
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·02	—	5	5	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	2	1
Measles	0·17	0·19	0·15	95	52	43	26	37	4	4	4	75	13	3	1	—	1	1	1	—	—	—
Scarlet Fever	0·03	0·03	0·03	17	9	8	1	4	1	2	—	8	4	1	2	—	1	1	—	—	—	—
Diphtheria	0·37	0·36	0·37	207	99	108	6	16	27	29	27	105	65	21	4	3	3	4	1	1	—	—
Whooping-cough	0·30	0·32	0·27	168	89	79	80	53	17	9	2	161	7	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·07	0·11	0·04	42	29	13	1	—	1	—	1	3	3	6	4	8	8	3	5	2	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·29	0·37	0·21	164	102	62	116	16	2	3	—	137	—	1	—	1	2	1	3	2	11	6
Cholera	0·04	0·04	0·03	20	11	9	15	3	—	—	—	18	—	—	—	—	1	—	1	—	—	—
Cancer	0·81	0·61	1·01	460	167	293	—	—	—	—	—	—	—	1	1	2	9	43	100	112	129	63
Tabes Mesenterica	0·15	0·16	0·14	84	44	40	45	10	6	2	—	63	3	7	2	1	2	1	2	2	1	—
Phthisis	1·43	1·52	1·35	809	419	390	6	9	4	4	1	24	11	19	78	85	189	177	105	84	33	4
Other Tub. & Scrof. Dis.	0·30	0·33	0·27	167	90	77	45	29	9	4	12	99	19	16	9	8	8	4	4	—	—	—
Diseases of Nervous System	2·59	2·85	2·33	1461	786	675	172	54	13	4	5	248	21	14	24	38	109	166	152	208	276	205
Diseases of Circulatory	1·65	1·73	1·56	930	477	453	11	1	—	—	3	15	5	10	11	19	55	79	116	182	260	178
Diseases of Respiratory	2·21	2·38	2·05	1249	654	595	268	112	43	17	7	447	36	7	17	11	51	70	76	115	201	218
Diseases of Digestive	0·93	1·02	0·85	527	280	247	146	24	7	1	5	183	11	16	8	15	26	34	66	67	58	43
Diseases of Urinary	0·48	0·58	0·39	273	161	112	—	—	1	1	—	2	1	4	5	7	17	24	42	47	67	57
Diseases of Generative	0·05	0·01	0·08	27	4	23	1	—	—	—	—	1	—	—	—	1	2	7	6	3	3	4
Puerperal Fever	0·06	—	0·12	35	—	35	—	—	—	—	—	—	—	—	—	8	21	6	—	—	—	—
Childbirth	0·07	—	0·14	40	—	40	—	—	—	—	—	—	—	—	1	8	18	13	—	—	—	—
Violence	0·58	0·92	0·26	327	253	74	31	7	5	9	5	57	22	16	14	21	35	38	36	44	29	15
Other Causes	3·16	3·40	2·95	1790	936	854	621	23	6	7	5	662	22	13	29	18	58	78	84	87	189	550

Marriages 3,648
Births .. { Males .. 7,229 / Females 6,919 } 14,148

Annual Rate per 1000 living { Persons Married .. 12·91 / Births .. .. .. 25·04 }
Annual Births to 1000 Females aged 15—45 years = 102.

Deaths from Childbirth and Puerperal Fever .. .. } 5·30 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which may be found at the end of these tables.

33.—FARNHAM.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 15·88	*128	—	—	—	—	47·63	4·13	2·25	2·67	4·39	5·81	8·93	16·26	28·98	56·04	144·85
Annual Death-Rate per 1000. Males	—	17·07	*140	—	—	—	—	52·12	4·18	1·97	2·43	4·35	5·97	10·51	18·02	35·36	63·41	145·68
Annual Death-Rate per 1000. Females	—	14·77	*115	—	—	—	—	43·10	4·08	2·53	3·26	4·50	5·61	7·18	14·41	22·66	49·44	144·13
Mean Population, 1891-1900. Persons	—	55,584	1227	1236	1238	1215	1172	6088	5377	4895	7204	8133	9502	6101	3906	2512	1342	524
Mean Population, 1891-1900. Males	—	31,916	608	619	609	630	594	3060	2728	2442	5150	5843	5363	3205	1998	1250	634	243
Mean Population, 1891-1900. Females	—	23,668	619	617	629	585	578	3028	2649	2453	2054	2290	4139	2896	1908	1262	708	281
Deaths from All Causes, 1891-1900. Persons	13·95	7,752	1966	518	183	142	91	2900	222	110	192	357	552	545	635	728	752	759
Deaths from All Causes, 1891-1900. Males	13·63	4,351	1095	269	98	82	51	1595	114	48	125	254	320	337	360	442	402	354
Deaths from All Causes, 1891-1900. Females	14·37	3,401	871	249	85	60	40	1305	108	62	67	103	232	208	275	286	350	405

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.													
Small-pox	0·00	0·00	0·00	2	1	1	1	—	—	—	—	1	—	—	—	—	—	—	—	1	—
Measles	0·29	0·27	0·31	160	86	74	34	60	20	14	8	136	13	3	4	4	—	—	—	—	—	—
Scarlet Fever	0·09	0·09	0·08	49	29	20	3	3	4	8	6	24	11	3	3	5	3	—	—	—	—	—
Diphtheria	0·39	0·35	0·44	216	113	103	8	20	22	35	21	106	77	16	7	4	4	1	1	—	—	—
Whooping-cough	0·25	0·20	0·32	141	65	76	71	42	14	7	3	137	4	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·12	0·14	0·08	64	44	20	—	1	—	—	—	1	3	7	17	16	10	7	2	—	1	—
Simple Continued Fever	0·00	—	0·00	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Diarrhœa & Dysentery	0·53	0·55	0·51	294	174	120	228	35	1	—	3	267	4	3	—	2	3	—	1	3	6	5
Cholera	0·03	0·03	0·04	18	9	9	12	1	—	—	—	13	—	—	1	1	—	1	—	2	—	—
Cancer	0·60	0·44	0·81	332	141	191	—	—	—	—	—	—	—	1	2	3	9	39	66	97	67	48
Tabes Mesenterica	0·10	0·09	0·11	55	29	26	25	12	6	—	—	43	4	4	2	—	—	2	—	—	—	—
Phthisis	1·10	1·12	1·08	614	359	255	7	3	3	2	2	17	11	10	39	87	140	129	108	56	15	2
Other Tub. & Scrof. Dis.	0·30	0·34	0·24	167	110	57	44	29	7	10	9	99	11	10	10	12	8	7	2	4	3	1
Diseases of Nervous System	1·69	1·60	1·83	942	510	432	315	60	22	14	5	416	29	9	14	21	28	48	63	87	127	100
Diseases of Circulatory	1·45	1·41	1·50	804	450	354	12	1	3	1	1	18	8	22	12	23	64	73	132	167	179	106
Diseases of Respiratory	2·28	2·18	2·40	1266	697	569	353	157	49	30	19	608	20	5	20	45	73	47	91	102	121	134
Diseases of Digestive	0·90	0·91	0·90	502	289	213	170	48	4	6	5	233	8	6	12	19	26	35	43	48	45	27
Diseases of Urinary	0·34	0·40	0·26	189	128	61	3	1	1	—	1	6	1	1	9	9	19	21	26	38	39	20
Diseases of Generative	0·02	0·00	0·04	10	1	9	—	1	—	—	—	1	—	—	2	1	1	3	—	1	—	1
Puerperal Fever	0·06	—	0·14	32	—	32	—	—	—	—	—	—	—	—	1	10	15	6	—	—	—	—
Childbirth	0·07	—	0·17	40	—	40	—	—	—	—	—	—	—	—	—	6	19	13	2	—	—	—
Violence	0·56	0·75	0·31	311	238	73	28	13	11	9	2	63	7	4	12	47	52	40	32	28	14	12
OTHER CAUSES	2·78	2·76	2·80	1543	878	665	652	31	16	6	6	711	11	6	25	42	78	73	66	94	134	303

Marriages 3,866

Births .. Males .. 7,811 / Females 7,585 } 15,396

Annual Rate per 1000 living { Persons Married .. 13·91 / Births .. .. .. 27·70

Annual Births to 1000 Females aged 15—45 years = 135.

Deaths from Childbirth and Puerperal Fever .. .. } 4·68 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

34.—HAMBLEDON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population 11·60			*88	—	—	—	—	27·53	2·13	1·64	2·32	3·62	4·24	6·32	10·52	22·48	51·14	150·00
Annual Death-Rate per 1000. Males	—			In Standard Population 12·34			*99	—	—	—	—	31·90	1·85	1·41	2·32	4·10	4·46	7·51	11·67	23·99	58·42	147·80
Annual Death-Rate per 1000. Females	—			In Standard Population 10·91			*78	—	—	—	—	23 19	2·39	1·89	2·31	3·11	4·04	5·22	9·46	20·94	44·34	152·25
Mean Population, 1891-1900. Persons	—			19,853			482	440	431	477	455	2285	2207	2262	1812	1601	3041	2390	1777	1281	837	360
Mean Population, 1891-1900. Males	—			9,955			242	226	215	223	232	1138	1079	1205	990	829	1480	1145	857	646	404	182
Mean Population, 1891-1900. Females	—			9,898			240	214	216	254	223	1147	1128	1057	822	772	1561	1245	920	635	433	178
Deaths from All Causes, 1891-1900. Persons	12·77			2,536			438	103	40	25	23	629	47	37	42	58	129	151	187	288	428	540
Deaths from All Causes, 1891-1900. Males	13·75			1,369			248	64	26	15	10	363	20	17	23	34	66	86	100	155	236	269
Deaths from All Causes, 1891-1900. Females	11·79			1,167			190	39	14	10	13	266	27	20	19	24	63	65	87	133	192	271
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	—	0·02	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—
Measles	0·14	0·18	0·10	28	18	10	12	11	—	1	—	24	4	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·04	0·04	0·03	7	4	3	1	1	—	1	—	3	3	—	—	1	—	—	—	—	—	—
Diphtheria	0·16	0·14	0·18	32	14	18	2	—	4	4	8	18	6	3	1	1	1	—	—	1	1	—
Whooping-cough	0·34	0·26	0·41	67	26	41	42	16	3	4	1	66	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·11	0·08	0·13	21	8	13	—	—	—	—	—	—	2	2	3	2	3	2	2	4	1	—
Simple Continued Fever	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Diarrhœa & Dysentery	0·10	0·14	0·06	20	14	6	13	2	—	—	1	16	—	—	—	—	—	1	—	—	1	2
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·78	0·69	0·87	155	69	86	—	—	—	—	—	—	—	1	—	1	1	13	22	39	44	34
Tabes Mesenterica	0·08	0·08	0·08	16	8	8	4	3	1	—	—	8	1	—	3	2	—	1	1	—	—	—
Phthisis	0·85	0·93	0·77	169	93	76	3	—	—	—	—	3	3	5	11	17	40	27	21	20	12	—
Other Tub. & Scrof. Dis.	0·35	0·40	0·29	69	40	29	21	8	8	2	—	39	5	5	5	1	6	2	3	1	2	—
Diseases of Nervous System	1·50	1·58	1·42	298	157	141	46	8	1	2	2	59	3	4	—	4	7	9	22	45	68	77
Diseases of Circulatory "	1·82	1·89	1·76	362	188	174	2	—	—	—	—	2	4	3	3	3	12	25	21	65	120	104
Diseases of Respiratory "	2·02	2·24	1·80	401	223	178	78	37	12	7	4	138	4	3	1	5	12	14	33	28	68	95
Diseases of Digestive "	0·65	0·69	0·62	130	69	61	22	8	2	1	1	34	4	1	5	3	6	12	8	12	23	22
Diseases of Urinary "	0·37	0·42	0·31	73	42	31	—	—	—	1	1	2	—	1	—	—	1	3	7	18	21	20
Diseases of Generative "	0·08	0·02	0·13	15	2	13	1	—	—	—	—	1	—	—	—	—	2	3	7	1	—	1
Puerperal Fever	0·04	—	0·07	7	—	7	—	—	—	—	—	—	—	—	—	3	3	1	—	—	—	—
Childbirth	0·06	—	0·11	11	—	11	—	—	—	—	—	—	—	—	—	2	6	3	—	—	—	—
Violence	0·54	0·83	0·24	107	83	24	8	3	3	2	2	18	3	3	5	4	17	9	15	17	8	8
Other Causes	2·72	3·13	2·39	545	310	235	183	6	6	—	3	198	4	6	5	9	12	16	25	35	58	177

Marriages 1,242

Births .. { Males .. 2,517 / Females 2,444 } 4,961

Annual Rate per 1000 living { Persons Married .. 12·51 / Births .. .. .. 24·99 }

Annual Births to 1000 Females aged 15—45 years = 113.

Deaths from Childbirth and Puerperal Fever .. .. } 3·63 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which may be found at the end of these tables.

35.—DORKING.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·39			*87	—	—	—	—	28·22	4·68	2·54	2·42	3·02	4·27	6·80	12·51	21·62	52·25	160·18
Annual Death-Rate per 1000. Males	—			12·91			*99	—	—	—	—	32·03	4·57	2·29	2·41	2·28	4·50	7·08	13·68	23·38	55·87	173·10
Annual Death-Rate per 1000. Females	—			11·89			*73	—	—	—	—	24·31	4·79	2·79	2·43	3·64	4·09	6·56	11·50	20·03	48·99	150·26
Mean Population, 1891-1900. Persons	—			17,327			355	326	360	369	358	1768	1837	1847	1610	1554	2528	2148	1710	1235	756	334
Mean Population, 1891-1900. Males	—			8,250			188	166	184	180	178	896	940	916	787	702	1134	989	797	586	358	145
Mean Population, 1891-1900. Females	—			9,077			167	160	176	189	180	872	897	931	823	852	1394	1159	913	649	398	189
Deaths from All Causes, 1891-1900. Persons	13·75			2,383			326	82	39	28	24	499	86	47	39	47	108	146	214	267	395	535
Deaths from All Causes, 1891-1900. Males	14·59			1,204			195	47	19	14	12	287	43	21	19	16	51	70	109	137	200	251
Deaths from All Causes, 1891-1900. Females	12·99			1,179			131	35	20	14	12	212	43	26	20	31	57	76	105	130	195	284
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Measles	0·15	0·18	0·12	26	15	11	3	12	2	4	2	23	2	—	—	—	—	—	1	—	—	—
Scarlet Fever	0·12	0·17	0·08	21	14	7	—	3	4	3	2	12	5	—	1	1	1	—	—	1	—	—
Diphtheria	0·37	0·29	0·44	64	24	40	3	—	6	6	7	22	29	10	1	—	1	1	—	—	—	—
Whooping-cough	0·16	0·15	0·18	28	12	16	16	4	5	1	—	26	2	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·05	0·04	0·07	9	3	6	—	—	—	—	—	—	—	—	1	3	2	2	1	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·19	0·19	0·19	33	16	17	16	7	—	—	—	23	—	—	—	—	—	—	1	1	2	6
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·88	0·70	1·04	152	58	94	—	—	—	—	—	—	—	—	—	1	2	11	26	26	53	33
Tabes Mesenterica	0·07	0·10	0·04	12	8	4	5	2	—	—	—	7	3	1	1	—	—	—	—	—	—	—
Phthisis	1·09	1·18	1·01	189	97	92	—	—	—	—	—	—	1	9	18	25	34	33	36	20	12	1
Other Tub. & Scrof. Dis.	0·33	0·32	0·35	58	26	32	9	4	4	5	2	24	12	6	1	3	4	4	—	3	—	1
Diseases of Nervous System	1·66	1·67	1·64	287	138	149	49	8	8	2	5	72	6	3	4	—	9	9	28	38	58	60
Diseases of Circulatory "	1·78	1·87	1·71	309	154	155	4	2	—	—	—	6	3	4	2	2	10	18	32	60	77	95
Diseases of Respiratory "	2·27	2·39	2·17	394	197	197	56	29	5	2	4	96	8	3	1	2	13	23	24	47	71	106
Diseases of Digestive "	0·70	0·79	0·63	122	65	57	20	8	—	—	—	28	3	4	3	3	4	9	13	20	18	17
Diseases of Urinary "	0·60	0·98	0·25	104	81	23	1	—	—	—	—	1	2	—	1	—	5	5	12	17	36	25
Diseases of Generative "	0·02	—	0·03	3	—	3	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	1
Puerperal Fever	0·05	—	0·09	8	—	8	—	—	—	—	—	—	—	—	1	—	5	2	—	—	—	—
Childbirth	0·05	—	0·09	8	—	8	—	—	—	—	—	—	—	—	—	1	2	4	1	—	—	—
Violence	0·52	0·74	0·32	90	61	29	13	1	2	2	1	19	5	2	2	2	9	13	12	10	8	8
OTHER CAUSES	2·68	2·82	2·54	465	234	231	131	2	3	3	1	140	5	5	2	4	7	11	26	23	60	182

Marriages 1,085
Births .. { Males .. 1,971 / Females 1,793 } 3,764

Annual Rate per 1000 living { Persons Married .. 12·52 / Births .. .. .. 21·72 }
Annual Births to 1000 Females aged 15—45 years = 89.

Deaths from Childbirth and Puerperal Fever .. .. } 4·25 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which may be found at the end of these tables.

36.—REIGATE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 12·73	* 97	—	—	—	—	31·80	3·13	2·29	4·08	3·50	4·52	6·75	11·76	23·30	54·31	140·69
Annual Death-Rate per 1000. Males ..	—	13·69	*106	—	—	—	—	33·84	3·88	1·91	4·47	3·83	4·76	8·80	14·51	26·90	58·74	149·25
Annual Death-Rate per 1000. Females	—	11·83	* 88	—	—	—	—	29·72	2·41	2·66	3·70	3·25	4·33	5·06	9·45	20·18	50·62	134·01
Mean Population, 1891-1900. Persons	—	39,394	826	791	801	847	788	4053	4244	4330	4064	3629	6135	4770	3588	2494	1475	612
Mean Population, 1891-1900. Males ..	—	18,433	412	405	410	431	393	2051	2090	2150	2036	1567	2646	2160	1640	1156	669	268
Mean Population, 1891-1900. Females	—	20,961	414	386	391	416	395	2002	2154	2180	2028	2062	3489	2610	1948	1338	806	344
Deaths from All Causes, 1891-1900. Persons	12·89	5,078	878	237	69	63	42	1289	133	99	166	127	277	322	422	581	801	861
Deaths from All Causes, 1891-1900. Males ..	14·24	2,625	489	110	37	29	29	694	81	41	91	60	126	190	238	311	393	400
Deaths from All Causes, 1891-1900. Females	11·70	2,453	389	127	32	34	13	595	52	58	75	67	151	132	184	270	408	461

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox..	0·01	0·01	0·00	2	1	1	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—
Measles	0·17	0·21	0·13	66	39	27	7	21	8	10	5	51	12	1	1	—	—	—	—	1	—	—
Scarlet Fever	0·04	0·04	0·04	15	7	8	1	1	1	2	2	7	5	1	2	—	—	—	—	—	—	—
Diphtheria	0·11	0·14	0·10	45	25	20	3	2	5	9	7	26	12	2	—	1	2	—	1	1	—	—
Whooping-cough ..	0·23	0·20	0·26	90	36	54	40	30	6	4	2	82	8	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·06	0·10	0·03	25	18	7	—	—	—	—	1	1	1	4	—	4	6	4	—	2	3	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·39	0·43	0·35	153	79	74	97	15	—	—	—	112	3	1	—	2	2	1	5	10	5	12
Cholera	0·01	—	0·01	2	—	2	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Cancer	0·74	0·53	0·93	291	97	194	—	—	—	2	—	2	—	1	4	1	5	9	50	88	81	50
Tabes Mesenterica ..	0·09	0·10	0·08	34	18	16	8	8	—	1	—	17	4	5	3	3	1	1	—	—	—	—
Phthisis	1·09	1·29	0·91	429	238	191	1	2	—	1	2	6	10	19	53	52	97	77	61	33	14	7
Other Tub. & Scrof. Dis	0·34	0·36	0·32	134	67	67	24	24	10	3	4	65	14	13	10	4	8	7	7	4	2	—
Diseases of Nervous System ..	1·56	1·84	1·32	616	339	277	107	22	4	6	3	142	15	15	17	8	18	25	36	77	125	138
Diseases of Circulatory „ ..	1·80	1·89	1·72	708	348	360	3	—	1	—	—	4	—	6	16	13	23	56	77	125	213	175
Diseases of Respiratory „ ..	1·88	2·13	1·66	740	392	348	166	76	17	14	6	279	15	5	4	6	19	30	43	87	109	143
Diseases of Digestive „ ..	0·87	0·93	0·82	343	172	171	107	15	6	1	5	134	5	5	11	7	11	27	29	29	51	34
Diseases of Urinary „ ..	0·35	0·45	0·26	138	83	55	2	1	1	1	—	5	1	5	5	2	10	10	22	22	34	22
Diseases of Generative „ ..	0·04	0·01	0·07	16	1	15	—	—	—	—	—	—	—	—	—	—	2	1	2	4	4	3
Puerperal Fever ..	0·05	—	0·09	19	—	19	—	—	—	—	—	—	—	—	1	1	12	5	—	—	—	—
Childbirth	0·04	—	0·08	17	—	17	—	—	—	—	—	—	—	—	—	2	8	7	—	—	—	—
Violence	0·57	0·91	0·28	226	167	59	22	1	7	4	3	37	13	3	16	7	15	28	32	22	34	19
OTHER CAUSES.. ..	2·45	2·67	2·24	969	498	471	288	19	3	5	2	317	15	13	23	14	38	33	57	75	126	258

Marriages 2,584

Births .. { Males .. 4,611 / Females 4,418 } 9,029

Annual Rate per 1000 living { Persons Married .. 13·12 / Births .. .. .. 22·92 }

Annual Births to 1000 Females aged 15—45 years = 89.

Deaths from Childbirth and Puerperal Fever .. .. } 3·99 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which may be found at the end of these tables

37.—GODSTONE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-rate per 1000. Persons	—			In Standard Population. 15·52			* 97	—	—	—	—	28·72	2·27	1·85	4·30	4·71	6·58	11·67	16·89	35·61	78·35	164·54
Annual Death-rate per 1000. Males ..	—			16·59			*110	—	—	—	—	33·25	2·81	2·03	4·74	5·42	7·21	13·45	19·36	36·97	86·07	161·81
Annual Death-rate per 1000. Females	—			14·51			* 84	—	—	—	—	24·29	1·72	1·66	3·70	3·92	6·02	10·05	14·54	34·35	71·62	166·96
Mean Population, 1891–1900. Persons	—			22,574			458	445	460	483	452	2298	2247	2107	2254	2227	3464	2820	2197	1581	956	423
Mean Population, 1891–1900. Males ..	—			11,297			222	229	227	248	211	1137	1140	1084	1308	1180	1637	1338	1069	760	445	199
Mean Population, 1891–1900. Females	—			11,277			236	216	233	235	241	1161	1107	1023	946	1047	1827	1482	1128	821	511	224
Deaths from All Causes, 1891–1900. Persons	17·22			3,888			497	89	32	25	17	660	51	39	97	105	228	329	371	563	749	696
Deaths from All Causes, 1891–1900. Males ..	18·14			2,049			287	53	16	14	8	378	32	22	62	64	118	180	207	281	383	322
Deaths from All Causes, 1891–1900. Females	16·31			1,839			210	36	16	11	9	282	19	17	35	41	110	149	164	282	366	374
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·08	0·08	0·09	19	9	10	2	7	4	3	—	16	3	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·03	0·04	0·02	7	5	2	—	—	2	—	—	2	2	—	1	1	—	1	—	—	—	—
Diphtheria	0·21	0·25	0·17	47	28	19	3	2	4	2	5	16	17	5	6	2	1	—	—	—	—	—
Whooping-cough	0·26	0·21	0·30	58	24	34	36	13	3	2	3	57	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·10	0·15	0·04	22	17	5	—	—	—	—	—	—	—	—	2	4	2	8	4	1	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·34	0·35	0·33	77	40	37	36	7	1	—	—	44	—	—	—	—	2	3	1	8	8	11
Cholera	0·01	0·01	0·01	2	1	1	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Cancer	0·86	0·72	1·01	195	81	114	—	—	—	—	—	—	—	—	2	—	4	16	47	44	56	26
Tabes Mesenterica	0·07	0·08	0·06	16	9	7	2	2	1	1	1	7	1	2	1	2	1	2	—	—	—	—
Phthisis	1·41	1·44	1·37	318	163	155	4	5	1	—	—	10	1	4	24	30	73	84	49	26	16	1
Other Tub. & Scrof. Dis.	0·26	0·31	0·20	58	35	23	16	3	5	6	—	30	6	5	6	2	4	2	—	—	3	—
Diseases of Nervous System	3·51	3·66	3·36	792	413	379	45	8	1	5	—	59	2	7	14	17	65	94	102	156	158	118
Diseases of Circulatory "	2·71	2·91	2·50	611	329	282	—	—	—	—	—	—	—	2	4	6	14	36	53	138	228	130
Diseases of Respiratory "	2·28	2·58	1·98	514	291	223	89	29	5	3	5	131	5	—	13	12	19	22	43	67	88	114
Diseases of Digestive "	0·91	1·04	0·78	206	118	88	50	4	1	1	1	57	1	4	7	5	7	11	17	33	40	24
Diseases of Urinary "	0·58	0·75	0·40	130	85	45	—	—	—	—	—	—	2	2	1	3	1	6	13	32	40	30
Diseases of Generative "	0·05	0·02	0·08	11	2	9	—	—	—	—	—	—	—	—	—	—	—	3	3	2	2	1
Puerperal Fever	0·05	—	0·10	11	—	11	—	—	—	—	—	—	—	—	—	3	6	1	1	—	—	—
Childbirth	0·04	—	0·09	10	—	10	—	—	—	—	—	—	—	—	—	3	2	5	—	—	—	—
Violence	0·35	0·48	0·22	79	54	25	9	2	—	—	1	12	1	3	4	4	10	10	12	7	6	10
Other Causes..	3·11	3·06	3·20	705	345	360	203	7	4	2	1	217	9	5	12	11	17	25	26	49	103	231

Marriages 1,313

Births .. Males .. 2,619 / Females 2,506 } 5,125

Annual Rate per 1000 living { Persons Married .. 11·63 / Births .. .. .. 22·70

Annual Births to 1000 Females aged 15—45 years = 97.

Deaths from Childbirth and Puerperal Fever .. .. } 4·10 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which may be found at the end of these tables.

38.—CROYDON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds
Annual Death-rate per 1000. Persons	—			In Standard Population. 15·29			*135	—	—	—	—	44·22	3·37	2·23	2·80	3·49	5·32	8·92	15·05	27·68	57·37	147·72
Annual Death-rate per 1000. Males	—			16·56			*147	—	—	—	—	47·48	3·45	2·09	3·07	4·04	6·49	11·01	17·90	31·97	64·64	155·29
Annual Death-rate per 1000. Females	—			14·09			*122	—	—	—	—	40·93	3·29	2·37	2·58	3·13	4·46	7·23	12·73	24·44	52·32	143·19
Mean Population, 1891-1900. Persons	—			171,213			3764	3610	3687	3672	3696	18429	18870	18145	16736	16478	27459	21134	15396	10075	5993	2498
Mean Population, 1891-1900. Males	—			77,054			1873	1816	1866	1842	1866	9263	9473	8817	7285	6560	11576	9454	6898	4338	2455	935
Mean Population, 1891-1900. Females	—			94,159			1891	1794	1821	1830	1830	9166	9397	9328	9451	9918	15883	11680	8498	5737	3538	1563
Deaths from All Causes, 1891-1900. Persons	15·08			25 814			5700	1359	562	295	234	8150	636	405	468	575	1460	1886	2317	2789	3438	3690
Deaths from All Causes, 1891-1900. Males	16·68			12,851			3164	680	289	141	124	4398	327	184	224	265	751	1041	1235	1387	1587	1452
Deaths from All Causes, 1891-1900. Females	13·77			12,963			2536	679	273	154	110	3752	309	221	244	310	709	845	1082	1402	1851	2238
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·00	0·00	0·00	3	2	1	2	—	—	—	—	2	—	—	—	—	—	—	1	—	—	—
Measles	0·24	0·28	0·22	417	214	203	96	147	74	35	18	370	39	5	1	1	1	—	—	—	—	—
Scarlet Fever	0·06	0·08	0·04	100	59	41	4	8	14	7	13	46	38	9	1	—	4	1	1	—	—	—
Diphtheria	0·23	0·26	0·21	402	204	198	7	38	41	47	60	193	154	29	11	2	8	2	2	1	—	—
Whooping-cough	0·34	0·35	0·34	586	270	316	272	180	64	26	23	565	18	1	—	—	—	—	—	—	1	1
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·09	0·09	0·09	150	67	83	1	—	1	1	1	4	17	15	24	21	35	15	14	4	—	1
Simple Continued Fever	0·00	0·00	0·00	4	1	3	—	—	—	—	—	—	—	—	—	—	—	1	1	1	1	—
Diarrhœa & Dysentery	0·61	0·69	0·54	1043	530	513	826	99	13	4	2	944	2	1	—	1	3	7	7	15	16	47
Cholera	0·02	0·02	0·01	26	17	9	15	1	1	—	—	17	2	—	—	—	1	—	3	1	2	—
Cancer	0·77	0·59	0·91	1310	452	858	—	—	2	—	1	3	4	1	8	7	24	105	226	371	362	199
Tabes Mesenterica	0·14	0·17	0·11	238	132	106	112	21	17	7	5	162	17	20	5	6	10	6	6	3	3	—
Phthisis	1·26	1·55	1·01	2151	1198	953	38	22	11	4	7	82	39	62	140	221	477	477	347	216	77	13
Other Tub. & Scrof. Dis.	0·37	0·44	0·30	627	341	286	187	94	61	26	22	390	73	44	21	24	26	19	11	11	8	—
Diseases of Nervous System	2·12	2·50	1·80	3626	1928	1698	628	114	37	25	13	817	42	31	38	60	189	387	434	499	595	534
Diseases of Circulatory "	1·45	1·43	1·47	2485	1100	1385	18	1	3	2	2	26	28	44	46	37	98	169	323	494	663	557
Diseases of Respiratory "	2·55	2·84	2·32	4372	2185	2187	941	416	148	67	34	1606	62	19	34	36	136	189	273	455	741	821
Diseases of Digestive "	0·97	1·03	0·91	1656	797	859	522	97	25	12	5	661	31	29	37	35	79	102	185	204	165	128
Diseases of Urinary "	0·45	0·63	0·31	772	482	290	7	8	2	—	2	19	3	9	4	15	38	69	124	141	199	151
Diseases of Generative "	0·04	0·00	0·07	64	1	63	2	—	—	—	1	3	—	—	2	2	12	8	19	7	7	4
Puerperal Fever	0·04	—	0·08	76	—	76	—	—	—	—	—	—	—	—	3	8	49	16	—	—	—	—
Childbirth	0·05	—	0·10	93	—	93	—	—	—	—	—	—	—	—	1	9	55	26	2	—	—	—
Violence	0·46	0·69	0·27	788	533	255	152	18	15	12	8	205	26	22	33	32	71	98	97	75	68	61
OTHER CAUSES	2·82	3·04	2·66	4825	2338	2487	1870	95	33	20	17	2035	41	64	59	58	144	189	241	291	530	1173

Marriages 11,966

Births .. { Males .. 21,479 / Females 20,836 } 42,315

Annual Rate per 1000 living { Persons Married .. 13·98 / Births .. .. .. 24·71 }

Annual Births to 1000 Females aged 15—45 years = 90.

Deaths from Childbirth and Puerperal Fever .. .. } 3·99 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which may be found at the end of these tables.

39.—KINGSTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-rate per 1000. Persons	—	In Standard Population. 14·08	*126	—	—	—	—	42·91	3·69	2·00	2·32	3·22	4·27	7·04	12·70	25·21	52·83	140·91
Annual Death-rate per 1000. Males ..	—	In Standard Population. 15·36	*140	—	—	—	—	47·06	3·89	1·92	2·92	3·83	4·97	8·21	15·83	29·25	57·87	151·65
Annual Death-rate per 1000. Females	—	In Standard Population. 12·88	*112	—	—	—	—	38·76	3·48	2·06	1·84	2·82	3·76	6·08	10·12	22·09	49·54	134·78
Mean Population, 1891-1900. Persons	—	118,836	2666	2549	2618	2626	2607	13066	12699	11576	11739	11816	20441	15166	10371	6633	3740	1589
Mean Population, 1891-1900. Males ..	—	53,311	1332	1263	1330	1315	1303	6543	6293	5569	5176	4699	8555	6845	4688	2885	1481	577
Mean Population, 1891-1900. Females	—	65,525	1334	1286	1288	1311	1304	6523	6406	6007	6563	7117	11886	8321	5683	3748	2259	1012
Deaths from All Causes, 1891-1900. Persons	13·55	16,103	3921	916	346	252	172	5607	468	231	272	381	872	1068	1317	1672	1976	2239
Deaths from All Causes, 1891-1900. Males ..	15·13	8,067	2224	490	167	117	81	3079	245	107	151	180	425	562	742	844	857	875
Deaths from All Causes, 1891-1900. Females	12·26	8,036	1697	426	179	135	91	2528	223	124	121	201	447	506	575	828	1119	1364

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox..	0·00	0·01	—	5	5	—	—	—	—	—	—	—	—	—	—	—	3	1	1	—	—
Measles	0·30	0·32	0·27	351	171	180	74	132	64	27	18	315	32	3	—	—	1	—	—	—	—
Scarlet Fever	0·04	0·05	0·04	50	26	24	2	7	1	2	9	21	20	5	2	1	1	—	—	—	—
Diphtheria	0·28	0·29	0·27	330	155	175	9	37	40	48	46	180	109	16	5	6	4	4	3	1	1
Whooping-cough ..	0·28	0·30	0·26	329	158	171	148	93	34	29	7	311	17	—	1	—	—	—	—	—	—
Typhus	0·00	0·00	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Enteric Fever	0·08	0·09	0·07	90	46	44	1	—	—	1	—	2	10	5	11	13	22	15	6	4	1
Simple Continued Fever	0·00	—	0·00	3	—	3	—	—	—	—	—	—	1	—	—	—	—	—	—	1	1
Diarrhœa & Dysentery	0·49	0·60	0·40	584	321	263	472	50	7	2	—	531	1	—	—	—	—	1	2	5	15
Cholera	0·01	0·01	0·02	17	6	11	13	2	—	—	—	15	—	—	—	—	—	—	1	1	—
Cancer	0·79	0·55	0·98	937	295	642	—	2	—	—	—	2	—	1	2	6	30	67	184	271	235
Tabes Mesenterica ..	0·12	0·15	0·11	148	78	70	74	20	10	5	2	111	11	4	4	4	5	4	3	1	—
Phthisis	1·00	1·34	0·72	1184	713	471	25	11	5	9	3	53	21	31	63	114	267	257	197	122	40
Other Tub. & Scrof. Dis.	0·36	0·44	0·29	427	236	191	143	69	29	21	24	286	41	24	20	16	16	12	6	4	1
Diseases of Nervous System ..	1·42	1·66	1·23	1688	884	804	404	65	25	15	7	516	28	22	24	11	42	86	138	212	318
Diseases of Circulatory " ..	1·37	1·32	1·40	1624	706	918	15	—	1	3	1	20	21	30	29	31	81	128	189	324	448
Diseases of Respiratory " ..	2·18	2·46	1·95	2589	1312	1277	637	263	86	63	36	1085	60	18	17	24	82	110	144	256	359
Diseases of Digestive " ..	0·99	1·11	0·89	1173	590	583	386	97	11	9	6	509	25	10	19	24	42	82	130	115	123
Diseases of Urinary " ..	0·39	0·54	0·26	459	286	173	7	3	—	3	1	14	5	4	4	10	22	45	57	110	111
Diseases of Generative " ..	0·04	0·00	0·06	43	2	41	1	1	—	—	—	2	—	—	—	1	8	6	11	5	6
Puerperal Fever ..	0·06	—	0·11	71	—	71	—	—	—	—	—	—	—	—	—	15	39	17	—	—	—
Childbirth	0·06	—	0·11	73	—	73	—	—	—	—	—	—	—	—	—	12	36	22	3	—	—
Violence	0·53	0·83	0·30	634	440	194	93	10	16	9	9	137	27	18	30	49	79	77	85	55	45
Other Causes.. ..	2·76	3·06	2·52	3293	1636	1657	1417	54	17	6	3	1497	39	40	41	44	95	132	156	184	272

Marriages 8,049

Births .. Males .. 15,940 / Females 15,171 } 31,111

Annual Rate per 1000 living { Persons Married .. 13·55 / Births .. .. .. 26·18

Annual Births to 1000 Females aged 15—45 years = 92.

Deaths from Childbirth and Puerperal Fever .. .. } 4·63 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which may be found at the end of these tables.

40.—RICHMOND.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		15·48	*141	—	—	—	—	47·30	3·80	2·34	2·86	3·59	4·63	8·45	15·51	26·50	55·60	138·29
Annual Death-Rate per 1000. Males	—					17·58	*160	—	—	—	—	53·76	4·05	2·70	3·39	5·32	6·43	10·56	18·92	31·81	65·73	147·50
Annual Death-Rate per 1000. Females	—					13·51	*121	—	—	—	—	41·03	3·54	2·01	2·49	2·60	3·45	6·87	12·88	22·79	49·61	133·62
Mean Population, 1891-1900. Persons	—			45,164			966	872	895	904	898	4535	4400	4193	4542	4767	7759	5834	4127	2668	1626	713
Mean Population, 1891-1900. Males	—			19,319			463	417	451	460	441	2232	2198	2003	1856	1730	3063	2499	1797	1097	604	240
Mean Population, 1891-1900. Females	—			25,845			503	455	444	444	457	2303	2202	2190	2686	3037	4696	3335	2330	1571	1022	473
Deaths from All Causes, 1891-1900. Persons	15·06			6,800			1487	348	141	101	68	2145	167	98	130	171	359	493	640	707	904	986
Deaths from All Causes, 1891-1900. Males	17·59			3,399			867	183	66	46	38	1200	89	54	63	92	197	264	340	349	397	354
Deaths from All Causes, 1891-1900. Females	13·16			3,401			620	165	75	55	30	945	78	44	67	79	162	229	300	358	507	632
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Measles	0·29	0·35	0·25	133	68	65	26	39	23	14	12	114	15	2	—	—	—	—	1	—	1	—
Scarlet Fever	0·05	0·07	0·04	24	14	10	3	2	5	4	2	16	5	3	—	—	—	—	—	—	—	—
Diphtheria	0·26	0·27	0·25	117	53	64	7	9	22	23	13	74	31	5	2	3	1	—	1	—	—	—
Whooping-cough	0·36	0·42	0·31	162	81	81	65	53	16	13	6	153	8	—	—	—	1	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·10	0·13	0·07	43	26	17	—	2	—	—	—	2	5	2	7	7	8	6	4	2	—	—
Simple Continued Fever	0·02	0·02	0·03	11	3	8	—	—	—	1	—	1	—	—	—	—	2	1	2	1	2	2
Diarrhœa & Dysentery	0·51	0·66	0·39	229	128	101	180	19	1	2	1	203	1	—	—	—	—	1	1	1	8	14
Cholera	0·01	0·02	0·00	4	3	1	1	—	—	—	—	1	—	—	—	—	—	1	1	—	1	—
Cancer	0·87	0·71	0·99	392	137	255	—	—	—	—	—	—	1	1	1	3	9	32	82	104	111	48
Tabes Mesenterica	0·15	0·20	0·10	66	39	27	38	11	3	2	2	56	3	4	1	1	—	—	1	—	—	—
Phthisis	1·10	1·40	0·87	495	270	225	5	4	2	1	2	14	10	13	33	41	115	122	89	43	14	1
Other Tub. & Scrof. Dis.	0·27	0·40	0·18	123	77	46	28	14	15	5	3	65	18	7	5	6	7	4	6	3	2	—
Diseases of Nervous System	1·47	1·68	1·32	664	324	340	141	26	8	3	5	183	11	2	2	14	18	32	65	88	124	125
Diseases of Circulatory	1·32	1·45	1·22	596	280	316	10	1	1	1	—	13	7	8	10	16	36	62	82	104	143	115
Diseases of Respiratory	2·51	2·84	2·26	1133	549	584	282	94	28	17	12	433	18	5	4	10	23	38	71	123	195	213
Diseases of Digestive	1·28	1·50	1·11	577	289	288	188	33	5	6	2	234	8	8	11	13	12	41	61	62	76	51
Diseases of Urinary	0·47	0·66	0·32	211	128	83	5	2	—	—	—	7	2	1	3	2	16	16	31	55	42	36
Diseases of Generative	0·04	0·01	0·07	19	1	18	—	1	—	—	—	1	—	—	—	—	2	2	4	3	2	5
Puerperal Fever	0·03	—	0·05	13	—	13	—	—	—	—	—	—	—	—	—	3	7	3	—	—	—	—
Childbirth	0·06	—	0·10	27	—	27	—	—	—	—	—	—	—	—	—	3	8	14	2	—	—	—
Violence	0·99	1·65	0·50	446	318	128	83	5	6	8	6	108	16	23	32	31	49	51	55	38	26	17
OTHER CAUSES	2·90	3·14	2·73	1314	610	704	425	33	6	1	2	467	8	14	19	18	44	67	81	80	157	359

Marriages 3,019

Births .. { Males .. 5,403 / Females 5,137 } 10,540

Annual Rate per 1000 living { Persons Married .. 13·37 / Births .. .. .. 23·34

Annual Births to 1000 Females aged 15—45 years = 77.

Deaths from Childbirth and Puerperal Fever .. .. } 3·80 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

41.—BROMLEY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·12			*118	—	—	—	—	38·72	3·31	1·93	2·43	2·86	3·82	6·31	11·07	23·74	53·18	138·89
Annual Death-Rate per 1000. Males	—			In Standard Population. 14·43			*134	—	—	—	—	43·26	3·20	1·76	2·64	3·89	4·75	7·75	12·29	28·14	61·55	151·51
Annual Death-Rate per 1000. Females	—			In Standard Population. 11·89			*103	—	—	—	—	34·27	3·43	2·09	2·28	2·26	3·21	5·19	10·04	20·22	47·03	130·90
Mean Population, 1891-1900. Persons	—			76,754			1724	1644	1641	1700	1638	8347	8206	7688	7780	7842	12966	9585	6801	4351	2247	941
Mean Population, 1891-1900. Males	—			33,866			873	804	800	844	810	4131	4095	3808	3263	2876	5142	4194	3107	1933	952	365
Mean Population, 1891-1900. Females	—			42,888			851	840	841	856	828	4216	4111	3880	4517	4966	7824	5391	3694	2418	1295	576
Deaths from All Causes, 1891-1900. Persons	12·32			9,453			2242	526	200	142	122	3232	272	148	189	224	495	605	753	1033	1195	1307
Deaths from All Causes, 1891-1900. Males	14·22			4,817			1272	278	97	79	61	1787	131	67	86	112	244	325	382	544	586	553
Deaths from All Causes, 1891-1900. Females	10·81			4,636			970	248	103	63	61	1445	141	81	103	112	251	280	371	489	609	754
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·00	—	1	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Measles	0·23	0·29	0·18	175	97	78	49	67	18	11	12	157	14	1	2	—	—	1	—	—	—	—
Scarlet Fever	0·07	0·08	0·06	53	28	25	1	4	9	2	8	24	16	6	1	1	2	1	1	1	—	—
Diphtheria	0·29	0·32	0·27	224	108	116	12	19	24	24	35	114	85	17	2	2	1	2	1	—	—	—
Whooping-cough	0·29	0·26	0·31	222	88	134	109	58	26	15	8	216	6	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·08	0·12	0·06	64	39	25	—	—	—	2	—	2	2	6	7	6	13	17	9	2	—	—
Simple Continued Fever	0·00	0·01	—	2	2	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·44	0·58	0·33	338	195	143	267	33	1	1	—	302	—	—	—	3	3	3	3	5	6	13
Cholera	0·02	0·01	0·02	12	3	9	9	2	1	—	—	12	—	—	—	—	—	—	—	—	—	—
Cancer	0·77	0·68	0·84	591	229	362	1	4	—	1	1	7	—	1	1	3	5	56	124	174	152	68
Tabes Mesenterica	0·10	0·11	0·09	75	38	37	30	16	4	3	3	56	7	3	1	2	2	1	1	2	—	—
Phthisis	0·89	1·14	0·69	681	387	294	13	8	3	1	3	28	5	18	59	80	154	148	100	61	25	3
Other Tub. & Scrof. Dis.	0·33	0·38	0·30	257	127	130	78	41	22	19	9	169	22	19	11	4	9	10	7	4	2	—
Diseases of Nervous System	1·33	1·44	1·24	1020	489	531	240	56	11	11	3	321	31	13	17	10	33	36	73	130	195	161
Diseases of Circulatory "	1·30	1·46	1·17	998	495	503	14	2	—	1	2	19	17	15	13	22	43	84	135	204	252	194
Diseases of Respiratory "	1·86	2·20	1·60	1431	745	686	369	132	48	32	21	602	21	2	11	9	40	44	90	134	212	266
Diseases of Digestive "	0·88	1·04	0·75	673	352	321	249	40	10	7	3	309	14	14	15	18	30	38	53	65	61	56
Diseases of Urinary "	0·35	0·53	0·21	271	179	92	2	—	—	—	—	2	1	—	5	8	13	29	36	62	57	58
Diseases of Generative "	0·04	0·01	0·07	30	2	28	—	—	—	—	—	—	—	—	—	—	10	9	—	6	4	1
Puerperal Fever	0·05	—	0·09	39	—	39	—	—	—	—	—	—	—	—	1	9	22	7	—	—	—	—
Childbirth	0·07	—	0·12	50	—	50	—	—	—	—	—	—	—	—	1	7	27	12	3	—	—	—
Violence	0·39	0·59	0·24	303	200	103	36	10	9	6	4	65	10	8	13	16	42	45	38	34	18	14
Other Causes	2·54	2·97	2·17	1943	1013	930	761	34	14	6	10	825	21	25	28	24	46	62	79	149	211	473

Marriages 4,614

Births .. Males .. 9,510 } 18,939
Births .. Females 9,429 }

Annual Rate per 1000 living { Persons Married .. 12·02
Annual Rate per 1000 living { Births .. .. .. 24·67

Annual Births to 1000 Females aged 15—45 years = 83.

Deaths from Childbirth and Puerperal Fever .. .. } 4·70 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

42.—DARTFORD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		16·28	*138	—	—	—	—	47·51	5·59	3·78	4·78	5·38	5·72	9·65	14·17	25·26	59·03	144·52
Annual Death-Rate per 1000. Males	—					17·04	*149	—	—	—	—	50·98	5·49	3·65	5·27	5·42	6·09	10·57	15·28	27·28	61·87	153·55
Annual Death-Rate per 1000. Females	—					15·57	*127	—	—	—	—	43·99	5·68	3·93	4·20	5·33	5·33	8·72	13·06	23·40	56·39	136·99
Mean Population, 1891-1900. Persons	—			81,144			2179	2022	1986	2000	2034	10221	9471	9069	7837	7589	13043	9468	6554	4271	2536	1085
Mean Population, 1891-1900. Males	—			41,343			1108	1018	1014	1006	997	5143	4791	4824	4267	3877	6612	4776	3285	2053	1222	493
Mean Population, 1891-1900. Females	—			39,801			1071	1004	972	994	1037	5078	4680	4245	3570	3712	6431	4692	3269	2218	1314	592
Deaths from All Causes, 1891-1900. Persons	16·32			13,244			3243	810	362	231	210	4856	529	343	375	408	746	914	929	1079	1497	1568
Deaths from All Causes, 1891-1900. Males	16·88			6,979			1778	430	180	115	119	2622	263	176	225	210	403	505	502	560	756	757
Deaths from All Causes, 1891-1900. Females	15·74			6,265			1465	380	182	116	91	2234	266	167	150	198	343	409	427	519	741	811
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·50	0·54	0·46	408	224	184	52	25	24	11	19	131	33	13	12	36	72	53	26	24	8	—
Measles	0·35	0·36	0·34	284	150	134	64	98	48	21	28	259	20	3	—	—	1	—	1	—	—	—
Scarlet Fever	0·14	0·14	0·15	115	57	58	3	8	15	22	12	60	37	8	6	2	1	1	—	—	—	—
Diphtheria	0·54	0·51	0·58	441	212	229	14	41	56	63	59	233	168	26	6	—	4	3	1	—	—	—
Whooping-cough	0·30	0·31	0·30	246	127	119	121	58	36	12	9	236	8	2	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·12	0·10	0·14	98	41	57	—	2	—	1	4	7	7	11	15	14	19	12	7	4	2	—
Simple Continued Fever	0·00	—	0·00	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Diarrhœa & Dysentery	0·76	0·74	0·77	614	308	306	463	79	9	2	1	554	5	—	1	—	4	2	2	12	11	23
Cholera	0·04	0·04	0·05	36	15	21	23	7	—	—	—	30	—	—	1	—	—	—	—	2	3	—
Cancer	0·65	0·48	0·83	528	198	330	—	—	1	—	—	1	1	1	2	1	20	53	89	123	163	74
Tabes Mesenterica	0·22	0·23	0·21	179	94	85	116	28	7	5	2	158	1	7	6	—	3	1	2	—	1	—
Phthisis	1·16	1·20	1·13	945	497	448	12	5	5	3	—	25	21	34	79	120	199	218	133	71	39	6
Other Tub. & Scrof. Dis.	0·35	0·41	0·29	284	168	116	72	54	14	11	8	159	31	32	15	17	12	6	5	3	3	1
Diseases of Nervous System	2·28	2·37	2·19	1853	980	873	403	67	27	9	13	519	73	99	85	73	83	153	145	142	254	227
Diseases of Circulatory	1·43	1·40	1·46	1158	577	581	8	—	—	3	3	14	23	11	25	25	65	92	144	210	323	226
Diseases of Respiratory	2·55	2·71	2·37	2066	1121	945	522	211	79	47	36	895	34	22	32	20	56	80	129	180	290	328
Diseases of Digestive	0·91	0·95	0·87	736	391	345	288	57	15	2	4	366	12	10	17	17	35	40	48	68	64	59
Diseases of Urinary	0·39	0·47	0·31	317	195	122	6	6	2	2	—	16	2	6	2	12	15	29	34	60	80	61
Diseases of Generative	0·03	0·01	0·05	24	3	21	1	—	1	—	—	2	—	—	—	2	2	4	3	3	7	1
Puerperal Fever	0·04	—	0·09	36	—	36	—	—	—	—	—	—	—	—	2	5	17	11	1	—	—	—
Childbirth	0·05	—	0·11	42	—	42	—	—	—	—	—	—	—	—	2	7	20	12	1	—	—	—
Violence	0·61	0·90	0·30	493	374	119	63	16	15	6	9	109	15	20	34	27	65	70	47	50	30	26
Other Causes	2·90	3·01	2·74	2340	1247	1093	1012	48	8	11	3	1082	38	38	33	29	53	74	111	127	219	536

Marriages 4,757

Births .. { Males .. 11,960 / Females 11,555 } 23,515

Annual Rate per 1000 living { Persons Married .. 11·72 / Births .. .. .. 28·98 }

Annual Births to 1000 Females aged 15—45 years = 128.

Deaths from Childbirth and Puerperal Fever .. .. } 3·32 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

43.—GRAVESEND.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 16·79	*137	—	—	—	—	47·81	3·87	2·92	2·84	4·28	6·77	10·95	16·78	30·52	60·35	152·42
Annual Death-Rate per 1000. Males ..	—	17·91	*141	—	—	—	—	49·75	3·96	3·02	3·23	5·47	7·73	11·93	17·99	36·67	71·01	155·15
Annual Death-Rate per 1000. Females	—	15·73	*134	—	—	—	—	45·87	3·79	2·83	2·50	3·12	5·79	9·96	15·57	25·31	52·95	150·60
Mean Population, 1891-1900. Persons	—	25,387	572	557	552	570	539	2790	2634	2668	2744	2456	3944	3115	2223	1481	918	414
Mean Population, 1891-1900. Males ..	—	12,452	295	276	280	282	264	1397	1340	1324	1302	1206	1992	1559	1112	679	376	165
Mean Population, 1891-1900. Females	—	12,935	277	281	272	288	275	1393	1294	1344	1442	1250	1952	1556	1111	802	542	249
Deaths from All Causes, 1891-1900. Persons	17·00	4,315	908	231	91	61	43	1334	102	78	78	105	267	341	373	452	554	631
Deaths from All Causes, 1891-1900. Males ..	17·73	2,208	475	128	43	24	25	695	53	40	42	66	154	186	200	249	267	256
Deaths from All Causes, 1891-1900. Females	16·29	2,107	433	103	48	37	18	639	49	38	36	39	113	155	173	203	287	375

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·30	0·28	0·32	77	35	42	17	28	13	12	3	73	3	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·03	0·02	0·03	7	3	4	—	1	1	2	1	5	—	1	—	1	—	—	—	—	—	—
Diphtheria	0·16	0·19	0·12	40	24	16	1	1	2	7	9	20	18	2	—	—	—	—	—	—	—	—
Whooping-cough ..	0·28	0·24	0·32	72	30	42	33	23	6	5	2	69	2	1	—	—	—	—	—	—	—	—
Typhus	0·01	0·01	0·01	2	1	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
Enteric Fever	0·25	0·29	0·21	63	36	27	—	—	1	—	1	2	8	6	7	4	18	9	6	1	1	1
Simple Continued Fever	0·00	—	0·01	1	—	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·69	0·68	0·70	175	85	90	126	17	3	1	—	147	—	1	—	—	1	1	1	2	6	16
Cholera	0·01	0·01	0·01	2	1	1	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—
Cancer	0·86	0·75	0·96	218	94	124	—	—	—	—	—	—	1	2	—	1	9	27	36	57	56	29
Tabes Mesenterica ..	0·20	0·22	0·18	51	28	23	27	6	4	2	—	39	5	4	2	—	—	1	—	—	—	—
Phthisis	1·35	1·62	1·09	343	202	141	5	1	—	1	3	10	4	10	14	36	79	64	62	38	20	6
Other Tub. & Scrof. Dis.	0·33	0·39	0·27	83	48	35	22	17	3	6	3	51	7	9	4	3	4	3	2	—	—	—
Diseases of Nervous System ..	2·00	2·21	1·81	509	275	234	113	24	14	3	5	159	15	2	6	7	19	25	42	65	97	72
Diseases of Circulatory " ..	1·71	1·69	1·72	434	211	223	4	1	—	1	1	7	3	6	10	10	19	37	51	102	110	79
Diseases of Respiratory " ..	2·55	2·63	2·48	648	327	321	146	76	30	9	7	268	13	6	3	11	27	27	36	58	93	106
Diseases of Digestive " ..	1·29	1·33	1·24	327	166	161	73	18	2	3	1	97	6	5	6	6	17	37	34	41	52	26
Diseases of Urinary " ..	0·42	0·51	0·33	107	64	43	1	—	—	—	1	2	1	4	—	3	8	15	23	21	18	12
Diseases of Generative " ..	0·04	—	0·09	11	—	11	—	—	—	—	—	—	—	—	1	—	2	2	1	3	2	—
Puerperal Fever ..	0·04	—	0·09	11	—	11	—	—	—	—	—	—	—	—	1	2	4	4	—	—	—	—
Childbirth	0·05	—	0·09	12	—	12	—	—	—	—	—	—	—	—	—	—	8	4	—	—	—	—
Violence	0·92	1·44	0·43	234	179	55	30	5	3	2	4	44	5	7	14	14	30	39	30	20	16	15
Other Causes ..	3·51	3·22	3·78	888	399	489	310	13	8	7	2	340	11	10	10	7	21	44	49	44	83	269

Marriages **1,916**

Births .. { Males .. 3,362, Females 3,243 } **6,605**

Annual Rate per 1000 living { Persons Married .. 15·09, Births .. .. .. 26·02 }

Annual Births to 1000 Females aged 15—45 years = 107.

Deaths from Childbirth and Puerperal Fever .. .. } **3·48 per 1000 Births.**

* **The death-rates under one year of age are per 1000 Births.**

44.—STROOD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 15·31			*146	—	—	—	—	49·79	3·84	2·28	3·27	5·09	5·32	7·98	13·13	24·10	52·07	141·27
Annual Death-Rate per 1000. Males	—			15·68			*155	—	—	—	—	52·23	3·45	2·13	3·46	5·17	5·84	8·83	13·52	25·57	56·96	157·34
Annual Death-Rate per 1000. Females	—			14·69			*137	—	—	—	—	47·40	4·25	2·43	3·00	5·00	4·74	7·06	12·72	22·56	47·53	129·02
Mean Population, 1891-1900. Persons	—			37,837			1089	1002	1040	993	1012	5136	4864	4380	3522	3259	5544	4285	3152	2058	1133	504
Mean Population, 1891-1900. Males	—			19,666			546	497	510	509	477	2539	2466	2202	2022	1818	2930	2231	1642	1052	546	218
Mean Population, 1891-1900. Females	—			18,171			543	505	530	484	535	2597	2398	2178	1500	1441	2614	2054	1510	1006	587	286
Deaths from All Causes, 1891-1900. Persons	15·79			5,974			1818	417	149	97	76	2557	187	100	115	166	295	342	414	496	590	712
Deaths from All Causes, 1891-1900. Males	15·94			3,135			978	192	74	45	37	1326	85	47	70	94	171	197	222	269	311	343
Deaths from All Causes, 1891-1900. Females	15·62			2,839			840	225	75	52	39	1231	102	53	45	72	124	145	192	227	279	369
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·03	0·05	0·01	12	10	2	—	—	—	—	2	2	—	—	1	4	3	2	—	—	—	—
Measles	0·34	0·33	0·35	129	65	64	24	60	20	11	8	123	6	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·12	0·13	0·12	46	25	21	8	6	7	7	2	30	10	2	1	2	—	1	—	—	—	—
Diphtheria	0·45	0·36	0·56	172	70	102	11	20	20	22	25	98	48	17	2	2	3	2	—	—	—	—
Whooping-cough	0·36	0·32	0·40	135	62	73	64	46	15	2	5	132	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·24	0·28	0·19	91	56	35	—	—	4	—	1	5	8	13	15	11	21	9	3	5	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·87	0·83	0·91	329	164	165	265	35	3	2	1	306	—	1	1	—	—	—	2	4	6	9
Cholera	0·05	0·05	0·06	19	9	10	12	2	—	—	—	14	—	—	1	1	—	1	2	—	—	—
Cancer	0·51	0·35	0·68	193	69	124	—	—	—	—	2	2	—	—	1	—	4	22	48	55	36	25
Tabes Mesenterica	0·19	0·18	0·20	72	36	36	44	14	1	3	—	62	6	3	—	—	—	—	—	—	1	—
Phthisis	1·01	1·08	0·94	382	212	170	5	5	3	2	1	16	12	8	28	57	91	60	58	40	11	1
Other Tub. & Scrof. Dis.	0·38	0·37	0·40	145	73	72	55	21	8	3	5	92	19	9	5	6	6	1	4	2	1	—
Diseases of Nervous System	1·63	1·60	1·66	617	315	302	208	24	12	8	5	257	11	11	9	3	17	21	45	76	92	75
Diseases of Circulatory	1·23	1·27	1·19	465	249	216	2	3	—	2	—	7	6	10	6	7	25	35	78	88	115	88
Diseases of Respiratory	2·56	2·67	2·43	967	526	441	286	113	36	21	13	469	21	5	4	8	20	38	46	83	128	145
Diseases of Digestive	1·09	1·05	1·14	414	207	207	187	36	7	7	2	239	4	4	2	6	13	22	28	37	39	20
Diseases of Urinary	0·32	0·38	0·26	122	74	48	2	2	1	—	2	7	1	2	1	3	3	12	16	22	32	23
Diseases of Generative	0·01	—	0·03	5	—	5	—	1	—	—	—	1	—	—	—	—	—	3	1	—	—	—
Puerperal Fever	0·10	—	0·20	36	—	36	—	—	—	—	—	—	—	—	—	4	25	7	—	—	—	—
Childbirth	0·06	—	0·12	21	—	21	—	—	—	—	—	—	—	—	2	1	6	12	—	—	—	—
Violence	0·91	1·39	0·38	343	274	69	28	6	7	2	1	44	18	8	26	34	38	61	37	34	32	11
OTHER CAUSES	3·33	3·25	3·39	1259	639	620	617	23	5	5	1	651	14	7	10	17	20	33	46	50	96	315

Marriages 2,810

Births .. { Males .. 6,293 / Females 6,136 } 12,429

Annual Rate per 1000 living { Persons Married .. 14·85 / Births .. .. .. 32·85 }

Annual Births to 1000 Females aged 15—45 years = 163.

Deaths from Childbirth and Puerperal Fever .. .. } 4·59 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

45.—HOO.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 14·31			*145	—	—	—	—	45·03	2·06	1·74	3·46	2·94	6·74	8·30	7·32	19·92	55·38	155·56
Annual Death-Rate per 1000. Males	—			14·30			*159	—	—	—	—	52·69	2·18	1·65	1·37	3·33	6·23	6·27	6·45	22·30	61·64	135·71
Annual Death-Rate per 1000. Females	—			14·32			*129	—	—	—	—	37·73	1·93	1·84	7·03	2·31	7·41	11·23	8·55	16·82	47·37	176·92
Mean Population, 1891-1900. Persons	—			4,035			113	104	103	107	106	533	534	460	347	340	564	458	369	246	130	54
Mean Population, 1891-1900. Males	—			2,256			58	50	47	55	50	260	275	243	219	210	321	271	217	139	73	28
Mean Population, 1891-1900. Females	—			1,779			55	54	56	52	56	273	259	217	128	130	243	187	152	107	57	26
Deaths from All Causes, 1891-1900. Persons	14·60			589			179	33	13	9	6	240	11	8	12	10	38	38	27	49	72	84
Deaths from All Causes, 1891-1900. Males	14·27			322			103	16	7	7	4	137	6	4	3	7	20	17	14	31	45	38
Deaths from All Causes, 1891-1900. Females	15·01			267			76	17	6	2	2	103	5	4	9	3	18	21	13	18	27	46
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·10	0·13	0·06	4	3	1	3	—	—	1	—	4	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria	0·15	0·22	0·06	6	5	1	—	3	—	2	—	5	1	—	—	—	—	—	—	—	—	—
Whooping-cough	0·27	0·04	0·56	11	1	10	3	4	4	—	—	11	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·35	0·40	0·28	14	9	5	—	—	2	—	—	2	3	1	2	1	2	2	—	—	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·47	0·49	0·45	19	11	8	16	1	—	—	—	17	—	—	—	—	—	—	—	1	—	1
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·37	0·31	0·45	15	7	8	—	—	—	—	—	—	—	—	—	—	—	—	2	5	3	5
Tabes Mesenterica	0·25	0·22	0·28	10	5	5	10	—	—	—	—	10	—	—	—	—	—	—	—	—	—	—
Phthisis	0·94	0·71	1·24	38	16	22	2	1	—	—	—	3	2	2	4	3	12	6	2	3	1	—
Other Tub. & Scrof. Dis.	0·25	0·27	0·22	10	6	4	3	2	1	1	—	7	1	1	—	—	1	—	—	—	—	—
Diseases of Nervous System	1·93	1·91	1·97	78	43	35	28	6	—	3	2	39	1	3	—	2	2	4	3	5	7	12
Diseases of Circulatory "	1·39	1·60	1·12	56	36	20	—	—	—	—	—	—	1	—	1	—	1	5	8	15	11	14
Diseases of Respiratory "	2·63	2·75	2·47	106	62	44	36	12	4	—	4	56	2	1	—	—	—	4	3	6	26	8
Diseases of Digestive "	0·79	0·67	0·96	32	15	17	12	2	—	2	—	16	—	—	—	—	1	2	3	2	1	7
Diseases of Urinary "	0·35	0·44	0·22	14	10	4	—	—	1	—	—	1	—	—	—	2	2	—	—	2	5	2
Diseases of Generative "	0·02	—	0·06	1	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Puerperal Fever	0·12	—	0·28	5	—	5	—	—	—	—	—	—	—	—	1	1	2	1	—	—	—	—
Childbirth	0·10	—	0·22	4	—	4	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—
Violence	0·67	1·11	0·11	27	25	2	1	—	1	—	—	2	—	—	2	1	6	6	3	4	2	1
Other Causes	3·45	3·00	4·00	139	68	71	65	2	—	—	—	67	—	—	1	—	7	6	3	6	15	34

Marriages 228

Births .. { Males .. 649 / Females 588 } 1,237

Annual Rate per 1000 living { Persons Married .. 11·30 / Births .. .. .. 30·66

Annual Births to 1000 Females aged 15—45 years = 180.

Deaths from Childbirth and Puerperal Fever .. .. } 7·28 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

46.—MEDWAY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		16·81	*146	—	—	—	—	51·83	5·40	2·49	4·00	4·25	6·09	9·64	14·71	29·57	57·21	150·95
Annual Death-Rate per 1000. Males	—					17·92	*163	—	—	—	—	57·51	4·91	2·37	4·53	4·71	6·49	10·60	15·90	32·46	61·10	157·51
Annual Death-Rate per 1000. Females	—					15·77	*129	—	—	—	—	46·38	5·88	2·60	3·30	3·48	5·60	8·61	13·44	26·74	53·77	145·57
Mean Population 1891-1900. Persons	—			85,367			2073	1967	1934	1950	1938	9862	9283	8447	8744	9910	14231	9985	6926	4407	2524	1048
Mean Population 1891-1900. Males	—			45,140			1011	938	971	964	943	4827	4627	4180	4990	6151	7750	5187	3592	2178	1185	473
Mean Population 1891-1900. Females	—			40,227			1062	1029	963	986	995	5035	4656	4267	3754	3759	6481	4798	3334	2229	1339	575
Deaths from All Causes, 1891-1900. Persons	16·13			13,770			3495	793	327	280	216	5111	501	210	350	421	866	963	1019	1303	1444	1582
Deaths from All Causes, 1891-1900. Males	16·43			7,418			1977	391	153	136	119	2776	227	99	226	290	503	550	571	707	724	745
Deaths from All Causes, 1891-1900. Females	15·79			6,352			1518	402	174	144	97	2335	274	111	124	131	363	413	448	596	720	837
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·28	0·25	0·31	237	113	124	58	88	39	25	9	219	12	2	2	—	1	1	—	—	—	—
Scarlet Fever	0·09	0·09	0·10	81	42	39	4	4	11	15	9	43	25	4	6	—	2	1	—	—	—	—
Diphtheria	0·53	0·50	0·57	453	224	229	14	35	49	72	68	238	185	16	7	1	1	2	1	2	—	—
Whooping-cough	0·27	0·23	0·31	228	102	126	120	68	18	11	7	224	4	—	—	—	—	—	—	—	—	—
Typhus	0·00	0·00	—	2	2	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
Enteric Fever	0·16	0·19	0·13	138	86	52	—	—	3	4	1	8	11	8	23	22	38	18	3	7	—	—
Simple Continued Fever	0·00	0·00	0·01	4	1	3	—	2	—	—	—	2	—	—	—	—	—	1	—	1	—	—
Diarrhœa & Dysentery	0·75	0·79	0·71	642	355	287	523	62	6	1	—	592	3	1	1	—	1	3	4	7	14	16
Cholera	0·01	0·02	0·01	11	8	3	6	1	—	—	—	7	—	—	—	—	2	—	1	1	—	—
Cancer	0·75	0·57	0·95	638	254	384	—	—	3	—	3	6	3	2	1	7	15	75	110	180	171	68
Tabes Mesenterica	0·16	0·16	0·16	137	72	65	75	18	8	6	3	110	8	3	5	2	3	1	3	2	—	—
Phthisis	1·56	1·80	1·30	1332	811	521	17	27	7	9	11	71	25	42	95	159	309	259	199	124	39	10
Other Tub. & Scrof. Dis.	0·47	0·49	0·45	401	221	180	112	74	31	29	14	260	43	23	22	9	17	16	8	2	1	—
Diseases of Nervous System	1·68	1·63	1·74	1435	737	698	427	51	25	26	17	546	45	14	13	19	45	64	106	190	213	180
Diseases of Circulatory "	1·43	1·46	1·39	1220	661	559	7	1	1	6	1	16	18	30	29	25	85	129	169	274	273	172
Diseases of Respiratory "	2·58	2·63	2·53	2206	1188	1018	612	245	82	50	39	1028	46	11	32	50	77	86	116	205	292	263
Diseases of Digestive "	1·01	1·03	1·00	865	463	402	313	46	18	10	7	394	14	12	22	16	40	65	84	99	74	45
Diseases of Urinary "	0·37	0·47	0·27	317	209	108	1	4	3	—	2	10	5	2	12	8	23	34	44	65	70	44
Diseases of Generative "	0·04	0·01	0·07	31	4	27	—	—	—	—	—	—	—	1	2	5	5	5	4	2	5	2
Puerperal Fever	0·05	—	0·10	42	—	42	—	—	—	—	—	—	—	—	3	12	15	12	—	—	—	—
Childbirth	0·07	—	0·15	62	—	62	—	—	—	—	—	—	—	—	2	7	32	18	3	—	—	—
Violence	0·62	0·91	0·29	531	413	118	55	17	14	11	15	112	27	12	29	46	70	71	65	36	36	27
OTHER CAUSES	3·25	3·20	3·24	2757	1452	1305	1151	50	9	5	10	1225	26	26	44	33	85	102	99	106	256	755

Marriages 6,708

Births .. Males .. 12,124 } 23,931
Births .. Females 11,807 }

Annual Rate per 1000 living { Persons Married .. 15·72
Annual Rate per 1000 living { Births .. .. .. 28·03

Annual Births to 1000 Females aged 15—45 years = 127.

Deaths from Childbirth and Puerperal Fever .. .. } 4·35 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The boundary of this district was altered during the decennium; the part transferred contained no population.

47.—MALLING.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 14·16	*126	—	—	—	—	41·88	4·38	2·83	4·34	3·66	4·97	7·29	11·51	22·19	53·16	142·71
Annual Death-Rate per 1000. Males	—	14·53	*137	—	—	—	—	45·11	4·03	2·58	2·83	2·97	4·97	8·65	12·51	24·14	58·99	142·92
Annual Death-Rate per 1000. Females	—	13·82	*115	—	—	—	—	38·63	4·72	3·08	6·22	4·35	4·97	5·95	10·51	20·20	47·25	142·51
Mean Population, 1891–1900. Persons	—	28,232	695	715	693	734	740	3577	3582	3325	2673	2214	3821	3210	2493	1789	1061	487
Mean Population, 1891–1900. Males	—	14,243	359	351	347	359	375	1791	1760	1669	1483	1110	1910	1596	1247	903	534	240
Mean Population, 1891–1900. Females	—	13,989	336	364	346	375	365	1786	1822	1656	1190	1104	1911	1614	1246	886	527	247
Deaths from All Causes, 1891–1900. Persons	15·28	4,313	1003	269	107	69	50	1498	157	94	116	81	190	234	287	397	564	695
Deaths from All Causes, 1891–1900. Males	15·88	2,262	549	141	56	37	25	808	71	43	42	33	95	138	156	218	315	343
Deaths from All Causes, 1891–1900. Females	14·66	2,051	454	128	51	32	25	690	86	51	74	48	95	96	131	179	249	352

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·42	0·44	0·40	118	62	56	24	41	25	11	3	104	13	1	—	—	—	—	—	—	—
Scarlet Fever	0·03	0·04	0·02	9	6	3	1	—	—	1	3	5	2	1	—	—	—	1	—	—	—
Diphtheria	0·48	0·46	0·50	136	66	70	3	14	20	19	15	71	53	7	3	—	—	2	—	—	—
Whooping-cough	0·22	0·21	0·22	61	30	31	31	19	4	3	2	59	2	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·07	0·07	0·06	19	10	9	—	—	—	—	—	—	2	1	8	1	1	3	1	1	1
Simple Continued Fever	0·01	0·01	0·01	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—
Diarrhœa & Dysentery	0·55	0·58	0·52	155	82	73	107	15	—	3	1	126	1	1	—	—	—	2	—	3	5
Cholera	0·03	0·05	0·01	8	7	1	4	—	—	—	—	4	—	—	—	—	2	1	1	—	—
Cancer	0·63	0·51	0·77	179	72	107	1	—	—	—	—	1	1	—	2	—	3	10	31	51	47
Tabes Mesenterica	0·12	0·11	0·12	33	16	17	11	7	—	—	2	20	3	3	3	—	1	2	1	—	—
Phthisis	1·13	1·21	1·06	320	172	148	4	7	4	1	2	18	10	22	37	32	66	56	38	30	11
Other Tub. & Scrof. Dis.	0·32	0·32	0·33	91	45	46	24	17	3	6	4	54	4	6	9	3	8	5	1	1	—
Diseases of Nervous System	1·69	1·85	1·52	476	263	213	110	25	11	2	4	152	12	10	6	4	13	13	30	52	98
Diseases of Circulatory "	1·63	1·65	1·60	459	235	224	10	—	—	—	—	10	4	10	5	7	16	35	55	88	126
Diseases of Respiratory "	2·52	2·57	2·46	710	366	344	163	76	25	14	6	284	26	7	4	5	15	21	46	60	109
Diseases of Digestive "	1·05	1·00	1·09	295	142	153	122	26	5	5	3	161	5	5	9	3	8	13	18	22	30
Diseases of Urinary "	0·41	0·56	0·26	117	80	37	2	—	—	—	—	2	1	1	2	4	10	5	11	20	30
Diseases of Generative "	0·01	—	0·02	3	—	3	—	—	—	—	—	—	—	—	—	—	1	1	—	—	1
Puerperal Fever	0·05	—	0·09	13	—	13	—	—	—	—	—	—	—	—	1	3	7	2	—	—	—
Childbirth	0·05	—	0·09	13	—	13	—	—	—	—	—	—	—	—	1	1	5	6	—	—	—
Violence	0·63	0·91	0·35	178	129	49	22	5	7	3	4	41	11	10	11	11	13	24	15	24	11
OTHER CAUSES	3·23	3·33	3·16	918	478	440	364	17	3	1	1	386	7	9	15	7	21	32	38	44	95

Marriages 1,859

Births .. Males .. 4,004 / Females 3,951 } 7,955

Annual Rate per 1000 living { Persons Married .. 13·17 / Births .. .. .. 28·18

Annual Births to 1000 Females aged 15—45 years = 137.

Deaths from Childbirth and Puerperal Fever .. .. } 3·27 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The boundary of this district was altered during the decennium; the part transferred contained no population.

48.—SEVENOAKS.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 12·36	*106	—	—	—	—	32·91	3·88	2·59	2·93	3·52	4·10	6·56	11·27	22·07	47·55	137·23
Annual Death-Rate per 1000. Males ..	—	In Standard Population. 12·82	*118	—	—	—	—	36·51	3·85	2·52	2·14	4·17	3·72	7·11	12·65	22·51	55·20	133·71
Annual Death-Rate per 1000. Females	—	In Standard Population. 11·94	* 94	—	—	—	—	29·29	3·91	2·66	3·73	2·99	4·40	6·08	10·00	21·64	40·94	140·40
Mean Population, 1891-1900. Persons	—	30,338	666	627	671	695	686	3345	3505	3355	2899	2588	4417	3596	2883	1962	1224	564
Mean Population, 1891-1900. Males ..	—	14,526	338	321	339	345	336	1679	1764	1666	1450	1152	1961	1673	1383	964	567	267
Mean Population, 1891-1900. Females	—	15,812	328	306	332	350	350	1666	1741	1689	1449	1436	2456	1923	1500	998	657	297
Deaths from All Causes, 1891-1900. Persons	13·29	4,031	790	154	77	49	31	1101	136	87	85	91	181	236	325	433	582	774
Deaths from All Causes, 1891-1900. Males ..	14·15	2,056	452	77	44	26	14	613	68	42	31	48	73	119	175	217	313	357
Deaths from All Causes, 1891-1900. Females	12·49	1,975	338	77	33	23	17	488	68	45	54	43	108	117	150	216	269	417

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.													
Small-pox..	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Measles	0·15	0·14	0·16	46	20	26	7	10	7	4	2	30	11	3	—	—	2	—	—	—	—	—
Scarlet Fever	0·04	0·04	0·03	11	6	5	—	2	1	—	—	3	5	—	2	—	—	—	1	—	—	—
Diphtheria	0·34	0·37	0·32	104	54	50	4	6	6	17	11	44	35	16	2	—	4	3	—	—	—	—
Whooping-cough ..	0·33	0·30	0·37	101	43	58	54	30	6	4	2	96	5	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·07	0·08	0·06	20	11	9	—	—	—	—	—	—	1	2	1	1	9	2	2	2	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·22	0·28	0·18	68	40	28	49	5	3	—	—	57	1	—	—	—	—	—	—	1	3	6
Cholera	0·02	0·03	0·01	5	4	1	2	2	—	—	—	4	—	—	—	—	—	—	—	—	1	—
Cancer	0·73	0·62	0·82	220	90	130	—	1	—	—	—	1	—	1	1	1	6	19	47	59	47	38
Tabes Mesenterica ..	0·11	0·08	0·13	33	12	21	10	8	—	—	1	19	3	2	2	2	1	3	1	—	—	—
Phthisis	0·98	1·03	0·94	298	150	148	3	1	—	—	—	4	3	9	31	40	65	61	51	21	11	2
Other Tub. & Scrof. Dis.	0·31	0·32	0·31	95	46	49	24	8	10	2	4	48	16	11	2	8	3	2	—	8	2	—
Diseases of: Nervous System ..	1·49	1·61	1·37	451	234	217	101	15	12	4	2	134	9	4	6	5	7	13	25	50	92	106
Diseases of: Circulatory „ ..	1·77	1·72	1·80	536	251	285	3	1	1	—	—	5	3	9	7	6	17	28	64	97	156	144
Diseases of: Respiratory „ ..	2·15	2·40	1·91	651	349	302	145	41	18	7	4	215	19	5	4	1	15	19	34	70	99	170
Diseases of: Digestive „ ..	0·85	0·93	0·78	258	135	123	80	10	3	5	1	99	5	5	4	—	9	13	28	27	37	31
Diseases of: Urinary „ ..	0·36	0·54	0·19	108	78	30	1	1	—	—	—	2	2	3	—	—	7	4	13	19	32	26
Diseases of: Generative „ ..	0·05	0·01	0·08	15	2	13	—	1	—	—	—	1	1	—	—	—	—	2	1	2	6	2
Puerperal Fever ..	0·04	—	0·07	11	—	11	—	—	—	—	—	—	—	—	—	2	3	5	1	—	—	—
Childbirth	0·05	—	0·09	14	—	14	—	—	—	—	—	—	—	—	—	—	6	6	2	—	—	—
Violence	0·41	0·62	0·22	125	90	35	10	2	6	2	2	22	5	6	10	6	10	20	13	13	13	7
OTHER CAUSES ..	2·82	3·02	2·65	860	440	420	297	10	4	4	2	317	12	11	13	18	17	36	42	69	83	242

Marriages 1,921

Births .. { Males .. 3,834 / Females 3,613 } 7,447

Annual Rate per 1000 living { Persons Married .. 12·66 / Births .. .. .. 24·55

Annual Births to 1000 Females aged 15—45 years = 103.

Deaths from Childbirth and Puerperal Fever .. .. } 3·36 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which may be found at the end of these tables.

49.—TONBRIDGE.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·84			*119	—	—	—	—	38·27	4·01	2·25	2·86	4·11	5·50	7·40	12·62	23·50	54·03	138·82
Annual Death-Rate per 1000. Males	—			14·73			*130	—	—	—	—	42·01	4·02	2·25	3·00	4·39	6·01	7·35	15·64	25·52	61·73	145·51
Annual Death-Rate per 1000. Females	—			13·00			*108	—	—	—	—	34·54	4·01	2·25	2·73	3·91	5·13	7·43	10·32	22·04	48·43	133·96
Mean Population, 1891–1900. Persons	—			62,250			1339	1296	1319	1342	1368	6664	6626	6627	6232	5504	9345	7366	5817	4234	2645	1190
Mean Population, 1891–1900. Males	—			28,260			670	630	652	688	683	3323	3358	3335	2969	2254	3924	3196	2512	1775	1113	501
Mean Population, 1891–1900. Females	—			33,990			669	666	667	654	685	3341	3268	3292	3263	3250	5421	4170	3305	2459	1532	689
Deaths from All Causes, 1891–1900. Persons	14·84			9,238			1792	393	159	117	89	2550	266	149	178	226	514	545	734	995	1429	1652
Deaths from All Causes, 1891–1900. Males	16·02			4,527			992	213	91	52	48	1396	135	75	89	99	236	235	393	453	687	729
Deaths from All Causes, 1891–1900. Females	13·86			4,711			800	180	68	65	41	1154	131	74	89	127	278	310	341	542	742	923
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·19	0·21	0·18	118	58	60	34	45	11	7	3	100	11	3	—	2	1	—	1	—	—	—
Scarlet Fever	0·05	0·07	0·04	32	20	12	1	—	5	3	4	13	9	3	—	2	4	—	1	—	—	—
Diphtheria	0·30	0·33	0·27	186	93	93	5	19	26	21	28	99	66	14	4	1	1	1	—	—	—	—
Whooping-cough	0·29	0·28	0·30	180	79	101	110	42	12	3	4	171	8	—	—	—	—	1	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·05	0·07	0·04	34	19	15	—	1	—	1	—	2	—	4	6	4	4	6	5	2	1	—
Simple Continued Fever	0·00	0·00	—	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·34	0·38	0·31	213	108	105	144	25	5	2	—	176	1	—	—	—	1	1	2	5	9	18
Cholera	0·01	0·01	0·00	4	3	1	—	1	—	—	—	1	—	—	—	—	—	—	1	1	1	—
Cancer	1·01	0·79	1·19	626	222	404	—	—	1	—	—	1	1	1	1	1	10	53	118	144	185	111
Tabes Mesenterica	0·17	0·19	0·15	105	54	51	43	11	3	3	3	63	8	7	3	4	9	6	2	3	—	—
Phthisis	1·24	1·45	1·07	771	409	362	14	9	4	2	2	31	18	16	46	84	189	158	111	75	39	4
Other Tub. & Scrof. Dis.	0·41	0·48	0·35	257	137	120	62	37	13	10	16	138	28	18	9	16	23	11	5	5	3	1
Diseases of Nervous System	1·55	1·57	1·53	964	443	521	176	37	17	12	9	251	17	12	19	17	21	39	58	123	200	207
Diseases of Circulatory "	1·84	1·98	1·72	1146	560	586	9	2	1	5	2	19	14	10	15	14	43	62	130	203	341	295
Diseases of Respiratory "	2·13	2·34	1·96	1328	661	667	290	96	40	27	10	463	27	8	15	6	31	35	72	127	220	324
Diseases of Digestive "	1·00	1·09	0·94	625	307	318	204	23	8	4	2	241	14	13	15	13	25	33	54	65	85	67
Diseases of Urinary "	0·56	0·78	0·38	349	220	129	3	—	—	1	—	4	5	1	6	3	16	25	44	78	91	76
Diseases of Generative "	0·06	0·00	0·10	35	1	34	—	—	—	—	—	—	—	—	—	1	3	10	8	5	5	3
Puerperal Fever	0·04	—	0·07	25	—	25	—	—	—	—	—	—	—	—	1	5	13	4	2	—	—	—
Childbirth	0·08	—	0·15	50	—	50	—	—	—	—	—	—	—	—	—	10	26	14	—	—	—	—
Violence	0·47	0·69	0·28	290	195	95	30	13	4	10	3	60	18	13	15	19	28	22	38	25	23	29
OTHER CAUSES	3·05	3·31	2·83	1899	937	962	667	32	9	6	3	717	21	25	23	24	66	64	82	134	226	517

Marriages 4,551

Births .. { Males .. 7,631 / Females 7,417 } 15,048

Annual Rate per 1000 living { Persons Married .. 14·62 / Births .. .. .. 24·17 }

Annual Births to 1000 Females aged 15—45 years = 93.

Deaths from Childbirth and Puerperal Fever .. .. } 4·98 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which may be found at the end of these tables.

50.—MAIDSTONE.

CAUSES OF DEATH.		CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000.	Persons	—	In Standard Population. 19·56	*130	—	—	—	—	47·41	5·68	3·28	4·89	7·09	9·36	14·79	21·48	34·60	72·51	166·78
	Males ..	—	21·12	*143	—	—	—	—	52·15	5·78	3·26	4·68	8·42	11·00	16·70	26·10	38·34	76·08	175·18
	Females	—	18·10	*117	—	—	—	—	42·78	5·58	3·29	5·11	5·95	7·90	13·08	17·37	31·20	69·48	159·67
Mean Population, 1891-1900	Persons	—	48,525	1063	1042	1020	1064	1082	5271	5389	5370	4826	4076	6963	5847	4613	3254	2019	897
	Males ..	—	23,358	527	508	506	518	547	2606	2683	2606	2476	1876	3281	2767	2172	1552	928	411
	Females	—	25,167	536	534	514	546	535	2665	2706	2764	2350	2200	3682	3080	2441	1702	1091	486
Deaths from All Causes, 1891-1900.	Persons	20·81	10,100	1620	460	168	140	111	2499	306	176	236	289	652	865	991	1126	1464	1496
	Males ..	22·62	5,284	911	235	88	71	54	1359	155	85	116	158	361	462	567	595	706	720
	Females	19·14	4,816	709	225	80	69	57	1140	151	91	120	131	291	403	424	531	758	776

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.														
Small-pox..	0·01	0·02	0·00	6	5	1	2	1	—	—	—	3	—	—	—	—	—	—	—	2	—	1
Measles	0·32	0·35	0·29	155	81	74	36	47	19	22	10	134	21	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·06	0·08	0·05	30	18	12	1	3	6	3	5	18	6	2	1	1	1	1	—	—	—	—
Diphtheria	0·54	0·55	0·52	261	129	132	15	17	24	30	51	137	93	16	3	2	3	3	1	—	3	—
Whooping-cough ..	0·25	0·23	0·27	120	53	67	60	35	8	8	6	117	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·39	0·41	0·37	188	94	94	1	1	1	5	1	9	19	23	26	28	35	20	16	8	4	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·58	0·69	0·48	283	161	122	185	37	6	2	—	230	4	—	—	—	—	—	3	7	14	25
Cholera	0·02	0·01	0·03	10	2	8	7	3	—	—	—	10	—	—	—	—	—	—	—	—	—	—
Cancer	0·91	0·83	1·00	444	193	251	—	1	—	1	—	2	2	3	1	2	10	44	83	98	139	60
Tabes Mesenterica ..	0·17	0·23	0·12	82	53	29	34	13	2	1	—	50	5	10	6	1	3	1	2	4	—	—
Phthisis	2·29	2·45	2·14	1111	573	538	26	12	4	2	2	46	9	14	77	123	218	238	190	119	62	15
Other Tub. & Scrof. Dis.	0·45	0·47	0·43	216	109	107	53	29	12	16	7	117	22	15	14	3	17	15	5	3	3	2
Diseases of: Nervous System ..	2·91	3·54	2·32	1412	827	585	160	30	9	9	4	212	18	20	18	27	115	168	187	195	220	232
Diseases of: Circulatory „ ..	2·45	2·43	2 47	1189	567	622	12	2	—	2	1	17	14	26	15	16	43	88	131	243	343	253
Diseases of: Respiratory „ ..	3·16	3·31	3·02	1533	773	760	255	144	47	22	15	483	38	6	15	18	47	69	107	163	291	296
Diseases of: Digestive „ ..	1·02	1·08	0·97	496	253	243	134	31	6	7	—	178	9	9	12	10	23	37	60	58	63	37
Diseases of: Urinary „ ..	0·67	0·85	0·50	324	199	125	—	—	—	—	1	1	4	4	2	3	13	25	40	58	103	71
Diseases of: Generative „ ..	0·05	0·02	0·08	25	4	21	1	—	—	—	—	1	—	—	—	—	5	5	7	7	—	—
Puerperal Fever ..	0·04	—	0·08	20	—	20	—	—	—	—	—	—	—	—	—	2	12	6	—	—	—	—
Childbirth	0·07	—	0·14	35	—	35	—	—	—	—	—	—	—	—	—	4	18	13	—	—	—	—
Violence	0·86	1·32	0·42	415	309	106	39	5	11	6	3	64	24	8	27	24	41	56	72	46	23	30
OTHER CAUSES ..	3·59	3·75	3·44	1745	881	864	599	49	13	4	5	670	15	20	19	25	48	76	87	115	196	474

Marriages 3,552

Births .. { Males .. 6,360 / Females 6,068 } 12,428

Annual Rate per 1000 living { Persons Married .. 14·64 / Births .. .. .. 25·61 }

Annual Births to 1000 Females aged 15—45 years = 110.

Deaths from Childbirth and Puerperal Fever .. .. } 4·43 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

51.—HOLLINGBOURN.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1003.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·60			*109	—	—	—	—	35·35	2·98	2·36	3·43	4 46	4·03	6·95	10·50	18·94	50·00	139·59
Annual Death-Rate per 1000. Males ..	—			12·41			*121	—	—	—	—	40·42	2·77	1·72	2·24	2·57	3·45	6·22	11·74	18·52	52·29	134·38
Annual Death-Rate per 1000. Females	—			12·77			* 96	—	—	—	—	30·54	3·20	3·03	4·67	6·22	4·54	7·63	9·23	19·35	47·65	145·86
Mean Population, 1891-1900. Persons	—			12,967			267	295	297	305	304	1468	1509	1484	1223	965	1714	1454	1190	977	690	293
Mean Population, 1891-1900. Males ..	—			6,442			135	138	139	141	162	715	759	758	624	467	811	707	605	486	350	160
Mean Population, 1891-1900. Females	—			6,525			132	157	158	164	142	753	750	726	599	498	903	747	585	491	340	133
Deaths from All Causes, 1891-1900. Persons	14·79			1,918			361	82	28	26	22	519	45	35	42	43	69	101	125	185	345	409
Deaths from All Causes, 1891-1900. Males ..	15·21			980			203	50	9	15	12	289	21	13	14	12	28	44	71	90	183	215
Deaths from All Causes, 1891-1900. Females	14·38			938			158	32	19	11	10	230	24	22	28	31	41	57	54	95	162	194
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·19	0·22	0·15	24	14	10	5	7	3	1	4	20	4	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·03	0·03	0·03	4	2	2	—	—	—	—	—	—	1	3	—	—	—	—	—	—	—	—
Diphtheria	0·44	0·36	0·52	57	23	34	1	4	7	8	8	28	15	8	4	1	—	—	1	—	—	—
Whooping-cough ..	0·26	0·23	0·29	34	15	19	24	8	—	2	—	34	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·05	0·05	0·06	7	3	4	—	—	—	—	1	1	1	—	2	—	—	2	1	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·26	0·26	0·26	34	17	17	20	8	—	—	—	28	—	—	—	—	—	—	—	—	3	3
Cholera	0·01	—	0·02	1	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	0·80	0·67	0·93	104	43	61	1	—	—	—	—	1	—	—	1	—	2	8	13	27	34	18
Tabes Mesenterica ..	0·15	0·16	0·14	19	10	9	6	6	—	—	—	12	2	—	—	—	2	—	2	1	—	—
Phthisis	1·06	1·01	1·10	137	65	72	3	—	—	—	—	3	1	7	18	20	20	27	25	9	6	1
Other Tub. & Scrof. Dis.	0·30	0·28	0·32	39	18	21	7	4	3	3	2	19	7	2	3	2	1	—	1	1	3	—
Diseases of Nervous System ..	1·74	1·83	1·66	226	118	108	46	4	3	2	—	55	3	3	4	2	4	5	11	28	51	60
Diseases of Circulatory " ..	1·90	1·91	1·90	247	123	124	2	1	—	—	1	4	1	3	3	5	7	14	29	40	82	59
Diseases of Respiratory " ..	2·44	2·53	2·30	316	166	150	70	31	10	5	2	118	2	2	2	5	6	12	13	28	56	72
Diseases of Digestive " ..	0·91	1·04	0·78	118	67	51	19	4	—	—	1	24	3	1	1	1	5	8	9	25	28	13
Diseases of Urinary " ..	0·39	0·48	0 29	50	31	19	—	—	—	—	—	—	—	1	1	—	1	3	5	6	16	17
Diseases of Generative " ..	0·05	—	0·09	6	—	6	—	—	—	—	—	—	—	—	—	—	—	1	1	2	2	—
Puerperal Fever ..	0·05	—	0·11	7	—	7	—	—	—	—	—	—	—	—	2	1	4	—	—	—	—	—
Childbirth	0·11	—	0·21	14	—	14	—	—	—	—	—	—	—	—	—	1	6	7	—	—	—	—
Violence	0·39	0·61	0·17	50	39	11	5	—	1	2	—	8	2	2	—	2	5	9	5	6	8	3
OTHER CAUSES ..	3·26	3·49	3·05	424	226	198	151	5	1	3	3	163	3	3	1	3	6	5	9	12	56	163

Marriages 903

Births .. { Males .. 1,672 / Females 1,641 } 3,313

Annual Rate per 1000 living { Persons Married .. 13·93 / Births .. .. .. 25·55 }

Annual Births to 1000 Females aged 15—45 years = 121.

Deaths from Childbirth and Puerperal Fever .. .. } 6·34 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

52.—CRANBROOK.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·48			*103	—	—	—	—	32·96	2·48	2·65	3·51	3·44	4·54	5·70	12·09	22·51	50·74	140·56
Annual Death-Rate per 1000. Males	—			12·68			*117	—	—	—	—	37·77	2·53	2·24	3·52	2·71	4·60	4·78	13·18	22·68	50·74	143·29
Annual Death-Rate per 1000. Females	—			12·30			* 88	—	—	—	—	28·30	2·42	3·11	3·49	3·99	4·49	6·52	11·09	22·34	50·73	137·74
Mean Population, 1891-1900. Persons	—			13,374			270	260	285	311	309	1435	1615	1545	1311	1018	1718	1510	1224	995	680	323
Mean Population, 1891-1900. Males	—			6,562			135	125	134	151	162	707	831	805	710	442	761	712	584	507	339	164
Mean Population, 1891-1900. Females	—			6,812			135	135	151	160	147	728	784	740	601	576	957	798	640	488	341	159
Deaths from All Causes, 1891-1900. Persons	14·73			1,970			325	73	36	24	15	473	40	41	46	35	78	86	148	224	345	454
Deaths from All Causes, 1891-1900. Males	15·41			1,011			187	41	16	17	6	267	21	18	25	12	35	34	77	115	172	235
Deaths from All Causes, 1891-1900. Females	14·08			959			138	32	20	7	9	206	19	23	21	23	43	52	71	109	173	219
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·13	0·15	0·12	18	10	8	4	4	4	2	—	14	3	—	—	1	—	—	—	—	—	—
Scarlet Fever	0·04	0·05	0·03	5	3	2	—	—	—	—	—	—	2	1	—	2	—	—	—	—	—	—
Diphtheria	0·22	0·20	0·25	30	13	17	2	4	1	4	5	16	9	3	1	—	—	—	—	—	1	—
Whooping-cough	0·16	0·15	0·16	21	10	11	12	8	—	1	—	21	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·09	0·06	0·12	12	4	8	—	—	—	—	—	—	1	1	3	1	1	2	1	2	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·19	0·18	0·19	25	12	13	14	2	—	—	—	16	—	—	—	—	—	—	—	2	3	4
Cholera	0·01	0·02	—	1	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	1·05	0·99	1·12	141	65	76	—	—	—	1	1	2	—	—	—	—	—	3	32	39	43	22
Tabes Mesenterica	0·10	0·08	0·12	13	5	8	5	1	3	—	—	9	1	—	1	1	—	—	1	—	—	—
Phthisis	0·88	0·78	0·97	117	51	66	2	1	—	1	—	4	2	9	9	7	23	19	21	13	8	2
Other Tub. & Scrof. Dis.	0·30	0·29	0·32	41	19	22	8	4	3	1	3	19	4	3	6	2	2	2	1	1	1	—
Diseases of Nervous System	1·62	1·75	1·48	216	115	101	30	10	7	3	—	50	5	4	4	2	11	7	13	19	44	57
Diseases of Circulatory	1·76	1·86	1·66	235	122	113	3	—	—	1	—	4	—	3	5	4	3	9	20	40	75	72
Diseases of Respiratory	2·52	2·77	2·28	337	182	155	70	22	9	10	3	114	7	5	1	4	6	11	10	34	59	86
Diseases of Digestive	0·95	1·07	0·84	127	70	57	26	5	1	—	2	34	—	2	1	—	7	6	13	18	28	18
Diseases of Urinary	0·44	0·59	0·29	59	39	20	1	—	—	—	—	1	—	1	2	2	4	3	7	13	12	14
Diseases of Generative	0·06	—	0·12	8	—	8	—	—	—	—	—	—	—	—	—	—	2	1	3	—	1	1
Puerperal Fever	0·05	—	0·10	7	—	7	—	—	—	—	—	—	—	—	2	1	1	3	—	—	—	—
Childbirth	0·04	—	0·09	6	—	6	—	—	—	—	—	—	—	—	—	1	3	2	—	—	—	—
Violence	0·61	0·87	0·37	82	57	25	11	2	2	—	—	15	1	2	6	3	5	10	8	14	8	10
OTHER CAUSES	3·51	3·55	3·45	469	233	236	136	10	6	—	1	153	5	7	5	4	10	8	18	29	62	168

Marriages 844

Births .. Males 1,596 / Females 1,569 } 3,165

Annual Rate per 1000 living { Persons Married .. 12·62 / Births .. .. .. 23·67

Annual Births to 1000 Females aged 15—45 years = 108.

Deaths from Childbirth and Puerperal Fever .. .. } 4·11 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

53.—TENTERDEN.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·05			* 98	—	—	—	—	32·50	3·57	2·64	5·03	5·15	6·63	6·65	9·88	19·95	52·00	142·41
Annual Death-Rate per 1000. Males ..	—			In Standard Population. 12·69			*104	—	—	—	—	34·14	3·23	1·87	4·44	3·33	8·01	7·02	9·28	21·95	46·74	141·22
Annual Death-Rate per 1000. Females	—			In Standard Population. 13·39			* 92	—	—	—	—	30·58	3·91	3·43	5·65	6·88	5·42	6·30	10·43	17·99	57·83	143·65
Mean Population, 1891-1900. Persons	—			9,421			213	201	220	227	213	1074	1120	1059	875	679	1176	1008	901	747	525	257
Mean Population, 1891-1900. Males ..	—			4,689			110	107	118	117	125	577	558	534	450	330	549	484	431	369	276	131
Mean Population, 1891-1900. Females	—			4,732			103	94	102	110	88	497	562	525	425	349	627	524	470	378	249	126
Deaths from All Causes, 1891-1900. Persons	16·11			1,518			242	55	31	9	12	349	40	28	44	35	78	67	89	149	273	366
Deaths from All Causes, 1891-1900. Males ..	16·40			769			134	33	21	3	6	197	18	10	20	11	44	34	40	81	129	185
Deaths from All Causes, 1891-1900. Females	15·83			749			108	22	10	6	6	152	22	18	24	24	34	33	49	68	144	181
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·03	—	0·06	3	—	3	—	1	1	—	1	3	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·03	0·04	0·02	3	2	1	1	—	1	—	—	2	—	1	—	—	—	—	—	—	—	—
Diphtheria	0·33	0·28	0·38	31	13	18	2	—	3	2	3	10	14	5	1	—	—	—	1	—	—	—
Whooping-cough	0·29	0·32	0·25	27	15	12	16	7	3	1	—	27	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·02	—	0·04	2	—	2	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·17	0·15	0·19	16	7	9	4	1	1	—	—	6	—	1	—	—	—	2	1	—	3	3
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·68	0·56	0·80	64	26	38	—	—	—	—	—	—	—	—	1	—	2	5	11	13	22	10
Tabes Mesenterica	0·10	0·15	0·04	9	7	2	3	2	2	—	—	7	1	—	1	—	—	—	—	—	—	—
Phthisis	1·25	1·34	1·16	118	63	55	2	3	—	—	1	6	3	7	20	13	33	13	4	12	4	3
Other Tub. & Scrof. Dis.	0·25	0·30	0·21	24	14	10	4	—	—	—	—	4	2	2	3	5	3	2	—	1	2	—
Diseases of Nervous System	2·50	2·43	2·56	235	114	121	47	9	3	1	2	62	8	1	5	2	7	5	14	28	48	55
Diseases of Circulatory "	1·75	1·75	1·73	165	83	82	2	—	1	—	—	3	—	3	4	2	2	6	14	29	66	36
Diseases of Respiratory "	2·76	2·90	2·62	260	136	124	39	20	10	3	2	74	8	2	1	2	6	10	11	25	48	73
Diseases of Digestive "	0·99	1·02	0·95	93	48	45	14	7	1	1	2	25	4	2	1	1	3	8	7	13	19	10
Diseases of Urinary "	0·32	0·43	0·21	30	20	10	3	1	—	—	—	4	—	—	1	—	—	3	—	4	11	7
Diseases of Generative "	0·05	0·02	0·09	5	1	4	—	—	—	—	—	—	—	—	—	—	—	—	2	2	—	1
Puerperal Fever	0·03	—	0·06	3	—	3	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—
Childbirth	0·12	—	0·23	11	—	11	—	—	—	—	—	—	—	—	—	3	8	—	—	—	—	—
Violence	0·55	0·70	0·40	52	33	19	2	1	3	—	—	6	—	—	4	2	5	4	10	8	7	6
OTHER CAUSES	3·89	4·01	3·83	367	187	180	103	3	2	1	1	110	—	3	2	3	9	8	13	14	43	162

Marriages 664

Births .. Males .. 1,286 / Females 1,171 } 2,457

Annual Rate per 1000 living { Persons Married .. 14·10 / Births .. .. .. 26·08

Annual Births to 1000 Females aged 15—45 years = 128.

Deaths from Childbirth and Puerperal Fever .. .. } 5·70 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

54.—WEST ASHFORD.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·77			*107	—	—	—	—	34·46	3·59	2·14	3·76	5·16	4·83	6·26	11·50	22·48	48·95	130·11
Annual Death-Rate per 1000. Males ..	—			13·09			*118	—	—	—	—	38·05	3·23	1·57	2·45	5·47	4·87	6·27	11·79	24·60	54·43	135·12
Annual Death-Rate per 1000. Females	—			12·47			* 95	—	—	—	—	30·84	3·95	2·77	5·26	4·85	4·79	6·26	11·23	20·45	44·05	125·65
Mean Population, 1891-1900. Persons	—			19.673			440	451	441	467	456	2255	2285	2293	1915	1532	2734	2300	1774	1290	860	435
Mean Population, 1891-1900. Males ..	—			9,809			211	236	222	232	229	1130	1147	1210	1022	749	1336	1117	857	630	406	205
Mean Population, 1891-1900. Females	—			9,864			229	215	219	235	227	1125	1138	1083	893	783	1398	1183	917	660	454	230
Deaths from All Causes, 1891-1900. Persons	14·31			2,816			538	127	57	32	23	777	82	49	72	79	132	144	204	290	421	566
Deaths from All Causes, 1891-1900. Males ..	14·69			1,441			304	66	32	16	12	430	37	19	25	41	65	70	101	155	221	277
Deaths from All Causes, 1891-1900. Females	13·94			1,375			234	61	25	16	11	347	45	30	47	38	67	74	103	135	200	289
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	0·01	—	0·01	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Measles	0·17	0·19	0·14	33	19	14	9	14	4	1	2	30	1	—	—	1	1	—	—	—	—	—
Scarlet Fever	0·05	0·04	0·04	9	5	4	—	—	—	2	—	2	3	1	—	—	2	1	—	—	—	—
Diphtheria	0·22	0·19	0·25	44	19	25	1	1	4	6	5	17	17	6	4	—	—	—	—	—	—	—
Whooping-cough ..	0·25	0·21	0·29	50	21	29	27	16	6	—	—	49	1	—	—	—	—	—	—	—	—	—
Typhus	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Enteric Fever	0·12	0·11	0·12	23	11	12	1	—	—	1	—	2	1	3	5	2	5	2	—	2	1	—
Simple Continued Fever	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Diarrhœa & Dysentery	0·40	0·49	0·31	79	48	31	48	8	7	1	—	64	—	1	—	—	—	—	—	2	7	5
Cholera	0·01	0·02	—	2	2	—	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
Cancer	0·78	0·76	0·81	154	74	80	—	—	—	—	—	—	1	—	—	2	1	8	26	33	52	31
Tabes Mesenterica ..	0·08	0·04	0·11	15	4	11	3	2	—	1	—	6	—	2	5	—	1	—	—	1	—	—
Phthisis	1·09	1·08	1·10	214	106	108	1	4	—	—	1	6	2	7	29	43	45	29	26	17	8	2
Other Tub. & Scrof. Dis.	0·33	0·34	0·31	64	33	31	6	9	5	3	1	24	14	8	6	4	3	—	3	2	—	—
Diseases of Nervous System ..	1·51	1·65	1·37	297	162	135	52	15	1	3	1	72	10	5	2	3	5	7	20	49	63	61
Diseases of Circulatory " ..	1·64	1·50	1·78	322	147	175	6	—	—	2	—	8	2	4	2	3	12	11	38	52	85	105
Diseases of Respiratory " ..	2·50	2·59	2·42	493	254	239	107	45	22	8	5	187	12	5	5	2	8	12	24	47	77	114
Diseases of Digestive " ..	0·69	0·77	0·63	137	75	62	38	2	1	2	1	44	4	—	—	3	5	9	16	25	18	13
Diseases of Urinary " ..	0·42	0·53	0·31	83	52	31	1	—	—	—	—	1	1	1	1	4	4	12	8	15	19	17
Diseases of Generative " ..	0·04	—	0·08	8	—	8	—	—	—	—	—	—	—	—	—	—	1	2	1	1	3	—
Puerperal Fever ..	0·05	—	0·09	9	—	9	—	—	—	—	—	—	—	—	1	1	3	4	—	—	—	—
Childbirth	0·08	—	0·15	15	—	15	—	—	—	—	—	—	—	—	—	2	5	8	—	—	—	—
Violence	0·57	0·86	0·28	112	84	28	11	6	3	2	1	23	3	1	4	4	17	17	19	8	9	7
OTHER CAUSES.. ..	3·28	3·30	3·34	650	323	327	226	5	4	—	6	241	9	5	8	5	14	22	23	35	77	211

Marriages 1,306

Births .. { Males .. 2,574 / Females 2,465 } 5,039

Annual Rate per 1000 living { Persons Married .. 13·28 / Births .. .. .. 25·61 }

Annual Births to 1000 Females aged 15—45 years = 118.

Deaths from Childbirth and Puerperal Fever .. .. } 4·76 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

55.—EAST ASHFORD.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 11·47			*102	—	—	—	—	31·10	3·42	1·92	4·12	4·44	4·34	5·74	10·06	18·81	41·75	122·93
Annual Death-Rate per 1000. Males	—			11·68			*115	—	—	—	—	34·75	2·28	1·80	3·29	3·75	4·26	5·79	10·58	20·51	44·57	130·48
Annual Death-Rate per 1000. Females	—			11·27			* 89	—	—	—	—	27·52	4·52	2·04	5·23	5·14	4·41	5·70	9·56	17·01	38·76	115·43
Mean Population, 1891–1900. Persons	—			13,564			318	316	340	321	319	1614	1697	1565	1165	947	1775	1497	1243	989	697	375
Mean Population, 1891–1900. Males	—			6,831			157	158	174	155	156	800	835	779	668	480	868	743	605	507	359	187
Mean Population, 1891–1900. Females	—			6,733			161	158	166	166	163	814	862	786	497	467	907	754	638	482	338	188
Deaths from All Causes, 1891–1900. Persons	14·05			1,906			353	79	32	22	16	502	58	30	48	42	77	86	125	186	291	461
Deaths from All Causes, 1891–1900. Males	14·68			1,003			199	41	16	14	8	278	19	14	22	18	37	43	64	104	160	244
Deaths from All Causes, 1891–1900. Females	13·41			903			154	38	16	8	8	224	39	16	26	24	40	43	61	82	131	217
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Measles	0·11	0·09	0·13	15	6	9	2	6	3	—	1	12	1	1	—	—	—	1	—	—	—	—
Scarlet Fever	0·10	0·06	0·15	14	4	10	—	2	—	1	3	6	4	1	1	2	—	—	—	—	—	—
Diphtheria	0·30	0·25	0·36	41	17	24	2	1	2	3	7	15	17	2	3	1	1	2	—	—	—	—
Whooping-cough	0·31	0·26	0·36	42	18	24	20	13	4	1	2	40	2	—	—	—	—	—	—	—	—	—
Typhus	0·01	—	0·01	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Enteric Fever	0·07	0·09	0·04	9	6	3	—	—	—	—	—	—	1	1	2	—	4	1	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·26	0·34	0·18	35	23	12	15	6	—	—	—	21	—	—	—	—	1	—	2	—	3	8
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·79	0·59	1·00	107	40	67	—	—	—	—	—	—	—	—	1	—	1	5	20	30	29	21
Tabes Mesenterica	0·09	0·12	0·06	12	8	4	4	2	2	—	—	8	—	1	1	—	—	2	—	—	—	—
Phthisis	0·87	0·85	0·89	118	58	60	2	3	1	1	—	7	1	4	19	21	19	19	10	13	5	—
Other Tub. & Scrof. Dis.	0·26	0·26	0·25	35	18	17	10	5	1	2	—	18	8	1	1	1	3	2	1	—	—	—
Diseases of Nervous System	1·40	1·48	1·32	190	101	89	42	7	1	1	—	51	7	3	5	4	3	10	13	15	38	41
Diseases of Circulatory "	1·67	1·79	1·55	226	122	104	2	—	—	—	—	2	2	4	1	3	7	10	26	30	62	79
Diseases of Respiratory "	2·59	3·00	2·17	351	205	146	81	21	11	8	2	123	8	4	—	2	9	9	16	36	57	87
Diseases of Digestive "	0·71	0·72	0·70	96	49	47	21	5	2	2	—	30	1	3	2	1	6	1	7	15	17	13
Diseases of Urinary "	0·41	0·50	0·33	56	34	22	—	1	1	—	—	2	—	1	2	1	3	1	7	9	19	11
Diseases of Generative "	0·04	0·01	0·06	5	1	4	—	—	—	—	—	—	—	—	—	—	—	—	3	—	1	1
Puerperal Fever	0·04	—	0·07	5	—	5	—	—	—	—	—	—	—	—	1	1	3	—	—	—	—	—
Childbirth	0·08	—	0·16	11	—	11	—	—	—	—	—	—	—	—	—	1	6	4	—	—	—	—
Violence	0·38	0·51	0·25	52	35	17	11	1	1	2	—	15	1	1	3	1	3	9	5	5	5	4
OTHER CAUSES	3·55	3·75	3·37	484	257	227	141	6	3	1	1	152	5	3	6	2	8	10	14	33	55	196

Marriages 922

Births .. Males .. 1,733 } 3,457
Births .. Females 1,724 }

Annual Rate per 1000 living { Persons Married .. 13·59
Annual Rate per 1000 living { Births .. .. .. 25·49

Annual Births to 1000 Females aged 15—45 years = 132.

Deaths from Childbirth and Puerperal Fever .. .. } 4·63 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

56.—BRIDGE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		16·92	*109	—	—	—	—	32·22	3·79	2·65	4·08	6·46	9·58	15·11	20·60	32·45	62·61	171·43
Annual Death-Rate per 1000. Males ..	—					18·14	*128	—	—	—	—	37·32	3·00	2·91	4·36	6·98	11·17	19·92	21·89	35·71	62·58	165·24
Annual Death-Rate per 1000. Females	—					15·77	* 88	—	—	—	—	27·06	4·59	2·37	3·75	6·01	8·11	10·54	19·37	29·37	62·64	177·33
Mean Population, 1891-1900. Persons	—			12,639			265	248	276	260	298	1347	1398	1395	1103	929	1681	1482	1306	980	682	336
Mean Population, 1891-1900. Males ..	—			6,257			135	138	136	132	137	678	701	721	597	430	806	723	635	476	326	164
Mean Population, 1891-1900. Females	—			6,382			130	110	140	128	161	669	697	674	506	499	875	759	671	504	356	172
Deaths from All Causes, 1891-1900. Persons	20·60			2,604			322	63	15	19	15	434	53	37	45	60	161	224	269	318	427	576
Deaths from All Causes, 1891-1900. Males ..	21·88			1,369			193	35	7	8	10	253	21	21	26	30	90	144	139	170	204	271
Deaths from All Causes, 1891-1900. Females	19·35			1,235			129	28	8	11	5	181	32	16	19	30	71	80	130	148	223	305
	Persons.	Males.	Females.	Persons.	Males.	Females	Persons.															
Small-pox	0·01	—	0·02	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Measles	0·11	0·13	0·09	14	8	6	2	6	1	1	—	10	4	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·05	0·03	0·06	6	2	4	1	—	—	—	1	2	2	—	1	—	1	—	—	—	—	—
Diphtheria	0·23	0·30	0·16	29	19	10	—	2	3	4	4	13	12	2	—	—	—	1	—	1	—	—
Whooping-cough ..	0·26	0·26	0·27	33	16	17	17	13	1	1	—	32	1	—	—	—	—	—	—	—	—	—
Typhus	0·01	0·02	—	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Enteric Fever	0·07	0·08	0·06	9	5	4	—	—	—	—	—	—	1	1	1	1	2	3	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·28	0·22	0·33	35	14	21	19	6	1	1	—	27	2	—	—	—	—	—	—	—	1	5
Cholera	0·01	0·02	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Cancer	1·04	0·82	1·25	131	51	80	1	—	—	—	—	1	—	1	—	—	1	6	26	36	39	21
Tabes Mesenterica ..	0·22	0·30	0·14	28	19	9	21	2	—	—	—	23	1	1	—	1	1	—	1	—	—	—
Phthisis	2·05	2·14	1·96	259	134	125	2	1	1	1	—	5	5	6	15	29	58	43	50	25	21	2
Other Tub. & Scrof. Dis.	0·28	0·29	0·27	35	18	17	3	4	1	1	3	12	4	2	3	6	1	2	—	2	1	2
Diseases of Nervous System ..	3·65	4·60	2·71	461	288	173	31	4	1	1	—	37	5	6	8	8	43	88	67	67	59	73
Diseases of Circulatory „ ..	2·28	2·40	2·18	289	150	139	3	1	—	—	—	4	1	5	3	—	6	16	36	43	87	88
Diseases of Respiratory „ ..	3·34	3·55	3·15	423	222	201	68	17	4	5	3	97	7	3	5	4	14	23	34	51	94	91
Diseases of Digestive „ ..	1·00	1·02	0·97	126	64	62	20	5	—	2	3	30	1	2	1	2	2	11	14	24	21	18
Diseases of Urinary „ ..	0·65	0·74	0·56	82	46	36	—	—	—	—	—	—	1	—	—	—	2	5	9	14	22	29
Diseases of Generative „ ..	0·06	0·02	0·09	7	1	6	—	—	—	—	—	—	—	—	—	1	—	1	1	3	—	1
Puerperal Fever ..	0·05	—	0·09	6	—	6	—	—	—	—	—	—	—	—	—	1	1	4	—	—	—	—
Childbirth	0·02	—	0·05	3	—	3	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—
Violence	0·54	0·72	0·36	68	45	23	4	2	—	1	—	7	2	—	3	2	6	6	16	9	9	8
Other Causes ..	4·39	4·22	4·58	557	265	292	130	—	2	1	1	134	4	8	4	5	21	13	15	43	73	237

Marriages 727

Births .. { Males .. 1,506 / Females 1,458 } 2,964

Annual Rate per 1000 living { Persons Married .. 11·50 / Births .. .. .. 23·45 }

Annual Births to 1000 Females aged 15—45 years = 112.

Deaths from Childbirth and Puerperal Fever .. .. } 3·04 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which may be found at the end of these tables.

57.—CANTERBURY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 17·96			*136	—	—	—	—	50·32	4·51	3·16	3·86	5·11	6·90	11·58	18·31	31·68	64·27	161·37
Annual Death-Rate per 1000. Males	—			19·44			*147	—	—	—	—	52·64	4·70	2·50	3·13	5·89	7·61	14·29	24·17	38·94	75·87	158·86
Annual Death-Rate per 1000. Females	—			16·57			*125	—	—	—	—	47·87	4·32	3·85	5·05	3·97	6·25	9·18	13·36	25·70	56·12	163·16
Mean Population, 1891–1900. Persons	—			18,891			380	371	397	384	352	1884	1840	1802	2383	2172	2754	2055	1644	1171	764	422
Mean Population, 1891–1900. Males	—			9,616			189	192	211	192	183	967	915	919	1472	1291	1314	966	753	529	315	175
Mean Population, 1891–1900. Females	—			9,275			191	179	186	192	169	917	925	883	911	881	1440	1089	891	642	449	247
Deaths from All Causes, 1891–1900. Persons	18·86			3,563			654	152	79	29	34	948	83	57	92	111	190	238	301	371	491	681
Deaths from All Causes, 1891–1900. Males	19·13			1,840			360	80	40	12	17	509	43	23	46	76	100	138	182	206	239	278
Deaths from All Causes, 1891–1900. Females	18·58			1,723			294	72	39	17	17	439	40	34	46	35	90	100	119	165	252	403
	Persons.	Males.	Females	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·26	0·25	0·27	49	24	25	11	19	6	3	6	45	4	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·10	0·10	0·10	19	10	9	—	1	1	1	3	6	7	2	1	1	1	1	—	—	—	—
Diphtheria	0·17	0·15	0·20	33	14	19	—	2	6	7	6	21	7	1	—	2	1	1	—	—	—	—
Whooping-cough	0·29	0·26	0·31	54	25	29	27	15	6	2	3	53	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·21	0·22	0·19	39	21	18	—	—	2	—	—	2	3	6	9	4	7	3	4	1	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·40	0·43	0·37	75	41	34	53	6	2	—	1	62	—	—	—	1	—	—	1	1	6	4
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	1·34	1·27	1·42	254	122	132	—	1	3	—	—	4	2	—	3	2	11	16	58	64	58	36
Tabes Mesenterica	0·43	0·43	0·44	82	41	41	51	13	2	2	—	68	5	3	1	1	1	2	1	—	—	—
Phthisis	1·70	1·99	1·40	321	191	130	4	—	1	—	—	5	1	8	29	57	62	61	47	29	15	7
Other Tub. & Scrof. Dis.	0·56	0·54	0·58	106	52	54	19	11	13	4	6	53	21	9	6	2	7	4	1	1	1	1
Diseases of Nervous System	1·82	1·80	1·83	343	173	170	80	23	10	2	2	117	10	1	10	3	2	17	16	46	62	59
Diseases of Circulatory "	2·20	2·05	2·36	416	197	219	1	—	1	—	1	3	—	11	4	12	20	33	52	68	129	84
Diseases of Respiratory "	2·49	2·32	2·66	470	223	247	109	36	11	2	4	162	5	1	7	5	6	20	18	52	76	118
Diseases of Digestive "	1·14	1·20	1·08	215	115	100	62	8	4	2	—	76	6	3	3	3	11	13	21	32	26	21
Diseases of Urinary "	0·50	0·73	0·26	95	71	24	—	—	—	—	—	—	—	3	2	2	11	2	13	12	29	21
Diseases of Generative "	0·08	0·01	0·16	16	1	15	—	—	—	—	—	—	—	—	1	—	1	6	4	3	1	—
Puerperal Fever	0·01	—	0·02	2	—	2	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Childbirth	0·05	—	0·10	9	—	9	—	—	—	—	—	—	—	—	—	—	6	3	—	—	—	—
Violence	0·89	1·21	0·57	169	116	53	10	5	8	—	1	24	6	2	7	5	15	24	23	21	14	28
Other Causes	4·22	4·17	4·26	796	403	393	227	12	3	4	1	247	5	7	9	11	27	31	42	41	74	302

Marriages 1,592

Births .. { Males .. 2,444 / Females 2,353 } 4,797

Annual Rate per 1000 living { Persons Married .. 16·85 / Births .. .. .. 25·39

Annual Births to 1000 Females aged 15—45 years = 111.

Deaths from Childbirth and Puerperal Fever .. .. } 2·29 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which may be found at the end of these tables.

58.—BLEAN.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		12·93	*118	—	—	—	—	36·40	2·87	2·11	3·05	4·45	5·47	8·06	10·69	22·63	44·76	130·06
Annual Death-Rate per 1000. Males ..	—					13·65	*131	—	—	—	—	40·11	3·04	1·91	3·52	4·30	5·80	9·58	13·24	22·92	46·33	132·84
Annual Death-Rate per 1000. Females	—					12·25	*105	—	—	—	—	32·63	2·68	2·33	2·63	4·57	5·23	6·86	8·61	22·40	43·45	128·07
Mean Population, 1891-1900. Persons	—			22,164			500	476	486	531	499	2492	2649	2701	2229	1751	2941	2457	1983	1489	983	489
Mean Population, 1891-1900. Males ..	—			10,425			251	234	250	269	250	1254	1380	1416	1052	745	1276	1086	891	672	449	204
Mean Population, 1891-1900. Females	—			11,739			249	242	236	262	249	1238	1269	1285	1177	1006	1665	1371	1092	817	534	285
Deaths from All Causes, 1891-1900. Persons	14·30			3,170			658	134	56	28	31	907	76	57	68	78	161	198	212	337	440	636
Deaths from All Causes, 1891-1900. Males ..	15·06			1,570			370	67	32	21	13	503	42	27	37	32	74	104	118	154	208	271
Deaths from All Causes, 1891-1900. Females	13·63			1,600			288	67	24	7	18	404	34	30	31	46	87	94	94	183	232	365
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·16	0·14	0·17	35	15	20	7	16	5	4	—	32	1	1	—	—	—	1	—	—	—	—
Scarlet Fever	0·05	0·07	0·04	12	7	5	1	2	2	1	4	10	1	1	—	—	—	—	—	—	—	—
Diphtheria	0·14	0·21	0·07	30	22	8	1	6	4	4	4	19	8	1	—	1	—	—	1	—	—	—
Whooping-cough ..	0·25	0·29	0·22	56	30	26	30	18	6	1	—	55	1	—	—	—	—	—	—	—	—	—
Typhus	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Enteric Fever	0·07	0·12	0·03	15	12	3	—	—	—	—	—	—	—	1	5	2	3	2	1	1	—	—
Simple Continued Fever	0·00	—	0·01	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Diarrhœa & Dysentery	0·42	0·49	0·37	94	51	43	72	5	2	—	—	79	—	—	—	—	—	—	1	1	4	9
Cholera	0·01	0·01	0·02	3	1	2	—	—	—	—	—	—	—	—	—	—	1	—	—	1	1	—
Cancer	0·80	0·62	0·97	178	64	114	—	—	—	—	—	—	—	—	—	1	6	8	33	52	47	31
Tabes Mesenterica ..	0·19	0·17	0·21	43	18	25	24	7	3	1	—	35	1	1	2	—	1	2	—	—	1	—
Phthisis	0·97	1·07	0·88	215	112	103	2	2	3	—	1	8	1	12	17	29	49	49	16	17	14	3
Other Tub. & Scrof. Dis.	0·54	0·63	0·46	120	66	54	36	11	6	6	9	68	21	10	2	3	9	3	1	1	1	1
Diseases of Nervous System ..	1·57	1·54	1·59	347	161	186	76	12	5	5	1	99	8	—	3	2	4	9	22	49	65	86
Diseases of Circulatory „ ..	1·84	1·63	2·03	408	170	238	6	—	—	—	1	7	3	9	9	10	23	29	31	77	104	106
Diseases of Respiratory „ ..	1·96	2·16	1·79	435	225	210	108	36	9	4	6	163	7	4	5	2	8	16	20	48	61	101
Diseases of Digestive „ ..	0·89	0·91	0·87	197	95	102	43	2	1	1	1	48	3	5	5	2	11	15	18	24	28	38
Diseases of Urinary „ ..	0·56	0·79	0·36	124	82	42	—	—	—	1	—	1	1	—	1	1	10	9	16	19	44	22
Diseases of Generative „ ..	0·03	0·01	0·04	6	1	5	—	—	—	—	—	—	—	—	—	—	—	3	1	1	—	1
Puerperal Fever ..	0·03	—	0·06	7	—	7	—	—	—	—	—	—	—	—	1	3	3	—	—	—	—	—
Childbirth	0·07	—	0·14	16	—	16	—	—	—	—	—	—	—	—	—	5	4	7	—	—	—	—
Violence	0·57	0·87	0·31	127	91	36	8	2	1	—	2	13	7	2	7	7	14	22	16	16	10	13
OTHER CAUSES.. ..	3·18	3·32	2·99	700	346	354	244	15	9	—	2	270	13	10	11	9	14	23	35	30	60	225

Marriages 1,463

Births .. { Males .. 2,814 / Females 2,743 } 5,557

Annual Rate per 1000 living { Persons Married .. 13·20 / Births .. .. .. 25·07

Annual Births to 1000 Females aged 15—45 years = 106.

Deaths from Childbirth and Puerperal Fever .. .. } 4·14 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which may be found at the end of these tables.

59.—FAVERSHAM.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·88			*131	—	—	—	—	42·33	4·29	2·24	3·38	3·67	5·09	7·76	11·08	20·35	50·37	142·95
Annual Death-Rate per 1000. Males	—			14·57			*146	—	—	—	—	47·36	3·93	2·44	3·53	3·89	5·18	8·16	12·03	19·93	51·57	157·33
Annual Death-Rate per 1000. Females	—			13·23			*115	—	—	—	—	37·52	4·65	2·05	3·22	3·44	5·00	7·36	10·14	20·78	49·17	129·22
Mean Population 1891-1900. Persons	—			26,067			676	637	667	638	668	3286	3216	3163	2423	2073	3478	2888	2283	1700	1082	475
Mean Population 1891-1900. Males	—			13,021			329	321	327	303	327	1607	1604	1556	1304	1027	1719	1434	1139	858	541	232
Mean Population 1891-1900. Females	—			13,046			347	316	340	335	341	1679	1612	1607	1119	1046	1759	1454	1144	842	541	243
Deaths from All Causes, 1891-1900. Persons	15·28			3,982			1006	200	78	54	53	1391	138	71	82	76	177	224	253	346	545	679
Deaths from All Causes, 1891-1900. Males	16·17			2,106			569	102	41	21	28	761	63	38	46	40	89	117	137	171	279	365
Deaths from All Causes, 1891-1900. Females	14·38			1,876			437	98	37	33	25	630	75	33	36	36	88	107	116	175	266	314
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·23	0·28	0·19	61	36	25	19	27	7	3	—	56	4	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·11	0·08	0·13	28	11	17	1	1	5	5	1	13	10	3	1	—	1	—	—	—	—	—
Diphtheria	0·46	0·37	0·54	119	48	71	6	14	13	14	21	68	42	5	1	—	—	1	1	—	1	—
Whooping-cough	0·34	0·31	0·38	89	40	49	51	22	9	3	1	86	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·15	0·15	0·15	39	19	20	—	—	—	1	—	1	7	8	5	5	10	2	1	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·66	0·68	0·63	171	89	82	135	9	4	1	1	150	2	—	—	—	—	—	2	2	3	12
Cholera	0·07	0 08	0·06	19	11	8	12	4	—	—	—	16	—	—	—	—	—	—	1	1	—	1
Cancer	0·89	0·65	1·13	232	85	147	—	—	—	—	—	—	—	1	1	—	6	26	27	62	71	38
Tabes Mesenterica	0·14	0·17	0·12	37	22	15	16	3	4	—	—	23	2	—	2	2	2	2	2	2	—	—
Phthisis	1·09	1·19	0·98	283	155	128	7	4	—	2	—	13	7	9	28	29	63	51	40	33	6	4
Other Tub. & Scrof. Dis.	0·39	0·41	0·38	102	53	49	27	15	7	5	5	59	20	3	10	3	2	2	2	—	1	—
Diseases of Nervous System	1·42	1·45	1·38	369	189	180	92	15	6	5	3	121	12	6	1	6	10	16	22	41	68	66
Diseases of Circulatory "	1·55	1·57	1·53	404	205	199	—	4	1	—	1	6	5	8	10	6	11	35	41	60	123	99
Diseases of Respiratory "	2·01	2·19	1·83	524	285	239	156	49	8	3	8	224	6	5	3	1	13	16	36	60	74	86
Diseases of Digestive "	0·85	0·97	0·74	222	126	96	76	7	2	5	1	91	5	6	4	4	8	12	14	19	37	22
Diseases of Urinary "	0·45	0·58	0·32	117	75	42	3	—	—	—	—	3	—	1	—	4	1	6	14	17	32	39
Diseases of Generative "	0·03	0·01	0·05	7	1	6	—	—	—	—	—	—	—	—	1	1	—	—	3	1	1	—
Puerperal Fever	0·05	—	0·10	13	—	13	—	—	—	—	—	—	—	—	—	3	5	5	—	—	—	—
Childbirth	0·09	—	0·18	24	—	24	—	—	—	—	—	—	—	—	1	2	9	10	2	—	—	—
Violence	0·57	0·89	0·25	149	116	33	21	3	4	5	8	41	1	6	8	5	15	16	10	12	15	20
Other Causes	3·73	4·14	3·31	973	540	433	384	23	8	2	3	420	12	9	6	5	21	24	35	36	113	292

Marriages 2,008

Births .. { Males .. 3,896 / Females 3,795 } 7,691

Annual Rate per 1000 living { Persons Married .. 15·41 / Births .. .. .. 29·50 }

Annual Births to 1000 Females aged 15—45 years = 143.

Deaths from Childbirth and Puerperal Fever .. .. } 4·81 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

60.—MILTON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 14·62	*137	—	—	—	—	46·90	3·77	2·30	3·52	5·29	4·82	6·94	9·91	24·00	54·75	139·26
Annual Death-Rate per 1000. Males	—	14·78	*149	—	—	—	—	50·37	3·67	2·01	3·16	4·76	4·47	7·30	10·13	24·64	57·17	141·12
Annual Death-Rate per 1000. Females	—	14·47	*124	—	—	—	—	43·39	3·87	2·60	3·96	5·84	5·17	6·59	9·68	23·32	52·15	137·50
Mean Population, 1891-1900. Persons	—	26,434	733	687	725	663	655	3463	3368	3173	2498	2153	3671	2909	2230	1596	968	405
Mean Population, 1891-1900. Males	—	13,421	376	341	367	328	327	1739	1690	1596	1361	1092	1833	1452	1135	824	502	197
Mean Population, 1891-1900. Females	—	13,013	357	346	358	335	328	1724	1678	1577	1137	1061	1838	1457	1095	772	466	208
Deaths from All Causes, 1891-1900. Persons	15·52	4,103	1145	263	94	67	55	1624	127	73	88	114	177	202	221	383	530	564
Deaths from All Causes, 1891-1900. Males	15·92	2,136	631	141	45	36	23	876	62	32	43	52	82	106	115	203	287	278
Deaths from All Causes, 1891-1900. Females	15·12	1,967	514	122	49	31	32	748	65	41	45	62	95	96	106	180	243	286

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—
Measles	0·37	0·41	0·33	98	55	43	24	38	12	8	6	88	10	—	—	—	—	—
Scarlet Fever	0·06	0·04	0·08	15	5	10	1	1	—	—	3	5	7	1	1	1	—	—
Diphtheria	0·35	0·33	0·38	93	44	49	—	8	13	16	17	54	28	7	1	1	—	—
Whooping-cough	0·34	0·31	0·37	89	41	48	47	25	13	3	—	88	1	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·34	0·41	0·28	91	55	36	1	2	1	2	1	7	4	5	13	18	20	14
Simple Continued Fever	0·00	—	0·01	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—
Diarrhœa & Dysentery	0·78	0·89	0·67	207	120	87	177	20	2	—	—	199	—	—	—	—	—	1
Cholera	0·03	0·04	0·02	8	5	3	4	1	—	—	—	5	1	—	—	—	—	—
Cancer	0·70	0·59	0·82	186	79	107	1	—	1	1	—	3	—	—	—	—	4	20
Tabes Mesenterica	0·09	0·10	0·08	25	14	11	16	1	—	—	—	17	1	3	1	—	2	—
Phthisis	0·89	0·75	1·02	234	101	133	5	2	—	—	—	7	2	12	27	37	56	41
Other Tub. & Scrof. Dis.	0·39	0·40	0·38	102	53	49	25	14	8	9	6	62	12	8	2	1	5	9
Diseases of Nervous System	1·53	1·53	1·53	404	205	199	119	18	10	9	3	159	14	4	4	7	8	6
Diseases of Circulatory	1·45	1·45	1·45	384	195	189	20	2	—	—	1	23	7	4	2	6	18	19
Diseases of Respiratory	2·55	2·83	2·25	673	380	293	201	91	24	14	10	340	18	4	3	7	12	27
Diseases of Digestive	0·88	0·83	0·93	232	111	121	90	13	2	2	2	109	3	6	3	5	8	13
Diseases of Urinary	0·58	0·83	0·33	154	111	43	—	1	—	—	—	1	1	2	2	1	6	6
Diseases of Generative	0·05	0·01	0·08	12	1	11	—	—	—	1	—	1	—	—	—	3	—	—
Puerperal Fever	0·08	—	0·15	20	—	20	—	—	—	—	—	—	—	—	1	6	6	6
Childbirth	0·09	—	0·18	23	—	23	—	—	—	—	—	—	—	—	6	3	7	7
Violence	0·48	0·71	0·24	126	95	31	10	4	3	2	2	21	7	8	9	9	10	12
OTHER CAUSES	3·49	3·45	3·54	925	465	460	404	22	5	—	4	435	10	9	13	9	15	21

Diseases of Nervous System	1·53	1·53	1·53	404	205	199	119	18	10	9	3	159	14	4	4	7	8	6
Diseases of Circulatory	1·45	1·45	1·45	384	195	189	20	2	—	—	1	23	7	4	2	6	18	19
Diseases of Respiratory	2·55	2·83	2·25	673	380	293	201	91	24	14	10	340	18	4	3	7	12	27
Diseases of Digestive	0·88	0·83	0·93	232	111	121	90	13	2	2	2	109	3	6	3	5	8	13
Diseases of Urinary	0·58	0·83	0·33	154	111	43	—	1	—	—	—	1	1	2	2	1	6	6
Diseases of Generative	0·05	0·01	0·08	12	1	11	—	—	—	1	—	1	—	—	—	3	—	—
Puerperal Fever	0·08	—	0·15	20	—	20	—	—	—	—	—	—	—	—	1	6	6	6
Childbirth	0·09	—	0·18	23	—	23	—	—	—	—	—	—	—	—	6	3	7	7
Violence	0·48	0·71	0·24	126	95	31	10	4	3	2	2	21	7	8	9	9	10	12
OTHER CAUSES	3·49	3·45	3·54	925	465	460	404	22	5	—	4	435	10	9	13	9	15	21

Diseases of Nervous System	1·53	1·53	1·53	404	205	199	119	18	10	9	3	159	14	4	4	7	8	6
Diseases of Circulatory	1·45	1·45	1·45	384	195	189	20	2	—	—	1	23	7	4	2	6	18	19
Diseases of Respiratory	2·55	2·83	2·25	673	380	293	201	91	24	14	10	340	18	4	3	7	12	27
Diseases of Digestive	0·88	0·83	0·93	232	111	121	90	13	2	2	2	109	3	6	3	5	8	13
Diseases of Urinary	0·58	0·83	0·33	154	111	43	—	1	—	—	—	1	1	2	2	1	6	6
Diseases of Generative	0·05	0·01	0·08	12	1	11	—	—	—	1	—	1	—	—	—	3	—	—
Puerperal Fever	0·08	—	0·15	20	—	20	—	—	—	—	—	—	—	—	1	6	6	6
Childbirth	0·09	—	0·18	23	—	23	—	—	—	—	—	—	—	—	6	3	7	7
Violence	0·48	0·71	0·24	126	95	31	10	4	3	2	2	21	7	8	9	9	10	12
OTHER CAUSES	3·49	3·45	3·54	925	465	460	404	22	5	—	4	435	10	9	13	9	15	21

Marriages 2,086

Births .. { Males .. 4,233 / Females 4,152 } 8,385

Annual Rate per 1000 living { Persons Married .. 15·78 / Births .. .. .. 31·72

Annual Births to 1000 Females aged 15—45 years = 153.

Deaths from Childbirth and Puerperal Fever .. .. } 5·13 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

61.—SHEPPEY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 14·96			*131	—	—	—	—	46·08	3·97	2·47	3·10	3·22	5·18	8·19	14·14	26·50	52·66	138·10
Annual Death-Rate per 1000. Males	—			15·17			*138	—	—	—	—	48·80	3·66	2·54	3·16	2·97	5·08	8·48	13·24	28·69	55·69	141·80
Annual Death-Rate per 1000. Females	—			14·76			*122	—	—	—	—	43·37	4·28	2·40	3·00	3·83	5·32	7·84	15·20	23·93	49·34	135·10
Mean Population, 1891–1900. Persons	—			20,276			465	438	409	464	390	2166	2015	1943	2132	2637	3496	2246	1613	1117	638	273
Mean Population, 1891–1900. Males	—			11,485			232	215	204	236	193	1080	1010	945	1298	1854	2125	1238	876	603	334	122
Mean Population, 1891–1900. Females	—			8,791			233	223	205	228	197	1086	1005	998	834	783	1371	1008	737	514	304	151
Deaths from All Causes, 1891–1900. Persons	14·20			2,879			663	201	56	47	31	998	80	48	66	85	181	184	228	296	336	377
Deaths from All Causes, 1891–1900. Males	13·45			1,545			358	112	25	20	12	527	37	24	41	55	108	105	116	173	186	173
Deaths from All Causes, 1891–1900. Females	15·17			1,334			305	89	31	27	19	471	43	24	25	30	73	79	112	123	150	204
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·24	0·24	0·23	48	28	20	10	25	4	2	4	45	2	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·08	0·04	0·13	16	5	11	—	4	1	5	3	13	2	—	—	—	1	—	—	—	—	—
Diphtheria	0·21	0·18	0·24	42	21	21	2	1	5	4	8	20	15	1	4	1	1	—	—	—	—	—
Whooping-cough	0·19	0·17	0·22	39	20	19	21	12	4	1	—	38	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·16	0·21	0·10	33	24	9	—	—	1	—	—	1	1	4	8	8	7	3	—	—	1	—
Simple Continued Fever	0·00	0·00	—	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·35	0·30	0·42	71	34	37	49	14	1	—	—	64	1	—	—	—	2	—	—	2	2	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·68	0·47	0·94	137	54	83	—	—	—	1	—	1	—	—	—	—	4	8	31	45	30	18
Tabes Mesenterica	0·21	0·15	0·28	42	17	25	25	6	5	2	—	38	1	1	1	—	—	1	—	—	—	—
Phthisis	1·09	1·17	0·99	221	134	87	3	1	1	—	1	6	6	7	16	31	53	39	41	15	7	—
Other Tub. & Scrof. Dis.	0·45	0·42	0·49	91	48	43	26	20	4	4	1	55	13	4	5	2	5	1	2	4	—	—
Diseases of Nervous System	1·86	1·74	2·01	377	200	177	103	29	11	4	3	150	9	4	8	3	12	14	24	43	61	49
Diseases of Circulatory "	1·16	1·18	1·14	236	136	100	—	—	—	—	1	1	8	7	7	5	11	25	33	51	63	25
Diseases of Respiratory "	1·85	1·64	2·13	375	188	187	86	47	13	19	5	170	12	5	3	8	10	15	24	42	49	37
Diseases of Digestive "	1·23	1·05	1·47	249	120	129	82	25	3	2	1	113	2	2	1	4	11	16	29	35	22	14
Diseases of Urinary "	0·32	0·38	0·24	65	44	21	—	—	—	—	—	—	—	2	1	1	7	13	9	14	12	6
Diseases of Generative "	0·01	0·00	0·02	3	1	2	—	—	—	—	—	—	—	—	—	—	1	1	—	1	—	—
Puerperal Fever	0·04	—	0·10	9	—	9	—	—	—	—	—	—	—	—	1	—	6	2	—	—	—	—
Childbirth	0·03	—	0·08	7	—	7	—	—	—	—	—	—	—	—	—	—	5	2	—	—	—	—
Violence	0·67	0·91	0·35	136	105	31	12	2	1	3	2	20	2	2	7	15	24	22	19	12	8	5
Other Causes	3·37	3·20	3·59	681	365	316	244	15	2	—	2	263	5	8	3	7	21	22	16	32	81	223

Marriages 1,371

Births .. { Males .. 2,586 / Females 2,494 } 5,080

Annual Rate per 1000 living { Persons Married .. 13·52 / Births .. .. .. 25·05 }

Annual Births to 1000 Females aged 15—45 years = 127.

Deaths from Childbirth and Puerperal Fever .. .. } 3·15 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

62.—THANET.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 16·52			*146	—	—	—	—	47·97	5·11	3·19	4·16	4·87	6·07	10·22	16·30	26·18	53·01	144·42
Annual Death-Rate per 1000. Males	—			18·08			*155	—	—	—	—	50·75	4·66	2·74	4·49	7·13	8·25	13·02	20·11	30·74	61·18	152·03
Annual Death-Rate per 1000. Females	—			15·04			*136	—	—	—	—	45·23	5·59	3·69	3·92	3·54	4·62	8·21	13·52	22·89	47·62	139·60
Mean Population, 1891-1900. Persons	—			62,680			1263	1159	1237	1296	1328	6283	6750	7991	6651	5625	9120	7190	5516	3935	2473	1146
Mean Population, 1891-1900. Males	—			27,824			625	597	610	641	642	3115	3475	4197	2874	2089	3662	3011	2327	1646	984	444
Mean Population, 1891-1900. Females	—			34,856			638	562	627	655	686	3168	3275	3794	3777	3536	5458	4179	3189	2289	1489	702
Deaths from All Causes, 1891-1900. Persons	16·51			10,349			2085	491	216	129	93	3014	345	255	277	274	554	735	899	1030	1311	1655
Deaths from All Causes, 1891-1900. Males	18·26			5,081			1119	257	101	60	44	1581	162	115	129	149	302	392	468	506	602	675
Deaths from All Causes, 1891-1900. Females	15·11			5,268			966	234	115	69	49	1433	183	140	148	125	252	343	431	524	709	980
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·00	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Measles	0·19	0·19	0·20	122	52	70	31	44	17	13	7	112	7	3	—	—	—	—	—	—	—	—
Scarlet Fever	0·05	0·05	0·05	33	14	19	1	4	5	3	5	18	10	3	—	—	1	—	1	—	—	—
Diphtheria	0·32	0·32	0·32	198	88	110	7	10	22	18	28	85	87	15	5	3	2	—	1	—	—	—
Whooping-cough	0·28	0·32	0·24	173	88	85	99	44	13	9	1	166	7	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·15	0·18	0·13	94	49	45	—	—	—	—	1	1	7	10	14	13	26	16	3	2	2	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·67	0·73	0·61	417	203	214	347	34	4	1	—	386	2	1	—	—	2	—	2	4	7	13
Cholera	0·02	0·01	0·02	11	4	7	9	1	—	—	—	10	—	—	—	—	—	—	—	—	1	—
Cancer	0·98	0·78	1·13	611	217	394	1	—	—	—	—	1	1	1	1	4	13	48	123	155	168	96
Tabes Mesenterica	0·17	0·23	0·12	106	63	43	38	13	8	—	3	62	11	16	1	6	6	1	1	2	—	—
Phthisis	1·46	1·75	1·23	915	488	427	15	12	1	6	4	38	30	54	98	89	214	167	131	66	23	5
Other Tub. & Scrof. Dis.	0·58	0·72	0·47	364	200	164	65	43	29	18	13	168	64	49	16	22	21	11	6	6	—	1
Diseases of Nervous System	1·63	1·80	1·50	1024	501	523	166	31	18	6	4	225	24	7	18	18	28	57	89	161	191	206
Diseases of Circulatory "	1·68	1·75	1·62	1052	487	565	8	1	3	5	2	19	9	17	26	17	42	90	159	189	268	216
Diseases of Respiratory "	2·34	2·56	2·18	1471	713	758	349	158	57	37	18	619	26	13	12	13	32	70	86	127	211	262
Diseases of Digestive "	1·32	1·44	1·22	825	400	425	251	43	9	6	2	311	23	14	20	13	24	73	96	101	92	58
Diseases of Urinary "	0·49	0·70	0·32	305	194	111	5	1	2	—	1	9	6	6	4	9	4	36	43	65	61	62
Diseases of Generative "	0·06	0·01	0·09	35	3	32	2	1	—	—	—	3	—	—	3	—	2	4	7	6	7	3
Puerperal Fever	0·05	—	0·09	31	—	31	—	—	—	—	—	—	—	—	—	9	14	8	—	—	—	—
Childbirth	0·04	—	0·07	24	—	24	—	—	—	—	—	—	—	—	1	4	8	11	—	—	—	—
Violence	0·58	0·96	0·27	361	268	93	30	9	11	2	1	53	6	13	23	27	61	61	53	38	14	12
Other Causes	3·45	3·76	3·23	2176	1048	1128	661	42	17	5	3	728	25	33	35	27	54	81	98	108	266	721

Marriages 4,359

Births .. { Males .. 7,229 / Females 7,096 } 14,325

Annual Rate per 1000 living { Persons Married .. 13·91 / Births .. .. .. 22·85 }

Annual Births to 1000 Females aged 15—45 years = 85.

Deaths from Childbirth and Puerperal Fever .. .. } 3·84 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

63.—EASTRY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		13·21	*111	—	—	—	—	35·82	3·25	2·41	2·88	4·15	5·50	7·56	12·88	21·64	49·50	137·07
Annual Death-Rate per 1000. Males	—					14·15	*121	—	—	—	—	39·21	2·87	2·38	2·55	5·44	6·63	8·42	15·01	23·62	55·23	142·55
Annual Death-Rate per 1000. Females	—					12·33	*102	—	—	—	—	32·58	3·63	2·45	3·42	2·97	4·49	6·77	10·93	19·93	44·61	133·03
Mean Population, 1891-1900. Persons	—			30,170			653	646	650	650	681	3280	3324	3231	3433	2386	4165	3464	2695	2024	1410	758
Mean Population, 1891-1900. Males	—			14,992			325	304	325	302	348	1604	1670	1636	2119	1140	1962	1663	1286	940	650	322
Mean Population, 1891-1900. Females	—			15,178			328	342	325	348	333	1676	1654	1595	1314	1246	2203	1801	1409	1084	760	436
Deaths from All Causes, 1891-1900. Persons	15·15			4,572			811	188	74	59	43	1175	108	78	99	99	229	262	347	438	698	1039
Deaths from All Causes, 1891-1900. Males	15·57			2,335			440	94	43	28	24	629	48	39	54	62	130	140	193	222	359	459
Deaths from All Causes, 1891-1900. Females	14·74			2,237			371	94	31	31	19	546	60	39	45	37	99	122	154	216	339	580
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·12	0·10	0·13	35	15	20	10	13	6	2	1	32	2	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·07	0·07	0·07	20	10	10	—	2	—	6	3	11	4	—	4	—	—	—	1	—	—	—
Diphtheria	0·28	0·27	0·29	85	41	44	1	4	11	17	9	42	28	9	5	—	—	1	—	—	—	—
Whooping-cough	0·22	0·18	0·25	65	27	38	36	17	8	2	—	63	2	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·09	0·11	0·07	26	16	10	—	—	—	1	—	1	3	2	2	7	3	3	4	1	—	—
Simple Continued Fever	0·01	0·01	0·01	3	2	1	—	—	—	1	—	1	—	—	—	1	1	—	—	—	—	—
Diarrhœa & Dysentery	0·32	0·34	0·31	98	51	47	66	13	1	—	1	81	—	—	—	1	—	—	2	2	5	7
Cholera	0·00	0·01	—	2	2	—	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Cancer	0·71	0·57	0·85	215	86	129	1	—	—	—	—	1	—	—	—	1	4	17	34	56	59	43
Tabes Mesenterica	0·13	0·12	0·13	38	18	20	18	7	3	2	1	31	4	1	—	—	—	—	—	—	2	—
Phthisis	1·15	1·25	1·04	346	188	158	6	1	1	—	5	13	4	15	30	44	80	69	53	23	15	—
Other Tub. & Scrof. Dis.	0·34	0·39	0·28	101	59	42	20	12	15	2	1	50	16	11	6	5	4	2	5	1	—	1
Diseases of Nervous System	1·88	1·88	1·89	568	281	287	89	24	6	3	4	126	11	7	7	3	17	20	37	63	126	151
Diseases of Circulatory "	1·80	1·87	1·74	544	280	264	1	2	1	1	—	5	2	3	8	9	24	33	75	108	157	120
Diseases of Respiratory "	2·45	2·59	2·31	738	388	350	149	56	16	18	13	252	16	2	9	8	13	29	27	66	127	189
Diseases of Digestive "	0·95	0·89	1·00	285	133	152	73	7	1	1	3	85	6	4	7	3	10	18	31	42	44	35
Diseases of Urinary "	0·32	0·38	0·26	96	57	39	1	—	—	—	—	1	1	—	1	2	5	3	14	17	32	20
Diseases of Generative "	0·02	0·01	0·03	7	2	5	—	—	—	—	—	—	—	—	1	—	2	1	1	—	1	1
Puerperal Fever	0·04	—	0·07	11	—	11	—	—	—	—	—	—	—	—	—	1	6	4	—	—	—	—
Childbirth	0·06	—	0·13	19	—	19	—	—	—	—	—	—	—	—	1	—	7	10	1	—	—	—
Violence	0·60	0·93	0·28	182	140	42	12	7	1	—	2	22	7	6	10	9	33	23	28	20	15	9
OTHER CAUSES	3·59	3·60	3·60	1088	539	549	326	23	4	3	—	356	2	17	8	5	20	29	34	39	115	463

Marriages 1,965

Births .. { Males .. 3,643 / Females 3,650 } 7,293

Annual Rate per 1000 living { Persons Married .. 13·03 / Births .. .. .. 24·17 }

Annual Births to 1000 Females aged 15—45 years = 111.

Deaths from Childbirth and Puerperal Fever .. .. } 4·11 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

64.—DOVER.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 15·40	*136	—	—	—	—	46·58	4·31	2·52	3·14	4·35	5·77	8·97	14·40	25·46	53·26	144·03
Annual Death-Rate per 1000. Males ..	—	16·44	*152	—	—	—	—	51·02	4·13	1·99	3·31	4·73	6·55	9·94	17·13	29·15	56·65	144·95
Annual Death-Rate per 1000. Females	—	14·44	*121	—	—	—	—	42·09	4·49	3·08	2·93	3·86	4·99	8·03	11·83	22·21	50·50	143·38
Mean Population. 1891–1900. Persons	—	44,322	1028	940	980	974	966	4888	4707	4560	4805	4718	6899	5038	3688	2600	1624	795
Mean Population. 1891–1900. Males ..	—	22,386	516	486	476	491	491	2460	2348	2317	2658	2622	3435	2486	1786	1218	729	327
Mean Population. 1891–1900. Females	—	21,936	512	454	504	483	475	2428	2359	2243	2147	2096	3464	2552	1902	1382	895	468
Deaths from All Causes, 1891–1900. Persons	15·80	7,004	1585	384	121	107	80	2277	203	115	151	205	398	452	531	662	865	1145
Deaths from All Causes, 1891–1900. Males ..	16·22	3,630	883	206	60	64	42	1255	97	46	88	124	225	247	306	355	413	474
Deaths from All Causes, 1891–1900. Females	15·38	3,374	702	178	61	43	38	1022	106	69	63	81	173	205	225	307	452	671

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							Persons.															
Small-pox..	0·01	0·01	—	3	3	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	1	—
Measles	0·45	0·51	0·40	201	113	88	50	64	25	24	13	176	20	3	—	—	2	—	—	—	—	—
Scarlet Fever	0·10	0·09	0·12	46	20	26	1	5	5	9	2	22	17	2	—	—	3	1	1	—	—	—
Diphtheria	0·20	0·21	0·19	83	47	41	1	8	8	8	12	37	32	11	1	1	2	4	—	—	—	—
Whooping-cough ..	0·22	0·21	0·23	96	46	50	52	26	9	6	—	93	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·11	0·14	0·08	50	32	18	—	—	—	3	2	5	8	1	6	9	12	5	1	2	1	—
Simple Continued Fever	0·01	0·00	0·01	3	1	2	—	1	1	—	—	2	—	—	1	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·61	0·61	0·61	271	137	134	202	32	3	1	—	238	3	—	1	1	3	3	3	4	5	10
Cholera *	0·01	0·01	0·00	3	2	1	1	—	—	—	—	1	—	—	—	—	—	2	—	—	—	—
Cancer	0·72	0·58	0·87	321	130	191	—	—	—	1	—	1	1	1	2	—	9	28	55	72	94	58
Tabes Mesenterica ..	0·15	0·17	0·14	68	37	31	40	7	1	—	1	49	7	7	—	2	—	1	1	—	1	—
Phthisis	1·11	1·25	0·98	494	279	215	7	—	—	2	4	13	6	19	42	64	120	101	78	41	8	2
Other Tub. & Scrof. Dis.	0·37	0·40	0·34	164	89	75	39	26	9	9	9	92	22	17	7	7	7	3	6	2	1	—
Diseases of Nervous System ..	1·83	1·73	1·93	809	386	423	183	38	15	9	8	253	18	8	6	15	23	41	49	98	139	159
Diseases of Circulatory „ ..	1·35	1·35	1·35	598	303	295	2	1	—	—	—	3	5	6	16	16	28	59	78	108	169	110
Diseases of Respiratory „ ..	2·51	2·62	2·40	1113	587	526	226	98	32	23	17	396	20	8	7	12	31	42	76	123	179	219
Diseases of Digestive „ ..	1·15	1·18	1·11	508	265	243	134	33	3	4	3	177	6	6	11	9	16	28	50	77	68	60
Diseases of Urinary „ ..	0·35	0·48	0·21	155	108	47	6	—	—	—	1	7	—	2	3	1	7	13	27	32	35	28
Diseases of Generative „ ..	0·05	0·01	0·10	23	2	21	—	1	—	—	—	1	—	—	—	2	3	5	3	4	3	2
Puerperal Fever ..	0·04	—	0·07	16	—	16	—	—	—	—	—	—	—	—	1	1	10	4	—	—	—	—
Childbirth	0·05	—	0·11	24	—	24	—	—	—	—	—	—	—	—	1	4	10	8	1	—	—	—
Violence	0·83	1·32	0·33	367	295	72	30	5	3	4	3	45	17	11	26	42	63	55	44	31	14	19
OTHER CAUSES ..	3·57	3·34	3·80	1583	748	835	611	39	7	4	5	666	18	13	20	19	49	48	58	67	147	478

Marriages 3,849

Births .. { Males .. 5,823 / Females 5,822 } 11,645

Annual Rate per 1000 living { Persons Married .. 17·37 / Births .. .. .. 26·27

Annual Births to 1000 Females aged 15—45 years = 114.

Deaths from Childbirth and Puerperal Fever .. .. } 3·43 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

65.—ELHAM.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		14·84	*127	—	—	—	—	44·16	4·28	2·02	2·91	3·80	5·65	9·38	13·96	23·89	50·06	143·17
Males ..	—					16·37	*145	—	—	—	—	48·79	4·70	2·01	2·72	4·09	6·68	11·18	17·54	27·91	58·43	151·41
Females	—					13·41	*109	—	—	—	—	39·66	3·87	2·02	3·12	3·49	4·76	7·90	11·10	20·73	43·56	136·90
Mean Population. 1891–1900. Persons	—			46,027			932	937	945	933	947	4694	4514	4359	5148	5478	7633	5350	3875	2637	1600	739
Males ..	—			22,004			462	461	472	459	460	2314	2214	2186	2614	2815	3534	2425	1722	1161	700	319
Females	—			24,023			470	476	473	474	487	2380	2300	2173	2534	2663	4099	2925	2153	1476	900	420
Deaths from All Causes, 1891–1900. Persons	14·50			6,675			1445	341	131	97	59	2073	193	88	150	208	431	502	541	630	801	1058
Males ..	15·85			3,488			825	178	61	41	24	1129	104	44	71	115	236	271	302	324	409	483
Females	13·27			3,187			620	163	70	56	35	944	89	44	79	93	195	231	239	306	392	575
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles ..	0·20	0·20	0·20	92	44	48	17	34	22	6	4	83	8	1	—	—	—	—	—	—	—	—
Scarlet Fever ..	0·06	0·06	0·05	27	14	13	2	2	5	8	1	18	7	1	—	—	1	—	—	—	—	—
Diphtheria ..	0·32	0·32	0·31	146	71	75	7	15	16	21	20	79	55	7	1	2	—	—	—	2	—	—
Whooping-cough ..	0·15	0·16	0·14	69	36	33	37	22	4	2	—	65	2	2	—	—	—	—	—	—	—	—
Typhus ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever ..	0·13	0·14	0·12	60	30	30	—	—	—	—	1	1	2	7	8	13	21	6	2	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·62	0·73	0·51	284	161	123	228	28	5	—	—	261	3	—	—	—	2	1	3	1	4	9
Cholera ..	0·01	0·01	0·00	4	3	1	4	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—
Cancer ..	0·76	0·56	0·94	349	123	226	—	—	—	—	—	—	—	—	—	3	8	35	64	88	95	56
Tabes Mesenterica ..	0·19	0·22	0·16	88	49	39	38	13	3	2	1	57	8	4	2	6	2	4	2	3	—	—
Phthisis ..	1·30	1·54	1·09	600	338	262	7	8	2	1	3	21	15	11	50	81	139	127	83	51	19	3
Other Tub. & Scrof. Dis.	0·37	0·36	0·37	168	79	89	39	23	14	10	9	95	23	10	10	7	11	4	4	1	1	2
Diseases of Nervous System ..	1·49	1·57	1·41	685	346	339	127	24	9	8	1	169	18	4	5	13	19	35	66	95	115	146
Circulatory ..	1·33	1·48	1·20	614	326	288	9	—	1	—	1	11	4	7	13	9	26	47	88	107	160	142
Respiratory ..	2·20	2·47	1·95	1012	544	468	230	115	25	19	7	396	18	3	12	13	38	39	59	85	142	207
Digestive ..	0·92	0·95	0·88	422	210	212	105	21	5	8	3	142	8	8	10	17	19	40	40	45	53	40
Urinary ..	0·50	0·66	0·35	230	145	85	2	1	1	—	—	4	1	—	1	5	18	30	22	39	58	52
Generative ..	0·06	0·01	0·10	26	2	24	1	—	1	—	—	2	—	—	—	—	5	9	3	4	3	—
Puerperal Fever ..	0·05	—	0·10	23	—	23	—	—	—	—	—	—	—	—	1	3	13	6	—	—	—	—
Childbirth ..	0·05	—	0·10	24	—	24	—	—	—	—	—	—	—	—	1	3	7	13	—	—	—	—
Violence ..	0·60	0·93	0·29	274	205	69	28	5	4	6	3	46	10	5	12	15	52	42	33	23	15	21
Other Causes ..	3·19	3·48	3·00	1478	762	716	564	30	14	6	5	619	11	18	24	18	50	64	72	86	136	380

Marriages 3,308

Births .. { Males .. 5,693 / Females 5,663 } 11,356

Annual Rate per 1000 living { Persons Married .. 14·37 / Births .. .. .. 24·67 }

Annual Births to 1000 Females aged 15—45 years = 93.

Deaths from Childbirth and Puerperal Fever .. .. } 4·14 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

66.—ROMNEY MARSH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·59			*92	—	—	—	—	30·15	5·91	2·59	4·59	3·57	6·20	7·73	11·17	20·81	46·39	125·87
Males	—			13·03			*96	—	—	—	—	33·25	4·36	1·89	3·85	4·43	7·00	8·72	12·54	22·03	51·32	124·32
Females	—			12·18			*88	—	—	—	—	26·84	7·72	3·38	5·79	2·45	5·38	6·58	9·78	19·55	41·01	127·54
Mean Population, 1891–1900. Persons	—			6,426			159	159	158	155	155	786	727	695	632	561	903	686	555	447	291	143
Males	—			3,428			88	80	85	84	69	406	390	370	390	316	457	367	279	227	152	74
Females	—			2,998			71	79	73	71	86	380	337	325	242	245	446	319	276	220	139	69
Deaths from All Causes, 1891–1900. Persons	14·41			926			161	39	15	14	8	237	43	18	29	20	56	53	62	93	135	180
Males	14·79			507			89	23	6	12	5	135	17	7	15	14	32	32	35	50	78	92
Females	13·98			419			72	16	9	2	3	102	26	11	14	6	24	21	27	43	57	88
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·22	0·18	0·27	14	6	8	2	3	2	2	1	10	2	1	1	—	—	—	—	—	—	—
Scarlet Fever	0·09	0·09	0·10	6	3	3	—	—	1	1	1	3	3	—	—	—	—	—	—	—	—	—
Diphtheria	0·34	0·32	0·37	22	11	11	1	—	—	4	—	5	10	5	—	1	1	—	—	—	—	—
Whooping-cough	0·39	0·38	0·40	25	13	12	9	10	3	1	—	23	2	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·02	—	0·03	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·33	0·47	0·17	21	16	5	13	1	—	—	—	14	—	2	1	—	1	—	—	1	1	1
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·58	0·53	0·63	37	18	19	—	—	—	—	—	—	—	—	—	—	—	1	4	6	20	6
Tabes Mesenterica	0·11	0·12	0·10	7	4	3	2	—	—	1	—	3	2	1	—	—	—	—	1	—	—	—
Phthisis	1·00	0·82	1·20	64	28	36	—	—	—	—	1	1	3	5	11	9	13	10	5	1	4	2
Other Tub. & Scrof. Dis.	0·31	0·29	0·33	20	10	10	4	1	1	2	1	9	3	1	3	—	2	—	—	2	—	—
Diseases of Nervous System	1·85	1·43	2·34	119	49	70	24	7	4	1	1	37	11	1	—	1	—	5	1	13	23	27
Circulatory "	1·15	1·37	0·90	74	47	27	—	—	—	—	—	—	—	—	2	2	4	1	7	22	22	14
Respiratory "	1·85	1·98	1·70	119	68	51	21	6	2	1	—	30	2	—	1	—	3	8	6	15	22	32
Digestive "	1·01	1·11	0·90	65	38	27	13	4	—	—	1	18	1	—	1	—	5	4	11	10	9	6
Urinary "	0·42	0·47	0·37	27	16	11	—	—	—	—	—	—	—	—	1	1	3	1	2	5	7	7
Generative "	0·02	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Puerperal Fever	0·02	—	0·03	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Childbirth	0·03	—	0·07	2	—	2	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—
Violence	1·17	1·87	0·37	75	64	11	4	2	1	1	2	10	2	2	6	4	13	14	13	6	3	2
Other Causes	3·50	3·36	3·70	226	116	110	68	5	1	—	—	74	2	—	2	2	10	6	11	12	24	83

Marriages 431

Births .. { Males .. 925, Females 818 } 1,743

Annual Rate per 1000 living { Persons Married .. 13·41; Births .. .. .. 27·12 }

Annual Births to 1000 Females aged 15—45 years = 139.

Deaths from Childbirth and Puerperal Fever .. .. } 1·72 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

67.—RYE.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·29			*111	—	—	—	—	31·71	2·85	1·27	2·95	4·07	5·27	6·57	10·77	21·00	51·49	143·67
Annual Death-Rate per 1000. Males ..	—			12·37			*115	—	—	—	—	33·95	3·05	1·37	3·12	3·22	5·24	5·48	11·00	22·46	55·00	149·29
Annual Death-Rate per 1000. Females	—			12·23			*107	—	—	—	—	29·49	2·64	1·18	2·76	4·81	5·30	7·61	10·55	19·58	48·04	138·75
Mean Population, 1891-1900. Persons	—			11,348			259	251	250	260	276	1296	1370	1336	1016	810	1385	1309	1077	843	606	300
Mean Population, 1891-1900. Males ..	—			5 569			125	122	129	133	136	645	688	658	545	373	649	639	518	414	300	140
Mean Population, 1891-1900. Females	—			5,779			134	129	121	127	140	651	682	678	471	437	736	670	559	429	306	160
Deaths from All Causes, 1891-1900. Persons	15·20			1,725			325	48	24	10	4	411	39	17	30	33	73	86	116	177	312	431
Deaths from All Causes, 1891-1900. Males ..	15·64			871			173	23	20	2	1	219	21	9	17	12	34	35	57	93	165	209
Deaths from All Causes, 1891-1900. Females	14·78			854			152	25	4	8	3	192	18	8	13	21	39	51	59	84	147	222
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·16	0·14	0·17	18	8	10	5	3	5	1	—	14	4	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·04	0·07	0·02	5	4	1	—	—	1	—	—	1	2	2	—	—	—	—	—	—	—	—
Diphtheria	0·16	0·22	0·10	18	12	6	—	2	3	1	1	7	8	1	—	—	2	—	—	—	—	—
Whooping-cough ..	0·20	0·14	0·26	23	8	15	14	7	1	1	—	23	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·03	0·02	0·03	3	1	2	—	—	—	—	—	—	1	—	—	—	1	1	—	—	—	—
Simple Continued Fever	0·01	0·02	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Diarrhœa & Dysentery	0·25	0·22	0·28	28	12	16	13	2	—	1	—	16	1	—	—	—	—	—	—	1	5	5
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·76	0·59	0·92	86	33	53	—	—	—	—	—	—	—	—	—	—	1	5	11	24	29	16
Tabes Mesenterica ..	0·09	0·05	0·12	10	3	7	2	1	—	1	—	4	—	—	1	3	—	—	1	1	—	—
Phthisis	1·00	1·10	0·90	113	61	52	—	—	1	—	—	1	1	4	6	12	27	19	24	13	6	—
Other Tub. & Scrof Dis.	0·14	0·14	0·14	16	8	8	1	2	2	—	—	5	3	1	2	2	1	—	—	1	1	—
Diseases of Nervous System ..	1·93	1·91	1·96	219	106	113	28	6	2	2	1	39	8	2	3	2	4	11	21	23	50	56
Diseases of Circulatory " ..	1·62	1·65	1·59	184	92	92	3	—	—	—	—	3	—	1	4	2	6	9	15	32	62	50
Diseases of Respiratory " ..	1·92	1·96	1·89	218	109	109	42	13	3	2	2	62	5	1	3	4	3	8	14	27	41	50
Diseases of Digestive " ..	0·85	0·83	0·88	97	46	51	25	7	—	—	—	32	2	2	3	2	2	5	5	13	19	12
Diseases of Urinary " ..	0·46	0·67	0·26	52	37	15	—	—	—	—	—	—	1	—	—	1	—	4	4	11	17	14
Diseases of Generative " ..	0·06	—	0·12	7	—	7	—	—	—	—	—	—	—	—	—	—	1	2	—	1	1	2
Puerperal Fever ..	0·04	—	0·07	4	—	4	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—
Childbirth..	0 11	—	0·22	13	—	13	—	—	—	—	—	—	—	—	—	1	6	6	—	—	—	—
Violence	0·33	0·52	0·14	37	29	8	5	—	2	1	—	8	2	1	3	2	4	3	3	3	5	3
OTHER CAUSES ..	5·04	5·39	4·71	573	301	272	187	5	4	—	—	196	1	2	5	2	13	11	18	27	75	223

Marriages 729

Births .. { Males .. 1,504 / Females 1,426 } 2,930

Annual Rate per 1000 living { Persons Married .. 12·85 / Births .. .. .. 25·82 }

Annual Births to 1000 Females aged 15—45 years = 127.

Deaths from Childbirth and Puerperal Fever .. .. } 5·80 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

68.—HASTINGS.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 15·92			*125	—	—	—	—	44·30	4·13	2·32	3·89	4·74	6·78	10·34	14·51	27·69	52·44	138·69
Annual Death-Rate per 1000. Males	—			17·99			*138	—	—	—	—	49·17	3·80	1·73	4·12	6·60	9·52	13·21	18·82	34·54	61·24	157·91
Annual Death-Rate per 1000. Females	—			13·99			*111	—	—	—	—	39·35	4·46	2·90	3·73	3·73	5·17	8·53	11·84	23·48	47·15	128·61
Mean Population, 1891–1900. Persons	—			64.424			1205	1136	1194	1170	1264	5969	6157	6416	6536	6284	10254	8026	6373	4515	2700	1194
Mean Population, 1891–1900. Males	—			26 630			600	577	600	607	622	3006	3130	3177	2622	2213	3792	3104	2444	1717	1014	411
Mean Population, 1891–1900. Females	—			37,794			605	559	594	563	642	2963	3027	3239	3914	4071	6462	4922	3929	2798	1686	783
Deaths from All Causes, 1891–1900. Persons	16·10			10,371			1719	479	180	143	123	2644	254	149	254	298	695	830	925	1250	1416	1656
Deaths from All Causes, 1891–1900. Males	18·78			5,000			986	261	87	77	67	1478	119	55	108	146	361	410	460	593	621	649
Deaths from All Causes, 1891–1900. Females	14·21			5,371			733	218	93	66	56	1166	135	94	146	152	334	420	465	657	795	1007
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·02	0·01	9	6	3	2	—	1	—	—	3	—	—	—	1	1	3	—	1	—	—
Measles	0·25	0·31	0·21	160	82	78	40	56	27	11	14	148	10	—	1	—	1	—	—	—	—	—
Scarlet Fever	0·07	0·09	0·05	42	23	19	4	1	6	3	9	23	11	4	—	1	—	2	—	1	—	—
Diphtheria	0·34	0·39	0·31	220	104	116	5	13	28	38	38	122	59	22	7	1	3	3	2	—	1	—
Whooping-cough	0·24	0·26	0·23	156	68	88	77	42	15	11	5	150	6	—	—	—	—	—	—	—	—	—
Typhus	0·00	—	0·00	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Enteric Fever	0·08	0·10	0·06	50	27	23	—	—	—	—	—	—	1	2	2	7	14	10	7	3	3	1
Simple Continued Fever	0·00	0·00	0·00	2	1	1	1	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·39	0·58	0·26	251	154	97	175	23	1	1	2	202	1	1	—	—	2	2	—	10	12	21
Cholera	0·01	0·03	—	7	7	—	5	1	—	—	—	6	—	—	—	—	—	—	—	—	1	—
Cancer	0·99	0·78	1·14	638	208	430	—	1	1	—	1	3	3	5	3	7	12	58	107	185	158	97
Tabes Mesenterica	0·17	0·21	0·14	109	56	53	51	25	4	2	3	85	6	4	—	4	1	7	1	1	—	—
Phthisis	2·02	2·62	1·61	1307	697	610	6	9	2	1	6	24	16	20	110	155	339	286	207	110	34	6
Other Tub. & Scrof. Dis.	0·35	0·42	0·30	225	113	112	42	36	17	12	9	116	27	22	11	4	23	9	4	5	4	—
Diseases of Nervous System	1·61	1·85	1·44	1036	492	544	164	41	17	14	4	240	18	13	16	16	22	56	90	149	196	220
Diseases of Circulatory „	1·77	1·93	1·66	1140	514	626	10	1	—	2	2	15	6	10	18	22	49	84	121	260	313	242
Diseases of Respiratory „	2·42	2·87	2·11	1560	764	796	318	156	49	35	20	578	43	3	15	6	38	49	94	158	246	330
Diseases of Digestive „	1·03	1·16	0·93	663	310	353	143	36	3	3	3	188	11	13	20	15	28	59	74	99	89	67
Diseases of Urinary „	0·54	0·74	0·40	349	198	151	5	4	—	1	—	10	8	2	1	3	20	30	49	79	81	66
Diseases of Generative „	0·08	0·00	0·12	49	1	48	—	—	—	—	—	—	—	1	—	3	6	11	11	7	8	2
Puerperal Fever	0·04	—	0·06	24	—	24	—	—	—	—	—	—	—	—	—	5	9	10	—	—	—	—
Childbirth	0·06	—	0·10	38	—	38	—	—	—	—	—	—	—	—	2	3	18	13	2	—	—	—
Violence	0·49	0·75	0·30	315	200	115	40	6	2	3	3	54	8	5	16	18	43	44	36	32	31	28
Other Causes	3·14	3·67	2·77	2020	975	1045	631	27	7	6	4	675	20	22	32	27	66	94	119	150	239	576

Marriages 4,115

Births .. { Males .. 7,163 / Females 6,610 } 13 773

Annual Rate per 1000 living { Persons Married .. 12·77 / Births .. .. .. 21·38 }

Annual Births to 1000 Females aged 15—45 years = 71.

Deaths from Childbirth and Puerperal Fever .. .. } 4·50 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

69.—BATTLE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·67			*102	—	—	—	—	32·36	4·28	2·04	3·11	4·23	5·69	6·76	11·95	19·24	52·68	136·29
Annual Death-Rate per 1000. Males	—			In Standard Population. 13·16			*119	—	—	—	—	36·76	4·64	1·78	2·41	4·16	5·80	6·72	12·74	20·48	54·01	146·20
Annual Death-Rate per 1000. Females	—			In Standard Population. 12·22			* 86	—	—	—	—	27·80	3·92	2·29	3·81	4·28	5·60	6·79	11·29	18·15	51·50	127·14
Mean Population, 1891–1900. Persons	—			20,266			477	462	460	469	462	2330	2315	2258	1898	1750	3041	2397	1816	1258	820	383
Mean Population, 1891–1900. Males	—			9,626			236	234	231	241	244	1186	1143	1121	953	793	1362	1087	824	586	387	184
Mean Population, 1891–1900. Females	—			10,640			241	228	229	228	218	1144	1172	1137	945	957	1679	1310	992	672	433	199
Deaths from All Causes, 1891–1900. Persons	13·72			2,780			523	126	37	39	29	754	99	46	59	74	173	162	217	242	432	522
Deaths from All Causes, 1891–1900. Males	14·75			1,420			308	72	21	18	17	436	53	20	23	33	79	73	105	120	209	269
Deaths from All Causes, 1891–1900. Females	12·78			1,360			215	54	16	21	12	318	46	26	36	41	94	89	112	122	223	253
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·14	0·18	0·11	29	17	12	9	8	2	2	1	22	5	1	—	—	—	—	1	—	—	—
Scarlet Fever	0·03	0·04	0·02	6	4	2	1	—	—	—	2	3	3	—	—	—	—	—	—	—	—	—
Diphtheria	0·44	0·43	0·45	89	41	48	4	7	6	11	8	36	40	8	2	1	2	—	—	—	—	—
Whooping-cough	0·21	0·21	0·21	42	20	22	21	14	2	5	—	42	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·03	0·06	—	6	6	—	—	—	—	—	1	1	—	—	—	—	2	3	—	—	—	—
Simple Continued Fever	0·00	0·01	—	1	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·40	0·43	0·38	81	41	40	45	12	1	—	1	59	—	—	—	1	—	—	—	2	9	10
Cholera	0·01	0·02	—	2	2	—	—	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Cancer	0·69	0·55	0·81	139	53	86	—	—	—	—	—	—	—	—	—	—	—	10	37	29	40	23
Tabes Mesenterica	0·11	0·12	0·10	23	12	11	6	4	—	—	—	10	5	3	2	—	1	1	1	—	—	—
Phthisis	1·08	1·08	1·08	219	104	115	3	1	2	—	—	6	1	4	23	29	61	42	31	15	6	1
Other Tub. & Scrof. Dis.	0·49	0·59	0·40	100	57	43	29	7	6	5	5	52	12	8	8	7	5	3	1	1	3	—
Diseases of Nervous System	1·49	1·68	1·32	302	162	140	48	16	6	1	2	73	8	5	4	3	9	12	19	35	64	70
Diseases of Circulatory	1·85	1·81	1·88	374	174	200	3	—	—	—	2	5	2	3	4	5	15	26	38	65	119	92
Diseases of Respiratory	1·86	2·20	1·54	376	212	164	84	36	6	8	5	139	10	4	3	2	9	15	17	33	66	78
Diseases of Digestive	0·70	0·65	0·74	142	63	79	30	6	1	1	1	39	5	1	4	4	12	5	19	11	26	16
Diseases of Urinary	0·36	0·56	0·18	73	54	19	1	—	—	—	—	1	—	2	1	1	5	9	7	10	14	23
Diseases of Generative	0·02	—	0·05	5	—	5	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	3
Puerperal Fever	0·05	—	0·10	11	—	11	—	—	—	—	—	—	—	—	—	2	6	3	—	—	—	—
Childbirth	0·07	—	0·14	15	—	15	—	—	—	—	—	—	—	—	—	1	10	3	1	—	—	—
Violence	0·42	0·60	0·26	86	58	28	8	2	—	5	—	15	6	1	2	4	14	11	11	9	7	6
Other Causes	3·27	3·53	3·01	659	339	320	230	11	5	1	1	248	2	6	6	14	21	18	34	32	78	200

Marriages 1,448

Births .. { Males .. 2,594 / Females 2,512 } 5,106

Annual Rate per 1000 living { Persons Married .. 14·29 / Births .. .. .. 25·19 }

Annual Births to 1000 Females aged 15—45 years = 104.

Deaths from Childbirth and Puerperal Fever .. .. } 5·09 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

70.—EASTBOURNE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		13·67	*123	—	—	—	—	42·15	3·00	1·84	2·50	3·40	4·66	7·81	12·48	23·62	48·99	125·61
Annual Death-Rate per 1000. Males	—					14·80	*134	—	—	—	—	46·07	2·93	1·68	2·76	4·26	6·04	8·94	15·03	28·03	51·28	131·46
Annual Death-Rate per 1000. Females	—					12·62	*113	—	—	—	—	38·23	3·07	2·00	2·33	2·93	3·79	7·01	10·66	20·54	47·34	121·59
Mean Population, 1891-1900. Persons	—			45,640			939	849	919	893	889	4489	4566	4899	5275	4740	7683	5431	3917	2494	1490	656
Mean Population, 1891-1900. Males	—			19,590			466	434	471	429	442	2242	2317	2502	2098	1665	2964	2248	1637	1024	626	267
Mean Population, 1891-1900. Females	—			26,050			473	415	448	464	447	2247	2249	2397	3177	3075	4719	3183	2280	1470	864	389
Deaths from All Causes, 1891-1900. Persons	12·77			5,826			1351	296	103	83	59	1892	137	90	132	161	358	424	489	589	730	824
Deaths from All Causes, 1891-1900. Males	14·58			2,857			745	172	55	36	25	1033	68	42	58	71	179	201	246	287	321	351
Deaths from All Causes, 1891-1900. Females	11·40			2,969			606	124	48	47	34	859	69	48	74	90	179	223	243	302	409	473
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·01	0·00	2	1	1	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—
Measles	0·24	0·27	0·21	108	53	55	23	35	21	5	10	94	10	2	1	1	—	—	—	—	—	—
Scarlet Fever	0·04	0·05	0·03	16	9	7	2	—	1	4	2	9	2	1	2	—	—	2	—	—	—	—
Diphtheria	0·25	0·30	0·22	116	58	58	2	9	11	19	14	55	41	11	3	—	2	1	—	3	—	—
Whooping-cough	0·24	0·28	0·22	110	54	56	57	27	12	8	3	107	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·10	0·12	0·08	45	24	21	—	—	—	—	—	—	2	4	4	8	7	14	4	2	—	—
Simple Continued Fever	0·00	0·01	0·00	2	1	1	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—
Diarrhœa & Dysentery	0·50	0·64	0·39	227	125	102	185	18	4	1	—	208	—	—	—	—	—	—	4	1	6	8
Cholera	0·02	0·04	0·01	10	7	3	6	2	—	—	—	8	—	—	—	—	—	1	—	1	—	—
Cancer	0·72	0·59	0·83	330	115	215	1	—	—	1	—	2	2	—	2	2	9	35	61	83	94	40
Tabes Mesenterica	0·16	0·16	0·15	71	31	40	45	12	1	—	—	58	2	1	5	1	1	1	1	1	—	—
Phthisis	1·11	1·34	0·94	508	263	245	9	7	1	4	2	23	4	6	42	68	130	115	65	38	15	2
Other Tub. & Scrof. Dis.	0·35	0·48	0·25	160	95	65	46	30	12	4	6	98	18	10	3	5	8	7	6	4	1	—
Diseases of Nervous System	1·23	1·39	1·11	562	273	289	139	25	9	4	6	183	5	11	10	4	14	23	47	69	95	101
Diseases of Circulatory	1·40	1·55	1·28	637	304	333	8	—	—	1	—	9	3	8	11	13	18	41	76	122	163	173
Diseases of Respiratory	1·84	2·15	1·60	839	421	418	198	67	20	10	13	308	19	6	5	11	31	37	62	70	118	172
Diseases of Digestive	1·08	1·18	1·01	495	231	264	160	34	3	5	2	204	7	9	15	9	29	35	35	58	51	43
Diseases of Urinary	0·34	0·51	0·22	155	99	56	4	1	—	1	—	6	1	1	3	3	12	8	23	36	34	28
Diseases of Generative	0·05	0·01	0·09	24	1	23	—	—	—	—	—	—	—	—	—	1	3	1	10	5	2	2
Puerperal Fever	0·06	—	0·10	27	—	27	—	—	—	—	—	—	—	—	1	5	10	11	—	—	—	—
Childbirth	0·08	—	0·13	35	—	35	—	—	—	—	—	—	—	—	1	2	17	15	—	—	—	—
Violence	0·41	0·63	0·24	187	124	63	26	3	2	4	—	35	6	6	6	10	25	24	22	21	22	10
Other Causes	2·55	2·87	2·29	1160	568	592	440	26	6	12	1	485	12	14	18	18	40	53	73	73	129	245

Marriages 3,009

Births .. { Males .. 5,579 / Females 5,367 } 10,946

Annual Rate per 1000 living { Persons Married .. 13·19 / Births .. .. .. 23·98

Annual Births to 1000 Females aged 15—45 years = 77.

Deaths from Childbirth and Puerperal Fever .. .. } 5·66 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

71.—HAILSHAM.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		12·43	* 92	—	—	—	—	29·77	3·26	2·10	3·39	4·12	5·28	6·05	10·60	21·99	54·74	149·36
Annual Death-Rate per 1000. Males	—					12·71	*110	—	—	—	—	35·30	3·04	2·23	2·98	4·25	5·36	6·03	10·36	23·30	50·72	155·06
Annual Death-Rate per 1000. Females	—					12·17	* 74	—	—	—	—	24·10	3·48	1·97	3·92	3·97	5·20	6·07	10·84	20·69	58·88	143·59
Mean Population, 1891–1900. Persons	—			14,802			352	356	364	360	375	1807	1843	1665	1358	1117	1952	1685	1339	1037	685	314
Mean Population, 1891–1900. Males	—			7,547			175	173	185	179	203	915	953	852	772	588	971	829	647	515	347	158
Mean Population, 1891–1900. Females	—			7,255			177	183	179	181	172	892	890	813	586	529	981	856	692	522	338	156
Deaths from All Causes, 1891–1900. Persons	14·48			2,144			373	89	31	24	21	538	60	35	46	46	103	102	142	228	375	469
Deaths from All Causes, 1891–1900. Males	14·96			1,129			227	51	21	14	10	323	29	19	23	25	52	50	67	120	176	245
Deaths from All Causes, 1891–1900. Females	13·99			1,015			146	38	10	10	11	215	31	16	23	21	51	52	75	108	199	224
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·23	0·29	0·17	34	22	12	4	12	4	3	—	23	7	3	1	—	—	—	—	—	—	—
Scarlet Fever	0·04	0·05	0·03	6	4	2	—	—	1	1	2	4	—	1	—	—	—	1	—	—	—	—
Diphtheria	0·27	0·30	0·23	40	23	17	—	—	6	6	4	16	14	3	3	1	2	1	—	—	—	—
Whooping-cough	0·21	0·16	0·26	31	12	19	11	12	3	2	—	28	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·04	0·05	0·03	6	4	2	—	—	—	1	—	1	1	2	—	—	—	—	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—
Diarrhœa & Dysentery	0·20	0·17	0·22	29	13	16	19	2	1	—	—	22	—	—	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	5
Cancer	0·57	0·48	0·66	84	36	48	—	—	—	1	—	1	—	—	—	—	3	9	9	22	27	13
Tabes Mesenterica	0·18	0·15	0·22	27	11	16	12	2	1	—	2	17	—	3	—	—	1	1	4	1	—	—
Phthisis	1·34	1·38	1·31	199	104	95	5	—	2	1	3	11	3	4	18	23	47	32	27	23	11	—
Other Tub. & Scrof. Dis.	0·26	0·24	0·28	38	18	20	12	7	1	3	1	24	1	3	2	3	2	—	1	1	1	—
Diseases of: Nervous System	1·67	1·58	1·76	247	119	128	45	6	2	—	2	55	6	5	2	—	6	7	15	32	68	51
Diseases of: Circulatory	1·91	1·76	2·05	282	133	149	1	—	—	—	—	1	3	2	2	2	6	13	37	53	96	67
Diseases of: Respiratory	2·29	2·48	2·10	339	187	152	80	29	4	3	5	121	12	2	2	4	6	9	13	32	65	73
Diseases of: Digestive	0·97	1·05	0·90	144	79	65	28	9	1	1	—	39	3	1	5	2	5	5	11	31	27	15
Diseases of: Urinary	0·27	0·40	0·14	40	30	10	—	—	—	—	1	1	—	1	1	—	1	3	3	8	12	10
Diseases of: Generative	0·03	—	0·06	4	—	4	—	—	—	—	—	—	—	—	—	1	—	—	1	—	1	1
Puerperal Fever	0·06	—	0·12	9	—	9	—	—	—	—	—	—	—	—	—	3	5	1	—	—	—	—
Childbirth	0·07	—	0·15	11	—	11	—	—	—	—	—	—	—	—	1	2	5	3	—	—	—	—
Violence	0·38	0·42	0·33	56	32	24	9	4	2	—	—	15	4	2	3	1	7	4	4	7	5	4
Other Causes	3·49	4·00	2·97	518	302	216	147	6	3	2	1	159	3	3	6	4	7	13	16	16	61	230

Marriages 1,029

Births .. { Males .. 2,060 / Females 1,987 } 4,047

Annual Rate per 1000 living { Persons Married .. 13·90 / Births .. .. .. 27·34

Annual Births to 1000 Females aged 15—45 years = 137.

Deaths from Childbirth and Puerperal Fever .. .. } 4·94 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

72.—TICEHURST.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·13			*88	—	—	—	—	29·08	3·40	1·83	3·00	4·04	4·70	6·19	10·52	21·40	51·07	153·60
Annual Death-Rate per 1000. Males	—			11·79			*92	—	—	—	—	30·94	2·99	2·15	2·53	3·96	4·75	6·38	11·16	19·53	47·03	155·81
Annual Death-Rate per 1000. Females	—			12·44			*83	—	—	—	—	27·21	3·80	1·51	3·50	4·10	4·65	6·02	9·94	23·08	55·05	151·43
Mean Population, 1891–1900. Persons	—			16,712			362	339	373	366	393	1833	1944	1856	1601	1362	2342	1972	1550	1159	746	347
Mean Population, 1891–1900. Males	—			8,021			186	159	192	178	203	918	971	931	830	606	1031	909	735	548	370	172
Mean Population, 1891–1900. Females	—			8,691			176	180	181	188	190	915	973	925	771	756	1311	1063	815	611	376	175
Deaths from All Causes, 1891–1900. Persons	13·72			2,293			354	88	40	35	16	533	66	34	48	55	110	122	163	248	381	533
Deaths from All Causes, 1891–1900. Males	13·91			1,116			191	49	19	17	8	284	29	20	21	24	49	58	82	107	174	268
Deaths from All Causes, 1891–1900. Females	13·54			1,177			163	39	21	18	8	249	37	14	27	31	61	64	81	141	207	265
	Persons.	Males.	Females.	Persons.	Males.	Females	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·08	0·08	0·09	14	6	8	3	3	—	2	—	8	3	2	1	—	—	—	—	—	—	—
Scarlet Fever	0·03	0·06	—	5	5	—	—	—	1	2	—	3	1	—	1	—	—	—	—	—	—	—
Diphtheria	0·31	0·29	0·33	52	23	29	3	5	5	9	2	24	22	2	—	—	1	2	—	—	1	—
Whooping-cough	0·21	0·15	0·26	35	12	23	15	9	6	4	—	34	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·07	0·05	0·09	12	4	8	—	—	—	1	—	1	—	1	2	—	3	3	2	—	—	—
Simple Continued Fever	0·01	—	0·01	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Diarrhœa & Dysentery	0·15	0·20	0·10	25	16	9	11	4	—	1	1	17	—	—	—	1	—	—	—	1	1	5
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·83	0·56	1·08	139	45	94	—	—	1	—	—	1	—	—	—	1	3	4	34	33	41	22
Tabes Mesenterica	0·06	0·09	0·03	10	7	3	5	2	1	—	—	8	1	—	—	—	1	—	—	—	—	—
Phthisis	1·14	1·30	1·00	191	104	87	2	—	1	—	—	3	1	11	19	29	41	34	19	21	11	2
Other Tub. & Scrof. Dis.	0·31	0·30	0·31	51	24	27	10	7	5	1	3	26	6	5	3	—	4	3	1	2	1	—
Diseases of Nervous System	1·63	1·61	1·66	273	129	144	41	10	3	4	2	60	4	2	6	2	6	8	25	26	63	71
Diseases of Circulatory „	2·07	1·93	2·20	346	155	191	4	—	1	—	—	5	—	2	2	2	12	21	28	67	105	102
Diseases of Respiratory „	2·09	2·12	2·06	349	170	179	64	29	12	7	6	118	3	—	2	1	9	9	15	36	52	104
Diseases of Digestive „	0·77	0·71	0·82	128	57	71	22	8	1	1	—	32	5	1	6	2	7	7	11	17	19	21
Diseases of Urinary „	0·35	0·47	0·24	59	38	21	1	1	—	1	—	3	1	1	—	2	1	3	6	7	16	19
Diseases of Generative „	0·03	—	0·06	5	—	5	—	—	—	—	—	—	—	—	—	—	—	1	2	1	1	—
Puerperal Fever	0·03	—	0·06	5	—	5	—	—	—	—	—	—	—	—	—	—	4	1	—	—	—	—
Childbirth	0·05	—	0·10	9	—	9	—	—	—	—	—	—	—	—	—	2	4	3	—	—	—	—
Violence	0·48	0·69	0·30	81	55	26	6	4	2	1	—	13	6	1	2	6	7	12	6	12	8	8
Other Causes	3·02	3·30	2·74	503	266	237	167	6	1	1	2	177	12	6	4	7	7	11	14	25	62	178

Marriages 1,131

Births .. { Males .. 2,066 / Females 1,975 } 4,041

Annual Rate per 1000 living { Persons Married .. 13·54 / Births .. .. .. 24·18

Annual Births to 1000 Females aged 15—45 years = 104.

Deaths from Childbirth and Puerperal Fever .. .. } 3·46 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

73.—UCKFIELD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·02			* 94	—	—	—	—	28·96	3·80	1·86	4·04	4·38	5·03	7·85	8·77	18·37	50·30	140·77
Males ..	—						*110	—	—	—	—	33·71	4·23	1·23	2·66	4·07	5·26	8·86	8·81	18·26	50·49	142·92
Females	—			12·26			* 78	—	—	—	—	24·20	3·38	2·49	5·64	4·69	4·83	6·93	8·74	18·47	50·10	138·35
Mean Population, 1891–1900. Persons	—			22,641			528	496	544	528	528	2624	2737	2744	2230	1780	3059	2510	2052	1470	996	439
Males ..	—			11,192			266	247	267	256	278	1314	1347	1380	1202	884	1445	1197	976	701	513	233
Females	—			11,449			262	249	277	272	250	1310	1390	1364	1028	896	1614	1313	1076	769	483	206
Deaths from All Causes, 1891–1900. Persons	13·26			3,003			544	109	39	34	34	760	104	51	90	78	154	197	180	270	501	618
Males ..	14·05			1,573			325	61	24	16	17	443	57	17	32	36	76	106	86	128	259	333
Females	12·49			1,430			219	48	15	18	17	317	47	34	58	42	78	91	94	142	242	285
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·11	0·13	0·08	24	15	9	7	5	4	2	3	21	3	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·01	0·01	0·01	2	1	1	—	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—
Diphtheria	0·44	0·53	0·36	100	59	41	3	9	5	10	16	43	43	7	2	3	1	—	1	—	—	—
Whooping-cough	0·18	0·18	0·18	41	20	21	27	6	5	1	—	39	2	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·04	0·04	0·04	10	5	5	—	—	—	—	—	—	—	1	—	—	3	1	—	4	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·19	0·16	0·21	42	18	24	20	3	1	1	—	25	—	—	—	—	—	—	—	1	7	9
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·78	0·66	0·90	177	74	103	—	—	—	—	—	—	—	—	—	1	5	13	32	32	62	32
Tabes Mesenterica	0·10	0·08	0·11	22	9	13	6	3	—	—	—	9	3	—	4	1	3	—	—	1	1	—
Phthisis	1·20	1·15	1·25	272	129	143	3	3	—	—	—	6	6	9	40	35	59	51	23	18	23	2
Other Tub. & Scrof. Dis.	0·33	0·31	0·35	75	35	40	14	9	2	8	4	37	10	7	5	6	2	3	3	2	—	—
Diseases of Nervous System	1·41	1·33	1·49	320	149	171	49	12	2	4	1	68	6	3	9	6	8	17	13	44	75	71
Circulatory "	1·58	1·62	1·55	358	181	177	3	1	—	—	—	4	2	8	9	2	10	28	24	51	117	103
Respiratory "	1·98	2·26	1·71	449	253	196	100	41	10	3	9	163	16	3	4	1	12	13	28	36	73	100
Digestive "	0·78	0·72	0·83	176	81	95	37	8	4	3	—	52	5	5	5	2	8	13	13	21	29	23
Urinary "	0·38	0·53	0·24	86	59	27	—	—	—	—	—	—	—	1	2	3	4	8	7	11	29	21
Generative "	0·04	—	0·08	9	—	9	—	—	—	—	—	—	—	—	—	—	1	1	4	1	2	—
Puerperal Fever	0·04	—	0·07	8	—	8	—	—	—	—	—	—	—	—	—	3	3	2	—	—	—	—
Childbirth	0·08	—	0·16	18	—	18	—	—	—	—	—	—	—	—	—	1	7	10	—	—	—	—
Violence	0·40	0·58	0·23	91	65	26	8	3	1	1	—	13	1	2	1	6	7	13	13	17	16	2
Other Causes	3·19	3·76	2·64	723	420	303	267	6	5	1	—	279	7	5	9	8	20	24	19	31	66	255

Marriages 1,404

Births .. { Males .. 2,954 / Females 2,813 } 5,767

Annual Rate per 1000 living { Persons Married .. 12·40 / Births .. .. .. 25·47

Annual Births to 1000 Females aged 15—45 years = 119.

Deaths from Childbirth and Puerperal Fever .. .. } 4·51 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

74.—EAST GRINSTEAD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		11·96	* 85	—	—	—	—	29·16	3·61	1·45	2·21	4·18	3·95	6 18	11·16	21·69	52·46	148·25
Annual Death-Rate per 1000. Males	—					12·79	*100	—	—	—	—	34·51	4·16	1·39	2·44	3·36	3·33	6·69	13·32	24·88	58·81	146·86
Annual Death-Rate per 1000. Females	—					11·19	* 70	—	—	—	—	23·97	3·08	1·51	1·95	4·93	4·51	5·72	9·11	18·69	46·71	149·70
Mean Population, 1891–1900. Persons	—			19,434			454	431	446	463	452	2246	2299	2207	1813	1625	2835	2280	1730	1245	812	342
Mean Population, 1891–1900. Males	—			9,480			223	211	215	231	227	1107	1131	1081	941	773	1351	1091	841	603	386	175
Mean Population, 1891–1900. Females	—			9,954			231	220	231	232	225	1139	1168	1126	872	852	1484	1189	889	642	426	167
Deaths from All Causes, 1891–1900. Persons	13·00			2,527			423	117	49	34	32	655	83	32	40	68	112	141	193	270	426	507
Deaths from All Causes, 1891–1900. Males	14·31			1,357			251	65	25	23	18	382	47	15	23	26	45	73	112	150	227	257
Deaths from All Causes, 1891–1900. Females	11·75			1,170			172	52	24	11	14	273	36	17	17	42	67	68	81	120	199	250
	Persons.	Males.	Females.	Persons.	Males.	Females	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·18	0·25	0·11	35	24	11	9	13	4	3	1	30	4	—	—	1	—	—	—	—	—	—
Scarlet Fever	0·02	0·03	—	3	3	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—
Diphtheria	0·44	0·47	0·40	85	45	40	3	1	6	12	5	27	35	12	5	1	1	2	1	1	—	—
Whooping-cough	0·30	0·35	0·25	58	33	25	29	19	6	1	—	55	2	—	—	—	—	—	—	—	—	1
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·04	0·06	0·02	8	6	2	—	—	—	—	—	—	1	—	—	2	1	—	3	1	—	—
Simple Continued Fever	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Diarrhœa & Dysentery	0·22	0·27	0·17	43	26	17	28	2	—	—	—	30	1	—	—	—	—	—	—	—	2	10
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·76	0·66	0·84	147	63	84	—	—	—	—	—	—	—	1	—	—	4	10	22	25	63	22
Tabes Mesenterica	0·04	0·05	0·03	8	5	3	2	1	—	—	1	4	2	—	1	—	—	1	—	—	—	—
Phthisis	1·00	1·08	0·93	195	102	93	2	—	1	—	2	5	2	5	13	28	45	37	29	18	12	1
Other Tub. & Scrof. Dis.	0·28	0·28	0·27	54	27	27	13	6	5	5	3	32	6	2	4	3	1	2	1	—	3	—
Diseases of Nervous System	1·50	1·62	1·39	292	154	138	48	11	2	3	4	68	7	3	1	3	6	7	19	44	62	72
Diseases of Circulatory "	1·60	1·62	1·57	310	154	156	3	—	—	—	—	3	—	—	1	5	9	19	31	62	89	91
Diseases of Respiratory "	2·36	2·60	2·14	459	246	213	90	38	16	9	11	164	13	3	5	7	5	13	31	45	75	98
Diseases of Digestive "	0·81	0·98	0·65	158	93	65	23	13	2	—	2	40	5	1	3	1	6	12	16	11	32	31
Diseases of Urinary "	0·43	0·55	0·32	84	52	32	—	—	—	—	—	—	—	—	—	1	2	8	11	14	23	25
Diseases of Generative "	0·03	—	0·06	6	—	6	—	—	—	—	—	—	—	—	—	—	1	2	2	—	1	—
Puerperal Fever	0·05	—	0·10	10	—	10	—	—	—	—	—	—	—	—	—	3	5	2	—	—	—	—
Childbirth	0·05	—	0·10	10	—	10	—	—	—	—	—	—	—	—	—	2	4	4	—	—	—	—
Violence	0·40	0·63	0·18	78	60	18	10	2	2	—	1	15	2	—	—	6	7	8	7	11	10	12
Other Causes	2·48	2·80	2·22	483	263	220	163	11	5	1	2	182	1	5	6	5	15	14	20	38	54	143

Marriages 1,226

Births .. { Males .. 2,504 / Females 2,444 } 4,948

Annual Rate per 1000 living { Persons Married .. 12·62 / Births .. .. .. 25·46 }

Annual Births to 1000 Females aged 15—45 years = 113.

Deaths from Childbirth and Puerperal Fever .. .. } 4·04 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

75.—CUCKFIELD.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 11·54			*87	—	—	—	—	28·35	2·67	1·75	2·77	3·26	4·22	5·78	9·85	20·96	49·29	152·39
Annual Death-Rate per 1000. Males	—			11·74			*96	—	—	—	—	29·02	2·81	1·18	3·02	3·27	3·85	6·38	10·73	23·60	54·51	158·82
Annual Death-Rate per 1000. Females	—			11·36			*77	—	—	—	—	27·67	2·52	2·43	2·50	3·26	4·51	5·27	9·09	18·61	44·24	146·92
Mean Population, 1891–1900. Persons	—			25,299			513	520	489	543	517	2582	2812	3089	2566	2022	3603	3026	2346	1713	1059	481
Mean Population, 1891–1900. Males	—			12,288			278	250	249	256	266	1299	1424	1691	1325	917	1609	1395	1081	805	521	221
Mean Population, 1891–1900. Females	—			13,011			235	270	240	287	251	1283	1388	1398	1241	1105	1994	1631	1265	908	538	260
Deaths from All Causes, 1891–1900. Persons	12·53			3,170			491	136	53	33	19	732	75	54	71	66	152	175	231	359	522	733
Deaths from All Causes, 1891–1900. Males	13·01			1,599			276	56	28	11	6	377	40	20	40	30	62	89	116	190	284	351
Deaths from All Causes, 1891–1900. Females	12·07			1,571			215	80	25	22	13	355	35	34	31	36	90	86	115	169	238	382
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·11	0·13	0·09	28	16	12	8	12	1	2	—	23	3	2	—	—	—	—	—	—	—	—
Scarlet Fever	0·03	0·02	0·03	7	3	4	—	2	1	—	—	3	1	—	1	—	1	1	—	—	—	—
Diphtheria	0·17	0·11	0·22	42	13	29	3	3	3	6	2	17	15	8	1	—	—	—	1	—	—	—
Whooping-cough	0·22	0·17	0·26	55	21	34	21	20	7	2	1	51	3	1	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·06	0·07	0·05	14	8	6	—	—	—	—	—	—	—	2	2	1	4	1	3	1	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·25	0·24	0·27	64	29	35	36	5	3	1	—	45	—	—	—	—	1	—	2	2	4	10
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·76	0·66	0·85	191	81	110	—	—	—	—	—	—	—	—	—	1	4	9	36	52	52	37
Tabes Mesenterica	0·07	0·07	0·07	17	8	9	4	4	—	—	—	8	1	4	—	—	—	1	1	1	1	—
Phthisis	1·01	1·03	1·00	256	126	130	1	—	1	—	—	2	3	10	22	30	56	42	29	30	25	7
Other Tub. & Scrof. Dis.	0·24	0·24	0·24	61	30	31	11	13	2	3	—	29	10	2	3	3	5	1	2	4	2	—
Diseases of Nervous System	1·48	1·42	1·54	374	174	200	46	14	7	4	3	74	15	4	3	3	9	13	31	58	73	91
Diseases of Circulatory "	1·67	1·82	1·53	423	224	199	4	—	1	—	—	5	1	1	6	3	11	19	33	69	155	120
Diseases of Respiratory "	1·98	2·17	1·81	502	266	236	100	40	21	7	6	174	11	2	5	3	6	24	25	42	62	148
Diseases of Digestive "	0·70	0·76	0·64	176	93	83	34	5	1	3	—	43	4	4	4	4	6	14	14	30	27	26
Diseases of Urinary "	0·42	0·53	0·32	106	65	41	—	—	1	—	1	2	2	3	1	2	6	4	14	13	30	29
Diseases of Generative "	0·04	—	0·07	9	—	9	—	—	—	—	—	—	—	—	—	—	1	2	4	1	—	1
Puerperal Fever	0·04	—	0·08	10	—	10	—	—	—	—	—	—	—	—	1	1	7	1	—	—	—	—
Childbirth	0·06	—	0·12	15	—	15	—	—	—	—	—	—	—	—	1	—	5	9	—	—	—	—
Violence	0·45	0·74	0·18	114	91	23	14	6	1	1	—	22	2	1	14	6	14	14	11	14	7	9
OTHER CAUSES	2·77	2·83	2·70	706	351	355	209	12	3	4	6	234	4	10	7	9	16	20	25	42	84	255

Marriages 1,494

Births .. { Males .. 2,870 / Females 2,787 } 5,657

Annual Rate per 1000 living { Persons Married .. 11·81 / Births .. .. .. 22·36 }

Annual Births to 1000 Females aged 15—45 years = 95.

Deaths from Childbirth and Puerperal Fever .. .. } 4·42 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

76.—LEWES.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 15·27	*100	—	—	—	—	32·91	3·42	2·49	4·26	4·98	7·40	12·38	18·16	28·03	55·40	158·23
Annual Death-Rate per 1000. Males ..	—	15·74	*108	—	—	—	—	34·77	3·70	2·36	3·50	4·95	8·30	14·86	20·76	27·71	53·30	169·05
Annual Death-Rate per 1000. Females	—	14·82	* 92	—	—	—	—	31·10	3·15	2·64	5·10	5·01	6·51	10·00	15·70	28·33	57·33	149·14
Mean Population, 1891–1900. Persons	—	34,634	736	748	751	781	788	3804	4001	3930	3194	2832	5084	4216	3189	2287	1453	644
Mean Population, 1891–1900. Males ..	—	17,242	367	368	370	384	392	1881	1998	2037	1684	1414	2518	2066	1546	1108	696	294
Mean Population, 1891–1900. Females	—	17,392	369	380	381	397	396	1923	2003	1893	1510	1418	2566	2150	1643	1179	757	350
Deaths from All Causes, 1891–1900. Persons	16·48	5,706	835	223	93	50	51	1252	137	98	136	141	376	522	579	641	805	1019
Deaths from All Causes, 1891–1900. Males ..	16·92	2,917	451	114	44	18	27	654	74	48	59	70	209	307	321	307	371	497
Deaths from All Causes, 1891–1900. Females	16·04	2,789	384	109	49	32	24	598	63	50	77	71	167	215	258	334	434	522

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·19	0·23	0·16	67	39	28	11	24	16	5	3	59	5	—	1	—	2	—	—	—	—	—
Scarlet Fever	0·02	0·02	0·02	7	3	4	—	—	2	1	2	5	1	1	—	—	—	—	—	—	—	—
Diphtheria	0·15	0·13	0·17	51	22	29	1	4	6	6	5	22	18	7	2	—	1	1	—	—	—	—
Whooping-cough ..	0·19	0·17	0·20	65	30	35	29	26	4	2	1	62	2	1	—	—	—	—	—	—	—	—
Typhus	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Enteric Fever	0·10	0·11	0·09	35	19	16	—	—	—	2	1	3	3	2	8	7	2	5	3	1	—	1
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·34	0·35	0·33	118	61	57	84	8	2	1	—	95	—	—	—	—	2	1	4	3	3	10
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·77	0·66	0·89	267	113	154	1	1	—	—	—	2	—	—	2	1	7	21	49	71	65	49
Tabes Mesenterica ..	0·25	0·20	0·30	86	34	52	44	11	5	4	1	65	6	4	3	—	4	1	2	1	—	—
Phthisis	1·50	1·55	1·44	518	267	251	7	1	—	2	6	16	3	17	40	48	122	129	90	40	10	3
Other Tub. & Scrof. Dis.	0·40	0·42	0·38	138	72	66	27	24	8	5	4	68	23	13	12	3	6	5	5	2	1	—
Diseases of Nervous System ..	3·08	3·27	2·90	1068	564	504	94	25	13	3	6	141	16	14	17	14	64	141	149	172	194	146
Diseases of Circulatory „ ..	1·66	1·65	1·66	574	285	289	1	—	—	—	—	1	8	6	4	11	25	36	83	127	157	116
Diseases of Respiratory „ ..	2·42	2·49	2·35	837	429	408	125	68	25	12	12	242	21	4	5	8	30	45	51	99	148	184
Diseases of Digestive „ ..	0·95	0·95	0·96	330	163	167	56	16	5	3	1	81	8	9	10	10	10	28	41	44	53	36
Diseases of Urinary „ ..	0·39	0·42	0·36	136	73	63	1	1	1	1	1	5	—	3	1	3	11	17	21	23	31	21
Diseases of Generative „ ..	0·03	—	0·05	9	—	9	—	—	—	—	—	—	—	—	1	1	1	2	2	1	—	1
Puerperal Fever ..	0·04	—	0·08	14	—	14	—	—	—	—	—	—	—	—	—	3	8	2	1	—	—	—
Childbirth	0·06	—	0·12	21	—	21	—	—	—	—	—	—	—	—	—	1	10	10	—	—	—	—
Violence	0·73	1·13	0·35	254	194	60	27	1	3	—	5	36	10	5	17	15	35	48	36	17	17	18
OTHER CAUSES ..	3·21	3·16	3·23	1110	548	562	327	13	3	3	3	349	13	11	13	16	36	30	42	40	126	434

Marriages 2,140

Births .. { Males .. 4,169 / Females 4,155 } 8,324

Annual Rate per 1000 living { Persons Married .. 12·36 / Births .. .. .. 24·03 }

Annual Births to 1000 Females aged 15—45 years = 109.

Deaths from Childbirth and Puerperal Fever .. .. } 4·20 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

77.—BRIGHTON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 18·59			*164	—	—	—	—	61·96	3·25	2·50	3·41	4·22	6·18	11·34	18·40	30·08	60·97	148·04
Annual Death-Rate per 1000. Males ..	—			20·37			*178	—	—	—	—	66·98	3·29	2·23	3·94	5·59	7·57	13·66	22·12	36·61	67·97	154·77
Annual Death-Rate per 1000. Females	—			16·92			*150	—	—	—	—	57·02	3·21	2·77	2·99	3·36	5·21	9·60	15·65	25·55	56·12	143·97
Mean Population, 1891–1900. Persons	—			102 542			2171	1918	2018	2021	2072	10200	10095	10148	10244	9795	16470	13074	9907	6731	4069	1809
Mean Population, 1891–1900. Males ..	—			44,981			1101	968	989	1004	998	5060	5011	4981	4465	3777	6762	5609	4209	2759	1667	681
Mean Population, 1891–1900. Females	—			57,561			1070	950	1029	1017	1074	5140	5084	5167	5779	6018	9708	7465	5698	3972	2402	1128
Deaths from All Causes, 1891–1900. Persons	18·70			19,172			4321	1156	463	246	134	6320	328	254	349	413	1018	1483	1823	2025	2481	2678
Deaths from All Causes, 1891–1900. Males ..	21·03			9,458			2370	574	237	128	80	3389	165	111	176	211	512	766	931	1010	1133	1054
Deaths from All Causes, 1891–1900. Females	16·88			9,714			1951	582	226	118	54	2931	163	143	173	202	506	717	892	1015	1348	1624
	Persons.	Males.	Females.	Persons.	Males.	Females	PERSONS.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·40	0·46	0·36	414	208	206	85	174	82	38	18	397	14	—	1	—	2	—	—	—	—	—
Scarlet Fever	0·02	0·02	0·02	20	10	10	4	—	2	3	1	10	3	1	1	3	1	—	—	1	—	—
Diphtheria	0·14	0·16	0·13	147	73	74	7	12	29	26	12	86	38	10	4	1	3	2	—	2	1	—
Whooping-cough ..	0·25	0·22	0·27	254	97	157	120	78	34	14	3	249	5	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·08	0·12	0·06	86	52	34	—	—	1	—	1	2	2	6	10	15	23	13	7	8	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·86	0·95	0·78	877	428	449	660	130	8	4	3	805	2	1	—	1	1	3	6	11	20	27
Cholera	0·01	0·01	0·01	10	6	4	9	1	—	—	—	10	—	—	—	—	—	—	—	—	—	—
Cancer	1·07	0·94	1·16	1092	423	669	2	1	4	2	3	12	6	3	4	6	26	112	246	284	262	131
Tabes Mesenterica ...	0·19	0·22	0·16	192	99	93	105	36	8	11	—	160	6	5	3	2	7	4	3	1	1	—
Phthisis	1·63	2·15	1·22	1671	967	704	18	18	10	4	2	52	28	35	111	164	352	417	326	147	36	3
Other Tub. & Scrof. Dis.	0·57	0·72	0·45	581	323	258	144	98	67	33	23	365	62	31	32	19	24	19	15	6	4	4
Diseases of Nervous System ..	1·87	2·13	1·68	1921	957	964	486	83	29	16	9	623	15	26	22	13	60	92	194	255	338	283
Diseases of Circulatory „ ..	1·76	1·87	1·67	1802	842	960	13	2	1	2	—	18	19	21	37	34	104	202	250	383	449	285
Diseases of Respiratory „ ..	3·20	3·47	2·99	3283	1561	1722	714	363	136	68	32	1313	34	12	12	23	63	127	207	378	530	584
Diseases of Digestive „ ..	1·16	1·26	1·08	1187	568	619	277	61	15	6	15	374	33	32	18	27	77	111	176	137	130	72
Diseases of Urinary „ ..	0·55	0·77	0·39	567	345	222	4	5	—	1	2	12	7	4	11	11	34	65	96	105	143	79
Diseases of Generative „ ..	0·07	0·01	0·12	75	5	70	1	1	—	—	—	2	—	—	1	4	8	28	14	4	10	4
Puerperal Fever ..	0·05	—	0·09	49	—	49	—	—	—	—	—	—	—	—	5	6	26	10	2	—	—	—
Childbirth	0·05	—	0·10	56	—	56	—	—	—	—	—	—	—	—	2	6	22	26	—	—	—	—
Violence	0·61	0·90	0·38	624	403	221	105	17	8	12	7	149	24	18	25	31	78	85	72	59	44	39
OTHER CAUSES ..	4·16	4·65	3·76	4264	2091	2173	1567	76	29	6	3	1681	30	49	50	47	107	167	209	244	513	1167

Marriages 9,039

Births .. { Males .. 13,308 / Females 12,986 } 26,294

Annual Rate per 1000 living { Persons Married .. 17·63 / Births .. .. .. 25·64 }

Annual Births to 1000 Females aged 15—45 years = 91.

Deaths from Childbirth and Puerperal Fever .. .. } 3·99 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

78.—STEYNING.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		13·61	*118	—	—	—	—	41·36	3·92	2·08	2·47	3·20	4·54	6·65	11·90	22·84	48·06	140·15
Annual Death-Rate per 1000. Males	—					14·53	*129	—	—	—	—	44·43	3·46	1·91	3·02	4·66	5·97	8·06	14·30	25·25	51·68	139·88
Annual Death-Rate per 1000. Females	—					12·75	*107	—	—	—	—	38·26	4·38	2·24	2·07	2·37	3·65	5·68	10·24	21·17	45·63	140·32
Mean Population, 1891–1900. Persons	—			70,415			1441	1284	1373	1380	1371	6849	6895	6821	7088	6880	11468	8866	6631	4650	2967	1300
Mean Population, 1891–1900. Males	—			30,065			722	658	673	702	691	3446	3469	3344	2979	2487	4409	3637	2707	1901	1192	494
Mean Population, 1891–1900. Females	—			40,350			719	626	700	678	680	3403	3426	3477	4109	4393	7059	5229	3924	2749	1775	806
Deaths from All Causes, 1891–1900. Persons	13·99			9,850			1896	455	205	159	118	2833	270	142	175	220	521	590	789	1062	1426	1822
Deaths from All Causes, 1891–1900. Males	15·47			4,651			1049	225	116	79	62	1531	120	64	90	116	263	293	387	480	616	691
Deaths from All Causes, 1891–1900. Females	12·88			5,199			847	230	89	80	56	1302	150	78	85	104	258	297	402	582	810	1131
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·01	0·00	3	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1
Measles	0·18	0·21	0·15	124	62	62	25	46	18	13	6	108	11	3	—	2	—	—	—	—	—	—
Scarlet Fever	0·11	0·15	0·07	75	46	29	3	6	14	8	12	43	18	5	3	1	2	3	—	—	—	—
Diphtheria	0·45	0·51	0·41	319	154	165	12	26	38	53	53	182	102	22	3	3	2	1	3	1	—	—
Whooping-cough	0·25	0·28	0·23	177	83	94	79	50	23	11	6	169	7	—	—	—	—	—	1	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·21	0·28	0·16	148	84	64	—	2	1	1	1	5	6	13	32	22	27	21	13	6	3	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·53	0·60	0·49	375	179	196	298	35	3	1	—	337	2	—	—	—	1	—	1	4	9	21
Cholera	0·01	0·02	0·01	10	5	5	8	—	—	—	—	8	—	—	—	—	—	—	—	1	—	1
Cancer	0·89	0·66	1·06	625	197	428	—	1	—	1	—	2	1	—	1	1	9	50	139	164	166	92
Tabes Mesenterica	0·14	0·17	0·12	99	52	47	36	20	7	3	1	67	9	4	5	2	6	3	—	3	—	—
Phthisis	1·01	1·28	0·80	708	385	323	6	3	2	4	2	17	9	16	41	78	186	140	109	69	33	10
Other Tub. & Scrof. Dis.	0·33	0·41	0·26	229	123	106	58	39	19	13	7	136	24	16	11	6	10	11	4	7	4	—
Diseases of Nervous System	1·45	1·68	1·29	1023	504	519	184	28	13	6	7	238	8	12	16	6	34	47	83	136	220	223
Diseases of Circulatory	1·48	1·48	1·49	1045	445	600	6	3	—	1	1	11	3	11	11	14	34	58	128	207	319	249
Diseases of Respiratory	2·01	2·17	1·90	1418	653	765	301	121	39	28	11	500	28	1	8	18	22	56	69	152	233	331
Diseases of Digestive	0·90	1·04	0·80	635	314	321	159	31	9	3	2	204	13	9	8	17	33	42	63	76	94	76
Diseases of Urinary	0·44	0·62	0·31	311	187	124	6	1	1	—	—	8	3	1	3	4	16	27	46	66	76	61
Diseases of Generative	0·04	0·01	0·07	31	1	30	1	—	—	—	—	1	—	—	—	—	3	5	4	6	10	2
Puerperal Fever	0·04	—	0·07	27	—	27	—	—	—	—	—	—	—	—	—	5	17	5	—	—	—	—
Childbirth	0·04	—	0·06	26	—	26	—	—	—	—	—	—	—	—	1	3	11	9	1	1	—	—
Violence	0·50	0·82	0·25	349	247	102	45	10	7	5	3	70	8	16	9	16	49	50	45	37	23	26
Other Causes	2·98	3·07	2·88	2093	928	1165	669	33	11	8	6	727	18	13	23	22	59	62	80	126	234	729

Marriages 4,305

Births .. Males .. 8,163; Females 7,900 — 16,063

Annual Rate per 1000 living: Persons Married .. 12·23; Births .. .. .. 22·81

Annual Births to 1000 Females aged 15—45 years = 77.

Deaths from Childbirth and Puerperal Fever .. .. 3·30 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

79.—HORSHAM.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·03			*100	—	—	—	—	32·20	3·40	2·11	3·13	4·34	5·58	7·21	11·47	23·70	52·21	151·63
Annual Death-Rate per 1000. Males ..	—			13·32			*109	—	—	—	—	35·37	3·40	1·51	2·51	4·03	5·78	7·19	12·65	23·28	54·74	170·25
Annual Death-Rate per 1000. Females	—			12·76			* 89	—	—	—	—	29·07	3·40	2·74	3·84	4·64	5·40	7·23	10·38	24·09	49·83	135·48
Mean Population, 1891–1900. Persons	—			26,271			602	576	592	602	594	2966	3058	2982	2459	2119	3658	3093	2467	1793	1155	521
Mean Population, 1891–1900. Males ..	—			12 975			315	274	292	296	296	1473	1559	1522	1313	1042	1731	1489	1186	859	559	242
Mean Population, 1891–1900. Females	—			13,296			287	302	300	306	298	1493	1499	1460	1146	1077	1927	1604	1281	934	596	279
Deaths from All Causes, 1891–1900. Persons	14·54			3,819			644	163	69	47	32	955	104	63	77	92	204	223	283	425	603	790
Deaths from All Causes, 1891–1900. Males ..	15·01			1,947			360	83	37	26	15	521	53	23	33	42	100	107	150	200	306	412
Deaths from All Causes, 1891–1900. Females	14·08			1,872			284	80	32	21	17	434	51	40	44	50	104	116	133	225	297	378
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	0·03	0·05	0·02	9	7	2	1	—	—	—	—	1	—	—	—	—	1	—	3	—	4	—
Measles	0·10	0·09	0·11	27	12	15	6	10	4	2	1	23	3	—	—	—	1	—	—	—	—	—
Scarlet Fever	0·01	0·02	0·01	3	2	1	—	—	—	—	—	—	—	1	—	—	1	1	—	—	—	—
Diphtheria	0·21	0·16	0·25	54	21	33	1	1	6	7	7	22	25	3	—	—	2	1	1	—	—	—
Whooping-cough ..	0·24	0·24	0·24	63	31	32	29	17	10	3	1	60	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·08	0·10	0·05	20	13	7	—	—	—	—	1	1	1	2	3	—	6	2	3	1	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·38	0·34	0·42	100	44	56	49	11	3	2	—	65	1	—	—	1	—	1	—	7	6	19
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·93	0·82	1·04	244	106	138	—	—	—	—	1	1	—	1	1	1	5	21	41	60	74	39
Tabes Mesenterica ..	0·09	0·09	0·08	23	12	11	7	5	2	—	—	14	2	1	3	1	2	—	—	—	—	—
Phthisis	1·17	1·21	1·13	307	157	150	—	—	2	—	1	3	1	11	24	41	63	56	51	40	16	1
Other Tub. & Scrof. Dis.	0·42	0·41	0·44	111	53	58	20	14	8	11	5	58	20	11	4	5	6	3	—	2	2	—
Diseases of Nervous System ..	1·72	1·67	1·78	452	216	236	69	22	5	4	—	100	7	7	5	3	14	22	33	59	96	106
Diseases of Circulatory „ ..	1·92	1·93	1·92	505	250	255	2	2	1	—	—	5	7	4	8	8	18	30	50	107	158	110
Diseases of Respiratory „ ..	2·15	2·24	2·06	565	291	274	133	58	16	13	5	225	18	1	5	8	14	19	29	44	74	128
Diseases of Digestive „ ..	0·84	0·86	0·81	220	112	108	33	10	2	3	4	52	3	3	6	2	10	13	21	36	47	27
Diseases of Urinary „ ..	0·39	0·49	0·29	102	64	38	1	2	1	—	—	4	2	4	1	2	7	4	9	17	33	19
Diseases of Generative „ ..	0·03	—	0·05	7	—	7	—	—	—	—	—	—	—	—	—	—	1	—	3	2	1	—
Puerperal Fever ..	0·03	—	0·07	9	—	9	—	—	—	—	—	—	—	—	—	—	5	4	—	—	—	—
Childbirth	0·13	—	0·25	33	—	33	—	—	—	—	—	—	—	—	2	1	16	14	—	—	—	—
Violence	0·53	0·73	0·32	138	95	43	18	3	4	—	1	26	4	6	5	6	10	15	19	12	14	21
Other Causes.. ..	3·14	3·56	2·74	827	461	366	275	8	5	2	5	295	7	8	10	13	22	17	20	38	77	320

Marriages 1,741

Births .. { Males .. 3,294 / Females 3,177 } 6,471

Annual Rate per 1000 living { Persons Married .. 13·25 / Births .. .. .. 24·63 }

Annual Births to 1000 Females aged 15—45 years = 112.

Deaths from Childbirth and Puerperal Fever .. .. } 6·49 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

80.—PETWORTH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 11·87	* 93	—	—	—	—	27·68	2·71	2·29	3·72	4·18	5·73	7·80	7·87	22·05	49·69	137·50
Annual Death-Rate per 1000. Males ..	—	12·61	*109	—	—	—	—	33·06	3·07	2·04	3·21	4·89	6·45	8·06	7·73	20·89	53·44	153·45
Annual Death-Rate per 1000. Females	—	11·17	* 75	—	—	—	—	22·46	2·35	2·52	4·31	3·42	5·06	7·54	8·00	23·26	45·73	122·58
Mean Population, 1891-1900. Persons	—	9,022	196	197	199	209	207	1008	1032	1004	807	670	1187	1013	877	703	481	240
Mean Population, 1891-1900. Males ..	—	4,509	92	102	94	104	104	496	521	489	436	348	574	496	427	359	247	116
Mean Population, 1891-1900. Females	—	4,513	104	95	105	105	103	512	511	515	371	322	613	517	450	344	234	124
Deaths from All Causes, 1891-1900. Persons	14·72	1,328	205	40	17	10	7	279	28	23	30	28	68	79	69	155	239	330
Deaths from All Causes, 1891-1900. Males	15·88	716	126	22	7	5	4	164	16	10	14	17	37	40	33	75	132	178
Deaths from All Causes, 1891-1900. Females	13·56	612	79	18	10	5	3	115	12	13	16	11	31	39	36	80	107	152

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							Persons.															
Small-pox..	0·01	0·02	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Measles	0·08	0·07	0·09	7	3	4	1	2	2	—	—	5	2	—	—	—	—	—	—	—	—	—
Scarlet Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria	0·22	0·29	0·16	20	13	7	—	1	2	3	1	7	9	2	—	—	2	—	—	—	—	—
Whooping-cough ..	0·25	0·24	0·27	23	11	12	9	6	3	1	3	22	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·02	0·02	0·02	2	1	1	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·08	0·09	0·07	7	4	3	1	1	—	2	—	4	—	—	—	—	2	—	—	1	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·91	0·89	0·93	82	40	42	—	—	—	—	—	—	—	—	—	—	1	5	9	22	27	18
Tabes Mesenterica ..	0·10	0·04	0·16	9	2	7	2	1	1	—	—	4	1	1	3	—	—	—	—	—	—	—
Phthisis	1·13	1·40	0·86	102	63	39	1	—	—	—	—	1	—	7	9	15	25	23	13	4	4	1
Other Tub. & Scrof. Dis.	0·34	0·35	0·33	31	16	15	4	2	3	2	1	12	5	2	4	2	4	1	—	1	—	—
Diseases of Nervous System ..	1·53	1·51	1·55	138	68	70	19	6	—	—	1	26	—	2	1	2	2	8	4	18	40	35
Diseases of Circulatory „ ..	1·96	2·04	1·88	177	92	85	1	—	—	—	—	1	—	3	5	2	1	3	6	39	63	54
Diseases of Respiratory „ ..	2·25	2·40	2·11	203	108	95	47	9	3	1	1	61	1	—	3	—	6	10	7	25	29	61
Diseases of Digestive „ ..	0·71	0·69	0·73	64	31	33	13	2	1	—	—	16	3	1	1	—	4	6	5	5	17	6
Diseases of Urinary „ ..	0·72	0·82	0·62	65	37	28	—	2	—	—	—	2	—	1	—	—	3	7	8	20	15	9
Diseases of Generative „ ..	0·09	0·02	0·16	8	1	7	—	—	—	—	—	—	—	—	—	—	1	2	2	1	1	1
Puerperal Fever ..	0·06	—	0·11	5	—	5	—	—	—	—	—	—	—	—	—	1	1	3	—	—	—	—
Childbirth	0·09	—	0·18	8	—	8	—	—	—	—	—	—	—	—	—	—	2	5	1	—	—	—
Violence	0·55	0·80	0·31	50	36	14	8	1	2	1	—	12	5	1	1	1	6	3	4	7	4	6
Other Causes ..	3·62	4·19	3·02	326	189	137	99	7	—	—	—	106	1	3	3	5	6	3	10	12	38	139

Marriages 542

Births .. { Males .. 1,151 / Females 1,053 } 2,204

Annual Rate per 1000 living { Persons Married .. 12·02 / Births .. .. .. 24·43 }

Annual Births to 1000 Females aged 15—45 years = 121.

Deaths from Childbirth and Puerperal Fever .. .. } 5·90 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

81.—THAKEHAM.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·29			*94	—	—	—	—	28·96	3·63	2·91	3·57	4·43	5·59	7·90	10·69	21·63	46·97	135·35
Annual Death-Rate per 1000. Males	—			12·81			*107	—	—	—	—	33·05	4·33	3·25	3·48	3·11	4·76	9·45	11·05	24·41	47·14	141·00
Annual Death-Rate per 1000. Females	—			11·80			*81	—	—	—	—	24·66	2·90	2·51	3·69	5·82	6·39	6·38	10·33	18·73	46·77	129·59
Mean Population, 1891-1900. Persons	—			7,710			179	181	170	198	180	908	910	860	700	564	984	873	739	578	396	198
Mean Population, 1891-1900. Males	—			3,973			92	93	93	99	89	466	462	461	402	289	483	434	371	295	210	100
Mean Population, 1891-1900. Females	—			3,737			87	88	77	99	91	442	448	399	298	275	501	439	368	283	186	98
Deaths from All Causes, 1891-1900. Persons	14·95			1,153			178	46	8	18	13	263	33	25	25	25	55	69	79	125	186	268
Deaths from All Causes, 1891-1900. Males	15·83			629			106	25	4	10	9	154	20	15	14	9	23	41	41	72	99	141
Deaths from All Causes, 1891-1900. Females	14·02			524			72	21	4	8	4	109	13	10	11	16	32	28	38	53	87	127
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·05	0·05	0·05	4	2	2	—	—	—	1	1	2	1	—	—	—	1	—	—	—	—	—
Scarlet Fever	0·01	—	0·03	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Diphtheria	0·43	0·50	0·35	33	20	13	1	1	—	3	6	11	12	7	2	—	—	—	—	1	—	—
Whooping-cough	0·30	0·30	0·29	23	12	11	15	7	1	—	—	23	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·16	0·20	0·11	12	8	4	—	—	—	—	—	—	1	2	5	—	2	1	—	1	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·23	0·25	0·21	18	10	8	6	3	—	1	—	10	—	—	—	—	—	—	—	—	3	5
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·80	0·60	1·02	62	24	38	—	—	—	—	—	—	—	—	—	—	1	5	11	8	19	18
Tabes Mesenterica	0·13	0·08	0·19	10	3	7	4	2	—	—	—	6	2	1	—	—	1	—	—	—	—	—
Phthisis	1·13	1·26	0·99	87	50	37	2	—	—	—	—	2	—	1	8	14	22	17	12	9	2	—
Other Tub. & Scrof. Dis.	0·51	0·60	0·40	39	24	15	3	8	1	2	2	16	4	5	1	3	3	2	2	—	1	2
Diseases of: Nervous System	1·65	1·91	1·37	127	76	51	14	3	1	1	—	19	1	3	1	1	2	11	8	20	28	33
Diseases of: Circulatory „	2·04	1·84	2·25	157	73	84	1	—	2	—	—	3	2	—	—	2	4	6	15	31	48	46
Diseases of: Respiratory „	2·32	2·79	1·82	179	111	68	38	11	1	3	3	56	4	3	1	—	3	6	4	18	29	55
Diseases of: Digestive „	1·05	1·06	1·04	81	42	39	14	5	—	3	1	23	—	—	3	—	—	1	10	13	15	16
Diseases of: Urinary „	0·44	0·63	0·24	34	25	9	—	—	—	—	—	—	1	—	—	1	1	3	4	5	12	7
Diseases of: Generative „	0·03	—	0·05	2	—	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—
Puerperal Fever	0·05	—	0·11	4	—	4	—	—	—	—	—	—	—	—	—	1	2	1	—	—	—	—
Childbirth	0·09	—	0·19	7	—	7	—	—	—	—	—	—	—	—	—	—	3	4	—	—	—	—
Violence	0·60	0·81	0·37	46	32	14	1	2	2	3	—	8	2	1	2	2	3	8	2	7	8	3
Other Causes	2·93	2·95	2·94	227	117	110	79	4	—	1	—	84	2	2	2	1	6	4	11	12	20	83

Marriages 468

Births .. { Males .. 992 / Females 892 } 1,884

Annual Rate per 1000 living { Persons Married .. 12·14 / Births .. .. .. 24·44

Annual Births to 1000 Females aged 15—45 years = 125.

Deaths from Childbirth and Puerperal Fever .. .. } 5·84 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

82.—EAST PRESTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 15·02			*117	—	—	—	—	40·71	5·32	3·29	4·04	5·14	6·76	8·98	14·17	22·18	51·13	138·80
Annual Death-Rate per 1000. Males ..	—			16·20			*126	—	—	—	—	42·98	4·95	2·45	4·33	5·85	8·68	11·02	16·76	26·99	56·65	153·18
Annual Death-Rate per 1000. Females	—			13·91			*109	—	—	—	—	38·43	5·71	4·12	3·81	4·69	5·40	7·48	12·30	18·72	46·92	129·24
Mean Population, 1891-1900. Persons	—			35,366			721	703	698	750	749	3621	3757	3860	3489	3152	5091	4189	3381	2493	1547	786
Mean Population, 1891-1900. Males ..	—			15,754			353	363	352	380	367	1815	1918	1920	1549	1231	2109	1770	1414	1045	669	314
Mean Population, 1891-1900. Females	—			19,612			368	340	346	370	382	1806	1839	1940	1940	1921	2982	2419	1967	1448	878	472
Deaths from All Causes, 1891-1900. Persons	16·22			5,738			958	247	119	71	79	1474	200	127	141	162	344	376	479	553	791	1091
Deaths from All Causes, 1891-1900. Males ..	17·89			2,818			521	125	60	28	46	780	95	47	67	72	183	195	237	282	379	481
Deaths from All Causes, 1891-1900. Females	14·89			2,920			437	122	59	43	33	694	105	80	74	90	161	181	242	271	412	610
	Persons.	Males.	Females.	Persons.	Males.	Persons.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·23	0·30	0·18	83	48	35	20	22	15	5	7	69	9	5	—	—	—	—	—	—	—	—
Scarlet Fever	0·05	0·05	0·06	19	8	11	3	1	1	2	4	11	4	2	—	1	1	—	—	—	—	—
Diphtheria	0·54	0·60	0·50	192	94	98	5	8	26	23	32	94	74	14	2	2	4	1	—	1	—	—
Whooping-cough ..	0·25	0·23	0·27	89	37	52	47	19	9	4	2	81	7	1	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·66	0·65	0·68	235	102	133	5	2	2	—	4	13	22	26	45	32	41	23	18	7	7	1
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·54	0·62	0·48	192	97	95	138	24	2	—	—	164	3	—	1	—	1	—	3	2	8	10
Cholera	0·01	0·01	0·01	4	2	2	1	1	—	1	—	3	—	—	—	—	—	1	—	—	—	—
Cancer	0·86	0·69	0·99	304	109	195	—	1	—	—	—	1	—	—	1	3	4	23	59	77	74	62
Tabes Mesenterica ..	0·14	0·15	0·13	48	23	25	10	16	1	1	1	29	3	2	4	2	4	2	1	1	—	—
Phthisis	1·34	1·59	1·14	475	251	224	4	4	1	—	2	11	6	22	38	44	128	112	71	30	11	2
Other Tub. & Scrof. Dis.	0·39	0·39	0·39	139	62	77	33	19	12	8	6	78	15	11	7	4	8	6	3	4	2	1
Diseases of Nervous System ..	1·62	1·73	1·53	572	272	300	91	15	7	8	4	125	8	11	4	6	15	29	39	69	124	142
Diseases of Circulatory „ ..	2·07	2·21	1·95	730	348	382	4	—	2	1	1	8	5	5	11	18	24	45	79	140	216	179
Diseases of Respiratory „ ..	2·03	2·35	1·77	718	370	348	119	66	25	11	9	230	21	7	2	7	19	34	44	71	119	164
Diseases of Digestive „ ..	1·10	1·31	0·93	389	206	183	89	19	1	1	1	111	9	7	6	7	20	19	49	50	63	48
Diseases of Urinary „ ..	0·41	0·60	0·25	144	95	49	2	1	—	—	—	3	1	—	—	5	7	16	20	22	34	36
Diseases of Generative „ ..	0·05	0·03	0·08	19	4	15	2	1	—	—	—	3	—	—	—	2	1	1	6	3	2	1
Puerperal Fever ..	0·03	—	0·06	11	—	11	—	—	—	—	—	—	—	—	1	1	7	2	—	—	—	—
Childbirth	0·07	—	0·12	24	—	24	—	—	—	—	—	—	—	—	—	4	12	8	—	—	—	—
Violence	0·54	0·91	0·24	191	143	48	17	4	6	2	2	31	5	2	11	11	22	24	35	22	10	18
OTHER CAUSES ..	3·29	3·47	3·13	1160	547	613	368	24	9	4	4	409	8	12	8	13	26	30	52	54	121	427

Marriages 2,241

Births .. { Males .. 4,150 / Females 4,005 } 8,155

Annual Rate per 1000 living { Persons Married .. 12·67 / Births .. .. .. 23·06 }

Annual Births to 1000 Females aged 15—45 years = 88.

Deaths from Childbirth and Puerperal Fever .. .. } 4·29 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

83.—WESTHAMPNETT.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 12·62	* 98	—	—	—	—	30·42	2·95	2·02	3·26	4·52	4·84	8·24	11·93	21·35	51·39	146·54
Annual Death-Rate per 1000. Males ..	—	13·48	*103	—	—	—	—	32·88	3·26	2·12	3·17	5·74	6·14	8·98	12·35	22·66	59·65	156·28
Annual Death-Rate per 1000. Females	—	11·81	* 92	—	—	—	—	27·85	2·63	1·91	3·35	3·62	3·78	7·52	11·56	20·22	44·55	139·14
Mean Population, 1891–1900. Persons	—	21,027	446	443	457	476	486	2308	2405	2380	1901	1592	2874	2476	2028	1522	1006	535
Mean Population, 1891–1900. Males ..	—	10,032	213	234	243	242	245	1177	1226	1228	947	680	1287	1147	947	706	456	231
Mean Population, 1891–1900. Females	—	10,995	233	209	214	234	241	1131	1179	1152	954	912	1587	1329	1081	816	550	304
Deaths from All Causes, 1891–1900. Persons	15·06	3,166	485	122	42	25	28	702	71	48	62	72	139	204	242	325	517	784
Deaths from All Causes, 1891–1900. Males ..	16·09	1,614	266	67	23	16	15	387	40	26	30	39	79	103	117	160	272	361
Deaths from All Causes, 1891–1900. Females	14·12	1,552	219	55	19	9	13	315	31	22	32	33	60	101	125	165	245	423

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.													
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·11	0·14	0·09	24	14	10	2	11	1	3	2	19	4	1	—	—	—	—	—	—
Scarlet Fever	0·04	0·05	0·03	8	5	3	—	1	1	—	2	4	2	—	1	1	—	—	—	—
Diphtheria	0·17	0·16	0·17	35	16	19	—	1	4	2	3	10	17	3	1	—	3	—	—	1	—	—
Whooping-cough ..	0·21	0·24	0·19	45	24	21	22	14	7	1	1	45	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·11	0·09	0·13	23	9	14	—	—	1	1	1	3	—	3	1	2	6	4	1	2	1	—
Simple Continued Fever	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Diarrhœa & Dysentery	0·30	0·39	0·22	63	39	24	39	4	—	—	1	44	1	1	—	—	—	—	—	3	3	11
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·99	0·78	1·19	209	78	131	—	—	—	—	—	—	—	—	1	—	1	18	30	49	69	41
Tabes Mesenterica ..	0·15	0·16	0·15	32	16	16	17	5	—	—	—	22	1	3	2	1	1	—	2	—	—	—
Phthisis	1·18	1·45	0·95	249	145	104	2	—	—	—	1	3	4	3	21	35	51	68	32	21	9	2
Other Tub. & Scrof. Dis.	0·22	0·26	0·18	46	26	20	9	4	2	1	4	20	7	7	4	2	1	1	—	2	2	—
Diseases of Nervous System ..	2·11	2·06	2·15	443	207	236	57	18	8	4	2	89	4	8	7	3	8	17	28	59	107	113
Diseases of Circulatory „ ..	1·73	1·90	1·57	363	191	172	4	1	2	—	—	7	5	4	4	4	12	19	36	62	104	106
Diseases of Respiratory „ ..	2·30	2·48	2·14	484	249	235	84	36	10	10	8	148	9	5	2	1	8	15	28	39	85	144
Diseases of Digestive „ ..	1·01	1·03	1·00	213	103	110	47	15	2	1	1	66	5	2	3	3	8	10	22	33	28	33
Diseases of Urinary „ ..	0·38	0·54	0·23	79	54	25	1	1	—	—	—	2	1	1	1	3	1	7	9	11	21	22
Diseases of Generative „ ..	0·06	0·01	0·10	12	1	11	—	—	—	—	—	—	—	—	1	2	—	2	3	1	2	1
Puerperal Fever ..	0·05	—	0·09	10	—	10	—	—	—	—	—	—	—	—	—	2	6	2	—	—	—	—
Childbirth	0·10	—	0·17	19	—	19	—	—	—	—	—	—	—	—	—	1	8	9	1	—	—	—
Violence	0·53	0·86	0·23	111	86	25	10	2	1	2	—	15	3	2	3	6	18	12	19	11	12	10
OTHER CAUSES ..	3·31	3·48	3·14	697	350	347	191	9	3	—	2	205	8	5	10	6	7	20	31	31	74	300

Marriages 1,369

Births .. { Males .. 2,583 / Females 2,372 } 4,955

Annual Rate per 1000 living { Persons Married .. 13·02 / Births .. .. .. 23·56

Annual Births to 1000 Females aged 15—45 years = 104.

Deaths from Childbirth and Puerperal Fever .. .. } 5·85 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

84.—CHICHESTER.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		16·91	*119	—	—	—	—	41·70	4·16	3·95	3·97	6·87	6·80	14·06	16·99	26·48	64·17	153·45
Annual Death-Rate per 1000. Males ..	—					18·27	*136	—	—	—	—	45·95	3·17	3·97	3·64	7·16	7·25	16·57	22·68	29·45	69·06	171·91
Annual Death-Rate per 1000. Females	—					15·64	*101	—	—	—	—	37·34	5·21	3·93	4·35	6·63	6·45	11·95	12·21	23·82	60·77	141·96
Mean Population, 1891–1900. Persons	—			9,782			172	203	190	201	210	976	985	988	1134	902	1339	1095	965	725	441	232
Mean Population, 1891–1900. Males ..	—			4,661			87	103	101	96	107	494	505	504	605	419	579	501	441	343	181	89
Mean Population, 1891–1900. Females	—			5,121			85	100	89	105	103	482	480	484	529	483	760	594	524	382	260	143
Deaths from All Causes, 1891–1900. Persons	18·75			1,834			268	73	26	26	14	407	41	39	45	62	91	154	164	192	283	356
Deaths from All Causes, 1891–1900. Males ..	19·72			919			158	38	15	11	5	227	16	20	22	30	42	83	100	101	125	153
Deaths from All Causes, 1891–1900. Females	17·87			915			110	35	11	15	9	180	25	19	23	32	49	71	64	91	158	203
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·29	0·28	0·29	28	13	15	10	9	3	1	1	24	3	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·03	0·04	0·02	3	2	1	—	1	1	—	1	3	—	—	—	—	—	—	—	—	—	—
Diphtheria	0·14	0·09	0·20	14	4	10	—	1	1	1	2	5	6	1	—	1	—	1	—	—	—	—
Whooping-cough ..	0·20	0·17	0·23	20	8	12	10	3	4	2	—	19	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·58	0·56	0·61	57	26	31	1	—	1	—	—	2	5	6	6	11	8	7	3	3	5	1
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·44	0·43	0·45	43	20	23	27	5	—	1	1	34	—	—	—	—	—	—	—	1	4	4
Cholera	0·01	0·02	—	1	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	1·18	0·88	1·45	115	41	74	—	1	—	—	—	1	1	—	—	1	4	13	18	20	31	26
Tabes Mesenterica ..	0·08	0·04	0·12	8	2	6	1	1	—	—	1	3	1	1	—	1	—	1	1	—	—	—
Phthisis	1·51	1·93	1·13	148	90	58	1	—	—	—	—	1	2	5	9	19	25	39	31	15	2	—
Other Tub. & Scrof. Dis.	0·36	0·26	0·45	35	12	23	2	4	2	1	1	10	4	8	1	5	1	3	3	—	—	—
Diseases of Nervous System ..	2·82	3·11	2·56	276	145	131	35	10	4	4	1	54	—	4	8	5	14	24	21	30	48	68
Diseases of Circulatory „ ..	1·91	2·08	1·76	187	97	90	1	—	—	—	—	1	1	1	2	2	5	13	24	44	52	42
Diseases of Respiratory „ ..	2·78	2·81	2·75	272	131	141	59	24	6	7	5	101	4	1	3	2	6	13	8	23	49	62
Diseases of Digestive „ ..	1·54	1·52	1·56	151	71	80	27	6	1	4	1	39	4	2	7	4	7	9	16	16	26	21
Diseases of Urinary „ ..	0·61	0·90	0·35	60	42	18	2	—	—	—	—	2	—	2	2	—	—	7	4	16	17	19
Diseases of Generative „ ..	0·11	0·02	0·20	11	1	10	—	—	—	—	—	—	—	—	—	—	2	1	4	1	2	1
Puerperal Fever ..	0·04	—	0·08	4	—	4	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—
Childbirth	0·06	—	0·12	6	—	6	—	—	—	—	—	—	—	—	—	1	4	1	—	—	—	—
Violence	0·77	1·16	0·41	75	54	21	8	1	2	4	—	15	7	3	4	3	5	9	13	4	8	4
Other Causes ..	3·29	3·42	3·13	320	159	161	83	7	1	1	—	92	2	4	3	7	8	11	18	19	39	117

Marriages 640

Births .. Males .. 1,166; Females 1,086 — 2,252

Annual Rate per 1000 living: Persons Married .. 13·09; Births .. .. .. 23·02

Annual Births to 1000 Females aged 15—45 years = 95.

Deaths from Childbirth and Puerperal Fever .. .. 4·44 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

85.—MIDHURST.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		12·37	* 95	—	—	—	—	30·11	2·94	2·32	3·56	5·14	5·38	5·47	10·11	22·57	51·01	147·04
Annual Death-Rate per 1000. Males ..	—					12·59	*112	—	—	—	—	33·87	2·98	2·55	2·04	4·51	6·58	6·52	10·14	22·44	51·72	145·51
Annual Death-Rate per 1000. Females	—					12·16	* 77	—	—	—	—	26·19	2·89	2·09	5·36	5·76	4·30	4·49	10·07	22·71	50·29	148·70
Mean Population, 1891–1900. Persons	—			13,955			307	317	324	336	310	1594	1635	1597	1264	1070	1895	1553	1326	1010	690	321
Mean Population, 1891–1900. Males ..	—			6,979			146	161	173	171	164	815	840	785	686	532	896	751	651	508	348	167
Mean Population, 1891–1900. Females	—			6,976			161	156	151	165	146	779	795	812	578	538	999	802	675	502	342	154
Deaths from All Causes, 1891–1900. Persons	14·60			2,038			329	81	33	17	20	480	48	37	45	55	102	85	134	228	352	472
Deaths from All Causes, 1891–1900. Males ..	15·33			1,070			201	41	13	11	10	276	25	20	14	24	59	49	66	114	180	243
Deaths from All Causes, 1891–1900. Females	13·88			968			128	40	20	6	10	204	23	17	31	31	43	36	68	114	172	229
	Persons.	Males.	Females.	Persons.	Males.	Females	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·09	0·06	0·13	13	4	9	5	2	1	—	2	10	1	1	—	1	—	—	—	—	—	—
Scarlet Fever	0·01	—	0·03	2	—	2	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—
Diphtheria	0·31	0·29	0·33	43	20	23	1	2	3	3	7	16	16	7	1	—	1	1	1	—	—	—
Whooping-cough ..	0·26	0·29	0·23	36	20	16	20	8	3	2	2	35	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·14	0·14	0·13	19	10	9	—	—	—	1	—	1	—	3	2	1	6	3	1	1	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·20	0·26	0·14	28	18	10	12	4	2	—	—	18	—	—	—	—	1	—	1	2	2	4
Cholera	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Cancer	0·73	0·63	0·83	102	44	58	—	—	—	—	—	—	—	—	—	1	—	4	19	27	28	23
Tabes Mesenterica ..	0·09	0·09	0·09	12	6	6	6	2	—	—	—	8	—	—	1	1	—	—	2	—	—	—
Phthisis	1·05	1·10	1·00	147	77	70	1	—	2	—	—	3	—	2	17	22	38	22	16	17	6	4
Other Tub. & Scrof. Dis.	0·30	0·23	0·37	42	16	26	6	1	2	1	2	12	3	2	4	9	4	3	3	1	—	1
Diseases of Nervous System ..	1·53	1·55	1·52	214	108	106	32	5	1	1	1	40	5	3	5	2	4	8	14	33	50	50
Diseases of Circulatory " ..	1·76	1·70	1·81	245	119	126	1	2	1	—	—	4	2	3	5	1	11	4	19	49	94	53
Diseases of Respiratory " ..	2·11	2·33	1·88	294	163	131	50	29	11	6	1	97	5	3	1	—	9	9	19	38	58	55
Diseases of Digestive " ..	0·85	0·86	0·85	119	60	59	29	15	3	—	2	49	5	2	2	2	7	2	10	12	18	10
Diseases of Urinary " ..	0·32	0·42	0·23	45	29	16	—	—	—	—	—	—	1	1	—	2	3	5	4	6	15	8
Diseases of Generative " ..	0·04	—	0·09	6	—	6	—	—	—	—	—	—	—	—	—	—	—	1	2	2	1	—
Puerperal Fever ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	0·08	—	0·16	11	—	11	—	—	—	—	—	—	—	—	1	2	4	3	1	—	—	—
Violence	0·54	0·79	0·29	75	55	20	9	3	3	2	1	18	7	4	1	2	3	12	3	11	9	5
Other Causes ..	4·18	4·58	3·77	584	320	264	157	8	1	1	2	169	2	6	3	9	11	8	19	28	70	259

Marriages 894

Births .. Males .. 1,793 / Females 1,653 } 3,446

Annual Rate per 1000 living { Persons Married .. 12·81 / Births .. .. .. 24·69

Annual Births to 1000 Females aged 15—45 years = 118.

Deaths from Childbirth and Puerperal Fever .. .. } 3·19 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

86.—WESTBOURNE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Popuation.		12·30	*100	—	—	—	—	31·31	4·98	2·29	3·03	6·38	4·17	6·09	8·72	23·05	45·74	137·97
Annual Death-Rate per 1000. Males	—					12·94	*115	—	—	—	—	36·79	5·96	1·98	2·98	6·67	3·94	7·40	9·37	23·94	44·97	137·78
Annual Death-Rate per 1000. Females	—					11·69	* 84	—	—	—	—	26·01	3·92	2·63	3·10	6·12	4·39	4·84	8·12	22·18	46·63	138·14
Mean Population, 1891-1900. Persons	—			6,962			162	159	159	181	163	824	844	785	594	470	888	805	688	525	352	187
Mean Population, 1891-1900. Males	—			3,500			82	78	70	94	81	405	436	405	336	225	432	392	331	259	189	90
Mean Population, 1891-1900. Females	—			3,462			80	81	89	87	82	419	408	380	258	245	456	413	357	266	163	97
Deaths from All Causes, 1891-1900. Persons	15 11			1,052			181	36	19	12	10	258	42	18	18	30	37	49	60	121	161	258
Deaths from All Causes, 1891-1900. Males	15·89			556			108	19	11	8	3	149	26	8	10	15	17	29	31	62	85	124
Deaths from All Causes, 1891-1900. Females	14·33			496			73	17	8	4	7	109	16	10	8	15	20	29	29	59	76	134
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·13	0·14	0·12	9	5	4	1	2	1	—	—	4	5	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·09	0·06	0·12	6	2	4	2	—	1	—	—	3	1	1	—	1	—	—	—	—	—	—
Diphtheria	0·58	0·63	0·52	40	22	18	1	5	2	2	4	14	20	4	1	—	—	—	—	1	—	—
Whooping-cough	0·24	0·23	0·26	17	8	9	12	2	1	—	1	16	—	1	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·07	0·03	0·12	5	1	4	—	—	—	—	1	1	—	1	2	—	—	—	1	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·42	0·46	0·38	29	16	13	19	1	1	—	1	22	—	—	—	—	—	—	1	1	1	4
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·75	0·51	0·98	52	18	34	—	—	—	—	—	—	—	1	—	—	—	3	7	15	17	9
Tabes Mesenterica	0·04	0·03	0·06	3	1	2	—	—	—	—	1	1	2	—	—	—	—	—	—	—	—	—
Phthisis	1·09	1·26	0·92	76	44	32	—	—	—	2	—	2	1	—	4	17	10	17	9	11	5	—
Other Tub. & Scrof. Dis.	0·33	0·37	0·29	23	13	10	6	6	1	2	1	16	3	1	1	1	—	—	1	—	—	—
Diseases of Nervous System	1·68	1·37	1·99	117	48	69	21	4	3	—	1	29	3	4	3	2	—	1	6	21	21	27
Diseases of Circulatory	1·53	1·66	1·39	106	58	48	2	—	—	—	—	2	1	2	1	1	3	8	7	25	29	27
Diseases of Respiratory	2·81	3·00	2·60	195	105	90	19	10	6	2	—	37	1	1	1	1	3	3	7	17	32	92
Diseases of Digestive	0·83	1·11	0·55	58	39	19	19	2	—	1	—	22	1	2	1	—	2	3	8	2	9	8
Diseases of Urinary	0·53	0·57	0·49	37	20	17	—	1	—	—	—	1	—	—	2	—	—	1	2	7	7	17
Diseases of Generative	0·04	—	0·09	3	—	3	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—	—
Puerperal Fever	0·06	—	0·12	4	—	4	—	—	—	—	—	—	—	—	—	1	3	—	—	—	—	—
Childbirth	0·09	—	0·17	6	—	6	—	—	—	—	—	—	—	—	—	—	3	3	—	—	—	—
Violence	0·45	0·83	0·06	31	29	2	4	—	1	—	—	5	2	—	1	4	8	5	2	1		3
Other Causes	3·35	3·63	3·10	235	127	108	75	3	2	3	—	83	2	—	1	2	9	4	9	18	36	71

Marriages 467

Births .. { Males .. 941, Females 865 } 1,806

Annual Rate per 1000 living { Persons Married .. 13·42; Births .. .. .. 25·94 }

Annual Births to 1000 Females aged 15—45 years = 132.

Deaths from Childbirth and Puerperal Fever .. .. } 5·54 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

87.—HAVANT.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·31			* 90	—	—	—	—	28·61	2·66	1·57	3·22	4·43	5·90	7·07	14·10	23·98	47·40	129·00
Annual Death-Rate per 1000. Males ..	—			12·78			*102	—	—	—	—	31·63	3·32	2·38	3·59	4·40	7·22	6·83	14·04	25·28	48·94	123·30
Annual Death-Rate per 1000. Females	—			11·88			* 77	—	—	—	—	25·47	2·03	0·68	2·90	4·45	4·91	7·26	14·15	22·77	45·93	133·59
Mean Population, 1891–1900. Persons	—			10,465			221	230	241	243	257	1192	1164	1214	963	835	1423	1231	993	738	481	231
Mean Population, 1891–1900. Males ..	—			4,926			109	105	126	125	142	607	573	630	446	341	609	556	470	356	235	103
Mean Population, 1891–1900. Females	—			5,539			112	125	115	118	115	585	591	584	517	494	814	675	523	382	246	128
Deaths from All Causes, 1891–1900. Persons	14·08			1,473			236	56	20	19	10	341	31	19	31	37	84	87	140	177	228	298
Deaths from All Causes, 1891–1900. Males ..	14·96			737			138	26	10	11	7	192	19	15	16	15	44	38	66	90	115	127
Deaths from All Causes, 1891–1900. Females	13·29			736			98	30	10	8	3	149	12	4	15	22	40	49	74	87	113	171
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·13	0·16	0·11	14	8	6	6	2	2	1	1	12	1	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·05	0·04	0·05	5	2	3	1	1	—	—	—	2	2	—	—	—	1	—	—	—	—	—
Diphtheria	0·23	0·26	0·20	24	13	11	—	1	4	4	4	13	6	3	—	—	1	—	—	1	—	—
Whooping-cough	0·28	0·28	0·27	29	14	15	13	10	3	2	—	28	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·19	0·04	0·33	20	2	18	—	—	—	1	—	1	2	—	5	3	4	2	1	2	—	—
Simple Continued Fever	0·03	0·04	0·02	3	2	1	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	1
Diarrhœa & Dysentery	0·37	0·43	0·33	39	21	18	26	3	—	1	—	30	—	—	—	—	—	—	1	3	—	5
Cholera	0·01	0·02	—	1	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	1·12	1·06	1·17	117	52	65	—	—	—	—	—	—	—	—	1	—	1	8	25	32	31	19
Tabes Mesenterica	0·08	0·10	0·05	8	5	3	5	—	1	—	—	6	1	—	—	—	—	—	—	1	—	—
Phthisis	1·21	1·38	1·07	127	68	59	—	—	1	—	—	1	1	2	6	14	37	25	20	14	6	1
Other Tub. & Scrof. Dis.	0·24	0·35	0·14	25	17	8	4	6	1	1	1	13	5	1	1	2	2	1	—	—	—	—
Diseases of Nervous System	1·40	1·36	1·43	146	67	79	21	7	—	—	—	28	4	—	4	1	2	5	5	26	41	30
Diseases of Circulatory „	1·68	1·67	1·70	176	82	94	2	—	—	—	—	2	—	1	2	4	9	10	18	35	45	50
Diseases of Respiratory „	2·39	2·19	2·56	250	108	142	44	17	4	6	2	73	3	1	—	—	4	7	15	21	45	81
Diseases of Digestive „	0·82	0·91	0·74	86	45	41	12	5	1	1	1	20	2	—	6	2	2	3	9	7	18	17
Diseases of Urinary „	0·65	0·69	0·61	68	34	34	—	—	—	—	—	—	—	1	—	—	2	7	15	11	13	19
Diseases of Generative „	0·04	0·04	0·04	4	2	2	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	2
Puerperal Fever	0·07	—	0·13	7	—	7	—	—	—	—	—	—	—	—	1	2	1	3	—	—	—	—
Childbirth	0·01	—	0·02	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Violence	0·64	1·02	0·31	67	50	17	7	2	2	1	1	13	2	2	—	6	10	3	18	6	5	2
OTHER CAUSES	2·44	2·92	2·01	256	144	112	94	2	1	1	—	98	1	7	5	3	8	10	11	18	24	71

Marriages 617

Births .. { Males .. 1,349 / Females 1,281 } 2,630

Annual Rate per 1000 living { Persons Married .. 11·79 / Births .. .. .. 25·13

Annual Births to 1000 Females aged 15—45 years = 105.

Deaths from Childbirth and Puerperal Fever .. .. } 3·04 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

88.—PORTSMOUTH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 18·28			*159	—	—	—	—	58·38	4·69	2·82	3·74	4·76	6·51	11·15	16·70	29·28	62·78	154·55
Annual Death-Rate per 1000. Males	—			19·12			*171	—	—	—	—	62·83	4·37	2·43	3·30	4·59	6·75	12·23	18·40	32·83	67·98	162·91
Annual Death-Rate per 1000. Females	—			17·49			*147	—	—	—	—	53·97	5·02	3·19	4·19	4·92	6·29	10·20	15·15	26·20	58·82	149·25
Mean Population, 1891-1900. Persons	—			172,409			4195	3875	3950	3929	3802	19751	18467	17354	17210	17238	28335	20802	15144	10019	5801	2288
Mean Population, 1891-1900. Males	—			83,159			2086	1942	1984	1945	1886	9843	9283	8481	8776	8451	13344	9713	7216	4657	2508	887
Mean Population, 1891-1900. Females	—			89,250			2109	1933	1966	1984	1916	9908	9184	8873	8434	8787	14991	11089	7928	5362	3293	1401
Deaths from All Causes, 1891-1900. Persons	18·07			31,154			7744	2003	772	579	433	11531	867	489	643	820	1844	2319	2529	2934	3642	3536
Deaths from All Causes, 1891-1900. Males	18·72			15,570			4232	1048	422	270	212	6184	406	206	290	388	901	1188	1328	1529	1705	1445
Deaths from All Causes, 1891-1900. Females	17·46			15,584			3512	955	350	309	221	5347	461	283	353	432	943	1131	1201	1405	1937	2091
	Persons.	Males.	Females.	Persons.	Males.	Females	Persons.															
Small-pox	0·00	0·00	—	4	4	—	1	1	—	—	—	2	—	—	—	2	—	—	—	—	—	—
Measles	0·49	0·54	0·45	851	446	405	146	355	124	98	67	790	54	2	1	2	—	1	1	—	—	—
Scarlet Fever	0·10	0·12	0·09	178	96	82	7	15	28	32	21	103	48	11	2	3	9	2	—	—	—	—
Diphtheria	0·27	0·26	0·28	467	214	253	11	44	69	81	65	270	163	18	6	1	3	3	2	1	—	—
Whooping-cough	0·34	0·32	0·36	588	268	320	264	175	70	43	19	571	16	—	—	—	—	—	—	—	1	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·27	0·24	0·30	460	196	264	5	9	10	22	19	65	62	65	55	50	70	53	25	11	3	1
Simple Continued Fever	0·01	0·02	0·01	19	13	6	—	—	3	1	1	5	2	3	—	1	2	4	—	2	—	—
Diarrhœa & Dysentery	0·97	1·03	0·90	1665	859	806	1304	155	27	10	3	1499	5	—	1	3	18	12	18	21	40	48
Cholera	0·05	0·06	0·05	90	48	42	70	8	2	—	—	80	—	—	1	—	1	3	1	2	—	2
Cancer	0·74	0·56	0·91	1276	464	812	—	—	3	2	1	6	2	2	3	9	37	138	290	333	319	137
Tabes Mesenterica	0·29	0·32	0·26	498	263	235	303	76	20	14	2	415	24	17	6	10	8	8	7	3	—	—
Phthisis	1·56	1·69	1·43	2689	1408	1281	20	17	7	13	11	68	45	82	203	331	681	603	393	217	56	10
Other Tub. & Scrof. Dis.	0·40	0·44	0·37	693	363	330	191	102	51	31	35	410	83	50	39	31	27	24	12	11	4	2
Diseases of Nervous System	2·02	2·21	1·85	3489	1839	1650	978	159	69	44	35	1285	84	59	47	36	105	248	329	421	497	378
Diseases of Circulatory "	1·60	1·58	1·61	2753	1316	1437	24	9	—	5	6	44	33	38	67	64	195	290	410	592	650	370
Diseases of Respiratory "	2·89	2·96	2·82	4980	2465	2515	1184	644	201	111	92	2232	111	31	28	38	153	238	316	493	710	630
Diseases of Digestive "	1·09	1·10	1·07	1873	915	958	666	100	30	20	13	829	31	29	34	37	86	134	195	218	177	103
Diseases of Urinary "	0·53	0·70	0·38	920	578	342	9	7	2	3	3	24	8	6	12	12	60	138	155	178	205	122
Diseases of Generative "	0·05	0·00	0·09	83	4	79	1	1	1	—	—	3	—	—	1	9	13	14	15	11	15	2
Puerperal Fever	0·07	—	0·13	117	—	117	—	—	—	—	—	—	—	—	3	29	53	32	—	—	—	—
Childbirth	0·06	—	0·11	102	—	102	—	—	—	—	—	—	—	—	4	24	50	23	1	—	—	—
Violence	0·62	0·86	0·40	1073	713	360	195	33	23	26	18	295	47	31	49	55	102	120	116	94	81	83
OTHER CAUSES	3·65	3·71	3·59	6286	3098	3188	2365	93	32	23	22	2535	49	45	81	73	171	231	243	326	884	1648

Marriages 15,539

Births .. { Males .. 24,757 / Females 23,846 } 48,603

Annual Rate per 1000 living { Persons Married .. 18·03 / Births .. .. .. 28·19 }

Annual Births to 1000 Females aged 15—45 years = 112.

Deaths from Childbirth and Puerperal Fever .. .. } 4·51 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

89.—ALVERSTOKE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 19·00			*151	—	—	—	—	51·78	3·75	2·56	6·25	8·78	10·53	12·98	17·54	34·04	64·29	158·76
Males	—			22·42			*165	—	—	—	—	58·32	3·82	2·14	7·38	11·78	15·32	17·29	21·54	40·85	69·39	179·04
Females	—			15·80			*136	—	—	—	—	45·34	3·69	2·96	4·30	3·98	5·29	8·60	13·53	27·73	59·87	143·44
Mean Population, 1891–1900. Persons	—			27,015			700	647	654	671	648	3320	3063	2660	2911	2871	4396	3113	2675	1375	843	388
Males	—			14,230			339	339	316	325	327	1646	1544	1309	1842	1765	2297	1567	1040	661	392	167
Females	—			12,785			361	308	338	346	321	1674	1519	1351	1069	1106	2099	1546	1035	714	451	221
Deaths from All Causes, 1891–1900. Persons	19·22			5,193			1192	310	92	67	58	1719	115	68	182	252	463	404	364	468	542	616
Males	21·64			3,079			671	171	51	31	36	960	59	28	136	208	352	271	224	270	272	299
Females	16·54			2,114			521	139	41	36	22	759	56	40	46	44	111	133	140	198	270	317
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·41	0·46	0·35	110	65	45	26	36	15	10	10	97	10	1	1	—	1	—	—	—	—	—
Scarlet Fever	0·10	0·13	0·08	28	18	10	1	2	3	4	9	19	3	—	3	2	1	—	—	—	—	—
Diphtheria	0·23	0·23	0·22	61	33	28	3	6	10	6	5	30	24	2	3	—	1	—	1	—	—	—
Whooping-cough	0·30	0·29	0·32	82	41	41	39	26	4	6	1	76	5	—	—	—	1	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·46	0·57	0·34	124	81	43	—	—	1	2	2	5	12	8	24	28	32	12	1	1	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·76	0·79	0·75	206	112	94	155	33	1	—	—	189	1	—	—	1	3	2	—	2	4	4
Cholera	0·01	0·01	0·01	2	1	1	1	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Cancer	0·80	0·75	0·86	217	107	110	1	—	—	—	—	1	—	1	—	6	7	19	43	61	55	24
Tabes Mesenterica	0·37	0·39	0·34	99	55	44	70	14	4	2	2	92	1	1	2	—	1	1	—	1	—	—
Phthisis	1·71	2·32	1·03	462	330	132	6	4	1	1	—	12	6	12	46	72	142	97	47	21	7	—
Other Tub. & Scrof. Dis.	0·49	0·63	0·34	132	89	43	25	21	8	5	3	62	4	6	14	19	14	7	4	—	2	—
Diseases of: Nervous System	2·28	2·59	1·94	617	369	248	164	27	10	4	6	211	12	5	20	16	27	37	47	75	93	74
Circulatory	1·89	2·12	1·63	510	301	209	6	—	2	1	2	11	5	8	16	14	37	51	66	102	118	82
Respiratory	3·22	3·67	2·72	871	523	348	268	98	23	14	12	355	12	8	16	30	56	57	54	83	99	101
Digestive	1·31	1·27	1·35	354	181	173	125	25	6	3	2	161	6	5	8	6	28	24	25	41	31	24
Urinary	0·59	0·76	0·40	159	108	51	—	—	—	—	—	—	3	3	—	6	24	23	22	19	38	21
Generative	0·03	—	0·06	8	—	8	—	—	—	—	—	—	—	—	—	1	2	2	4	1	1	—
Puerperal Fever	0·03	—	0·07	9	—	9	—	—	—	—	—	—	—	—	—	2	7	—	—	—	—	—
Childbirth	0·06	—	0·12	15	—	15	—	—	—	—	—	—	—	—	—	1	5	8	1	—	—	—
Violence	0·54	0·78	0·28	147	111	36	19	6	3	4	3	35	7	3	5	15	23	22	14	11	8	4
OTHER CAUSES	3·63	3·88	3·33	980	554	426	343	11	1	5	1	361	4	5	24	33	56	42	38	50	85	282

Marriages 1,956

Births .. { Males .. 4,070 / Females 3,845 } 7,915

Annual Rate per 1000 living { Persons Married .. 14·48 / Births .. .. .. 29·30

Annual Births to 1000 Females aged 15—45 years = 136.

Deaths from Childbirth and Puerperal Fever .. .. } 3·03 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

90.—FAREHAM.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		16·11	* 98	—	—	—	—	32·02	3·52	1·60	3·90	5·50	8·58	14·19	19·00	32·75	61·49	162·28
Annual Death-Rate per 1000. Males ..	—					16·89	*104	—	—	—	—	35·75	3·26	0·86	3·38	5·85	8·32	16·56	23·16	34·23	66·09	168·32
Annual Death-Rate per 1000. Females	—					15·37	* 92	—	—	—	—	28·42	3·78	2·42	4·51	5·10	8·82	11·98	15·15	31·42	57·31	157·32
Mean Population, 1891–1900. Persons	—			20,027			424	431	448	440	446	2189	2158	2193	1899	1783	2845	2284	1842	1420	966	448
Mean Population, 1891–1900. Males ..	—			9,984			201	204	236	216	220	1077	1073	1161	1035	940	1383	1099	885	669	460	202
Mean Population, 1891–1900. Females	—			10,043			223	227	212	224	226	1112	1085	1032	864	843	1462	1185	957	751	506	246
Deaths from All Causes, 1891–1900. Persons	18·42			3,688			483	107	41	40	30	701	76	35	74	98	244	324	350	465	594	727
Deaths from All Causes, 1891–1900. Males ..	18·98			1,895			263	54	26	26	16	385	35	10	35	55	115	182	205	229	304	340
Deaths from All Causes, 1891–1900. Females	17·85			1,793			220	53	15	14	14	316	41	25	39	43	129	142	145	236	290	387
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·19	0·16	0·23	39	16	23	8	16	4	4	1	33	4	1	—	—	—	—	1	—	—	—
Scarlet Fever	0·06	0·06	0·07	13	6	7	2	1	2	1	2	8	3	—	—	1	—	1	—	—	—	—
Diphtheria	0·18	0·14	0·23	37	14	23	—	2	3	5	5	15	16	4	1	—	1	—	—	—	—	—
Whooping-cough ..	0·18	0·17	0·20	37	17	20	21	9	1	3	1	35	2	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·19	0·19	0·19	38	19	19	—	1	—	—	—	1	2	3	9	5	7	5	4	—	2	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·25	0·22	0·29	51	22	29	34	5	1	—	—	40	—	—	—	—	2	2	1	1	1	4
Cholera	0·00	0·01	—	1	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Cancer	1·00	0·74	1·26	201	74	127	—	—	—	—	—	—	2	—	1	1	7	16	31	49	66	28
Tabes Mesenterica ..	0·16	0·17	0·16	33	17	16	16	7	1	—	—	24	2	—	—	2	2	2	1	—	—	—
Phthisis	1·63	1·58	1·67	326	158	168	—	—	—	—	—	—	1	7	18	39	87	69	51	37	15	2
Other Tub. & Scrof. Dis.	0·33	0·33	0·33	66	33	33	11	4	8	4	3	30	7	10	3	1	7	3	1	3	1	—
Diseases of: Nervous System ..	3·53	3·90	3·14	704	389	315	68	19	6	10	6	109	10	1	16	10	52	102	101	121	105	77
Diseases of: Circulatory " ..	2·38	2·38	2·36	475	238	237	2	1	—	—	—	3	6	1	2	3	14	43	70	91	144	98
Diseases of: Respiratory " ..	2·16	2·30	1·99	430	230	200	67	31	6	9	9	122	11	1	5	4	18	20	31	52	86	80
Diseases of: Digestive " ..	0·73	0·77	0·69	146	77	69	31	4	2	—	—	37	3	1	4	7	6	6	18	28	28	8
Diseases of: Urinary " ..	0·55	0·68	0·41	109	68	41	—	—	—	—	—	—	1	—	1	2	9	12	12	35	17	20
Diseases of: Generative " ..	0·04	—	0·09	9	—	9	—	—	—	—	—	—	—	—	1	1	1	3	1	1	—	1
Puerperal Fever ..	0·03	—	0·07	7	—	7	—	—	—	—	—	—	—	—	—	1	5	1	—	—	—	—
Childbirth..	0·04	—	0·09	9	—	9	—	—	—	—	—	—	—	—	—	1	2	6	—	—	—	—
Violence	0·64	1·00	0·28	128	100	28	17	3	5	1	1	27	3	3	8	14	10	17	15	16	8	7
OTHER CAUSES ..	4·15	4·18	4·10	829	416	413	206	4	2	3	1	216	3	3	5	6	14	16	12	31	121	402

Marriages 1,209

Births .. { Males .. 2,533 / Females 2,404 } 4,937

Annual Rate per 1000 living { Persons Married .. 12·07 / Births .. .. .. 24·65 }

Annual Births to 1000 Females aged 15—45 years = 113.

Deaths from Childbirth and Puerperal Fever .. .. } 3·24 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

91.—ISLE OF WIGHT.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.	13·84		*100	—	—	—	—	32·25	3·28	2·30	4·60	6·10	6·96	9·54	13·05	22·76	50·85	140·86
Annual Death-Rate per 1000. Males	—				15·40		*116	—	—	—	—	36·49	3·45	2·07	4·75	8·15	9·39	12·46	15·67	25·36	54·03	148·11
Annual Death-Rate per 1000. Females	—				12·36		* 83	—	—	—	—	28·08	3·12	2·53	4·47	4·64	5·10	7·15	10·89	20·60	48·21	134·97
Mean Population, 1891–1900. Persons	—			80,379			1604	1586	1650	1640	1733	8213	8250	8209	7786	7128	12040	9786	7867	5860	3583	1657
Mean Population, 1891–1900. Males	—			37,084			810	773	826	798	868	4075	4089	4099	3621	2970	5220	4413	3562	2666	1627	742
Mean Population, 1891–1900. Females	—			43,295			794	813	824	842	865	4138	4161	4110	4165	4158	6820	5373	4305	3194	1956	915
Deaths from All Causes, 1891–1900. Persons	15·17			12,191			1834	422	174	121	98	2649	271	189	358	435	838	934	1027	1334	1822	2334
Deaths from All Causes, 1891–1900. Males	17·20			6,379			1082	202	85	66	52	1487	141	85	172	242	490	550	558	676	879	1099
Deaths from All Causes, 1891–1900. Females	13·42			5,812			752	220	89	55	46	1162	130	104	186	193	348	384	469	658	943	1235
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·17	0·19	0·15	139	72	67	29	47	17	10	8	111	20	2	—	1	—	3	1	1	—	—
Scarlet Fever	0·04	0·05	0·03	30	17	13	3	2	7	3	4	19	7	2	1	—	—	1	—	—	—	—
Diphtheria	0·18	0·19	0·18	148	70	78	3	7	10	21	22	63	56	16	7	1	3	2	—	—	—	—
Whooping-cough	0·21	0·19	0·22	166	71	95	84	49	19	4	7	163	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·20	0·25	0·16	159	91	68	—	—	1	1	—	2	20	22	27	22	32	17	9	6	2	—
Simple Continued Fever	0·01	0·01	0·01	9	3	6	—	—	1	—	—	1	2	—	—	3	1	—	—	1	1	—
Diarrhœa & Dysentery	0·31	0·36	0·27	253	134	119	156	22	3	3	3	187	2	2	1	—	1	11	2	5	19	23
Cholera	0·01	0·01	0·00	5	4	1	3	—	—	—	—	3	—	—	—	—	—	1	—	—	—	1
Cancer	0·83	0·60	1·03	668	224	444	—	—	3	—	—	3	1	4	2	2	15	53	116	179	194	99
Tabes Mesenterica	0·10	0·13	0·08	82	47	35	31	11	3	2	—	47	6	5	3	9	3	5	3	1	—	—
Phthisis	1·87	2·48	1·34	1500	920	580	4	5	2	—	4	15	11	25	151	232	417	330	186	87	33	13
Other Tub. & Scrof. Dis.	0·32	0·36	0·28	255	135	120	52	34	10	12	6	114	19	30	10	16	18	23	12	6	5	2
Diseases of Nervous System	1·79	2·02	1·59	1436	749	687	269	47	19	13	9	357	25	8	22	16	42	67	129	197	294	279
Diseases of Circulatory	1·66	1·83	1·51	1332	677	655	10	4	3	—	2	19	9	15	16	14	59	89	163	289	389	270
Diseases of Respiratory	2·06	2·27	1·88	1655	842	813	289	122	50	37	27	525	42	11	13	21	44	50	93	160	306	390
Diseases of Digestive	0·90	0·99	0·83	727	367	360	107	26	7	4	3	147	15	11	22	16	28	77	89	124	117	81
Diseases of Urinary	0·41	0·60	0·26	333	222	111	1	—	—	—	1	2	—	6	4	12	24	24	48	63	80	70
Diseases of Generative	0·04	0·01	0·07	34	4	30	—	—	—	—	—	—	—	—	2	2	1	7	4	8	7	3
Puerperal Fever	0·03	—	0·06	24	—	24	—	—	—	—	—	—	—	—	1	3	12	8	—	—	—	—
Childbirth	0·06	—	0·12	51	—	51	—	—	—	—	—	—	—	—	4	8	20	15	4	—	—	—
Violence	0·48	0·80	0·20	382	295	87	25	10	8	6	1	50	13	10	31	29	43	66	53	32	35	20
OTHER CAUSES	3·49	3·86	3·15	2803	1435	1368	768	36	11	5	1	821	20	20	41	28	75	85	115	175	340	1083

Marriages 5,331

Births .. { Males .. 9,335 / Females 9,061 } 18,396

Annual Rate per 1000 living { Persons Married .. 13·26 / Births .. .. .. 22·89

Annual Births to 1000 Females aged 15—45 years = 90.

Deaths from Childbirth and Puerperal Fever .. .. } 4·08 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

92.—LYMINGTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.	12·43		* 98	—	—	—	—	30·53	4·16	1·83	2·64	4·51	4·69	6·65	11·51	21·70	51·88	143·04
Annual Death-Rate per 1000. Males	—				13·59		*113	—	—	—	—	34·17	4·75	1·94	2·58	5·60	5·45	7·39	14·93	25·94	56·41	143·38
Annual Death-Rate per 1000. Females	—				11·35		* 83	—	—	—	—	26·68	3·58	1·71	2·70	3·57	4·07	5·99	8·63	18·29	47·88	142·77
Mean Population. 1891-1900. Persons	—			13,703			305	278	315	295	281	1474	1491	1534	1249	1152	1960	1595	1260	1014	665	309
Mean Population. 1891-1900. Males	—			6,524			159	143	152	154	150	758	737	774	620	536	880	744	576	451	312	136
Mean Population. 1891-1900. Females	—			7,179			146	135	163	141	131	716	754	760	629	616	1080	851	684	563	353	173
Deaths from All Causes, 1891-1900. Persons	14·41			1,975			318	70	24	20	18	450	62	28	33	52	92	106	145	220	345	442
Deaths from All Causes, 1891-1900. Males	15·82			1,032			186	37	13	13	10	259	35	15	16	30	48	55	86	117	176	195
Deaths from All Causes, 1891-1900. Females	13·14			943			132	33	11	7	8	191	27	13	17	22	44	51	59	103	169	247
	Persons.	Males.	Females	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·03	—	2	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1
Measles	0·22	0·29	0·15	30	19	11	7	10	3	2	1	23	5	—	—	—	1	1	—	—	—	—
Scarlet Fever	0·04	0·06	0·03	6	4	2	1	—	1	—	1	3	2	—	1	—	—	—	—	—	—	—
Diphtheria	0·18	0·12	0·24	25	8	17	1	1	1	2	1	6	15	2	2	—	—	—	—	—	—	—
Whooping-cough	0·27	0·32	0·22	37	21	16	17	9	5	3	1	35	2	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·04	0·05	0·03	5	3	2	—	—	—	—	1	1	1	1	—	—	1	1	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·19	0·25	0·14	26	16	10	13	4	—	—	—	17	—	—	—	—	1	—	—	1	1	6
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·77	0·69	0·84	105	45	60	—	—	—	—	—	—	—	1	—	1	2	11	17	29	32	12
Tabes Mesenterica	0·04	0·05	0·04	6	3	3	1	1	1	1	—	4	—	—	—	1	—	1	—	—	—	—
Phthisis	1·10	1·04	1·16	151	68	83	1	—	1	—	1	3	3	4	13	28	38	37	9	7	7	2
Other Tub. & Scrof. Dis.	0·16	0·21	0·11	22	14	8	4	1	—	1	—	6	1	2	2	2	5	2	—	—	—	2
Diseases of Nervous System	1·66	1·70	1·63	228	111	117	32	6	5	2	3	48	7	4	3	4	5	6	15	26	52	58
Diseases of Circulatory "	1·95	2·31	1·62	267	151	116	2	—	—	—	—	2	2	—	—	1	5	8	37	50	90	72
Diseases of Respiratory "	2·73	2·94	2·54	374	192	182	84	17	5	6	6	118	11	4	—	2	5	8	23	33	69	101
Diseases of Digestive "	0·92	1·07	0·78	126	70	56	19	7	1	—	2	29	5	—	3	4	4	7	7	23	20	24
Diseases of Urinary "	0·56	0·81	0·33	77	53	24	—	—	—	—	—	—	3	1	—	1	5	3	10	14	20	20
Diseases of Generative "	0·04	—	0·07	5	—	5	—	—	—	—	—	—	—	—	—	—	—	2	—	1	2	—
Puerperal Fever	0·02	—	0·04	3	—	3	—	—	—	—	—	—	—	—	1	—	1	1	—	—	—	—
Childbirth	0·01	—	0·03	2	—	2	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Violence	0·54	0·75	0·35	74	49	25	11	5	—	3	—	19	3	2	5	4	8	4	10	10	4	5
Other Causes	2·96	3·13	2·79	404	203	201	125	9	1	—	1	136	2	7	3	3	10	13	17	26	48	139

Marriages 934

Births .. { Males .. 1,650 / Females 1,596 } 3,246

Annual Rate per 1000 living { Persons Married .. 13·63 / Births .. .. .. 23·69 }

Annual Births to 1000 Females aged 15—45 years = 102.

Deaths from Childbirth and Puerperal Fever .. .. } 1·54 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

93.—CHRISTCHURCH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 15·48			*122	—	—	—	—	40·56	3·55	2·46	4·44	5·67	8·50	10·72	14·28	23·84	48·88	125·11
Annual Death-Rate per 1000. Males	—			18·31			*135	—	—	—	—	44·37	3·30	2·61	6·09	8·91	13·37	15·19	21·09	31·93	58·22	130·16
Annual Death-Rate per 1000. Females	—			12·82			*108	—	—	—	—	36·75	3·80	2·31	3·43	3·95	5·67	7·88	9·96	18·72	42·53	121·67
Mean Population, 1891–1900. Persons	—			61,096			1183	1081	1122	1167	1149	5702	5613	5573	6348	6736	10610	7777	5708	3850	2271	908
Mean Population, 1891–1900. Males	—			25,058			603	536	548	587	579	2853	2822	2717	2412	2335	3903	3021	2214	1494	919	368
Mean Population, 1891–1900. Females	—			36,038			580	545	574	580	570	2849	2791	2856	3936	4401	6707	4756	3494	2356	1352	540
Deaths from All Causes, 1891–1900. Persons	14·78			9.028			1640	350	147	92	84	2313	199	137	282	382	902	834	815	918	1110	1136
Deaths from All Causes, 1891–1900. Males	18·85			4,724			928	173	74	47	44	1266	93	71	147	208	522	459	467	477	535	479
Deaths from All Causes, 1891–1900. Females	11·94			4,304			712	177	73	45	40	1047	106	66	135	174	380	375	348	441	575	657
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·00	0·00	2	1	1	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—
Measles	0·15	0·20	0·12	92	49	43	21	34	16	7	3	81	8	1	—	—	1	—	1	—	—	—
Scarlet Fever	0·09	0·11	0·07	52	27	25	2	4	6	10	6	28	8	6	1	2	1	4	2	—	—	—
Diphtheria	0·16	0·17	0·15	96	43	53	1	10	9	13	13	46	30	11	3	1	1	3	—	—	1	—
Whooping-cough	0·22	0·24	0·20	133	61	72	69	40	15	2	5	131	1	1	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·07	0·10	0·05	43	25	18	—	—	—	1	—	1	2	2	6	7	6	10	3	4	2	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·36	0·44	0·31	219	109	110	172	15	2	1	—	190	—	1	—	2	—	—	3	1	8	14
Cholera	0·03	0·02	0·03	17	5	12	12	1	—	—	—	13	—	1	—	—	—	—	1	1	—	1
Cancer	0·85	0·79	0·88	516	199	317	—	1	—	—	—	1	1	—	2	2	18	50	107	133	126	76
Tabes Mesenterica	0·17	0·20	0·14	103	51	52	59	8	4	1	1	73	3	2	6	3	8	5	2	—	1	—
Phthisis	2·72	3·99	1·83	1660	1001	659	7	1	1	—	1	10	9	21	142	253	548	376	192	72	30	7
Other Tub. & Scrof. Dis.	0·41	0·51	0·34	249	128	121	70	25	25	8	7	135	29	15	21	9	14	10	10	2	4	—
Diseases of Nervous System	1·39	1·62	1·22	848	407	441	136	31	12	9	8	196	19	9	6	11	20	42	71	135	164	175
Diseases of Circulatory "	1·61	2·04	1·31	983	511	472	12	1	2	2	1	18	9	12	15	14	46	75	114	173	281	226
Diseases of Respiratory "	1·80	2·23	1·50	1101	560	541	212	105	33	23	17	390	26	5	11	6	35	54	69	122	176	207
Diseases of Digestive "	0·95	1·18	0·79	579	295	284	172	27	4	3	2	208	12	11	18	14	40	48	51	65	61	51
Diseases of Urinary "	0·49	0·76	0·30	299	190	109	1	—	2	1	2	6	4	5	4	2	23	35	53	59	59	49
Diseases of Generative "	0·06	0·01	0·09	35	2	33	1	—	—	—	—	1	—	—	2	2	10	7	5	4	2	2
Puerperal Fever	0·05	—	0·09	33	—	33	—	—	—	—	—	—	—	—	—	2	23	8	—	—	—	—
Childbirth	0·05	—	0·09	31	—	31	—	—	—	—	—	—	—	—	1	—	18	12	—	—	—	—
Violence	0·45	0·73	0·25	273	183	90	42	13	7	4	7	73	10	10	17	16	27	25	41	19	21	14
Other Causes	2·70	3·51	2·18	1664	877	787	651	34	9	7	11	712	28	24	27	36	63	68	90	128	174	314

Marriages 3,898

Births .. { Males .. 6,871 / Females 6,571 } 13,442

Annual Rate per 1000 living { Persons Married .. 12·76 / Births .. .. .. 22·00

Annual Births to 1000 Females aged 15—45 years = 68.

Deaths from Childbirth and Puerperal Fever .. .. } 4·76 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

94.—RINGWOOD.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·24			* 91	—	—	—	—	30·19	4·77	1·69	2·71	2·91	6·29	8·51	9·11	22·57	43·27	139·73
Annual Death-Rate per 1000. Males ..	—			12·19			*102	—	—	—	—	30·73	2·15	1·50	1·12	3·51	7·36	8·52	10·74	23·20	48·89	146·48
Annual Death-Rate per 1000. Females	—			12·30			* 79	—	—	—	—	29·61	7·25	1·90	4·42	2·37	5·28	8·50	7·64	22·02	37·86	133·33
Mean Population, 1891-1900. Persons	—			5,881			138	137	126	149	139	689	671	650	517	481	811	658	571	412	275	146
Mean Population, 1891-1900. Males ..	—			2,895			77	78	60	73	70	358	326	334	268	228	394	317	270	194	135	71
Mean Population, 1891-1900. Females	—			2,986			61	59	66	76	69	331	345	316	249	253	417	341	301	218	140	75
Deaths from All Causes, 1891-1900. Persons	14·52			854			146	38	11	7	6	208	32	11	14	14	51	56	52	93	119	204
Deaths from All Causes, 1891-1900. Males ..	14·96			433			85	15	6	2	2	110	7	5	3	8	29	27	29	45	66	104
Deaths from All Causes, 1891-1900. Females	14·10			421			61	23	5	5	4	98	25	6	11	6	22	29	23	48	53	100
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·19	0·17	0·20	11	5	6	2	5	—	—	—	7	4	—	—	—	—	—	—	—	—	—
Scarlet Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria	0·37	0·28	0·47	22	8	14	1	3	1	1	3	9	7	4	—	1	1	—	—	—	—	—
Whooping-cough ..	0·17	0·14	0·20	10	4	6	6	1	1	—	—	8	1	—	—	—	—	—	—	—	—	1
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·02	—	0·03	1	—	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	0·02	—	0·03	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Diarrhœa & Dysentery	0·14	0·17	0·10	8	5	3	4	3	—	—	—	7	—	—	—	—	—	—	—	—	—	1
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·73	0·62	0·84	43	18	25	—	—	—	—	—	—	—	—	—	1	1	2	6	14	8	11
Tabes Mesenterica ..	0·26	0·28	0·23	15	8	7	9	2	—	—	—	11	—	—	—	1	1	—	1	1	—	—
Phthisis	1·16	1·24	1·07	68	36	32	—	—	—	—	—	—	1	1	4	6	21	17	13	4	1	—
Other Tub. & Scrof. Dis.	0·44	0·41	0·47	26	12	14	11	—	2	—	—	13	6	—	2	1	2	2	—	—	—	—
Diseases of: Nervous System ..	1·67	1·76	1·57	98	51	47	16	6	1	—	—	23	2	1	2	2	1	4	7	11	21	24
Diseases of: Circulatory " ..	2·19	2·56	1·84	129	74	55	—	—	—	—	—	—	1	1	1	1	6	7	11	30	33	38
Diseases of: Respiratory " ..	2·09	2·07	2·11	123	60	63	27	17	6	4	2	56	4	2	2	—	4	5	3	2	19	26
Diseases of: Digestive " ..	0·60	0·59	0·60	35	17	18	7	—	—	—	—	7	4	—	—	1	3	2	3	8	2	5
Diseases of: Urinary " ..	0·36	0·41	0·30	21	12	9	—	—	—	—	—	—	—	—	1	—	1	6	1	6	4	2
Diseases of: Generative " ..	0·07	—	0·13	4	—	4	—	—	—	—	—	—	—	—	—	—	1	1	—	1	1	—
Puerperal Fever ..	0·03	—	0·07	2	—	2	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—
Childbirth	0·07	—	0·13	4	—	4	—	—	—	—	—	—	—	—	—	—	1	3	—	—	—	—
Violence	0·36	0·48	0·23	21	14	7	2	1	—	—	—	3	2	—	—	—	6	1	2	3	2	2
OTHER CAUSES ..	3·58	3·78	3·48	212	109	103	61	—	—	2	—	63	—	2	2	—	2	4	4	13	28	94

Marriages 413

Births .. { Males .. 831, Females 772 } 1,603

Annual Rate per 1000 living { Persons Married .. 14·05; Births .. .. .. 27·26 }

Annual Births to 1000 Females aged 15—45 years = 127.

Deaths from Childbirth and Puerperal Fever .. .. } 3·74 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

95.—FORDINGBRIDGE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 12·86	*101	—	—	—	—	33·24	1·61	1·70	3·13	3·94	6·31	7·77	6·78	26·00	51·23	155·70
Annual Death-Rate per 1000. Males ..	—	12·82	*121	—	—	—	—	38·76	1·36	0·85	2·87	2·99	5·43	8·14	8·11	26·73	49·01	151·32
Annual Death-Rate per 1000. Females	—	12·90	* 81	—	—	—	—	28·13	1·86	2·54	3·44	4·93	7·16	7·42	5·57	25·32	53·14	160·27
Mean Population, 1891–1900. Persons	—	6,194	150	141	145	161	143	740	744	706	576	457	792	708	546	450	326	149
Mean Population, 1891–1900. Males ..	—	3,057	73	74	69	79	61	356	368	351	314	234	387	344	259	217	151	76
Mean Population, 1891–1900. Females	—	3,137	77	67	76	82	82	384	376	355	262	223	405	364	287	233	175	73
Deaths from All Causes, 1891–1900. Persons	15·56	964	175	44	12	10	5	246	12	12	18	18	50	55	37	117	167	232
Deaths from All Causes, 1891–1900. Males ..	15·67	479	104	21	6	5	2	138	5	3	9	7	21	28	21	58	74	115
Deaths from All Causes, 1891–1900. Females	15·46	485	71	23	6	5	3	108	7	9	9	11	29	27	16	59	93	117

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·05	—	0·10	3	—	3	1	2	—	—	—	3	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·03	—	0·06	2	—	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
Diphtheria	0·05	—	0·10	3	—	3	—	—	—	1	—	1	1	—	1	—	—	—	—	—	—	—
Whooping-cough ..	0·18	0·23	0·13	11	7	4	7	4	—	—	—	11	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·05	0·10	—	3	3	—	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·21	0·16	0·26	13	5	8	6	4	—	—	—	10	—	—	—	—	—	—	—	—	2	1
Cholera	0·02	0·03	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Cancer	0·66	0·36	0·96	41	11	30	—	—	—	—	—	—	—	—	—	—	1	2	5	12	15	6
Tabes Mesenterica ..	0·03	0·03	0·03	2	1	1	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—
Phthisis	0·81	0·75	0·86	50	23	27	2	—	—	—	—	2	1	2	4	8	11	8	7	4	3	—
Other Tub. & Scrof. Dis.	0·65	0·72	0·57	40	22	18	7	3	4	2	2	18	2	4	3	1	7	4	—	1	—	—
Diseases of Nervous System ..	1·86	2·00	1·72	115	61	54	21	7	2	1	—	31	1	—	—	2	3	6	7	17	23	25
Diseases of Circulatory „ ..	2·16	1·87	2·46	134	57	77	—	1	—	—	1	2	—	—	2	—	7	9	7	33	44	30
Diseases of Respiratory „ ..	2·36	2·68	2·04	146	82	64	34	17	1	1	1	54	2	1	1	—	2	2	3	19	26	36
Diseases of Digestive „ ..	0·82	0·75	0·89	51	23	28	11	1	1	1	1	15	—	1	2	—	3	2	2	10	7	9
Diseases of Urinary „ ..	0·36	0·59	0·13	22	18	4	1	—	—	—	—	1	—	—	—	1	1	2	1	1	11	4
Diseases of Generative „ ..	0·03	—	0·06	2	—	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1
Puerperal Fever ..	0·19	—	0·38	12	—	12	—	—	—	—	—	—	—	—	1	1	4	6	—	—	—	—
Childbirth	0·06	—	0·13	4	—	4	—	—	—	—	—	—	—	—	—	1	1	2	—	—	—	—
Violence	0·58	0·92	0·26	36	28	8	4	—	3	2	—	9	—	—	3	2	2	4	1	5	6	4
Other Causes ..	4·40	4·48	4·32	273	137	136	80	5	1	2	—	88	4	3	1	1	7	5	4	14	30	116

Marriages 495

Births .. { Males .. 856, Females 872 } 1,728

Annual Rate per 1000 living { Persons Married .. 15·98; Births .. .. .. 27·90 }

Annual Births to 1000 Females aged 15—45 years = 138.

Deaths from Childbirth and Puerperal Fever .. .. } 9·26 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

96.—NEW FOREST.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·36			*86	—	—	—	—	27·70	2·78	2·29	3·40	4·64	5·09	6·46	11·88	23·55	56·47	138·77
Annual Death-Rate per 1000. Males ..	—			12·62			*93	—	—	—	—	29·79	3·31	1·95	3·43	5·69	5·66	8·26	13·58	20·13	56·91	137·50
Annual Death-Rate per 1000. Females	—			12·12			*80	—	—	—	—	25·61	2·27	2·65	3·38	3·72	4·56	4·80	10·34	26·75	56·04	139·88
Mean Population, 1891-1900. Persons	—			14,269			327	314	333	327	338	1639	1653	1613	1351	1056	2024	1718	1288	968	634	325
Mean Population, 1891-1900. Males ..	—			7,014			167	158	156	168	170	819	816	822	729	492	972	823	611	467	311	152
Mean Population, 1891-1900. Females	—			7,255			160	156	177	159	168	820	837	791	622	564	1052	895	677	501	323	173
Deaths from All Causes, 1891-1900. Persons	14·27			2,036			313	67	29	30	15	454	46	37	46	49	103	111	153	228	358	451
Deaths from All Causes, 1891-1900. Males ..	14·63			1,026			171	37	20	9	7	244	27	16	25	28	55	68	83	94	177	209
Deaths from All Causes, 1891-1900. Females	13·92			1,010			142	30	9	21	8	210	19	21	21	21	48	43	70	134	181	242
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·15	0·17	0·14	22	12	10	7	5	3	2	1	18	3	—	—	—	—	1	—	—	—	—
Scarlet Fever	0·03	0·03	0·03	4	2	2	—	1	—	—	—	1	1	1	—	1	—	—	—	—	—	—
Diphtheria	0·22	0·24	0·19	31	17	14	—	3	2	2	2	9	12	7	1	1	—	1	—	—	—	—
Whooping-cough ..	0·18	0·17	0·18	25	12	13	15	5	2	2	1	25	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·07	0·11	0·03	10	8	2	—	—	—	—	—	—	—	2	2	1	2	—	—	1	2	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·20	0·23	0·18	29	16	13	13	6	1	1	—	21	1	—	—	—	—	1	—	—	2	4
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·79	0·56	1·01	112	39	73	—	—	—	—	—	—	1	—	—	—	4	5	14	34	37	17
Tabes Mesenterica ..	0·04	0·04	0·04	6	3	3	4	—	—	1	—	5	—	—	—	—	—	—	1	—	—	—
Phthisis	1·14	1·38	0·91	163	97	66	1	—	1	2	1	5	1	3	16	22	45	34	25	10	2	—
Other Tub. & Scrof. Dis.	0·32	0·30	0·33	45	21	24	15	7	2	3	2	29	2	2	4	3	2	1	—	1	1	—
Diseases of Nervous System ..	1·51	1·43	1·59	215	100	115	30	8	4	2	2	46	2	2	6	2	4	12	19	22	52	48
Diseases of Circulatory „ ..	1·60	1·54	1·65	228	108	120	—	—	—	—	—	—	2	2	3	3	9	12	29	52	79	37
Diseases of Respiratory „ ..	2·59	2·45	2·73	370	172	198	73	24	10	11	1	119	7	3	5	3	9	8	21	38	73	84
Diseases of Digestive „ ..	0·82	0·81	0·83	117	57	60	25	5	—	1	2	33	3	3	3	2	6	4	12	23	14	14
Diseases of Urinary „ ..	0·50	0·73	0·29	72	51	21	—	—	—	—	—	—	1	—	—	—	1	7	8	21	20	14
Diseases of Generative „ ..	0·01	—	0·01	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Puerperal Fever ..	0·04	—	0·08	6	—	6	—	—	—	—	—	—	—	—	—	—	2	4	—	—	—	—
Childbirth	0·07	—	0·14	10	—	10	—	—	—	—	—	—	—	—	—	—	7	3	—	—	—	—
Violence	0·53	0·83	0·25	76	58	18	7	2	2	1	2	14	5	6	4	3	7	8	13	6	8	2
OTHER CAUSES ..	3·46	3·61	3·31	494	253	241	123	1	2	2	1	129	5	6	2	8	5	10	11	20	68	230

Marriages 955

Births .. { Males .. 1,849 / Females 1,786 } 3,635

Annual Rate per 1000 living { Persons Married .. 13·39 / Births .. .. .. 25·47

Annual Births to 1000 Females aged 15—45 years = 116.

Deaths from Childbirth and Puerperal Fever .. .. } 4·40 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

97.—SOUTHAMPTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		20·52	*157	—	—	—	—	62·78	4·87	2·84	3·92	4·90	8·05	13·88	21·51	38·49	67·76	153·52
Annual Death-Rate per 1000. Males	—					22·20	*166	—	—	—	—	65·65	4·96	2·81	4·28	5·61	9·21	15·40	24·51	45·98	76·26	176·27
Annual Death-Rate per 1000. Females	—					18·94	*149	—	—	—	—	59·92	4·77	2·87	3·58	4·25	6·95	12·37	18·58	31·85	61·09	140·47
Mean Population, 1891-1900. Persons	—			58,129			1393	1284	1311	1333	1286	6607	6142	5808	5480	5514	9474	7134	5337	3601	2165	867
Mean Population, 1891-1900. Males	—			28,385			692	651	657	661	643	3304	3082	2920	2688	2622	4624	3545	2640	1692	952	316
Mean Population, 1891-1900. Females	—			29,744			701	633	654	672	643	3303	3060	2888	2792	2892	4850	3589	2697	1909	1213	551
Deaths from All Causes, 1891-1900. Persons	20·96			12,182			2822	702	289	191	144	4148	299	165	215	270	763	990	1148	1386	1467	1331
Deaths from All Causes, 1891-1900. Males	22·36			6,346			1510	355	143	87	74	2169	153	82	115	147	426	546	647	778	726	557
Deaths from All Causes, 1891-1900. Females	19·62			5,836			1312	347	146	104	70	1979	146	83	100	123	337	444	501	608	741	774
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·04	0·05	0·03	22	14	8	2	1	1	1	1	6	2	—	—	3	4	2	3	2	—	—
Measles	0·44	0·41	0·46	253	115	138	53	94	49	28	10	234	16	1	1	—	—	1	—	—	—	—
Scarlet Fever	0·13	0·13	0·13	74	36	38	—	5	11	9	16	41	25	5	1	—	1	—	1	—	—	—
Diphtheria	0·22	0·23	0·22	130	66	64	—	14	17	20	23	74	50	2	—	1	2	—	—	—	1	—
Whooping-cough	0·32	0·29	0·35	186	81	105	75	56	33	9	7	180	6	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·23	0·22	0·23	131	63	68	—	2	5	2	1	10	18	17	13	11	22	24	10	4	1	1
Simple Continued Fever	0·02	0·02	0·02	13	7	6	4	1	—	—	1	6	1	—	—	1	1	1	—	1	—	2
Diarrhœa & Dysentery	0·88	0·97	0·79	510	274	236	369	70	9	2	1	451	2	2	—	—	3	10	8	10	13	11
Cholera	0·00	—	0·01	2	—	2	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
Cancer	0·98	0·83	1·12	567	235	332	1	1	—	—	1	3	1	1	1	1	17	70	115	162	135	61
Tabes Mesenterica	0·37	0·37	0·38	217	105	112	140	40	6	7	2	195	6	2	3	—	6	—	2	2	—	1
Phthisis	1·82	2·13	1·53	1059	604	455	22	8	7	5	2	44	9	19	60	103	278	236	185	98	26	1
Other Tub. & Scrof. Dis.	0·43	0·48	0·39	251	136	115	59	44	17	18	12	150	29	13	12	10	11	9	10	4	3	—
Diseases of Nervous System	2·79	2·97	2·61	1620	844	776	368	43	35	17	16	479	27	16	21	23	55	99	161	228	294	217
Diseases of Circulatory „	2·06	2·18	1·94	1196	619	577	13	4	—	3	1	21	12	26	21	24	74	140	188	254	286	145
Diseases of Respiratory „	3·65	3·89	3·42	2120	1104	1016	482	229	70	51	31	863	49	9	13	14	62	99	151	268	324	267
Diseases of Digestive „	1·39	1·45	1·33	808	412	396	237	55	6	3	5	306	15	11	18	17	40	76	92	106	86	41
Diseases of Urinary „	0·48	0·66	0·31	281	188	93	2	1	1	3	—	7	4	3	7	1	16	47	61	53	61	21
Diseases of Generative „	0·06	0·01	0·10	32	2	30	1	—	—	—	—	1	—	—	1	3	3	12	6	3	2	1
Puerperal Fever	0·05	—	0·10	31	—	31	—	—	—	—	—	—	—	—	1	8	14	8	—	—	—	—
Childbirth	0·05	—	0·10	30	—	30	—	—	—	—	—	—	—	—	1	5	13	10	1	—	—	—
Violence	0·89	1·34	0·47	518	379	139	76	13	16	9	11	125	21	12	22	23	71	71	67	57	26	23
OTHER CAUSES	3·66	3·73	3·58	2131	1062	1069	918	21	6	4	3	952	14	26	19	22	70	74	87	129	199	539

Marriages 6,058

Births .. { Males .. 9,117 / Females 8,812 } 17,929

Annual Rate per 1000 living { Persons Married .. 20·84 / Births .. .. .. 30·84

Annual Births to 1000 Females aged 15—45 years = 127.

Deaths from Childbirth and Puerperal Fever .. .. } 3·40 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

98.—SOUTH STONEHAM.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 14·33			*125	—	—	—	—	39·70	3·23	1·54	2·43	7·36	6·62	7·57	12·47	23·00	55·29	144·06
Annual Death-Rate per 1000. Males	—			15·92			*138	—	—	—	—	43·81	3·07	1·30	2·98	12·37	9·36	8·10	13·15	26·16	60·56	151·67
Annual Death-Rate per 1000. Females	—			12·84			*112	—	—	—	—	35·58	3·38	1·76	1·91	2·99	4·14	7·08	11·88	20·37	51·21	138·45
Mean Population, 1891-1900. Persons	—			64,579			1649	1612	1620	1622	1646	8149	7658	7093	5892	5572	10282	7692	5469	3661	2194	917
Mean Population, 1891-1900. Males	—			30,968			830	816	783	826	824	4079	3875	3456	2850	2596	4891	3681	2532	1663	956	389
Mean Population, 1891-1900. Females	—			33,611			819	796	837	796	822	4070	3783	3637	3042	2976	5391	4011	2937	1998	1238	528
Deaths from All Causes, 1891-1900. Persons	14·66			9,465			2335	495	192	113	100	3235	247	109	143	410	681	582	682	842	1213	1321
Deaths from All Causes, 1891-1900. Males	16·31			5,050			1315	270	97	56	49	1787	119	45	85	321	458	298	333	435	579	590
Deaths from All Causes, 1891-1900. Females	13·14			4,415			1020	225	95	57	51	1448	128	64	58	89	223	284	349	407	634	731
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·00	—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Measles	0·29	0·35	0·24	187	107	80	35	67	31	12	12	157	26	2	1	—	1	—	—	—	—	—
Scarlet Fever	0·04	0·03	0·05	25	9	16	2	—	6	—	4	12	6	3	1	2	—	1	—	—	—	—
Diphtheria	0·20	0·21	0·19	130	65	65	7	6	12	18	13	56	53	12	3	—	2	2	2	—	—	—
Whooping-cough	0·29	0·27	0·30	186	84	102	109	40	16	5	9	179	6	—	—	—	—	—	1	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·13	0·20	0·07	86	61	25	—	—	—	—	4	4	4	8	7	25	28	3	4	2	1	—
Simple Continued Fever	0·01	0·02	0·00	6	5	1	—	—	—	—	—	—	—	—	1	1	2	1	—	1	—	—
Diarrhœa & Dysentery	0·62	0·66	0·57	397	205	192	275	36	8	1	1	321	7	1	—	9	13	2	2	6	18	18
Cholera	0·06	0·06	0·06	37	18	19	32	3	—	1	—	36	—	—	—	—	—	—	—	—	—	1
Cancer	0·73	0·63	0·82	469	194	275	—	—	3	—	—	3	1	—	3	8	13	45	102	123	130	41
Tabes Mesenterica	0·15	0·18	0·13	100	55	45	45	17	5	1	2	70	13	4	1	1	4	5	1	—	1	—
Phthisis	1·27	1·70	0·88	822	526	296	7	8	2	1	2	20	6	18	54	153	258	146	95	53	19	—
Other Tub. & Scrof. Dis.	0·27	0·30	0·25	177	92	85	45	31	10	13	8	107	20	5	10	13	10	6	4	—	1	1
Diseases of Nervous System	1·69	1·84	1·56	1093	570	523	301	47	24	8	5	385	12	9	8	14	34	40	100	132	193	166
Diseases of Circulatory	1·54	1·63	1·46	994	505	489	3	—	1	—	3	7	15	18	12	26	63	74	106	175	273	225
Diseases of Respiratory	2·32	2·42	2·23	1500	749	751	402	154	46	35	20	657	34	3	7	21	36	52	78	135	224	253
Diseases of Digestive	0·95	1·03	0·88	612	318	294	203	55	9	8	7	262	13	7	4	22	41	46	55	62	65	35
Diseases of Urinary	0·41	0·58	0·26	266	178	88	2	5	1	—	2	10	5	3	2	7	15	32	43	52	56	41
Diseases of Generative	0·03	—	0·05	18	—	18	1	1	—	—	—	2	—	—	1	1	—	5	3	2	4	—
Puerperal Fever	0·03	—	0·06	21	—	21	—	—	—	—	—	—	—	—	1	6	8	5	1	—	—	—
Childbirth	0·08	—	0·15	51	—	51	—	—	—	—	—	—	—	—	—	5	27	18	1	—	—	—
Violence	0·39	0·61	0·19	252	188	64	39	6	7	5	3	60	12	6	11	23	36	32	19	20	16	17
OTHER CAUSES	3·16	3·59	2·74	2035	1120	915	827	39	11	5	5	887	14	10	16	73	89	67	65	79	212	523

Marriages 4,209
Births .. Males .. 9,545 / Females 9,109 } 18,654

Annual Rate per 1000 living { Persons Married .. 13·04 / Births .. .. .. 28·89
Annual Births to 1000 Females aged 15—45 years = 121.

Deaths from Childbirth and Puerperal Fever .. .. } 3·86 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

99.—ROMSEY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 11·89			*87	—	—	—	—	28·51	3·14	1·77	1·83	2·81	4·63	5·41	10·81	24·77	52·20	151·00
Annual Death-Rate per 1000. Males ..	—			12·11			*97	—	—	—	—	29·72	3·12	2·20	1·13	3·75	4·04	4·19	12·88	27·58	54·09	168·81
Annual Death-Rate per 1000. Females	—			11·68			*78	—	—	—	—	27·29	3·16	1·32	2·63	1·91	5·18	6·53	8·87	22·16	50·38	137·14
Mean Population, 1891-1900. Persons	—			10,686			249	260	251	241	258	1259	1275	1241	985	818	1426	1201	962	747	523	249
Mean Population, 1891-1900. Males ..	—			5,301			108	136	135	129	128	636	642	637	529	400	693	573	466	359	257	109
Mean Population, 1891-1900. Females	—			5,385			141	124	116	112	130	623	633	604	456	418	733	628	496	388	266	140
Deaths from All Causes, 1891 1900. Persons	14·33			1531			238	63	32	13	13	359	40	22	18	23	66	65	104	185	273	376
Deaths from All Causes, 1891 1900. Males ..	14·68			778			133	31	15	6	4	189	20	14	6	15	28	24	60	99	139	184
Deaths from All Causes, 1891 1900. Females	13·98			753			105	32	17	7	9	170	20	8	12	8	38	41	44	86	134	192
	Persons	Males.	Females.	Persons.	Males.	Females	Persons.															
Small-pox..	0·01	0·02	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Measles	0·10	0·13	0·07	11	7	4	2	3	4	1	—	10	1	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·04	0·08	—	4	4	—	—	—	—	—	—	—	3	—	1	—	—	—	—	—	—	—
Diphtheria	0·21	0·11	0·30	22	6	16	1	—	3	1	4	9	10	1	1	—	1	—	—	—	—	—
Whooping-cough	0·22	0·19	0·26	24	10	14	13	5	5	1	—	24	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·05	0·08	0·02	5	4	1	—	—	—	—	1	1	1	—	1	1	—	—	1	—	—	—
Simple Continued Fever	0·01	—	0·02	1	—	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·20	0·21	0·19	21	11	10	14	4	—	—	—	18	—	—	—	—	—	—	—	—	—	3
Cholera	0·01	0·02	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Cancer	0·77	0·72	0·82	82	38	44	—	—	—	—	—	—	—	—	—	—	1	2	15	21	32	11
Tabes Mesenterica	0·04	0·08	—	4	4	—	1	1	—	—	—	2	1	1	—	—	—	—	—	—	—	—
Phthisis	0·73	0·58	0·87	78	31	47	1	—	—	—	—	1	1	3	5	6	26	16	7	8	4	1
Other Tub. & Scrof. Dis.	0·25	0·21	0·30	27	11	16	3	6	1	1	3	14	8	2	—	2	—	—	1	—	—	—
Diseases of Nervous System	1·46	1·41	1·50	156	75	81	33	4	5	—	2	44	3	4	1	—	3	4	13	22	31	31
Diseases of Circulatory „	2·16	2·17	2·15	231	115	116	1	—	—	—	—	1	—	5	3	2	11	11	23	61	66	48
Diseases of Respiratory „	2·00	2·13	1·88	214	113	101	32	25	9	6	—	72	4	2	1	1	1	8	8	18	44	55
Diseases of Digestive „	0·90	0·83	0·97	96	44	52	23	4	—	2	—	29	2	—	3	—	4	5	9	18	17	9
Diseases of Urinary „	0·55	0·79	0·32	59	42	17	—	—	1	—	—	1	1	—	1	3	1	7	12	6	17	10
Diseases of Generative „	0·05	—	0·09	5	—	5	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	3
Puerperal Fever	0·04	—	0·07	4	—	4	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—
Childbirth..	0·05	—	0·09	5	—	5	—	—	—	—	—	—	—	—	—	—	2	3	—	—	—	—
Violence	0·40	0·57	0·24	43	30	13	3	2	3	—	1	9	1	3	1	3	5	2	6	8	3	2
OTHER CAUSES	4·08	4·35	3·82	437	231	206	111	9	1	1	1	123	4	1	—	5	5	7	9	23	58	202

Marriages 675

Births .. { Males .. 1,376 / Females 1,349 } 2,725

Annual Rate per 1000 living { Persons Married .. 12·63 / Births .. .. .. 25·50 }

Annual Births to 1000 Females aged 15—45 years = 122.

Deaths from Childbirth and Puerperal Fever .. .. } 3·30 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

100.—STOCKBRIDGE.

CAUSES OF DEATH.		CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds
Annual Death-Rate per 1000.	Persons	—	In Standard Population. 12·01	*87	—	—	—	—	27·35	2·96	2·30	1·93	2·83	5·65	5·39	10·76	21·02	60·40	149·66
	Males ..	—	12·17	*90	—	—	—	—	29·33	3·28	1·50	1·57	3·98	4·50	5·91	14·29	23·35	57·95	153·85
	Females	—	11·85	*84	—	—	—	—	25·59	2·65	3·05	2·37	1·72	6·79	4·83	7·47	18·82	62·86	144·93
Mean Population, 1891–1900.	Persons	—	6,387	148	146	137	151	142	724	744	695	571	459	849	724	595	528	351	147
	Males ..	—	3,177	69	69	66	68	69	341	366	334	318	226	422	372	287	257	176	78
	Females	—	3,210	79	77	71	83	73	383	378	361	253	233	427	352	308	271	175	69
Deaths from All Causes, 1891–1900.	Persons	14·94	954	138	32	13	7	8	198	22	16	11	13	48	39	64	111	212	220
	Males ..	15·58	495	71	18	4	3	4	100	12	5	5	9	19	22	41	60	102	120
	Females	14·30	459	67	14	9	4	4	98	10	11	6	4	29	17	23	51	110	100

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.														
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·20	0·22	0·19	13	7	6	3	5	1	—	—	9	2	1	—	—	1	—	—	—	—
Scarlet Fever	0·06	0·06	0·06	4	2	2	—	—	—	—	—	—	2	—	—	1	—	1	—	—	—
Diphtheria	0·27	0·22	0·31	17	7	10	—	—	2	1	2	5	10	2	—	—	—	—	—	—	—
Whooping-cough ..	0·25	0·13	0·37	16	4	12	11	1	2	1	—	15	1	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·02	—	0·03	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·28	0·25	0·31	18	8	10	5	2	—	—	—	7	—	1	—	—	—	1	—	1	3	5
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·89	0·98	0·81	57	31	26	—	—	—	—	—	—	—	—	—	1	—	4	9	14	22	7
Tabes Mesenterica ..	0·08	0·13	0·03	5	4	1	4	1	—	—	—	5	—	—	—	—	—	—	—	—	—	—
Phthisis	0·38	0·38	0·37	24	12	12	—	—	—	—	—	—	—	2	3	2	8	3	2	3	1	—
Other Tub. & Scrof. Dis.	0·44	0·44	0·44	28	14	14	8	6	3	1	—	18	—	—	2	—	1	2	2	2	1	—
Diseases of: Nervous System ..	2·00	2·36	1·65	128	75	53	23	4	1	1	—	29	1	1	2	—	6	3	8	20	38	20
Circulatory „ ..	1·74	1·51	1·96	111	48	63	1	—	—	—	—	1	—	2	—	2	4	4	12	27	36	23
Respiratory „ ..	2·05	2·27	1·84	131	72	59	25	9	3	2	3	42	3	3	2	3	6	3	6	16	30	17
Digestive „ ..	0·67	0·69	0·65	43	22	21	2	4	1	—	—	7	—	—	1	2	2	2	10	7	10	2
Urinary „ ..	0·31	0·38	0·25	20	12	8	—	—	—	—	1	1	1	—	—	—	2	1	4	2	8	1
Generative „ ..	0·02	—	0·03	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Puerperal Fever ..	0·02	—	0·03	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Childbirth..	0·11	—	0·22	7	—	7	—	—	—	—	—	—	—	—	—	—	5	2	—	—	—	—
Violence	0·34	0·63	0·06	22	20	2	3	—	—	1	1	5	—	—	1	2	3	2	3	1	3	2
OTHER CAUSES ..	4·81	4·93	4·69	307	157	150	53	—	—	—	1	54	2	3	—	—	9	10	8	18	60	143

Marriages 403

Births .. { Males .. 789, Females 797 } 1,586

Annual Rate per 1000 living { Persons Married .. 12·62; Births .. .. .. 24·83 }

Annual Births to 1000 Females aged 15—45 years = 125.

Deaths from Childbirth and Puerperal Fever .. .. } 5·04 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

101.—WINCHESTER.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		14·22	*110	—	—	—	—	38·38	3·02	2·12	2·84	3·75	5·20	8·97	14·26	25·68	53·86	151·21
Males	—					15·48	*124	—	—	—	—	41·80	3·20	1·89	2·78	4·17	6·16	11·19	16·68	29·61	59·16	165·26
Females	—					13·04	* 96	—	—	—	—	34·95	2·83	2·39	2·91	3·38	4·38	7·00	12·08	22·14	49·69	140·53
Mean Population, 1891–1900. Persons	—			34,329			733	701	720	723	745	3622	3546	3767	3806	3069	5060	3967	3142	2227	1463	660
Males	—			16,802			369	341	362	361	378	1811	1780	2012	2124	1414	2321	1867	1487	1057	644	285
Females	—			17,527			364	360	358	362	367	1811	1766	1755	1682	1655	2739	2100	1655	1170	819	375
Deaths from All Causes, 1891–1900. Persons	15·22			5,225			944	250	86	64	46	1390	107	80	108	115	263	356	448	572	788	998
Males	16·28			2,735			535	118	45	35	24	757	57	38	59	59	143	209	248	313	381	471
Females	14·21			2,490			409	132	41	29	22	633	50	42	49	56	120	147	200	259	407	527
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·02	—	3	3	—	2	—	—	—	—	2	—	—	—	—	—	—	—	—	1	—
Measles	0·24	0·29	0·19	83	49	34	14	31	12	8	1	66	10	1	1	1	2	—	1	1	—	—
Scarlet Fever	0·06	0·06	0·06	20	10	10	1	3	3	1	2	10	6	2	1	1	—	—	—	—	—	—
Diphtheria	0·16	0·19	0·14	56	32	24	3	4	7	7	8	29	15	9	—	1	1	—	1	—	—	—
Whooping-cough	0·23	0·18	0·28	79	30	49	49	20	6	1	3	79	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·04	0·04	0·05	15	7	8	—	—	—	—	1	1	—	—	6	2	3	3	—	—	—	—
Simple Continued Fever	0·01	0·01	0·01	2	1	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—
Diarrhœa & Dysentery	0·40	0·40	0·40	138	68	70	88	16	2	2	—	108	3	—	—	—	2	—	2	5	8	10
Cholera	0·00	0·01	—	1	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	0·86	0·75	0·96	295	126	169	—	—	—	—	—	—	—	—	1	1	5	31	55	69	83	50
Tabes Mesenterica	0·14	0·18	0·11	49	30	19	16	10	2	1	2	31	4	3	2	1	4	—	3	—	—	1
Phthisis	1·17	1·35	0·99	400	226	174	7	8	4	2	2	23	3	12	39	37	92	95	51	36	10	2
Other Tub. & Scrof. Dis.	0·30	0·33	0·27	103	55	48	21	7	4	6	5	43	10	13	11	7	10	4	3	—	2	—
Diseases of: Nervous System	1·84	1·98	1·70	630	332	298	138	20	8	6	2	174	10	8	7	7	20	26	58	72	129	119
Circulatory "	1·83	1·80	1·86	628	302	326	10	—	1	—	—	11	7	8	7	9	21	47	99	122	176	121
Respiratory "	2·43	2·69	2·17	833	452	381	142	75	21	9	9	256	13	3	6	7	15	29	55	100	158	191
Digestive "	0·99	1·08	0·91	340	181	159	78	28	4	6	4	120	7	11	6	3	11	26	26	52	46	32
Urinary "	0·43	0·58	0·29	149	98	51	2	1	—	2	—	5	—	2	4	6	6	16	21	33	27	29
Generative "	0·04	0·02	0·06	14	3	11	2	1	—	—	—	3	—	—	—	1	—	2	2	2	2	2
Puerperal Fever	0·06	—	0·12	21	—	21	—	—	—	—	—	—	—	—	1	5	12	2	1	—	—	—
Childbirth	0·06	—	0·11	20	—	20	—	—	—	—	—	—	—	—	—	1	8	11	—	—	—	—
Violence	0·54	0·85	0·24	184	142	42	8	8	4	11	5	36	13	2	11	12	26	17	26	17	14	10
Other Causes	3·38	3·47	3·29	1162	587	575	362	18	8	2	2	392	6	6	5	13	24	47	44	63	131	431

Marriages 2,496

Births .. Males .. 4,328 / Females 4,245 } 8,573

Annual Rate per 1000 living { Persons Married .. 14·54 / Births .. .. .. 24·97

Annual Births to 1000 Females aged 15—45 years = 105.

Deaths from Childbirth and Puerperal Fever .. .. } 4·78 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

102.—DROXFORD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 10·82	* 95	—	—	—	—	28·25	2·68	1·39	1·96	3·24	4·72	4·90	9·46	16·47	45·63	141·99
Annual Death-Rate per 1000. Males	—	11·36	*110	—	—	—	—	32·62	2·92	1·25	2·27	2·44	4·78	4·35	11·62	19·21	47·35	142·14
Annual Death-Rate per 1000. Females	—	10·31	* 80	—	—	—	—	23·99	2·42	1·52	1·63	3·96	4·66	5·42	7·28	13·76	43·93	141·83
Mean Population, 1891-1900. Persons	—	11,569	265	259	264	252	284	1324	1344	1297	1021	865	1526	1327	1078	868	607	312
Mean Population, 1891-1900. Males	—	5,728	130	129	139	121	134	653	684	641	529	410	732	644	542	432	302	159
Mean Population, 1891-1900. Females	—	5,841	135	130	125	131	150	671	660	656	492	455	794	683	536	436	305	153
Deaths from All Causes, 1891-1900. Persons	13·64	1,578	270	63	18	11	12	374	36	18	20	28	72	65	102	143	277	443
Deaths from All Causes, 1891-1900. Males	14·68	841	157	36	10	5	5	213	20	8	12	10	35	28	63	83	143	226
Deaths from All Causes, 1891-1900. Females	12·62	737	113	27	8	6	7	161	16	10	8	18	37	37	39	60	134	217

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·12	0·14	0·10	14	8	6	3	6	—	—	2	11	3	—	—	—	—	—	—	—
Scarlet Fever	0·07	0·10	0·03	8	6	2	—	1	1	1	2	5	3	—	—	—	—	—	—	—
Diphtheria	0·03	0·05	0·02	4	3	1	—	—	1	—	—	1	1	1	—	—	—	1	—	—
Whooping-cough	0·33	0·33	0·33	38	19	19	22	13	1	1	—	37	1	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·03	—	0·05	3	—	3	—	—	—	—	—	—	—	—	1	2	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·21	0·21	0·21	24	12	12	11	1	—	—	—	12	1	1	—	—	—	—	1	1	8
Cholera	0·01	—	0·02	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Cancer	0·79	0·84	0·74	91	48	43	—	—	—	—	—	—	1	—	1	—	—	4	13	18	36	18
Tabes Mesenterica	0·08	0·03	0·12	9	2	7	6	—	—	—	—	6	1	1	1	—	—	—	—	—	—	—
Phthisis	0·79	0·82	0·75	91	47	44	—	1	—	—	—	1	—	—	6	10	25	14	19	13	3	—
Other Tub. & Scrof. Dis.	0·32	0·24	0·39	37	14	23	10	—	1	2	1	14	5	4	3	2	3	3	3	—	—	—
Diseases of Nervous System	1·80	2·01	1·59	208	115	93	43	11	2	3	1	60	1	3	—	—	4	5	9	17	43	66
Diseases of Circulatory „	1·83	1·69	1·97	212	97	115	4	—	—	—	—	4	1	1	1	3	5	6	11	37	77	66
Diseases of Respiratory „	2·01	2·29	1·73	232	131	101	49	18	7	2	4	80	7	2	1	1	4	7	11	16	43	60
Diseases of Digestive „	0·62	0·72	0·53	72	41	31	15	2	3	—	—	20	1	—	1	3	7	2	7	8	12	11
Diseases of Urinary „	0·49	0·73	0·26	57	42	15	1	—	—	—	—	1	1	—	—	2	2	3	4	8	16	20
Diseases of Generative „	0·02	—	0·03	2	—	2	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—
Puerperal Fever	0·03	—	0·05	3	—	3	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—
Childbirth	0·05	—	0·10	6	—	6	—	—	—	—	—	—	—	—	—	—	2	4	—	—	—	—
Violence	0·35	0·47	0·22	40	27	13	2	4	1	—	2	9	2	2	—	2	5	3	5	6	3	3
OTHER CAUSES	3·66	4·01	3·38	426	229	197	104	6	1	2	—	113	7	3	5	1	14	11	20	18	43	191

Marriages 689

Births .. { Males .. 1,429 / Females 1,410 } 2,839

Annual Rate per 1000 living { Persons Married .. 11·91 / Births .. .. .. 24·54 }

Annual Births to 1000 Females aged 15—45 years = 117.

Deaths from Childbirth and Puerperal Fever .. .. } 3·17 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

103.—CATHERINGTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population 11·41			*103	—	—	—	—	30·00	4·14	1·45	1·77	3·57	4·60	5·00	12·03	15·45	50·00	132·26
Annual Death-Rate per 1000. Males ..	—			In Standard Population 10·31			* 92	—	—	—	—	26·95	3·87	0·60	0·72	1·96	5·85	4·43	11·63	15·52	48·05	126·67
Annual Death-Rate per 1000. Females	—			In Standard Population 12·45			*114	—	—	—	—	33·13	4·37	2·27	2·78	4·67	3·56	5·49	12·41	15·38	52·00	137·50
Mean Population, 1891–1900. Persons	—			3,026			64	64	73	62	67	330	338	344	283	252	413	340	266	246	152	62
Mean Population, 1891–1900. Males ..	—			1,429			30	32	37	30	38	167	155	168	139	102	188	158	129	116	77	30
Mean Population, 1891–1900. Females	—			1,597			34	32	36	32	29	163	183	176	144	150	225	182	137	130	75	32
Deaths from All Causes, 1891–1900. Persons	13·09			396			72	16	4	1	6	99	14	5	5	9	19	17	32	38	76	82
Deaths from All Causes, 1891–1900. Males ..	12·67			181			32	7	3	1	2	45	6	1	1	2	11	7	15	18	37	38
Deaths from All Causes, 1891–1900. Females	13·46			215			40	9	1	—	4	54	8	4	4	7	8	10	17	20	39	44
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·10	0·14	0·06	3	2	1	2	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·13	0·14	0·13	4	2	2	—	1	1	—	—	2	2	—	—	—	—	—	—	—	—	—
Diphtheria	0·13	0·07	0·19	4	1	3	—	—	—	—	—	—	3	—	—	1	—	—	—	—	—	—
Whooping-cough ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·03	—	0·06	1	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·16	0·21	0·13	5	3	2	—	1	—	—	—	1	1	—	—	—	—	—	—	—	—	3
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·86	0·56	1·13	26	8	18	—	—	—	—	—	—	—	—	—	—	—	1	3	8	8	6
Tabes Mesenterica ..	0·20	0·35	0·06	6	5	1	4	—	—	—	1	5	1	—	—	—	—	—	—	—	—	—
Phthisis	1·26	1·19	1·32	38	17	21	—	1	1	—	1	3	2	1	2	4	8	9	7	1	—	1
Other Tub. & Scrof. Dis.	0·23	0·14	0·31	7	2	5	2	1	—	—	1	4	—	1	—	1	—	1	—	—	—	—
Diseases of Nervous System ..	1·39	1·19	1·57	42	17	25	11	1	—	—	1	13	1	1	—	—	—	1	3	1	13	9
Diseases of Circulatory " ..	1·52	1·47	1·57	46	21	25	1	—	—	—	—	1	—	—	1	—	2	—	4	10	21	7
Diseases of Respiratory " ..	2·84	2·59	3·07	86	37	49	22	8	2	1	2	35	2	—	—	—	—	—	2	9	17	21
Diseases of Digestive " ..	0·93	1·12	0·75	28	16	12	1	3	—	—	—	4	—	—	—	2	3	1	7	3	6	2
Diseases of Urinary " ..	0·46	0·49	0·44	14	7	7	—	—	—	—	—	—	—	1	—	—	—	—	3	3	4	3
Diseases of Generative " ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Fever ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	0·10	—	0·19	3	—	3	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—
Violence	0·30	0·49	0·13	9	7	2	—	—	—	—	—	—	—	1	1	1	2	—	2	1	1	—
OTHER CAUSES ..	2·45	2·52	2·35	74	36	38	29	—	—	—	—	29	1	—	—	—	2	3	1	2	6	30

Marriages 189

Births .. { Males .. 348, Females 351 } 699

Annual Rate per 1000 living { Persons Married .. 12·49; Births .. .. .. 23·10 }

Annual Births to 1000 Females aged 15–45 years = 100.

Deaths from Childbirth and Puerperal Fever .. .. } 4·29 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

104.—PETERSFIELD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 12·61	*87	—	—	—	—	27·80	3·23	2·46	3·75	4·93	5·64	6·06	12·54	23·57	55·00	143·12
Males ..	—	Standard 13·28	*99	—	—	—	—	31·46	3·37	1·58	3·25	5·62	6·60	7·92	14·95	26·49	54·68	137·68
Females	—	Population. 11·99	*74	—	—	—	—	24·12	3·09	3·43	4·34	4·29	4·77	4·32	10·29	20·85	55·31	148·85
Mean Population, 1891-1900. Persons	—	11,863	276	291	283	291	280	1421	1362	1339	1092	934	1683	1386	1069	768	540	269
Males ..	—	5,884	144	139	137	152	140	712	682	698	585	445	803	669	515	370	267	138
Females	—	5,979	132	152	146	139	140	709	680	641	507	489	880	717	554	398	273	131
Deaths from All Causes, 1891-1900. Persons	14·63	1,735	256	73	33	12	21	395	44	33	41	46	95	84	134	181	297	385
Males ..	15·62	919	153	41	12	7	11	224	23	11	19	25	53	53	77	98	146	190
Females	13·65	816	103	32	21	5	10	171	21	22	22	21	42	31	57	83	151	195

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·11	0·10	0·12	13	6	7	3	6	3	—	—	12	—	—	—	—	—	1	—	—	—	—
Scarlet Fever	0·03	0·02	0·03	3	1	2	—	1	—	—	—	1	1	—	—	1	—	—	—	—	—	—
Diphtheria	0·23	0·25	0·20	27	15	12	—	3	1	2	4	10	7	4	4	2	—	—	—	—	—	—
Whooping-cough ..	0·25	0·15	0·35	30	9	21	11	10	5	1	1	28	2	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·04	0·03	0·05	5	2	3	—	—	—	—	—	—	—	1	—	1	—	2	—	1	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·24	0·34	0·15	29	20	9	19	5	1	—	1	26	1	—	—	—	—	—	—	—	1	1
Cholera	0·01	—	0·02	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Cancer	0·82	0·80	0·84	97	47	50	—	—	—	—	—	—	—	—	—	—	—	3	17	26	39	12
Tabes Mesenterica ..	0·09	0·03	0·15	11	2	9	1	1	1	—	1	4	1	—	3	1	1	—	—	1	—	—
Phthisis	1·10	1·27	0·94	131	75	56	1	2	—	—	—	3	—	3	8	17	39	23	21	7	8	2
Other Tub. & Scrof. Dis.	0·35	0·43	0·28	42	25	17	13	2	2	1	1	19	7	6	5	1	2	—	2	—	—	—
Diseases of: Nervous System ..	1·71	1·53	1·89	203	90	113	41	6	2	—	—	49	3	4	1	—	3	4	7	22	49	61
Circulatory " ..	2·09	1·95	2·22	248	115	133	—	1	—	1	1	3	1	5	2	4	6	10	32	43	67	75
Respiratory " ..	2·43	2·79	2·07	288	164	124	47	25	14	3	8	97	10	3	2	2	3	9	13	22	47	80
Digestive " ..	0·70	0·76	0·64	83	45	38	15	5	—	1	1	22	3	2	1	2	4	4	11	11	10	13
Urinary " ..	0·67	0·94	0·42	80	55	25	—	—	—	—	—	—	—	—	1	3	8	6	8	10	24	20
Generative " ..	0·05	—	0·10	6	—	6	—	—	—	—	—	—	—	—	—	—	—	1	2	1	2	—
Puerperal Fever ..	0·02	—	0·03	2	—	2	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
Childbirth	0·07	—	0·13	8	—	8	—	—	—	—	—	—	—	—	1	2	2	3	—	—	—	—
Violence	0·50	0·83	0·17	59	49	10	7	—	1	—	1	9	2	1	5	3	7	7	9	5	4	7
Other Causes ..	3·12	3·40	2·85	369	199	170	98	6	3	3	2	112	6	4	8	6	19	11	12	32	45	114

Marriages 745

Births .. { Males .. 1,547 / Females 1,394 } 2,941

Annual Rate per 1000 living { Persons Married .. 12·56 / Births .. .. .. 24·79 }

Annual Births to 1000 Females aged 15—45 years = 113.

Deaths from Childbirth and Puerperal Fever .. .. } 3·40 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

Note.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

105.—ALRESFORD.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 10·39			*80	—	—	—	—	25·78	1·85	1·61	1·96	3·52	3·44	6·73	10·30	18·18	44·51	123·21
Males ..	—			10·87			*97	—	—	—	—	29·56	2·16	1·55	1·20	2·58	3·94	7·07	12·01	19·29	43·89	134·62
Females	—			9·94			*63	—	—	—	—	21·93	1·53	1·67	2·86	4·40	3·01	6·42	8·67	17·01	45·14	113·33
Mean Population, 1891–1900. Persons	—			6,790			161	146	164	148	153	772	809	747	613	483	930	787	631	495	355	168
Males ..	—			3,392			76	71	87	77	78	389	416	388	333	233	431	382	308	254	180	78
Females	—			3,398			85	75	77	71	75	383	393	359	280	250	499	405	323	241	175	90
Deaths from All Causes, 1891–1900. Persons	12·67			860			129	36	15	12	7	199	15	12	12	17	32	53	65	90	158	207
Males ..	13·38			454			79	21	5	5	5	115	9	6	4	6	17	27	37	49	79	105
Females	11·95			406			50	15	10	7	2	84	6	6	8	11	15	26	28	41	79	102
	Persons.	Males.	Females	Persons.	Males.	Females	PERSONS.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·06	0·06	0·06	4	2	2	1	1	—	1	1	4	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·03	0·03	0·03	2	1	1	—	1	—	1	—	2	—	—	—	—	—	—	—	—	—	—
Diphtheria	0·16	0·21	0·12	11	7	4	—	—	1	1	4	6	4	—	—	1	—	—	—	—	—	—
Whooping-cough ..	0·37	0·35	0·38	25	12	13	12	5	4	4	—	25	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·03	0·03	0·03	2	1	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·06	0·06	0·06	4	2	2	1	—	—	—	—	1	1	—	—	—	—	—	—	1	—	1
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·74	0·68	0·80	50	23	27	—	—	—	—	—	—	—	—	—	1	—	5	3	10	17	14
Tabes Mesenterica ..	0·06	0·09	0·03	4	3	1	2	2	—	—	—	4	—	—	—	—	—	—	—	—	—	—
Phthisis	1·00	1·12	0·88	68	38	30	2	1	—	1	—	4	2	3	3	5	17	15	14	5	—	—
Other Tub. & Scrof. Dis.	0·21	0·21	0·21	14	7	7	1	4	1	1	—	7	1	1	2	1	—	1	1	—	—	—
Diseases of Nervous System ..	2·01	2·01	2·00	136	68	68	16	7	2	—	1	26	—	1	1	3	3	3	9	19	32	39
Circulatory " ..	1·61	1·74	1·47	109	59	50	—	—	—	—	—	—	—	—	1	—	1	9	6	22	27	43
Respiratory " ..	1·90	1·89	1·91	129	64	65	22	7	2	2	—	33	4	1	—	—	2	5	10	9	28	37
Digestive " .	0·88	0·77	1·00	60	26	34	14	3	3	—	—	20	2	3	1	2	1	3	4	6	10	8
Urinary " ..	0·41	0·53	0·29	28	18	10	—	—	—	—	—	—	—	—	—	1	—	2	2	4	10	9
Generative " ..	0·04	0·03	0·06	3	1	2	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—	1
Puerperal Fever ..	0·04	—	0·09	3	—	3	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—
Childbirth	0·03	—	0·06	2	—	2	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Violence	0·34	0·50	0·18	23	17	6	—	—	1	1	1	3	1	1	1	2	2	1	3	2	4	3
OTHER CAUSES ..	2·69	3·07	2·29	183	105	78	57	5	1	—	—	63	—	1	3	1	2	7	12	12	30	52

Marriages 403

Births .. { Males .. 818, Females 797 } 1,615

Annual Rate per 1000 living { Persons Married .. 11·87; Births .. .. .. 23·78 }

Annual Births to 1000 Females aged 15—45 years = 113.

Deaths from Childbirth and Puerperal Fever .. .. } 3·10 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

106.—ALTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		12·69	*105	—	—	—	—	33·60	3·70	1·87	2·92	4·68	5·17	6·87	10·75	21·47	50·07	140·34
Males ..	—					13·06	*114	—	—	—	—	37·20	3·76	1·74	2·28	4·28	5·57	6·29	11·91	22·54	53·66	147·53
Females	—					12·33	* 95	—	—	—	—	29·99	3·65	2·00	3·65	5·05	4·83	7·42	9·62	20·38	46·48	134·21
Mean Population, 1891-1900. Persons	—			15,691			347	343	348	359	359	1756	1809	1818	1475	1155	2068	1775	1544	1174	765	352
Males ..	—			7,781			162	179	173	180	185	879	905	919	790	561	970	859	764	590	382	162
Females	—			7,910			185	164	175	179	174	877	904	899	685	594	1098	916	780	584	383	190
Deaths from All Causes, 1891-1900. Persons	14·73			2,312			407	93	48	21	21	590	67	34	43	54	107	122	166	252	383	494
Males ..	15·36			1,195			228	50	27	13	9	327	34	16	18	24	54	54	91	133	205	239
Females	14·12			1,117			179	43	21	8	12	263	33	18	25	30	53	68	75	119	178	255
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·17	0·17	0·18	27	13	14	6	9	2	1	1	19	5	1	2	—	—	—	—	—	—	—
Scarlet Fever	0·08	0·05	0·10	12	4	8	—	—	1	—	4	5	5	1	—	1	—	—	—	—	—	—
Diphtheria	0·33	0·27	0·38	51	21	30	—	2	6	4	6	18	18	7	4	1	3	—	—	—	—	—
Whooping-cough	0·31	0·30	0·32	48	23	25	29	12	5	1	1	48	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·06	0·08	0·04	9	6	3	—	—	—	—	—	—	1	—	2	2	1	2	—	—	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·27	0·24	0·30	43	19	24	27	6	—	—	—	33	—	—	—	—	—	—	—	1	6	3
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·83	0·66	1·00	130	51	79	1	1	—	—	—	2	—	—	—	2	2	11	17	38	33	25
Tabes Mesenterica	0·09	0·14	0·04	14	11	3	5	3	2	1	—	11	—	1	—	—	—	2	—	—	—	—
Phthisis	1·08	1·26	0·90	169	98	71	1	1	—	—	—	2	2	8	11	23	47	31	19	16	9	1
Other Tub. & Scrof. Dis.	0·27	0·24	0·29	42	19	23	8	5	5	3	1	22	6	3	1	1	4	1	2	1	1	—
Diseases of: Nervous System	1·70	1·79	1·61	266	139	127	58	10	5	3	3	79	5	—	5	3	1	9	19	35	55	55
Circulatory „	1·70	1·62	1·77	266	126	140	4	1	—	—	—	5	4	4	—	3	7	16	33	65	69	60
Respiratory „	2·11	2·38	1·85	331	185	146	64	35	15	5	3	122	9	2	3	—	9	5	19	29	63	70
Digestive „	0·67	0·69	0·64	105	54	51	21	2	3	—	1	27	2	2	3	2	8	8	13	9	19	12
Urinary „	0·60	0·77	0·43	94	60	34	1	—	—	—	—	1	1	1	1	1	1	8	10	17	35	18
Generative „	0·06	0·01	0·10	9	1	8	—	—	—	—	—	—	—	—	1	1	—	2	1	—	4	—
Puerperal Fever	0·04	—	0·08	6	—	6	—	—	—	—	—	—	—	—	1	2	2	1	—	—	—	—
Childbirth	0·11	—	0·23	18	—	18	—	—	—	—	—	—	—	—	—	4	7	7	—	—	—	—
Violence	0·43	0·66	0·21	68	51	17	8	1	3	2	—	14	3	1	1	4	5	7	10	6	10	7
OTHER CAUSES	3·82	4·03	3·65	604	314	290	174	5	1	1	1	182	6	3	8	4	10	12	23	35	78	243

Marriages 1,131

Births .. { Males .. 1,992 / Females 1,891 } 3,883

Annual Rate per 1000 living { Persons Married .. 14·42 / Births .. .. .. 24·75 }

Annual Births to 1000 Females aged 15—45 years = 118.

Deaths from Childbirth and Puerperal Fever .. .. } 6·18 per 1000 Births.

* The death-rates under one year of age are per 1000 Births

107.—HARTLEY WINTNEY.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·43			*124	—	—	—	—	40·26	3·86	1·71	2·35	3·59	4·49	6·99	11·49	23·90	51·57	135·83
Annual Death-Rate per 1000. Males ..	—			14·31			*146	—	—	—	—	45·45	2·69	1·41	2·03	3·73	4·42	7·68	14·16	28·93	54·49	139·44
Annual Death-Rate per 1000. Females	—			12·60			*103	—	—	—	—	35·08	4·99	2·04	2·98	3·30	4·57	6·30	8·96	19·29	48·94	132·46
Mean Population, 1891-1900. Persons	—			27,248			595	578	599	606	590	2968	2799	2693	3155	3397	4300	2832	2107	1569	987	441
Mean Population, 1891-1900. Males ..	—			14,935			290	303	299	308	283	1483	1376	1418	2116	2335	2332	1420	1024	750	468	213
Mean Population, 1891-1900. Females	—			12,313			305	275	300	298	307	1485	1423	1275	1039	1062	1968	1412	1083	819	519	228
Deaths from All Causes, 1891-1900. Persons	13·44			3,661			841	190	79	50	35	1195	108	46	74	122	193	198	242	375	509	599
Deaths from All Causes, 1891-1900. Males ..	13·30			1,987			497	97	36	24	20	674	37	20	43	87	103	109	145	217	255	297
Deaths from All Causes, 1891-1900. Females	13·60			1,674			344	93	43	26	15	521	71	26	31	35	90	89	97	158	254	302
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·20	0·18	0·22	54	27	27	12	11	10	6	4	43	7	2	—	1	—	—	—	1	—	—
Scarlet Fever	0·10	0·11	0·08	27	17	10	—	4	3	2	1	10	6	2	4	4	—	1	—	—	—	—
Diphtheria	0·26	0·22	0·30	70	33	37	4	6	5	8	10	33	31	1	—	2	1	2	—	—	—	—
Whooping-cough ..	0·32	0·24	0·41	86	36	50	47	25	4	1	4	81	5	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·08	0·08	0·08	22	12	10	—	—	—	1	—	1	1	2	4	8	2	2	—	1	1	—
Simple Continued Fever	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Diarrhœa & Dysentery	0·35	0·31	0·40	95	46	49	70	9	2	1	—	82	1	—	—	—	2	—	—	1	4	5
Cholera	0·03	0·03	0·02	7	4	3	5	1	—	—	—	6	—	—	—	—	—	—	1	—	—	—
Cancer	0·71	0·56	0·90	194	83	111	—	—	1	—	—	1	1	—	—	—	4	14	27	57	57	33
Tabes Mesenterica ..	0·07	0·07	0·06	19	11	8	10	3	—	—	—	13	—	2	—	1	2	—	—	1	—	—
Phthisis	0·83	0·82	0·85	227	122	105	3	1	4	—	—	8	1	10	14	25	51	39	46	24	8	1
Other Tub. & Scrof. Dis.	0·30	0·27	0·32	81	41	40	27	16	8	1	3	55	5	4	4	2	5	3	1	1	—	1
Diseases of Nervous System ..	1·51	1·60	1·41	412	239	173	97	16	7	3	3	126	5	4	7	6	16	12	18	58	82	78
Diseases of Circulatory " ..	1·48	1·42	1·54	402	212	190	3	—	—	1	—	4	5	2	9	3	13	30	36	82	121	97
Diseases of Respiratory " ..	2·22	2·36	2·05	605	353	252	149	58	24	17	5	253	21	4	7	12	28	26	29	49	67	109
Diseases of Digestive " ..	0·76	0·74	0·77	206	111	95	60	13	—	1	1	75	6	2	5	15	8	10	24	20	26	15
Diseases of Urinary " ..	0·33	0·40	0·26	91	59	32	1	1	1	—	—	3	—	1	—	1	3	5	13	21	24	20
Diseases of Generative " ..	0·03	0·01	0·05	7	1	6	—	—	—	—	—	—	—	—	—	1	1	3	—	—	2	—
Puerperal Fever ..	0·04	—	0·10	12	—	12	—	—	—	—	—	—	—	—	—	2	6	3	1	—	—	—
Childbirth	0·06	—	0·13	16	—	16	—	—	—	—	—	—	—	—	—	2	7	7	—	—	—	—
Violence	0·43	0·62	0·20	117	92	25	7	2	2	4	3	18	3	4	7	14	15	11	12	11	15	7
OTHER CAUSES ..	3·33	3·25	3·45	910	487	423	346	24	8	4	1	383	10	6	13	23	29	29	34	48	102	233

Marriages 1,634

Births .. { Males .. 3,411 / Females 3,347 } 6,758

Annual Rate per 1000 living { Persons Married .. 11·99 / Births .. .. .. 24·80 }

Annual Births to 1000 Females aged 15—45 years = 123.

Deaths from Childbirth and Puerperal Fever .. .. } 4·14 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The boundary of this district was altered during the decennium; the part transferred contained no population.

108.—BASINGSTOKE.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 12·47	* 96	—	—	—	—	30·15	2·46	2·01	2·93	2·86	5·05	6·89	11·29	23·37	52·60	159·08
Annual Death-Rate per 1000. Males ..	—	13·36	*114	—	—	—	—	35·24	2·27	1·81	2·22	2·71	6·05	8·08	12·66	24·37	58·92	167·54
Annual Death-Rate per 1000. Females	—	11·63	* 78	—	—	—	—	25·28	2·64	2·21	3·69	3·01	4·10	5·78	10·00	22·39	46·78	151·80
Mean Population, 1891-1900. Persons	—	21,118	492	439	507	513	513	2464	2483	2392	2084	1677	2834	2408	1984	1455	924	413
Mean Population, 1891-1900. Males ..	—	10,397	256	206	252	252	240	1206	1234	1213	1080	813	1372	1163	964	718	443	191
Mean Population, 1891-1900. Females	—	10,721	236	233	255	261	273	1258	1249	1179	1004	864	1462	1245	1020	737	481	222
Deaths from All Causes, 1891-1900. Persons	14·10	2,977	514	134	44	27	24	743	61	48	61	48	143	166	224	340	486	657
Deaths from All Causes, 1891-1900. Males ..	15 16	1,576	306	69	25	12	13	425	28	22	24	22	83	94	122	175	261	320
Deaths from All Causes, 1891-1900. Females	13·07	1,401	208	65	19	15	11	318	33	26	37	26	60	72	102	165	225	337

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·18	0·19	0·17	38	20	18	10	15	6	4	1	36	1	—	—	—	—	1	—	—	—	—
Scarlet Fever	0·08	0·06	0·10	17	6	11	1	2	2	2	4	11	3	2	1	—	—	—	—	—	—	—
Diphtheria	0·14	0·18	0·10	30	19	11	—	—	4	2	3	9	12	4	4	—	1	—	—	—	—	—
Whooping-cough ..	0·18	0·16	0·21	39	17	22	22	13	1	—	2	38	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·03	0·02	0·04	6	2	4	—	—	—	—	—	—	—	1	—	—	3	1	—	1	—	—
Simple Continued Fever	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Diarrhœa & Dysentery	0·25	0·27	0·23	53	28	25	31	7	2	—	—	40	1	—	—	—	1	—	—	—	4	7
Cholera	0·01	0·01	0·01	2	1	1	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—
Cancer	0·74	0·64	0·85	157	66	91	—	—	—	—	—	—	—	—	—	1	1	8	23	47	53	24
Tabes Mesenterica ..	0·09	0·12	0·06	18	12	6	5	2	2	—	—	9	4	1	—	—	3	—	—	—	1	—
Phthisis	0·95	0·98	0·92	201	102	99	2	1	—	—	—	3	3	9	19	15	59	37	25	25	6	—
Other Tub. & Scrof. Dis.	0·27	0·25	0·29	57	26	31	14	5	3	1	3	26	9	1	2	5	7	1	3	2	1	—
Diseases of Nervous System ..	1·49	1·52	1·46	314	158	156	59	13	6	4	—	82	5	4	2	2	9	11	19	42	67	71
Diseases of Circulatory „ ..	2·10	2·29	1·91	443	238	205	2	—	—	1	1	4	3	7	8	5	11	35	50	83	126	111
Diseases of Respiratory „ ..	1·82	2·11	1·55	385	219	166	93	37	9	3	4	146	8	5	4	5	7	15	27	38	57	73
Diseases of Digestive „ ..	0·91	0·94	0·88	192	98	94	36	14	1	2	—	53	4	6	5	3	7	9	21	31	33	20
Diseases of Urinary „ ..	0·28	0·38	0·19	59	39	20	1	—	—	—	—	1	1	1	1	—	2	6	8	13	16	10
Diseases of Generative „ ..	0·04	0·01	0·07	8	1	7	1	—	—	—	—	1	—	—	—	2	—	2	1	1	1	—
Puerperal Fever ..	0·03	—	0·07	7	—	7	—	—	—	—	—	—	—	—	—	2	3	2	—	—	—	—
Childbirth	0·05	—	0·10	11	—	11	—	—	—	—	—	—	—	—	—	1	4	6	—	—	—	—
Violence	0·45	0·65	0·26	96	68	28	5	4	1	6	1	17	2	3	4	3	8	16	15	11	4	13
OTHER CAUSES ..	4·01	4·37	3·60	843	455	388	232	21	7	2	5	267	4	4	11	4	17	14	31	46	117	328

Marriages 1,362

Births .. { Males .. 2,677 / Females 2,670 } 5,347

Annual Rate per 1000 living { Persons Married .. 12·90 / Births .. .. .. 25·32

Annual Births to 1000 Females aged 15—45 years = 117.

Deaths from Childbirth and Puerperal Fever .. .. } 3·37 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The boundary of this district was altered during the decennium; the part transferred contained no population.

109.—WHITCHURCH.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·07			*111	—	—	—	—	39·21	2·62	1·83	2·87	3·69	4·43	6·40	9·55	21·88	52·21	146·09
Annual Death-Rate per 1000. Males ..	—			13·49			*144	—	—	—	—	47·25	3·24	0·92	2·60	4·48	3·73	6·13	11·89	18·54	47·79	148·44
Annual Death-Rate per 1000. Females	—			12·67			* 78	—	—	—	—	31·25	2·08	2·72	3·15	3·00	5·09	6·65	7·26	25·14	56·62	143·75
Mean Population, 1891–1900. Persons	—			5,732			150	150	139	148	145	732	724	657	523	434	768	641	492	361	272	128
Mean Population, 1891–1900. Males ..	—			2,807			74	77	69	72	72	364	340	326	269	201	375	310	244	178	136	64
Mean Population, 1891–1900. Females	—			2,925			76	73	70	76	73	368	384	331	254	233	393	331	248	183	136	64
Deaths from All Causes, 1891–1900. Persons	15·33			879			199	55	17	5	11	287	19	12	15	16	34	41	47	79	142	187
Deaths from All Causes, 1891–1900. Males ..	16·28			457			128	26	11	2	5	172	11	3	7	9	14	19	29	33	65	95
Deaths from All Causes, 1891–1900. Females	14·43			422			71	29	6	3	6	115	8	9	8	7	20	22	18	46	77	92
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	0·02	0·04	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Measles	0·26	0·36	0·17	15	10	5	1	8	2	1	1	13	2	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·07	0·07	0·07	4	2	2	—	—	1	1	1	3	1	—	—	—	—	—	—	—	—	—
Diphtheria	0·16	0·14	0·17	9	4	5	1	1	—	—	—	2	4	1	1	—	1	—	—	—	—	—
Whooping-cough ..	0·16	0·11	0·21	9	3	6	4	5	—	—	—	9	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·03	—	0·07	2	—	2	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·38	0·57	0·21	22	16	6	16	—	1	—	—	17	—	—	—	—	—	—	2	—	1	2
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·52	0·46	0·58	30	13	17	—	—	—	—	—	—	—	—	—	—	1	—	6	8	9	6
Tabes Mesenterica ..	0·09	0·07	0·10	5	2	3	1	—	—	—	2	3	—	1	1	—	—	—	—	—	—	—
Phthisis	0·63	0·53	0·72	36	15	21	2	1	—	—	—	3	—	—	3	3	13	6	3	3	2	—
Other Tub. & Scrof. Dis.	0·24	0·21	0·27	14	6	8	2	2	3	—	2	9	3	1	—	1	—	—	—	—	—	—
Diseases of Nervous System ..	2·36	2·64	2·09	135	74	61	33	6	1	—	2	42	4	3	—	2	1	5	9	14	28	27
Diseases of Circulatory " ..	1·85	1·78	1·92	106	50	56	—	—	—	—	1	1	—	2	2	3	2	8	7	18	36	27
Diseases of Respiratory " ..	2·43	2·67	2·19	139	75	64	30	18	7	1	1	57	2	1	1	—	4	4	3	12	24	31
Diseases of Digestive " ..	1·08	1·28	0·89	62	36	26	15	3	1	—	—	19	1	—	1	2	3	4	5	9	6	12
Diseases of Urinary " ..	0·33	0·29	0·38	19	8	11	—	1	—	—	—	1	—	—	1	—	—	2	2	4	5	4
Diseases of Generative " ..	0·02	—	0·03	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Puerperal Fever ..	0·07	—	0·14	4	—	4	—	—	—	—	—	—	—	—	—	1	—	3	—	—	—	—
Childbirth	0·07	—	0·14	4	—	4	—	—	—	—	—	—	—	—	—	1	1	2	—	—	—	—
Violence	0·33	0·43	0·24	19	12	7	1	1	1	1	1	5	—	—	1	1	1	2	5	2	1	1
OTHER CAUSES ..	4·23	4·63	3·84	243	130	113	93	9	—	1	—	103	2	2	4	2	6	5	4	9	29	77

Marriages 370

Births .. Males .. 889, Females 905 } 1,794

Annual Rate per 1000 living { Persons Married .. 12·91; Births .. .. .. 31·30

Annual Births to 1000 Females aged 15—45 years = 148.

Deaths from Childbirth and Puerperal Fever .. .. } 4·46 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

110.—ANDOVER.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		12·51	* 95	—	—	—	—	30·61	2·88	2·05	2·52	3·99	4·37	6·22	11·67	24·13	55·21	147·92
Annual Death-Rate per 1000. Males	—					12·31	*102	—	—	—	—	33·37	3·25	2·22	2·21	3·19	3·91	6·06	13·11	23·39	52·61	146·43
Annual Death-Rate per 1000. Females	—					12·69	* 88	—	—	—	—	27·81	2·50	1·87	2·89	4·78	4·81	6·36	10·31	24·87	58·02	149·40
Mean Population, 1891-1900. Persons	—			15,671			366	373	385	365	370	1859	1843	1710	1426	1254	2106	1802	1431	1127	777	336
Mean Population, 1891-1900. Males	—			7,829			186	196	183	184	186	935	923	854	768	626	1024	874	694	560	403	168
Mean Population, 1891-1900. Females	—			7,842			180	177	202	181	184	924	920	856	658	628	1082	928	737	567	374	168
Deaths from All Causes, 1891-1900. Persons	14·75			2,312			380	102	38	25	24	569	53	35	36	50	92	112	167	272	429	497
Deaths from All Causes, 1891-1900. Males	14·96			1,171			208	58	18	14	14	312	30	19	17	20	40	53	91	131	212	246
Deaths from All Causes, 1891-1900. Females	14·55			1,141			172	44	20	11	10	257	23	16	19	30	52	59	76	141	217	251
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·27	0·34	0·20	43	27	16	6	15	8	4	5	38	3	2	—	—	—	—	—	—	—	—
Scarlet Fever	0·02	—	0·04	3	—	3	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—
Diphtheria	0·21	0·26	0·17	33	20	13	1	1	—	3	6	11	11	9	—	1	1	—	—	—	—	—
Whooping-cough	0·27	0·27	0·28	43	21	22	24	12	4	3	—	43	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·04	0·06	0·03	7	5	2	—	—	—	—	—	—	—	1	3	—	2	1	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·19	0·15	0·22	29	12	17	17	6	1	—	—	24	—	—	—	—	1	1	—	—	—	3
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·99	0·83	1·15	155	65	90	—	—	—	—	—	—	—	1	—	—	2	7	29	36	55	25
Tabes Mesenterica	0·06	0·06	0·06	10	5	5	3	2	—	—	1	6	—	—	1	1	1	—	1	—	—	—
Phthisis	0·77	0·84	0·69	120	66	54	4	—	1	—	1	6	1	5	7	14	28	27	15	8	9	—
Other Tub. & Scrof. Dis.	0·33	0·31	0·34	51	24	27	13	4	3	3	—	23	7	2	3	5	4	—	3	2	1	1
Diseases of: Nervous System	1·55	1·60	1·50	243	125	118	34	7	4	2	1	48	4	1	3	2	6	9	19	29	65	57
Diseases of: Circulatory "	2·12	2·02	2·22	332	158	174	1	—	—	—	—	1	2	6	7	6	8	8	31	69	132	62
Diseases of: Respiratory "	2·03	2·16	1·90	318	169	149	55	26	5	6	4	96	6	1	1	4	6	16	16	32	63	77
Diseases of: Digestive "	0·71	0·65	0·77	111	51	60	24	5	2	1	2	34	6	1	3	2	4	9	8	18	15	11
Diseases of: Urinary "	0·72	0·88	0·56	113	69	44	2	—	—	—	1	3	1	—	2	1	3	7	10	29	29	28
Diseases of: Generative "	0·04	0·01	0·06	6	1	5	—	—	—	—	—	—	—	—	—	—	1	2	1	1	1	—
Puerperal Fever	0·02	—	0·04	3	—	3	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—	—
Childbirth	0·10	—	0·19	15	—	15	—	—	—	—	—	—	—	—	—	—	8	5	2	—	—	—
Violence	0·45	0·63	0·28	71	49	22	12	4	2	1	3	22	2	4	1	4	6	3	4	12	7	6
Other Causes	3·86	3·89	3·85	606	304	302	184	20	8	2	—	214	9	2	4	8	11	15	28	36	52	227

Marriages 993

Births .. Males .. 2,037; Females 1,964 — 4,001

Annual Rate per 1000 living: Persons Married .. 12·67; Births .. .. .. 25·53

Annual Births to 1000 Females aged 15—45 years = 121.

Deaths from Childbirth and Puerperal Fever .. .. 4·50 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

111.—KINGSCLERE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 11·49			* 98	—	—	—	—	29·80	2·78	2·14	2·68	3·92	4·24	6·40	8·64	20·12	47·91	137·72
Annual Death-Rate per 1000. Males	—			11·67			*113	—	—	—	—	34·87	2·20	0·98	3·33	3·23	2·94	4·93	9·14	21·86	51·05	153·57
Annual Death-Rate per 1000. Females	—			11·31			* 82	—	—	—	—	24·91	3·34	3·40	1·84	4·64	5·44	7·86	8·16	18·55	44·77	122·41
Mean Population, 1891–1900. Persons	—			8,603			214	200	210	210	223	1057	1009	983	746	612	1132	938	764	656	478	228
Mean Population, 1891–1900. Males	—			4,306			95	106	99	108	111	519	500	512	420	310	544	467	372	311	239	112
Mean Population, 1891–1900. Females	—			4,297			119	94	111	102	112	538	509	471	326	302	588	471	392	345	239	116
Deaths from All Causes, 1891–1900. Persons	14·61			1,257			228	46	16	10	15	315	28	21	20	24	48	60	66	132	229	314
Deaths from All Causes, 1891–1900. Males	15·23			656			135	23	9	5	9	181	11	5	14	10	16	23	34	68	122	172
Deaths from All Causes, 1891–1900. Females	13·99			601			93	23	7	5	6	134	17	16	6	14	32	37	32	64	107	142
	Persons.	Males.	Females	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·16	0·19	0·14	14	8	6	3	5	—	—	1	9	4	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·03	—	0·07	3	—	3	—	—	—	—	2	2	—	1	—	—	—	—	—	—	—	—
Diphtheria	0·09	0·02	0·16	8	1	7	—	—	—	1	1	2	2	4	—	—	—	—	—	—	—	—
Whooping-cough	0·29	0·35	0·23	25	15	10	12	8	1	2	1	24	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·06	0·07	0·05	5	3	2	—	—	—	—	—	—	—	—	2	—	2	—	1	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·26	0·26	0·26	22	11	11	9	1	1	1	—	12	1	—	—	—	1	—	1	—	4	3
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·94	0·86	1·02	81	37	44	—	—	—	—	—	—	—	—	—	1	1	3	8	24	27	17
Tabes Mesenterica	0·05	0·07	0·02	4	3	1	3	—	—	—	—	3	—	—	—	—	—	1	—	—	—	—
Phthisis	0·77	0·67	0·86	66	29	37	—	1	—	1	—	2	3	3	2	7	19	12	13	4	1	—
Other Tub. & Scrof. Dis.	0·23	0·21	0·26	20	9	11	3	—	2	1	—	6	—	3	3	1	1	3	1	1	1	—
Diseases of Nervous System	1·63	1·88	1·37	140	81	59	13	7	3	1	1	25	4	3	—	1	2	1	7	21	38	38
Diseases of Circulatory „	1·78	1·72	1·84	153	74	79	2	—	—	—	—	2	2	2	5	2	2	4	12	25	53	44
Diseases of Respiratory „	2·12	2·49	1·75	182	107	75	52	12	4	2	1	71	3	1	—	1	4	7	6	17	36	36
Diseases of Digestive „	0·92	0·93	0·91	79	40	39	20	6	1	—	1	28	—	—	2	3	3	2	2	8	20	11
Diseases of Urinary „	0·36	0·49	0·23	31	21	10	1	1	—	—	—	2	—	—	—	—	—	1	5	6	6	11
Diseases of Generative „	0·03	0·02	0·05	3	1	2	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—
Puerperal Fever	0·08	—	0·16	7	—	7	—	—	—	—	—	—	—	—	1	1	3	2	—	—	—	—
Childbirth	0·13	—	0·26	11	—	11	—	—	—	—	—	—	—	—	—	—	2	9	—	—	—	—
Violence	0·43	0·58	0·28	37	25	12	7	2	—	—	3	12	4	1	1	3	—	3	3	5	2	3
Other Causes	4·25	4·42	4·07	366	191	175	103	3	4	1	4	115	4	2	4	4	8	12	6	19	41	151

Marriages 531

Births .. { Males .. 1,195 / Females 1,136 } 2,331

Annual Rate per 1000 living { Persons Married .. 12·34 / Births .. .. .. 27·10

Annual Births to 1000 Females aged 15—45 years = 138.

Deaths from Childbirth and Puerperal Fever .. .. } 7·72 per 1000 Births.

* The death-rates under one year of age are per 1000 Births

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

112.—NEWBURY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		14·11	*120	—	—	—	—	39·21	3·22	1·66	2·73	4·22	5·22	7·60	12·88	25·72	56·35	148·20
Annual Death-Rate per 1000. Males	—					15·19	*129	—	—	—	—	41·43	3·89	2·13	3·02	4·99	5·74	8·89	15·69	29·28	56·92	170·39
Annual Death-Rate per 1000. Females	—					13·10	*112	—	—	—	—	37·65	2·57	1·20	2·44	3·64	4·80	6·49	10·54	22·63	55·84	132·20
Mean Population, 1891–1900. Persons	—			21,375			435	436	464	476	479	2290	2450	2473	2051	1587	2814	2474	2019	1559	1102	556
Mean Population, 1891–1900. Males	—			10,083			214	221	228	234	235	1132	1207	1221	1027	681	1272	1148	918	724	520	233
Mean Population, 1891–1900. Females	—			11,292			221	215	236	242	244	1158	1243	1252	1024	906	1542	1326	1101	835	582	323
Deaths from All Causes, 1891–1900. Persons	16·76			3,582			628	149	65	33	23	898	79	41	56	67	147	188	260	401	621	824
Deaths from All Causes, 1891–1900. Males	18·16			1,831			339	77	30	12	11	469	47	26	31	34	73	102	144	212	296	397
Deaths from All Causes, 1891–1900. Females	15·51			1,751			289	72	35	21	12	429	32	15	25	33	74	86	116	189	325	427
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	0·01	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—
Measles	0·10	0·11	0·10	22	11	11	5	7	3	3	1	19	3	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·02	0·02	0·02	4	2	2	1	—	1	—	—	2	2	—	—	—	—	—	—	—	—	—
Diphtheria	0·16	0·20	0·12	34	20	14	—	1	4	9	4	18	14	2	—	—	—	—	—	—	—	—
Whooping-cough	0·27	0·22	0·31	57	22	35	25	14	6	5	4	54	2	—	—	1	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·04	0·06	0·03	9	6	3	—	—	—	—	—	—	—	—	—	1	5	2	—	—	1	—
Simple Continued Fever	0·01	0·01	0·01	2	1	1	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—	—
Diarrhœa & Dysentery	0·31	0·32	0·30	66	32	34	33	10	—	—	1	44	1	—	—	—	1	—	3	1	2	14
Cholera	0·01	0·02	0·01	3	2	1	1	—	—	—	—	1	—	—	—	—	—	—	—	1	—	1
Cancer	0·95	0·91	0·97	202	92	110	—	—	—	—	—	—	—	1	1	2	1	17	28	51	62	39
Tabes Mesenterica	0·05	0·06	0·04	11	6	5	6	1	—	—	—	7	2	—	—	2	—	—	—	—	—	—
Phthisis	1·07	1·27	0·89	228	128	100	1	—	2	—	1	4	5	5	16	26	40	52	38	32	8	2
Other Tub. & Scrof. Dis.	0·31	0·35	0·28	67	35	32	14	5	6	2	2	29	10	8	4	3	3	4	3	1	1	1
Diseases of Nervous System	1·71	1·84	1·60	366	185	181	68	12	6	3	2	91	9	3	5	4	8	12	25	34	84	91
Diseases of Circulatory "	2·18	2·20	2·15	465	222	243	3	1	—	—	—	4	3	4	6	4	16	21	41	72	164	130
Diseases of Respiratory "	2·85	3·03	2·68	610	308	302	123	60	16	5	5	209	6	3	1	—	7	17	46	70	119	132
Diseases of Digestive "	1·25	1·34	1·17	267	135	132	66	22	5	1	1	95	4	—	3	4	21	11	21	45	42	21
Diseases of Urinary "	0·53	0·78	0·31	114	79	35	—	—	1	—	—	1	1	2	—	1	6	9	13	25	21	35
Diseases of Generative "	0·03	—	0·05	6	—	6	—	—	—	—	—	—	—	—	—	—	—	—	3	2	1	—
Puerperal Fever	0·06	—	0·11	12	—	12	—	—	—	—	—	—	—	—	1	1	5	5	—	—	—	—
Childbirth	0·05	—	0·09	10	—	10	—	—	—	—	—	—	—	—	—	1	4	5	—	—	—	—
Violence	0·52	0·86	0·21	111	87	24	8	1	6	2	—	17	11	4	6	11	8	12	12	13	6	11
Other Causes	4·27	4·52	4·05	914	457	457	274	15	8	3	2	302	6	9	13	6	21	21	26	54	109	347

Marriages 1,420

Births .. { Males .. 2,626 / Females 2,591 } 5,217

Annual Rate per 1000 living { Persons Married .. 13·29 / Births .. .. .. 24·41 }

Annual Births to 1000 Females aged 15—45 years = 109.

Deaths from Childbirth and Puerperal Fever .. .. } 4·22 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

113.—HUNGERFORD.

Causes of Death.	Crude Death Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·28			*101	—	—	—	—	32·77	2·72	1·76	2·48	4·07	4·32	6 51	11·57	21·42	49·79	140·53
Males ..	—			12·16			*108	—	—	—	—	34·62	2·16	1·88	2·18	3·04	4·06	5·51	13·74	21·34	50·98	149·53
Females	—			12·38			* 94	—	—	—	—	30·96	3·27	1·64	2·87	5·16	4·58	7·50	9·52	21·48	48·69	132·49
Mean Population, 1891–1900. Persons	—			16,355			395	387	373	401	385	1941	1952	1818	1534	1154	2060	1782	1469	1242	954	449
Males ..	—			8,201			192	186	187	194	200	959	974	903	871	592	1034	889	713	595	459	212
Females	—			8,154			203	201	186	207	185	982	978	915	663	562	1026	893	756	647	495	237
Deaths from All Causes, 1891–1900. Persons	15·61			2,553			444	104	40	24	24	636	53	32	38	47	89	116	170	266	475	631
Males ..	15·53			1,274			238	53	16	10	15	332	21	17	19	18	42	49	98	127	234	317
Females	15·69			1,279			206	51	24	14	9	304	32	15	19	29	47	67	72	139	241	314
	Persons.	Males.	Females	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·14	0·12	0·16	23	10	13	10	6	2	1	2	21	2	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·06	0·04	0·07	9	3	6	1	1	—	1	1	4	4	1	—	—	—	—	—	—	—	—
Diphtheria	0·08	0·10	0·06	13	8	5	1	—	1	3	3	8	3	1	—	1	—	—	—	—	—	—
Whooping-cough ..	0·22	0·16	0·28	36	13	23	22	9	1	1	1	34	2	—	—	—	—	—	—	—	—	—
Typhus	0·01	—	0·01	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Enteric Fever	0·04	0·04	0·04	6	3	3	—	—	—	—	2	2	—	—	—	2	2	—	—	—	—	—
Simple Continued Fever	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·27	0·34	0·20	44	28	16	26	7	1	—	1	35	—	—	—	—	—	—	—	1	3	5
Cholera	0·01	0·01	0·01	2	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
Cancer	0·68	0·56	0·81	112	46	66	—	—	—	—	—	—	—	1	—	2	3	6	16	30	34	20
Tabes Mesenterica ..	0·21	0·22	0·21	35	18	17	18	6	1	2	—	27	1	—	1	1	1	—	1	1	1	1
Phthisis	0·72	0·68	0·75	117	56	61	2	1	—	1	—	4	1	5	6	13	26	32	11	13	4	2
Other Tub. & Scrof. Dis.	0·21	0·20	0·22	34	16	18	8	5	1	—	—	14	2	2	3	1	3	4	1	3	1	—
Diseases of Nervous System ..	2·07	1·94	2·21	339	159	180	56	9	4	1	4	74	4	2	1	4	5	7	22	53	83	84
Circulatory " ..	2·02	1·98	2·07	331	162	169	—	1	—	1	—	2	—	1	4	5	6	13	29	56	102	113
Respiratory " ..	2·49	2·72	2·26	407	223	184	76	37	15	5	7	140	9	3	2	2	10	6	27	37	81	90
Digestive " ..	0·97	0·94	1·01	159	77	82	32	9	2	1	2	46	10	2	3	—	3	6	14	24	24	27
Urinary " ..	0·50	0·59	0·42	82	48	34	1	2	1	—	—	4	2	1	—	2	3	5	8	11	24	22
Generative " ..	0·04	—	0·07	6	—	6	—	—	—	—	—	—	—	—	—	—	—	3	—	—	3	—
Puerperal Fever ..	0·07	—	0·13	11	—	11	—	—	—	—	—	—	—	—	1	1	5	4	—	—	—	—
Childbirth	0·11	—	0·22	18	—	18	—	—	—	—	—	—	—	—	1	2	6	9	—	—	—	—
Violence	0·50	0·70	0·31	82	57	25	9	3	2	5	—	19	8	6	3	2	5	6	12	9	8	4
Other Causes ..	4·18	4·18	4·17	685	345	340	182	8	9	2	1	202	4	6	13	8	11	15	29	28	107	262

Marriages 1,061

Births .. { Males .. 2,203 / Females 2,185 } 4,388

Annual Rate per 1000 living { Persons Married .. 12·97 / Births .. .. .. 26·83 }

Annual Births to 1000 Females aged 15—45 years = 140.

Deaths from Childbirth and Puerperal Fever .. .. } 6·61 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

114.—FARINGDON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·56			*109	—	—	—	—	33·99	3·31	2·05	3·47	4·85	5·69	8·62	12·02	22·89	56·46	146·46
Annual Death-Rate per 1000. Males	—			In Standard Population. 13·91			*124	—	—	—	—	38·04	4·06	1·80	2·86	3·74	5·11	10·29	12·22	22·56	59·55	153·80
Annual Death-Rate per 1000. Females	—			In Standard Population. 13·23			* 93	—	—	—	—	29·72	2·58	2·31	4·22	5·86	6·23	7·05	11·84	23·20	53·57	139·56
Mean Population, 1891–1900. Persons	—			12,985			305	291	296	331	310	1533	1539	1514	1210	949	1598	1403	1231	1005	650	353
Mean Population, 1891–1900. Males	—			6,457			153	151	156	169	157	786	764	779	665	454	763	680	589	492	314	171
Mean Population, 1891–1900. Females	—			6,528			152	140	140	162	153	747	775	735	545	495	835	723	642	513	336	182
Deaths from All Causes, 1891–1900. Persons	16·67			2,165			381	69	36	16	19	521	51	31	42	46	91	121	148	230	367	517
Deaths from All Causes, 1891–1900. Males	17·38			1,122			226	37	14	12	10	299	31	14	19	17	39	70	72	111	187	263
Deaths from All Causes, 1891–1900. Females	15·98			1,043			155	32	22	4	9	222	20	17	23	29	52	51	76	119	180	254
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·15	0·19	0·12	20	12	8	9	4	3	1	1	18	2	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·05	0·03	0·06	6	2	4	—	—	2	—	—	2	2	1	1	—	—	—	—	—	—	—
Diphtheria	0·15	0·11	0·18	19	7	12	1	1	2	2	4	10	4	2	—	—	—	—	—	2	1	—
Whooping-cough	0·25	0·26	0·23	32	17	15	15	13	2	—	1	31	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·02	0·02	0·02	2	1	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·18	0·25	0·11	23	16	7	17	—	—	—	—	17	1	—	—	—	—	—	—	—	—	5
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·99	0·84	1·15	129	54	75	—	—	—	—	—	—	1	—	—	—	—	8	26	39	33	22
Tabes Mesenterica	0·24	0·28	0·20	31	18	13	20	3	—	—	—	23	2	1	1	2	1	1	—	—	—	—
Phthisis	0·86	0·91	0·81	112	59	53	2	1	1	—	—	4	2	3	9	15	26	29	17	5	1	1
Other Tub. & Scrof. Dis.	0·45	0·56	0·35	59	36	23	9	3	3	4	—	19	10	7	3	6	4	8	2	—	—	—
Diseases of Nervous System	1·93	2·17	1·69	250	140	110	52	7	3	1	3	66	8	2	3	4	4	10	14	26	57	56
Diseases of Circulatory "	1·99	1·80	2·19	259	116	143	2	—	—	1	—	3	1	—	4	2	9	18	20	45	85	72
Diseases of Respiratory "	3·02	3·08	2·96	392	199	193	72	26	12	4	3	117	6	3	6	—	12	12	18	41	68	109
Diseases of Digestive "	1·10	1·15	1·06	143	74	69	40	7	2	1	1	51	2	2	4	3	4	7	12	14	23	21
Diseases of Urinary "	0·60	0·73	0·48	78	47	31	2	—	—	—	—	2	—	2	—	1	5	3	8	19	19	19
Diseases of Generative "	0·09	—	0·18	12	—	12	—	—	—	—	—	—	—	—	—	—	1	1	2	1	5	2
Puerperal Fever	0·06	—	0·12	8	—	8	—	—	—	—	—	—	—	—	—	4	4	—	—	—	—	—
Childbirth	0·08	—	0·17	11	—	11	—	—	—	—	—	—	—	—	—	3	7	1	—	—	—	—
Violence	0·65	0·90	0·41	85	58	27	6	2	3	1	2	14	6	2	3	3	8	9	11	13	9	7
Other Causes	3·81	4·10	3·49	494	266	228	134	2	3	1	4	144	3	5	8	3	5	14	18	25	66	203

Marriages 879

Births .. { Males .. 1,820 / Females 1,671 } 3,491

Annual Rate per 1000 living { Persons Married .. 13·54 / Births .. .. .. 26·88 }

Annual Births to 1000 Females aged 15—45 years = 134.

Deaths from Childbirth and Puerperal Fever .. .. } 5·44 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

115.—ABINGDON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population 13·15	*107	—	—	—	—	33·92	3·22	2·45	3·72	4·96	5·65	6·89	10·67	21·52	48·34	160·00
Annual Death-Rate per 1000. Males ..	—	13·60	*109	—	—	—	—	35·31	2·93	2·43	3·37	6·48	6·29	7·73	12·97	22·74	48·26	169·66
Annual Death-Rate per 1000. Females	—	12·73	*105	—	—	—	—	32·54	3·51	2·48	4·10	3·63	5·10	6·14	8·71	20·45	48·41	152·59
Mean Population, 1891–1900. Persons	—	18,488	428	406	428	464	444	2170	2238	2200	1803	1350	2407	2061	1697	1250	902	410
Mean Population, 1891–1900. Males ..	—	8,993	213	212	201	226	227	1079	1126	1150	950	633	1112	970	779	585	431	178
Mean Population, 1891–1900. Females	—	9,495	215	194	227	238	217	1091	1112	1050	853	717	1295	1091	918	665	471	232
Deaths from All Causes, 1891–1900. Persons	15·23	2,816	512	123	46	23	32	736	72	54	67	67	136	142	181	269	436	656
Deaths from All Causes, 1891–1900. Males ..	15·61	1,404	265	61	24	10	21	381	33	28	32	41	70	75	101	133	208	302
Deaths from All Causes, 1891–1900. Females	14·87	1,412	247	62	22	13	11	355	39	26	35	26	66	67	80	136	228	354

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·24	0·30	0·18	44	27	17	13	14	6	4	3	40	4	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·03	0·02	0·03	5	2	3	—	—	—	1	—	1	1	2	—	—	1	—	—	—	—	—
Diphtheria	0·15	0·19	0·11	27	17	10	1	1	—	3	4	9	12	5	1	—	—	—	—	—	—	—
Whooping-cough ..	0·27	0·23	0·29	49	21	28	26	11	8	1	3	49	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·04	0·04	0·03	7	4	3	—	—	—	—	—	—	—	1	3	—	1	1	1	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·41	0·41	0·40	75	37	38	29	12	1	—	2	44	3	1	—	1	—	—	—	2	11	13
Cholera	0·01	—	0·01	1	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	0·67	0·53	0·80	124	48	76	—	—	—	—	—	—	—	—	1	1	5	11	27	37	28	14
Tabes Mesenterica ..	0·13	0·12	0·14	24	11	13	3	4	2	2	2	13	6	1	2	—	1	1	—	—	—	—
Phthisis	1·11	1·31	0·93	206	118	88	3	2	1	—	1	7	4	10	25	27	45	37	23	16	11	1
Other Tub. & Scrof. Dis.	0·26	0·28	0·24	48	25	23	9	7	3	1	2	22	5	2	4	4	4	2	1	1	1	2
Diseases of Nervous System ..	1·67	1·72	1·62	309	155	154	50	10	5	3	2	70	11	5	4	6	12	7	14	20	69	91
Diseases of Circulatory „ ..	1·72	1·73	1·70	317	156	161	2	—	1	—	—	3	4	2	3	—	16	26	27	60	101	75
Diseases of Respiratory „ ..	2·22	2·45	2·00	410	220	190	76	41	12	2	8	139	11	4	6	3	8	8	19	44	81	87
Diseases of Digestive „ ..	0·95	0·97	0·93	175	87	88	50	9	2	2	—	63	—	3	3	3	5	10	13	25	23	27
Diseases of Urinary „ ..	0·65	0·73	0·58	121	66	55	—	—	—	—	—	—	—	—	—	2	1	12	14	26	35	31
Diseases of Generative „ ..	0·06	—	0·13	12	—	12	—	—	—	—	—	—	—	—	1	—	2	1	2	2	3	1
Puerperal Fever ..	0·04	—	0·07	7	—	7	—	—	—	—	—	—	—	—	—	1	6	—	—	—	—	—
Childbirth	0·09	—	0·17	16	—	16	—	—	—	—	—	—	—	—	1	1	9	5	—	—	—	—
Violence	0·54	0·76	0·33	99	68	31	11	5	1	1	1	19	6	8	2	10	6	11	17	8	5	7
OTHER CAUSES ..	3·97	3·82	4·18	740	342	398	238	7	4	3	4	256	5	10	11	8	14	10	23	28	68	307

Marriages 1,227

Births .. { Males .. 2,437, Females 2,348 } 4,785

Annual Rate per 1000 living { Persons Married .. 13·27, Births .. .. .. 25·88

Annual Births to 1000 Females aged 15—45 years = 121.

Deaths from Childbirth and Puerperal Fever .. .. } 4·81 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

116.—WANTAGE.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·18			*107	—	—	—	—	33·18	2·59	1·45	4·05	5·03	5·79	8·16	10·73	23·25	54·38	145·29
Males ..	—			13·50			*120	—	—	—	—	37·77	2·34	1·42	3·45	3·60	5·48	7·96	12·36	23·93	56·41	157·75
Females	—			12·88			* 92	—	—	—	—	28·36	2·86	1·47	4·75	6·55	6·09	8·36	9·22	22·62	52·44	133·98
Mean Population, 1891–1900. Persons	—			16,121			388	356	395	379	390	1908	2004	1937	1557	1134	2003	1752	1463	1170	800	393
Males ..	—			8,108			208	178	192	190	209	977	1026	987	841	584	985	867	704	560	390	187
Females	—			8,013			180	178	203	189	181	931	978	950	716	550	1018	885	759	610	410	206
Deaths from All Causes, 1891–1900. Persons	15·68			2,527			464	94	34	25	16	633	52	28	63	57	116	143	157	272	435	571
Males ..	16·23			1,316			273	49	20	20	7	369	24	14	29	21	54	69	87	134	220	295
Females	15·11			1,211			191	45	14	5	9	264	28	14	34	36	62	74	70	138	215	276
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·16	0·16	0·15	25	13	12	6	8	3	3	2	22	3	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·10	0·11	0·09	16	9	7	—	1	2	2	1	6	7	1	1	1	—	—	—	—	—	—
Diphtheria	0·17	0·25	0·09	27	20	7	2	1	4	6	1	14	9	1	1	—	—	2	—	—	—	—
Whooping-cough ..	0·30	0·33	0·27	49	27	22	27	13	2	3	3	48	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·05	0·05	0·05	8	4	4	—	—	—	—	—	—	—	—	2	1	1	2	2	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·30	0·39	0·21	49	32	17	23	3	1	—	—	27	—	1	—	—	—	1	1	1	9	9
Cholera	0·01	0·01	0·01	2	1	1	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Cancer	0·84	0·63	1·06	136	51	85	—	—	—	—	1	1	—	—	—	—	3	12	21	32	42	25
Tabes Mesenterica ..	0·04	0·02	0·06	7	2	5	2	2	—	—	—	4	1	—	—	1	—	1	—	—	—	—
Phthisis	1·28	1·21	1·35	206	98	108	4	2	—	1	1	8	2	10	18	26	48	36	24	17	12	5
Other Tub. & Scrof. Dis.	0·25	0·25	0·25	40	20	20	8	7	2	—	2	19	8	2	4	4	1	2	—	—	—	—
Diseases of Nervous System ..	1·79	1·73	1·86	289	140	149	58	8	2	2	1	71	9	3	10	3	5	10	16	36	54	72
Circulatory " ..	2·30	2·48	2·12	371	201	170	2	—	—	—	—	2	—	3	2	2	9	10	24	75	121	123
Respiratory " ..	2·28	2·33	2·22	367	189	178	94	29	8	6	4	141	5	2	4	4	7	11	12	35	64	82
Digestive " ..	0·96	0·97	0·95	155	79	76	35	9	3	1	—	48	3	1	4	—	7	12	12	20	30	18
Urinary " ..	0·49	0·72	0·26	79	58	21	1	—	—	—	—	1	1	1	2	—	5	6	13	9	18	23
Generative " ..	0·04	—	0·07	6	—	6	—	—	—	—	—	—	—	—	—	—	—	2	1	1	2	—
Puerperal Fever ..	0·06	—	0·12	10	—	10	—	—	—	—	—	—	—	—	—	2	5	3	—	—	—	—
Childbirth	0·12	—	0·25	20	—	20	—	—	—	—	—	—	—	—	2	3	8	7	—	—	—	—
Violence	0·51	0·68	0·35	83	55	28	8	4	5	1	—	18	2	1	4	2	4	7	8	14	10	13
OTHER CAUSES ..	3·63	3·91	3·32	582	317	265	1.2	7	2	—	—	201	1	2	9	8	13	19	23	32	73	201

Marriages 1,038

Births .. { Males .. 2,272 / Females 2,084 } 4,356

Annual Rate per 1000 living { Persons Married .. 12·88 / Births .. .. .. 27·02 }

Annual Births to 1000 Females aged 15—45 years = 137.

Deaths from Childbirth and Puerperal Fever .. .. } 6·89 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

117.—WALLINGFORD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 15·44			*102	—	—	—	—	32·98	2·80	1·71	4·46	6·95	8·93	10·66	16·11	28·11	62·99	158·62
Annual Death-Rate per 1000. Males	—			16·34			*112	—	—	—	—	37·42	3·28	1·82	4·65	5·41	10·14	12·50	16·81	29·73	66·37	172·50
Annual Death-Rate per 1000. Females	—			14·60			* 91	—	—	—	—	28·61	2·33	1·60	4·24	8·44	7·78	8·94	15·47	26·63	60·10	146·81
Mean Population, 1891–1900. Persons	—			14,289			279	317	311	307	314	1528	1608	1578	1232	1051	1871	1661	1502	1167	743	348
Mean Population, 1891–1900. Males	—			7,046			146	151	157	148	157	759	793	826	666	518	907	800	720	555	342	160
Mean Population, 1891–1900. Females	—			7,243			133	166	154	159	157	769	815	752	566	533	964	861	782	612	401	188
Deaths from All Causes, 1891–1900. Persons	18·46			2,638			349	83	30	21	21	504	45	27	55	73	167	177	242	328	468	552
Deaths from All Causes, 1891–1900. Males	19·37			1,365			199	49	13	12	11	284	26	15	31	28	92	100	121	165	227	276
Deaths from All Causes, 1891–1900. Females	17·58			1,273			150	34	17	9	10	220	19	12	24	45	75	77	121	163	241	276
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·16	0·21	0·11	23	15	8	5	8	3	2	2	20	3	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·05	0·07	0·03	7	5	2	—	3	—	—	1	4	1	1	1	—	—	—	—	—	—	—
Diphtheria	0·11	0·14	0·08	16	10	6	—	—	4	1	2	7	6	1	1	—	—	—	—	1	—	—
Whooping-cough	0·29	0·26	0·32	41	18	23	19	12	2	2	1	36	5	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·15	0·07	0·22	21	5	16	—	—	—	1	—	1	—	—	2	3	4	2	5	2	2	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·13	0·17	0·10	19	12	7	7	1	—	—	—	8	—	—	—	—	—	1	—	1	4	5
Cholera	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Cancer	0·99	0·85	1·12	141	60	81	—	—	—	1	—	1	—	—	1	—	4	7	27	31	52	18
Tabes Mesenterica	0·06	0·09	0·04	9	6	3	5	1	—	—	—	6	—	—	—	1	—	1	—	1	—	—
Phthisis	1·91	2·04	1·78	273	144	129	2	1	1	2	1	7	3	7	20	32	71	55	43	26	8	1
Other Tub. & Scrof. Dis.	0·18	0·30	0·06	25	21	4	5	3	4	—	1	13	—	3	2	1	—	—	5	1	—	—
Diseases of Nervous System	3·32	3·56	3·08	474	251	223	87	6	6	3	3	105	5	1	8	11	27	43	50	77	72	75
Diseases of Circulatory "	2·61	2·57	2·65	373	181	192	—	—	—	1	—	1	3	3	3	10	16	16	27	66	115	113
Diseases of Respiratory "	3·00	3·34	2·66	428	235	193	71	32	8	3	8	122	7	2	5	1	16	13	32	49	87	94
Diseases of Digestive "	0·92	0·94	0·90	131	66	65	35	7	—	2	1	45	2	—	1	2	3	9	19	18	20	12
Diseases of Urinary "	0·59	0·64	0·54	84	45	39	—	1	—	—	—	1	—	—	1	—	6	3	8	17	24	24
Diseases of Generative "	0·06	0·01	0·10	8	1	7	—	1	—	—	—	1	—	1	—	—	2	—	—	1	1	2
Puerperal Fever	0·06	—	0·12	9	—	9	—	—	—	—	—	—	—	—	1	3	3	2	—	—	—	—
Childbirth	0·08	—	0·17	12	—	12	—	—	—	—	—	—	—	—	—	1	4	5	2	—	—	—
Violence	0·54	0·78	0·30	77	55	22	3	1	—	1	—	5	7	4	7	3	7	7	7	11	11	8
Other Causes	3·24	3·32	3·20	466	234	232	110	6	2	2	1	121	3	4	2	5	4	13	17	25	72	200

Marriages 908

Births .. { Males .. 1,769 / Females 1,647 } 3,416

Annual Rate per 1000 living { Persons Married .. 12·71 / Births .. .. .. 23·91 }

Annual Births to 1000 Females aged 15—45 years = 117.

Deaths from Childbirth and Puerperal Fever .. .. } 6·15 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

118—BRADFIELD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 11·39	*87	—	—	—	—	27·69	2·78	1·86	2·95	3·87	3·96	6·06	9·38	21·46	48·14	142·01
Annual Death-Rate per 1000. Males	—	11·49	*97	—	—	—	—	28·23	2·84	1·53	2·55	3·59	4·64	6·92	11·79	23·18	46·42	143·65
Annual Death-Rate per 1000. Females	—	11·29	*77	—	—	—	—	27·14	2·72	2·23	3·51	4·13	3·37	5·22	7·11	19·81	49·88	140·43
Mean Population, 1891–1900. Persons	—	18,065	388	395	429	426	413	2051	2159	2096	1760	1371	2447	2112	1664	1230	806	369
Mean Population, 1891–1900. Males	—	9,078	193	202	236	212	202	1045	1058	1108	1020	668	1143	1040	806	604	405	181
Mean Population, 1891–1900. Females	—	8,987	195	193	193	214	211	1006	1101	988	740	703	1304	1072	858	626	401	188
Deaths from All Causes, 1891–1900. Persons	12·89	2,329	381	95	37	30	25	568	60	39	52	53	97	128	156	264	388	524
Deaths from All Causes, 1891–1900. Males	13·22	1,200	213	40	16	17	9	295	30	17	26	24	53	72	95	140	188	260
Deaths from All Causes, 1891–1900. Females	12·56	1,129	168	55	21	13	16	273	30	22	26	29	44	56	61	124	200	264

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·13	0·15	0·11	24	14	10	5	5	3	—	2	15	5	2	—	—	2	—	—	—	—	—
Scarlet Fever	0·06	0·04	0·08	11	4	7	1	2	1	1	1	6	3	1	—	—	—	—	1	—	—	—
Diphtheria	0·19	0·13	0·24	34	12	22	—	1	1	9	6	17	10	6	1	—	—	—	—	—	—	—
Whooping-cough	0·25	0·22	0·29	46	20	26	17	14	8	2	2	43	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·04	0·06	0·03	8	5	3	—	1	—	—	—	1	—	—	3	—	—	2	2	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·12	0·13	0·11	22	12	10	15	2	—	—	—	17	—	—	—	2	—	—	—	—	1	2
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·86	0·72	1·01	156	65	91	—	—	—	—	—	—	—	—	—	—	2	10	27	39	56	22
Tabes Mesenterica	0·09	0·11	0·08	17	10	7	7	4	—	1	—	12	2	1	1	—	—	1	—	—	—	—
Phthisis	0·76	0·85	0·68	138	77	61	1	1	—	2	1	5	3	1	17	23	35	19	23	8	3	1
Other Tub. & Scrof. Dis.	0·21	0·18	0·24	38	16	22	5	8	1	1	2	17	7	5	2	1	3	1	1	—	1	—
Diseases of Nervous System	1·54	1·59	1·50	279	144	135	46	12	6	6	—	70	7	3	4	3	7	10	11	26	69	69
Diseases of Circulatory "	1·54	1·43	1·65	278	130	148	—	1	—	—	—	1	1	2	2	4	8	18	18	70	80	74
Diseases of Respiratory "	1·84	1·82	1·87	333	165	168	75	24	10	5	5	119	9	3	2	2	6	8	16	42	58	68
Diseases of Digestive "	0·75	0·77	0·73	136	70	66	35	10	2	—	2	49	4	5	4	3	4	7	13	12	17	18
Diseases of Urinary "	0·33	0·46	0·19	59	42	17	1	—	—	1	—	2	—	—	—	—	1	8	7	11	20	10
Diseases of Generative "	0·05	0·01	0·09	9	1	8	1	—	—	—	—	1	—	—	—	—	1	—	2	3	1	1
Puerperal Fever	0·04	—	0·08	7	—	7	—	—	—	—	—	—	—	—	—	—	4	3	—	—	—	—
Childbirth	0·05	—	0·10	9	—	9	—	—	—	—	—	—	—	—	1	—	4	4	—	—	—	—
Violence	0·70	1·09	0·30	126	99	27	4	2	3	—	1	10	4	4	8	10	15	17	16	19	11	12
Other Causes	3·34	3·46	3·18	599	314	285	168	8	2	2	3	183	2	6	7	5	5	20	19	34	71	247

Marriages 1,113

Births .. { Males .. 2,198 / Females 2,193 } 4,391

Annual Rate per 1000 living { Persons Married .. 12·32 / Births .. .. .. 24·31 }

Annual Births to 1000 Females aged 15—45 years = 115.

Deaths from Childbirth and Puerperal Fever .. .. } 3·64 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

119—READING.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		16·06	*138	—	—	—	—	47·02	3·64	2·25	3·34	4·34	5·63	9·80	14·54	29·38	58·59	154·86
Annual Death-Rate per 1000. Males	—					17·15	*151	—	—	—	—	50·79	3·46	2·19	3·19	4·68	5·96	10·58	15·96	34·59	64·95	176·29
Annual Death-Rate per 1000. Females	—					15·04	*124	—	—	—	—	43·21	3·82	2·32	3·49	4·02	5·32	9·06	13·21	24·96	54·04	141·17
Mean Population, 1891–1900. Persons	—			65,588			1631	1519	1564	1571	1516	7801	7444	7152	6649	6063	10388	8013	5707	3530	1997	844
Mean Population, 1891–1900. Males	—			31,934			821	754	767	814	766	3922	3703	3614	3324	2951	5017	3874	2748	1619	833	329
Mean Population, 1891–1900. Females	—			33,654			810	765	797	757	750	3879	3741	3538	3325	3112	5371	4139	2959	1911	1164	515
Deaths from All Causes, 1891–1900. Persons	15·70			10,299			2561	621	226	144	116	3668	271	161	222	263	585	785	830	1037	1170	1307
Deaths from All Causes, 1891–1900. Males	16·51			5,272			1416	323	121	77	55	1992	128	79	106	138	299	410	439	560	541	580
Deaths from All Causes, 1891–1900. Females	14·94			5,027			1145	298	105	67	61	1676	143	82	116	125	286	375	391	477	629	727
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·40	0·41	0·39	260	130	130	58	92	45	26	18	239	16	2	1	1	1	—	—	—	—	—
Scarlet Fever	0·08	0·09	0·07	53	28	25	1	6	5	7	7	26	13	5	4	3	1	1	—	—	—	—
Diphtheria	0·11	0·09	0·12	69	30	39	2	9	7	8	11	37	23	4	2	—	—	1	1	1	—	—
Whooping-cough	0·25	0·23	0·27	162	72	90	80	47	14	8	6	155	7	—	—	—	—	—	—	—	—	—
Typhus	0·01	0·01	0·00	4	3	1	—	—	—	—	—	—	—	—	—	—	1	1	1	1	—	—
Enteric Fever	0·10	0·12	0·08	64	37	27	1	2	1	—	—	4	4	6	13	8	15	7	4	1	2	—
Simple Continued Fever	0·00	0·00	0·01	3	1	2	—	—	—	—	—	—	—	—	1	1	—	—	1	—	—	—
Diarrhœa & Dysentery	0·65	0·70	0·61	429	224	205	346	34	3	1	4	388	3	—	—	1	2	—	—	5	10	20
Cholera	0·01	0·00	0·01	4	1	3	2	1	—	—	—	3	—	—	—	—	—	—	—	1	—	—
Cancer	0·94	0·71	1·16	614	225	389	—	1	2	2	—	5	8	—	2	—	26	67	151	163	114	78
Tabes Mesenterica	0·15	0·15	0·15	99	49	50	43	15	5	6	4	73	3	5	6	4	3	3	1	—	—	1
Phthisis	1·28	1·61	0·97	841	515	326	23	11	5	2	3	44	15	16	53	93	199	189	116	67	39	10
Other Tub. & Scrof Dis.	0·46	0·55	0·37	301	176	125	68	60	24	16	15	183	32	21	13	9	12	14	7	6	4	—
Diseases of Nervous System	1·73	1·74	1·72	1132	554	578	286	51	20	11	8	376	16	17	17	13	23	52	83	144	183	208
Diseases of Circulatory	1·53	1·55	1·52	1007	495	512	10	1	1	2	3	17	13	23	20	27	44	90	137	215	245	176
Diseases of Respiratory	2·42	2·49	2·35	1588	796	792	405	187	60	27	23	702	29	11	10	12	31	59	100	149	216	269
Diseases of Digestive	1·05	1·09	1·00	686	348	338	231	38	6	5	4	284	22	14	20	22	29	55	62	61	78	39
Diseases of Urinary	0·48	0·63	0·35	318	201	117	2	1	—	—	3	6	6	1	9	6	25	39	35	58	76	57
Diseases of Generative	0·06	0·01	0·12	41	2	39	2	—	—	—	—	2	—	—	—	3	11	13	7	2	2	1
Puerperal Fever	0·08	—	0·16	55	—	55	—	—	—	—	—	—	—	—	2	14	27	12	—	—	—	—
Childbirth	0·07	—	0·15	49	—	49	—	—	—	—	—	—	—	—	4	4	21	20	—	—	—	—
Violence	0·54	0·81	0·29	356	257	99	42	12	14	13	1	82	28	15	18	13	44	45	28	42	20	21
Other Causes	3·30	3·52	3·07	2164	1128	1036	959	53	14	10	6	1042	33	21	27	29	70	117	96	121	181	427

Marriages 5,293

Births .. { Males .. 9,356 / Females 9,250 } 18,606

Annual Rate per 1000 living { Persons Married .. 16·14 / Births .. .. .. 28·37 }

Annual Births to 1000 Females aged 15—45 years = 117.

Deaths from Childbirth and Puerperal Fever .. .. } 5·59 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

120.—WOKINGHAM.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·28			*104	—	—	—	—	32·27	2·78	1·91	3·18	3·46	4·11	6·01	10·99	22·35	49·59	144·81
Annual Death-Rate per 1000. Males	—			12·86			*110	—	—	—	—	34·41	3·40	2·17	2·26	3·91	4·44	7·93	13·36	23·72	54·09	143·02
Annual Death-Rate per 1000. Females	—			11·73			* 97	—	—	—	—	30·13	2·18	1·63	4·18	3·06	3·83	5·22	8·94	21·09	45·56	146·52
Mean Population, 1891–1900. Persons	—			17,669			360	383	380	390	405	1918	2011	1992	1540	1416	2481	2134	1692	1266	853	366
Mean Population, 1891–1900. Males	—			8,584			179	188	194	201	200	962	1001	1012	798	665	1149	1022	786	607	403	179
Mean Population, 1891–1900. Females	—			9,085			181	195	186	189	205	956	1010	980	742	751	1332	1112	906	659	450	187
Deaths from All Causes, 1891–1900. Persons	14·00			2,474			433	102	30	28	26	619	56	38	49	49	102	139	186	283	423	530
Deaths from All Causes, 1891–1900. Males	14·98			1,286			234	50	17	17	13	331	34	22	18	26	51	81	105	144	218	256
Deaths from All Causes, 1891–1900. Females	13·08			1,188			199	52	13	11	13	288	22	16	31	23	51	58	81	139	205	274
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·13	0·15	0·11	23	13	10	3	5	3	4	3	18	4	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·01	0·02	—	2	2	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
Diphtheria	0·22	0·23	0·20	38	20	18	1	4	2	1	3	11	14	9	1	1	—	1	—	—	—	1
Whooping-cough	0·29	0·26	0·33	52	22	30	25	14	4	3	6	52	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·04	0·06	0·02	7	5	2	—	—	—	—	—	—	1	—	—	1	1	3	1	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·34	0·35	0·33	60	30	30	35	3	2	—	1	41	—	—	—	—	—	—	—	2	4	13
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·76	0·73	0·78	134	63	71	—	—	—	—	—	—	1	—	1	1	3	6	23	33	40	26
Tabes Mesenterica	0·11	0·13	0·09	19	11	8	6	1	1	—	—	8	2	3	—	2	2	—	1	—	1	—
Phthisis	0·87	0·92	0·81	153	79	74	3	1	—	1	—	5	2	3	17	11	38	31	23	14	8	1
Other Tub. & Scrof. Dis.	0·14	0·21	0·08	25	18	7	11	1	—	2	2	16	3	1	1	1	—	—	2	1	—	—
Diseases of Nervous System	1·44	1·48	1·40	254	127	127	45	10	2	—	—	57	3	2	4	2	3	9	22	42	52	58
Diseases of Circulatory "	1·84	1·76	1·92	325	151	174	1	—	1	—	—	2	—	1	7	2	10	10	30	72	108	83
Diseases of Respiratory "	2·48	2·83	2·15	438	243	195	93	43	10	13	9	168	9	3	1	2	4	18	18	45	73	97
Diseases of Digestive "	0·88	0·78	0·97	155	67	88	30	3	1	1	—	35	4	6	—	6	9	8	16	19	33	19
Diseases of Urinary "	0·38	0·55	0·22	67	47	20	—	—	1	—	—	1	1	1	1	1	4	6	10	13	17	12
Diseases of Generative "	0·02	—	0·04	4	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	1
Puerperal Fever	0·05	—	0·09	8	—	8	—	—	—	—	—	—	—	—	—	4	1	3	—	—	—	—
Childbirth	0·05	—	0·09	8	—	8	—	—	—	—	—	—	—	—	—	—	4	3	1	—	—	—
Violence	0·66	1·04	0·30	116	89	27	9	3	1	1	1	15	4	1	6	9	11	19	21	18	7	5
OTHER CAUSES	3·29	3·48	3·15	586	299	287	171	14	2	2	1	190	7	6	10	6	12	22	18	22	79	214

Marriages 1,190

Births .. { Males .. 2,125 / Females 2,058 } 4,183

Annual Rate per 1000 living { Persons Married .. 13·47 / Births .. .. .. 23·67 }

Annual Births to 1000 Females aged 15—45 years = 106.

Deaths from Childbirth and Puerperal Fever .. .. } 3·82 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

121.—MAIDENHEAD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.	13·65		*109	—	—	—	—	38·73	4·20	1·88	3·42	3·93	4·85	7·45	12·10	25·15	49·19	137·97
Males ..	—				14·68		*119	—	—	—	—	41·89	3·85	2·23	4·17	5·24	5·84	8·61	13·53	26·44	57·39	139·35
Females	—				12·68		* 98	—	—	—	—	35·49	4·57	1·49	2·67	2·88	4·03	6·44	10·80	23·94	42·18	136·99
Mean Population, 1891–1900. Persons	—			21,873			521	478	487	504	517	2507	2474	2398	2016	1882	3319	2656	2017	1364	866	374
Males ..	—			10,540			273	239	250	256	252	1270	1248	1254	1006	840	1506	1243	961	658	399	155
Females	—			11,333			248	239	237	248	265	1237	1226	1144	1010	1042	1813	1413	1056	706	467	219
Deaths from All Causes, 1891–1900. Persons	14·41			3,151			627	172	74	54	44	971	104	45	69	74	161	198	244	343	426	516
Males ..	15·54			1,638			354	88	43	26	21	532	48	28	42	44	88	107	130	174	229	216
Females	13·35			1,513			273	84	31	28	23	439	56	17	27	30	73	91	114	169	197	300
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox ..	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Measles ..	0·23	0·30	0·17	51	32	19	5	17	11	7	3	43	4	2	—	—	2	—	—	—	—	—
Scarlet Fever ..	0·05	0·09	0·03	12	9	3	—	1	1	2	2	6	1	3	1	—	—	—	—	1	—	—
Diphtheria ..	0·53	0·50	0·56	116	53	63	—	9	14	15	20	58	45	9	2	1	1	—	—	—	—	—
Whooping-cough ..	0·26	0·22	0·29	56	23	33	20	19	10	2	1	52	4	—	—	—	—	—	—	—	—	—
Typhus ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever ..	0·08	0·10	0·06	17	10	7	—	—	—	—	—	—	—	2	1	2	4	6	—	2	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·39	0·43	0·36	86	45	41	63	10	—	1	—	74	—	1	—	1	1	2	1	1	1	4
Cholera ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer ..	0·87	0·68	1·05	191	72	119	—	—	—	—	—	—	—	1	—	—	7	14	37	54	50	28
Tabes Mesenterica ..	0·07	0·10	0·04	15	11	4	7	1	—	—	—	8	2	3	—	—	—	—	1	1	—	—
Phthisis ..	0·94	1·12	0·78	206	118	88	2	3	1	2	—	8	—	2	26	27	40	31	35	25	7	5
Other Tub. & Scrof. Dis.	0·30	0·34	0·26	66	36	30	32	12	6	1	4	55	2	2	2	2	2	—	—	1	—	—
Diseases of: Nervous System ..	1·83	1·87	1·79	400	197	203	114	12	3	1	—	130	6	—	3	4	10	18	21	52	79	77
Circulatory " ..	1·73	1·76	1·70	378	185	193	3	3	—	2	1	9	8	7	6	7	19	22	37	65	111	87
Respiratory " ..	2·34	2·61	2·08	511	275	236	108	51	14	11	6	190	6	3	4	5	10	25	34	46	72	116
Digestive " ..	0·90	0·97	0·83	196	102	94	61	13	5	2	2	83	6	—	4	2	9	14	12	27	19	20
Urinary " ..	0·29	0·42	0·18	64	44	20	3	—	1	1	—	5	2	1	3	4	4	7	12	8	9	9
Generative " ..	0·04	0·01	0·07	9	1	8	1	—	—	—	—	1	—	—	—	—	—	3	1	1	2	1
Puerperal Fever ..	0·05	—	0·11	12	—	12	—	—	—	—	—	—	—	—	—	—	7	5	—	—	—	—
Childbirth ..	0·02	—	0·04	4	—	4	—	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—
Violence ..	0·65	1·02	0·31	142	107	35	10	4	1	3	4	22	8	4	11	9	20	18	16	12	16	6
OTHER CAUSES ..	2·84	2·99	2·64	618	317	301	198	17	7	4	1	227	10	5	6	8	24	32	36	47	60	163

Marriages 1,550

Births .. Males .. 2,963; Females 2,794 — 5,757

Annual Rate per 1000 living: Persons Married .. 14·17; Births .. .. .. 26·32

Annual Births to 1000 Females aged 15—45 years = 109.

Deaths from Childbirth and Puerperal Fever .. .. 2·78 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

122.—EASTHAMPSTEAD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·01			* 94	—	—	—	—	30·52	2·99	1·91	1·96	3·37	4·60	6·88	11·69	22·43	48·89	140·77
Males ..	—			12·74			*102	—	—	—	—	33·16	3·02	1·62	1·47	3·36	4·37	8·56	14·11	24·45	50·96	159·82
Females	—			11·31			* 84	—	—	—	—	27·81	2·97	2·25	2·64	3·39	4·81	5·16	9·32	20·40	46·52	123·14
Mean Population, 1891–1900. Persons	—			14,638			300	288	302	319	321	1530	1571	1619	1528	1156	2174	1802	1446	994	585	233
Males ..	—			7,454			148	144	149	166	168	775	796	862	883	536	1052	911	716	499	312	112
Females	—			7,184			152	144	153	153	153	755	775	757	645	620	1122	891	730	495	273	121
Deaths from All Causes, 1891–1900. Persons	12·60			1,844			325	67	41	19	15	467	47	31	30	39	100	124	169	223	286	328
Males ..	13·56			1,011			185	35	19	11	7	257	24	14	13	18	46	78	101	122	159	179
Females	11·60			833			140	32	22	8	8	210	23	17	17	21	54	46	68	101	127	149
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·14	0·15	0·14	21	11	10	2	6	4	1	1	14	3	1	3	—	—	—	—	—	—	—
Scarlet Fever	0·09	0·09	0·08	13	7	6	—	1	2	—	2	5	5	2	—	—	—	1	—	—	—	—
Diphtheria	0·10	0·09	0·10	14	7	7	—	1	2	2	1	6	4	2	1	1	—	—	—	—	—	—
Whooping-cough ..	0·23	0·17	0·29	34	13	21	21	7	3	2	—	33	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·02	0·01	0·03	3	1	2	—	—	—	—	—	—	—	1	—	—	1	1	—	—	—	—
Simple Continued Fever	0·01	0·01	0·01	2	1	1	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·16	0·13	0·19	24	10	14	11	4	1	—	—	16	—	—	—	—	—	—	—	2	1	5
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·69	0·56	0·82	101	42	59	—	—	—	—	—	—	—	—	—	—	2	13	18	26	27	15
Tabes Mesenterica ..	0·08	0·08	0·07	11	6	5	5	1	1	1	—	8	2	—	1	—	—	—	—	—	—	—
Phthisis	1·15	1·27	1·02	168	95	73	2	3	1	—	1	7	2	6	11	14	35	26	40	18	8	1
Other Tub. & Scrof. Dis.	0·24	0·25	0·22	35	19	16	7	2	3	1	1	14	2	5	3	—	6	2	1	2	—	—
Diseases of Nervous System ..	1·91	2·35	1·46	280	175	105	50	6	3	1	2	62	4	1	1	2	14	23	25	40	60	48
Circulatory „ ..	1·34	1·32	1·36	196	98	98	2	—	—	—	—	2	3	2	1	4	6	15	21	45	60	37
Respiratory „ ..	2·05	2·40	1·68	300	179	121	71	24	8	6	5	114	10	5	2	4	5	9	14	28	48	61
Digestive „ ..	0·80	0·81	0·79	117	60	57	24	4	4	2	—	34	2	1	—	6	5	4	11	19	16	19
Urinary „ ..	0·38	0·50	0·25	55	37	18	—	—	—	1	—	1	—	—	—	—	4	6	8	9	16	11
Generative „ ..	0·02	—	0·04	3	—	3	—	—	—	—	—	—	—	—	—	—	1	—	1	1	—	—
Puerperal Fever ..	0·04	—	0·08	6	—	6	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—
Childbirth..	0·06	—	0·13	9	—	9	—	—	—	—	—	—	—	—	—	3	1	5	—	—	—	—
Violence	0·41	0·64	0·17	60	48	12	6	2	4	2	1	15	2	—	5	2	5	6	11	6	5	3
Other Causes ..	2·68	2·73	2·67	392	202	190	124	6	5	—	1	136	5	5	2	3	9	13	19	27	45	128

Marriages 799

Births .. Males .. 1,810; Females 1,664 — 3,474

Annual Rate per 1000 living: Persons Married .. 10·92; Births .. .. .. 23·73

Annual Births to 1000 Females aged 15—45 years = 106.

Deaths from Childbirth and Puerperal Fever .. .. 4·32 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

123.—WINDSOR.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 15·16			*109	—	—	—	—	38·43	3·89	2·33	3·55	3·96	5·70	9·24	16·12	27·92	62·62	147·16
Annual Death-Rate per 1000. Males	—			16·91			*120	—	—	—	—	42·20	3·83	2·39	3·11	4·32	6·49	12·08	21·19	33·63	74·05	162·76
Annual Death-Rate per 1000. Females	—			13·51			* 98	—	—	—	—	34·65	3·95	2·28	3·98	3·57	4·99	6·80	11·90	23·36	54·46	138·40
Mean Population, 1891–1900. Persons	—			37,715			814	768	799	794	783	3958	3905	3770	3691	3966	6163	4667	3511	2271	1268	545
Mean Population, 1891–1900. Males	—			18,156			395	392	393	398	403	1981	1982	1924	1833	2061	2895	2153	1595	1008	528	196
Mean Population, 1891–1900. Females	—			19,559			419	376	406	396	380	1977	1923	1846	1858	1905	3268	2514	1916	1263	740	349
Deaths from All Causes, 1891–1900. Persons	14·92			5,627			1018	272	105	72	54	1521	152	88	131	157	351	431	566	634	794	802
Deaths from All Causes, 1891–1900. Males	16·19			2,939			569	151	51	35	30	836	76	46	57	89	188	260	338	339	391	319
Deaths from All Causes, 1891–1900. Females	13·74			2,688			449	121	54	37	24	685	76	42	74	68	163	171	228	295	403	483
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·01	0·02	0·01	5	4	1	1	—	—	—	—	1	—	—	2	1	1	—	—	—	—	—
Measles	0·22	0·22	0·22	84	40	44	15	40	10	9	4	78	3	1	—	—	1	1	—	—	—	—
Scarlet Fever	0·08	0·07	0·10	32	13	19	2	2	3	2	3	12	15	2	1	—	2	—	—	—	—	—
Diphtheria	0·20	0·15	0·24	74	27	47	1	7	5	13	11	37	26	4	3	—	2	1	—	1	—	—
Whooping-cough	0·32	0·29	0·35	120	52	68	59	29	15	9	3	115	5	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·06	0·07	0·06	23	12	11	—	—	—	—	—	—	1	2	4	4	8	2	2	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·37	0·41	0·33	138	74	64	93	12	3	1	1	110	—	—	—	—	1	2	3	2	8	12
Cholera	0·02	0·02	0·02	7	4	3	3	1	—	—	—	4	1	—	—	—	1	—	1	—	—	—
Cancer	0·85	0·76	0·94	321	138	183	—	—	—	1	—	1	2	1	1	4	4	24	59	92	86	47
Tabes Mesenterica	0·07	0·10	0·04	26	18	8	9	4	1	3	—	17	4	—	—	1	3	—	1	—	—	—
Phthisis	1·36	1·61	1·13	514	293	221	3	4	5	—	2	14	9	18	46	59	114	86	94	46	24	4
Other Tub. & Scrof. Dis.	0·37	0·48	0·28	141	87	54	23	17	14	5	9	68	17	11	9	10	10	3	6	6	1	—
Diseases of Nervous System	1·95	2·38	1·55	735	431	304	124	22	12	9	1	168	14	5	6	8	35	81	84	92	140	102
Diseases of Circulatory "	1·52	1·46	1·58	574	265	309	2	1	—	—	1	4	4	16	10	15	35	51	89	113	138	99
Diseases of Respiratory "	2·25	2·42	2·10	850	439	411	169	88	20	13	11	301	14	4	6	7	23	49	72	82	160	132
Diseases of Digestive "	1·11	1·21	1·02	419	219	200	164	28	5	2	2	201	10	4	9	9	17	32	29	45	39	24
Diseases of Urinary "	0·45	0·60	0·32	171	109	62	3	—	—	—	2	5	2	2	4	3	7	18	31	38	35	26
Diseases of Generative "	0·03	0·01	0·05	11	1	10	—	—	—	—	—	—	—	—	—	—	1	1	2	2	5	—
Puerperal Fever	0·03	—	0·05	10	—	10	—	—	—	—	—	—	—	—	—	2	6	2	—	—	—	—
Childbirth	0·07	—	0·13	26	—	26	—	—	—	—	—	—	—	—	1	3	15	7	—	—	—	—
Violence	0·57	0·84	0·31	214	153	61	16	3	4	2	2	27	8	6	11	19	36	26	28	28	15	10
OTHER CAUSES	3·01	3·07	2·91	1132	560	572	331	14	8	3	2	358	17	12	18	12	29	45	65	87	143	346

Marriages 2,429

Births .. { Males .. 4,750 / Females 4,582 } 9,332

Annual Rate per 1000 living { Persons Married .. 12·88 / Births .. .. .. 24·74

Annual Births to 1000 Females aged 15—45 years = 98.

Deaths from Childbirth and Puerperal Fever .. .. } 3·86 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

124.—STAINES.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 14·03			*126	—	—	—	—	42·30	2·99	1·64	2·91	3·60	4·34	7·90	12·66	24·55	55·47	139·37
Annual Death-Rate per 1000. Males	—			14·88			*145	—	—	—	—	46·94	2·32	1·23	2·69	4·16	5·45	8·91	13·28	28·24	57·95	143·50
Annual Death-Rate per 1000. Females	—			13·24			*107	—	—	—	—	37·69	3·70	2·19	3·15	3·10	3·35	6·96	12·06	20·98	53·17	135·95
Mean Population, 1891–1900. Persons	—			30,062			727	703	707	752	749	3638	3711	4092	2678	2470	4306	3405	2560	1727	1033	442
Mean Population, 1891–1900. Males	—			15,097			367	345	363	372	368	1815	1898	2357	1376	1179	2037	1638	1250	850	497	200
Mean Population, 1891–1900. Females	—			14,965			360	358	344	380	381	1823	1813	1735	1302	1291	2269	1767	1310	877	536	242
Deaths from All Causes, 1891–1900. Persons	14·23			4,277			1047	257	92	82	61	1539	111	67	78	89	187	269	324	424	573	616
Deaths from All Causes, 1891–1900. Males	14·90			2,249			602	133	49	32	36	852	44	29	37	49	111	146	166	240	288	287
Deaths from All Causes, 1891–1900. Females	13·55			2,028			445	124	43	50	25	687	67	38	41	40	76	123	158	184	285	329
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—
Measles	0·35	0·37	0·32	104	56	48	13	37	15	15	7	87	15	1	—	—	—	1	—	—	—	—
Scarlet Fever	0·07	0·07	0·07	21	11	10	1	3	1	2	2	9	7	1	2	—	1	1	—	—	—	—
Diphtheria	0·23	0·17	0·29	69	26	43	7	4	9	16	8	44	20	3	—	2	—	—	—	—	—	—
Whooping-cough	0·42	0·37	0·47	127	56	71	60	46	6	6	3	121	5	1	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·09	0·11	0·07	26	16	10	—	—	—	2	—	2	1	3	3	2	6	7	1	1	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·52	0·54	0·49	155	81	74	118	16	6	1	—	141	—	—	—	—	—	1	—	2	6	5
Cholera	0·04	0·05	0·02	11	8	3	7	2	—	—	—	9	—	—	—	—	—	1	—	1	—	—
Cancer	0·62	0·42	0·82	186	63	123	—	—	—	—	—	—	—	—	1	—	4	19	41	50	45	26
Tabes Mesenterica	0·08	0·09	0·07	25	14	11	10	3	1	1	3	18	2	—	—	1	2	—	—	1	1	—
Phthisis	1·02	1·12	0·92	306	169	137	4	4	4	1	2	15	9	11	26	37	68	64	49	20	7	—
Other Tub. & Scrof. Dis.	0·30	0·32	0·27	90	49	41	19	17	7	2	5	50	11	8	4	6	2	7	—	—	1	1
Diseases of Nervous System	1·68	1·77	1·59	505	267	238	122	13	5	6	3	149	7	9	3	9	12	21	41	66	98	90
Diseases of Circulatory "	1·43	1·52	1·34	430	230	200	5	2	—	—	3	10	5	2	8	4	19	29	45	93	134	81
Diseases of Respiratory "	2·32	2·54	2·09	696	383	313	167	64	22	18	11	282	13	5	5	1	21	21	35	87	105	121
Diseases of Digestive "	1·03	1·07	1·00	311	162	149	142	21	3	—	4	170	3	3	1	4	6	21	38	18	32	15
Diseases of Urinary "	0·37	0·43	0·31	112	65	47	3	—	—	2	—	5	1	—	1	—	4	16	16	15	31	23
Diseases of Generative "	0·02	—	0·04	6	—	6	1	—	—	1	—	2	—	—	—	—	—	—	1	1	1	1
Puerperal Fever	0·05	—	0·10	15	—	15	—	—	—	—	—	—	—	—	—	2	4	9	—	—	—	—
Childbirth	0·05	—	0·09	14	—	14	—	—	—	—	—	—	—	—	2	3	5	4	—	—	—	—
Violence	0·59	0·82	0·35	177	124	53	14	8	6	3	3	34	7	9	14	9	17	17	20	20	20	10
OTHER CAUSES	2·94	3·11	2·83	889	467	422	354	17	7	6	7	391	5	11	8	9	16	29	36	49	92	243

Marriages 2,143

Births .. { Males .. 4,165 / Females 4,170 } 8,335

Annual Rate per 1000 living { Persons Married .. 14·26 / Births .. .. .. 27·73

Annual Births to 1000 Females aged 15—45 years = 126.

Deaths from Childbirth and Puerperal Fever .. .. } 3·48 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

125.—UXBRIDGE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 18·13			*126	—	—	—	—	41·83	4·69	2·41	3·94	4·56	7·53	15·21	22·51	35·00	68·90	163·74
Annual Death-Rate per 1000. Males ..	—			20·15			*139	—	—	—	—	44·95	4·88	2·27	3·89	5·21	9·25	19·20	28·30	43·15	76·37	175·21
Annual Death-Rate per 1000. Females	—			16·23			*114	—	—	—	—	38·77	4·50	2·55	3·99	3·96	5·94	11·65	17·38	28·58	63·48	156·27
Mean Population, 1891–1900. Persons	—			34,250			860	791	806	821	812	4090	4053	3614	2870	2828	5152	4202	3225	2234	1389	593
Mean Population, 1891–1900. Males ..	—			16,537			419	388	406	405	411	2029	2029	1850	1492	1363	2476	1979	1516	985	584	234
Mean Population, 1891–1900. Females	—			17,713			441	403	400	416	401	2061	2024	1764	1378	1465	2676	2223	1709	1249	805	359
Deaths from All Causes, 1891–1900. Persons	19·54			6,693			1144	302	123	88	54	1711	190	87	113	129	388	639	726	782	957	971
Deaths from All Causes, 1891–1900. Males ..	21·17			3,501			623	146	61	50	32	912	99	42	58	71	229	380	429	425	446	410
Deaths from All Causes, 1891–1900. Females	18·02			3,192			521	156	62	38	22	799	91	45	55	58	159	259	297	357	511	561
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	0·01	0·01	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—
Measles	0·25	0·24	0·26	86	40	46	13	27	17	11	6	74	9	2	—	—	—	—	—	1	—	—
Scarlet Fever	0·09	0·09	0·10	32	15	17	—	3	6	5	2	16	11	4	—	—	—	—	—	1	—	—
Diphtheria	0·45	0·49	0·42	155	81	74	3	18	22	15	29	87	55	11	1	—	—	—	—	1	—	—
Whooping-cough ..	0·37	0·29	0·45	127	48	79	64	32	13	9	3	121	6	—	—	—	—	—	—	—	—	—
Typhus	0·00	—	0·01	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Enteric Fever	0·10	0·09	0·10	33	15	18	—	—	1	3	1	5	4	2	4	3	7	5	2	1	—	—
Simple Continued Fever	0·01	0·01	0·01	2	1	1	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·55	0·57	0·54	190	95	95	124	30	3	2	1	160	3	—	—	—	—	2	3	3	8	11
Cholera	0·02	0·03	0·01	6	5	1	1	—	—	—	—	1	—	—	—	—	—	2	1	2	—	—
Cancer	0·91	0 67	1·14	312	110	202	—	—	—	—	—	—	—	—	—	2	6	19	47	85	101	52
Tabes Mesenterica ..	0·13	0·13	0·14	46	22	24	25	3	—	2	1	31	4	5	1	—	1	2	1	—	1	—
Phthisis	1·54	1·69	1·39	527	280	247	6	4	4	—	1	15	5	8	26	45	107	131	91	64	30	5
Other Tub. & Scrof. Dis.	0·34	0·39	0·29	117	65	52	21	17	8	6	1	53	17	8	7	7	6	9	6	3	—	1
Diseases of Nervous System ..	4·35	5·45	3·33	1491	901	590	166	29	7	6	2	210	19	7	11	15	118	270	253	217	234	137
Diseases of Circulatory „ ..	1·78	1·80	1·77	611	298	313	3	—	—	—	—	3	3	6	9	10	26	33	94	120	165	142
Diseases of Respiratory „ ..	3·03	3·15	2·91	1037	521	516	195	96	24	20	3	338	16	2	8	10	27	44	84	124	188	196
Diseases of Digestive „ ..	1·11	1 15	1·07	379	190	189	104	20	5	3	—	132	11	8	8	5	14	18	40	50	56	37
Diseases of Urinary „ ..	0·49	0·64	0·36	169	105	64	—	—	1	1	—	2	4	—	1	7	18	19	22	27	33	36
Diseases of Generative „ ..	0·04	0·01	0·06	12	2	10	2	1	—	—	—	3	—	—	—	—	1	2	2	1	3	—
Puerperal Fever ..	0·04	—	0·08	14	—	14	—	—	—	—	—	—	—	—	—	3	7	4	—	—	—	—
Childbirth	0·06	—	0·11	19	—	19	—	—	—	—	—	—	—	—	1	3	5	9	1	—	—	—
Violence	0·69	1 05	0·36	237	174	63	23	3	5	1	2	34	15	10	17	11	22	31	33	31	15	18
Other Causes ..	3·18	3·22	3·11	1088	531	557	393	19	7	4	2	425	7	13	19	8	23	39	46	51	121	336

Marriages 2,104

Births .. { Males .. 4,481 / Females 4,575 } 9,056

Annual Rate per 1000 living { Persons Married .. 12·29 / Births .. .. .. 26·44

Annual Births to 1000 Females aged 15—45 years = 117.

Deaths from Childbirth and Puerperal Fever .. .. } 3·64 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

126.—BRENTFORD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 15·59			*152	—	—	—	—	52·47	3·54	2·10	2·43	2·80	4·45	7·95	13·74	26·64	55·10	143·53
Males ..	—			16·74			*167	—	—	—	—	56·69	3·55	2·29	2·73	3·29	5·05	8·91	15·89	30·75	62·00	147·85
Females	—			14·52			*136	—	—	—	—	48·23	3·54	1·91	2·19	2·46	4·01	7·16	11·95	23·61	50·76	140·96
Mean Population, 1891–1900. Persons	—			153,853			3662	3390	3561	3514	3443	17570	17336	16465	15545	14939	24902	18716	13117	8363	4837	2063
Males ..	—			69,690			1826	1705	1769	1741	1761	8802	8708	8257	6815	6044	10550	8385	5939	3555	1866	769
Females	—			84,163			1836	1685	1792	1773	1682	8768	8628	8208	8730	8895	14352	10331	7178	4808	2971	1294
Deaths from All Causes, 1891–1900. Persons	15·10			23,225			6407	1695	585	367	255	9219	614	346	377	418	1108	1487	1802	2228	2665	2961
Males ..	16·48			11,484			3566	836	284	178	126	4990	309	189	186	199	533	747	944	1093	1157	1137
Females	13·95			11,741			2841	769	301	189	129	4229	305	157	191	219	575	740	858	1135	1508	1824
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·00	0·00	3	1	2	—	1	—	—	—	1	1	—	—	—	—	1	—	—	—	—
Measles	0·34	0·39	0·30	525	272	253	130	207	77	39	33	486	36	1	1	—	—	1	—	—	—	—
Scarlet Fever	0·09	0·09	0·09	138	66	72	5	13	21	19	15	73	40	12	3	2	5	2	1	—	—	—
Diphtheria	0·24	0·25	0·22	365	177	188	10	30	48	61	58	207	117	22	5	1	7	3	2	—	1	—
Whooping-cough ..	0·36	0·36	0·36	554	251	303	270	157	68	28	15	538	14	1	—	—	—	—	—	—	—	1
Typhus	0·00	0·00	0·00	3	2	1	—	—	—	—	1	1	—	—	—	—	2	—	—	—	—	—
Enteric Fever	0·09	0·11	0·07	135	75	60	1	—	2	2	2	7	15	14	20	11	30	25	8	4	1	—
Simple Continued Fever	0·01	0·01	0·00	11	7	4	1	—	1	2	—	4	1	—	—	3	—	1	—	2	—	—
Diarrhœa & Dysentery	0·83	0·96	0·72	1278	668	610	1012	149	14	7	6	1188	2	2	1	1	2	6	10	10	16	40
Cholera	0·04	0·04	0·03	57	31	26	46	6	—	—	—	52	1	1	—	1	—	—	1	—	—	1
Cancer	0·73	0·53	0·90	1124	367	757	—	—	1	—	—	1	1	2	3	2	22	97	223	321	298	154
Tabes Mesenterica ..	0·19	0·22	0·17	295	154	141	181	42	12	9	6	250	16	8	1	4	6	3	3	1	1	2
Phthisis	1·14	1·37	0·95	1753	957	796	29	22	10	11	3	75	37	69	104	137	435	406	297	135	48	10
Other Tub. & Scrof. Dis.	0·38	0·45	0·33	592	315	277	209	99	47	39	19	413	50	25	25	15	17	20	15	9	1	2
Diseases of: Nervous System ..	1·64	1·90	1·42	2522	1326	1196	635	118	46	28	24	901	60	47	25	14	43	96	196	319	435	386
Circulatory „ ..	1·27	1·29	1·25	1947	899	1048	20	3	2	—	1	26	25	24	40	37	74	174	263	439	505	340
Respiratory „ ..	2·63	2·93	2·38	4043	2039	2004	950	480	164	82	46	1722	75	25	20	41	82	176	237	406	611	648
Digestive „ ..	1·14	1·22	1·08	1759	849	910	667	140	21	8	10	846	30	21	20	27	58	107	158	180	171	141
Urinary „ ..	0·37	0·47	0·29	574	328	246	7	5	—	1	—	13	4	8	10	8	39	57	89	114	116	116
Generative „ ..	0·04	0·00	0·06	55	3	52	3	—	—	—	—	3	—	1	—	1	8	13	9	12	4	4
Puerperal Fever ..	0·06	—	0·10	85	—	85	—	—	—	—	—	—	—	—	3	19	43	20	—	—	—	—
Childbirth	0·07	—	0·12	100	—	100	—	—	—	—	—	—	—	—	7	13	39	39	2	—	—	—
Violence	0·49	0·72	0·31	759	502	257	160	29	15	15	10	229	48	22	27	35	74	87	90	49	54	44
Other Causes ..	2·95	3·17	2·80	4548	2195	2353	2021	104	36	16	6	2183	41	41	62	46	122	153	198	227	403	1072

Marriages 10,437

Births .. { Males .. 21,373 / Females 20,869 } 42,242

Annual Rate per 1000 living { Persons Married .. 13·57 / Births .. .. .. 27·46

Annual Births to 1000 Females aged 15—45 years = 100.

Deaths from Childbirth and Puerperal Fever .. .. } 4·38 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

127.—HENDON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		14·56	*142	—	—	—	—	47·10	3·64	1·87	2·07	2·62	3·73	7·28	13·08	26·28	55·25	141·06
Annual Death-Rate per 1000. Males ..	—					15·46	*153	—	—	—	—	50·67	3·73	1·78	1·93	3·05	4·01	8·23	14·24	29·82	63·31	147·82
Annual Death-Rate per 1000. Females	—					13·71	*130	—	—	—	—	43·51	3·55	1·95	2·19	2·29	3·50	6·42	12·06	23·54	49·92	137·38
Mean Population, 1891–1900. Persons	—			128,798			3455	3245	3331	3244	3166	16441	14860	13285	12260	12342	23005	16390	10101	5848	3097	1169
Mean Population, 1891–1900. Males ..	—			60,115			1701	1645	1664	1610	1618	8238	7455	6465	5599	5312	10337	7793	4720	2552	1232	412
Mean Population, 1891–1900. Females	—			68,683			1754	1600	1667	1634	1548	8203	7405	6820	6661	7030	12668	8597	5381	3296	1865	757
Deaths from All Causes, 1891–1900. Persons	13·49			17,378			5416	1316	459	319	233	7743	541	248	254	323	858	1193	1321	1537	1711	1649
Deaths from All Causes, 1891–1900. Males ..	14·50			8,714			2995	654	247	167	111	4174	278	115	108	162	414	641	672	761	780	609
Deaths from All Causes, 1891–1900. Females	12·61			8,664			2421	662	212	152	122	3569	263	133	146	161	444	552	649	776	931	1040
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	0·00	0·01	0·00	5	4	1	1	1	—	—	—	2	—	—	—	1	—	—	1	—	1	—
Measles	0·41	0·46	0·36	522	275	247	143	204	82	38	25	492	28	—	1	—	1	—	—	—	—	—
Scarlet Fever	0·11	0·11	0·12	147	64	83	9	20	20	18	24	91	39	6	3	2	6	—	—	—	—	—
Diphtheria	0·34	0·37	0·33	444	220	224	21	66	49	72	60	268	145	14	5	2	5	2	1	1	—	1
Whooping-cough ..	0·36	0·34	0·39	468	203	265	216	158	46	20	19	459	5	3	—	—	1	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·10	0·11	0·08	127	69	58	—	3	—	1	2	6	13	7	11	18	33	20	11	7	1	—
Simple Continued Fever	0·00	0·00	0·00	2	1	1	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—	—
Diarrhœa & Dysentery	0·79	0·91	0·69	1018	547	471	857	85	11	2	1	956	2	—	—	—	3	4	8	8	16	21
Cholera	0·05	0·07	0·04	67	42	25	50	6	—	—	—	56	—	—	—	1	1	1	4	2	2	—
Cancer	0·63	0·47	0·77	811	282	529	1	2	1	—	—	4	4	1	—	3	22	79	167	220	209	102
Tabes Mesenterica ..	0·17	0·19	0·15	213	112	101	149	29	9	2	2	191	9	6	2	1	—	2	—	2	—	—
Phthisis	0·96	1·15	0·80	1238	690	548	24	14	4	8	4	54	17	35	80	103	294	300	219	93	40	3
Other Tub. & Scrof. Dis.	0·31	0·35	0·27	398	211	187	104	63	29	26	14	236	53	34	19	10	21	11	4	7	2	1
Diseases of Nervous System ..	1·36	1·43	1·30	1752	862	890	550	104	24	30	10	718	47	20	11	17	27	82	134	205	256	235
Diseases of Circulatory „ ..	0·97	0·93	1·00	1248	560	688	29	7	5	4	2	47	25	32	28	23	78	125	172	256	300	162
Diseases of Respiratory „ ..	2·42	2·73	2·14	3115	1644	1471	882	380	112	65	38	1477	58	17	17	19	88	170	200	307	355	407
Diseases of Digestive „ ..	0·95	1·00	0·90	1221	601	620	518	68	28	8	8	630	21	13	20	20	37	74	98	129	112	67
Diseases of Urinary „ ..	0·33	0·39	0·28	425	236	189	16	2	—	2	—	20	8	2	4	11	22	48	76	81	89	64
Diseases of Generative „ ..	0·03	0·01	0·05	39	6	33	4	2	—	—	—	6	—	—	1	1	3	8	6	5	5	4
Puerperal Fever ..	0·07	—	0·14	96	—	96	—	—	—	—	—	—	—	—	2	16	51	27	—	—	—	—
Childbirth	0·04	—	0·08	58	—	58	—	—	—	—	—	—	—	—	1	10	23	23	1	—	—	—
Violence	0·44	0·64	0·26	564	383	181	132	19	13	8	11	183	23	10	13	25	57	71	71	55	31	25
OTHER CAUSES.. ..	2·65	2·83	2·46	3400	1702	1698	1710	83	26	14	13	1846	44	48	36	40	85	146	147	159	292	557

Marriages 7,227

Births .. { Males ... 19,523 / Females 18,659 } 38,182

Annual Rate per 1000 living { Persons Married .. 11·22 / Births .. .. .. 29·64

Annual Births to 1000 Females aged 15—45 years = 109.

Deaths from Childbirth and Puerperal Fever .. .. } 4·03 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The boundary of this district was altered during the decennium; the parts transferred contained no population.

128.—BARNET.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		16·09	*106	—	—	—	—	35·32	2·70	1·90	2·82	3·64	7·34	12·25	20·06	33·49	71·35	148·34
Annual Death-Rate per 1000. Males ..	—					17·16	*118	—	—	—	—	38·33	2·89	1·91	3·36	3·96	8·79	14·37	21·72	38·76	78·47	145·00
Annual Death-Rate per 1000. Females	—					15·08	* 93	—	—	—	—	32·24	2·52	1·88	2·39	3·44	6·26	10·47	18·68	29·50	66·47	150·32
Mean Population, 1891–1900. Persons	—			51,966			1167	1105	1108	1188	1165	5733	5564	5325	5004	4859	8504	6785	4740	2962	1735	755
Mean Population, 1891–1900. Males ..	—			23,500			590	564	574	596	580	2904	2702	2666	2202	1895	3616	3097	2155	1277	706	280
Mean Population, 1891–1900. Females	—			28,466			577	541	534	592	585	2829	2862	2659	2802	2964	4888	3688	2585	1685	1029	475
Deaths from All Causes, 1891–1900. Persons	16·07			8,350			1374	355	136	96	64	2025	150	101	141	177	624	831	951	992	1238	1120
Deaths from All Causes, 1891–1900. Males ..	17·35			4,077			779	196	61	45	32	1113	78	51	74	75	318	445	468	495	554	406
Deaths from All Causes, 1891–1900. Females	15·01			4,273			595	159	75	51	32	912	72	50	67	102	306	386	483	497	684	714
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	0·01	0·01	0·01	5	2	3	2	—	—	—	—	2	—	—	1	—	1	—	—	1	—	—
Measles	0·24	0·25	0·21	126	58	68	33	36	22	17	7	115	11	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·06	0·07	0·06	33	16	17	1	4	5	8	3	21	5	2	—	1	4	—	—	—	—	—
Diphtheria	0·20	0·26	0·15	105	62	43	4	19	10	17	9	59	38	5	—	—	2	—	—	1	—	—
Whooping-cough ..	0·30	0·28	0·32	156	66	90	75	60	9	7	5	156	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·07	0·09	0·05	37	22	15	—	—	1	—	—	1	2	2	6	5	8	3	5	2	2	1
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·47	0·54	0·40	243	128	115	175	24	4	1	—	204	—	—	—	2	2	3	4	8	9	11
Cholera	0·00	0·01	—	2	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—
Cancer	0·82	0·69	0·93	426	162	264	—	—	—	1	—	1	2	1	2	1	8	48	84	113	113	53
Tabes Mesenterica ..	0·11	0·15	0·08	59	35	24	25	8	5	—	2	40	2	7	1	4	1	1	—	2	1	—
Phthisis	1·35	1·39	1·32	703	326	377	3	3	2	2	—	10	2	11	33	51	188	180	113	76	32	7
Other Tub. & Scrof. Dis.	0·36	0·41	0·32	187	97	90	49	34	17	10	11	121	21	11	2	6	12	7	6	—	1	—
Diseases of Nervous System ..	3·66	4·29	3·14	1901	1008	893	125	17	6	5	1	154	16	9	27	33	185	332	312	270	330	233
Diseases of Circulatory „ ..	1·60	1·54	1·68	839	361	478	3	7	1	1	1	13	8	13	19	8	32	61	117	155	227	186
Diseases of Respiratory „ ..	2·25	2·38	2·14	1168	559	609	236	94	37	12	16	395	12	7	7	15	33	58	94	113	216	218
Diseases of Digestive „ ..	0·99	1·02	0·97	516	239	277	153	21	6	5	2	187	8	9	9	12	19	31	61	74	71	35
Diseases of Urinary „ ..	0·42	0·64	0·24	217	150	67	1	—	1	1	1	4	3	1	4	5	6	21	40	43	48	42
Diseases of Generative „ ..	0·04	0·00	0·06	19	1	18	—	—	—	—	—	—	—	—	1	2	2	5	5	2	—	2
Puerperal Fever ..	0·06	—	0·10	29	—	29	—	—	—	—	—	—	—	—	—	4	17	6	2	—	—	—
Childbirth	0·06	—	0·11	32	—	32	—	—	—	—	—	—	—	—	—	4	22	6	—	—	—	—
Violence	0·44	0·64	0·27	226	150	76	29	7	3	1	2	42	8	6	8	11	33	18	33	22	19	26
Other Causes ..	2·56	2·69	2·45	1321	633	688	460	21	7	8	4	500	12	17	21	13	48	51	75	109	169	306

Marriages 2,783

Births .. { Males .. 6,591 / Females 6,366 } 12,957

Annual Rate per 1000 living { Persons Married .. 10·71 / Births 24 93

Annual Births to 1000 Females aged 15—45 years = 90.

Deaths from Childbirth and Puerperal Fever .. .. } 4·71 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

129.—EDMONTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		14·88	*139	—	—	—	—	48·05	4·28	2·03	2·43	3·03	3·97	7·30	12·88	25·29	56·66	144·66
Annual Death-Rate per 1000. Males	—					15·79	*150	—	—	—	—	51·43	4·36	2·03	2·59	3·35	4·21	7·77	14·57	29·06	62·53	156·42
Annual Death-Rate per 1000. Females	—					14·03	*127	—	—	—	—	44·63	4·20	2·04	2·28	2·78	3·76	6·86	11·33	22·17	52·57	137·79
Mean Population, 1891–1900. Persons	—			290,198			7476	7071	7250	7307	7142	36246	34868	31465	28988	26959	47539	35881	23609	13904	7633	3106
Mean Population, 1891–1900. Males	—			137,817			3799	3488	3687	3657	3564	18195	17536	15672	13436	12020	21850	17250	11273	6304	3136	1145
Mean Population, 1891–1900. Females	—			152,381			3677	3583	3563	3650	3578	18051	17332	15793	15552	14939	25689	18631	12336	7600	4497	1961
Deaths from All Causes, 1891–1900. Persons	14·11			40,949			11548	2945	1292	922	708	17415	1492	640	703	818	1887	2619	3040	3517	4325	4493
Deaths from All Causes, 1891–1900. Males	15·00			20,677			6351	1543	645	446	373	9358	764	318	348	403	920	1340	1642	1832	1961	1791
Deaths from All Causes, 1891–1900. Females	13·30			20,272			5197	1402	647	476	335	8057	728	322	355	415	967	1279	1398	1685	2364	2702
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·00	0·00	6	2	4	1	1	—	—	1	3	—	—	—	1	2	—	—	—	—	—
Measles	0·32	0·35	0·29	923	476	447	198	329	160	90	67	844	66	7	2	1	2	—	—	1	—	—
Scarlet Fever	0·37	0·40	0·34	1071	549	522	45	120	157	185	150	657	294	65	20	15	11	6	2	—	—	1
Diphtheria	0·35	0·35	0·35	1015	481	534	44	100	130	164	155	593	326	55	6	6	15	5	4	1	4	—
Whooping-cough	0·39	0·37	0·41	1127	510	617	488	351	130	76	38	1083	43	—	—	—	1	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·14	0·17	0·12	412	234	178	1	5	6	8	12	32	32	34	62	59	86	62	26	16	3	—
Simple Continued Fever	0·00	0·00	0·00	8	3	5	3	1	—	—	—	4	—	—	—	—	—	1	1	—	1	1
Diarrhœa & Dysentery	0·76	0·83	0·68	2192	1149	1043	1765	230	28	14	1	2038	13	2	2	3	4	4	5	15	40	66
Cholera	0·06	0·07	0·05	174	97	77	127	28	1	3	—	159	1	—	1	—	1	4	4	3	1	—
Cancer	0·60	0·44	0·75	1752	610	1142	1	3	4	2	1	11	3	3	9	9	43	155	382	469	456	212
Tabes Mesenterica	0·19	0·22	0·16	548	303	245	320	83	40	15	7	465	31	17	13	2	8	5	1	2	4	—
Phthisis	0·98	1·22	0·77	2857	1682	1175	33	24	25	12	11	105	44	75	208	280	624	723	454	244	81	19
Other Tub. & Scrof. Dis.	0·33	0·38	0·28	963	529	434	305	169	94	63	39	670	97	50	27	33	35	27	13	5	4	2
Diseases of: Nervous System	1·44	1·52	1·37	4181	2090	2091	1084	207	82	46	34	1453	79	45	37	30	99	172	329	503	734	700
Diseases of: Circulatory	1·09	1·03	1·14	3152	1414	1738	60	13	6	4	7	90	55	77	58	51	158	283	459	617	784	520
Diseases of: Respiratory	2·48	2·69	2·30	7205	3704	3501	1851	805	259	150	110	3175	186	41	48	63	175	352	450	663	963	1089
Diseases of: Digestive	1·00	1·07	0·96	2929	1473	1456	1275	230	56	27	18	1606	58	42	42	52	97	146	237	252	244	153
Diseases of: Urinary	0·33	0·43	0·25	968	591	377	22	6	5	—	4	37	9	13	8	20	58	100	167	179	224	153
Diseases of: Generative	0·04	0·01	0·06	103	11	92	4	—	2	—	—	6	—	—	1	6	9	27	25	11	9	9
Puerperal Fever	0·05	—	0·09	137	—	137	—	—	—	—	—	—	—	—	5	30	76	25	1	—	—	—
Childbirth	0·06	—	0·12	177	—	177	—	—	—	—	—	—	—	—	5	20	77	71	4	—	—	—
Violence	0·47	0·69	0·28	1374	945	429	313	52	48	32	25	470	73	41	67	54	124	139	138	114	96	58
OTHER CAUSES	2·66	2·76	2·53	7675	3824	3851	3608	188	59	31	28	3914	82	73	82	83	182	312	338	422	677	1510

Marriages 17,551

Births .. { Males .. 42,310 / Females 40,848 } 83,158

Annual Rate per 1000 living { Persons Married .. 12·10 / Births .. .. .. 28·66

Annual Births to 1000 Females aged 15—45 years=111.

Deaths from Childbirth and Puerperal Fever .. .. } 3·78 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

130.—WARE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.	13·27		*107	—	—	—	—	34·61	4·36	2·09	2·79	3·40	4·48	6·89	11·72	25·19	55·12	146·70
Annual Death-Rate per 1000. Males	—				14·12		*116	—	—	—	—	37·52	3·70	1·88	2·04	3·27	5·56	8·20	14·10	29·48	59·69	159·17
Annual Death-Rate per 1000. Females	—				12·47		* 98	—	—	—	—	31·78	5·00	2·33	3·93	3·52	3·53	5·69	9·59	21·45	51·12	137·33
Mean Population, 1891–1900. Persons	—			20,328			460	449	472	448	497	2326	2316	2350	2186	1648	2788	2293	1869	1318	840	394
Mean Population, 1891–1900. Males	—			10,139			224	209	231	221	261	1146	1136	1276	1321	796	1313	1097	879	614	392	169
Mean Population, 1891–1900. Females	—			10,189			236	240	241	227	236	1180	1180	1074	865	852	1475	1196	990	704	448	225
Deaths from All Causes, 1891–1900. Persons	14·50			2,947			559	124	57	31	34	805	101	49	61	56	125	158	219	332	463	578
Deaths from All Causes, 1891–1900. Males	14·99			1,520			305	69	27	12	17	430	42	24	27	26	73	90	124	181	234	269
Deaths from All Causes, 1891–1900. Females	14·01			1,427			254	55	30	19	17	375	59	25	34	30	52	68	95	151	229	309
	Persons.	Males.	Females	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Measles	0·28	0·25	0·31	57	25	32	12	19	6	3	4	44	10	2	—	—	—	—	1	—	—	—
Scarlet Fever	0·03	0·01	0·05	6	1	5	—	2	—	1	—	3	3	—	—	—	—	—	—	—	—	—
Diphtheria	0·14	0·12	0·16	28	12	16	—	3	1	3	2	9	14	3	1	—	—	—	1	—	—	—
Whooping-cough	0·32	0·27	0·37	65	27	38	37	17	3	2	3	62	2	—	—	—	—	1	—	—	—	—
Typhus	0·00	—	0·01	1	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Enteric Fever	0·06	0·05	0·07	12	5	7	—	1	—	—	—	1	1	2	3	3	2	—	—	—	—	—
Simple Continued Fever	0·00	0·01	—	1	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·54	0·65	0·43	110	66	44	83	6	3	—	1	93	—	—	1	—	—	—	—	4	5	7
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·69	0·46	0·91	140	47	93	—	—	—	—	—	—	—	—	—	—	1	12	21	33	48	25
Tabes Mesenterica	0·06	0·08	0·05	13	8	5	6	2	1	1	—	10	1	—	—	1	—	1	—	—	—	—
Phthisis	1·01	1·18	0·84	206	120	86	5	—	2	1	—	8	4	6	14	22	45	44	37	19	4	3
Other Tub. & Scrof. Dis.	0·24	0·30	0·18	48	30	18	7	1	2	1	1	12	11	6	4	1	6	4	2	2	—	—
Diseases of: Nervous System	1·59	1·67	1·51	323	169	154	57	13	8	1	2	81	10	6	—	—	4	12	21	54	71	64
Diseases of: Circulatory „	1·57	1·60	1·55	320	162	158	2	—	1	—	1	4	1	4	9	5	10	16	43	64	99	65
Diseases of: Respiratory „	2·62	2·76	2·48	533	280	253	95	42	19	12	6	174	17	3	5	4	7	15	16	62	97	133
Diseases of: Digestive „	1·05	1·04	1·06	213	105	108	39	10	5	1	6	61	15	2	6	3	10	10	20	31	30	25
Diseases of: Urinary „	0·45	0·62	0·28	92	63	29	—	1	—	—	1	2	—	—	1	—	5	5	12	18	30	19
Diseases of: Generative „	0·03	—	0·06	6	—	6	—	—	—	—	—	—	—	—	—	—	—	—	1	2	3	—
Puerperal Fever	0·02	—	0·05	5	—	5	—	—	—	—	—	—	—	—	—	2	3	—	—	—	—	—
Childbirth	0·07	—	0·15	15	—	15	—	—	—	—	—	—	—	—	1	3	7	3	1	—	—	—
Violence	0·66	0·96	0·37	135	97	38	10	2	2	2	4	20	7	7	8	6	13	19	20	11	13	11
Other Causes	3·07	2·95	3·12	617	301	316	206	5	3	3	3	220	5	8	7	6	11	16	23	32	63	226

Marriages 1,216

Births .. { Males .. 2,636 / Females 2,586 } 5,222

Annual Rate per 1000 living { Persons Married .. 11·96 / Births .. .. .. 25·69 }

Annual Births to 1000 Females aged 15—45 years=119.

Deaths from Childbirth and Puerperal Fever .. .. } 3·83 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The boundary of this district was altered during the decennium; the part transferred contained no population.

131.—BISHOP STORTFORD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·28			*105	—	—	—	—	34·26	3·23	2·76	2·36	5·23	6·02	7·07	11·53	21·76	51·67	152·85
Annual Death-Rate per 1000. Males ..	—			13·81			*120	—	—	—	—	37·04	3·96	2·68	1·83	5·56	5·88	8·26	13·30	22·00	56·26	158·06
Annual Death-Rate per 1000. Females	—			12·77			* 89	—	—	—	—	31·36	2·53	2·84	2·97	4·90	6·16	5·97	9·90	21·55	47·64	148·73
Mean Population, 1891–1900. Persons	—			21,510			462	465	467	476	512	2382	2479	2467	2033	1664	2772	2420	2091	1599	1111	492
Mean Population, 1891–1900. Males ..	—			10,600			232	221	248	243	271	1215	1212	1268	1091	828	1344	1147	1000	759	519	217
Mean Population, 1891–1900. Females	—			10,910			230	244	219	233	241	1167	1267	1199	942	836	1428	1273	1091	840	592	275
Deaths from All Causes, 1891–1900. Persons	15·58			3,352			553	137	48	44	34	816	80	68	48	87	167	171	241	348	574	752
Deaths from All Causes, 1891–1900. Males	16·10			1,707			320	68	20	27	15	450	48	34	20	46	79	95	133	167	292	343
Deaths from All Causes, 1891–1900. Females	15·08			1,645			233	69	28	17	19	366	32	34	28	41	88	76	108	181	282	409
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·13	0·16	0·11	29	17	12	9	9	—	3	1	22	4	2	—	—	1	—	—	—	—	—
Scarlet Fever	0·06	0·06	0·06	12	6	6	—	—	1	2	—	3	5	3	1	—	—	—	—	—	—	—
Diphtheria	0·18	0·16	0·19	38	17	21	1	1	4	7	4	17	15	3	1	—	1	1	—	—	—	—
Whooping-cough	0·33	0·27	0·39	71	29	42	33	17	7	4	4	65	6	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·08	0·09	0·06	17	10	7	—	—	—	—	—	—	1	—	3	3	1	3	4	1	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrnœa & Dysentery	0·39	0·43	0·35	84	46	38	41	9	1	1	2	54	1	—	—	—	2	—	1	5	8	13
Cholera	0·02	0·03	0·01	4	3	1	3	—	—	—	—	3	1	—	—	—	—	—	—	—	—	—
Cancer	0·89	0·65	1·12	191	69	122	—	—	—	—	—	—	—	—	—	—	6	8	35	48	59	35
Tabes Mesenterica	0·14	0·14	0·15	31	15	16	16	3	1	—	2	22	2	1	4	1	—	—	—	—	1	—
Phthisis	1·21	1·36	1·06	260	144	116	4	5	—	—	2	11	1	10	14	37	65	52	33	25	10	2
Other Tub. & Scrof. Dis.	0·36	0·34	0·39	78	36	42	18	11	4	2	3	38	10	12	3	8	2	—	2	1	1	1
Diseases of Nervous System	1·80	1·67	1·93	388	177	211	60	20	8	6	5	99	7	5	3	3	12	7	21	52	90	89
Diseases of Circulatory „	2·05	2·11	1·98	440	224	216	1	—	—	1	1	3	1	5	2	3	16	18	38	76	154	124
Diseases of Respiratory „	2·40	2·63	2·17	516	279	237	97	42	15	8	5	167	8	5	3	3	4	10	25	54	104	133
Diseases of Digestive „	0·79	0·86	0·72	169	91	78	40	10	—	1	1	52	4	8	1	3	4	8	15	20	26	28
Diseases of Urinary „	0·45	0·61	0·29	97	65	32	—	—	—	2	—	2	4	—	1	2	4	6	11	21	27	19
Diseases of Generative „	0·05	—	0·10	11	—	11	—	—	—	—	—	—	—	—	—	1	1	2	4	—	2	1
Puerperal Fever	0·05	—	0·09	10	—	10	—	—	—	—	—	—	—	—	—	2	6	2	—	—	—	—
Childbirth	0·08	—	0·17	18	—	18	—	—	—	—	—	—	—	—	—	1	7	9	1	—	—	—
Violence	0·44	0·72	0·17	94	76	18	5	1	1	2	2	11	4	4	4	6	11	15	10	11	9	9
OTHER CAUSES	3·68	3·81	3·57	794	403	391	225	9	6	5	2	247	6	10	8	14	24	30	41	34	82	298

Marriages 1,318

Births .. { Males .. 2,662 / Females 2,604 } 5,266

Annual Rate per 1000 living { Persons Married .. 12·25 / Births .. .. .. 24·48

Annual Births to 1000 Females aged 15—45 years=118.

Deaths from Childbirth and Puerperal Fever .. .. } 5·32 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

132.—ROYSTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·13			* 95	—	—	—	—	30·55	2·78	1·52	3·16	5·20	5·15	5·74	9·57	21·74	49·96	147·72
Annual Death-Rate per 1000. Males	—			12·76			*111	—	—	—	—	34·90	3·17	1·33	3·11	4·81	5·18	6·53	10·00	21·60	53·03	166·92
Annual Death-Rate per 1000. Females	—			11·54			* 77	—	—	—	—	26·10	2·40	1·73	3·21	5·61	5·13	5·00	9·17	21·88	47·00	132·93
Mean Population, 1891–1900. Persons	—			22,232			489	483	473	492	498	2435	2624	2625	1996	1500	2658	2440	2246	1840	1277	591
Mean Population, 1891–1900. Males	—			11,164			241	249	239	249	254	1232	1293	1355	1156	769	1293	1179	1090	912	628	257
Mean Population, 1891–1900. Females	—			11,068			248	234	234	243	244	1203	1331	1270	840	731	1365	1261	1156	928	649	334
Deaths from All Causes, 1891–1900. Persons	15·30			3,401			505	128	47	32	32	744	73	40	63	78	137	140	215	400	638	873
Deaths from All Causes, 1891–1900. Males	15·89			1,774			306	66	34	11	13	430	41	18	36	37	67	77	109	197	333	429
Deaths from All Causes, 1891–1900. Females	14·70			1,627			199	62	13	21	19	314	32	22	27	41	70	63	106	203	305	444
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Measles	0·10	0·13	0·07	22	14	8	3	8	4	3	—	18	1	1	1	—	—	1	—	—	—	—
Scarlet Fever	0·04	0·04	0·05	9	4	5	1	—	—	2	2	5	2	2	—	—	—	—	—	—	—	—
Diphtheria	0·11	0·07	0·15	25	8	17	1	—	4	2	4	11	9	—	2	2	—	—	—	1	—	—
Whooping-cough	0·23	0·31	0·15	52	35	17	29	14	5	1	2	51	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·10	0·11	0·09	22	12	10	—	—	1	2	—	3	4	2	—	2	6	1	2	1	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·35	0·34	0·36	78	38	40	42	5	—	4	1	52	1	—	—	—	—	—	2	—	5	18
Cholera	0·03	0·05	0·01	7	6	1	2	—	—	—	—	2	—	—	—	—	—	—	1	2	2	—
Cancer	0·95	0·80	1·11	212	89	123	—	—	—	—	—	—	—	—	—	—	1	9	37	70	62	33
Tabes Mesenterica	0·07	0·09	0·05	15	10	5	6	—	1	—	1	8	1	—	—	—	3	1	—	—	1	1
Phthisis	1·07	1·16	0·98	238	130	108	7	—	—	1	1	9	4	8	21	36	54	38	30	24	11	3
Other Tub. & Scrof Dis.	0·26	0·26	0·26	58	29	29	6	10	7	2	3	28	9	2	1	6	5	1	4	—	1	1
Diseases of: Nervous System	1·78	1·82	1·73	395	203	192	40	17	2	3	4	66	7	5	9	2	6	7	20	51	98	124
Diseases of: Circulatory	1·96	1·90	2·01	435	212	223	2	1	—	—	—	3	4	3	4	8	12	21	31	92	160	97
Diseases of: Respiratory	2·40	2·48	2·32	534	277	257	96	44	16	4	7	167	8	2	6	2	3	17	22	48	103	156
Diseases of: Digestive	0·86	0·95	0·78	192	103	86	38	11	1	1	—	51	7	2	3	3	9	7	19	30	38	23
Diseases of: Urinary	0·42	0·61	0·23	94	68	26	1	1	—	1	2	5	—	—	1	1	5	3	8	13	37	21
Diseases of: Generative	0·06	0·01	0·11	13	1	12	—	—	—	—	—	—	—	—	—	1	—	—	2	6	2	2
Puerperal Fever	0·03	—	0·05	6	—	6	—	—	—	—	—	—	—	—	1	3	2	—	—	—	—	—
Childbirth	0·09	—	0·19	21	—	21	—	—	—	—	—	—	—	—	1	3	8	7	2	—	—	—
Violence	0·48	0·65	0·31	107	73	34	8	3	2	3	3	19	5	7	4	4	7	11	11	12	15	12
Other Causes	3·91	4·10	3·69	865	458	407	223	14	4	3	2	246	10	6	8	5	16	16	24	50	102	382

Marriages 1,267

Births .. Males .. 2,768 / Females 2,573 } 5,341

Annual Rate per 1000 living { Persons Married .. 11·40 / Births .. .. .. 24·02

Annual Births to 1000 Females aged 15—45 years=127.

Deaths from Childbirth and Puerperal Fever .. .. } 5·06 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

133.—HITCHIN.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		13·79	*123	—	—	—	—	39·26	2·80	2·22	3·16	3·47	5·28	7·02	10·99	22·81	59·05	150·17
Annual Death-Rate per 1000. Males	—					14·42	*136	—	—	—	—	42·70	2·83	2·33	3·49	3·24	5·11	7·11	11·84	25·17	65·75	160·71
Annual Death-Rate per 1000. Females	—					13·20	*108	—	—	—	—	35·77	2·77	2·11	2·83	3·66	5·43	6·94	10·31	20·88	53·31	141·98
Mean Population, 1891–1900. Persons	—			28,100			657	613	653	628	674	3225	3322	3241	2718	2218	3710	3136	2621	1990	1343	576
Mean Population, 1891–1900. Males	—			13,307			321	321	329	319	333	1623	1663	1629	1377	989	1684	1407	1166	898	619	252
Mean Population, 1891–1900. Females	—			14,793			336	292	324	309	341	1602	1659	1612	1341	1229	2026	1729	1455	1092	724	324
Deaths from All Causes, 1891–1900. Persons	15·69			4,410			889	211	83	49	34	1266	93	72	86	77	196	220	288	454	793	865
Deaths from All Causes, 1891–1900. Males	16·68			2,220			509	98	39	31	16	693	47	38	48	32	86	100	138	226	407	405
Deaths from All Causes, 1891–1900. Females	14·80			2,190			380	113	44	18	18	573	46	34	38	45	110	120	150	228	386	460
	Persons.	Males.	Females.	Persons.	Males.	Females	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·14	0·15	0·12	38	20	18	10	10	7	2	2	31	6	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·05	0·05	0·05	14	6	8	1	1	3	—	1	6	3	3	1	—	1	—	—	—	—	—
Diphtheria	0·14	0·17	0·11	39	23	16	1	2	6	4	4	17	11	8	2	—	—	1	—	—	—	—
Whooping-cough	0·42	0·41	0·43	117	54	63	58	34	12	10	1	115	2	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·11	0·15	0·07	31	20	11	—	—	—	—	—	—	5	5	6	3	4	3	3	2	—	—
Simple Continued Fever	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·62	0·69	0·55	173	92	81	119	16	2	1	—	138	1	—	1	—	—	3	1	4	10	15
Cholera	0·01	0·02	—	3	3	—	3	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—
Cancer	0·89	0·73	1·04	251	97	154	2	—	—	—	—	2	—	1	—	—	5	18	35	73	79	38
Tabes Mesenterica	0·12	0·14	0·11	35	19	16	13	3	3	4	—	23	—	—	3	3	2	—	—	3	1	—
Phthisis	0·97	1·03	0·91	272	137	135	1	1	1	—	2	5	3	7	24	36	77	62	30	21	6	1
Other Tub. & Scrof. Dis.	0·23	0·24	0·22	65	32	33	13	9	4	4	1	31	13	3	6	2	4	4	1	1	—	—
Diseases of Nervous System	2·05	2·19	1·92	575	291	284	155	13	8	2	2	180	7	5	7	2	11	14	26	55	146	122
Diseases of Circulatory „	1·89	1·78	1·98	530	237	293	—	—	—	—	1	1	7	9	4	7	28	26	57	103	169	119
Diseases of Respiratory „	2·75	2·86	2·64	772	381	391	119	73	28	18	14	252	16	7	7	3	8	21	33	69	158	198
Diseases of Digestive „	0·89	0·96	0·82	249	128	121	66	20	2	—	1	89	5	5	2	3	9	13	29	30	38	26
Diseases of Urinary „	0·39	0·55	0·25	110	73	37	1	1	—	1	—	3	—	6	1	1	3	2	14	27	36	17
Diseases of Generative „	0·05	0·01	0·08	13	1	12	—	—	—	—	—	—	—	—	—	—	2	1	5	2	2	1
Puerperal Fever	0·04	—	0·07	11	—	11	—	—	—	—	—	—	—	—	1	3	5	2	—	—	—	—
Childbirth	0·08	—	0·15	22	—	22	—	—	—	—	—	—	—	—	—	2	8	12	—	—	—	—
Violence	0·48	0·77	0·22	135	102	33	11	3	3	1	1	19	8	4	9	4	13	14	21	17	17	9
OTHER CAUSES	3·37	3·77	3·06	954	503	451	316	25	4	2	4	351	6	8	11	8	16	24	33	47	131	319

Marriages 1,689

Births .. { Males .. 3,746 / Females 3,511 } 7,257

Annual Rate per 1000 living { Persons Married .. 12·02 / Births .. .. .. 25·83 }

Annual Births to 1000 Females aged 15–45 years=115.

Deaths from Childbirth and Puerperal Fever .. .. } 4·55 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

134.—HERTFORD.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 14·49	*102	—	—	—	—	36·42	3·04	2·26	3·79	4·44	6·27	9·03	13·79	27·56	57·24	148·06
Annual Death-Rate per 1000. Males	—	15·70	*121	—	—	—	—	41·69	2·56	1·83	3·20	4·50	6·88	10·32	14·75	31·29	67·27	170·47
Annual Death-Rate per 1000. Females	—	13·35	* 84	—	—	—	—	31·24	3·55	2·75	4·43	4·39	5·72	7·88	12·93	24·13	49·29	132·23
Mean Population, 1891–1900. Persons	—	17,113	377	355	356	371	375	1834	2040	2169	1688	1329	2249	1971	1559	1161	753	360
Mean Population, 1891–1900. Males	—	8,401	189	183	179	171	187	909	1053	1150	876	645	1061	930	739	556	333	149
Mean Population, 1891–1900. Females	—	8,712	188	172	177	200	188	925	987	1019	812	684	1188	1041	820	605	420	211
Deaths from All Causes, 1891–1900. Persons	15·89	2,720	431	120	52	44	21	668	62	49	64	59	141	178	215	320	431	533
Deaths from All Causes, 1891–1900. Males	16·83	1,414	255	65	29	22	8	379	27	21	28	29	73	96	109	174	224	254
Deaths from All Causes, 1891–1900. Females	14·99	1,306	176	55	23	22	13	289	35	28	36	30	68	82	106	146	207	279

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.													
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·26	0·27	0·25	45	23	22	2	14	12	5	6	39	4	2	—	—	—	—	—	—
Scarlet Fever	0·05	0·02	0·08	9	2	7	1	1	—	1	—	3	2	1	1	1	—	—	—	—
Diphtheria	0·22	0·17	0·28	38	14	24	1	1	4	7	5	18	14	2	2	1	—	1	—	—
Whooping-cough	0·20	0·17	0·23	34	14	20	14	11	3	3	1	32	1	—	1	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·09	0·08	0·09	15	7	8	—	—	—	—	—	—	1	4	3	1	3	3	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·39	0·46	0·31	66	39	27	40	9	2	1	—	52	—	—	—	—	—	—	1	6	7
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·88	0·80	0·96	151	67	84	—	1	—	—	—	1	1	1	—	—	3	5	24	43	51	22
Tabes Mesenterica	0·04	0·05	0·03	7	4	3	2	—	—	—	1	3	—	1	2	—	—	1	—	—	—	—
Phthisis	1·22	1·30	1·14	208	109	99	4	2	2	—	—	8	1	7	14	21	45	45	34	25	7	1
Other Tub. & Scrof. Dis.	0·39	0·39	0·38	66	33	33	13	10	8	4	3	38	5	7	6	1	4	3	—	—	1	1
Diseases of Nervous System	1·78	1·80	1·76	304	151	153	40	9	4	6	—	59	4	1	3	2	8	10	20	43	71	83
Diseases of Circulatory "	1·76	1·88	1·64	301	158	143	6	1	—	1	—	8	3	7	12	2	12	21	34	61	76	65
Diseases of Respiratory "	2·65	3·04	2·28	454	255	199	80	41	7	13	2	143	7	1	2	9	10	24	32	53	68	105
Diseases of Digestive "	1·01	0·90	1·10	172	76	96	44	5	1	—	—	50	6	4	1	2	6	19	17	25	26	16
Diseases of Urinary "	0·56	0·81	0·31	95	68	27	1	—	—	—	—	1	1	—	4	5	4	7	9	17	28	19
Diseases of Generative "	0·05	—	0·10	9	—	9	1	—	—	—	—	1	—	—	—	—	—	1	1	2	3	1
Puerperal Fever	0·04	—	0·07	6	—	6	—	—	—	—	—	—	—	—	—	2	2	2	—	—	—	—
Childbirth	0·08	—	0·16	14	—	14	—	—	—	—	—	—	—	—	—	—	6	7	1	—	—	—
Violence	0·65	0·98	0·34	112	82	30	10	1	4	3	—	18	6	4	3	7	21	13	8	10	14	8
OTHER CAUSES	3·57	3·71	3·48	614	312	302	172	14	5	—	3	194	6	7	10	5	16	16	35	40	80	205

Marriages 1,057

Births .. Males 2,104, Females 2,106 — 4,210

Annual Rate per 1000 living: Persons Married .. 12·35; Births .. .. 24·60

Annual Births to 1000 Females aged 15—45 years=113.

Deaths from Childbirth and Puerperal Fever .. .. 4·75 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The boundary of this district was altered during the decennium; the part transferred contained no population.

135.—HATFIELD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·44			* 97	—	—	—	—	30·97	3·42	1·18	3·10	2·23	4·98	5·39	10·07	25·82	61·98	139·89
Annual Death-Rate per 1000. Males	—			13·68			*108	—	—	—	—	34·85	3·68	1·43	1·95	2·14	6·86	5·77	10·82	28·13	66·12	136·67
Annual Death-Rate per 1000. Females	—			11·84			* 87	—	—	—	—	27·29	3·16	0·91	4·41	2·31	3·22	5·04	9·37	23·55	57·78	143·01
Mean Population, 1891–1900. Persons	—			9,540			233	222	226	227	222	1130	1141	1106	870	764	1386	1132	884	581	363	183
Mean Population, 1891–1900. Males	—			4,711			113	104	117	105	112	551	571	559	462	374	671	537	425	288	183	90
Mean Population, 1891–1900. Females	—			4,829			120	118	109	122	110	579	570	547	408	390	715	595	459	293	180	93
Deaths from All Causes, 1891–1900. Persons	13·58			1,296			249	52	21	19	9	350	39	13	27	17	69	61	89	150	225	256
Deaths from All Causes, 1891–1900. Males	14·56			686			139	28	13	5	7	192	21	8	9	8	46	31	46	81	121	123
Deaths from All Causes, 1891–1900. Females	12·63			610			110	24	8	14	2	158	18	5	18	9	23	30	43	69	104	133
	Persons.	Males.	Females.	Persons.	Males	Females.	PERSONS.															
Small-pox	0·02	0·04	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—
Measles	0·14	0·13	0·14	13	6	7	3	4	3	1	—	11	2	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·03	0·04	0·02	3	2	1	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—
Diphtheria	0·17	0·15	0·19	16	7	9	—	—	1	3	1	5	6	—	3	1	1	—	—	—	—	—
Whooping-cough	0·30	0·21	0·39	29	10	19	12	5	5	3	1	26	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·03	—	0·06	3	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	1	—
Diarrhœa & Dysentery	0·38	0·38	0·37	36	18	18	23	5	1	—	—	29	1	—	—	—	—	1	—	—	2	3
Cholera	0·02	0·04	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—
Cancer	0·81	0·59	1·01	77	28	49	—	—	—	—	—	—	—	—	—	—	2	5	12	18	29	11
Tabes Mesenterica	0·09	0·11	0·08	9	5	4	2	2	—	1	—	5	1	2	1	—	—	—	—	—	—	—
Phthisis	0·86	0·89	0·83	82	42	40	1	—	1	—	—	2	1	2	5	8	22	15	14	9	4	—
Other Tub. & Scrof. Dis.	0·27	0·30	0·25	26	14	12	8	6	1	1	—	16	2	—	2	—	2	—	—	2	2	—
Diseases of Nervous System	1·76	1·97	1·55	168	93	75	39	7	2	2	1	51	8	1	1	—	1	2	11	18	43	32
Diseases of Circulatory	1·24	1·08	1·39	118	51	67	—	—	—	—	—	—	—	4	1	1	3	6	11	26	36	30
Diseases of Respiratory	2·24	2·68	1·82	214	126	88	48	12	4	5	4	73	4	—	1	—	4	5	5	26	45	51
Diseases of Digestive	0·67	0·64	0·70	64	30	34	7	3	1	1	1	13	1	—	1	—	5	6	14	10	8	6
Diseases of Urinary	0·43	0·49	0·37	41	23	18	—	—	—	—	—	—	1	—	1	—	4	3	7	6	12	7
Diseases of Generative	0·02	—	0·04	2	—	2	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Puerperal Fever	0·02	—	0·04	2	—	2	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—
Childbirth	0·02	—	0·04	2	—	2	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
Violence	0·59	1·04	0·14	56	49	7	1	2	1	1	—	5	2	1	4	2	11	8	6	9	4	4
OTHER CAUSES	3·47	3·78	3·20	331	178	153	105	6	1	1	1	114	6	2	5	3	11	8	9	23	38	112

Marriages 633

Births .. { Males .. 1,290 / Females 1,271 } 2,561

Annual Rate per 1000 living { Persons Married .. 13·27 / Births .. .. .. 26·84 }

Annual Births to 1000 Females aged 15—45 years=121.

Deaths from Childbirth and Puerperal Fever .. .. } 1·56 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

136.—ST. ALBANS.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		13·04	*112	—	—	—	—	35·91	2·75	1·75	2·79	3·46	4·15	7·82	10·79	22·65	53·67	147·63
Males ..	—					14·29	*124	—	—	—	—	39·66	2·34	1·54	2·56	4·91	4·45	10·29	13·20	27·38	59·28	161·80
Females	—					11·86	*100	—	—	—	—	32·24	3·16	1·95	3·01	2·34	3·90	5·81	8·75	18·94	49·34	137·14
Mean Population, 1891–1900. Persons	—			29,665			667	655	694	663	696	3375	3421	3259	2903	2489	4267	3502	2800	1890	1211	548
Males ..	—			13,867			343	315	341	321	349	1669	1712	1622	1407	1079	1933	1575	1280	829	528	233
Females	—			15,798			324	340	353	342	347	1706	1709	1637	1496	1410	2334	1927	1520	1061	683	315
Deaths from All Causes, 1891–1900. Persons	14·06			4,170			848	186	66	65	47	1212	94	57	81	86	177	274	302	428	650	809
Males ..	15·50			2,150			471	96	30	35	30	662	40	25	36	53	86	162	169	227	313	377
Females	12·79			2,020			377	90	36	30	17	550	54	32	45	33	91	112	133	201	337	432
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·03	0·05	0·02	10	7	3	2	—	1	1	—	4	2	—	—	1	1	1	1	—	—	—
Measles	0·20	0·19	0·20	58	27	31	8	20	9	6	6	49	7	1	—	—	1	—	—	—	—	—
Scarlet Fever	0·08	0·09	0·08	24	12	12	—	1	4	5	1	11	5	5	2	—	—	1	—	—	—	—
Diphtheria	0·13	0·14	0·11	38	20	18	2	7	3	7	6	25	10	2	1	—	—	—	—	—	—	—
Whooping-cough ..	0·27	0·24	0·29	79	33	46	32	24	10	8	3	77	2	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·08	0·08	0·08	24	11	13	—	—	—	—	—	—	2	3	6	3	7	2	—	1	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·46	0·56	0·37	136	77	59	92	16	2	—	—	110	1	—	—	—	—	1	—	2	9	13
Cholera	0·01	0·02	—	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—
Cancer	0·81	0·63	0·96	239	88	151	—	—	1	—	—	1	—	—	—	1	5	19	41	67	66	39
Tabes Mesenterica ..	0·09	0·09	0·09	28	13	15	10	4	1	—	2	17	1	4	—	2	1	3	—	—	—	—
Phthisis	1·07	1·37	0·81	318	190	128	12	2	2	—	2	18	3	6	35	40	59	74	44	28	9	2
Other Tub. & Scrof. Dis	0·37	0·45	0·31	111	62	49	40	12	6	5	7	70	20	7	1	2	1	6	2	1	1	—
Diseases of Nervous System ..	1·65	1·86	1·47	490	258	232	104	11	5	7	2	129	8	6	5	4	7	16	34	48	110	123
Circulatory " ..	1·89	1·83	1·94	561	254	307	4	—	—	—	1	5	5	7	4	9	18	34	46	104	183	146
Respiratory " ..	2·26	2·57	1·99	671	356	315	143	52	17	17	11	240	12	1	3	2	12	34	41	46	128	152
Digestive " ..	0·92	1·07	0·80	274	148	126	74	14	2	2	1	93	1	4	7	3	15	20	35	34	32	30
Urinary " ..	0·45	0·58	0·32	132	81	51	1	—	—	—	1	2	3	—	—	2	4	7	18	32	28	36
Generative " ..	0·03	0·01	0·05	9	1	8	1	—	—	—	—	1	—	—	—	—	—	2	1	2	3	—
Puerperal Fever ..	0·04	—	0·08	12	—	12	—	—	—	—	—	—	—	—	—	—	9	3	—	—	—	—
Childbirth	0·04	—	0·08	13	—	13	—	—	—	—	—	—	—	—	1	3	5	4	—	—	—	—
Violence	0·34	0·53	0·18	102	73	29	7	4	—	1	1	13	3	2	5	7	15	16	6	15	8	12
OTHER CAUSES ..	2·84	3·14	2·56	838	436	402	316	19	3	6	3	347	9	9	11	7	17	31	33	47	71	256

Marriages 1,928

Births .. { Males .. 3,810 / Females 3,761 } 7,571

Annual Rate per 1000 living { Persons Married .. 13·00 / Births .. .. .. 25·52

Annual Births to 1000 Females aged 15—45 years = 106.

Deaths from Childbirth and Puerperal Fever .. .. } 3·30 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

137.—WATFORD.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 17·06			*112	—	—	—	—	36·03	3·42	1·95	3·86	5·60	7·23	12·25	19·07	35·67	76·65	173·98
Annual Death-Rate per 1000. Males ..	—			18·52			*128	—	—	—	—	40·69	2·75	2·05	4·22	6·73	9·41	14·61	23·09	38·31	82·37	179·06
Annual Death-Rate per 1000. Females	—			15·68			* 95	—	—	—	—	31·35	4·10	1·85	3·52	4·59	5·38	10·19	15·59	33·49	72·28	170·56
Mean population, 1891–1900. Persons	—			45.747			1091	1004	1059	1040	1044	5238	5238	5224	4166	4050	7134	5552	4037	2784	1636	688
Mean population, 1891–1900. Males ..	—			21,927			568	498	522	505	529	2622	2653	2683	2061	1917	3284	2588	1875	1258	709	277
Mean population, 1891–1900. Females	—			23,820			523	506	537	535	515	2616	2585	2541	2105	2133	3850	2964	2162	1526	927	411
Deaths from All Causes, 1891–1900. Persons	17·41			7,966			1326	296	117	83	65	1887	179	102	161	227	516	680	770	993	1254	1197
Deaths from All Causes, 1891–1900. Males ..	18·67			4,093			773	152	65	42	35	1067	73	55	87	129	309	378	433	482	584	496
Deaths from All Causes, 1891–1900. Females	16·26			3,873			553	144	52	41	30	820	106	47	74	98	207	302	337	511	670	701
	Persons.	Males.	Females	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·00	—	0·00	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Measles	0·29	0·29	0·29	134	64	70	25	44	18	18	9	114	17	—	1	—	1	1	—	—	—	—
Scarlet Fever	0·06	0·06	0·06	28	14	14	—	4	7	4	2	17	6	4	—	1	—	—	—	—	—	—
Diphtheria	0·28	0·24	0·32	130	53	77	5	14	10	20	16	65	51	8	2	1	—	1	1	1	—	—
Whooping-cough	0·25	0·22	0·28	115	49	66	65	29	12	5	2	113	2	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·09	0·12	0·06	41	27	14	—	—	—	—	—	—	—	6	6	8	9	8	2	2	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·39	0·42	0·37	180	93	87	119	16	3	—	—	138	—	—	—	—	2	2	5	9	10	14
Cholera	0·04	0·06	0·03	20	14	6	18	1	—	—	—	19	—	—	—	—	—	—	1	—	—	—
Cancer	0·84	0·63	1·03	382	137	245	—	—	—	—	—	—	—	2	—	4	4	36	66	106	111	50
Tabes Mesenterica	0·12	0·14	0·11	57	30	27	21	5	—	—	2	28	6	3	5	2	3	4	4	2	—	—
Phthisis	1·89	2·35	1·47	865	516	349	1	5	4	1	2	13	7	15	59	95	209	195	163	68	33	8
Other Tub. & Scrof. Dis.	0·39	0·51	0·28	179	112	67	21	13	7	6	3	50	10	5	10	21	28	28	14	9	2	2
Diseases of Nervous System	3·14	3·41	2·89	1436	747	689	127	30	9	4	2	172	13	12	25	29	71	141	164	246	325	238
Diseases of Circulatory „	2·06	1·73	2·37	944	380	564	7	3	—	1	1	12	9	10	15	11	28	58	100	231	299	171
Diseases of Respiratory „	2·30	2·61	2·02	1053	572	481	227	86	27	13	14	367	17	5	8	10	33	47	81	106	177	202
Diseases of Digestive „	1·05	1·12	0·98	479	245	234	154	18	4	4	5	185	10	10	11	10	22	33	35	56	62	45
Diseases of Urinary „	0·48	0·63	0·34	219	139	80	—	—	1	—	—	1	—	3	—	4	7	20	38	41	65	40
Diseases of Generative „	0·04	0·02	0·06	20	5	15	1	1	—	—	—	2	—	—	—	—	3	6	1	4	3	1
Puerperal Fever	0·03	—	0·05	13	—	13	—	—	—	—	—	—	—	—	1	4	7	1	—	—	—	—
Childbirth	0·06	—	0·11	27	—	27	—	—	—	—	—	—	—	—	1	5	13	8	—	—	—	—
Violence	0·48	0·76	0·23	220	166	54	21	9	8	5	6	49	9	8	4	8	32	26	28	22	13	21
OTHER CAUSES	3·13	3·35	2·91	1423	730	693	514	18	7	2	1	542	22	11	13	14	41	64	67	90	154	405

Marriages 2,799

Births .. { Males .. 6,041 / Females 5,824 } 11,865

Annual Rate per 1000 living { Persons Married .. 12·24 / Births .. .. .. 25·94

Annual Births to 1000 Females aged 15—45 years = 107.

Deaths from Childbirth and Puerperal Fever .. .. { 3·37 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

138.—HEMEL HEMPSTEAD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 14·58			*113	—	—	—	—	37·12	1·98	2·69	4·17	4·13	5·67	8·09	15·06	28·75	58·65	151·60
Annual Death-Rate per 1000. Males	—			15·02			*126	—	—	—	—	40·55	1·97	2·22	4·18	3·23	6·03	8·88	16·50	33·26	59·49	151·39
Annual Death-Rate per 1000. Females	—			14·16			*100	—	—	—	—	33·70	1·99	3·17	4·16	4·84	5·38	7·44	13·86	25·00	57·97	151·79
Mean Population, 1891–1900. Persons	—			15,988			376	355	362	361	367	1821	1817	1862	1582	1332	2116	1853	1521	1061	711	312
Mean Population, 1891–1900. Males	—			7,571			186	185	192	175	172	910	913	948	789	588	946	845	691	481	316	144
Mean Population, 1891–1900. Females	—			8,417			190	170	170	186	195	911	904	914	793	744	1170	1008	830	580	395	168
Deaths from All Causes, 1891–1900. Persons	16·12			2,577			463	114	51	28	20	676	36	50	66	55	120	150	229	305	417	473
Deaths from All Causes, 1891–1900. Males	16·80			1,272			262	58	26	12	11	369	18	21	33	19	57	75	114	160	188	218
Deaths from All Causes, 1891–1900. Females	15·50			1,305			201	56	25	16	9	307	18	29	33	36	63	75	115	145	229	255
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·27	0·30	0·24	43	23	20	6	17	8	4	3	38	5	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·04	0·07	0·01	6	5	1	—	1	—	1	—	2	1	3	—	—	—	—	—	—	—	—
Diphtheria	0·11	0·09	0·13	18	7	11	—	—	5	1	5	11	3	3	—	1	—	—	—	—	—	—
Whooping-cough	0·20	0·18	0·21	32	14	18	16	11	2	1	1	31	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·21	0·17	0·25	34	13	21	—	—	—	—	—	—	1	6	5	5	6	5	3	2	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·35	0·33	0·37	56	25	31	35	7	2	—	—	44	—	1	—	—	—	1	—	—	5	5
Cholera	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Cancer	1·21	1·10	1·32	194	83	111	1	—	—	—	—	1	—	1	1	1	6	11	44	57	45	27
Tabes Mesenterica	0·04	0·04	0·04	6	3	3	2	1	—	—	1	4	—	1	1	—	—	—	—	—	—	—
Phthisis	1·06	1·26	0·89	170	95	75	—	2	1	—	—	3	—	7	26	17	33	32	34	13	5	—
Other Tub. & Scrof. Dis.	0·27	0·28	0·26	43	21	22	8	8	2	2	—	20	3	6	3	4	3	—	1	2	—	1
Diseases of Nervous System	1·36	1·40	1·32	217	106	111	37	6	1	1	2	47	—	3	2	3	4	10	18	26	57	47
Diseases of Circulatory „	2·38	2·15	2·58	380	163	217	1	—	—	1	—	2	6	7	7	5	16	18	45	71	116	87
Diseases of Respiratory „	2·36	2·71	2·04	377	205	172	91	41	14	7	4	157	7	—	3	1	8	10	19	38	61	73
Diseases of Digestive „	1·08	1·12	1·03	172	85	87	64	11	4	1	—	80	2	3	2	3	7	5	17	18	22	13
Diseases of Urinary „	0·54	0·71	0·39	87	54	33	—	—	—	—	1	1	1	1	2	1	3	15	7	21	18	17
Diseases of Generative „	0·05	0·03	0·07	8	2	6	—	—	—	—	—	—	—	—	—	—	3	2	2	—	1	—
Puerperal Fever	0·06	—	0·11	9	—	9	—	—	—	—	—	—	—	—	1	3	1	4	—	—	—	—
Childbirth	0·09	—	0·18	15	—	15	—	—	—	—	—	—	—	—	—	2	5	7	1	—	—	—
Violence	0·63	0·90	0·39	101	68	33	12	2	3	3	1	21	3	3	5	3	8	8	13	17	13	7
Other Causes	3·80	3·95	3·67	608	299	309	190	7	9	6	2	214	3	5	8	6	17	22	25	40	73	195

Marriages 1,148

Births .. { Males .. 2,084 / Females 2,010 } 4,094

Annual Rate per 1000 living { Persons Married .. 14·36 / Births .. .. .. 25·61 }

Annual Births to 1000 Females aged 15—45 years = 110.

Deaths from Childbirth and Puerperal Fever .. .. } 5·86 per 1000 Births.

* The death rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

139.—BERKHAMPSTEAD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 13·72	*122	—	—	—	—	39·46	3·36	1·79	2·38	4·27	4·97	6·50	11·22	24·11	53·37	153·95
Annual Death-Rate per 1000. Males ..	—	14·95	*139	—	—	—	—	47·03	3·03	2·13	2·67	4·36	5·71	5·61	12·34	25·15	63·42	169·53
Annual Death-Rate per 1000. Females	—	12·57	*105	—	—	—	—	32·35	3·71	1·41	2·05	4·19	4·39	7·23	10·30	23·26	46·14	142·61
Mean Population, 1891-1900. Persons	—	16,040	359	335	345	356	379	1774	1874	1904	1639	1266	2074	1847	1551	1095	712	304
Mean Population, 1891-1900. Males ..	—	7,601	171	158	176	174	180	859	958	985	860	574	911	838	697	493	298	128
Mean Population, 1891-1900. Females	—	8,439	188	177	169	182	199	915	916	919	779	692	1163	1009	854	602	414	176
Deaths from All Causes, 1891-1900. Persons	14·96	2,399	505	113	38	30	14	700	63	34	39	54	103	120	174	264	380	468
Deaths from All Causes, 1891-1900. Males ..	16·01	1,217	292	63	22	21	6	404	29	21	23	25	52	47	86	124	189	217
Deaths from All Causes, 1891-1900. Females	14·01	1,182	213	50	16	9	8	296	34	13	16	29	51	73	88	140	191	251

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·16	0·17	0·15	26	13	13	8	10	3	1	1	23	2	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·08	0·12	0·05	13	9	4	1	2	2	2	1	8	4	—	—	—	—	—	1	—	—	—
Diphtheria	0·29	0·29	0·30	47	22	25	—	5	10	4	5	24	16	4	2	—	—	1	—	—	—	—
Whooping-cough ..	0·31	0·32	0·30	49	24	25	33	9	3	3	—	48	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·17	0·22	0·13	28	17	11	—	—	—	—	1	1	—	4	2	1	7	7	2	3	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·59	0·70	0·49	94	53	41	70	5	—	—	—	75	3	—	—	—	1	1	—	1	5	8
Cholera	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Cancer	0·73	0·58	0·87	117	44	73	—	—	—	—	—	—	—	—	1	—	2	9	19	39	31	16
Tabes Mesenterica ..	0·04	0·01	0·07	7	1	6	2	1	1	—	—	4	—	—	—	—	1	1	—	—	1	—
Phthisis	0·87	0·86	0·89	140	65	75	—	—	—	1	—	1	1	2	9	24	39	30	18	12	4	—
Other Tub. & Scrof. Dis.	0·32	0·41	0·25	52	31	21	19	12	1	—	—	32	6	6	2	2	1	2	1	—	—	—
Diseases of: Nervous System ..	1·67	1·82	1·54	268	138	130	60	14	3	5	2	84	4	2	1	2	3	9	15	38	59	51
Diseases of: Circulatory " ..	1·92	1·92	1·92	308	146	162	1	—	—	1	—	2	6	3	5	5	4	14	42	65	97	65
Diseases of: Respiratory " ..	2·12	2·30	1·96	340	175	165	69	33	9	9	3	123	2	4	1	4	6	8	14	47	65	66
Diseases of: Digestive " ..	0·81	0·78	0·84	130	59	71	30	9	—	2	—	41	8	3	2	2	4	9	15	15	19	12
Diseases of: Urinary " ..	0·36	0·46	0·27	58	35	23	1	1	—	—	—	2	—	—	2	—	3	3	5	13	17	13
Diseases of: Generative " ..	0·01	—	0·02	2	—	2	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—
Puerperal Fever ..	0·02	—	0·04	3	—	3	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—
Childbirth	0·10	—	0·19	16	—	16	—	—	—	—	—	—	—	—	—	2	10	4	—	—	—	—
Violence	0·55	0·84	0·30	89	64	25	11	2	2	—	1	16	8	1	3	5	10	6	12	9	10	9
OTHER CAUSES ..	3·83	4·20	3·43	611	320	291	200	10	4	2	—	216	2	4	9	6	9	15	29	22	71	228

Marriages 1,023

Births .. { Males .. 2,097 / Females 2,033 } 4,130

Annual Rate per 1000 living { Persons Married .. 12·76 / Births .. .. .. 25·75 }

Annual Births to 1000 Females aged 15—45 years = 113.

Deaths from Childbirth and Puerperal Fever .. .. } 4·60 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

140.—AMERSHAM.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 13·01	*109	—	—	—	—	34·78	2·06	1·47	3·33	2·95	5·45	6·22	11·59	25·71	53·17	150·24
Annual Death-Rate per 1000. Males	—	14·06	*129	—	—	—	—	40·77	1·94	1·32	3·64	3·24	5·59	7·68	12·86	28·75	56·57	154·21
Annual Death-Rate per 1000. Females	—	12·03	* 88	—	—	—	—	28·85	2·18	1·62	2·99	2·65	5·31	4·85	10·41	22·92	50·20	146·96
Mean Population, 1891–1900. Persons	—	20,788	494	499	508	504	511	2516	2522	2387	2012	1663	2881	2315	1820	1338	914	420
Mean Population, 1891–1900. Males	—	10,246	256	245	258	240	252	1251	1236	1215	1043	834	1412	1120	879	640	426	190
Mean Population, 1891–1900. Females	—	10,542	238	254	250	264	259	1265	1286	1172	969	829	1469	1195	941	698	488	230
Deaths from All Causes, 1891–1900. Persons	14·71	3,051	631	129	59	38	18	875	52	35	67	49	157	144	211	344	486	631
Deaths from All Causes, 1891–1900. Males	15·72	1,611	380	76	25	22	7	510	24	16	38	27	79	86	113	184	241	293
Deaths from All Causes, 1891–1900. Females	13·66	1,440	251	53	34	16	11	365	28	19	29	22	78	58	98	160	245	338

	Persons.	Males.	Females	Persons.	Males.	Females.	Persons.													
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·26	0·27	0·25	54	28	26	9	21	8	6	3	47	5	2	—	—	—	—	—	—
Scarlet Fever	0·03	0·03	0·04	7	3	4	—	1	1	—	—	2	3	—	1	—	1	—	—	—
Diphtheria	0·04	0·06	0·03	9	6	3	—	—	2	1	3	6	—	1	—	1	—	1	—	—
Whooping-cough	0·33	0·31	0·35	69	32	37	35	16	9	3	2	65	4	—	—	—	—	—	—	—
Typhus	0·00	—	0·01	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Enteric Fever	0·07	0·05	0·09	15	5	10	—	—	1	—	—	1	—	1	4	2	1	1	4	1
Simple Continued Fever	0·00	—	0·01	1	—	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·36	0·40	0·31	74	41	33	49	7	3	1	—	60	2	—	—	—	—	—	—	—
Cholera	0·01	0·02	0·01	3	2	1	2	—	—	—	—	2	—	—	—	—	—	—	—	3
Cancer	0·84	0·63	1·04	175	65	110	1	—	1	—	—	2	1	—	—	—	3	3	31	49
Tabes Mesenterica	0·09	0·09	0·09	19	9	10	2	2	—	—	1	5	1	2	1	1	3	5	—	1
Phthisis	0·98	1·09	0·86	203	112	91	2	—	—	—	1	3	1	5	18	18	52	45	34	20
Other Tub. & Scrof. Dis.	0·22	0·26	0·17	45	27	18	11	6	4	3	—	24	6	3	4	1	3	—	3	1
Diseases of Nervous System	1·66	1·84	1·49	345	188	157	46	7	3	3	2	61	7	4	8	5	12	3	20	47
Diseases of Circulatory "	1·74	1·53	1·95	362	157	205	—	1	—	2	—	3	2	3	9	3	13	15	36	70
Diseases of Respiratory "	2·38	2·71	2·05	494	278	216	101	46	19	4	3	173	9	1	3	4	11	16	26	50
Diseases of Digestive "	1·03	1·12	0·93	213	115	98	69	10	3	4	—	86	4	3	—	5	6	10	14	31
Diseases of Urinary "	0·48	0·70	0·26	99	72	27	1	1	—	—	—	2	2	—	3	—	6	2	7	19
Diseases of Generative "	0·04	0·03	0·05	8	3	5	2	—	—	—	—	2	—	—	—	—	—	—	2	2
Puerperal Fever	0·05	—	0·10	11	—	11	—	—	—	—	—	—	—	—	—	2	7	2	—	—
Childbirth	0·08	—	0·16	17	—	17	—	—	—	—	—	—	—	—	—	—	8	8	1	—
Violence	0·52	0·76	0·28	107	78	29	18	2	4	5	—	29	—	3	4	2	8	13	12	6
Other Causes	3·50	3·82	3·13	720	390	330	283	9	1	6	2	301	5	7	12	5	23	20	20	46

Marriages		1,273
Births	Males 2,944	5,785
	Females 2,841	

Annual Rate per 1000 living { Persons Married .. 12·25; Births .. .. .. 27·83 }

Annual Births to 1000 Females aged 15—45 years = 130.

Deaths from Childbirth and Puerperal Fever .. .. } 4·84 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

141.—ETON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 13·80	*113	—	—	—	—	39·00	3·93	1·77	2·29	2·63	4·38	7·27	12·15	22·99	57·24	163·24
Annual Death-Rate per 1000. Males ..	—	14·93	*130	—	—	—	—	43·36	3·88	1·67	2·53	2·70	5·45	8·41	14·97	27·02	61·45	168·06
Annual Death-Rate per 1000. Females	—	12·75	*95	—	—	—	—	34·78	3·98	1·89	1·98	2·57	3·46	6·25	9·60	19·47	53·77	159·77
Mean Population, 1891-1900. Persons	—	31,731	730	670	741	733	721	3595	3590	3776	3192	2587	4661	3729	2914	2049	1181	457
Mean Population, 1891-1900. Males ..	—	15,539	375	324	356	362	352	1769	1804	2034	1779	1185	2147	1760	1383	955	532	191
Mean Population, 1891-1900. Females	—	16,192	355	346	385	371	369	1826	1786	1742	1413	1402	2514	1969	1531	1094	649	266
Deaths from All Causes, 1891-1900. Persons	14·10	4,473	917	250	103	70	62	1402	141	67	73	68	204	271	354	471	676	746
Deaths from All Causes, 1891-1900. Males ..	14·97	2,326	535	117	53	33	29	767	70	34	45	32	117	148	207	258	327	321
Deaths from All Causes, 1891-1900. Females	13·26	2,147	382	133	50	37	33	635	71	33	28	36	87	123	147	213	349	425

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.													
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·25	0·27	0·22	78	42	36	13	29	9	6	7	64	11	2	1	—	—	—	—	—
Scarlet Fever	0·09	0·10	0·09	30	16	14	1	2	3	6	3	15	13	—	1	—	—	1	—	—
Diphtheria	0·41	0·37	0·45	130	57	73	3	9	14	18	24	68	49	10	2	—	1	—	—	—
Whooping-cough ..	0·29	0·24	0·33	92	38	54	45	31	7	2	5	90	2	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·08	0·07	0·09	25	11	14	—	—	—	—	—	—	3	4	2	3	4	3	1	3	1	1
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·39	0·42	0·35	123	66	57	87	15	—	1	—	103	—	—	—	—	—	1	2	—	5	12
Cholera	0·00	0·01	—	1	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	0·75	0·59	0·91	239	91	148	2	—	3	1	—	6	2	1	—	2	4	20	44	64	60	36
Tabes Mesenterica ..	0·10	0·13	0·07	32	20	12	15	6	3	1	—	25	1	1	1	1	—	—	—	1	2	—
Phthisis	0·97	1·09	0·85	308	170	138	8	7	2	—	1	18	5	7	18	26	59	71	57	32	13	2
Other Tub. & Scrof. Dis.	0·21	0·23	0·20	68	36	32	20	11	6	4	—	41	5	3	2	3	3	4	3	—	4	—
Diseases of Nervous System ..	1·77	1·85	1·71	563	287	276	110	18	8	5	4	145	6	9	5	5	17	21	42	82	116	115
Diseases of Circulatory " ..	1·36	1·31	1·40	431	204	227	5	2	1	—	—	8	3	3	5	5	13	18	49	80	135	112
Diseases of Respiratory " ..	2·48	2·65	2·32	786	411	375	159	94	26	18	10	307	9	3	5	2	20	26	47	77	123	167
Diseases of Digestive " ..	0·96	1·04	0·88	304	162	142	103	5	3	2	2	115	8	4	4	1	12	23	27	38	39	33
Diseases of Urinary " ..	0·38	0·55	0·22	121	85	36	—	—	—	—	—	—	1	—	5	1	7	4	13	17	45	28
Diseases of Generative " ..	0·04	—	0·08	13	—	13	—	—	—	—	—	—	—	1	—	1	1	3	1	3	2	1
Puerperal Fever ..	0·03	—	0·07	11	—	11	—	—	—	—	—	—	—	—	—	1	5	4	1	—	—	—
Childbirth	0·05	—	0·09	15	—	15	—	—	—	—	—	—	—	—	1	1	7	6	—	—	—	—
Violence	0·64	1·07	0·23	203	166	37	27	5	4	3	4	43	10	7	9	10	29	28	21	19	15	12
OTHER CAUSES ..	2·85	2·98	2·70	900	463	437	318	16	14	3	2	353	13	12	12	6	22	38	46	55	116	227

Marriages 2,059

Births .. { Males .. 4,107 / Females 4,036 } 8,143

Annual Rate per 1000 living { Persons Married .. 12·98 / Births .. .. .. 25·66 }

Annual Births to 1000 Females aged 15—45 years = 112.

Deaths from Childbirth and Puerperal Fever .. .. } 3·19 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

142.—WYCOMBE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 13·51	*117	—	—	—	—	39·48	3·01	2·20	2·73	3·99	4·52	6·13	11·48	23·42	56·27	142·62
Annual Death-Rate per 1000. Males	—	13·72	*129	—	—	—	—	42·71	3·34	2·12	2·74	2·92	4·59	6·53	12·01	25·14	56·79	142·18
Annual Death-Rate per 1000. Females	—	13·31	*104	—	—	—	—	36·21	2·69	2·28	2·71	5·05	4·44	5·76	10·98	21·86	55·82	143·03
Mean Population, 1891–1900. Persons	—	45,433	1131	1074	1112	1147	1101	5565	5408	5275	4543	3731	6243	5038	4017	2993	1834	786
Mean Population, 1891–1900. Males	—	22,438	562	539	553	586	558	2798	2698	2646	2370	1851	3048	2449	1923	1424	854	377
Mean Population, 1891–1900. Females	—	22,995	569	535	559	561	543	2767	2710	2629	2173	1880	3195	2589	2094	1569	980	409
Deaths from All Causes, 1891–1900. Persons	14·65	6,655	1516	355	154	104	68	2197	163	116	124	149	282	309	461	701	1032	1121
Deaths from All Causes, 1891–1900. Males	15·02	3,370	852	185	76	54	28	1195	90	56	65	54	140	160	231	358	485	536
Deaths from All Causes, 1891–1900. Females	14·29	3,285	664	170	78	50	40	1002	73	60	59	95	142	149	230	343	547	585

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·00	0·01	3	1	2	1	—	—	—	—	1	—	—	—	1	1	—	—	—	—	—
Measles	0·42	0·43	0·40	189	96	93	38	68	23	22	10	161	23	5	—	—	—	—	—	—	—	—
Scarlet Fever	0·04	0·04	0·05	20	9	11	—	2	1	4	2	9	4	5	—	—	1	1	—	—	—	—
Diphtheria	0·17	0·18	0·16	78	41	37	2	4	12	14	9	41	26	6	1	2	1	—	—	—	1	—
Whooping-cough	0·20	0·18	0·22	92	41	51	50	24	4	3	6	87	4	1	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·11	0·11	0·12	52	24	28	—	1	1	1	1	4	4	9	13	5	7	4	4	2	—	—
Simple Continued Fever	0·00	0·00	—	1	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·34	0·34	0·34	154	76	78	100	18	6	1	—	125	—	—	—	—	1	1	1	2	7	17
Cholera	0·01	0·01	0·01	6	3	3	1	—	—	—	—	1	1	—	—	1	—	1	1	1	—	—
Cancer	0·70	0·55	0·84	316	124	192	—	—	—	—	—	—	—	—	—	3	5	21	64	90	87	46
Tabes Mesenterica	0·08	0·07	0·09	37	16	21	12	7	2	3	1	25	4	1	4	1	1	—	1	—	—	—
Phthisis	1·02	1·09	0·96	465	245	220	6	6	5	3	1	21	11	14	50	60	102	80	69	44	13	1
Other Tub. & Scrof. Dis.	0·20	0·21	0·19	92	48	44	30	11	7	6	3	57	5	7	2	5	9	2	2	1	1	1
Diseases of Nervous System	1·51	1·52	1·49	685	342	343	127	29	17	3	3	179	12	9	9	10	24	26	36	88	147	145
Diseases of Circulatory „	1·59	1·39	1·77	720	312	408	4	3	—	1	1	9	4	14	6	12	21	43	82	142	241	146
Diseases of Respiratory „	2·62	2·75	2·49	1188	616	572	285	106	53	30	17	491	24	8	6	7	14	19	63	126	203	227
Diseases of Digestive „	1·14	1·28	1·01	520	288	232	220	42	5	2	2	271	9	6	7	4	10	25	35	62	56	35
Diseases of Urinary „	0·37	0·46	0·29	169	103	66	3	—	—	1	1	5	1	4	2	1	7	10	26	33	50	30
Diseases of Generative „	0·04	—	0·07	17	—	17	—	—	—	—	—	—	—	—	1	1	1	1	4	6	3	—
Puerperal Fever	0·05	—	0·10	24	—	24	—	—	—	—	—	—	—	—	1	8	11	4	—	—	—	—
Childbirth	0·07	—	0·14	33	—	33	—	—	—	—	—	—	—	—	—	6	11	15	1	—	—	—
Violence	0·45	0·65	0·26	205	146	59	24	8	6	6	3	47	11	12	4	11	22	24	20	19	23	12
OTHER CAUSES	3·51	3·76	3·28	1589	838	751	613	26	12	4	7	662	20	15	18	11	33	32	52	85	200	461

Marriages 3,358

Births .. { Males .. 6,580 / Females 6,378 } 12,958

Annual Rate per 1000 living { Persons Married .. 14·78 / Births .. .. .. 28·52 }

Annual Births to 1000 Females aged 15—45 years = 132.

Deaths from Childbirth and Puerperal Fever .. .. } 4·40 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

143.—AYLESBURY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rates per 1000. Persons	—			In Standard Population. 14·68			*114	—	—	—	—	36·46	4·20	2·29	3·98	4·60	5·43	10·13	14·91	26·51	54·63	154·51
Annual Death-Rates per 1000. Males	—			14·98			*122	—	—	—	—	39·27	4·28	2·16	4·13	4·42	5·98	10·60	15·86	26·76	57·29	154·98
Annual Death-Rates per 1000. Females	—			14·40			*106	—	—	—	—	33·74	4·12	2·43	3·83	4·77	4·95	9·69	14·02	26·30	52·32	154·10
Mean Population, 1891-1900. Persons	—			25,207			557	568	562	591	607	2885	2881	2789	2335	1870	3331	2892	2489	1916	1243	576
Mean Population, 1891-1900. Males	—			12,285			266	288	277	303	287	1421	1449	1389	1211	905	1572	1396	1198	897	576	271
Mean Population, 1891-1900. Females	—			12,922			291	280	285	288	320	1464	1432	1400	1124	965	1759	1496	1291	1019	667	305
Deaths from All Causes, 1891-1900. Persons	17·21			4,338			739	157	74	46	36	1052	121	64	93	86	181	293	371	508	679	890
Deaths from All Causes, 1891-1900. Males	17·60			2,162			402	79	35	26	16	558	62	30	50	40	94	148	190	240	330	420
Deaths from All Causes, 1891-1900. Females	16·84			2,176			337	78	39	20	20	494	59	34	43	46	87	145	181	268	349	470
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·26	0·28	0·23	65	35	30	14	22	12	2	3	53	12	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·04	0·04	0·05	11	5	6	—	1	1	2	2	6	4	—	1	—	—	—	—	—	—	—
Diphtheria	0·28	0·29	0·27	71	36	35	—	7	6	10	9	32	27	9	1	1	1	—	—	—	—	—
Whooping-cough	0·23	0·19	0·26	57	23	34	32	15	5	2	—	54	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·07	0·07	0·06	17	9	8	—	—	—	—	—	—	2	4	1	3	1	2	1	2	1	—
Simple Continued Fever	0·00	—	0·01	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·37	0·42	0·33	94	52	42	63	8	—	—	—	71	—	—	—	—	—	1	—	2	15	5
Cholera	0·02	0·03	0·02	6	4	2	1	—	—	—	—	1	—	—	—	—	1	3	—	1	—	—
Cancer	0·82	0·58	1·05	206	71	135	—	—	—	1	—	1	—	1	2	—	1	22	42	60	54	23
Tabes Mesenterica	0·11	0·09	0·12	27	11	16	10	2	—	1	—	13	1	2	3	—	2	2	1	1	2	—
Phthisis	1·19	1·28	1·10	299	157	142	2	1	1	—	1	5	6	8	34	33	61	63	37	29	20	3
Other Tub. & Scrof. Dis.	0·26	0·30	0·22	66	37	29	15	5	4	1	—	25	12	5	4	6	2	3	4	3	1	1
Diseases of Nervous System	2·44	2·50	2·38	614	307	307	70	10	9	4	5	98	9	3	12	10	32	47	74	95	118	116
Diseases of Circulatory "	2·13	1·98	2·28	537	243	294	4	—	—	—	—	4	1	3	3	4	12	31	55	107	145	172
Diseases of Respiratory "	2·78	2·96	2·61	700	363	337	150	56	25	11	10	252	18	2	3	3	14	34	55	77	109	133
Diseases of Digestive "	1·03	1·09	0·97	259	134	125	44	16	6	—	1	67	5	9	7	4	13	17	24	35	47	31
Diseases of Urinary "	0·58	0·60	0·55	145	74	71	3	—	—	1	1	5	1	1	4	2	6	11	14	27	34	40
Diseases of Generative "	0·02	—	0·05	6	—	6	—	—	—	—	—	—	—	—	—	—	—	2	—	2	1	1
Puerperal Fever	0·04	—	0·09	11	—	11	—	—	—	—	—	—	—	—	1	3	7	—	—	—	—	—
Childbirth	0·06	—	0·12	16	—	16	—	—	—	—	—	—	—	—	—	2	7	5	2	—	—	—
Violence	0·56	0·78	0·35	141	96	45	16	4	3	5	3	31	9	7	6	4	9	19	13	17	12	14
OTHER CAUSES	3·92	4·12	3·72	989	505	484	315	10	2	6	1	334	10	10	11	11	12	31	49	50	120	351

Marriages 1,649

Births .. { Males .. 3,284 / Females 3,184 } 6,468

Annual Rate per 1000 living { Persons Married .. 13·08 / Births .. .. .. 25·66

Annual Births to 1000 Females aged 15—45 years = 121.

Deaths from Childbirth and Puerperal Fever .. .. } 4·17 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

144.—WINSLOW.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	46—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 13·65	*107	—	—	—	—	38·94	3·06	1·56	4·15	3·26	6·13	5·54	11·51	24·10	51·90	151·05
Annual Death-Rate per 1000. Males ..	—	14·25	*130	—	—	—	—	44·30	3·12	1·66	4·36	4·18	6·58	5·71	11·94	24·01	54·50	147·92
Annual Death-Rate per 1000. Females	—	13·08	* 85	—	—	—	—	33·82	3·00	1·46	3·93	2·38	5·71	5·37	11·11	24·18	49·29	154·26
Mean Population, 1891-1900. Persons	—	7,398	155	156	161	166	171	809	883	832	723	491	946	813	704	585	422	190
Mean Population, 1891-1900. Males ..	—	3,601	80	81	76	79	79	395	417	421	367	239	456	385	335	279	211	96
Mean Population, 1891-1900. Females	—	3,797	75	75	85	87	92	414	466	411	356	252	490	428	369	306	211	94
Deaths from All Causes, 1891-1900. Persons	16·65	1,232	210	55	15	15	20	315	27	13	30	16	58	45	81	141	219	287
Deaths from All Causes, 1891-1900. Males ..	17·69	637	127	25	6	5	12	175	13	7	16	10	30	22	40	67	115	142
Deaths from All Causes, 1891-1900. Females	15·67	595	83	30	9	10	8	140	14	6	14	6	28	23	41	74	104	145

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	46—	55—	65—	75 and upwds.
							Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·18	0·17	0·18	13	6	7	3	5	1	1	2	12	—	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·08	0·08	0·08	6	3	3	—	—	—	—	2	2	2	1	1	—	—	—	—	—	—	—
Diphtheria	0·12	0·17	0·08	9	6	3	—	—	—	1	2	3	3	2	1	—	—	—	—	—	—	—
Whooping-cough ..	0·43	0·42	0·45	32	15	17	15	11	2	1	2	31	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·04	0·03	0·05	3	1	2	—	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·14	0·19	0·08	10	7	3	4	1	—	—	—	5	—	—	—	—	—	—	—	—	1	4
Cholera	0·01	—	0·03	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Cancer	0·57	0·67	0·47	42	24	18	1	—	—	—	—	1	—	—	—	1	—	3	7	12	9	9
Tabes Mesenterica ..	0·19	0·19	0·18	14	7	7	10	1	—	—	1	12	—	1	—	1	—	—	—	—	—	—
Phthisis	0·99	1·00	0·97	73	36	37	4	—	1	—	1	6	1	3	7	6	23	10	7	8	1	1
Other Tub. & Scrof. Dis.	0·32	0·36	0·29	24	13	11	3	5	1	2	—	11	3	—	—	—	6	—	2	2	—	—
Diseases of Nervous System ..	2·10	2·33	1·87	155	84	71	20	4	4	—	1	29	2	1	5	—	6	1	9	23	44	35
Diseases of Circulatory " ..	2·35	2·11	2·58	174	76	98	—	—	—	—	—	—	—	1	4	—	2	4	19	38	67	39
Diseases of Respiratory " ..	2·70	2·97	2·48	201	107	94	35	16	3	8	8	70	7	1	2	2	2	7	9	19	31	51
Diseases of Digestive " ..	1·03	1·03	1·03	76	37	39	9	4	—	—	—	13	1	—	2	2	4	1	9	13	19	12
Diseases of Urinary " ..	0·74	0·78	0·71	55	28	27	—	—	—	—	—	—	2	—	2	—	3	5	8	13	17	5
Diseases of Generative " ..	0·04	—	0·08	3	—	3	—	—	—	—	—	—	—	—	1	—	—	—	—	1	1	—
Puerperal Fever ..	0·03	—	0·05	2	—	2	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—
Childbirth	0·12	—	0·24	9	—	9	—	—	—	—	—	—	—	—	—	2	5	2	—	—	—	—
Violence	0·26	0·33	0·18	19	12	7	3	3	—	—	1	7	2	—	—	1	1	2	2	—	—	4
OTHER CAUSES	4·21	4·86	3·59	311	175	136	103	5	3	2	—	113	2	2	3	1	4	10	9	12	28	127

Marriages 453

Births .. { Males .. 979, Females 975 } 1,954

Annual Rate per 1000 living { Persons Married .. 12·25; Births .. .. .. 26·41 }

Annual Births to 1000 Females aged 15—45 years = 128.

Deaths from Childbirth and Puerperal Fever .. .. } 5·63 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

145.—NEWPORT PAGNELL.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population		13·40	*115	—	—	—	—	36·97	3·16	1·59	3·10	4·40	4·88	6·70	10·22	25·16	53·85	153·02
Annual Death-Rate per 1000. Males ..	—					14·05	*123	—	—	—	—	41·84	3·75	1·34	2·99	3·74	5·11	6·20	10·98	25·58	58·59	171·60
Annual Death-Rate per 1000. Females	—					12·80	*107	—	—	—	—	32·18	2·60	1·82	3·23	5·08	4·68	7·18	9·55	24·79	49·70	138·16
Mean Population, 1891–1900. Persons	—			26,701			659	627	681	636	659	3262	3230	3027	2516	2001	3727	3043	2339	1761	1248	547
Mean Population, 1891–1900. Males ..	—			13,028			332	308	339	326	313	1618	1574	1489	1338	1016	1782	1468	1093	825	582	243
Mean Population, 1891–1900. Females	—			13,673			327	319	342	310	346	1644	1656	1538	1178	985	1945	1575	1246	936	666	304
Deaths from All Causes, 1891–1900. Persons	15·35			4,099			866	169	75	55	41	1206	102	48	78	88	182	204	239	443	672	837
Deaths from All Causes, 1891–1900. Males ..	16·16			2,105			472	113	40	31	21	677	59	20	40	38	91	91	120	211	341	417
Deaths from All Causes, 1891–1900. Females	14·58			1,994			394	56	35	24	20	529	43	28	38	50	91	113	119	232	331	420
	Persons.	Males.	Females	Persons.	Males.	Females	Persons.															
Small-pox..	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Measles	0·21	0·26	0·15	55	34	21	14	23	5	5	2	49	4	2	—	—	—	—	—	—	—	—
Scarlet Fever	0·08	0·10	0·06	21	13	8	1	4	4	2	2	13	5	2	—	—	—	—	1	—	—	—
Diphtheria	0·24	0·28	0·20	63	36	27	2	7	7	6	8	30	28	1	1	1	—	—	—	2	—	—
Whooping-cough ..	0·32	0·27	0·37	86	35	51	52	24	6	3	—	85	1	—	—	—	—	—	—	—	—	—
Typhus	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Enteric Fever	0·09	0·10	0·07	23	13	10	—	—	1	—	—	1	4	4	4	4	4	1	1	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·45	0·42	0·47	119	55	64	84	7	2	—	—	93	1	—	—	—	—	—	1	4	5	15
Cholera	0·01	0·02	—	2	2	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—
Cancer	0·82	0·64	1·00	220	83	137	—	—	—	—	—	—	1	—	2	2	4	18	26	70	66	31
Tabes Mesenterica ..	0·10	0·12	0·08	27	16	11	13	3	2	1	—	19	2	—	1	2	2	1	—	—	—	—
Phthisis	0·95	0·96	0·94	254	125	129	5	1	1	—	1	8	5	9	24	34	68	57	25	20	4	—
Other Tub & Scrof. Dis.	0·25	0·25	0·25	66	32	34	11	4	6	5	5	31	7	7	2	4	5	5	1	2	2	—
Diseases of: Nervous System ..	1·93	2·09	1·78	515	272	243	76	25	6	2	6	115	5	1	8	3	8	11	30	49	140	145
Diseases of: Circulatory „ ..	1·65	1·70	1·60	441	222	219	5	1	1	1	1	9	3	5	6	4	13	19	34	86	141	121
Diseases of: Respiratory „ ..	2·11	2·45	1·78	562	319	243	126	42	16	15	9	208	12	1	4	5	14	17	26	73	95	107
Diseases of: Digestive „ ..	1·03	1·04	1·02	274	135	139	76	12	3	1	2	94	7	4	3	2	6	13	20	26	55	44
Diseases of: Urinary „ ..	0·55	0·64	0·48	148	83	65	2	1	—	—	1	4	1	2	1	2	8	6	22	30	33	39
Diseases of: Generative „ ..	0·05	0·01	0·10	14	1	13	—	—	—	—	—	—	—	—	1	1	2	3	2	1	3	1
Puerperal Fever ..	0·06	—	0·11	15	—	15	—	—	—	—	—	—	—	—	—	3	8	4	—	—	—	—
Childbirth	0·07	—	0·14	19	—	19	—	—	—	—	—	—	—	—	3	2	6	8	—	—	—	—
Violence	0·55	0·80	0·31	147	104	43	20	1	7	7	—	35	10	3	7	5	16	11	14	16	15	15
OTHER CAUSES.. ..	3·83	3·99	3·67	1026	523	503	378	14	8	7	4	411	6	7	11	14	17	30	36	62	113	319

Marriages 1,726

Births .. { Males .. 3,847 / Females 3,689 } 7,536

Annual Rate per 1000 living { Persons Married .. 12·93 / Births .. .. 28·22 }

Annual Births to 1000 Females aged 15—45 years = 133.

Deaths from Childbirth and Puerperal Fever .. .. } 4·51 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

146.—BUCKINGHAM.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·47			*103	—	—	—	—	34·81	3·70	1·55	2·31	3·05	5·10	5·56	9·36	20·97	51·86	148·08
Annual Death-Rate per 1000. Males ..	—			12·50			*124	—	—	—	—	39·67	3·98	1·12	1·26	2·73	4·63	5·77	8·86	20·28	55·30	144·74
Annual Death-Rate per 1000. Females	—			12·44			* 81	—	—	—	—	30·00	3·42	2·01	3·53	3·36	5·53	5·37	9·82	21·62	48·84	151·25
Mean Population, 1891–1900. Persons	—			11,147			244	235	223	260	253	1215	1242	1225	1039	820	1451	1242	1068	887	646	312
Mean Population, 1891–1900. Males ..	—			5,474			124	118	115	124	124	605	628	627	557	403	691	572	508	429	302	152
Mean Population, 1891–1900. Females	—			5,673			120	117	108	136	129	610	614	598	482	417	760	670	560	458	344	160
Deaths from All Causes, 1891–1900. Persons	15·82			1,763			287	73	26	26	11	423	46	19	24	25	74	69	100	186	335	462
Deaths from All Causes, 1891–1900. Males ..	15·97			874			174	39	12	12	3	240	25	7	7	11	32	33	45	87	167	220
Deaths from All Causes, 1891–1900. Females	15·67			889			113	34	14	14	8	183	21	12	17	14	42	36	55	99	168	242
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	0·01	0·02	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Measles	0·13	0·11	0·16	15	6	9	3	5	1	4	—	13	2	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·04	0·04	0·04	4	2	2	1	—	2	—	—	3	—	1	—	—	—	—	—	—	—	—
Diphtheria	0·33	0·35	0·32	37	19	18	1	5	1	5	3	15	15	5	2	—	—	—	—	—	—	—
Whooping-cough ..	0·19	0·13	0·25	21	7	14	12	5	2	—	—	19	2	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·09	0·07	0·11	10	4	6	—	1	1	—	1	3	1	—	1	1	2	—	2	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·21	0·18	0·23	23	10	13	14	3	—	—	—	17	—	—	—	—	—	1	—	—	1	4
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·98	0·86	1·09	109	47	62	—	—	—	—	—	—	—	—	—	—	—	4	11	31	45	18
Tabes Mesenterica ..	0·04	0·04	0·04	4	2	2	2	—	—	—	—	2	1	—	1	—	—	—	—	—	—	—
Phthisis	0·87	0·68	1·06	97	37	60	—	—	—	—	—	—	1	1	9	11	26	14	15	15	5	—
Other Tub. & Scrof. Dis.	0·31	0·24	0·37	34	13	21	7	6	4	1	1	19	2	2	2	2	3	3	—	1	—	—
Diseases of Nervous System ..	1·72	1·75	1·69	192	96	96	16	3	1	—	—	20	2	1	—	2	8	7	7	20	63	62
Diseases of Circulatory „ ..	1·76	1·72	1·80	196	94	102	2	—	—	—	—	2	2	2	1	1	3	6	20	41	69	49
Diseases of Respiratory „ ..	2·49	2·69	2·31	278	147	131	64	35	7	11	4	121	8	—	1	2	4	5	5	25	49	58
Diseases of Digestive „ ..	0·77	0·80	0·74	86	44	42	9	6	—	3	—	18	2	2	1	—	5	6	13	12	18	9
Diseases of Urinary „ ..	0·52	0·57	0·48	58	31	27	1	—	—	—	1	2	—	2	—	1	2	5	7	11	18	10
Diseases of Generative „ ..	0·05	0·02	0·09	6	1	5	2	—	—	—	—	2	—	—	—	—	2	1	—	1	—	—
Puerperal Fever ..	0·04	—	0·09	5	—	5	—	—	—	—	—	—	—	—	1	—	4	—	—	—	—	—
Childbirth	0·04	—	0·09	5	—	5	—	—	—	—	—	—	—	—	—	—	3	2	—	—	—	—
Violence	0·56	0·77	0·35	62	42	20	6	1	5	1	—	13	4	2	2	1	5	7	6	6	7	9
Other Causes.. ..	4·67	4·93	4·36	520	271	249	147	3	2	1	1	154	4	1	3	4	7	7	14	23	60	243

Marriages 786

Births .. { Males .. 1,404 / Females 1,390 } 2,794

Annual Rate per 1000 living { Persons Married .. 14·10 / Births .. .. .. 25·07 }

Annual Births to 1000 Females aged 15—45 years = 120.

Deaths from Childbirth and Puerperal Fever .. .. } 3·58 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

147.—HENLEY.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·69			*103	—	—	—	—	35·35	3·25	1·99	2·47	3·17	4·39	6·71	10·41	22·78	54·64	139·00
Annual Death-Rate per 1000. Males ..	—			In Standard Population. 12·92			*114	—	—	—	—	37·04	3·32	2·07	2·00	2·98	4·04	7·18	10·78	24·52	54·57	157·87
Annual Death-Rate per 1000. Females	—			In Standard Population. 12·49			* 92	—	—	—	—	33·54	3·20	1·91	3·02	3·35	4·71	6·26	10·07	21·25	54·71	120·48
Mean Population, 1891–1900. Persons	—			23,069			521	538	546	570	538	2713	2735	2613	2263	1829	3304	2729	2084	1444	937	418
Mean Population, 1891–1900. Males ..	—			11,314			271	273	286	295	276	1401	1327	1307	1203	873	1585	1323	1002	677	438	178
Mean Population, 1891–1900. Females	—			11,755			250	265	260	275	262	1312	1408	1306	1060	956	1719	1406	1082	767	499	240
Deaths from All Causes, 1891–1900. Persons	13·79			3,181			630	167	59	57	46	959	89	52	56	58	145	183	217	329	512	581
Deaths from All Causes, 1891–1900. Males ..	14·08			1,593			350	89	29	31	20	519	44	27	24	26	64	95	108	166	239	281
Deaths from All Causes, 1891–1900. Females	13·51			1,588			280	78	30	26	26	440	45	25	32	32	81	88	109	163	273	300
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·29	0·30	0·28	67	34	33	12	20	7	10	7	56	8	1	—	—	1	1	—	—	—	—
Scarlet Fever	0·05	0·02	0·09	12	2	10	—	—	2	2	3	7	1	2	1	—	1	—	—	—	—	—
Diphtheria	0·20	0·17	0·22	45	19	26	2	2	6	11	8	29	9	4	2	1	—	—	—	—	—	—
Whooping-cough ..	0·22	0·22	0·21	50	25	25	17	17	7	3	2	46	4	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·03	0·03	0·03	6	3	3	—	—	—	—	—	—	2	—	—	1	—	2	1	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·33	0·35	0·30	75	40	35	48	13	—	1	—	62	2	—	—	—	—	2	—	3	1	5
Cholera	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Cancer	0·80	0·61	0·99	185	69	116	—	—	—	—	—	—	1	1	2	—	2	11	32	50	56	30
Tabes Mesenterica ..	0·12	0·14	0·09	27	16	11	10	4	1	—	1	16	5	2	2	1	—	1	—	—	—	—
Phthisis	0·80	0·77	0·83	185	87	98	2	—	—	—	—	2	4	5	16	17	46	39	29	19	8	—
Other Tub. & Scrof. Dis.	0·30	0·33	0·28	70	37	33	13	9	5	6	2	35	12	5	7	2	3	2	3	—	1	—
Diseases of Nervous System ..	1·50	1·63	1·39	347	184	163	68	14	2	3	1	88	4	5	4	3	13	12	25	33	82	73
Diseases of Circulatory „ ..	2·00	2·03	1·97	461	230	231	5	—	—	—	—	5	7	3	2	4	14	18	29	81	154	144
Diseases of Respiratory „ ..	2·37	2·53	2·21	546	286	260	140	60	25	9	16	250	11	7	3	2	12	20	24	49	84	84
Diseases of Digestive „ ..	0·75	0·75	0·75	173	85	88	49	13	—	3	1	66	6	2	5	4	2	8	11	28	25	16
Diseases of Urinary „ ..	0·39	0·52	0·27	91	59	32	—	—	—	—	1	1	—	1	—	2	2	6	13	16	26	24
Diseases of Generative „ ..	0·02	—	0·03	4	—	4	—	—	—	—	—	—	—	—	—	—	1	2	1	—	—	—
Puerperal Fever ..	0·03	—	0·07	8	—	8	—	—	—	—	—	—	—	—	—	1	5	2	—	—	—	—
Childbirth	0·07	—	0·14	16	—	16	—	—	—	—	—	—	—	—	—	1	5	9	1	—	—	—
Violence	0·55	0·79	0·31	126	89	37	8	2	1	6	—	17	8	8	6	10	16	19	14	10	12	6
OTHER CAUSES	2·97	2·88	3·05	686	327	359	256	13	3	3	4	279	5	6	6	9	22	29	34	34	63	199

Marriages 1,500

Births .. { Males .. 3,063 / Females 3,043 } 6,106

Annual Rate per 1000 living { Persons Married .. 13·00 / Births .. .. .. 26·47 }

Annual Births to 1000 Females aged 15—45 years = 119.

Deaths from Childbirth and Puerperal Fever .. .. } 3·93 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

148.—THAME.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.	12·81		*104	—	—	—	—	32·61	2·66	1·79	2·51	3·52	5·59	6·08	10·03	24·32	57·55	152·81
Annual Death-Rate per 1000. Males	—				12·53		*112	—	—	—	—	33·91	2·74	2·15	2·26	2·50	4·64	5·56	11·36	23·85	59·14	159·88
Annual Death-Rate per 1000. Females	—				13·07		* 96	—	—	—	—	31·33	2·59	1·40	2·82	4·55	6·46	6·55	8·86	24·76	56·08	146·56
Mean Population, 1891–1900. Persons	—			13,189			273	303	302	313	330	1521	1614	1620	1197	880	1575	1447	1256	995	728	356
Mean Population, 1891–1900. Males	—			6,523			135	145	160	153	162	755	804	836	665	440	754	684	590	478	350	167
Mean Population, 1891–1900. Females	—			6,666			138	158	142	160	168	766	810	784	532	440	821	763	666	517	378	189
Deaths from All Causes, 1891–1900. Persons	16·19			2,136			342	79	35	26	14	496	43	29	30	31	88	88	126	242	419	544
Deaths from All Causes, 1891–1900. Males	16·10			1,050			184	35	19	11	7	256	22	18	15	11	35	38	67	114	207	267
Deaths from All Causes, 1891–1900. Females	16·29			1,086			158	44	16	15	7	240	21	11	15	20	53	50	59	128	212	277
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·17	0·17	0·18	23	11	12	6	5	1	4	1	17	5	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·05	0·06	0·03	6	4	2	—	2	—	—	—	2	3	1	—	—	—	—	—	—	—	—
Diphtheria	0·14	0·12	0·15	18	8	10	—	—	4	2	1	7	6	1	2	1	1	—	—	—	—	—
Whooping-cough	0·29	0·20	0·38	38	13	25	21	9	1	6	1	38	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·08	0·08	0·09	11	5	6	—	—	—	—	—	—	2	2	1	1	1	2	—	2	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·15	0·11	0·20	20	7	13	14	—	1	—	—	15	1	—	1	—	—	—	—	—	1	2
Cholera	0·02	0·03	—	2	2	—	—	—	1	—	—	1	—	1	—	—	—	—	—	—	—	—
Cancer	0·81	0·67	0·95	107	44	63	—	—	—	—	—	—	—	—	—	—	2	4	12	35	44	10
Tabes Mesenterica	0·11	0·15	0·06	14	10	4	9	1	1	1	—	12	—	1	—	—	—	—	—	1	—	—
Phthisis	0·93	0·80	1·07	123	52	71	1	2	—	1	—	4	1	4	9	13	30	17	22	14	9	—
Other Tub. & Scrof. Dis.	0·30	0·28	0·32	39	18	21	9	10	1	1	1	22	2	3	4	2	2	2	—	1	1	—
Diseases of Nervous System	1·68	1·55	1·80	221	101	120	24	3	11	3	2	43	4	3	2	2	1	4	12	38	61	51
Diseases of Circulatory "	1·71	1·78	1·65	226	116	110	3	—	—	1	—	4	1	1	6	6	5	11	28	46	71	47
Diseases of Respiratory "	2·55	2·52	2·58	336	164	172	58	29	10	4	4	105	5	2	1	—	9	10	12	41	77	74
Diseases of Digestive "	1·15	1·01	1·28	151	66	85	24	9	2	1	1	37	—	—	—	2	3	6	18	18	40	27
Diseases of Urinary "	0·37	0·49	0·26	49	32	17	1	—	—	1	—	2	—	—	2	—	4	2	4	13	15	7
Diseases of Generative "	0·05	—	0·11	7	—	7	1	—	—	—	—	1	—	—	—	1	2	—	1	1	1	—
Puerperal Fever	0·06	—	0·12	8	—	8	—	—	—	—	—	—	—	—	—	1	5	2	—	—	—	—
Childbirth	0·08	—	0·15	10	—	10	—	—	—	—	—	—	—	—	—	—	2	8	—	—	—	—
Violence	0·41	0·63	0·20	54	41	13	3	1	1	—	—	5	5	5	—	—	7	4	6	9	8	5
Other Causes	5·08	5·45	4·71	673	356	317	168	8	1	1	3	181	8	4	2	2	14	16	11	23	91	321

Marriages 774

Births .. Males .. 1,636 / Females 1,641 } 3,277

Annual Rate per 1000 living { Persons Married .. 11·74 / Births .. .. .. 24·85

Annual Births to 1000 Females aged 15—45 years = 128.

Deaths from Childbirth and Puerperal Fever .. .. } 5·49 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

149.—HEADINGTON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds
Annual Death-Rate 1891–1900. Persons	—			In Standard Population. 17·25			*131	—	—	—	—	43·75	3·71	2·25	4·04	4·59	7·00	12·19	17·49	32·10	66·20	167·97
Annual Death-Rate 1891–1900. Males ..	—			19·15			*149	—	—	—	—	49·36	3·57	2·12	4·33	5·50	9·29	15·47	20·49	37·76	75·67	174·91
Annual Death-Rate 1891–1900. Females	—			15·47			*112	—	—	—	—	38·09	3·85	2·39	3·81	3·98	5·41	9·66	15·19	27·93	59·84	163·37
Mean Population, per 1000. Persons	—			36,426			799	759	783	779	789	3909	3908	4038	3711	3206	5387	4306	3419	2358	1494	690
Mean Population, per 1000. Males ..	—			16,299			408	385	385	390	393	1961	1959	2027	1640	1272	2206	1874	1484	1001	600	275
Mean Population, per 1000. Females	—			20,127			391	374	398	389	396	1948	1949	2011	2071	1934	3181	2432	1935	1357	894	415
Deaths from All Causes, 1891–1900. Persons	18·25			6,648			1208	265	109	71	57	1710	145	91	150	147	377	525	598	757	989	1159
Deaths from All Causes, 1891–1900. Males ..	20·46			3,334			702	146	61	31	28	968	70	43	71	70	205	290	304	378	454	481
Deaths from All Causes, 1891–1900. Females	16·47			3,314			506	119	48	40	29	742	75	48	79	77	172	235	294	379	535	678
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·30	0·35	0·26	109	57	52	20	44	16	10	9	99	7	3	—	—	—	—	—	—	—	—
Scarlet Fever	0·03	0·04	0·02	11	7	4	1	—	2	3	1	7	1	1	1	—	1	—	—	—	—	—
Diphtheria	0·19	0·22	0·16	68	36	32	3	5	7	15	12	42	20	1	2	—	—	1	—	1	1	—
Whooping-cough ..	0·21	0·26	0·17	77	42	35	39	20	10	2	3	74	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever.. ..	0·10	0·15	0·05	35	24	11	—	—	—	—	1	1	3	3	5	5	9	4	2	2	—	1
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·36	0·47	0·27	131	77	54	87	10	2	—	—	99	1	—	1	—	1	1	1	3	12	12
Cholera	0·02	0·04	0·01	9	7	2	8	1	—	—	—	9	—	—	—	—	—	—	—	—	—	—
Cancer	1·21	1·04	1·34	439	169	270	1	1	—	2	—	4	—	2	2	4	8	49	105	121	98	46
Tabes Mesenterica ..	0·12	0·11	0·12	42	18	24	20	—	1	2	—	23	2	—	4	3	5	1	2	2	—	—
Phthisis	1·46	1·83	1·16	532	298	234	4	4	2	2	1	13	5	18	38	54	123	117	85	53	25	1
Other Tub. & Scrof. Dis.	0·56	0·65	0·48	203	106	97	61	25	9	9	8	112	30	14	11	5	15	12	1	2	1	—
Diseases of Nervous System ..	2·40	2·85	2·03	873	464	409	147	14	7	5	2	175	9	8	9	8	32	85	79	123	193	152
Diseases of Circulatory „ ..	1·81	1·74	1·87	659	283	376	2	—	—	2	1	5	5	9	16	15	34	54	72	142	164	143
Diseases of Respiratory „ ..	2·73	2·99	2·53	996	488	508	233	85	27	8	5	358	20	—	12	7	23	52	67	104	168	185
Diseases of Digestive „ ..	1·10	1·29	0·95	402	210	192	108	20	3	—	2	133	11	12	13	14	16	30	43	41	53	36
Diseases of Urinary „ ..	0·69	0·92	0·51	253	150	103	—	2	—	—	1	3	5	2	4	5	21	16	41	56	64	36
Diseases of Generative „ ..	0·10	0·01	0·17	35	1	34	1	—	—	—	—	1	1	—	1	3	7	6	11	2	1	2
Puerperal Fever ..	0·08	—	0·14	28	—	28	—	—	—	—	—	—	—	—	—	2	15	9	2	—	—	—
Childbirth	0·05	—	0·10	20	—	20	—	—	—	—	—	—	—	—	1	1	10	8	—	—	—	—
Violence	0·58	0·91	0·32	212	148	64	17	9	11	7	7	51	10	4	12	9	19	33	27	21	14	12
OTHER CAUSES	4·15	4·59	3·81	1514	749	765	456	25	12	4	4	501	12	14	18	12	38	47	60	84	195	533

Marriages 2,301

Births .. { Males .. 4,724 / Females 4,526 } 9,250

Annual Rate per 1000 living { Persons Married .. 12·63 / Births .. .. .. 25·39 }

Annual Births to 1000 Females aged 15—45 years = 96.

Deaths from Childbirth and Puerperal Fever .. .. } 5·19 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The boundary of this District was altered during the decennium; the parts transferred contained no population.

150.—OXFORD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 14·52			*139	—	—	—	—	49·83	2·93	1·59	2·36	2·73	3·53	6·62	13·78	24·47	54·29	138·69
Annual Death-Rate per 1000. Males ..	—			15·54			*156	—	—	—	—	56·14	3·63	1·91	2·55	3·18	4·02	7·61	14·64	27·49	49·85	140·87
Annual Death-Rate per 1000. Females	—			13·57			*121	—	—	—	—	43·56	2·21	1·29	2·20	2·33	3·12	5·76	12·09	22·01	57·70	137·37
Mean Population. 1891–1900. Persons	—			22,392			485	486	483	471	493	2418	2388	2393	2418	2163	3371	2702	2054	1410	770	305
Mean Population. 1891–1900. Males ..	—			10,489			242	243	235	237	249	1206	1212	1150	1099	1006	1542	1262	929	633	335	115
Mean Population. 1891–1900. Females	—			11,903			243	243	248	234	244	1212	1176	1243	1319	1157	1829	1440	1125	777	435	190
Deaths from All Causes, 1891–1900. Persons	14·27			3,196			824	215	77	44	45	1205	70	38	57	59	119	179	283	345	418	423
Deaths from All Causes, 1891–1900. Males ..	15·36			1,611			473	113	41	28	22	677	44	22	28	32	62	96	147	174	167	162
Deaths from All Causes, 1891–1900. Females	13·32			1,585			351	102	36	16	23	528	26	16	29	27	57	83	136	171	251	261
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·38	0·40	0·35	84	42	42	22	37	9	4	8	80	4	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·10	0·11	0·09	23	12	11	1	3	7	3	4	18	4	1	—	—	—	—	—	—	—	—
Diphtheria	0·30	0·37	0·24	68	39	29	3	8	15	9	13	48	15	3	1	1	—	—	—	—	—	—
Whooping-cough ..	0·39	0·45	0·34	88	47	41	41	28	11	5	2	87	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·01	0·02	0·01	3	2	1	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·48	0·53	0·43	107	56	51	80	11	—	1	2	94	—	—	—	—	1	—	—	5	1	6
Cholera	0·01	0·01	0·01	2	1	1	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—
Cancer	0·65	0·52	0·76	145	55	90	—	—	—	—	—	—	—	1	1	—	1	13	25	44	44	16
Tabes Mesenterica ..	0·09	0·10	0·08	21	11	10	8	5	—	1	1	15	—	1	2	3	—	—	—	—	—	—
Phthisis	1·24	1·56	0·95	277	164	113	6	5	2	3	—	16	4	5	20	14	48	64	66	24	14	2
Other Tub. & Scrof. Dis.	0·21	0·26	0·18	48	27	21	17	11	1	1	1	31	6	1	2	3	2	—	1	—	1	1
Diseases of Nervous System ..	1·39	1·38	1·40	312	145	167	90	10	3	2	1	106	6	3	1	4	5	13	29	33	63	49
Diseases of Circulatory „ ..	1·47	1·39	1·54	329	146	183	3	—	—	—	1	4	7	6	6	3	9	15	49	80	91	59
Diseases of Respiratory „ ..	2·55	2·68	2·45	572	281	291	152	74	24	11	4	265	9	1	2	5	10	10	36	64	83	87
Diseases of Digestive „ ..	0·74	0·81	0·68	166	85	81	42	11	2	1	2	58	3	2	4	6	3	13	18	20	29	10
Diseases of Urinary „ ..	0·34	0·49	0·20	75	51	24	1	1	—	—	—	2	2	1	1	1	5	6	6	18	17	16
Diseases of Generative „ ..	0·03	0·01	0·04	6	1	5	1	—	—	—	—	1	—	—	—	—	1	1	1	—	2	—
Puerperal Fever ..	0·08	—	0·14	17	—	17	—	—	—	—	—	—	—	—	—	5	7	5	—	—	—	—
Childbirth	0·04	—	0·08	9	—	9	—	—	—	—	—	—	—	—	1	1	5	1	1	—	—	—
Violence	0·43	0·64	0·25	97	67	30	5	1	1	1	4	12	5	8	6	7	8	12	22	9	4	4
OTHER CAUSES	3·34	3·63	3·10	747	379	368	351	10	2	2	2	367	4	5	10	5	14	23	29	48	69	173

Marriages 1,782

Births .. { Males .. 3,041 / Females 2,889 } 5,930

Annual Rate per 1000 living { Persons Married .. 15·92 / Births .. .. .. 26·48 }

Annual Births to 1000 Females aged 15—45 years = 103.

Deaths from Childbirth and Puerperal Fever .. .. } 4·38 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

151.—BICESTER.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 11·96			* 95	—	—	—	—	30·49	2·90	2·40	2·73	2·72	4·64	6·62	9·63	22·73	50·72	139·56
Annual Death-Rate per 1000. Males ..	—			12·41			*104	—	—	—	—	33·60	3·08	2·88	2·57	2·61	5·26	6·11	10·41	25·05	54·45	138·60
Annual Death-Rate per 1000. Females	—			11·53			* 86	—	—	—	—	27·27	2·72	1·91	2·93	2·85	4·07	7·12	8·93	20·41	47·22	140·41
Mean Population, 1891-1900. Persons	—			13,281			291	282	299	305	302	1479	1588	1497	1207	991	1745	1481	1194	968	767	364
Mean Population, 1891-1900. Males ..	—			6,624			148	133	148	159	165	753	780	765	661	499	837	737	567	483	371	171
Mean Population, 1891-1900. Females	—			6,657			143	149	151	146	137	726	808	732	546	492	908	744	627	485	396	193
Deaths from All Causes, 1891-1900. Persons	15·09			2,004			318	75	30	16	12	451	46	36	33	27	81	98	115	220	389	508
Deaths from All Causes, 1891-1900. Males ..	15·66			1,037			177	43	13	11	9	253	24	22	17	13	44	45	59	121	202	237
Deaths from All Causes, 1891-1900. Females	14·53			967			141	32	17	5	3	198	22	14	16	14	37	53	56	99	187	271
	Persons.	Males.	Females	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·19	0·21	0·17	25	14	11	5	8	5	1	1	20	4	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·08	0·08	0·08	10	5	5	—	3	1	3	—	7	3	—	—	—	—	—	—	—	—	—
Diphtheria	0·11	0·14	0·08	14	9	5	1	—	2	1	1	5	3	2	1	1	1	—	—	—	1	—
Whooping-cough ..	0·25	0·21	0·29	33	14	19	20	11	1	—	1	33	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·14	0·12	0·15	18	8	10	—	—	—	—	—	—	5	2	4	2	2	2	1	—	—	—
Simple Continued Fever	0·02	0·02	0·02	2	1	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	1	—
Diarrhœa & Dysentery	0·29	0·29	0·30	39	19	20	23	6	2	1	—	32	—	—	—	—	—	1	—	1	2	3
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·78	0·85	0·71	103	56	47	—	—	—	—	—	—	—	—	—	—	2	6	15	32	30	18
Tabes Mesenterica ..	0·03	0·02	0·05	4	1	3	1	—	—	—	—	1	1	1	—	—	—	—	1	—	—	—
Phthisis	0·96	1·07	0·86	128	71	57	1	1	—	—	—	2	2	3	11	10	28	32	10	19	10	1
Other Tub. & Scrof. Dis.	0·23	0·23	0·24	31	15	16	4	5	1	—	1	11	6	4	4	2	1	2	1	—	—	—
Diseases of Nervous System ..	1·90	2·05	1·74	252	136	116	32	2	4	—	1	39	1	7	2	2	4	4	13	39	70	71
Diseases of Circulatory „ ..	1·77	1·66	1·88	235	110	125	2	1	—	1	—	4	3	1	—	3	13	9	20	34	81	67
Diseases of Respiratory „ ..	2·48	2·52	2·43	329	167	162	59	28	5	4	2	98	10	3	—	—	6	6	22	25	74	85
Diseases of Digestive „ ..	0·97	0·92	1·02	129	61	68	23	3	3	1	1	31	3	2	2	3	3	9	5	23	25	23
Diseases of Urinary „ ..	0·46	0·60	0·32	61	40	21	1	—	—	—	1	2	1	2	—	—	1	5	7	8	19	16
Diseases of Generative „ ..	0·02	—	0·05	3	—	3	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	1
Puerperal Fever ..	0·05	—	0·11	7	—	7	—	—	—	—	—	—	—	—	—	2	2	3	—	—	—	—
Childbirth	0·08	—	0·15	10	—	10	—	—	—	—	—	—	—	—	1	—	8	1	—	—	—	—
Violence	0·45	0·68	0·23	60	45	15	6	—	3	1	2	12	1	3	3	1	4	7	4	8	9	8
Other Causes ..	3·83	3·99	3·65	511	265	246	140	6	3	3	1	153	3	5	5	1	6	10	16	30	67	215

Marriages 807

Births .. Males .. 1,703 } Females 1,649 } 3,352

Annual Rate per 1000 living { Persons Married .. 12·15 / Births .. .. .. 25·24

Annual Births to 1000 Females aged 15—45 years = 125.

Deaths from Childbirth and Puerperal Fever .. .. } 5·07 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

152.—WOODSTOCK.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 12·24	* 93	—	—	—	—	28·93	3·81	2·34	2·46	4·72	5·75	6·38	9·51	20·16	50·89	155·32
Annual Death-Rate per 1000. Males ..	—	12·94	*108	—	—	—	—	33·25	3·58	2·50	2·47	6·92	6·17	5·70	11·82	21·21	55·21	152·24
Annual Death-Rate per 1000. Females	—	11·58	* 76	—	—	—	—	24·53	4·04	2·17	2·44	2·77	5·39	6·98	7·52	19·22	46·82	158·11
Mean Population, 1891–1900. Persons	—	12,623	315	282	316	295	306	1514	1521	1412	1140	889	1634	1394	1188	977	672	282
Mean Population, 1891–1900. Males ..	—	6,149	161	150	156	153	144	764	754	721	608	419	762	649	550	462	326	134
Mean Population, 1891–1900. Females	—	6,474	154	132	160	142	162	750	767	691	532	470	872	745	638	515	346	148
Deaths from All Causes, 1891–1900. Persons	14·83	1,872	317	61	30	20	10	438	58	33	28	42	94	89	113	197	342	438
Deaths from All Causes, 1891–1900. Males ..	15·84	974	189	33	16	8	8	254	27	18	15	29	47	37	65	98	180	204
Deaths from All Causes, 1891–1900. Females	13·87	898	128	28	14	12	2	184	31	15	13	13	47	52	48	99	162	234

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·13	0·13	0·14	17	8	9	6	4	2	3	—	15	2	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·09	0·10	0·08	11	6	5	—	—	2	1	2	5	4	1	—	1	—	—	—	—	—	—
Diphtheria	0·11	0·15	0·08	14	9	5	—	1	1	1	1	4	8	2	—	—	—	—	—	—	—	—
Whooping-cough ..	0·21	0·18	0·23	26	11	15	13	8	2	1	2	26	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·05	0·03	0·06	6	2	4	—	—	—	—	—	—	1	1	1	—	—	1	1	1	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·21	0·21	0·22	27	13	14	12	3	—	3	—	18	—	—	—	—	—	—	—	2	3	4
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·70	0·50	0·88	88	31	57	—	1	—	—	—	1	—	—	—	—	1	5	12	31	27	11
Tabes Mesenterica ..	0·18	0·26	0·11	23	16	7	13	—	2	—	—	15	3	2	1	1	1	—	—	—	—	—
Phthisis	0·94	1·14	0·74	118	70	48	1	2	—	1	—	4	4	7	10	18	36	16	17	3	3	—
Other Tub. & Scrof. Dis.	0·19	0·18	0·20	24	11	13	5	1	4	1	—	11	6	2	2	—	2	1	—	—	—	—
Diseases of Nervous System ..	1·90	2·05	1·76	240	126	114	30	7	2	2	—	41	4	4	1	4	2	10	16	32	55	71
Diseases of Circulatory „ ..	1·79	1·87	1·72	226	115	111	1	1	—	—	—	2	—	2	—	4	7	7	21	37	88	58
Diseases of Respiratory „ ..	2·84	3·09	2·60	358	190	168	75	21	9	4	4	113	9	2	3	3	7	15	13	32	71	90
Diseases of Digestive „ ..	1·03	0·99	1·07	130	61	69	22	8	1	—	—	31	1	5	2	3	6	11	9	11	27	24
Diseases of Urinary „ ..	0·48	0·67	0·29	60	41	19	1	—	—	—	—	1	—	1	1	—	3	3	5	10	15	21
Diseases of Generative „ ..	0·05	—	0·09	6	—	6	—	—	—	—	—	—	—	—	—	—	1	1	—	2	2	—
Puerperal Fever ..	0·02	—	0·05	3	—	3	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—
Childbirth	0·13	—	0·25	16	—	16	—	—	—	—	—	—	—	—	—	—	10	6	—	—	—	—
Violence	0·52	0·73	0·31	65	45	20	8	—	1	2	1	12	5	2	4	5	2	6	6	8	10	5
OTHER CAUSES ..	3·26	3·56	2·99	414	219	195	130	4	4	1	—	139	11	2	3	3	14	6	13	28	41	154

Marriages 871
Births .. { Males .. 1,744 / Females 1,679 } 3,423

Annual Rate per 1000 living { Persons Married .. 13·80 / Birth .. .. .. 27·12 }
Annual Births to 1000 Females aged 15—45 years = 131.

Deaths from Childbirth and Puerperal Fever .. .. } 5·55 per 1000 Births.

* The death-rates under one year of age are per 1000 Births

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

153.—WITNEY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·41			*107	—	—	—	—	35·52	4·79	3·03	3·79	4·43	5·20	7·04	9·37	21·36	51·16	157·76
Annual Death-Rate per 1000. Males ..	—			13·77			*122	—	—	—	—	40·67	3·92	3·29	3·49	3·61	5·03	6·04	11·26	22·12	57·17	157·31
Annual Death-Rate per 1000. Females	—			13·08			* 92	—	—	—	—	30·54	5·64	2·78	4·13	5·12	5·34	7·97	7·72	20·67	45·73	158·16
Mean Population, 1891–1900. Persons	—			20,338			475	474	465	482	472	2368	2483	2373	1924	1445	2483	2130	1889	1592	1116	535
Mean Population, 1891–1900. Males ..	—			9,875			233	234	219	231	246	1163	1225	1184	1004	664	1192	1026	879	755	530	253
Mean Population, 1891–1900. Females	—			10,463			242	240	246	251	226	1205	1258	1189	920	781	1291	1104	1010	837	586	282
Deaths from All Causes, 1891–1900. Persons	16·62			3,380			573	122	54	52	40	841	119	72	73	64	129	150	177	340	571	844
Deaths from All Causes, 1891–1900. Males ..	17·30			1,708			327	60	30	31	25	473	48	39	35	24	60	62	99	167	303	398
Deaths from All Causes, 1891–1900. Females	15·98			1,672			246	62	24	21	15	368	71	33	38	40	69	88	78	173	268	446
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	—	0·01	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Measles	0·32	0·27	0·37	66	27	39	11	13	11	9	2	46	19	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·04	0·08	—	8	8	—	—	1	1	1	—	3	3	2	—	—	—	—	—	—	—	—
Diphtheria	0·29	0·30	0·28	59	30	29	—	8	3	10	9	30	23	4	1	—	1	—	—	—	—	—
Whooping-cough ..	0·26	0·26	0·25	52	26	26	25	15	5	5	—	50	2	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·04	0·02	0·07	9	2	7	—	—	—	1	1	2	1	1	1	—	—	2	1	1	—	—
Simple Continued Fever	0·01	0·01	0·01	2	1	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—
Diarrhœa & Dysentery	0·25	0·32	0·17	50	32	18	24	6	—	1	—	31	—	—	—	—	1	1	1	4	4	8
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·78	0·65	0·91	159	64	95	1	—	—	—	—	1	1	—	1	1	4	10	19	53	44	25
Tabes Mesenterica ..	0·15	0·13	0·17	31	13	18	7	2	1	2	—	12	4	1	4	3	1	3	1	—	2	—
Phthisis	1·06	1·00	1·12	216	99	117	—	4	1	—	—	5	5	10	22	27	39	45	31	21	11	—
Other Tub. & Scrof. Dis.	0·31	0·25	0·35	62	25	37	13	5	4	3	3	28	10	9	4	4	2	2	1	2	—	—
Diseases of: Nervous System ..	2·17	2·35	2·00	441	232	209	72	9	7	3	6	97	11	11	7	5	13	11	31	47	102	106
Diseases of: Circulatory " ..	2·14	1·94	2·32	435	192	243	3	—	—	1	1	5	5	5	11	1	10	27	31	96	143	101
Diseases of: Respiratory " ..	2·50	2·99	2·05	509	295	214	107	36	16	13	12	184	10	7	3	3	14	7	22	36	100	123
Diseases of: Digestive " ..	0·82	0·85	0·78	166	84	82	26	6	—	2	3	37	3	6	5	2	6	9	11	22	37	28
Diseases of: Urinary " ..	0·39	0·56	0·24	80	55	25	—	—	—	—	—	—	3	3	1	—	5	1	2	20	15	30
Diseases of: Generative " ..	0·03	—	0·07	7	—	7	—	—	—	—	—	—	—	—	—	—	—	1	1	2	1	2
Puerperal Fever ..	0·03	—	0·07	7	—	7	—	—	—	—	—	—	—	—	—	1	5	1	—	—	—	—
Childbirth	0·10	—	0·20	21	—	21	—	—	—	—	—	—	—	—	1	3	9	7	1	—	—	—
Violence	0·36	0·57	0·16	73	56	17	5	2	2	—	3	12	5	4	4	2	4	8	10	6	11	7
Other Causes ..	4·57	4·75	4·38	926	467	459	279	15	3	1	—	298	14	7	8	11	14	15	14	30	101	414

Marriages 1,269

Births .. { Males .. 2,691 / Females 2,681 } 5,372

Annual Rate per 1000 living { Persons Married .. 12·48 / Births .. .. .. 26·41 }

Annual Births to 1000 Females aged 15—45 years = 131.

Deaths from Childbirth and Puerperal Fever .. .. } 5·21 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

154.—CHIPPING NORTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·41			*108	—	—	—	—	32·62	2·54	1·46	3·34	3·47	5·07	7·12	9·23	21·09	51·48	151·26
Annual Death-Rate per 1000. Males	—			12·33			*117	—	—	—	—	36·60	1·85	1·57	2·52	3·24	5·57	7·14	8·47	19·60	50·70	156·25
Annual Death-Rate per 1000. Females	—			12·49			*98	—	—	—	—	28·71	3·25	1·35	4·27	3·66	4·65	7·10	9·94	22·59	52·22	146·57
Mean Population, 1891–1900. Persons	—			17,149			399	392	392	438	396	2017	2127	2123	1558	1183	2148	1798	1636	1285	878	396
Mean Population, 1891–1900. Males	—			8,450			188	203	206	215	188	1000	1082	1086	832	555	987	854	791	643	428	192
Mean Population, 1891–1900. Females	—			8,699			211	189	186	223	208	1017	1045	1037	726	628	1161	944	845	642	450	204
Deaths from All Causes, 1891–1900. Persons	14·85			2,546			477	106	27	28	20	658	54	31	52	41	109	128	151	271	452	599
Deaths from All Causes, 1891–1900. Males	15·01			1,268			268	58	14	19	7	366	20	17	21	18	55	61	67	126	217	300
Deaths from All Causes, 1891–1900. Females	14·69			1,278			209	48	13	9	13	292	34	14	31	23	54	67	84	145	235	299
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·23	0·25	0·21	39	21	18	2	20	6	2	1	31	5	2	1	—	—	—	—	—	—	—
Scarlet Fever	0·08	0·09	0·07	14	8	6	—	1	2	2	2	7	3	—	—	—	4	—	—	—	—	—
Diphtheria	0·17	0·22	0·11	29	19	10	3	—	—	4	3	10	11	6	2	—	—	—	—	—	—	—
Whooping-cough	0·23	0·13	0·33	40	11	29	18	14	4	1	2	39	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·08	0·07	0·09	14	6	8	—	—	—	—	—	—	1	—	4	2	2	1	2	1	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·27	0·30	0·24	46	25	21	24	3	—	2	—	29	—	—	—	—	—	2	—	3	5	7
Cholera	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Cancer	1·05	1·02	1·08	180	86	94	—	—	—	—	—	—	—	—	—	—	—	9	27	51	59	34
Tabes Mesenterica	0·06	0·04	0·09	11	3	8	4	2	—	—	1	7	3	1	—	—	—	—	—	—	—	—
Phthisis	0·73	0·80	0·67	126	68	58	1	—	1	1	—	3	—	6	10	17	44	18	13	8	6	1
Other Tub. & Scrof. Dis.	0·26	0·21	0·31	45	18	27	8	7	1	2	3	21	4	2	7	3	1	6	—	—	1	—
Diseases of Nervous System	1·86	1·85	1·87	319	156	163	54	9	2	1	—	66	5	4	5	1	3	6	19	36	74	100
Diseases of Circulatory „	2·28	2·01	2·54	391	170	221	13	1	—	—	—	14	—	2	7	2	10	20	32	58	118	128
Diseases of Respiratory „	2·05	2·23	1·87	351	188	163	83	27	3	5	4	122	6	2	1	3	9	13	12	32	56	95
Diseases of Digestive „	0·87	0·88	0·86	149	74	75	36	9	—	1	2	48	6	3	4	1	3	7	12	19	27	19
Diseases of Urinary „	0·57	0·69	0·46	98	58	40	2	—	—	—	—	2	1	—	1	—	8	10	8	14	28	26
Diseases of Generative „	0·05	0·02	0·07	8	2	6	1	—	—	—	—	1	—	—	—	—	2	1	1	2	—	1
Puerperal Fever	0·03	—	0·07	6	—	6	—	—	—	—	—	—	—	—	—	—	2	3	1	—	—	—
Childbirth	0·05	—	0·10	9	—	9	—	—	—	—	—	—	—	—	—	2	1	6	—	—	—	—
Violence	0·37	0·47	0·28	64	40	24	9	2	5	3	—	19	1	1	1	1	4	7	8	8	7	7
OTHER CAUSES	3·55	3·72	3·37	606	314	292	219	11	3	4	2	239	7	2	9	9	16	19	16	38	70	181

Marriages 1,076

Births .. { Males .. 2,288 / Females 2,135 } 4,423

Annual Rate per 1000 living { Persons Married .. 12·55 / Births .. .. .. 25·79

Annual Births to 1000 Females aged 15—45 years = 128.

Deaths from Childbirth and Puerperal Fever .. .. } 3·39 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

155.—BANBURY.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·94			*110	—	—	—	—	35·79	3·09	2·51	3·50	4·61	5·30	7·70	12·82	24·78	59·53	148·58
Annual Death-Rate per 1000. Males ..	—			In Standard Population. 14·72			*126	—	—	—	—	39·54	2·74	2·43	3·43	6·11	5·90	8·29	13·53	27·90	63·29	156·04
Annual Death-Rate per 1000. Females	—			In Standard Population. 13·20			* 95	—	—	—	—	32·06	3·45	2·60	3·57	3·33	4·77	7·18	12·18	21·94	56·21	142·59
Mean Population, 1891-1900. Persons	—			29,070			646	633	609	692	658	3238	3333	3305	2771	2234	3775	3193	2745	2228	1579	669
Mean Population, 1891-1900. Males ..	—			14,041			326	329	291	344	326	1616	1681	1649	1398	1031	1763	1495	1308	1061	741	298
Mean Population, 1891-1900. Females	—			15,029			320	304	318	348	332	1622	1652	1656	1373	1203	2012	1698	1437	1167	838	371
Deaths from All Causes, 1891-1900. Persons	16·61			4,829			833	173	74	51	28	1159	103	83	97	103	200	246	352	552	940	994
Deaths from All Causes, 1891-1900. Males ..	17·60			2,471			476	82	40	28	13	639	46	40	48	63	104	124	177	296	469	465
Deaths from All Causes, 1891-1900. Females	15·69			2,358			357	91	34	23	15	520	57	43	49	40	96	122	175	256	471	529
	Persons.	Males.	Females.	Persons.	Males.	Females	PERSONS.															
Small-pox	0·01	0·01	0·01	2	1	1	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
Measles	0·18	0·20	0·16	52	28	24	11	23	8	—	2	44	5	2	—	—	1	—	—	—	—	—
Scarlet Fever	0·03	0·02	0·04	9	3	6	—	2	2	2	2	8	—	1	—	—	—	—	—	—	—	—
Diphtheria	0·22	0·24	0·20	63	33	30	3	2	5	11	8	29	25	7	—	—	—	—	2	—	—	—
Whooping-cough ..	0·23	0·20	0·27	68	28	40	40	17	7	1	2	67	1	—	—	—	—	—	—	—	—	—
Typhus	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Enteric Fever	0·02	0·02	0·03	7	3	4	—	—	—	—	—	—	—	1	1	1	2	1	1	—	—	—
Simple Continued Fever	0·00	0·01	—	1	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·28	0·34	0·21	80	48	32	41	8	2	2	—	53	—	2	—	—	1	—	1	3	5	15
Cholera	0·00	0·01	—	1	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	0·88	0·71	1·04	257	100	157	—	—	—	—	—	—	—	—	1	1	3	16	43	65	97	31
Tabes Mesenterica ..	0·14	0·13	0·15	40	18	22	16	4	2	1	—	23	4	4	3	2	1	2	1	—	—	—
Phthisis	1·09	1·29	0·91	317	181	136	5	3	3	1	1	13	6	12	36	46	75	55	32	26	14	2
Other Tub. & Scrof. Dis.	0·26	0·31	0·21	76	44	32	13	5	3	3	—	24	18	9	4	7	6	5	2	1	—	—
Diseases of Nervous System ..	2·10	2·19	2·01	609	307	302	80	18	8	4	2	112	11	10	11	3	5	22	41	88	175	131
Diseases of Circulatory " ..	2·04	2·08	2·01	594	292	302	3	—	—	—	1	4	2	10	8	12	19	28	60	105	210	136
Diseases of Respiratory " ..	2·62	2·86	2·41	763	401	362	155	64	19	16	8	262	12	3	3	7	15	24	40	80	157	160
Diseases of Digestive " ..	0·97	1·18	0·78	283	166	117	59	7	1	3	—	70	3	6	4	5	11	15	29	53	53	34
Diseases of Urinary " ..	0·55	0·66	0·45	159	92	67	3	1	—	1	—	5	3	1	2	3	5	12	19	35	39	35
Diseases of Generative " ..	0·04	0·01	0·07	12	1	11	—	—	—	—	—	—	—	—	1	—	1	—	5	1	2	2
Puerperal Fever ..	0·03	—	0·05	8	—	8	—	—	—	—	—	—	—	—	1	1	4	2	—	—	—	—
Childbirth	0·07	—	0·13	19	—	19	—	—	—	—	—	—	—	—	2	1	8	7	1	—	—	—
Violence	0·61	0·87	0·37	177	122	55	11	5	8	4	—	28	7	4	7	8	17	22	19	28	26	11
OTHER CAUSES ..	4·24	4·25	4·13	1231	600	631	392	14	6	2	1	415	6	11	13	6	23	35	56	67	162	437

Marriages 2,023

Births .. { Males .. 3,784 / Females 3,768 } 7,552

Annual Rate per 1000 living { Persons Married .. 13·92 / Births .. .. .. 25·98 }

Annual Births to 1000 Females aged 15—45 years = 120.

Deaths from Childbirth and Puerperal Fever .. .. } 3·58 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

156.—BRACKLEY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		12·97	*117	—	—	—	—	34·09	2·36	1·37	2·12	3·92	6·60	6·69	9·81	20·48	58·01	156·44
Annual Death-Rate per 1000. Males ..	—					12·73	*122	—	—	—	—	35·28	2·33	1·38	2·65	3·84	6·27	6·55	10·18	22·17	57·73	149·35
Annual Death-Rate per 1000. Females	—					13·19	*112	—	—	—	—	32·92	2·39	1·35	1·52	4·00	6·91	6·81	9·49	18·92	58·28	163·76
Mean Population, 1891–1900. Persons	—			11,216			248	248	262	261	257	1276	1270	1244	990	791	1455	1241	1080	923	643	303
Mean Population, 1891–1900. Males ..	—			5,571			113	126	134	129	133	635	643	652	529	391	702	595	511	442	317	154
Mean Population, 1891–1900. Females	—			5,645			135	122	128	132	124	641	627	592	461	400	753	646	569	481	326	149
Deaths from All Causes, 1891–1900. Persons	16·54			1,855			342	48	25	11	9	435	30	17	21	31	96	83	106	189	373	474
Deaths from All Causes, 1891–1900. Males ..	16·57			923			179	22	14	5	4	224	15	9	14	15	44	39	52	98	183	230
Deaths from All Causes, 1891–1900. Females	16·51			932			163	26	11	6	5	211	15	8	7	16	52	44	54	91	190	244
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·09	0·04	0·14	10	2	8	5	3	—	—	1	9	—	—	—	—	1	—	—	—	—	—
Scarlet Fever	0·04	—	0·09	5	—	5	—	—	1	—	—	1	1	3	—	—	—	—	—	—	—	—
Diphtheria	0·07	0·04	0·11	8	2	6	—	—	1	1	1	3	3	1	—	1	—	—	—	—	—	—
Whooping-cough ..	0·38	0·36	0·41	43	20	23	26	8	4	1	—	39	4	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·04	0·02	0·05	4	1	3	—	—	—	—	—	—	1	—	—	1	2	—	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·25	0·22	0·28	28	12	16	12	1	—	1	—	14	—	—	—	—	—	—	1	1	8	4
Cholera	0·02	0·02	0·02	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—
Cancer	0·88	0·68	1·08	99	38	61	—	—	—	—	—	—	—	—	—	2	—	9	10	19	44	15
Tabes Mesenterica ..	0·04	0·02	0·05	4	1	3	—	—	—	—	—	—	1	1	—	1	1	—	—	—	—	—
Phthisis	1·01	1·27	0·74	113	71	42	3	1	1	—	1	6	2	—	6	13	34	20	12	10	9	1
Other Tub. & Scrof. Dis.	0·27	0·25	0·28	30	14	16	12	4	2	—	—	18	2	—	—	1	6	1	—	—	1	1
Diseases of Nervous System ..	2·49	2·60	2·37	279	145	134	30	1	5	1	—	37	1	1	3	—	7	10	11	41	64	104
Diseases of Circulatory " ..	2·26	2·28	2·23	253	127	126	2	—	—	—	—	2	3	1	1	3	5	7	18	41	92	80
Diseases of Respiratory " ..	2·27	2·48	2·07	255	138	117	55	19	5	7	1	87	5	1	1	—	6	7	12	21	62	53
Diseases of Digestive " ..	0·96	0·88	1·05	108	49	59	34	6	1	—	2	43	2	2	1	2	2	8	7	14	19	8
Diseases of Urinary " ..	0·62	0·74	0·51	70	41	29	1	—	—	—	—	1	1	—	1	1	5	2	9	16	19	15
Diseases of Generative " ..	0·04	—	0·09	5	—	5	—	—	—	—	—	—	1	—	—	—	2	—	2	—	—	—
Puerperal Fever ..	0·05	—	0·11	6	—	6	—	—	—	—	—	—	—	—	—	—	4	2	—	—	—	—
Childbirth	0·06	—	0·12	7	—	7	—	—	—	—	—	—	—	—	1	—	3	3	—	—	—	—
Violence	0·57	0·79	0·35	64	44	20	12	1	3	—	3	19	1	3	3	2	7	4	5	5	9	6
Other Causes.. ..	4·13	3·88	4·36	462	217	245	150	4	2	—	—	156	2	4	4	4	11	10	18	20	46	187

Marriages 751

Births .. { Males .. 1,468 / Females 1,457 } 2,925

Annual Rate per 1000 living { Persons Married .. 13·39 / Births .. .. .. 26·08 }

Annual Births to 1000 Females aged 15—45 years = 129.

Deaths from Childbirth and Puerperal Fever .. .. } 4·44 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

157.—TOWCESTER.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 year.	1—	2—	3—	4—	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		13·38	*125	—	—	—	—	39·97	3·73	2·33	2·81	4·13	3·45	7·24	8·84	20·13	55·09	158·51
Males ..	—					13·91	*142	—	—	—	—	43·62	3·15	2·08	2·67	3·92	3·42	7·12	10·29	24·40	58·07	166·15
Females	—					12·88	*108	—	—	—	—	36·28	4·36	2·59	2·97	4·32	3·49	7·36	7·53	16·23	52·31	151·97
Mean Population, 1891 1900. Persons	—			11,397			255	261	268	283	274	1341	1286	1290	1033	800	1419	1215	1109	954	668	282
Males ..	—			5,640			125	132	131	141	145	674	667	673	562	383	673	576	525	455	322	130
Females	—			5,757			130	129	137	142	129	667	619	617	471	417	746	639	584	499	346	152
Deaths from All Causes, 1891–1900. Persons	16·83			1,918			372	84	32	33	15	536	48	30	29	33	49	88	98	192	368	447
Males ..	17·57			991			215	39	11	20	9	294	21	14	15	15	23	41	54	111	187	216
Females	16·10			927			157	45	21	13	6	242	27	16	14	18	26	47	44	81	181	231
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	—	0·03	2	—	2	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—
Measles	0·54	0·57	0·50	61	32	29	14	24	6	7	3	54	5	1	1	—	—	—	—	—	—	—
Scarlet Fever	0·11	0·07	0·14	12	4	8	2	3	—	—	2	7	5	—	—	—	—	—	—	—	—	—
Diphtheria	0·14	0·11	0·17	16	6	10	—	—	1	1	2	4	11	1	—	—	—	—	—	—	—	—
Whooping-cough	0·39	0·32	0·47	45	18	27	24	12	4	1	2	43	1	1	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·15	0·14	0·16	17	8	9	—	—	1	—	1	2	—	4	2	2	2	2	2	—	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·31	0·39	0·23	35	22	13	26	1	—	—	—	27	—	—	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	3	4
Cancer	0·97	0·80	1·15	111	45	66	—	—	—	—	—	—	—	—	1	—	—	8	12	21	47	22
Tabes Mesenterica	0·09	0·12	0·05	10	7	3	4	—	—	1	1	6	—	2	—	—	—	1	1	—	—	—
Phthisis	0·76	0·67	0·85	87	38	49	1	1	1	—	—	3	2	3	7	13	13	18	8	13	6	1
Other Tub. & Scrof. Dis.	0·25	0·34	0·16	28	19	9	10	2	—	2	—	14	1	3	1	4	1	2	1	1	—	—
Diseases of: Nervous System	1·95	2·15	1·75	222	121	101	43	8	—	—	—	51	4	4	—	2	5	2	14	25	65	50
Circulatory "	1·94	1·97	1·91	221	111	110	1	—	—	—	—	1	3	—	4	3	6	11	15	43	68	67
Respiratory "	2·35	2·36	2·35	268	133	135	66	14	13	13	2	108	6	2	2	—	5	6	13	22	43	61
Digestive "	0·99	0·92	1·06	113	52	61	31	1	2	3	1	38	2	2	3	1	3	9	4	12	24	15
Urinary "	0·52	0·60	0·43	59	34	25	1	—	—	—	—	1	—	1	1	—	—	8	5	11	23	9
Generative "	0·04	—	0·09	5	—	5	—	—	—	—	—	—	—	—	—	1	—	1	3	—	—	—
Puerperal Fever	0·06	—	0·12	7	—	7	—	—	—	—	—	—	—	—	1	1	2	3	—	—	—	—
Childbirth	0·03	—	0·05	3	—	3	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—
Violence	0·65	1·01	0·30	74	57	17	5	1	1	1	1	9	6	2	3	3	2	10	11	12	6	10
OTHER CAUSES	4·57	5·03	4·13	522	284	238	143	17	3	4	—	167	2	4	3	3	8	5	9	31	82	208

Marriages 816

Births .. { Males .. 1,515 / Females 1,450 } 2,965

Annual Rate per 1000 living { Persons Married .. 14·32 / Births .. .. .. 26·02 }

Annual Births to 1000 Females aged 15—45 years = 130.

Deaths from Childbirth and Puerperal Fever .. .. 3·37 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

158.—POTTERSPURY.

Causes of Death	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 13·37	*105	—	—	—	—	34·76	2·56	2·13	3·50	4·32	5·07	5·20	12·03	24·69	58·83	156·96
Annual Death-Rate per 1000. Males	—	14·04	*119	—	—	—	—	39·62	2·98	1·69	3·01	3·79	4·90	5·74	13·82	25·00	67·05	164·22
Annual Death-Rate per 1000. Females	—	12·74	* 89	—	—	—	—	29·78	2·13	2·60	4·10	4·90	5·22	4·70	10·41	24·42	52·17	150·41
Mean Population, 1891-1900. Persons	—	13,210	283	281	291	302	287	1444	1524	1499	1315	1112	1895	1537	1172	899	583	230
Mean Population, 1891-1900. Males	—	6,621	146	134	156	155	141	732	773	767	730	581	938	749	557	424	261	109
Mean Population, 1891-1900. Females	—	6,589	137	147	135	147	146	712	751	732	585	531	957	788	615	475	322	121
Deaths from All Causes, 1891-1900. Persons	14·46	1,910	346	87	29	22	18	502	39	32	46	48	96	80	141	222	343	361
Deaths from All Causes, 1891-1900. Males	15·04	996	205	49	14	12	10	290	23	13	22	22	46	43	77	106	175	179
Deaths from All Causes, 1891-1900. Females	13·87	914	141	38	15	10	8	212	16	19	24	26	50	37	64	116	168	182

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·31	0·33	0·29	41	22	19	10	19	4	4	2	39	2	—	—	—	—	—	—	—	—
Scarlet Fever	0·06	0·08	0·05	8	5	3	2	—	2	1	—	5	1	—	—	1	—	—	—	—	1
Diphtheria	0·16	0·14	0·18	21	9	12	—	3	1	1	5	10	8	2	—	—	—	1	—	—	—
Whooping-cough	0·23	0·14	0·32	30	9	21	17	6	5	1	1	30	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·14	0·12	0·15	18	8	10	—	—	—	—	—	—	1	2	3	3	3	2	2	2	—
Simple Continued Fever	0·01	—	0·02	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Diarrhœa & Dysentery	0·22	0·23	0·21	29	15	14	14	3	2	1	—	20	1	—	—	—	—	—	—	1	4
Cholera	0·02	0·02	0·02	2	1	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	1
Cancer	0·86	0·69	1·03	114	46	68	—	—	—	—	—	—	—	—	—	—	3	7	19	36	34
Tabes Mesenterica	0·07	0·08	0·06	9	5	4	6	—	—	—	—	6	—	1	—	1	1	—	—	—	—
Phthisis	1·04	1·06	1·02	137	70	67	—	2	—	—	—	2	2	6	19	14	34	20	15	19	6
Other Tub. & Scrof. Dis.	0·17	0·21	0·12	22	14	8	1	2	2	1	1	7	5	1	3	3	2	—	1	—	—
Diseases of Nervous System	1·77	1·72	1·82	234	114	120	36	7	4	—	3	50	3	4	2	3	6	7	16	37	56
Diseases of Circulatory "	1·92	1·83	2·00	253	121	132	—	—	—	1	—	1	2	8	2	7	6	9	31	55	90
Diseases of Respiratory "	1·86	2·49	1·23	246	165	81	45	27	7	8	4	91	1	1	5	—	9	6	16	28	41
Diseases of Digestive "	0·86	0·82	0·90	113	54	59	34	6	1	2	2	45	3	—	3	1	4	5	14	13	18
Diseases of Urinary "	0·31	0·42	0·20	41	28	13	—	1	—	1	—	2	2	—	1	2	3	3	7	4	13
Diseases of Generative "	0·06	—	0·12	8	—	8	—	—	—	—	—	—	—	—	—	2	1	—	1	1	3
Puerperal Fever	0·11	—	0·21	14	—	14	—	—	—	—	—	—	—	—	1	2	8	3	—	—	—
Childbirth	0·05	—	0·09	6	—	6	—	—	—	—	—	—	—	—	—	1	5	—	—	—	—
Violence	0·45	0·66	0·24	60	44	16	6	3	—	—	—	9	5	4	3	4	6	2	6	7	9
Other Causes	3·78	4·00	3·59	503	266	237	174	8	1	1	—	184	3	3	4	4	5	14	13	19	67

Marriages	894	Annual Rate per 1000 living: Persons Married .. 13·54; Births .. 25·04	Deaths from Childbirth and Puerperal Fever	6·05 per 1000 Births.
Births: Males	1,720	Annual Births to 1000 Females aged 15—45 years = 116.		
Births: Females	1,588			
Births	3,308			

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

159.—HARDINGSTONE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.	13·30		*118	—	—	—	—	38·20	2·42	1·52	3·87	3·65	5·20	5·84	11·31	23·12	57·55	135·44
Annual Death-Rate per 1000. Males ..	—				13·67		*133	—	—	—	—	43·54	2·81	1·71	4·49	3·24	5·56	7·10	9·53	22·40	55·02	138·14
Annual Death-Rate per 1000. Females	—				12·94		*103	—	—	—	—	32·99	2·04	1·32	3·14	4·07	4·85	4·64	13·04	23·81	60·08	132·77
Mean Population, 1891–1900. Persons	—			11,208			283	269	271	271	254	1348	1325	1250	981	905	1616	1267	999	783	497	237
Mean Population, 1891–1900. Males ..	—			5,602			153	125	135	131	122	666	640	643	535	463	791	620	493	384	249	118
Mean Population, 1891–1900. Females	—			5,606			130	144	136	140	132	682	685	607	446	442	825	647	506	399	248	119
Deaths from All Causes, 1891–1900. Persons	15·13			1,696			366	99	29	11	10	515	32	19	38	33	84	74	113	181	286	321
Deaths from All Causes, 1891–1900. Males ..	15·69			879			212	61	9	3	5	290	18	11	24	15	44	44	47	86	137	163
Deaths from All Causes, 1891–1900. Females	14·57			817			154	38	20	8	5	225	14	8	14	18	40	30	66	95	149	158
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·23	0·29	0·18	26	16	10	6	14	2	3	—	25	1	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·05	0·07	0·04	6	4	2	—	2	2	1	—	5	—	—	—	—	—	1	—	—	—	—
Diphtheria	0·09	0·04	0·14	10	2	8	1	1	—	2	1	5	3	1	—	—	—	1	—	—	—	—
Whooping-cough ..	0·28	0·21	0·34	31	12	19	18	9	4	—	—	31	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·07	0·09	0·05	8	5	3	—	—	—	—	—	—	—	—	1	—	4	2	1	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·42	0·37	0·46	47	21	26	33	3	2	—	—	38	2	—	—	—	—	—	—	1	1	5
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·83	0·59	1·07	93	33	60	—	—	—	—	—	—	—	—	—	—	2	3	25	19	33	11
Tabes Mesenterica ..	0·09	0·09	0·09	10	5	5	5	2	1	—	—	8	2	—	—	—	—	—	—	—	—	—
Phthisis	1·04	0·98	1·09	116	55	61	3	3	—	—	—	6	4	2	17	16	32	17	11	7	3	1
Other Tub. & Scrof. Dis.	0·19	0·25	0·12	21	14	7	6	4	—	1	1	12	1	—	1	—	3	1	1	2	—	—
Diseases of Nervous System ..	1·81	1·86	1·77	203	104	99	42	16	4	2	1	65	3	4	1	2	2	4	11	27	47	37
Diseases of Circulatory „ ..	1·40	1·38	1·43	157	77	80	1	—	—	—	—	1	—	—	5	1	7	7	16	40	51	29
Diseases of Respiratory „ ..	2·44	2·82	2·05	273	158	115	72	29	8	2	5	116	10	3	2	3	4	4	12	28	48	43
Diseases of Digestive „ ..	0·81	0·84	0·79	91	47	44	23	9	1	—	—	33	—	2	—	—	4	7	9	10	17	9
Diseases of Urinary „ ..	0·30	0·37	0·23	34	21	13	—	1	1	—	1	3	1	1	—	1	2	1	5	5	7	8
Diseases of Generative „ ..	0·04	—	0·07	4	—	4	—	—	—	—	—	—	—	—	1	1	—	1	—	—	1	—
Puerperal Fever ..	0·04	—	0·09	5	—	5	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—
Childbirth	0·06	—	0·12	7	—	7	—	—	—	—	—	—	—	—	—	1	5	1	—	—	—	—
Violence	0·68	1·02	0·34	76	57	19	2	—	2	—	—	4	4	2	4	4	5	12	8	12	12	9
Other Causes	4·26	4·42	4·10	478	248	230	154	6	2	—	1	163	1	4	6	4	9	12	14	30	66	169

Marriages 820

Births .. { Males .. 1,591 / Females 1,499 } 3,090

Annual Rate per 1000 living { Persons Married .. 14·63 / Births .. .. .. 27·57 }

Annual Births to 1000 Females aged 15—45 years = 131.

Deaths from Childbirth and Puerperal Fever .. .. } 3·88 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

160.—NORTHAMPTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 18·02			*153	—	—	—	—	55·79	3·63	2·54	3·89	4·92	6·65	10·01	16·59	31·70	67·44	157·02
Annual Death-Rate per 1000. Males	—			19·54			*167	—	—	—	—	61·05	3·85	2·35	4·42	5·02	7·39	11·09	19·28	38·32	73·64	165·51
Annual Death-Rate per 1000. Females	—			16·60			*139	—	—	—	—	50·63	3·42	2·71	3·41	4·82	5·94	8·96	14·06	25·64	62·09	150·57
Mean Population, 1891-1900. Persons	—			83,924			2106	2007	2004	2044	2043	10204	9691	9345	8854	7851	12908	9721	7027	4770	2620	933
Mean Population, 1891-1900. Males	—			40,659			1047	989	1004	1004	1009	5053	4808	4511	4185	3702	6290	4808	3407	2278	1214	403
Mean Population, 1891-1900. Females	—			43,265			1059	1018	1000	1040	1034	5151	4883	4834	4669	4149	6618	4913	3620	2492	1406	530
Deaths from All Causes, 1891-1900. Persons	17·58			14,753			3901	992	400	248	152	5693	352	237	344	386	858	973	1166	1512	1767	1465
Deaths from All Causes, 1891-1900. Males	19·27			7,836			2166	538	190	113	78	3085	185	106	185	186	465	533	657	873	894	667
Deaths from All Causes, 1891-1900. Females	15·99			6,917			1735	454	210	135	74	2608	167	131	159	200	393	440	509	639	873	798
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·49	0·53	0·45	409	216	193	89	165	76	44	19	393	14	—	2	—	—	—	—	—	—	—
Scarlet Fever	0·17	0·19	0·15	142	76	66	2	14	27	20	21	84	39	6	6	3	2	2	—	—	—	—
Diphtheria	0·09	0·11	0·07	74	44	30	1	4	11	16	12	44	23	3	2	1	1	—	—	—	—	—
Whooping-cough	0·37	0·37	0·37	308	149	159	140	97	35	23	4	299	9	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·12	0·13	0·11	100	52	48	—	—	—	1	2	3	10	13	11	21	18	12	7	2	3	—
Simple Continued Fever	0·00	0·00	—	1	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·80	0·85	0·74	667	316	321	520	73	8	4	—	605	3	2	1	1	5	3	4	9	14	20
Cholera	0·03	0·03	0·02	23	13	10	16	2	—	—	—	18	1	—	—	1	—	—	2	—	—	1
Cancer	0·81	0·67	0·94	678	271	407	—	1	1	—	—	2	3	4	5	7	18	65	170	186	171	47
Tabes Mesenterica	0·13	0·15	0·11	109	62	47	58	13	4	2	1	78	7	5	2	5	7	3	1	1	—	—
Phthisis	1·51	1·75	1·29	1269	712	557	13	14	10	5	5	47	23	40	106	161	329	263	162	106	29	3
Other Tub. & Scrof. Dis.	0·46	0·50	0·42	385	203	182	120	68	32	21	5	246	34	23	20	12	20	12	8	6	3	1
Diseases of Nervous System	2·44	2·93	1·97	2045	1192	853	475	72	33	24	16	620	50	42	40	25	71	150	180	303	351	213
Diseases of Circulatory	1·38	1·50	1·28	1162	610	552	30	—	2	1	4	37	18	25	35	29	72	118	163	245	292	128
Diseases of Respiratory	2·99	3·20	2·78	2507	1299	1208	665	313	106	61	41	1186	41	10	20	18	62	82	134	270	373	311
Diseases of Digestive	0·93	1·02	0·84	777	414	363	240	64	17	6	3	330	10	10	20	20	36	42	85	90	86	48
Diseases of Urinary	0·46	0·60	0·32	382	245	137	5	2	4	1	1	13	3	2	3	14	26	47	54	84	94	42
Diseases of Generative	0·04	0·01	0·06	31	4	27	1	1	—	—	—	2	—	—	1	3	2	4	8	5	4	2
Puerperal Fever	0·07	—	0·13	55	—	55	—	—	—	—	—	—	—	—	1	11	31	11	1	—	—	—
Childbirth	0·08	—	0·16	71	—	71	—	—	—	—	—	—	—	—	1	10	32	27	1	—	—	—
Violence	0·49	0·74	0·25	409	301	108	31	22	12	9	4	78	28	13	17	16	53	51	56	47	23	27
Other Causes	3·72	3·99	3·53	3149	1626	1523	1495	67	21	10	14	1607	36	39	51	28	73	82	130	158	324	622

Marriages 6,650

Births .. { Males .. 12,954 / Females 12,522 } 25,476

Annual Rate per 1000 living { Persons Married .. 15·85 / Births .. .. .. 30·36 }

Annual Births to 1000 Females aged 15—45 years = 125.

Deaths from Childbirth and Puerperal Fever .. .. } 4·95 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

161.—DAVENTRY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·44			*109	—	—	—	—	35·77	3·53	1·81	3·28	4·95	5·43	7·82	11·42	22·25	53·39	146·94
Annual Death-Rate per 1000. Males ..	—			14·22			*131	—	—	—	—	40·92	4·03	1·31	2·93	5·02	5·89	7·21	13·43	22·57	58·44	159·90
Annual Death-Rate per 1000. Females	—			12·70			* 87	—	—	—	—	30·64	3·02	2·30	3·74	4·86	4·99	8·41	9·50	21·95	48·86	135·98
Mean Population, 1891-1900. Persons	—			17,447			404	361	369	411	409	1954	1896	1826	1705	1415	2356	1932	1567	1353	1002	441
Mean Population, 1891-1900. Males ..	—			8,771			201	180	193	200	201	975	968	913	957	757	1154	957	767	647	474	202
Mean Population, 1891-1900. Females	—			8,676			203	181	176	211	208	979	928	913	748	658	1202	975	800	706	528	239
Deaths from All Causes, 1891-1900. Persons	16·43			2,867			495	96	47	41	20	699	67	33	56	70	128	151	179	301	535	648
Deaths from All Causes, 1891-1900. Males ..	17·12			1,502			295	49	22	20	13	399	39	12	28	38	68	69	103	146	277	323
Deaths from All Causes, 1891-1900. Females	15·73			1,365			200	47	25	21	7	300	28	21	28	32	60	82	76	155	258	325
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	0·05	0·07	0·02	8	6	2	—	—	—	—	—	—	—	—	—	2	2	2	—	1	1	—
Measles	0·17	0·15	0·20	30	13	17	9	7	4	2	—	22	7	—	—	1	—	—	—	—	—	—
Scarlet Fever	0·07	0·05	0·09	12	4	8	—	—	2	—	3	5	3	—	2	—	1	1	—	—	—	—
Diphtheria	0·19	0·17	0·21	33	15	18	1	3	5	8	4	21	11	1	—	—	—	—	—	—	—	—
Whooping-cough ..	0·24	0·21	0·28	42	18	24	25	7	2	5	2	41	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·09	0·08	0·09	15	7	8	—	—	—	—	—	—	1	1	1	2	7	1	1	—	1	—
Simple Continued Fever	0·01	—	0·01	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Diarrhœa & Dysentery	0·19	0·23	0·16	34	20	14	20	1	2	1	—	24	—	—	—	—	—	—	1	1	2	6
Cholera	0·01	0·02	—	2	2	—	1	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—
Cancer	0·87	0·71	1·04	152	62	90	—	—	—	—	—	—	—	—	—	—	4	7	25	41	48	27
Tabes Mesenterica ..	0·14	0·14	0·15	25	12	13	17	3	—	—	—	20	1	—	1	—	—	—	1	—	2	—
Phthisis	0·97	0·99	0·95	169	87	82	4	3	—	—	1	8	2	6	15	29	36	27	21	17	7	1
Other Tub. & Scrof. Dis.	0·30	0·27	0·32	52	24	28	16	6	1	—	2	25	6	3	6	2	3	3	1	1	1	1
Diseases of Nervous System ..	1·88	2·11	1·65	328	185	143	66	4	5	6	—	81	5	1	3	4	6	9	14	42	85	78
Diseases of Circulatory " ..	2·28	2·12	2·44	398	186	212	—	1	—	1	—	2	1	4	1	7	9	19	23	68	127	137
Diseases of Respiratory " ..	2·45	2·68	2·21	427	235	192	82	31	17	13	6	149	15	2	4	3	12	16	23	35	87	81
Diseases of Digestive " ..	0·96	0·99	0·93	168	87	81	32	14	2	2	1	51	4	1	1	3	8	11	15	23	31	20
Diseases of Urinary " ..	0·54	0·84	0·24	95	74	21	—	2	—	—	1	3	—	2	2	1	5	2	12	13	36	19
Diseases of Generative " ..	0·08	0·02	0·13	13	2	11	—	—	—	—	—	—	—	—	—	—	2	1	1	2	6	1
Puerperal Fever ..	0·05	—	0·09	8	—	8	—	—	—	—	—	—	—	—	1	—	4	3	—	—	—	—
Childbirth	0·09	—	0·17	15	—	15	—	—	—	—	—	—	—	—	—	2	3	10	—	—	—	—
Violence	0·71	1·04	0·37	123	91	32	12	1	4	2	—	19	3	4	7	7	11	9	13	11	17	22
OTHER CAUSES	4·09	4·23	3·98	717	372	345	210	13	3	1	—	227	7	8	12	7	15	30	28	45	83	255

Marriages 1,234

Births .. { Males .. 2,256 / Females 2,294 } 4,550

Annual Rate per 1000 living { Persons Married .. 14·15 / Births .. 26·08 }

Annual Births to 1000 Females aged 15—45 years = 127.

Deaths from Childbirth and Puerperal Fever .. .. } 5·05 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

162.—BRIXWORTH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		12·53	*101	—	—	—	—	32·25	3·49	2·36	3·64	3·99	5·18	5·99	10·12	19·11	56·24	145·25
Annual Death-Rate per 1000. Males	—					12·47	*106	—	—	—	—	31·99	3·47	2·78	2·87	3·99	5·43	5·60	9·98	18·83	62·85	158·28
Annual Death-Rate per 1000. Females	—					12·59	* 97	—	—	—	—	32·49	3·50	1·93	4·62	3·99	4·93	6·37	10·26	19·36	49·87	133·33
Mean Population, 1891-1900. Persons	—			11,987			267	254	265	288	244	1318	1376	1271	990	902	1564	1402	1156	963	729	316
Mean Population, 1891-1900. Males	—			5,973			127	119	127	142	129	644	662	648	557	451	773	696	571	462	358	151
Mean Population, 1891-1900. Females	—			6,014			140	135	138	146	115	674	714	623	433	451	791	706	585	501	371	165
Deaths from All Causes, 1891-1900. Persons	15·93			1,910			309	63	25	18	10	425	48	30	36	36	81	84	117	184	410	459
Deaths from All Causes, 1891-1900. Males	16·24			970			158	24	10	7	7	206	23	18	16	18	42	39	57	87	225	239
Deaths from All Causes, 1891-1900. Females	15·63			940			151	39	15	11	3	219	25	12	20	18	39	45	60	97	185	220
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·15	0·15	0·15	18	9	9	6	3	2	1	—	12	4	1	1	—	—	—	—	—	—	—
Scarlet Fever	0·08	0·08	0·08	10	5	5	2	1	—	—	2	5	2	2	—	—	—	1	—	—	—	—
Diphtheria	0·18	0·17	0·18	21	10	11	—	—	1	5	3	9	10	2	—	—	—	—	—	—	—	—
Whooping-cough	0·41	0·33	0·48	49	20	29	26	14	3	3	—	46	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·12	0·13	0·10	14	8	6	—	—	—	—	—	—	2	1	4	1	2	3	—	—	1	—
Simple Continued Fever	0·01	0·02	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Diarrhœa & Dysentery	0·26	0·22	0·30	31	13	18	11	6	—	1	1	19	—	1	—	—	—	—	—	1	3	7
Cholera	0·01	—	0·02	1	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	0·88	0·75	1·01	106	45	61	1	—	—	—	—	1	—	—	1	—	1	6	22	28	34	13
Tabes Mesenterica	0·08	0·05	0·10	9	3	6	2	2	—	—	—	4	1	1	2	1	—	—	—	—	—	—
Phthisis	0·88	0·80	0·95	105	48	57	3	1	—	—	—	4	1	6	8	15	24	20	8	12	7	—
Other Tub. & Scrof. Dis.	0·35	0·35	0·35	42	21	21	9	8	1	1	—	19	4	9	1	1	2	3	1	—	1	1
Diseases of Nervous System	2·50	2·66	2·34	300	159	141	36	4	5	2	1	48	4	2	4	3	2	2	17	28	101	89
Diseases of Circulatory "	1·47	1·59	1·35	176	95	81	—	—	—	—	—	—	1	—	4	1	4	7	14	35	66	44
Diseases of Respiratory "	2·26	2·38	2·15	271	142	129	46	16	8	2	3	75	10	1	2	—	7	11	11	31	54	69
Diseases of Digestive "	0·98	1·12	0·83	117	67	50	28	2	2	1	—	33	3	—	2	2	2	4	13	11	34	13
Diseases of Urinary "	0·53	0·64	0·43	64	38	26	3	1	—	—	—	4	1	1	—	—	6	—	9	10	15	18
Diseases of Generative "	0·03	—	0·05	3	—	3	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—
Puerperal Fever	0·08	—	0·17	10	—	10	—	—	—	—	—	—	—	—	—	1	8	1	—	—	—	—
Childbirth	0·08	—	0·17	10	—	10	—	—	—	—	—	—	—	—	—	2	2	6	—	—	—	—
Violence	0·58	0·72	0·43	69	43	26	13	—	2	1	—	16	1	1	5	6	6	8	6	6	8	6
OTHER CAUSES	4·01	4·08	3·99	483	243	240	122	5	1	1	—	129	1	2	2	3	15	10	16	21	85	199

Marriages 846

Births .. { Males .. 1,496 / Females 1,561 } 3,057

Annual Rate per 1000 living { Persons Married .. 14·12 / Births .. .. .. 25·50 }

Annual Births to 1000 Females aged 15—45 years = 128.

Deaths from Childbirth and Puerperal Fever .. .. } 6·54 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

163.—WELLINGBOROUGH.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 14·56			*129	—	—	—	—	46·26	3·05	2·33	3·66	4·68	5·04	6·66	10·43	23·55	53·30	151·97
Annual Death-Rate per 1000. Males ..	—			15·20			*143	—	—	—	—	50·44	3·18	2·02	3·04	4·88	5·25	7·12	11·35	26·49	56·13	158·27
Annual Death-Rate per 1000. Females	—			13·96			*116	—	—	—	—	42·14	2·91	2·65	4·33	4·48	4·83	6·21	9·52	20·83	50·68	147·11
Mean Population, 1891-1900. Persons	—			49,290			1372	1230	1303	1276	1202	6383	5938	5449	5213	4527	7597	5492	3893	2654	1561	583
Mean Population, 1891-1900. Males ..	—			24,626			674	595	659	646	596	3170	2983	2729	2693	2275	3827	2740	1929	1276	750	254
Mean Population, 1891-1900. Females	—			24,664			698	635	644	630	606	3213	2955	2720	2520	2252	3770	2752	1964	1378	811	329
Deaths from All Causes, 1891-1900. Persons	14·53			7,162			2067	489	180	135	82	2953	181	127	191	212	383	366	406	625	832	886
Deaths from All Causes, 1891-1900. Males ..	15·10			3,718			1157	260	89	57	36	1599	95	55	82	111	201	195	219	338	421	402
Deaths from All Causes, 1891-1900. Females	13·96			3,444			910	229	91	78	46	1354	86	72	109	101	182	171	187	287	411	484
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·38	0·40	0·36	187	98	89	45	80	26	22	6	179	8	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·17	0·16	0·19	86	39	47	2	6	13	16	13	50	23	5	2	3	3	—	—	—	—	—
Diphtheria	0·11	0·10	0·12	55	25	30	3	1	5	13	8	30	21	3	—	—	—	—	—	—	1	—
Whooping-cough ..	0·40	0·37	0·43	197	90	107	96	63	12	18	6	195	2	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·15	0·17	0·14	76	42	34	—	1	3	—	—	4	8	8	10	19	14	7	5	1	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·49	0·55	0·43	241	135	106	173	33	5	1	1	213	1	—	—	—	—	—	3	5	5	14
Cholera	0·02	0·01	0·02	9	3	6	5	1	—	—	—	6	1	—	—	—	—	—	1	—	—	1
Cancer	0·61	0·47	0·76	303	115	188	—	—	1	1	—	2	—	2	—	1	9	22	42	92	92	41
Tabes Mesenterica ..	0·12	0·14	0·10	59	34	25	25	8	5	—	3	41	3	2	4	1	3	4	—	1	—	—
Phthisis	1·31	1·41	1·20	643	346	297	11	3	9	1	2	26	9	22	88	99	166	120	63	38	11	1
Other Tub. & Scrof. Dis.	0·38	0·40	0·36	187	99	88	49	32	13	9	14	117	24	14	8	9	7	4	2	1	1	—
Diseases of Nervous System ..	1·53	1·66	1·41	756	409	347	220	51	14	5	3	293	14	16	8	5	15	15	38	82	155	115
Diseases of Circulatory " ..	1·31	1·29	1·33	645	318	327	4	—	1	2	2	9	6	8	15	11	27	39	73	163	181	113
Diseases of Respiratory " ..	2·49	2·53	2·44	1226	624	602	373	155	49	29	18	624	32	10	12	7	29	44	76	83	164	145
Diseases of Digestive " ..	0·79	0·84	0·75	390	206	184	123	23	6	2	4	158	8	6	10	9	19	29	34	52	41	24
Diseases of Urinary " ..	0·27	0·35	0·18	131	86	45	1	—	1	4	1	7	4	2	3	4	7	10	16	23	34	21
Diseases of Generative " ..	0·03	—	0·06	14	—	14	—	—	—	—	—	—	—	—	—	2	2	2	2	3	3	—
Puerperal Fever ..	0·05	—	0·11	26	—	26	—	—	—	—	—	—	—	—	1	8	12	5	—	—	—	—
Childbirth	0·08	—	0·16	39	—	39	—	—	—	—	—	—	—	—	—	8	18	13	—	—	—	—
Violence	0·43	0·66	0·20	211	162	49	34	4	8	9	1	56	7	11	4	12	26	12	25	21	23	14
OTHER CAUSES	3·41	3·59	3·21	1681	887	794	903	28	9	3	—	943	10	18	26	14	26	40	26	60	121	397

Marriages 3,772

Births .. Males .. 8,117 / Females 7,847 } 15,964

Annual Rate per 1000 living { Persons Married .. 15·31 / Births .. .. .. 32·39

Annual Births to 1000 Females aged 15—45 years = 141.

Deaths from Childbirth and Puerperal Fever .. .. } 4·07 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

164.—KETTERING.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population 15·23			*146	—	—	—	—	52·27	3·28	2·04	3·21	3·69	4·59	6·12	11·52	21·89	57·93	158·71
Annual Death-Rate per 1000. Males	—			15·94			*162	—	—	—	—	56·71	3·34	2·07	3·69	3·85	4·39	6·65	13·30	22·20	60·46	167·41
Annual Death-Rate per 1000. Females	—			14·55			*130	—	—	—	—	47·90	3·23	2·02	2·72	3·53	4·79	5·56	9·73	21·59	55·52	151·16
Mean Population, 1891–1900. Persons	—			41,241			1140	1089	1083	1047	1027	5386	4963	4506	4364	3984	6452	4592	3169	2088	1255	482
Mean Population, 1891–1900. Males	—			20,704			566	545	529	516	512	2668	2488	2227	2197	1999	3322	2362	1587	1018	612	224
Mean Population, 1891–1900. Females	—			20,537			574	544	554	531	515	2718	2475	2279	2167	1985	3130	2230	1582	1070	643	258
Deaths from All Causes, 1891–1900. Persons	15·15			6,248			2034	439	167	99	76	2815	163	92	140	147	296	281	365	457	727	765
Deaths from All Causes, 1891–1900. Males	15·87			3,285			1136	219	77	52	29	1513	83	46	81	77	146	157	211	226	370	375
Deaths from All Causes, 1891–1900. Females	14·43			2,963			898	220	90	47	47	1302	80	46	59	70	150	124	154	231	357	390
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·42	0·40	0·45	175	82	93	30	69	38	12	17	166	9	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·15	0·16	0·14	61	33	28	3	7	14	9	7	40	17	—	1	1	1	1	—	—	—	—
Diphtheria	0·06	0·06	0·06	25	13	12	—	6	5	1	3	15	8	2	—	—	—	—	—	—	—	—
Whooping-cough	0·25	0·24	0·27	105	50	55	49	26	14	5	7	101	4	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·21	0·24	0·17	85	50	35	1	—	1	5	—	7	8	10	15	11	21	6	6	—	—	1
Simple Continued Fever	0·00	—	0·00	1	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·50	0·55	0·44	205	114	91	161	18	4	1	1	185	2	—	—	—	1	1	—	1	4	11
Cholera	0·00	0·00	—	1	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	0·58	0·54	0·62	238	111	127	—	—	—	—	—	—	2	—	1	1	5	20	46	67	65	31
Tabes Mesenterica	0·10	0·12	0·09	43	25	18	14	6	4	2	—	26	5	5	2	2	3	—	—	—	—	—
Phthisis	0·97	1·19	0·75	400	247	153	4	7	1	2	1	15	8	19	43	53	104	84	42	28	3	1
Other Tub. & Scrof. Dis.	0·34	0·32	0·36	139	66	73	38	21	10	21	9	99	11	9	7	2	4	3	—	3	1	—
Diseases of Nervous System	1·69	1·68	1·71	698	347	351	217	43	6	6	3	275	19	8	16	6	17	10	37	77	119	114
Diseases of Circulatory	1·20	1·18	1·21	494	245	249	4	—	1	—	—	5	10	11	15	15	13	32	68	89	160	76
Diseases of Respiratory	2·63	2·72	2·55	1086	563	523	348	151	42	24	14	579	24	2	10	10	22	27	37	67	141	167
Diseases of Digestive	1·03	1·14	0·91	424	237	187	180	25	9	4	3	221	7	6	5	10	16	21	24	39	53	22
Diseases of Urinary	0·30	0·35	0·25	124	72	52	2	3	1	—	1	7	8	1	3	2	9	10	19	20	32	13
Diseases of Generative	0·03	—	0·05	11	—	11	—	—	—	—	—	—	—	—	3	1	—	—	3	1	2	1
Puerperal Fever	0·07	—	0·14	29	—	29	—	—	—	—	—	—	—	—	—	4	19	6	—	—	—	—
Childbirth	0·09	—	0·18	37	—	37	—	—	—	—	—	—	—	—	2	7	13	15	—	—	—	—
Violence	0·42	0·59	0·24	172	123	49	20	8	5	4	8	45	10	4	4	6	15	22	25	15	13	13
Other Causes	4·11	4·39	3·84	1695	906	789	961	49	12	3	2	1027	11	15	13	16	33	23	58	50	134	315

Marriages 3,203

Births .. { Males .. 7,007 / Females 6,913 } 13,920

Annual Rate per 1000 living { Persons Married .. 15·53 / Births .. .. .. 33·75 }

Annual Births to 1000 Females aged 15—45 years = 146.

Deaths from Childbirth and Puerperal Fever .. .. } 4·74 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

165.—THRAPSTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 1891			*114	—	—	—	—	36·85	4·60	3·14	3·93	4·66	5·13	6·03	11·42	21·41	52·54	154·70
Annual Death-Rate per 1000. Males	—			In Standard Population. 1901			*126	—	—	—	—	42·13	4·90	2·11	3·19	3·31	5·23	5·01	12·61	20·40	52·12	161·65
Annual Death-Rate per 1000. Females	—			In Standard Population. 1901			*102	—	—	—	—	31·89	4·30	4·16	4·79	6·13	5·03	7·05	10·28	22·42	53·00	149·09
Mean Population, 1891-1900. Persons	—			14,747			335	349	360	355	346	1745	1739	1623	1399	1159	1989	1608	1410	1107	670	298
Mean Population, 1891-1900. Males	—			7,409			172	174	166	172	161	845	878	806	752	604	995	799	690	554	353	133
Mean Population, 1891-1900. Females	—			7,338			163	175	194	183	185	900	861	817	647	555	994	809	720	553	317	165
Deaths from All Causes, 1891-1900. Persons	15·55			2,293			452	94	35	37	25	643	80	51	55	54	102	97	161	237	352	461
Deaths from All Causes, 1891-1900. Males	15·54			1,151			256	45	21	18	16	356	43	17	24	20	52	40	87	113	184	215
Deaths from All Causes, 1891-1900. Females	15·56			1,142			196	49	14	19	9	287	37	34	31	34	50	57	74	124	168	246
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·31	0·36	0·26	46	27	19	9	16	4	8	6	43	3	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·09	0·07	0·12	14	5	9	1	3	3	—	1	8	4	—	—	1	1	—	—	—	—	—
Diphtheria	0·31	0·27	0·34	45	20	25	—	4	2	8	4	18	21	4	—	—	—	1	1	—	—	—
Whooping-cough	0·35	0·28	0·42	52	21	31	32	9	4	3	—	48	3	—	—	—	—	—	—	—	—	1
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·23	0·19	0·27	34	14	20	—	1	1	—	1	3	5	5	5	4	9	2	1	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·22	0·23	0·20	32	17	15	18	3	—	—	—	21	—	—	—	—	1	—	1	—	2	7
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·78	0·62	0·94	115	46	69	—	—	—	1	—	1	—	—	—	—	2	3	12	36	37	24
Tabes Mesenterica	0·19	0·19	0·19	28	14	14	13	3	1	1	1	19	2	3	2	1	—	—	—	1	—	—
Phthisis	1·28	1·24	1·31	188	92	96	1	1	—	—	—	2	4	10	20	27	39	31	32	16	7	—
Other Tub. & Scrof. Dis.	0·42	0·43	0·41	62	32	30	22	5	1	1	1	30	7	8	7	2	3	2	3	—	—	—
Diseases of Nervous System	1·68	1·66	1·69	247	123	124	43	6	4	7	1	61	6	1	3	7	3	6	12	30	70	48
Diseases of Circulatory	1·72	1·80	1·65	254	133	121	1	—	—	—	1	2	2	3	3	3	7	10	25	60	85	54
Diseases of Respiratory	2·31	2·54	2·07	340	188	152	86	30	10	7	5	138	12	3	1	1	5	9	19	26	49	77
Diseases of Digestive	0·76	0·81	0·71	112	60	52	20	7	1	—	—	28	2	1	2	—	8	7	13	23	17	11
Diseases of Urinary	0·35	0·42	0·29	52	31	21	—	—	—	1	—	1	—	3	1	—	2	3	7	11	11	13
Diseases of Generative	0·05	—	0·10	7	—	7	—	—	—	—	—	—	—	—	—	—	—	3	2	2	—	—
Puerperal Fever	0·05	—	0·10	7	—	7	—	—	—	—	—	—	—	—	2	1	2	2	—	—	—	—
Childbirth	0·06	—	0·12	9	—	9	—	—	—	—	—	—	—	—	—	1	4	4	—	—	—	—
Violence	0·47	0·76	0·18	69	56	13	6	1	4	—	1	12	5	4	4	—	5	7	12	12	7	1
Other Causes	3·92	3·67	4·19	580	272	308	200	5	—	—	3	208	4	6	5	6	11	7	21	20	67	225

Marriages 1,215

Births .. Males .. 2,039 / Females 1,920 } 3,959

Annual Rate per 1000 living { Persons Married .. 16·48 / Births .. .. .. 26·85

Annual Births to 1000 Females aged 15—45 years = 132.

Deaths from Childbirth and Puerperal Fever .. .. } 4·04 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

166.—OUNDLE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 11·87	* 92	—	—	—	—	30·15	3·09	2·14	3·36	4·00	4·13	6·13	8·72	19·65	52·04	148·26
Annual Death-Rate per 1000. Males ..	—	12·16	*100	—	—	—	—	33·22	3·12	2·11	3·85	4·19	4·80	6·20	8·03	20·80	55·03	146·06
Annual Death-Rate per 1000. Females	—	11·60	* 83	—	—	—	—	27·19	3·05	2·18	2·77	3·85	3·49	6·07	9·35	18·58	49·20	150·28
Mean Population, 1891–1900. Persons	—	11,786	236	261	240	242	255	1234	1329	1353	1130	824	1453	1256	1147	982	734	344
Mean Population, 1891–1900. Males ..	—	5,866	108	127	122	121	127	605	674	712	624	382	709	613	548	476	358	165
Mean Population, 1891–1900. Females	—	5,920	128	134	118	121	128	629	655	641	506	442	744	643	599	506	376	179
Deaths from All Causes, 1891–1900. Persons	15·57	1,835	249	57	32	23	11	372	41	29	38	33	60	77	100	193	382	510
Deaths from All Causes, 1891–1900. Males ..	15·85	930	140	26	17	11	7	201	21	15	24	16	34	38	44	99	197	241
Deaths from All Causes, 1891–1900. Females	15·29	905	109	31	15	12	4	171	20	14	14	17	26	39	56	94	185	269

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·14	0·14	0·14	16	8	8	7	4	2	1	—	14	2	—	—	—	—	—	—	—
Scarlet Fever	0·07	0·09	0·05	8	5	3	—	—	2	3	1	6	2	—	—	—	—	—	—	—
Diphtheria	0·22	0·24	0·20	26	14	12	1	2	2	2	4	11	8	5	—	—	2	—	—	—
Whooping-cough ..	0·12	0·12	0·12	14	7	7	11	3	—	—	—	14	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·03	0·05	0·02	4	3	1	—	—	—	—	—	—	—	—	1	1	—	1	—	—
Simple Continued Fever	0·01	0·02	—	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Diarrhœa & Dysentery	0·27	0·24	0·30	32	14	18	10	5	—	1	—	16	—	—	—	—	1	—	1	4	9
Cholera	0·01	0·02	—	1	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—
Cancer	0·99	0·94	1·05	117	55	62	—	—	—	—	—	—	—	—	—	—	—	9	17	31	43	17
Tabes Mesenterica ..	0·03	0·03	0·03	4	2	2	1	—	—	—	—	1	—	1	—	2	—	—	—	—	—	—
Phthisis	0·87	0·82	0·93	103	48	55	2	1	—	2	—	5	4	3	11	16	21	15	10	13	5	—
Other Tub. & Scrof. Dis.	0·27	0·29	0·25	32	17	15	4	3	2	1	2	12	4	3	3	2	2	1	2	2	1	—
Diseases of Nervous System ..	1·99	2·15	1·82	234	126	108	46	11	6	1	—	64	5	3	6	—	3	6	11	21	56	59
Diseases of Circulatory „ ..	2·11	2·10	2·13	249	123	126	—	—	—	—	—	—	1	1	4	—	7	8	19	51	106	52
Diseases of Respiratory „ ..	2·39	2·39	2·40	282	140	142	45	18	11	8	3	85	9	1	2	—	2	9	12	27	54	81
Diseases of Digestive „ ..	0·76	0·63	0·90	90	37	53	11	2	—	—	—	13	1	2	2	4	5	4	9	15	14	21
Diseases of Urinary „ ..	0·23	0·31	0·15	27	18	9	—	—	1	—	—	1	—	1	1	—	1	4	4	2	6	7
Diseases of Generative „ ..	0·01	—	0·02	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Puerperal Fever.. ..	0·01	—	0·02	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Childbirth..	0·03	—	0·07	4	—	4	—	—	—	—	—	—	—	—	—	—	3	1	—	—	—	—
Violence	0·59	0·87	0·32	70	51	19	5	3	3	1	—	12	2	5	7	5	2	7	5	8	10	7
OTHER CAUSES	4·42	4·40	4·37	519	260	259	106	5	2	3	1	117	3	4	—	3	11	11	10	20	83	257

Marriages 819

Births .. { Males .. 1,402 / Females 1,316 } 2,718

Annual Rate per 1000 living { Persons Married .. 13·90 / Births .. .. .. 23·06 }

Annual Births to 1000 Females aged 15—45 years = 116.

Deaths from Childbirth and Puerperal Fever .. .. } 1·84 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

167.—PETERBOROUGH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 14·07	*130	—	—	—	—	42·94	3·28	2·02	3·41	4·69	4·98	7·23	10·98	23·22	52·33	144·28
Annual Death-Rate per 1000. Males ..	—	15·17	*142	—	—	—	—	47·64	3·81	1·89	3·67	5·18	5·28	7·34	11·89	25·52	60·86	157·54
Annual Death-Rate per 1000. Females	—	13·05	*119	—	—	—	—	38·27	2·74	2·15	3·15	4·21	4·69	7·12	10·12	21·09	44·94	134·25
Mean Population, 1891-1900. Persons	—	49,224	1200	1160	1159	1178	1165	5862	5709	5535	4949	4139	7028	5660	4391	3127	1993	831
Mean Population, 1891-1900. Males ..	—	24,228	612	570	578	585	577	2922	2861	2750	2536	2047	3406	2794	2128	1501	925	358
Mean Population, 1891-1900. Females	—	24,996	588	590	581	593	588	2940	2848	2785	2413	2092	3622	2866	2263	1626	1068	473
Deaths from All Causes, 1891-1900. Persons	15·01	7,388	1789	396	165	83	84	2517	187	112	169	194	350	409	482	726	1043	1199
Deaths from All Causes, 1891-1900. Males ..	16·10	3,900	936	227	87	40	52	1392	109	52	93	106	180	205	253	383	563	564
Deaths from All Causes, 1891-1900. Females	13·95	3,488	802	169	78	43	32	1125	78	60	76	88	170	204	229	343	480	635

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·33	0·42	0·24	160	101	59	45	53	23	11	10	142	15	2	1	—	—	—	—	—	—	—
Scarlet Fever	0·16	0·17	0·14	77	41	36	9	8	17	5	10	49	18	5	—	2	1	2	—	—	—	—
Diphtheria	0·20	0·21	0·18	96	50	46	3	8	14	7	13	45	35	9	3	2	1	—	—	1	—	—
Whooping-cough ..	0·31	0·30	0·32	152	73	79	80	42	16	5	4	147	5	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·08	0·08	0·08	41	20	21	—	—	—	—	3	3	4	5	4	6	6	6	4	3	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·58	0·64	0·53	286	154	132	211	28	1	3	3	246	—	1	1	—	1	3	—	3	9	22
Cholera	0·01	0·01	0·01	4	2	2	—	1	—	—	—	1	1	—	—	—	—	1	—	—	1	—
Cancer	1·03	0·94	1·12	506	227	279	1	1	1	—	1	4	2	2	1	—	10	45	92	135	157	58
Tabes Mesenterica ..	0·15	0·14	0·16	72	33	39	33	9	1	—	3	46	5	4	4	3	4	4	1	—	1	—
Phthisis	1·07	1·19	0·97	529	287	242	8	7	7	4	1	27	10	17	58	77	123	84	62	44	22	5
Other Tub. & Scrof. Dis.	0·36	0·44	0·29	179	107	72	44	22	9	7	7	89	25	10	11	9	16	10	6	1	2	—
Diseases of Nervous System ..	1·86	1·92	1·80	914	465	449	189	25	11	10	1	236	15	15	14	12	15	24	49	117	200	217
Diseases of Circulatory „ ..	1·59	1·61	1·57	783	391	392	3	—	—	2	—	5	4	7	12	12	37	50	91	148	224	193
Diseases of Respiratory „ ..	2·20	2·45	1·95	1081	594	487	303	117	38	16	16	490	16	2	6	9	24	41	57	93	148	195
Diseases of Digestive „ ..	0·88	0·97	0·80	434	234	200	174	26	7	4	6	217	4	3	5	8	14	28	33	39	49	34
Diseases of Urinary „ ..	0·29	0·41	0·18	144	100	44	7	1	—	—	—	8	—	—	3	6	10	15	16	25	35	26
Diseases of Generative „ ..	0·02	—	0·05	12	—	12	—	—	—	—	—	—	—	—	—	—	—	6	2	4	—	—
Puerperal Fever ..	0·06	—	0·12	30	—	30	—	—	—	—	—	—	—	—	3	2	18	7	—	—	—	—
Childbirth..	0·05	—	0·11	27	—	27	—	—	—	—	—	—	—	—	1	2	14	9	1	—	—	—
Violence	0·58	0·87	0·29	283	210	73	22	8	9	4	5	48	17	14	25	24	29	23	26	33	21	23
OTHER CAUSES	3·20	3·33	3·04	1578	811	767	657	40	11	5	1	714	11	16	17	20	27	51	42	80	174	426

Marriages 3,898

Births .. Males .. 6,946 / Females 6,765 } 13,711

Annual Rate per 1000 living { Persons Married .. 15·84 / Births .. .. .. 27·85

Annual Births to 1000 Females aged 15—45 years = 125.

Deaths from Childbirth and Puerperal Fever .. .. } 4·16 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

168.—HUNTINGDON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		13·63	*128	—	—	—	—	38·66	3·54	2·55	2·77	4·43	5·69	7·77	11·63	20·85	50·85	145·26
Annual Death-Rate per 1000. Males	—					14·68	*147	—	—	—	—	43·08	3·75	3·43	2·03	4·39	5·37	9·07	13·51	25·34	53·95	157·79
Annual Death-Rate per 1000. Females	—					12·65	*108	—	—	—	—	34·11	3·33	1·62	3·58	4·49	5·99	6·54	9·91	16·80	47·96	136·23
Mean Population, 1891-1900. Persons	—			18,641			424	430	439	458	440	2191	2121	2039	1802	1466	2513	1995	1702	1391	946	475
Mean Population, 1891-1900. Males	—			9,239			214	215	226	225	232	1112	1039	1051	936	775	1228	970	814	659	456	199
Mean Population, 1891-1900. Females	—			9,402			210	215	213	233	208	1079	1082	988	866	691	1285	1025	888	732	490	276
Deaths from All Causes, 1891-1900. Persons	16·34			3,046			647	103	46	36	15	847	75	52	50	65	143	155	198	290	481	690
Deaths from All Causes, 1891-1900. Males	17·30			1,598			379	46	25	22	7	479	39	36	19	34	66	88	110	167	246	314
Deaths from All Causes, 1891-1900. Females	15·40			1,448			268	57	21	14	8	368	36	16	31	31	77	67	88	123	235	376
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·17	0·18	0·15	31	17	14	6	14	5	1	—	26	2	2	—	—	—	—	1	—	—	—
Scarlet Fever	0·05	0·03	0·07	10	3	7	—	1	1	2	1	5	3	1	—	—	1	—	—	—	—	—
Diphtheria	0·22	0·24	0·20	41	22	19	2	1	5	10	5	23	14	1	3	—	—	—	—	—	—	—
Whooping-cough	0·23	0·21	0·24	42	19	23	22	8	5	5	2	42	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·10	0·11	0·09	18	10	8	—	—	—	—	—	—	4	4	3	—	1	1	2	3	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·39	0·35	0·43	72	32	40	37	11	1	—	—	49	1	—	1	—	—	—	4	1	5	11
Cholera	0·01	0·01	0·01	2	1	1	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—
Cancer	1·35	1·21	1·49	252	112	140	—	—	—	1	—	1	1	1	—	1	6	13	41	57	90	41
Tabes Mesenterica	0·07	0·06	0·07	13	6	7	4	2	2	1	—	9	—	—	1	1	1	1	—	—	—	—
Phthisis	1·13	1·29	0·98	211	119	92	1	1	—	1	—	3	2	3	19	25	65	43	21	20	9	1
Other Tub. & Scrof. Dis.	0·33	0·30	0·36	62	28	34	6	3	6	3	—	18	15	10	3	6	5	2	1	—	1	1
Diseases of Nervous System	1·71	1·79	1·64	319	165	154	58	10	2	2	1	73	4	2	4	2	8	11	21	37	74	83
Diseases of Circulatory "	1·50	1·50	1·50	280	139	141	1	1	—	—	—	2	3	2	1	3	14	16	28	46	83	82
Diseases of Respiratory "	2·27	2·26	2·28	423	209	214	124	31	11	3	2	171	8	2	1	6	7	13	17	32	78	88
Diseases of Digestive "	0·67	0·65	0·68	124	60	64	29	6	3	—	—	38	1	2	—	2	3	13	14	17	22	12
Diseases of Urinary "	0·36	0·52	0·21	68	48	20	3	—	—	—	—	3	3	—	3	—	—	4	4	11	24	16
Diseases of Generative "	0·03	0·02	0·04	6	2	4	—	—	—	—	—	—	—	—	—	1	—	1	3	1	—	—
Puerperal Fever	0·05	—	0·10	9	—	9	—	—	—	—	—	—	—	—	1	1	3	4	—	—	—	—
Childbirth	0·08	—	0·15	14	—	14	—	—	—	—	—	—	—	—	—	1	8	5	—	—	—	—
Violence	0·64	1·07	0·21	119	99	20	9	3	1	6	3	22	8	16	3	10	7	10	13	17	8	5
Other Causes	4·98	5·50	4·50	930	507	423	344	11	4	1	1	361	6	6	7	6	14	18	27	48	87	350

Marriages 1,299

Births .. { Males .. 2,574 / Females 2,471 } 5,045

Annual Rate per 1000 living { Persons Married .. 13·94 / Births .. .. .. 27·06

Annual Births to 1000 Females aged 15—45 years = 130.

Deaths from Childbirth and Puerperal Fever .. .. } 4·56 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

169.—ST. IVES.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·77			*113	—	—	—	—	36·29	3·11	2·18	3·46	4·28	4·93	5·75	8·98	21·80	49·55	147·08
Males ..	—			12·88			*120	—	—	—	—	37·97	2·79	2·09	3·48	3·44	4·25	5·70	10·14	25·96	52·67	148·56
Females	—			12·68			*106	—	—	—	—	34·64	3·42	2·28	3·43	5·03	5·59	5·79	7·91	18·05	46·84	145·88
Mean Population, 1891–1900. Persons	—			15,421			339	320	326	346	336	1667	1706	1740	1476	1099	1926	1688	1504	1266	886	463
Males ..	—			7,554			164	167	164	166	166	827	859	862	776	523	942	824	720	601	412	208
Females	—			7,867			175	153	162	180	170	840	847	878	700	576	984	864	784	665	474	255
Deaths from All Causes, 1891–1900. Persons	16·32			2,517			433	88	34	35	15	605	53	38	51	47	95	97	135	276	439	681
Males ..	16·45			1,243			228	44	16	21	5	314	24	18	27	18	40	47	73	156	217	309
Females	16·19			1,274			205	44	18	14	10	291	29	20	24	29	55	50	62	120	222	372
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	0·01	0·01	0·01	2	1	1	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—
Measles	0·14	0·13	0·14	21	10	11	3	7	3	4	—	17	3	—	—	—	1	—	—	—	—	—
Scarlet Fever	0·06	0·07	0·05	9	5	4	1	1	2	—	1	5	3	1	—	—	—	—	—	—	—	—
Diphtheria	0·14	0·15	0·14	22	11	11	—	2	1	1	—	4	11	3	2	2	—	—	—	—	—	—
Whooping-cough ..	0·30	0·24	0·36	46	18	28	18	14	5	5	2	44	2	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·05	0·05	0·03	7	4	3	—	—	—	—	—	—	1	1	—	—	2	2	—	1	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·38	0·34	0·41	58	26	32	33	1	—	1	—	35	1	1	—	—	1	—	2	1	3	14
Cholera	0·01	0·01	0·01	2	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
Cancer	1·06	1·07	1·04	163	81	82	—	—	—	—	—	—	—	—	2	—	3	10	14	49	61	24
Tabes Mesenterica ..	0·14	0·11	0·17	21	8	13	11	7	2	—	—	20	—	—	1	—	—	—	—	—	—	—
Phthisis	1·34	1·44	1·23	206	109	97	17	4	—	1	—	22	3	6	21	26	40	37	21	18	10	2
Other Tub. & Scrof. Dis.	0·27	0·30	0·23	41	23	18	12	5	1	2	2	22	7	2	5	—	1	1	—	1	2	—
Diseases of Nervous System ..	1·80	1·58	2·01	277	119	158	46	7	4	5	—	62	4	6	1	2	8	4	18	39	67	66
Circulatory " ..	1·48	1·48	1·47	228	112	116	2	—	—	—	—	2	1	1	3	2	7	13	21	45	68	65
Respiratory " ..	2·67	2·75	2·59	412	208	204	71	21	11	12	7	122	9	2	2	5	3	6	21	44	91	107
Digestive " ..	0·88	0·78	0·97	135	59	76	27	8	1	1	1	38	—	2	3	3	5	3	13	23	30	15
Urinary " ..	0·32	0·40	0·24	49	30	19	—	1	—	—	—	1	—	—	1	—	1	4	4	10	14	14
Generative " ..	0·05	—	0·09	7	—	7	—	—	—	—	—	—	—	—	—	—	—	1	2	3	1	—
Puerperal Fever ..	0·03	—	0·06	5	—	5	—	—	—	—	—	—	—	—	—	1	3	1	—	—	—	—
Childbirth	0·06	—	0·13	10	—	10	—	—	—	—	—	—	—	—	—	1	7	2	—	—	—	—
Violence	0·46	0·65	0·28	71	49	22	3	4	3	1	1	12	5	8	4	3	4	5	5	9	9	7
Other Causes	4·67	4·89	4·53	725	369	356	189	6	1	2	1	199	2	5	6	1	9	8	13	33	83	366

Marriages 982

Births .. { Males .. 1,899 / Females 1,933 } 3,832

Annual Rate per 1000 living { Persons Married .. 12·74 / Births .. .. 24·85 }

Annual Births to 1000 Females aged 15—45 years = 123.

Deaths from Childbirth and Puerperal Fever .. .. } 3·91 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

170.—ST. NEOTS.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 12·64	*110	—	—	—	—	33·52	2·31	1·47	3·54	3·89	3·85	7·14	12·07	23·40	50·34	146·35
Annual Death-Rate per 1000. Males	—	12·64	*124	—	—	—	—	38·54	1·90	1·72	2·94	4·29	3·69	7·30	12·10	26·22	57·89	147·13
Annual Death-Rate per 1000. Females	—	12·04	* 96	—	—	—	—	28·71	2·73	1·22	4·23	3·53	4·00	7·00	12·04	20·87	43·59	145·74
Mean Population, 1891–1900. Persons	—	14,621	319	324	312	325	316	1596	1647	1637	1386	1079	1843	1554	1425	1171	886	397
Mean Population, 1891–1900. Males	—	7,098	158	160	154	156	153	781	842	815	748	513	867	726	661	553	418	174
Mean Population, 1891–1900. Females	—	7,523	161	164	158	169	163	815	805	822	638	566	976	828	764	618	468	223
Deaths from All Causes, 1891–1900. Persons	16·02	2,343	400	72	35	15	13	535	38	24	49	42	71	111	172	274	446	581
Deaths from All Causes, 1891–1900. Males	16·67	1,183	230	36	19	8	8	301	16	14	22	22	32	53	80	145	242	256
Deaths from All Causes, 1891–1900. Females	15·42	1,160	170	36	16	7	5	234	22	10	27	20	39	58	92	129	204	325

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·01	0·01	2	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—	1
Measles	0·06	0·11	0·01	9	8	1	3	—	2	2	—	7	1	—	1	—	—	—	—	—	—
Scarlet Fever	0·05	0·04	0·05	7	3	4	2	1	1	—	—	4	1	2	—	—	—	—	—	—	—
Diphtheria	0·12	0·13	0·12	18	9	9	1	—	2	2	3	8	7	3	—	—	—	—	—	—	—
Whooping-cough	0·17	0·16	0·19	25	11	14	13	9	3	—	—	25	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·09	0·13	0·05	13	9	4	1	—	—	—	—	1	—	2	1	4	3	—	—	2	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·44	0·44	0·44	64	31	33	39	4	2	—	—	45	1	—	—	—	1	—	—	2	6	9
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	1·25	1·07	1·41	182	76	106	—	—	—	—	—	—	—	—	—	—	—	10	31	58	51	32
Tabes Mesenterica	0·12	0·10	0·13	17	7	10	8	2	1	—	—	11	2	1	1	1	—	—	—	—	1	—
Phthisis	0·96	0·96	0·97	141	68	73	2	1	1	—	—	4	2	1	16	20	25	27	23	10	12	1
Other Tub. & Scrof. Dis.	0·22	0·28	0·16	32	20	12	10	3	4	4	—	21	3	1	1	1	—	—	4	—	1	—
Diseases of Nervous System	2·15	2·30	2·02	315	163	152	19	6	5	1	4	35	3	1	2	3	3	6	14	38	82	128
Diseases of Circulatory „	1·72	1·72	1·73	252	122	130	3	—	—	—	—	3	1	2	6	2	6	8	18	52	93	61
Diseases of Respiratory „	3·10	3·11	3·08	454	221	233	93	32	11	1	3	140	4	2	2	1	4	12	19	41	79	150
Diseases of Digestive „	0·93	1·06	0·81	136	75	61	17	7	—	—	1	25	3	—	7	2	7	8	21	15	28	20
Diseases of Urinary „	0·53	0·63	0·43	77	45	32	—	—	—	1	—	1	1	1	1	—	2	4	5	9	27	26
Diseases of Generative „	0·03	—	0·05	4	—	4	—	—	—	—	—	—	—	—	—	—	—	2	1	1	—	—
Puerperal Fever	0·03	—	0·07	5	—	5	—	—	—	—	—	—	—	—	1	—	3	1	—	—	—	—
Childbirth	0·03	—	0·05	4	—	4	—	—	—	—	—	—	—	—	1	—	2	1	—	—	—	—
Violence	0·64	0·93	0·36	93	66	27	4	—	2	2	2	10	4	6	5	3	6	20	7	12	15	5
Other Causes	3·37	3·49	3·28	493	248	245	185	7	1	2	—	195	5	2	4	5	9	12	28	34	51	148

Marriages 984

Births .. Males .. 1,862 / Females 1,780 — 3,642

Annual Rate per 1000 living: Persons Married .. 13·46; Births .. .. .. 24·91

Annual Births to 1000 Females aged 15=45 years = 121.

Deaths from Childbirth and Puerperal Fever .. .. 2·47 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

171.—BEDFORD.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		13·32	*117	—	—	—	—	37·76	3·29	1·99	2·28	3·28	4·85	7·21	11·64	22·39	52·08	147·78
Annual Death-Rate per 1000. Males ..	—					14·49	*129	—	—	—	—	41·48	3·38	2·01	2·38	3·88	6·14	8·74	13·86	24·89	56·85	162·47
Annual Death-Rate per 1000. Females	—					12·21	*105	—	—	—	—	34·02	3·20	1·97	2·18	2·87	3·85	6·05	9·95	20·36	48·28	137·26
Mean Population, 1891-1900. Persons	—			54,290			1148	1098	1097	1162	1168	5673	5926	6337	6410	4755	7572	6144	4835	3457	2191	990
Mean Population, 1891-1900. Males ..	—			25,213			582	555	544	578	583	2842	3018	3291	3150	1933	3289	2655	2100	1551	971	413
Mean Population, 1891-1900. Females	—			29,077			566	543	553	584	585	2831	2908	3046	3260	2822	4283	3489	2735	1906	1220	577
Deaths from All Causes, 1891-1900. Persons	13·84			7,516			1542	329	112	94	65	2142	195	126	146	156	367	443	563	774	1141	1463
Deaths from All Causes, 1891-1900. Males ..	15·19			3,831			868	180	55	44	32	1179	102	66	75	75	202	232	291	386	552	671
Deaths from All Causes, 1891-1900. Females	12·67			3,685			674	149	57	50	33	963	93	60	71	81	165	211	272	388	589	792
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	0·01	0·00	0·01	5	1	4	2	—	—	—	—	2	—	—	—	—	2	—	—	—	—	1
Measles	0·22	0·28	0·17	120	71	49	27	46	17	12	5	107	11	2	—	—	—	—	—	—	—	—
Scarlet Fever	0·04	0·04	0·03	20	10	10	1	1	—	1	2	5	6	2	3	—	2	2	—	—	—	—
Diphtheria	0·17	0·21	0·13	92	53	39	1	5	7	16	13	42	34	11	3	1	1	—	—	—	—	—
Whooping-cough ..	0·28	0·28	0·28	150	70	80	84	42	9	11	1	147	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·04	0·02	0·05	20	6	14	—	—	—	—	—	—	2	4	4	1	2	4	1	1	1	—
Simple Continued Fever	0·00	0·00	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Diarrhœa & Dysentery	0·49	0·55	0·44	266	139	127	188	30	6	1	1	226	2	—	—	—	1	—	1	6	11	19
Cholera	0·00	0·00	—	1	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	0·82	0·67	0·95	445	168	277	—	—	—	1	—	1	—	—	—	1	8	33	83	114	131	74
Tabes Mesenterica ..	0·08	0·07	0·08	41	18	23	15	3	1	—	1	20	1	3	5	1	3	2	4	1	1	—
Phthisis	0·90	1·07	0·76	490	270	220	6	6	—	3	3	18	7	13	30	50	135	100	76	43	16	2
Other Tub. & Scrof. Dis.	0·27	0·30	0·25	148	76	72	31	14	8	4	1	58	31	15	12	8	10	5	5	2	2	—
Diseases of Nervous System ..	1·68	1·87	1·52	914	471	443	202	23	7	5	8	245	17	15	8	12	21	30	57	99	189	221
Diseases of Circulatory " ..	1·37	1·37	1·37	743	346	397	11	—	—	—	1	12	6	9	11	11	20	53	66	147	234	174
Diseases of Respiratory " ..	2·13	2·30	1·98	1154	579	575	260	105	33	21	19	438	20	6	5	6	26	34	64	110	181	264
Diseases of Digestive " ..	0·88	1·02	0·75	475	258	217	97	18	5	3	3	126	13	14	12	18	13	46	52	57	76	48
Diseases of Urinary " ..	0·48	0·70	0·29	260	177	83	6	—	—	—	—	6	1	5	5	5	10	16	39	54	57	62
Diseases of Generative " ..	0·05	0·00	0·09	27	1	26	1	—	—	—	—	1	—	—	—	1	4	3	6	5	4	3
Puerperal Fever.. ..	0·03	—	0·06	16	—	16	—	—	—	—	—	—	—	—	1	4	9	2	—	—	—	—
Childbirth..	0·06	—	0·12	34	—	34	—	—	—	—	—	—	—	—	2	6	12	13	1	—	—	—
Violence	0·52	0·87	0·22	283	219	64	30	7	4	6	3	50	20	14	18	15	31	39	31	26	21	18
OTHER CAUSES	3·32	3·57	3·12	1811	896	915	579	29	15	10	4	637	21	13	27	16	57	61	77	109	216	577

Marriages 3,575

Births .. Males .. 6,707 } 13,148
Females 6,441 }

Annual Rate per 1000 living { Persons Married .. 13·17
Births .. .. .. 24·22 }

Annual Births to 1000 Females aged 15—45 years = 95.

Deaths from Childbirth and Puerperal Fever .. .. } 3·80 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

172.—BIGGLESWADE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 16·92	*123	—	—	—	—	43·00	3·76	2·92	4·17	6·83	7·41	11·09	17·42	28·66	61·64	171·21
Annual Death-Rate per 1000. Males	—	17·56	*138	—	—	—	—	45·88	3·86	2·83	4·04	7·08	6·65	12·37	19·44	31·89	67·86	178·76
Annual Death-Rate per 1000. Females	—	16·33	*108	—	—	—	—	40·11	3·66	3·01	4·32	6·60	8·09	9·94	15·73	25·81	56·32	165·11
Mean Population, 1891-1900. Persons	—	26,768	652	608	608	628	648	3144	3139	3018	2447	1917	3536	3030	2538	2027	1392	580
Mean Population, 1891-1900. Males	—	13,048	340	298	304	318	316	1576	1556	1555	1313	932	1683	1431	1152	950	641	259
Mean Population, 1891-1900. Females	—	13,720	312	310	304	310	332	1568	1583	1463	1134	985	1853	1599	1386	1077	751	321
Deaths from All Causes, 1891-1900. Persons	19·66	5,263	932	225	84	65	46	1352	118	88	102	131	262	336	442	581	858	993
Deaths from All Causes, 1891-1900. Males	20·39	2,660	523	107	44	26	23	723	60	44	53	66	112	177	224	303	435	463
Deaths from All Causes, 1891-1900. Females	18·97	2,603	409	118	40	39	23	629	58	44	49	65	150	159	218	278	423	530

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·30	0·31	0·28	80	41	39	22	35	7	10	1	75	5	—	—	—	—	—	—	—	—
Scarlet Fever	0·09	0·05	0·12	23	6	17	1	4	2	4	6	17	3	3	—	—	—	—	—	—	—
Diphtheria	0·41	0·41	0·42	111	54	57	6	10	12	12	15	55	34	13	4	1	1	1	1	1	—
Whooping-cough	0·40	0·34	0·45	107	45	62	65	27	6	4	4	106	1	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·07	0·07	0·08	20	9	11	—	—	—	1	1	2	—	2	1	5	4	2	3	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·53	0·61	0·45	141	79	62	94	17	6	—	—	117	1	—	1	—	—	2	—	4	8
Cholera	0·01	—	0·02	3	—	3	1	—	—	—	—	1	—	—	—	—	—	—	—	1	1
Cancer	0·94	0·75	1·12	252	98	154	—	—	—	—	—	—	1	—	1	1	4	12	41	76	69
Tabes Mesenterica	0·24	0·25	0·23	65	33	32	40	10	2	2	1	55	1	3	—	2	1	3	—	—	—
Phthisis	1·75	1·49	1·99	467	194	273	2	1	—	—	1	4	8	11	39	54	107	79	87	53	22
Other Tub. & Scrof. Dis.	0·52	0·55	0·49	139	72	67	41	15	7	6	4	73	13	14	6	7	10	6	5	2	2
Diseases of Nervous System	3·32	3·99	2·68	888	520	368	107	14	6	3	2	132	11	8	11	26	40	119	111	119	144
Diseases of Circulatory "	1·55	1·59	1·52	415	207	208	1	—	1	—	—	2	5	2	7	5	17	19	46	80	133
Diseases of Respiratory "	2·62	2·84	2·41	702	371	331	116	54	18	16	9	213	9	4	6	9	15	23	47	81	140
Diseases of Digestive "	1·13	1·30	0·97	303	170	133	74	10	5	3	1	93	5	4	3	2	9	14	29	41	54
Diseases of Urinary "	0·51	0·56	0·46	136	73	63	1	4	—	—	—	5	—	1	1	1	4	8	23	43	35
Diseases of Generative "	0·04	0·01	0·07	11	1	10	—	—	—	—	—	—	—	—	—	—	3	1	2	—	1
Puerperal Fever	0·05	—	0·10	14	—	14	—	—	—	—	—	—	—	—	1	1	7	4	1	—	—
Childbirth	0·10	—	0·20	28	—	28	—	—	—	—	—	—	—	—	1	2	9	15	1	—	—
Violence	0·47	0·72	0·23	126	94	32	4	4	6	2	—	16	9	16	5	6	11	7	14	12	16
Other Causes	4·61	4·55	4·68	1232	593	639	357	20	6	2	1	386	12	7	15	9	20	21	31	67	233

Marriages		1,838
Births	Males 3,788	7,573
	Females 3,785	

Annual Rate per 1000 living { Persons Married .. 13·73; Births .. .. 28·29 }

Annual Births to 1000 Females aged 15—45 years = 136.

Deaths from Childbirth and Puerperal Fever .. .. } 5·55 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

173.—AMPTHILL.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·41			*111	—	—	—	—	36·04	3·26	2·09	3·32	4·83	5·92	7·03	9·82	21·28	53·91	154·15
Annual Death-Rate per 1000. Males ..	—			13·51			*128	—	—	—	—	39·88	2·78	1·64	2·55	5·03	5·86	7·13	11·12	23·06	53·98	150·17
Annual Death-Rate per 1000. Females	—			13·32			* 93	—	—	—	—	32·26	3·75	2·56	4·23	4·66	5·97	6·94	8·76	19·75	53·85	157·88
Mean Population, 1891–1900. Persons	—			23,227			516	518	532	499	521	2586	2698	2633	2107	1635	2855	2518	2271	1927	1395	602
Mean Population, 1891–1900. Males ..	—			11,184			253	251	274	249	257	1284	1365	1345	1137	755	1298	1150	1016	889	654	291
Mean Population, 1891–1900. Females	—			12,043			263	267	258	250	264	1302	1333	1288	970	880	1557	1368	1255	1038	741	311
Deaths from All Causes, 1891–1900. Persons	16·72			3,883			644	158	55	36	39	932	88	55	70	79	169	177	223	410	752	928
Deaths from All Causes, 1891–1900. Males ..	17·03			1,905			380	75	22	17	18	512	38	22	29	38	76	82	113	205	353	437
Deaths from All Causes, 1891–1900. Females	16·42			1,978			264	83	33	19	21	420	50	33	41	41	93	95	110	205	399	491
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·20	0·24	0·16	46	27	19	8	17	8	3	3	39	5	2	—	—	—	—	—	—	—	—
Scarlet Fever	0·08	0·10	0·07	19	11	8	—	4	2	2	3	11	2	2	3	1	—	—	—	—	—	—
Diphtheria	0·18	0·14	0·21	41	16	25	—	1	2	4	8	15	17	7	1	—	—	—	—	1	—	—
Whooping-cough ..	0·37	0·29	0·44	85	32	53	45	26	9	1	3	84	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·04	0·06	0·02	10	7	3	—	—	—	—	—	—	2	2	—	2	2	—	1	—	1	—
Simple Continued Fever	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Diarrhœa & Dysentery	0·31	0·29	0·32	71	32	39	40	4	—	—	—	44	1	—	—	1	—	1	1	1	7	15
Cholera	0·01	0·01	0·01	2	1	1	1	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—
Cancer	1·13	0·95	1·30	262	106	156	1	—	—	—	—	1	—	—	—	—	5	13	42	73	83	45
Tabes Mesenterica ..	0·08	0·08	0·08	19	9	10	7	4	—	—	—	11	3	1	1	—	3	—	—	—	—	—
Phthisis	0·99	0·96	1·02	230	107	123	3	5	—	1	—	9	1	10	20	35	59	52	23	14	7	—
Other Tub. & Scrof. Dis.	0·33	0·36	0·30	76	40	36	11	8	5	3	3	30	16	—	7	5	11	3	2	2	—	—
Diseases of Nervous System ..	2·31	2·33	2·30	537	260	277	82	12	5	3	4	106	7	7	8	4	10	13	30	76	150	126
Diseases of Circulatory " ..	2·25	2·15	2·34	522	240	282	5	—	—	—	—	5	4	5	6	4	7	15	36	85	196	159
Diseases of Respiratory " ..	2·45	2·58	2·33	569	288	281	104	50	15	8	8	185	10	4	3	6	16	16	21	64	112	132
Diseases of Digestive " ..	0·90	0·94	0·86	208	105	103	36	12	3	2	2	55	5	4	5	1	8	13	14	32	45	26
Diseases of Urinary " ..	0·41	0·58	0·25	95	65	30	2	3	—	—	—	5	1	2	1	—	3	6	5	16	27	29
Diseases of Generative " ..	0·06	0·01	0·11	14	1	13	—	—	—	—	—	—	—	—	—	—	3	1	1	3	3	3
Puerperal Fever.. ..	0·06	—	0·11	13	—	13	—	—	—	—	—	—	—	—	—	3	8	2	—	—	—	—
Childbirth..	0·06	—	0·12	14	—	14	—	—	—	—	—	—	—	—	—	1	8	5	—	—	—	—
Violence	0·44	0·63	0·26	101	70	31	10	1	2	4	3	20	4	3	6	3	8	14	8	9	15	11
OTHER CAUSES	4·06	4·32	3·81	948	487	461	289	11	4	5	2	311	9	6	9	13	18	23	38	33	106	382

Marriages 1,736

Births .. { Males .. 2,975 / Females 2,835 } 5,810

Annual Rate per 1000 living { Persons Married .. 14·95 / Births .. .. .. 25·01

Annual Births to 1000 Females aged 15—45 years = 122.

Deaths from Childbirth and Puerperal Fever .. .. } 4·65 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—On 1st October, 1899, the Registration District of WOBURN (174) was dissolved, part of it being added to AMPTHILL (173), and the remainder to LEIGHTON BUZZARD (175). The Marriages, Births and Deaths registered in WOBURN from 1st January, 1891, to 30th September, 1899, are included in the figures given above for AMPTHILL. The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

175.—LEIGHTON BUZZARD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.	14·57		*127	—	—	—	—	42·45	3·87	2·02	3·22	4·04	6·11	7·29	12·46	23·58	52·99	158·77
Annual Death-Rate per 1000. Males ..	—				15·44		*150	—	—	—	—	49·29	3·10	2·15	2·85	4·31	6·50	7·18	13·47	24·17	58·79	168·18
Annual Death-Rate per 1000. Females	—				13·75		*103	—	—	—	—	35·62	4·61	1·88	3·61	3·79	5·79	7·38	11·61	23·05	48·13	151·06
Mean Population, 1891–1900. Persons	—			18,067			423	403	432	414	427	2099	2172	2033	1710	1411	2421	2045	1717	1281	836	342
Mean Population, 1891–1900. Males ..	—			8,664			215	199	210	217	208	1049	1066	1021	878	673	1108	947	787	600	381	154
Mean Population, 1891–1900. Females	—			9,403			208	204	222	197	219	1050	1106	1012	832	738	1313	1098	930	681	455	188
Deaths from All Causes, 1891–1900. Persons	16·20			2,927			603	153	62	39	34	891	84	41	55	57	148	149	214	302	443	543
Deaths from All Causes, 1891–1900. Males ..	17·31			1,500			361	86	31	17	22	517	33	22	25	29	72	68	106	145	224	259
Deaths from All Causes, 1891–1900. Females	15·18			1,427			242	67	31	22	12	374	51	19	30	28	76	81	108	157	219	284
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·18	0·20	0·17	33	17	16	5	13	1	6	1	26	6	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·09	0·08	0·11	17	7	10	2	1	5	1	4	13	4	—	—	—	—	—	—	—	—	—
Diphtheria	0·33	0·31	0·35	60	27	33	—	6	8	8	7	29	23	6	—	1	1	—	—	—	—	—
Whooping-cough ..	0·25	0·24	0·26	45	21	24	25	14	2	3	1	45	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·22	0·18	0·26	40	16	24	—	—	—	—	1	1	3	1	8	5	5	4	7	2	3	1
Simple Continued Fever	0·01	0·02	—	2	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
Diarrhœa & Dysentery	0·39	0·44	0·35	71	38	33	37	5	2	—	—	44	1	—	—	—	—	—	2	2	2	20
Cholera	0·01	—	0·02	2	—	2	1	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—
Cancer	0·63	0·52	0·73	114	45	69	—	—	—	—	—	—	—	—	—	1	3	5	16	44	26	19
Tabes Mesenterica ..	0·48	0·54	0·41	86	47	39	67	8	2	—	—	77	2	2	1	1	1	—	1	1	—	—
Phthisis	1·02	1·07	0·98	185	93	92	1	1	—	—	—	2	—	3	16	14	53	37	35	18	6	1
Other Tub. & Scrof. Dis.	0·54	0·60	0·48	97	52	45	21	19	11	3	2	56	9	2	1	5	7	3	4	6	3	1
Diseases of Nervous System ..	1·99	2·02	1·97	360	175	185	57	12	4	3	3	79	3	3	3	4	8	18	24	41	93	84
Diseases of Circulatory " ..	1·67	1·54	1·80	302	133	169	2	—	—	—	—	2	4	4	3	7	6	18	37	67	92	62
Diseases of Respiratory " ..	2·73	3·05	2·44	493	264	229	88	55	20	12	10	185	16	5	4	1	12	12	25	43	74	116
Diseases of Digestive " ..	1·02	1·17	0·89	185	101	84	37	4	2	1	—	44	3	3	7	1	5	12	18	31	35	26
Diseases of Urinary " ..	0·43	0·57	0·30	77	49	28	1	1	—	—	1	3	2	—	3	1	9	3	9	8	23	16
Diseases of Generative " ..	0·02	0·01	0·02	3	1	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	2	—
Puerperal Fever ..	0·07	—	0·13	12	—	12	—	—	—	—	—	—	—	—	—	2	5	4	1	—	—	—
Childbirth	0·07	—	0·14	13	—	13	—	—	—	—	—	—	—	—	1	2	6	4	—	—	—	—
Violence	0·49	0·77	0·23	89	67	22	7	3	2	1	2	15	4	6	3	4	8	9	8	11	15	6
OTHER CAUSES	3·56	3·98	3·14	641	345	296	252	11	2	1	2	268	3	5	5	8	19	19	27	28	68	191

Marriages 1,220

Births .. Males .. 2,409; Females 2,353 — 4,762

Annual Rate per 1000 living: Persons Married .. 13·51; Births .. .. .. 26·36

Annual Births to 1000 Females aged 15—45 years = 120.

Deaths from Childbirth and Puerperal Fever .. .. 5·25 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables. *See also* "NOTE" on preceding page.

176.—LUTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		15·34	*142	—	—	—	—	48·04	3·35	2·04	2·65	3·61	5·18	7·51	13·12	25·51	57·75	158·62
Annual Death-Rate per 1000. Males ..	—					16·22	*155	—	—	—	—	52·34	3·24	1·82	2·58	3·72	5·81	8·57	14·82	28·25	61·89	168·48
Annual Death-Rate per 1000. Females	—					14·52	*128	—	—	—	—	43·70	3·46	2·25	2·71	3·53	4·70	6·70	11·82	23·47	54·73	151·97
Mean Population, 1891–1900. Persons	—			47,844			1165	1105	1098	1121	1086	5575	5399	5255	4940	4382	7102	5590	4214	2995	1754	638
Mean Population, 1891–1900. Males ..	—			21,735			587	553	559	533	567	2799	2685	2585	2250	1802	3082	2428	1829	1278	740	257
Mean Population, 1891–1900. Females	—			26,109			578	552	539	588	519	2776	2714	2670	2690	2580	4020	3162	2385	1717	1014	381
Deaths from All Causes, 1891–1900. Persons	15·44			7,385			1911	397	167	116	87	2678	181	107	131	158	368	420	553	764	1013	1012
Deaths from All Causes, 1891–1900. Males ..	16·72			3,634			1067	204	81	68	45	1465	87	47	58	67	179	208	271	361	458	433
Deaths from All Causes, 1891–1900. Females	14·37			3,751			844	193	86	48	42	1213	94	60	73	91	189	212	282	403	555	579
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·00	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Measles	0·25	0·24	0·25	119	53	66	26	43	16	14	9	108	7	4	—	—	—	—	—	—	—	—
Scarlet Fever	0·11	0·10	0·13	55	22	33	—	10	11	10	4	35	10	6	3	—	—	1	—	—	—	—
Diphtheria	0·18	0·21	0·15	86	46	40	2	9	14	19	14	58	25	2	—	—	1	—	—	—	—	—
Whooping-cough ..	0·26	0·27	0·25	122	58	64	68	25	14	5	5	117	4	—	1	—	—	—	—	—	—	—
Typhus	0·00	—	0·00	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Enteric Fever	0·11	0·10	0·12	53	22	31	—	—	2	1	1	4	3	7	10	6	16	4	1	2	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·73	0·81	0·65	347	177	170	279	32	6	—	—	317	2	—	—	—	—	3	1	6	7	11
Cholera	0·01	0·02	0·00	5	4	1	1	—	1	—	—	2	1	—	—	—	—	—	2	—	—	—
Cancer	0·76	0·52	0·97	364	112	252	—	1	1	1	—	3	1	1	1	3	10	35	64	112	101	33
Tabes Mesenterica ..	0·14	0·17	0·10	65	38	27	40	4	3	—	—	47	2	4	2	3	4	1	2	—	—	—
Phthisis	1·16	1·33	1·02	554	288	266	4	5	1	1	2	13	7	8	51	63	144	108	84	54	16	6
Other Tub. & Scrof. Dis.	0·34	0·44	0·26	163	96	67	38	24	16	6	8	92	23	12	7	7	5	9	1	4	3	—
Diseases of Nervous System ..	1·80	2·02	1·62	862	438	424	208	38	8	9	9	272	11	13	8	4	19	33	62	127	191	122
Diseases of Circulatory " ..	1·59	1·56	1·62	760	338	422	4	2	—	—	1	7	17	9	10	19	42	56	105	182	235	78
Diseases of Respiratory " ..	2·34	2·56	2·15	1117	556	561	266	137	50	33	27	513	27	4	9	9	22	40	67	115	154	157
Diseases of Digestive " ..	0·91	1·05	0·79	436	229	207	167	22	4	4	2	199	17	10	9	4	14	18	50	52	40	23
Diseases of Urinary " ..	0·30	0·41	0·20	142	90	52	—	—	—	2	—	2	3	3	3	4	11	17	24	21	27	27
Diseases of Generative " ..	0·05	—	0·09	24	—	24	—	1	—	—	—	1	—	1	1	1	2	8	2	4	2	2
Puerperal Fever	0·05	—	0·08	22	—	22	—	—	—	—	—	—	—	—	—	5	7	10	—	—	—	—
Childbirth	0·05	—	0·10	26	—	26	—	—	—	—	—	—	—	—	—	3	13	10	—	—	—	—
Violence	0·32	0·52	0·16	154	113	41	18	5	9	4	1	37	8	3	7	12	17	20	18	13	11	8
OTHER CAUSES	3·98	4·39	3·66	1907	953	954	790	39	11	7	4	851	12	20	9	15	41	47	70	71	226	545

Marriages 3,579

Births .. Males .. 6,899, Females 6,574 } 13,473

Annual Rate per 1000 living { Persons Married .. 14·96; Births .. .. .. 28·16

Annual Births to 1000 Females aged 15—45 years = 108.

Deaths from Childbirth and Puerperal Fever .. .. } 3·56 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

177.—CAXTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.	11·74		* 97	—	—	—	—	29·91	2·89	1·62	2·36	5·05	5·27	6·62	8·65	18·67	47·52	142·86
Annual Death-Rate per 1000. Males	—				11·58		*106	—	—	—	—	31·77	3·52	2·02	1·49	4·71	4·92	4·65	9·91	18·85	47·15	156·14
Annual Death-Rate per 1000. Females	—				11·89		* 86	—	—	—	—	28·04	2·31	1·18	3·57	5·47	5·62	8·56	7·42	18·50	47·89	132·41
Mean Population, 1891–1900. Persons	—			8,949			210	198	201	198	216	1023	1074	1051	805	614	1006	952	902	739	524	259
Mean Population, 1891–1900. Males	—			4,546			105	98	101	99	110	513	512	544	469	340	508	473	444	366	263	114
Mean Population, 1891–1900. Females	—			4,403			105	100	100	99	106	510	562	507	336	274	498	479	458	373	261	145
Deaths from All Causes, 1891–1900. Persons	15·14			1,355			211	56	22	7	10	306	31	17	19	31	53	63	78	138	249	370
Deaths from All Causes, 1891–1900. Males	14·89			677			120	27	9	2	5	163	18	11	7	16	25	22	44	69	124	178
Deaths from All Causes, 1891–1900. Females	15·40			678			91	29	13	5	5	143	13	6	12	15	28	41	34	69	125	192
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·18	0·18	0·18	16	8	8	4	8	1	—	—	13	1	—	—	1	1	—	—	—	—	—
Scarlet Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria	0·17	0·11	0·23	15	5	10	2	1	3	—	1	7	5	2	—	1	—	—	—	—	—	—
Whooping-cough	0·23	0·22	0·25	21	10	11	6	10	—	—	2	18	2	—	—	—	—	—	—	—	—	1
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·07	0·07	0·07	6	3	3	—	—	—	—	1	1	—	—	—	—	—	1	3	—	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·19	0·18	0·20	17	8	9	10	2	—	—	—	12	—	—	—	1	—	—	—	—	—	4
Cholera	0·03	0·07	—	3	3	—	—	2	—	—	—	2	—	—	—	—	—	—	1	—	—	—
Cancer	0·73	0·48	0·98	65	22	43	—	—	—	—	—	—	—	—	—	—	1	2	10	26	16	10
Tabes Mesenterica	0·16	0·09	0·23	14	4	10	7	1	2	1	—	11	1	—	—	—	—	1	—	—	—	1
Phthisis	0·96	0·86	1·07	86	39	47	1	—	—	—	—	1	1	2	8	17	18	18	8	8	4	1
Other Tub. & Scrof. Dis.	0·26	0·24	0·27	23	11	12	6	2	1	—	—	9	6	1	1	2	2	—	—	1	1	—
Diseases of Nervous System	1·63	1·45	1·82	146	66	80	15	8	1	—	1	25	2	2	2	—	1	4	9	16	44	41
Diseases of Circulatory "	1·79	1·91	1·66	160	87	73	1	—	—	—	1	2	1	2	1	2	2	6	15	25	53	51
Diseases of Respiratory "	1·87	2·05	1·68	167	93	74	30	10	6	3	4	53	5	2	—	1	4	3	10	17	37	35
Diseases of Digestive "	0·82	0·99	0·64	73	45	28	21	4	2	1	—	28	—	1	—	1	2	2	7	9	17	6
Diseases of Urinary "	0·29	0·40	0·18	26	18	8	1	—	—	—	—	1	—	—	—	1	—	2	2	6	10	4
Diseases of Generative "	0·07	0·04	0·09	6	2	4	2	—	—	—	—	2	—	—	—	—	1	3	—	—	—	—
Puerperal Fever	0·06	—	0·11	5	—	5	—	—	—	—	—	—	—	—	—	1	4	—	—	—	—	—
Childbirth	0·11	—	0·23	10	—	10	—	—	—	—	—	—	—	—	—	—	5	5	—	—	—	—
Violence	0·49	0·70	0·27	44	32	12	4	3	1	1	—	9	2	2	1	1	5	5	5	4	5	5
Other Causes	5·03	4·85	5·24	452	221	231	101	5	5	1	—	112	5	3	6	2	7	11	8	26	61	211

Marriages 529

Births .. Males .. 1,130 / Females 1,055 } 2,185

Annual Rate per 1000 living { Persons Married .. 11·82 / Births .. .. .. 24·42

Annual Births to 1000 Females aged 15—45 years = 138.

Deaths from Childbirth and Puerperal Fever .. .. } 6·86 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

178.—CHESTERTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·09			*107	—	—	—	—	33·64	2·77	1·87	3·56	4·73	4·81	7·82	11·80	22·63	52·06	150·32
Annual Death-Rate per 1000. Males	—			13·92			*123	—	—	—	—	38·77	3·12	1·35	3·24	5·39	4·45	9·23	12·40	24·61	58·58	155·13
Annual Death-Rate per 1000. Females	—			12·32			* 89	—	—	—	—	28·53	2·42	2·40	3·92	4·17	5·12	6·53	11·23	20·86	46·64	146·64
Mean Population, 1891-1900. Persons	—			32,017			688	708	707	733	701	3537	3641	3482	3030	2432	4388	3695	3144	2302	1579	787
Mean Population, 1891-1900. Males	—			15,560			347	350	369	353	348	1767	1825	1776	1575	1114	2066	1766	1524	1089	717	341
Mean Population, 1891-1900. Females	—			16,457			341	358	338	380	353	1770	1816	1706	1455	1318	2322	1929	1620	1213	862	446
Deaths from All Causes, 1891-1900. Persons	15·54			4,976			860	190	65	37	38	1190	101	65	108	115	211	289	371	521	822	1183
Deaths from All Causes, 1891-1900. Males	16·31			2,538			516	105	27	17	20	685	57	24	51	60	92	163	189	268	420	529
Deaths from All Causes, 1891-1900. Females	14·81			2,438			344	85	38	20	18	505	44	41	57	55	119	126	182	253	402	654
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·14	0·16	0·13	46	25	21	9	20	9	3	3	44	2	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·05	0·03	0·06	15	5	10	—	—	2	2	—	4	5	3	2	—	—	1	—	—	—	—
Diphtheria	0·16	0·16	0·16	51	25	26	3	2	3	8	4	20	21	8	—	—	—	1	—	—	—	1
Whooping-cough	0·30	0·28	0·32	97	44	53	48	32	8	3	3	94	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·07	0·05	0·10	24	8	16	—	—	—	—	—	—	1	2	4	7	3	2	2	1	2	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·42	0·51	0·33	134	80	54	77	10	1	1	—	89	1	—	—	—	2	—	2	2	11	27
Cholera	0·01	0·02	0·01	4	3	1	—	—	—	—	—	—	—	—	—	—	—	1	1	2	—	—
Cancer	0·93	0·79	1·06	298	123	175	—	—	—	—	—	—	—	—	—	1	5	17	55	89	78	53
Tabes Mesenterica	0·08	0·11	0·05	25	17	8	14	3	1	—	—	18	4	1	—	2	—	—	—	—	—	—
Phthisis	1·44	1·65	1·24	460	256	204	6	3	1	1	1	12	7	10	47	65	86	92	67	48	20	6
Other Tub. & Scrof. Dis.	0·33	0·36	0·30	106	56	50	33	15	3	4	5	60	14	10	6	3	6	3	3	1	—	—
Diseases of Nervous System	1·87	2·03	1·71	598	316	282	68	12	7	2	4	93	10	1	7	9	21	36	62	91	132	136
Diseases of Circulatory "	1·72	1·74	1·70	550	270	280	6	—	—	—	—	6	2	3	7	3	16	23	50	82	184	174
Diseases of Respiratory "	2·17	2·26	2·09	694	351	343	143	54	18	6	12	233	11	5	8	4	13	23	21	42	139	195
Diseases of Digestive "	0·96	1·09	0·83	306	169	137	89	21	1	2	1	114	8	4	3	3	6	8	26	38	50	46
Diseases of Urinary "	0·43	0·62	0·26	139	96	43	3	1	—	—	—	4	1	1	1	—	4	9	16	30	39	34
Diseases of Generative "	0·04	—	0·09	14	—	14	—	—	—	—	—	—	—	—	—	—	2	3	2	2	2	3
Puerperal Fever	0·05	—	0·09	15	—	15	—	—	—	—	—	—	—	—	—	1	8	6	—	—	—	—
Childbirth	0·06	—	0·12	19	—	19	—	—	—	—	—	—	—	—	2	2	7	7	1	—	—	—
Violence	0·42	0·62	0·22	134	97	37	21	2	2	1	—	26	4	5	6	4	9	14	11	19	10	26
Other Causes	3·89	3·83	3·94	1247	597	650	340	15	9	4	5	373	7	12	15	11	23	43	52	74	155	482

Marriages 2,103

Births .. Males .. 4,184 / Females 3,878 } 8,062

Annual Rate per 1000 living { Persons Married .. 13·14 / Births .. .. .. 25·13

Annual Births to 1000 Females aged 15—45 years = 115.

Deaths from Childbirth and Puerperal Fever .. .. } 4·22 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

179.—CAMBRIDGE.

Causes of Death.	Crude Death-Rate per 1900.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 16·44	*143	—	—	—	—	46·11	3·23	2·34	3·82	4·74	6·15	10·54	15·42	31·43	60·08	148·55
Annual Death-Rate per 1000. Males	—	In Standard Population. 18·33	*166	—	—	—	—	52·07	3·20	2·57	3·73	6·43	7·47	12·52	18·58	37·04	71·87	155·32
Annual Death-Rate per 1000. Females	—	In Standard Population. 14·67	*120	—	—	—	—	40·14	3·27	2·12	3·90	3·47	5·13	8·95	12·90	27·43	52·60	144·79
Mean Population, 1891-1900. Persons	—	37,619	828	736	777	794	782	3917	3865	4098	4185	3569	5592	4518	3490	2310	1418	657
Mean Population, 1891-1900. Males	—	17,037	418	376	376	392	397	1959	1908	2024	1876	1523	2451	2004	1545	961	551	235
Mean Population, 1891-1900. Females	—	20,582	410	360	401	402	385	1958	1957	2074	2309	2046	3141	2514	1945	1349	867	422
Deaths from All Causes, 1891-1900. Persons	16·66	6,268	1334	240	118	65	49	1806	125	96	160	169	344	476	538	726	852	976
Deaths from All Causes, 1891-1900. Males	18·42	3,139	772	125	65	38	20	1020	61	52	70	98	183	251	287	356	396	365
Deaths from All Causes, 1891-1900. Females	15·20	3,129	562	115	53	27	29	786	64	44	90	71	161	225	251	370	456	611

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·17	0·18	0·16	64	31	33	17	17	13	7	5	59	3	—	—	—	2	—	—	—	—	—
Scarlet Fever	0·04	0·03	0·05	16	5	11	1	1	2	2	1	7	4	3	—	2	—	—	—	—	—	—
Diphtheria	0·10	0·12	0·08	37	21	16	1	3	3	8	4	19	12	4	1	1	—	—	—	—	—	—
Whooping-cough	0·32	0·31	0·34	121	52	69	59	23	22	8	4	116	4	1	—	—	—	—	—	—	—	—
Typhus	0·00	—	0·00	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Enteric Fever	0·18	0·20	0·17	68	34	34	—	—	—	—	1	1	2	10	15	10	11	10	6	2	—	1
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·65	0·80	0·53	246	137	109	190	25	5	2	—	222	1	—	—	1	—	—	1	3	5	13
Cholera	0·01	0·02	0·00	4	3	1	3	—	—	—	—	3	—	—	—	—	—	—	—	1	—	—
Cancer	1·29	1·16	1·40	485	197	288	1	2	—	—	1	4	—	1	6	4	9	63	79	147	123	49
Tabes Mesenterica	0·11	0·13	0·10	43	22	21	11	3	2	1	3	20	5	3	4	4	2	2	2	1	—	—
Phthisis	1·51	1·96	1·13	567	334	233	9	3	6	2	—	20	8	8	46	56	126	135	91	58	16	3
Other Tub. & Scrof. Dis.	0·35	0·49	0·23	131	83	48	28	15	11	6	6	66	18	6	4	8	16	5	4	3	1	—
Diseases of Nervous System	1·50	1·56	1·46	566	266	300	93	19	5	4	5	126	6	3	8	10	17	25	45	77	125	124
Diseases of Circulatory "	1·69	1·57	1·79	636	268	368	5	1	2	—	1	9	8	13	20	11	25	53	86	110	163	138
Diseases of Respiratory "	2·66	2·85	2·55	1009	485	524	233	77	31	18	7	366	10	4	5	4	27	38	42	120	177	216
Diseases of Digestive "	1·28	1·57	1·03	480	268	212	138	32	6	4	6	186	8	10	15	10	25	32	51	53	45	45
Diseases of Urinary "	0·68	0·90	0·50	255	153	102	3	1	—	—	—	4	2	3	4	4	11	35	40	52	59	41
Diseases of Generative "	0·04	—	0·07	15	—	15	—	—	—	—	—	—	—	—	1	1	2	3	4	2	1	1
Puerperal Fever	0·04	—	0·08	16	—	16	—	—	—	—	—	—	—	—	—	2	9	5	—	—	—	—
Childbirth	0·06	—	0·10	21	—	21	—	—	—	—	—	—	—	—	3	4	6	8	—	—	—	—
Violence	0·63	0·97	0·35	237	165	72	35	3	7	1	4	50	18	10	8	15	22	21	26	27	23	17
Other Causes	3·35	3·60	3·08	1250	615	635	507	15	3	2	1	528	16	17	20	22	34	41	61	69	114	328

Marriages 2,630

Births .. { Males .. 4,663 / Females 4,683 } 9,346

Annual Rate per 1000 living { Persons Married .. 13·98 / Births .. .. .. 24·84 }

Annual Births to 1000 Females aged 15—45 years = 93.

Deaths from Childbirth and Puerperal Fever .. .. } 3·96 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

180.—LINTON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·24			* 99	—	—	—	—	31·28	3·98	2·33	4·26	4·35	4·25	7·16	9·23	19·85	51·42	134·55
Annual Death-Rate per 1000. Males ..	—			12·73			*108	—	—	—	—	34·04	4·41	2·41	3·63	3·66	4·17	7·99	10·09	20·00	57·43	148·98
Annual Death-Rate per 1000. Females	—			11·78			* 90	—	—	—	—	28·36	3·52	2·24	5·08	4·98	4·33	6·37	8·44	19·70	46·13	124·40
Mean Population, 1891-1900. Persons	—			12,058			269	266	270	280	293	1378	1458	1461	1126	805	1458	1313	1149	922	632	356
Mean Population, 1891-1900. Males ..	—			6,003			138	140	141	142	147	708	748	748	634	383	696	638	545	460	296	147
Mean Population, 1891-1900. Females	—			6,055			131	126	129	138	146	670	710	713	492	422	762	675	604	462	336	209
Deaths from All Causes, 1891-1900. Persons	15·38			1,855			301	66	33	14	17	431	58	34	48	35	62	94	106	183	325	479
Deaths from All Causes, 1891-1900. Males ..	15·74			945			169	34	22	8	8	241	33	18	23	14	29	51	55	92	170	219
Deaths from All Causes, 1891-1900. Females	15·03			910			132	32	11	6	9	190	25	16	25	21	33	43	51	91	155	260
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·27	0·35	0·18	32	21	11	4	9	9	—	2	24	7	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·06	0·03	0·07	6	2	4	—	—	1	—	1	2	1	—	1	—	1	—	1	—	—	—
Diphtheria	0·15	0·18	0·12	18	11	7	—	3	2	1	2	8	4	3	2	—	—	—	1	—	—	—
Whooping-cough ..	0·42	0·50	0·35	51	30	21	26	13	3	3	2	47	4	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·17	0·20	0·13	20	12	8	1	—	—	1	1	3	1	3	4	—	2	1	2	3	1	—
Simple Continued Fever	0·02	0·02	0·02	2	1	1	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
Diarrhœa & Dysentery	0·16	0·18	0·13	19	11	8	10	3	1	—	—	14	—	—	—	—	—	1	2	—	—	2
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·88	0·60	1·16	106	36	70	—	—	—	1	—	1	1	—	—	—	1	5	15	27	35	21
Tabes Mesenterica ..	0·12	0·08	0·17	15	5	10	7	3	—	—	1	11	—	2	1	—	1	—	—	—	—	—
Phthisis	0·95	0·97	0·94	115	58	57	1	2	—	—	—	3	3	3	22	18	19	25	9	12	—	1
Other Tub. & Scrof. Dis.	0·16	0·15	0·17	19	9	10	4	1	3	—	1	9	3	2	1	1	—	1	1	—	1	—
Diseases of Nervous System ..	1·49	1·45	1·54	180	87	93	22	5	3	1	3	34	8	3	2	—	2	13	12	24	44	38
Diseases of Circulatory " ..	1·91	2·05	1·77	230	123	107	2	1	—	1	—	4	7	3	3	3	4	9	15	38	83	61
Diseases of Respiratory " ..	1·71	1·82	1·60	206	109	97	38	7	5	3	3	56	8	—	1	2	4	5	9	23	42	56
Diseases of Digestive " ..	0·79	0·85	0·73	95	51	44	18	9	—	—	—	27	3	3	—	4	3	4	10	14	18	9
Diseases of Urinary " ..	0·37	0·58	0·17	45	35	10	—	—	1	—	—	1	2	1	2	—	1	3	1	6	19	9
Diseases of Generative " ..	0·02	—	0·03	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—
Puerperal Fever ..	0·04	—	0·08	5	—	5	—	—	—	—	—	—	—	—	—	—	4	1	—	—	—	—
Childbirth	0·10	—	0·20	12	—	12	—	—	—	—	—	—	—	—	1	2	3	4	2	—	—	—
Violence	0·46	0·67	0·25	55	40	15	8	3	2	2	1	16	2	5	3	—	8	3	6	4	3	5
OTHER CAUSES.. ..	5·14	5·06	5·22	622	304	318	160	7	3	1	--	171	3	5	5	5	9	19	18	31	79	277

Marriages 751

Births .. { Males .. 1,571 / Females 1,474 } 3,045

Annual Rate per 1000 living { Persons Married .. 12·46 / Births .. .. .. 25·25 }

Annual Births to 1000 Females aged 15—45 years = 130.

Deaths from Childbirth and Puerperal Fever .. .. } 5·58 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

181.—NEWMARKET.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 14·02	*128	—	—	—	—	41·64	3·14	1·98	3·03	4·47	5·84	8·79	12·00	19·41	50·46	147·23
Annual Death-Rate per 1000. Males	—	14·75	*142	—	—	—	—	46·83	2·77	1·41	2·66	3·98	5·48	10·30	13·56	20·62	56·14	154·39
Annual Death-Rate per 1000. Females	—	13·33	*113	—	—	—	—	36·44	3·52	2·57	3·54	4·99	6·22	7·24	10·45	18·29	45·36	141·79
Mean Population, 1891-1900. Persons	—	31,194	814	707	761	757	741	3780	3602	3440	3000	2508	4332	3516	2776	2143	1411	686
Mean Population, 1891-1900. Males	—	15,914	404	366	374	371	377	1892	1839	1769	1730	1306	2226	1776	1379	1033	668	296
Mean Population, 1891-1900. Females	—	15,280	410	341	387	386	364	1888	1763	1671	1270	1202	2106	1740	1397	1110	743	390
Deaths from All Causes, 1891-1900. Persons	16·00	4,991	1149	220	83	65	57	1574	113	68	91	112	253	309	333	416	712	1010
Deaths from All Causes, 1891-1900. Males	16·32	2,597	661	117	42	33	33	886	51	25	46	52	122	183	187	213	375	457
Deaths from All Causes, 1891-1900. Females	15·67	2,394	488	103	41	32	24	688	62	43	45	60	131	126	146	203	337	553

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.													
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·12	0·10	0·14	38	16	22	11	14	5	3	—	33	3	1	—	—	—	—	—	—	1
Scarlet Fever	0·03	0·03	0·04	10	4	6	—	2	1	3	1	7	2	—	—	1	—	—	—	—	—
Diphtheria	0·17	0·15	0·19	53	24	29	1	—	7	8	6	22	22	4	1	—	—	1	1	2	—
Whooping-cough	0·26	0·22	0·31	82	35	47	42	23	9	3	4	81	—	1	—	—	—	—	—	—	—
Typhus	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Enteric Fever	0·08	0·09	0·07	26	15	11	—	—	—	—	—	—	2	3	3	1	6	6	2	2	1	—
Simple Continued Fever	0·00	—	0·01	1	—	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·36	0·39	0·33	112	62	50	80	10	—	1	—	91	—	—	—	1	2	—	—	2	12	4
Cholera	0·01	0·03	—	4	4	—	1	1	1	—	—	3	—	—	—	—	1	—	—	—	—	—
Cancer	0·85	0·69	1·03	266	109	157	—	—	—	1	—	1	—	—	1	2	3	13	50	69	88	39
Tabes Mesenterica	0·34	0·30	0·38	105	47	58	60	18	4	2	1	85	3	5	1	2	5	1	2	—	1	—
Phthisis	1·54	1·79	1·28	480	285	195	14	3	2	2	2	23	12	11	36	49	102	109	63	48	26	1
Other Tub. & Scrof. Dis.	0·29	0·33	0·25	90	52	38	21	10	7	3	3	44	13	10	1	3	7	8	1	3	—	—
Diseases of Nervous System	1·58	1·63	1·53	494	260	234	97	14	7	8	7	133	13	3	10	6	15	20	31	51	105	107
Diseases of Circulatory „	1·75	1·69	1·81	545	269	276	4	—	3	—	1	8	5	7	9	4	18	25	47	86	165	171
Diseases of Respiratory „	2·33	2·38	2·27	726	379	347	223	81	23	14	21	362	12	4	4	10	13	23	37	37	96	128
Diseases of Digestive „	0·99	0·89	1·09	308	142	166	81	12	3	5	4	105	7	7	6	7	14	22	32	37	39	32
Diseases of Urinary „	0·44	0·57	0·29	136	91	45	2	1	—	2	—	5	1	—	—	1	4	10	13	26	30	46
Diseases of Generative „	0·02	0·01	0·04	7	1	6	—	—	—	1	—	1	—	—	—	—	1	1	1	1	2	—
Puerperal Fever	0·03	—	0·07	10	—	10	—	—	—	—	—	—	—	—	—	2	4	4	—	—	—	—
Childbirth	0·08	—	0·16	25	—	25	—	—	—	—	—	—	—	—	1	4	10	10	—	—	—	—
Violence	0·43	0·57	0·27	133	91	42	10	3	4	8	5	30	6	6	9	6	19	16	11	12	6	12
OTHER CAUSES	4·30	4·45	4·11	1339	710	629	502	28	7	1	1	539	12	6	9	12	29	40	42	40	141	469

Marriages 2,009

Births .. { Males .. 4,642 / Females 4,318 } 8,960

Annual Rate per 1000 living { Persons Married .. 12·88 / Births .. .. .. 28·72

Annual Births to 1000 Females aged 15—45 years = 142.

Deaths from Childbirth and Puerperal Fever .. .. } 3·91 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

182.—ELY.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·92			*106	—	—	—	—	34·94	2·62	2·36	4·53	5·58	6·35	6·94	10·02	18·99	49·06	135·83
Males ..	—			13·06			*118	—	—	—	—	39·67	1·95	1·46	4·38	4·84	5·45	6·85	10·49	20·41	50·58	144·07
Females	—			12·80			* 92	—	—	—	—	30·22	3·33	3·29	4·71	6·24	7·22	7·03	9·57	17·64	47·64	128·52
Mean Population, 1891-1900. Persons	—			20,468			448	454	447	458	500	2307	2402	2289	2029	1596	2615	2204	1876	1511	1064	575
Males ..	—			10,200			233	229	226	224	240	1152	1231	1166	1074	763	1285	1080	925	740	514	270
Females	—			10,268			215	225	221	234	260	1155	1171	1123	955	833	1330	1124	951	771	550	305
Deaths from All Causes, 1891-1900. Persons	15·64			3,201			572	137	50	27	20	806	63	54	92	89	166	153	188	287	522	781
Males ..	15·91			1,623			333	81	19	14	10	457	24	17	47	37	70	74	97	151	260	389
Females	15·37			1,578			239	56	31	13	10	349	39	37	45	52	96	79	91	136	262	392
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·10	0·10	0·10	20	10	10	3	8	4	2	2	19	1	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·06	0·06	0·07	13	6	7	—	1	2	2	2	7	2	2	—	1	—	—	1	—	—	—
Diphtheria	0·11	0·10	0·12	22	10	12	1	2	3	1	—	7	9	3	3	—	—	—	—	—	—	—
Whooping-cough ..	0·23	0·28	0·18	47	29	18	23	15	5	2	1	46	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·14	0·12	0·17	29	12	17	—	—	—	1	1	2	4	1	8	4	4	4	1	1	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·17	0·16	0·18	34	16	18	17	4	1	—	—	22	—	—	—	—	2	—	2	2	—	6
Cholera	0·02	0·04	0·01	5	4	1	1	—	—	—	—	1	—	—	—	—	—	1	—	2	1	—
Cancer	0·99	0·91	1·06	202	93	109	—	—	—	—	—	—	—	1	—	—	3	14	31	46	70	37
Tabes Mesenterica ..	0·17	0·20	0·15	35	20	15	20	4	1	—	—	25	1	2	3	2	—	1	—	1	—	—
Phthisis	1·47	1·39	1·55	301	142	159	7	6	1	1	1	16	5	17	43	46	71	44	25	16	13	5
Other Tub. & Scrof. Dis.	0·25	0·25	0·25	52	26	26	9	12	5	1	1	28	6	4	1	1	5	3	1	—	1	2
Diseases of Nervous System ..	1·57	1·68	1·47	322	171	151	47	15	5	2	3	72	4	7	3	3	7	9	19	41	75	82
Circulatory " ..	1·94	1·86	2·02	397	190	207	1	1	1	—	—	3	4	1	5	4	16	17	26	61	114	146
Respiratory " ..	2·22	2·17	2·28	455	221	234	95	35	13	9	7	159	16	1	5	5	8	10	26	35	82	108
Digestive " ..	0·95	0·96	0·94	194	98	96	51	12	2	1	—	66	1	2	5	5	7	13	20	19	26	30
Urinary " ..	0·52	0·57	0·47	106	58	48	2	—	—	—	—	2	1	—	—	5	5	5	8	16	39	25
Generative " ..	0·01	—	0·02	2	—	2	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—
Puerperal Fever ..	0·02	—	0·05	5	—	5	—	—	—	—	—	—	—	—	—	1	3	1	—	—	—	—
Childbirth	0·07	—	0·14	14	—	14	—	—	—	—	—	—	—	—	2	1	10	—	1	—	—	—
Violence	0·60	0·86	0·33	122	88	34	8	8	5	4	1	26	5	6	9	6	10	10	13	8	14	15
OTHER CAUSES.. ..	4·03	4·20	3·81	824	429	395	287	14	2	1	1	305	3	7	5	5	15	20	14	38	87	325

Marriages 1,386

Births .. { Males .. 2,822 / Females 2,584 } 5,406

Annual Rate per 1000 living { Persons Married .. 13·54 / Births .. .. .. 26·41

Annual Births to 1000 Females aged 15—45 years = 127.

Deaths from Childbirth and Puerperal Fever .. .. } 3·51 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

183.—NORTH WITCHFORD.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 14·03	*130	—	—	—	—	45·61	3·66	2·50	3·48	4·88	4·99	5·66	10·37	21·92	49·62	137·31
Males ..	—	15·00	*151	—	—	—	—	52·30	3·84	1·59	2·82	4·24	4·52	4·90	12·40	25·13	53·28	164·91
Females	—	13·12	*109	—	—	—	—	39·17	3·48	3·37	4·23	5·53	5·47	6·46	8·30	18·83	46·27	116·14
Mean Population, 1891–1900. Persons	—	16,667	383	400	402	401	407	1993	1911	1922	1608	1312	2225	1837	1533	1136	796	394
Males ..	—	8,348	195	198	200	188	196	977	964	944	851	661	1129	939	774	557	381	171
Females	—	8,319	188	202	202	213	211	1016	947	978	757	651	1096	898	759	579	415	223
Deaths from All Causes, 1891–1900. Persons	16·24	2,706	622	162	49	41	35	909	70	48	56	64	111	104	159	249	395	541
Males ..	17·17	1,433	369	82	22	25	13	511	37	15	24	28	51	46	96	140	203	282
Females	15·30	1,273	253	80	27	16	22	398	33	33	32	36	60	58	63	109	192	259

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.														
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·17	0·17	0·18	29	14	15	7	13	3	2	2	27	2	—	—	—	—	—	—	—	—
Scarlet Fever	0·04	0·02	0·05	6	2	4	—	1	—	1	—	2	1	1	—	1	1	—	—	—	—
Diphtheria	0·37	0·47	0·28	62	39	23	2	2	8	7	15	34	20	3	3	—	—	2	—	—	—
Whooping-cough ..	0·36	0·41	0·31	60	34	26	32	19	4	2	1	58	2	—	—	—	—	—	—	—	—
Typhus	0·01	—	0·01	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Enteric Fever	0·10	0·02	0·17	16	2	14	—	—	—	—	1	1	—	1	2	3	6	1	2	—	—
Simple Continued Fever	0·02	0·01	0·02	3	1	2	—	—	—	1	—	1	1	—	1	—	—	—	—	—	—
Diarrhœa & Dysentery	0·30	0·29	0·31	50	24	26	25	8	1	—	—	34	—	2	—	—	—	—	3	2	1
Cholera	0·04	0·05	0·02	6	4	2	—	—	—	—	—	—	—	—	—	—	—	1	2	1	1
Cancer	0·87	0·77	0·97	145	64	81	—	—	—	—	—	—	—	—	—	—	2	5	25	37	46
Tabes Mesenterica ..	0·24	0·31	0·17	40	26	14	21	8	3	—	—	32	1	3	1	—	—	1	—	1	1
Phthisis	1·06	0·99	1·12	176	83	93	1	1	—	—	—	2	2	11	17	27	45	30	24	13	4
Other Tub. & Scrof. Dis.	0·29	0·29	0·30	49	24	25	19	2	4	2	1	28	5	6	2	3	2	2	1	—	—
Diseases of Nervous System ..	1·45	1·64	1·26	242	137	105	58	20	1	2	2	83	3	2	4	2	5	12	11	29	46
Circulatory „ ..	1·55	1·44	1·67	259	120	139	4	—	—	—	—	4	2	—	3	5	6	11	21	54	88
Respiratory „ ..	2·74	3·02	2·45	456	252	204	106	49	14	18	8	195	15	3	3	4	13	15	22	43	62
Digestive „ ..	1·16	1·20	1·13	194	100	94	41	22	3	2	1	69	3	5	4	1	6	7	18	23	34
Urinary „ ..	0·34	0·47	0·22	57	39	18	1	—	—	—	—	1	1	—	1	—	3	1	6	12	15
Generative „ ..	0·05	—	0·11	9	—	9	—	—	—	—	—	—	—	—	—	—	—	2	3	1	1
Puerperal Fever	0·04	—	0·07	6	—	6	—	—	—	—	—	—	—	—	—	1	4	1	—	—	—
Childbirth	0·04	—	0·08	7	—	7	—	—	—	—	—	—	—	—	—	3	4	—	—	—	—
Violence	0·66	0 98	0·34	110	82	28	11	7	7	3	3	31	7	6	10	6	9	5	6	5	14
OTHER CAUSES	4·34	4·62	4·06	723	386	337	294	10	1	1	1	307	5	5	5	7	5	8	15	28	82

	75 and upwds.
OTHER CAUSES	256

Marriages 1,175

Births .. { Males .. 2,442 / Females 2,331 } 4,773

Annual Rate per 1000 living { Persons Married .. 14·10 / Births .. .. .. 28·64 }

Annual Births to 1000 Females aged 15—45 years = 140.

Deaths from Childbirth and Puerperal Fever .. .. } 2·72 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

184.—WHITTLESEY.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·79			*130	—	—	—	—	42·59	4·58	1·74	3·05	4·05	4·45	5·32	10·76	22·38	51·58	153·30
Annual Death-Rate per 1000. Males	—			14·50			*146	—	—	—	—	47·57	4·18	1·53	2·84	3·49	4·21	6·03	10·45	23·14	57·46	180·26
Annual Death-Rate per 1000. Females	—			13·12			*113	—	—	—	—	37·53	5·04	1·98	3·32	4·60	4·71	4·64	11·04	21·71	46·23	133·96
Mean Population, 1891-1900. Persons	—			6,690			159	160	172	161	165	817	764	746	623	519	854	714	604	487	380	182
Mean Population, 1891-1900. Males	—			3,394			81	73	79	84	95	412	407	393	352	258	451	348	287	229	181	76
Mean Population, 1891-1900. Females	—			3,296			78	87	93	77	70	405	357	353	271	261	403	366	317	258	199	106
Deaths from All Causes, 1891–1900. Persons	17·35			1,161			255	52	22	12	7	348	35	13	19	21	38	38	65	109	196	279
Deaths from All Causes, 1891–1900. Males	17·74			602			149	25	13	5	4	196	17	6	10	9	19	21	30	53	104	137
Deaths from All Causes, 1891–1900. Females	16·96			559			106	27	9	7	3	152	18	7	9	12	19	17	35	56	92	142
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·01	0·03	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Measles	0·27	0·27	0·27	18	9	9	7	5	2	1	—	15	3	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·01	—	0·03	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Diphtheria	0·21	0·21	0·21	14	7	7	1	—	—	2	1	4	9	—	—	—	—	—	—	1	—	—
Whooping-cough	0·27	0·21	0·33	18	7	11	13	4	1	—	—	18	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·03	—	0·06	2	—	2	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·63	0·80	0·46	42	27	15	14	5	3	—	—	22	—	—	—	—	2	—	1	2	6	9
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·76	0·56	0·97	51	19	32	—	—	—	—	—	—	—	—	—	1	—	7	7	12	15	9
Tabes Mesenterica	0·37	0·50	0·24	25	17	8	17	—	2	1	—	20	3	—	—	1	—	—	—	1	—	—
Phthisis	0·81	0·91	0·70	54	31	23	—	—	1	—	—	1	1	3	12	9	14	5	4	3	2	—
Other Tub. & Scrof. Dis.	0·28	0·29	0·27	19	10	9	4	2	2	1	2	11	2	3	—	1	—	—	1	1	—	—
Diseases of: Nervous System	1·97	1·95	2·00	132	66	66	31	6	1	3	1	42	2	1	1	1	2	3	9	16	27	28
Diseases of: Circulatory "	1·39	0·97	1·82	93	33	60	2	1	—	—	—	3	1	1	—	—	3	4	10	18	31	22
Diseases of: Respiratory "	3·72	4·19	3·25	249	142	107	47	18	9	1	2	77	7	2	—	2	4	5	14	25	56	57
Diseases of: Digestive "	0·82	0·65	1·00	55	22	33	16	4	—	1	1	22	1	—	1	1	2	1	4	8	13	2
Diseases of: Urinary "	0·36	0·44	0·27	24	15	9	1	—	—	—	—	1	—	—	—	—	—	2	2	7	8	4
Diseases of: Generative "	0·06	0·03	0·09	4	1	3	1	—	—	—	—	1	—	—	1	—	—	—	—	—	1	1
Puerperal Fever	0·04	—	0·09	3	—	3	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—
Childbirth	0·06	—	0·12	4	—	4	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—
Violence	0·69	1·12	0·24	46	38	8	4	1	1	2	—	8	3	2	3	2	3	5	5	5	5	5
OTHER CAUSES	4·59	4·61	4·54	306	157	149	97	5	—	—	—	102	2	1	1	1	4	4	8	10	31	142

Marriages 528

Births .. Males .. 1,021 / Females 938 } 1,959

Annual Rate per 1000 living { Persons Married .. 15·78 / Births .. .. .. 29·28

Annual Births to 1000 Females aged 15—45 years = 151.

Deaths from Childbirth and Puerperal Fever .. .. } 3·57 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

185.—WISBECH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		14·08	*138	—	—	—	—	43·74	4·06	2·11	3·50	4·68	5·44	7·48	10·54	20·99	49·42	140·31
Annual Death-Rate per 1000. Males	—					14·84	*157	—	—	—	—	50·54	3·56	2·35	3·09	5·12	5·58	6·91	10·55	21·73	54·58	147·74
Annual Death-Rate per 1000. Females	—					13·36	*117	—	—	—	—	36·92	4·55	1·87	3·94	4·27	5·32	8·02	10·54	20·32	45·27	134·51
Mean Population, 1891-1900. Persons	—			32,629			759	683	744	755	751	3692	3622	3600	3289	2565	4243	3528	3159	2382	1641	908
Mean Population, 1891-1900. Males	—			15,936			370	346	374	377	383	1850	1798	1832	1715	1231	2024	1708	1517	1132	731	398
Mean Population, 1891-1900. Females	—			16,693			389	337	370	378	368	1842	1824	1768	1574	1334	2219	1820	1642	1250	910	510
Deaths from All Causes, 1891-1900. Persons	16·81			5,486			1173	248	89	60	45	1615	147	76	115	120	231	264	333	500	811	1274
Deaths from All Causes, 1891-1900. Males	17·46			2,782			695	140	40	28	32	935	64	43	53	63	113	118	160	246	399	588
Deaths from All Causes, 1891-1900. Females	16·20			2,704			478	108	49	32	13	680	83	33	62	57	118	146	173	254	412	686
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·16	0·18	0·14	53	29	24	19	18	8	1	1	47	6	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·06	0·06	0·07	21	10	11	—	—	3	7	1	11	2	4	1	—	2	1	—	—	—	—
Diphtheria	0·31	0·29	0·33	101	46	55	3	6	5	9	15	38	37	16	2	1	2	1	—	3	1	—
Whooping-cough	0·28	0·27	0·29	91	43	48	46	25	9	7	2	89	2	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·05	0·06	0·04	16	9	7	—	—	—	—	—	—	2	2	3	4	2	1	—	1	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·44	0·44	0·43	142	70	72	91	10	2	2	1	106	2	1	—	—	2	—	1	7	10	13
Cholera	0·01	0·01	0·01	4	2	2	2	—	—	—	—	2	—	—	—	—	—	—	—	—	2	—
Cancer	1·07	0·87	1·26	350	139	211	1	—	—	1	—	2	1	—	—	1	4	23	55	91	101	72
Tabes Mesenterica	0·13	0·14	0·11	41	23	18	8	9	1	—	2	20	5	—	3	3	4	3	1	1	—	1
Phthisis	1·04	1·00	1·07	338	159	179	—	1	—	—	1	2	10	8	38	61	84	61	35	23	13	3
Other Tub. & Scrof. Dis.	0·23	0·25	0·20	74	40	34	12	10	1	2	4	29	19	7	6	1	3	3	4	1	—	1
Diseases of Nervous System	2·15	2·28	2·03	702	363	339	137	28	9	7	2	183	9	6	8	7	13	18	42	77	137	202
Diseases of Circulatory "	1·68	1·75	1·62	548	278	270	4	—	—	—	2	6	5	5	4	5	15	35	56	83	161	173
Diseases of Respiratory "	2·58	2·76	2·40	841	440	401	184	68	29	14	6	301	18	7	6	4	16	23	46	64	157	199
Diseases of Digestive "	1·01	1·05	0·97	328	167	161	71	17	4	1	—	93	8	2	7	6	12	12	28	49	54	57
Diseases of Urinary "	0·44	0·58	0·29	142	93	49	3	—	1	—	2	6	—	2	4	—	3	15	9	25	32	46
Diseases of Generative "	0·03	—	0·06	10	—	10	—	—	—	—	—	—	—	—	1	—	1	1	2	3	2	—
Puerperal Fever	0·04	—	0·08	14	—	14	—	—	—	—	—	—	—	—	1	2	5	6	—	—	—	—
Childbirth	0·09	—	0·18	30	—	30	—	—	—	—	—	—	—	—	1	4	13	12	—	—	—	—
Violence	0·65	0·96	0·35	211	153	58	11	11	9	5	5	41	17	10	17	14	22	21	16	21	13	19
Other Causes	4·36	4·51	4·27	1429	718	711	581	45	8	4	1	639	4	6	13	7	28	28	38	51	127	488

Marriages 2,468

Births .. { Males .. 4,417 / Females 4,082 } 8,499

Annual Rate per 1000 living { Persons Married .. 15·13 / Births .. .. .. 26·05

Annual Births to 1000 Females aged 15—45 years = 122.

Deaths from Childbirth and Puerperal Fever .. .. } 5·18 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

186.—WEST HAM.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 16·77			*158	—	—	—	—	56·85	4·50	2·15	2·87	3·59	4·73	8·30	14·47	28·88	62·44	141·64
Annual Death-Rate per 1000. Males ..	—			17·57			*171	—	—	—	—	61·03	4·51	2·10	2·99	3·81	5·00	8·46	16·01	31·27	67·16	148·54
Annual Death-Rate per 1000. Females	—			16·01			*144	—	—	—	—	52·66	4·49	2·21	2·75	3·38	4·47	8·14	12·93	26·72	58·85	137·31
Mean Population, 1891-1900. Persons	—			463,052			13821	12647	12960	13024	12740	65192	60259	53709	43624	39434	74593	56792	36140	19787	9968	3554
Mean Population, 1891-1900. Males ..	—			228,475			6850	6372	6494	6526	6370	32612	30230	26945	21651	19189	36318	28364	18080	9411	4303	1372
Mean Population, 1891-1900. Females	—			234,577			6971	6275	6466	6498	6370	32580	30029	26764	21973	20245	38275	28428	18060	10376	5665	2182
Deaths from All Causes, 1891-1900. Persons	15·99			74,037			24640	6747	2682	1722	1269	37060	2711	1156	1252	1416	3527	4712	5230	5715	6224	5034
Deaths from All Causes, 1891-1900. Males ..	16·72			38,190			13589	3476	1389	795	655	19904	1363	565	648	731	1815	2399	2894	2943	2890	2098
Deaths from All Causes, 1891-1900. Females	15·28			35,847			11051	3271	1293	927	614	17156	1348	591	604	685	1712	2313	2336	2772	3334	2996
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·02	0·02	0·02	97	57	40	20	4	5	7	4	40	13	4	5	9	10	7	5	2	1	1
Measles	0·51	0·53	0·48	2354	1220	1134	505	891	431	187	158	2172	168	2	4	1	2	4	1	—	—	—
Scarlet Fever	0·14	0·16	0·13	662	357	305	44	84	115	85	65	393	174	42	13	15	15	6	4	—	—	—
Diphtheria	0·56	0·53	0·58	2579	1220	1359	118	331	402	418	369	1638	767	104	20	13	19	10	4	2	1	1
Whooping-cough ..	0·47	0·42	0·52	2179	957	1222	996	677	219	132	82	2106	69	1	—	—	1	1	—	1	—	—
Typhus	0·00	0·00	0·00	6	2	4	—	1	—	—	2	3	1	—	—	1	—	—	—	1	—	—
Enteric Fever	0·20	0·23	0·17	911	523	388	6	11	13	19	19	68	91	109	117	112	200	107	68	27	10	2
Simple Continued Fever	0·00	0·00	0·00	21	11	10	1	2	1	—	2	6	2	3	—	2	4	—	1	—	1	2
Diarrhœa & Dysentery	0·92	0·99	0·85	4264	2264	2000	3408	521	62	28	11	4030	21	2	2	7	19	18	19	26	67	53
Cholera	0·06	0·06	0·05	255	143	112	194	26	5	1	2	228	4	—	1	1	3	4	5	6	2	1
Cancer	0·53	0·39	0·67	2462	883	1579	—	1	3	3	—	7	6	3	7	13	73	278	574	707	555	239
Tabes Mesenterica ..	0·24	0·27	0·22	1127	617	510	710	196	66	24	13	1009	40	24	11	8	15	12	4	3	1	—
Phthisis	1·10	1·27	0·94	5101	2893	2208	61	52	25	22	17	177	94	165	362	537	1165	1260	833	371	121	16
Other Tub. & Scrof. Dis.	0·39	0·42	0·36	1813	961	852	525	379	189	107	65	1265	236	76	57	37	47	30	34	16	13	2
Diseases of Nervous System ..	1·70	1·80	1·60	7881	4122	3759	3015	492	193	113	76	3889	169	94	72	53	171	340	579	776	1009	729
Diseases of Circulatory " ..	1·09	1·04	1·15	5069	2374	2695	134	13	9	20	16	192	110	167	156	98	318	592	796	1069	1075	496
Diseases of Respiratory " ..	3·13	3·37	2·89	14483	7711	6772	4002	2033	653	371	233	7292	313	87	91	114	401	717	1013	1414	1763	1278
Diseases of Digestive " ..	1·15	1·20	1·10	5317	2744	2573	2620	570	101	45	34	3370	98	56	68	52	151	262	375	371	346	168
Diseases of Urinary " ..	0·27	0·33	0·21	1229	745	484	15	13	14	14	8	64	35	21	18	34	86	149	192	251	246	133
Diseases of Generative " ..	0·02	0·00	0·04	100	11	89	7	—	2	—	—	9	—	—	—	3	14	17	36	9	8	4
Puerperal Fever ..	0·06	—	0·12	292	—	292	—	—	—	—	—	—	—	—	12	59	146	75	—	—	—	—
Childbirth	0·06	—	0·12	285	—	285	—	—	—	—	—	—	—	—	10	34	130	108	3	—	—	—
Violence	0·49	0·69	0·31	2292	1573	719	562	79	71	62	41	815	139	79	104	100	241	258	235	143	104	74
OTHER CAUSES ..	2·88	3·00	2·75	13258	6802	6456	7697	371	103	64	52	8287	161	117	122	113	296	457	449	520	901	1835

Marriages 32,014

Births .. { Males .. 79,348 / Females 76,557 } 155,905

Annual Rate per 1000 living { Persons Married .. 13·83 / Births .. .. .. 33·67 }

Annual Births to 1000 Females aged 15—45 years = 143.

Deaths from Childbirth and Puerperal Fever .. .. } 3·70 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

187.—EPPING.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 13·38	*113	—	—	—	—	36·08	3·83	2·44	2·70	3·34	4·20	6·75	11·88	25·70	55·74	146·79
Annual Death-Rate per 1000. Males	—	14·26	*131	—	—	—	—	41·40	3·66	2·62	2·32	3·80	4·96	7·29	12·03	27·70	62·57	150·70
Annual Death-Rate per 1000. Females	—	12·56	* 95	—	—	—	—	30·78	4·00	2·27	3·06	2·95	3·55	6·25	11·74	23·95	49·75	143·66
Mean Population, 1891-1900. Persons	—	28,105	653	598	656	627	673	3207	3263	3068	2744	2453	4139	3304	2483	1829	1132	483
Mean Population, 1891-1900. Males	—	13,534	332	299	318	307	343	1599	1639	1526	1339	1131	1915	1592	1197	852	529	215
Mean Population, 1891-1900. Females	—	14,571	321	299	338	320	330	1608	1624	1542	1405	1322	2224	1712	1286	977	603	268
Deaths from All Causes, 1891-1900. Persons	14·29	4,015	788	204	84	43	38	1157	125	75	74	82	174	223	295	470	631	709
Deaths from All Causes, 1891-1900. Males	15·38	2,082	466	105	45	26	20	662	60	40	31	43	95	116	144	236	331	324
Deaths from All Causes, 1891-1900. Females	13·27	1,933	322	99	39	17	18	495	65	35	43	39	79	107	151	234	300	385

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·26	0·33	0·19	72	45	27	9	31	12	7	3	62	8	2	—	—	—	—	—	—	—	—
Scarlet Fever	0·06	0·05	0·07	17	7	10	—	3	3	1	2	9	6	—	—	—	2	—	—	—	—	—
Diphtheria	0·27	0·27	0·27	76	37	39	3	8	5	9	13	38	27	7	1	—	—	1	1	—	1	—
Whooping-cough	0·36	0·35	0·36	100	47	53	47	31	12	2	3	95	5	—	—	—	—	—	—	—	—	—
Typhus	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Enteric Fever	0·16	0·13	0·18	44	18	26	1	—	—	—	1	2	—	1	11	6	8	11	2	2	1	—
Simple Continued Fever	0·02	0·01	0·02	5	2	3	1	—	—	—	—	1	3	—	—	—	—	—	—	1	—	—
Diarrhœa & Dysentery	0·55	0·58	0·51	154	79	75	107	10	6	—	1	124	1	—	1	—	1	1	1	4	3	18
Cholera	0·01	0·01	0·01	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—
Cancer	0·75	0·62	0·88	212	84	128	—	—	—	—	—	—	—	—	—	—	3	9	42	54	67	37
Tabes Mesenterica	0·07	0·08	0·07	21	11	10	9	8	—	1	—	18	1	1	1	—	—	—	—	—	—	—
Phthisis	0·79	0·89	0·71	223	120	103	4	1	1	—	—	6	4	8	11	23	47	55	37	18	13	1
Other Tub. & Scrof. Dis.	0·23	0·28	0·19	66	38	28	20	13	1	4	—	38	7	4	6	2	3	1	—	2	1	2
Diseases of Nervous System	1·53	1·48	1·57	429	200	229	61	8	10	5	3	87	12	9	5	6	13	13	36	62	96	90
Diseases of Circulatory	1·66	1·85	1·49	467	250	217	9	2	—	1	—	12	5	8	5	3	13	19	41	97	141	123
Diseases of Respiratory	2·28	2·53	2·06	642	342	300	141	55	21	6	5	228	12	3	6	6	18	22	26	75	115	131
Diseases of Digestive	1·02	1·02	1·02	287	138	149	73	14	2	1	1	91	10	7	5	6	10	15	28	33	50	32
Diseases of Urinary	0·45	0·55	0·36	127	75	52	2	—	—	—	—	2	1	1	2	1	1	9	9	29	40	32
Diseases of Generative	0·03	—	0·06	9	—	9	—	—	—	—	—	—	—	—	—	—	1	2	1	3	1	1
Puerperal Fever	0·04	—	0·08	12	—	12	—	—	—	—	—	—	—	—	—	3	4	4	1	—	—	—
Childbirth	0·05	—	0·10	15	—	15	—	—	—	—	—	—	—	—	—	2	2	10	1	—	—	—
Violence	0·60	0·92	0·31	169	124	45	24	3	4	1	2	34	13	9	4	12	22	22	24	10	13	6
Other Causes	3·10	3·42	2·76	865	463	402	277	17	7	5	4	310	10	15	16	12	26	29	45	78	88	236

Marriages 1,710

Births .. { Males .. 3,564 / Females 3,393 } 6,957

Annual Rate per 1000 living { Persons Married .. 12·17 / Births .. .. .. 24·75 }

Annual Births to 1000 Females aged 15—45 years = 104.

Deaths from Childbirth and Puerperal Fever .. .. } 3·88 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

188.—ONGAR.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 12·79	*118	—	—	—	—	36·71	3·65	1·86	3·32	2·83	4·11	6·19	9·95	21·77	55·06	143·95
Annual Death-Rate per 1000. Males ..	—	13·83	*130	—	—	—	—	40·51	4·94	1·40	3·49	3·45	3·83	7·05	11·61	26·60	57·56	153·33
Annual Death-Rate per 1000. Females	—	11·82	*106	—	—	—	—	33·06	2·31	2·42	3·09	2·19	4·40	5·28	8·19	16·76	52·26	135·16
Mean Population, 1891-1900. Persons	—	10,325	223	229	235	237	269	1193	1232	1291	904	742	1315	1164	955	767	514	248
Mean Population, 1891-1900. Males ..	—	5,364	108	110	118	105	144	585	627	712	516	377	678	596	491	391	271	120
Mean Population, 1891-1900. Females	—	4,961	115	119	117	132	125	608	605	579	388	365	637	568	464	376	243	128
Deaths from All Causes, 1891-1900. Persons	15·36	1,586	308	63	20	21	26	438	45	24	30	21	54	72	95	167	283	357
Deaths from All Causes, 1891-1900. Males ..	16·37	878	171	28	15	7	16	237	31	10	18	13	26	42	57	104	156	184
Deaths from All Causes, 1891-1900. Females	14·27	708	137	35	5	14	10	201	14	14	12	8	28	30	38	63	127	173

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·17	0·22	0·12	18	12	6	—	9	3	1	3	16	2	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·06	0·07	0·04	6	4	2	1	—	1	—	2	4	1	—	—	—	—	—	1	—	—	—
Diphtheria	0·48	0·45	0·52	50	24	26	—	3	1	5	10	19	15	8	5	—	1	—	—	1	1	—
Whooping-cough ..	0·16	0·17	0·16	17	9	8	12	2	—	1	1	16	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·09	0·04	0·14	9	2	7	—	—	—	—	—	—	1	—	—	1	2	1	1	2	—	1
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·23	0·21	0·26	24	11	13	16	2	—	—	—	18	—	—	—	—	—	—	—	—	—	6
Cholera	0·02	0·04	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1
Cancer	0·70	0·67	0·73	72	36	36	—	—	—	—	—	—	—	—	—	—	—	3	13	19	25	12
Tabes Mesenterica ..	0·18	0·22	0·14	19	12	7	8	4	1	2	—	15	1	—	1	1	—	—	—	—	1	—
Phthisis	0·85	0·95	0·75	88	51	37	1	1	—	—	1	3	—	4	9	6	17	20	15	7	5	2
Other Tub. & Scrof. Dis.	0·24	0·17	0·32	25	9	16	3	2	1	1	1	8	3	3	1	2	1	1	1	2	3	—
Diseases of Nervous System ..	1·85	1·81	1·90	191	97	94	29	2	1	1	1	34	5	2	2	—	4	6	12	22	44	60
Diseases of Circulatory „ ..	1·38	1·49	1·25	142	80	62	1	—	—	—	—	1	—	1	2	2	5	9	5	26	57	34
Diseases of Respiratory „ ..	2·40	2·74	2·04	248	147	101	47	15	8	7	1	78	7	1	3	2	1	6	6	30	52	62
Diseases of Digestive „ ..	1·12	1·08	1·17	116	58	58	36	8	—	—	—	44	—	1	—	—	4	4	10	15	21	17
Diseases of Urinary „ ..	0·28	0·47	0·08	29	25	4	—	—	—	—	—	—	—	—	—	—	—	3	4	5	9	8
Diseases of Generative „ ..	0·08	0·02	0·14	8	1	7	—	—	—	—	—	—	—	—	—	—	—	—	4	—	1	3
Puerperal Fever ..	0·05	—	0·10	5	—	5	—	—	—	—	—	—	—	—	—	—	2	3	—	—	—	—
Childbirth	0·05	—	0·10	5	—	5	—	—	—	—	—	—	—	—	—	1	2	1	1	—	—	—
Violence	0·57	0·88	0·24	59	47	12	5	1	—	2	2	10	3	1	—	3	4	4	8	10	11	5
OTHER CAUSES ..	4·40	4·67	4·07	453	251	202	149	14	4	1	4	172	6	3	7	3	11	11	14	27	53	146

Marriages 572

Births .. { **Males** .. 1,311 / **Females** 1,292 } 2,603

Annual Rate per 1000 living { Persons Married .. 11·08 / Births .. .. .. 25·21 }

Annual Births to 1000 Females aged 15—45 years = 133.

Deaths from Childbirth and Puerperal Fever .. .. } 3·84 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

189.—ROMFORD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 17·41			*144	—	—	—	—	47·74	4·14	2·13	3·22	4·55	6·72	12·20	18·36	33·26	65·21	155·80
Annual Death-Rate per 1000. Males	—			18·64			*158	—	—	—	—	52·57	3·94	1·80	3·30	4·83	6·54	14·37	21·16	37·29	70·78	168·85
Annual Death-Rate per 1000. Females	—			16·26			*130	—	—	—	—	43·04	4·34	2·44	3·15	4·28	6·89	10·00	15·58	29·56	60·76	146·77
Mean Population, 1891-1900. Persons	—			70,683			1929	1834	1842	1918	1836	9359	9074	8156	6607	5928	11220	8574	5518	3473	1989	785
Mean Population, 1891-1900. Males	—			34,599			947	927	913	943	887	4617	4492	3885	3270	2917	5489	4314	2751	1660	883	321
Mean Population, 1891-1900. Females	—			36,084			982	907	929	975	949	4742	4582	4271	3337	3011	5731	4260	2767	1813	1106	464
Deaths from All Causes, 1891-1900. Persons	16·96			11,989			3076	771	293	175	153	4468	376	174	213	270	754	1046	1013	1155	1297	1223
Deaths from All Causes, 1891-1900. Males	18·12			6,270			1714	402	156	84	71	2427	177	70	108	141	359	620	582	619	625	542
Deaths from All Causes, 1891-1900. Females	15·85			5,719			1362	369	137	91	82	2041	199	104	105	129	395	426	431	536	672	681
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·04	0·01	17	13	4	4	1	—	—	—	5	—	—	1	—	5	1	4	—	—	1
Measles	0·33	0·34	0·32	235	119	116	40	86	41	16	22	205	29	—	—	—	—	1	—	—	—	—
Scarlet Fever	0·09	0·09	0·08	62	32	30	2	6	6	8	7	29	21	9	2	—	1	—	—	—	—	—
Diphtheria	0·45	0·42	0·47	317	146	171	10	37	38	46	38	169	115	26	4	1	1	—	—	1	—	—
Whooping-cough	0·32	0·26	0·38	228	90	138	108	63	32	13	7	223	5	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·21	0·24	0·17	145	83	62	—	—	3	—	4	7	13	17	18	27	28	17	8	7	3	—
Simple Continued Fever	0·00	0·00	0·00	2	1	1	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
Diarrhœa & Dysentery	1·08	1·16	0·99	760	402	358	565	93	10	4	4	676	3	—	2	—	3	5	9	17	19	26
Cholera	0·05	0·04	0·05	32	15	17	22	3	—	1	—	26	2	—	—	1	—	1	—	1	1	—
Cancer	0·61	0·44	0·77	430	152	278	—	—	—	—	2	2	—	1	1	2	14	39	94	112	115	50
Tabes Mesenterica	0·21	0·23	0·18	145	81	64	80	29	10	2	1	122	6	6	3	2	2	2	—	1	1	—
Phthisis	1·22	1·38	1·06	860	478	382	11	6	1	3	3	24	14	22	68	83	197	200	130	84	30	8
Other Tub. & Scrof. Dis.	0·31	0·35	0·27	217	120	97	55	33	28	13	8	137	32	12	8	7	7	6	3	4	1	—
Diseases of Nervous System	2·80	3·41	2·22	1979	1180	799	383	76	22	15	14	510	14	13	18	35	175	347	270	226	219	152
Diseases of Circulatory "	1·37	1·30	1·44	971	451	520	15	1	2	1	3	22	16	20	22	22	50	87	128	212	259	133
Diseases of Respiratory "	2·70	2·93	2·48	1910	1014	896	442	221	70	31	22	786	37	4	8	18	73	105	118	215	276	270
Diseases of Digestive "	1·15	1·14	1·16	814	396	418	329	67	15	10	5	426	16	5	12	17	33	52	66	70	69	48
Diseases of Urinary "	0·38	0·44	0·32	269	153	116	—	2	—	2	1	5	6	3	3	6	14	33	29	61	60	49
Diseases of Generative "	0·02	—	0·04	15	—	15	—	—	—	—	—	—	—	—	1	1	3	2	4	1	2	1
Puerperal Fever	0·07	—	0·13	46	—	46	—	—	—	—	—	—	—	—	1	12	22	11	—	—	—	—
Childbirth	0·06	—	0·12	43	—	43	—	—	—	—	—	—	—	—	1	5	25	12	—	—	—	—
Violence	0·49	0·76	0·24	349	262	87	51	10	5	7	6	79	24	12	19	12	41	36	52	35	22	17
Other Causes	3·02	3·15	2·95	2143	1082	1061	959	37	10	3	6	1015	23	24	21	18	60	88	98	108	220	468

Marriages 4,258

Births .. { Males .. 10,829 / Females 10,466 } 21,295

Annual Rate per 1000 living { Persons Married .. 12·05 / Births .. .. .. 30·13 }

Annual Births to 1000 Females aged 15—45 years = 130.

Deaths from Childbirth and Puerperal Fever .. .. } 4·18 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

190.—ORSETT.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 14·41	*128	—	—	—	—	44·27	4·58	1·70	3·95	4·44	5·09	7·71	12·46	23·51	52·25	135·63
Annual Death-Rate per 1000. Males	—	15·16	*142	—	—	—	—	48·20	4·22	1·69	4·50	4·61	5·03	8·44	13·54	25·31	54·01	144·87
Annual Death-Rate per 1000. Females	—	13·71	*113	—	—	—	—	40·42	4·93	1·71	3·08	4·21	5·16	6·85	11·15	21·04	50·39	126·83
Mean Population, 1891-1900. Persons	—	30,238	881	808	820	821	768	4098	3866	4183	2860	2408	4459	3526	2391	1327	800	320
Mean Population, 1891-1900. Males	—	16,581	426	391	411	414	383	2025	1919	2489	1755	1410	2463	1919	1315	719	411	156
Mean Population, 1891-1900. Females	—	13,657	455	417	409	407	385	2073	1947	1694	1105	998	1996	1607	1076	608	389	164
Deaths from All Causes, 1891-1900. Persons	14·03	4,243	1232	338	86	75	83	1814	177	71	113	107	227	272	298	312	418	434
Deaths from All Causes, 1891-1900. Males	14·09	2,337	691	161	41	36	47	976	81	42	79	65	124	162	178	182	222	226
Deaths from All Causes, 1891-1900. Females	13·96	1,906	541	177	45	39	36	838	96	29	34	42	103	110	120	130	196	208

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·03	0·04	0·03	10	6	4	—	—	—	—	1	1	—	—	—	—	2	2	2	1	2	—
Measles	0·38	0·33	0·45	116	54	62	24	54	14	7	10	109	7	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·08	0·10	0·06	24	16	8	2	3	1	2	4	12	8	3	—	—	1	—	—	—	—	—
Diphtheria	0·58	0·51	0·67	176	85	91	8	20	16	22	26	92	68	8	3	1	2	—	1	—	1	—
Whooping-cough	0·27	0·19	0·36	81	32	49	29	39	8	1	1	78	2	—	1	—	—	—	—	—	—	—
Typhus	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Enteric Fever	0·16	0·17	0·15	49	28	21	1	—	—	—	4	5	4	5	5	7	12	7	3	1	—	—
Simple Continued Fever	0·01	0·01	—	2	2	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—	—	—
Diarrhœa & Dysentery	0·60	0·60	0·59	180	100	80	134	23	2	—	2	164	4	—	—	—	2	—	2	1	2	5
Cholera	0·01	0·01	—	2	2	—	1	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Cancer	0·49	0·37	0·64	148	61	87	—	—	—	—	—	—	—	1	—	—	3	21	28	45	30	20
Tabes Mesenterica	0·16	0·15	0·18	49	25	24	30	9	4	1	—	44	—	2	2	1	—	—	—	—	—	—
Phthisis	0·83	0·83	0·84	252	138	114	6	4	2	1	2	15	4	7	25	26	49	56	32	31	7	—
Other Tub. & Scrof. Dis.	0·30	0·27	0·34	91	45	46	32	18	6	7	4	67	10	1	4	3	—	2	1	2	1	—
Diseases of: Nervous System	1·58	1·52	1·65	477	252	225	132	21	6	8	5	172	20	6	7	1	15	20	31	40	92	73
Diseases of: Circulatory „	1·01	0·98	1·03	304	163	141	5	—	—	—	—	5	3	7	12	7	18	30	46	54	73	49
Diseases of: Respiratory „	2·38	2·40	2·37	721	398	323	211	99	17	15	12	354	11	3	11	2	21	35	52	57	82	93
Diseases of: Digestive „	1·07	1·13	0·99	322	187	135	150	24	3	2	3	182	9	7	4	11	9	14	18	26	25	17
Diseases of: Urinary „	0·25	0·32	0·17	76	53	23	—	—	—	—	1	1	1	—	—	2	6	7	19	7	23	10
Diseases of: Generative „	0·05	0·01	0·10	14	1	13	—	1	—	—	—	1	—	—	—	1	2	3	5	—	2	—
Puerperal Fever	0·06	—	0·14	19	—	19	—	—	—	—	—	—	—	—	1	2	11	5	—	—	—	—
Childbirth	0·08	—	0·18	25	—	25	—	—	—	—	—	—	—	—	—	6	9	9	1	—	—	—
Violence	0·88	1·35	0·32	267	223	44	20	8	4	5	6	43	10	11	23	31	45	27	32	25	14	6
Other Causes	2·77	2·79	2·70	837	465	372	447	11	3	3	2	466	16	10	15	5	19	34	25	22	64	161

Marriages 1,760

Births .. Males .. 4,852 / Females 4,785 } 9,637

Annual Rate per 1000 living { Persons Married .. 11·64 / Births .. .. .. 31·87

Annual Births to 1000 Females aged 15—45 years = 169.

Deaths from Childbirth and Puerperal Fever .. .. } 4·57 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

191.—BILLERICAY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 20·08			*105	—	—	—	—	34·55	3·41	2·78	4·37	7·10	11·91	20·35	28·90	42·63	76·86	172·20
Annual Death-Rate per 1000. Males	—			22·20			*113	—	—	—	—	36·51	3·83	2·75	3·67	7·71	14·06	25·58	37·27	48·94	91·45	164·79
Annual Death-Rate per 1000. Females	—			18·10			* 97	—	—	—	—	32·58	2·97	2·81	5·35	6·46	9·90	15·36	21·70	37·05	64·68	178·97
Mean Population, 1891-1900. Persons	—			21,412			408	418	427	431	452	2136	2319	2521	2151	1804	3047	2644	2014	1405	925	446
Mean Population, 1891-1900. Males	—			10 754			207	209	205	218	232	1071	1176	1346	1253	921	1472	1290	931	660	421	213
Mean Population, 1891-1900. Females	—			10,658			201	209	222	213	220	1065	1143	1175	898	883	1575	1354	1083	745	504	233
Deaths from All Causes, 1891-1900. Persons	21·81			4,670			503	123	54	29	29	738	79	70	94	128	363	538	582	599	711	768
Deaths from All Causes, 1891-1900. Males	23·55			2,533			274	57	30	16	14	391	45	37	46	71	207	330	347	323	385	351
Deaths from All Causes, 1891-1900. Females	20·05			2,137			229	66	24	13	15	347	34	33	48	57	156	208	235	276	326	417
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·06	0·11	—	12	12	—	—	—	—	—	—	—	—	—	—	—	3	3	2	2	2	—
Measles	0·17	0·18	0·17	37	19	18	7	9	7	2	4	29	6	—	—	—	1	—	—	—	1	—
Scarlet Fever	0·07	0·07	0·08	15	7	8	2	3	1	—	2	8	2	—	2	2	1	—	—	—	—	—
Diphtheria	0·16	0·15	0·17	34	16	18	—	2	—	8	4	14	9	1	2	1	2	1	—	1	3	—
Whooping-cough	0·27	0·21	0·33	58	23	35	31	19	2	1	1	54	4	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·12	0·15	0·08	25	16	9	—	—	—	—	—	—	1	3	2	2	8	4	2	2	1	—
Simple Continued Fever	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Diarrhœa & Dysentery	0·47	0·47	0·48	101	50	51	53	10	2	—	—	65	1	1	—	—	1	1	9	7	6	10
Cholera	0·03	0·04	0·03	7	4	3	3	1	1	—	—	5	—	—	—	—	—	—	—	1	1	—
Cancer	0·78	0·60	0·96	167	65	102	—	—	—	—	—	—	—	—	1	—	4	15	32	43	44	28
Tabes Mesenterica	0·08	0·07	0·08	17	8	9	5	1	3	—	1	10	2	2	—	—	1	1	—	1	—	—
Phthisis	1·68	1·98	1·37	359	213	146	1	—	1	—	1	3	3	15	20	40	83	69	67	42	14	3
Other Tub. & Scrof. Dis.	0·32	0·33	0·31	68	35	33	7	9	3	4	3	26	9	5	6	3	7	5	5	2	—	—
Diseases of Nervous System	4·55	5·63	3·47	975	605	370	59	7	5	4	3	78	10	11	12	16	97	220	185	136	114	96
Diseases of Circulatory	1·93	1·96	1·91	414	211	203	1	—	—	—	—	1	1	6	6	5	15	31	58	91	112	88
Diseases of Respiratory	3·66	4·14	3·17	783	445	338	66	36	20	5	2	129	8	5	12	23	54	87	95	102	144	124
Diseases of Digestive	1·18	1·10	1·26	252	118	134	43	14	2	1	1	61	8	3	4	5	11	21	39	46	35	19
Diseases of Urinary	0·87	0·92	0·83	187	99	88	2	—	—	—	—	2	2	—	3	2	9	15	28	35	58	33
Diseases of Generative	0·06	—	0·11	12	—	12	—	—	—	—	—	—	—	1	1	—	3	2	3	1	—	1
Puerperal Fever	0·06	—	0·11	12	—	12	—	—	—	—	—	—	—	—	—	1	8	3	—	—	—	—
Childbirth	0·07	—	0·13	14	—	14	—	—	—	—	—	—	—	—	2	4	4	3	1	—	—	—
Violence	0·61	0·89	0·33	131	96	35	8	—	3	1	3	15	3	2	5	7	20	18	13	21	16	11
Other Causes	4·61	4·54	4·67	989	490	499	215	12	4	3	4	238	10	15	16	17	31	39	42	66	160	355

Marriages 1,090

Births .. { Males .. 2,424 / Females 2,354 } 4,778

Annual Rate per 1000 living { Persons Married .. 10·18 / Births .. .. .. 22·31 }

Annual Births to 1000 Females aged 15—45 years = 101.

Deaths from Childbirth and Puerperal Fever .. .. } 5·44 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

192.—CHELMSFORD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·67			* 96	—	—	—	—	32·06	3·53	2·60	3·60	4·10	5·00	6·73	10·53	21·90	51·00	145·83
Annual Death-Rate per 1000. Males ..	—			13·40			*108	—	—	—	—	35·62	3·74	1·97	3·04	4·12	5·42	7·79	11·91	25·06	57·25	151·03
Annual Death-Rate per 1000. Females	—			11·98			* 83	—	—	—	—	28·61	3·32	3·27	4·26	4·08	4·61	5·76	9·28	19·14	45·48	141·56
Mean Population, 1891–1900. Persons	—			35,146			769	755	791	778	787	3880	4022	3891	3303	2880	4862	3938	3230	2525	1751	864
Mean Population, 1891–1900. Males ..	—			17,347			380	366	391	382	393	1912	2003	2026	1776	1482	2344	1888	1528	1177	821	390
Mean Population, 1891–1900. Females	—			17,799			389	389	400	396	394	1968	2019	1865	1527	1398	2518	2050	1702	1348	930	474
Deaths from All Causes, 1891–1900. Persons	15·02			5,278			828	259	81	40	36	1244	142	101	119	118	243	265	340	553	893	1260
Deaths from All Causes, 1891–1900. Males ..	15·69			2,721			477	140	28	21	15	681	75	40	54	61	127	147	182	295	470	589
Deaths from All Causes, 1891–1900. Females	14·37			2,557			351	119	53	19	21	563	67	61	65	57	116	118	158	258	423	671
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Measles	0·22	0·21	0·22	77	37	40	16	30	13	1	3	63	11	3	—	—	—	—	—	—	—	—
Scarlet Fever	0·05	0·04	0·06	17	7	10	—	—	2	1	2	5	7	3	2	—	—	—	—	—	—	—
Diphtheria	0·32	0·32	0·33	113	55	58	1	7	9	12	15	44	41	14	6	2	2	2	1	1	—	—
Whooping-cough ..	0·30	0·27	0·33	104	46	58	50	33	13	3	2	101	2	—	—	—	—	1	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·14	0·13	0·15	48	22	26	—	—	—	—	—	—	3	11	6	5	12	5	3	2	1	—
Simple Continued Fever	0·00	—	0·01	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Diarrhœa & Dysentery	0·30	0·30	0·30	105	52	53	66	9	4	—	—	79	1	1	—	2	—	—	1	3	6	12
Cholera	0·01	0·01	0·01	2	1	1	1	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—
Cancer	0·91	0·89	0·93	320	154	166	—	—	—	1	—	1	1	1	1	1	4	17	53	92	91	58
Tabes Mesenterica ..	0·05	0·04	0·07	19	7	12	5	3	—	1	—	9	2	3	1	1	1	—	—	—	1	1
Phthisis	1·08	1·21	0·95	379	210	169	—	3	—	1	—	4	9	15	50	51	80	67	50	40	11	2
Other Tub. & Scrof. Dis.	0·32	0·36	0·27	111	63	48	26	18	6	3	3	56	7	9	8	8	9	3	6	3	1	1
Diseases of Nervous System ..	1·78	1·80	1·76	627	313	314	72	19	4	3	—	98	8	8	8	5	16	22	34	72	148	208
Diseases of Circulatory „ ..	1·90	1·93	1·88	668	334	334	6	2	—	—	—	8	3	7	6	5	20	27	53	121	203	215
Diseases of Respiratory „ ..	2·25	2·37	2·14	791	411	380	142	75	19	9	8	253	27	4	3	4	15	14	38	70	144	219
Diseases of Digestive „ ..	0·81	0·76	0·87	286	131	155	56	22	—	1	1	80	6	3	4	2	8	13	18	40	70	42
Diseases of Urinary „ ..	0·42	0·55	0·29	148	96	52	1	1	—	2	1	5	4	—	2	2	7	7	13	27	44	37
Diseases of Generative „ ..	0·04	—	0·07	13	—	13	1	—	—	—	—	1	—	—	—	—	1	3	2	2	3	1
Puerperal Fever ..	0·04	—	0·07	13	—	13	—	—	—	—	—	—	—	—	1	—	10	2	—	—	—	—
Childbirth	0·05	—	0·10	17	—	17	—	—	—	—	—	—	—	—	—	3	8	6	—	—	—	—
Violence	0·55	0·86	0·25	193	149	44	16	2	3	1	1	23	6	4	6	11	21	33	32	21	24	12
OTHER CAUSES ..	3·48	3·63	3·31	1225	632	593	369	35	8	—	—	412	4	15	15	16	28	43	36	59	146	451

Marriages 2,187

Births .. { Males .. 4,410 / Females 4,225 } 8,635

Annual Rate per 1000 living { Persons Married .. 12·45 / Births .. .. .. 24·57 }

Annual Births to 1000 Females aged 15—45 years = 115.

Deaths from Childbirth and Puerperal Fever .. .. } 3·47 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

193.—ROCHFORD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 14·80			*134	—	—	—	—	44·28	4·39	3·21	4·19	4·76	5·60	7·72	13·23	22·93	53·26	134·20
Males ..	—			15·97			*147	—	—	—	—	49·15	4·66	2·57	4·12	4·98	5·76	9·67	15·00	24·58	59·21	148·69
Females	—			13·69			*122	—	—	—	—	39·74	4·14	3·81	4·25	4·54	5·44	5·86	11·57	21·35	47·41	121·39
Mean Population, 1891-1900. Persons	—			39,778			972	890	960	963	939	4724	4622	4327	3867	3700	6037	4675	3478	2316	1380	652
Males ..	—			19,411			476	444	460	458	445	2283	2255	2098	1892	1829	2968	2285	1680	1131	684	306
Females	—			20,367			496	446	500	505	494	2441	2367	2229	1975	1871	3069	2390	1798	1185	696	346
Deaths from All Causes, 1891-1900. Persons	15·26			6,072			1482	334	110	87	79	2092	203	139	162	176	338	361	460	531	735	875
Males ..	16·65			3,232			804	180	57	36	45	1122	105	54	78	91	171	221	252	278	405	455
Females	13·94			2,840			678	154	53	51	34	970	98	85	84	85	167	140	208	253	330	420
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	0·01	0·02	—	3	3	—	1	—	—	—	—	1	—	—	—	1	1	—	—	—	—	—
Measles	0·24	0·26	0·22	96	51	45	22	30	12	8	12	84	8	2	1	—	—	1	—	—	—	—
Scarlet Fever	0·06	0·06	0·06	24	11	13	1	—	2	6	1	10	3	5	1	2	2	—	1	—	—	—
Diphtheria	0·41	0·43	0·40	165	83	82	4	12	16	18	33	83	61	15	3	—	1	1	1	—	—	—
Whooping-cough ..	0·23	0·25	0·22	92	48	44	47	30	7	2	1	87	5	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·59	0·68	0·50	233	132	101	—	—	2	3	3	8	12	25	45	39	56	29	9	8	2	—
Simple Continued Fever	0·00	0·01	—	1	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·79	0·81	0·76	313	158	155	247	31	5	2	1	286	2	—	—	—	—	1	1	6	11	6
Cholera	0·02	0·03	0·00	6	5	1	1	1	1	—	1	4	—	—	—	—	1	—	—	1	—	—
Cancer	0·69	0·58	0·79	273	112	161	—	—	—	—	1	1	—	1	2	—	3	21	57	83	68	37
Tabes Mesenterica ..	0·13	0·13	0·12	50	26	24	28	10	1	—	—	39	3	1	3	2	1	—	—	1	—	—
Phthisis	0·96	1·03	0·89	381	200	181	2	2	—	5	1	10	6	21	36	53	103	62	58	23	9	—
Other Tub. & Scrof. Dis.	0·33	0·30	0·35	130	59	71	29	24	11	5	6	75	20	11	5	2	5	4	4	3	1	—
Diseases of Nervous System ..	1·41	1·53	1·31	563	297	266	147	29	11	6	1	194	10	8	9	4	13	19	42	63	104	97
Circulatory „ ..	1·60	1·75	1·45	636	340	296	2	—	1	—	1	4	6	15	7	17	19	48	80	123	161	156
Respiratory „ ..	2·21	2·43	2·00	878	471	407	240	102	26	17	9	394	24	7	5	8	29	36	54	68	127	126
Digestive „ ..	1·19	1·25	1·14	475	242	233	189	37	7	5	5	243	14	3	7	5	10	28	37	47	52	29
Urinary „ ..	0·37	0·48	0·27	148	94	54	4	1	1	—	—	6	1	3	6	2	9	13	24	30	28	26
Generative „ ..	0·02	0·01	0·03	7	1	6	—	—	—	—	—	—	—	—	—	—	—	1	3	1	1	1
Puerperal Fever ..	0·04	—	0·08	17	—	17	—	—	—	—	—	—	—	—	1	5	8	3	—	—	—	—
Childbirth	0·05	—	0·10	21	—	21	—	—	—	—	—	—	—	—	—	1	9	9	2	—	—	—
Violence	0·74	1·13	0·36	293	219	74	32	3	3	5	3	46	20	11	15	25	42	41	34	25	19	15
OTHER CAUSES ..	3·17	3·48	2·89	1267	679	588	486	22	4	4	—	516	8	11	16	10	26	44	53	49	152	382

Marriages 2,907

Births .. { Males .. 5,482, Females 5,547 } 11,029

Annual Rate per 1000 living { Persons Married .. 14·62, Births .. .. .. 27·73 }

Annual Births to 1000 Females aged 15—45 years = 119.

Deaths from Childbirth and Puerperal Fever .. .. } 3·45 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

194.—MALDON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·86			*103	—	—	—	—	34·19	2·48	2·52	4·32	4·84	5·77	5·76	9·92	21·48	48·63	154·05
Males ..	—			13·15			*114	—	—	—	—	37·90	2·33	1·70	4·37	4·91	5·05	5·66	10·71	21·24	53·46	167·56
Females	—			12·59			* 93	—	—	—	—	30·55	2·63	3·41	4·25	4·76	6·45	5·85	9·18	21·72	43·82	141·38
Mean Population, 1891-1900. Persons	—			23,325			568	543	582	545	561	2799	2867	2734	2108	1612	2896	2501	2188	1727	1275	618
Males ..	—			11,757			283	263	280	276	286	1388	1458	1413	1190	835	1407	1219	1055	857	636	299
Females	—			11,568			285	280	302	269	275	1411	1409	1321	918	777	1489	1282	1133	870	639	319
Deaths from All Causes, 1891-1900. Persons	16·02			3,737			643	167	71	39	37	957	71	69	91	78	167	144	217	371	629	952
Males ..	16·61			1,953			357	89	43	19	18	526	34	24	52	41	71	69	113	182	340	501
Females	15·42			1,784			286	78	28	20	19	431	37	45	39	37	96	75	104	189	280	451
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	0·01	0·02	0·01	3	2	1	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—
Measles	0·21	0·26	0·16	49	30	19	8	13	9	5	3	38	10	—	1	—	—	—	—	—	—	—
Scarlet Fever	0·02	0·02	0·03	5	2	3	1	1	1	—	1	4	—	1	—	—	—	—	—	—	—	—
Diphtheria	0·27	0·27	0·26	62	32	30	1	5	7	11	15	39	15	6	1	—	—	—	—	—	1	—
Whooping-cough ..	0·40	0·37	0·43	94	44	50	50	25	12	2	3	92	2	—	—	—	—	—	—	—	—	—
Typhus	0·00	—	0·01	1	—	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·11	0·14	0·09	26	16	10	—	—	—	—	—	—	1	1	1	2	12	2	2	3	2	—
Simple Continued Fever	0·01	—	0·02	2	—	2	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·38	0·44	0·32	89	52	37	54	9	1	—	—	64	1	—	—	—	—	—	—	1	13	10
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·81	0·65	0·98	189	76	113	—	—	—	—	1	1	—	1	—	1	5	12	28	55	54	32
Tabes Mesenterica ..	0·18	0·22	0·14	42	26	16	25	5	1	—	—	31	2	1	1	2	2	—	1	1	1	—
Phthisis	1·12	1·10	1·13	260	129	131	4	2	—	—	1	7	4	13	37	39	58	38	31	24	7	2
Other Tub. & Scrof. Dis.	0·37	0·32	0·42	86	38	48	15	9	9	5	4	42	12	5	9	2	7	3	1	2	—	3
Diseases of Nervous System ..	2·05	1·93	2·16	477	227	250	70	16	5	4	—	95	3	7	8	7	12	16	20	61	121	127
Circulatory „ ..	1·88	1·94	1·82	439	228	211	2	—	1	—	—	3	1	5	3	4	6	13	41	95	140	128
Respiratory „ ..	1·90	1·99	1·80	442	234	208	90	47	14	5	4	160	6	5	2	1	6	13	14	28	84	123
Digestive „ ..	0·86	0·89	0·82	200	105	95	38	18	3	2	1	62	5	3	9	1	12	8	20	28	24	28
Urinary „ ..	0·44	0·63	0·24	102	74	28	1	—	—	—	1	2	1	—	2	3	4	4	18	14	22	32
Generative „ ..	0·04	—	0·08	9	—	9	—	—	—	—	—	—	—	—	—	—	—	—	3	3	2	1
Puerperal Fever ..	0·04	—	0·09	10	—	10	—	—	—	—	—	—	—	—	1	2	4	3	—	—	—	—
Childbirth	0·06	—	0·13	15	—	15	—	—	—	—	—	—	—	—	1	2	7	3	2	—	—	—
Violence	0·49	0·75	0·23	115	88	27	6	2	2	2	1	13	5	5	9	4	15	8	15	17	15	9
OTHER CAUSES ..	4·37	4·67	4·05	1020	550	470	278	15	6	3	1	303	3	14	6	8	17	19	21	39	133	457

Marriages 1,516

Births .. Males .. 3,134, Females 3,081 — 6,215

Annual Rate per 1000 living: Persons Married .. 13·00; Births .. .. 26·65

Annual Births to 1000 Females aged 15—45 years = 139.

Deaths from Childbirth and Puerperal Fever .. .. 4·02 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

195.—TENDRING.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		13·33	*116	—	—	—	—	38·81	4·26	2·77	3·61	4·31	5·37	7·20	9·85	20·28	47·29	140·25
Annual Death-Rate per 1000. Males	—					13·64	*126	—	—	—	—	43·29	3·79	2·73	2·77	4·42	5·19	7·02	9·91	20·42	51·05	147·76
Annual Death-Rate per 1000. Females	—					13·05	*106	—	—	—	—	34·41	4·72	2·81	4·59	4·19	5·55	7·38	9·80	20·15	43·65	133·19
Mean Population, 1891-1900. Persons	—			40,884			1030	914	991	1002	1028	4965	4885	4552	3880	3298	5775	4610	3542	2658	1842	877
Mean Population, 1891-1900. Males	—			20,359			510	454	488	497	511	2460	2404	2236	2094	1675	2891	2266	1705	1298	905	425
Mean Population, 1891-1900. Females	—			20,525			520	460	503	505	517	2505	2481	2316	1786	1623	2884	2344	1837	1360	937	452
Deaths from All Causes, 1891-1900. Persons	15·10			6,174			1357	286	134	76	74	1927	208	126	140	142	310	332	349	539	871	1230
Deaths from All Causes, 1891-1900. Males	15·63			3,182			757	155	70	45	38	1065	91	61	58	74	150	159	169	265	462	628
Deaths from All Causes, 1891-1900. Females	14·58			2,992			600	131	64	31	36	862	117	65	82	68	160	173	180	274	409	602
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·01	—	2	2	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—
Measles	0·12	0·12	0·12	50	25	25	15	13	8	2	3	41	7	2	—	—	—	—	—	—	—	—
Scarlet Fever	0·05	0·04	0·06	21	9	12	—	1	—	5	1	7	10	3	1	—	—	—	—	—	—	—
Diphtheria	0·36	0·44	0·28	148	90	58	3	4	10	16	19	52	60	25	6	—	4	1	—	—	—	—
Whooping-cough	0·28	0·27	0·29	114	54	60	65	29	9	3	5	111	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·08	0·08	0·09	34	16	18	—	1	—	1	—	2	1	4	6	5	8	5	2	1	—	—
Simple Continued Fever	0·00	—	0·00	1	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·49	0·53	0·45	200	108	92	140	19	3	2	1	165	2	—	—	—	1	1	—	4	10	17
Cholera	0·02	0·02	0·02	8	4	4	3	—	—	—	1	4	—	—	—	—	1	—	1	2	—	—
Cancer	0·76	0·63	0·89	312	129	183	1	1	3	—	—	5	—	—	2	1	14	25	47	78	88	52
Tabes Mesenterica	0·12	0·13	0·12	51	26	25	22	10	3	2	—	37	3	2	2	1	4	—	1	1	—	—
Phthisis	1·14	1·18	1·11	467	240	227	4	7	4	5	1	21	4	27	48	61	114	86	51	34	14	7
Other Tub. & Scrof. Dis.	0·35	0·33	0·36	141	67	74	28	16	12	2	5	63	25	9	8	8	8	8	4	6	2	—
Diseases of Nervous System	1·67	1·70	1·64	682	346	336	123	44	18	4	4	193	19	8	8	6	21	23	45	70	137	152
Diseases of Circulatory "	1·42	1·44	1·40	582	294	288	9	1	—	1	—	11	8	7	14	7	25	33	54	96	181	146
Diseases of Respiratory "	2·29	2·34	2·23	935	477	458	222	88	41	21	20	392	23	12	5	6	13	27	29	76	152	200
Diseases of Digestive "	0·96	0·97	0·96	394	198	196	109	24	6	—	3	142	15	9	6	8	17	24	30	42	63	38
Diseases of Urinary "	0·40	0·52	0·29	165	105	60	2	1	1	1	2	7	3	—	2	4	9	19	13	29	46	33
Diseases of Generative "	0·04	0·00	0·07	16	1	15	1	—	—	—	—	1	—	—	2	—	2	3	1	1	3	3
Puerperal Fever	0·02	—	0·05	10	—	10	—	—	—	—	—	—	—	—	—	3	6	1	—	—	—	—
Childbirth	0·04	—	0·08	16	—	16	—	—	—	—	—	—	—	—	—	2	5	8	1	—	—	—
Violence	0·50	0·79	0·20	202	161	41	13	4	6	9	3	35	7	3	14	12	29	25	26	22	15	14
OTHER CAUSES	3·99	4·09	3·87	1623	830	793	597	22	10	2	6	637	18	15	16	18	28	43	43	77	160	508

Marriages 2,659

Births .. { Males .. 5,995 / Females 5,666 } 11,661

Annual Rate per 1000 living { Persons Married .. 13·01 / Births .. .. .. 28·52 }

Annual Births to 1000 Females aged 15—45 years = 135.

Deaths from Childbirth and Puerperal Fever .. .. } 2·23 per 1000 Births

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

196.—COLCHESTER

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 17·30			*135	—	—	—	—	52·01	4·22	3·45	4·80	4·28	6·49	8·96	14·98	27·29	63·74	169·10
Annual Death-Rate per 1000. Males ..	—			18·55			*145	—	—	—	—	56·12	4·13	3·86	4·47	4·57	7·22	9·56	18·54	33·30	70·78	173·13
Annual Death-Rate per 1000. Females	—			16·12			*124	—	—	—	—	47·90	4·30	3·04	5·25	3·90	5·75	8·38	11·76	22·39	58·75	166·19
Mean Population, 1891-1900. Persons	—			36,295			807	783	789	768	804	3951	3817	3624	4537	4113	5778	3996	2864	1964	1172	479
Mean Population, 1891-1900. Males ..	—			18,460			404	399	398	372	405	1978	1935	1815	2594	2318	2924	1967	1359	883	486	201
Mean Population, 1891-1900. Females	—			17,835			403	384	391	396	399	1973	1882	1809	1943	1795	2854	2029	1505	1081	686	278
Deaths from All Causes, 1891-1900. Persons	16·50			5,990			1330	404	131	101	89	2055	161	125	218	176	375	358	429	536	747	810
Deaths from All Causes, 1891-1900. Males ..	16·90			3,119			729	209	76	51	45	1110	80	70	116	106	211	188	252	294	344	348
Deaths from All Causes, 1891-1900. Females	16·10			2,871			601	195	55	50	44	945	81	55	102	70	164	170	177	242	403	462
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	0·00	—	0·01	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Measles	0·37	0·41	0·33	135	76	59	24	41	22	12	11	110	12	7	3	1	—	2	—	—	—	—
Scarlet Fever	0·08	0·07	0·10	30	13	17	2	3	5	3	4	17	5	3	4	—	1	—	—	—	—	—
Diphtheria	0·28	0·24	0·31	100	44	56	5	9	8	22	20	64	24	6	1	1	3	—	1	—	—	—
Whooping-cough ..	0·34	0·30	0·38	124	56	68	58	34	18	7	2	119	4	1	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·15	0·16	0·13	54	30	24	1	—	1	—	—	2	3	4	14	6	13	3	8	—	—	1
Simple Continued Fever	0·00	—	0·01	1	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·68	0·70	0·66	247	129	118	181	21	3	3	—	208	2	2	—	—	2	1	—	2	8	22
Cholera	0·01	0·01	0·01	2	1	1	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Cancer	0·72	0·49	0·96	262	90	172	—	—	—	—	1	1	—	—	2	1	4	31	43	70	73	37
Tabes Mesenterica ..	0·35	0·36	0·34	127	66	61	77	27	1	2	2	109	1	7	5	—	4	1	—	—	—	—
Phthisis	1·62	1·85	1·39	589	341	248	20	20	7	1	2	50	6	28	82	62	133	92	74	43	18	1
Other Tub. & Scrof. Dis.	0·44	0·52	0·35	159	96	63	38	24	5	7	9	83	18	12	14	6	13	4	5	—	1	3
Diseases of Nervous System ..	1·89	1·87	1·92	687	345	342	126	39	10	9	6	190	19	14	12	13	19	18	53	88	147	114
Diseases of Circulatory „ ..	1·43	1·30	1·56	519	240	279	8	1	—	—	—	9	7	6	13	14	29	45	64	91	144	97
Diseases of Respiratory „ ..	3·19	3·36	3·01	1158	621	537	271	138	31	24	20	484	29	13	16	19	33	43	50	86	163	222
Diseases of Digestive „ ..	1·07	1·14	1·01	390	210	180	94	26	4	2	3	129	8	8	10	9	21	32	45	46	49	33
Diseases of Urinary „ ..	0·43	0·55	0·31	157	102	55	4	—	1	—	1	6	1	1	2	2	14	16	27	28	38	22
Diseases of Generative „ ..	0·04	0·01	0·08	15	1	14	1	—	—	—	—	1	—	—	—	1	4	3	4	2	—	—
Puerperal Fever ..	0·04	—	0·07	13	—	13	—	—	—	—	—	—	—	—	1	2	8	2	—	—	—	—
Childbirth	0·06	—	0·11	20	—	20	—	—	—	—	—	—	—	—	3	3	9	5	—	—	—	—
Violence	0·53	0·73	0·31	191	135	56	18	2	7	7	2	36	10	5	11	19	29	18	18	24	12	9
Other Causes ..	2·78	2·83	2·74	1009	523	486	399	19	8	2	6	434	12	8	25	17	36	41	37	56	94	249

Marriages 2,749

Births .. { Males .. 5,029 / Females 4,850 } 9,879

Annual Rate per 1000 living { Persons Married .. 15·15 / Births .. .. 27·22 }

Annual Births to 1000 Females aged 15—45 years = 115.

Deaths from Childbirth and Puerperal Fever .. .. } 3·34 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

197.—LEXDEN.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.	12·25		* 93	—	—	—	—	31·05	3·94	2·84	3·24	4·61	5·19	6·30	9·28	17·35	50·00	149·46
Males ..	—				11·90		*101	—	—	—	—	32·18	3·56	1·83	2·61	4·22	5·28	6·04	9·92	17·40	49·82	155·15
Females	—				12·59		* 85	—	—	—	—	29·88	4·32	3·96	4·03	5·00	5·11	6·55	8·70	17·31	50·17	144·06
Mean Population, 1891–1900. Persons	—			21,375			484	527	503	513	514	2541	2587	2392	1942	1606	2736	2286	1983	1602	1142	558
Males ..	—			10,722			236	266	257	257	280	1296	1291	1256	1074	806	1327	1110	948	776	566	272
Females	—			10,653			248	261	246	256	234	1245	1296	1136	868	800	1409	1176	1035	826	576	286
Deaths from All Causes, 1891–1900. Persons	15·20			3,249			531	121	61	41	35	789	102	68	63	74	142	144	184	278	571	834
Males ..	15·09			1,618			293	54	38	17	15	417	46	23	28	34	70	67	94	135	282	422
Females	15·31			1,631			238	67	23	24	20	372	56	45	35	40	72	77	90	143	289	412
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·11	0·10	0·12	24	11	13	9	4	3	2	—	18	5	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·11	0·11	0·10	23	12	11	—	1	4	4	4	13	6	2	1	—	1	—	—	—	—	—
Diphtheria	0·44	0·40	0·47	93	43	50	2	8	10	6	15	41	35	13	2	—	—	1	1	—	—	—
Whooping-cough ..	0·24	0·17	0·31	51	18	33	26	19	3	2	—	50	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·07	0·07	0·07	14	7	7	—	—	1	—	—	1	—	3	3	3	3	1	—	—	—	—
Simple Continued Fever	0·00	—	0·01	1	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·30	0·31	0·29	64	33	31	38	3	3	1	1	46	2	—	—	—	—	—	—	1	4	11
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·93	0·75	1·12	199	80	119	—	—	—	—	—	—	—	1	1	1	1	13	31	49	57	45
Tabes Mesenterica ..	0·14	0·10	0·18	30	11	19	11	7	—	—	—	18	4	1	2	1	2	1	—	1	—	—
Phthisis	1·11	1·01	1·22	238	108	130	1	1	1	—	2	5	4	14	30	28	58	41	31	18	7	2
Other Tub. & Scrof. Dis.	0·29	0·26	0·33	63	28	35	9	9	3	4	1	26	4	7	6	3	9	2	3	1	2	—
Diseases of: Nervous System ..	1·67	1·66	1·67	356	178	178	54	11	4	3	2	74	7	5	4	3	8	18	25	43	81	88
Circulatory „ ..	1·83	1·97	1·70	392	211	181	5	—	1	—	—	6	1	4	4	1	10	14	26	47	149	130
Respiratory „ ..	2·35	2·48	2·22	502	266	236	92	34	18	13	4	161	14	2	—	4	7	12	11	39	101	151
Digestive „ ..	0·81	0·79	0·83	173	85	88	30	7	1	1	—	39	7	3	2	1	5	5	17	19	40	35
Urinary „ ..	0·40	0·62	0·19	86	66	20	—	—	—	1	—	1	—	—	1	3	1	3	6	17	28	26
Generative „ ..	0·06	—	0·11	12	—	12	—	—	—	—	—	—	—	—	—	1	—	—	2	3	5	1
Puerperal Fever ..	0·07	—	0·15	16	—	16	—	—	—	—	—	—	—	—	1	4	6	4	1	—	—	—
Childbirth	0·07	—	0·13	14	—	14	—	—	—	—	—	—	—	—	—	4	5	3	2	—	—	—
Violence	0·45	0·70	0·20	96	75	21	11	3	4	1	6	25	5	2	2	7	9	13	5	7	9	12
Other Causes.. ..	3·75	3·59	3·89	802	386	416	243	14	5	2	—	264	7	10	4	10	17	13	23	33	88	333

Marriages 1,449

Births .. { Males .. 2,907 / Females 2,796 } 5,703

Annual Rate per 1000 living { Persons Married .. 13·56 / Births .. .. .. 26·68 }

Annual Births to 1000 Females aged 15—45 years = 134.

Deaths from Childbirth and Puerperal Fever .. .. } 5·26 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

198.—HALSTEAD.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·75			* 98	—	—	—	—	32·49	3·56	1·92	2·25	3·96	5·49	6·05	11·11	22·82	52·83	151·89
Annual Death-Rate per 1000. Males	—			13·18			*113	—	—	—	—	35·06	4·12	2·04	2·13	4·33	6·09	6·48	13·46	22·15	52·74	158·85
Annual Death-Rate per 1000. Females	—			12·34			* 82	—	—	—	—	29·73	3·00	1·80	2·36	3·65	5·02	5·69	9·34	23·39	52·92	146·12
Mean Population, 1891-1900. Persons	—			16,588			352	378	339	376	340	1785	1855	1875	1601	1262	2185	1869	1539	1275	918	424
Mean Population, 1891-1900. Males	—			7,823			176	195	184	192	177	924	923	931	797	577	969	833	661	578	438	192
Mean Population, 1891-1900. Females	—			8,765			176	183	155	184	163	861	932	944	804	685	1216	1036	878	697	480	232
Deaths from All Causes, 1891-1900. Persons	15·63			2,592			395	97	31	32	25	580	66	36	36	50	120	113	171	291	485	644
Deaths from All Causes, 1891-1900. Males	16·48			1,289			233	43	19	19	10	324	38	19	17	25	59	54	89	128	231	305
Deaths from All Causes, 1891-1900. Females	14·87			1,303			162	54	12	13	15	256	28	17	19	25	61	59	82	163	254	339
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·21	0·20	0·21	34	16	18	9	12	4	4	2	31	3	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·02	0·03	0·01	3	2	1	—	—	—	2	—	2	1	—	—	—	—	—	—	—	—	—
Diphtheria	0·27	0·23	0·31	45	18	27	2	3	3	6	4	18	16	5	3	2	—	—	—	1	—	—
Whooping-cough	0·28	0·24	0·31	46	19	27	26	13	3	3	1	46	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·05	0·08	0·02	8	6	2	—	—	—	—	—	—	1	—	—	1	2	2	1	1	—	—
Simple Continued Fever	0·01	—	0·01	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Diarrhœa & Dysentery	0·25	0·36	0·15	41	28	13	20	1	2	—	—	23	2	—	—	—	—	—	—	3	4	9
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	1·21	1·09	1·32	201	85	116	1	—	1	—	—	2	—	—	—	—	1	12	23	56	76	31
Tabes Mesenterica	0·07	0·09	0·06	12	7	5	5	—	—	1	—	6	1	1	1	1	1	1	—	—	—	—
Phthisis	1·12	1·28	0·97	185	100	85	1	1	—	1	2	5	5	8	18	19	42	29	23	19	12	5
Other Tub. & Scrof. Dis.	0·30	0·33	0·27	50	26	24	10	6	1	2	3	22	5	5	—	2	5	3	3	3	1	1
Diseases of Nervous System	1·63	1·65	1·62	271	129	142	32	6	3	2	3	46	2	3	2	3	8	6	15	33	77	76
Diseases of Circulatory	1·91	1·93	1·89	317	151	166	1	1	—	—	1	3	2	6	2	6	16	6	27	54	108	87
Diseases of Respiratory	2·65	2·71	2·60	440	212	228	79	37	8	5	4	133	7	2	2	1	16	13	17	44	81	121
Diseases of Digestive	0·74	0·82	0·67	123	64	59	27	4	1	—	3	35	7	3	2	2	4	12	12	16	14	16
Diseases of Urinary	0·46	0·73	0·23	77	57	20	1	1	—	—	—	2	3	—	—	2	3	10	5	13	22	17
Diseases of Generative	0·05	—	0·09	8	—	8	—	—	—	—	—	—	1	—	1	—	—	—	3	—	—	3
Puerperal Fever	0·02	—	0·03	3	—	3	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—
Childbirth	0·04	—	0·07	6	—	6	—	—	—	—	—	—	—	—	—	1	2	3	—	—	—	—
Violence	0·43	0·64	0·24	71	50	21	12	1	3	2	—	18	5	2	—	—	5	2	12	9	13	5
OTHER CAUSES	3·91	4·07	3·79	650	319	331	169	11	2	4	2	188	5	1	5	10	12	13	30	39	74	273

Marriages 1,076

Births .. Males .. 2,068, Females 1,975 } 4,043

Annual Rate per 1000 living { Persons Married .. 12·97; Births .. .. .. 24·37

Annual Births to 1000 Females aged 15—45 years = 108.

Deaths from Childbirth and Puerperal Fever .. .. } 2·23 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

199.—BRAINTREE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		12·73	* 96	—	—	—	—	31·50	4·15	1·90	3·14	4·60	5·18	6·34	10·40	23·07	54·34	145·63
Males ..	—					13·24	*110	—	—	—	—	35·20	4·22	1·90	2·69	3·59	5·00	6·60	11·40	25·82	60·83	152·37
Females	—					12·26	* 82	—	—	—	—	27·79	4·08	1·91	3·59	5·37	5·32	6·12	9·56	20·74	48·74	140·35
Mean Population, 1891-1900. Persons	—			27,761			572	588	594	611	600	2965	3205	3255	2676	1999	3496	3060	2692	2137	1555	721
Males ..	—			13,166			294	284	302	308	298	1486	1612	1628	1339	863	1599	1394	1228	980	720	317
Females	—			14,595			278	304	292	303	302	1479	1593	1627	1337	1136	1897	1666	1464	1157	835	404
Deaths from All Causes, 1891-1900. Persons	15·66			4,348			619	165	70	43	37	934	133	62	84	92	181	194	280	493	845	1050
Males ..	16·52			2,175			360	89	31	21	22	523	68	31	36	31	80	92	140	253	438	483
Females	14·89			2,173			259	76	39	22	15	411	65	31	48	61	101	102	140	240	407	567
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·18	0·20	0·16	49	26	23	8	15	6	8	5	42	7	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·07	0·05	0·08	19	7	12	1	1	1	2	—	5	9	3	—	1	—	—	—	1	—	—
Diphtheria	0·22	0·25	0·19	61	33	28	—	4	9	6	5	24	30	4	1	—	—	1	—	—	1	—
Whooping-cough	0·23	0·23	0·24	65	30	35	39	15	7	3	1	65	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·05	0·05	0·05	13	6	7	—	—	—	—	—	—	2	—	1	3	4	1	1	1	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·19	0·25	0·13	52	33	19	25	4	2	2	1	34	2	—	—	—	—	—	3	—	5	8
Cholera	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Cancer	1·01	0·99	1·02	279	130	149	—	—	—	—	—	—	—	—	—	—	5	14	34	74	84	68
Tabes Mesenterica	0·04	0·03	0·04	10	4	6	3	1	2	1	—	7	1	1	—	—	—	1	—	—	—	—
Phthisis	1·17	1·19	1·16	325	156	169	1	1	1	1	2	6	7	8	33	43	75	43	45	46	18	1
Other Tub. & Scrof. Dis.	0·45	0·45	0·45	124	59	65	45	16	3	1	2	67	13	8	6	8	11	2	5	1	2	1
Diseases of Nervous System	2·01	2·04	1·99	559	268	291	59	18	5	5	2	89	14	11	4	2	11	15	32	74	159	148
Circulatory "	1·82	1·92	1·73	505	253	252	3	—	—	—	—	3	4	5	5	6	15	24	49	91	189	114
Respiratory "	2·35	2·55	2·17	653	336	317	113	63	29	7	13	225	19	3	3	3	7	13	22	60	131	167
Digestive "	0·92	0·99	0·86	255	130	125	45	11	2	3	1	62	10	4	5	7	7	19	24	35	46	36
Urinary "	0·43	0·69	0·19	119	91	28	2	—	—	—	2	4	3	—	4	4	3	7	15	22	29	28
Generative "	0·08	0·02	0·14	23	2	21	1	1	—	—	—	2	—	—	—	—	1	2	3	5	7	3
Puerperal Fever	0·05	—	0·10	14	—	14	—	—	—	—	—	—	—	—	—	2	8	4	—	—	—	—
Childbirth	0·12	—	0·23	34	—	34	—	—	—	—	—	—	—	—	—	5	12	16	1	—	—	—
Violence	0·38	0·55	0·23	106	73	33	8	1	2	3	2	16	4	4	7	2	9	6	18	17	10	13
Other Causes	3·89	4·06	3·73	1082	537	545	266	14	1	1	1	283	8	11	15	6	13	26	28	66	164	462

Marriages 1,773

Births .. Males .. 3,277, Females 3,155 } 6,432

Annual Rate per 1000 living { Persons Married .. 12·77; Births .. .. .. 23·17 }

Annual Births to 1000 Females aged 15—45 years = 107.

Deaths from Childbirth and Puerperal Fever .. .. } 7·46 per 1000 Births.

* The death-rates under one year of age are per 1000 Births

200.—DUNMOW.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		12·38	* 90	—	—	—	—	29·73	3·48	2·43	3·51	5·00	5·32	5·87	11·90	20·68	50·89	141·84
Annual Death-Rate per 1000. Males	—					13·09	*100	—	—	—	—	33·18	3·62	2·07	2·40	4·71	6·77	6·44	13·00	21·92	57·88	151·82
Annual Death-Rate per 1000. Females	—					11·71	* 79	—	—	—	—	26·26	3·34	2·86	5·23	5·33	3·89	5·33	10·84	19·47	44·51	133·22
Mean Population, 1891–1900. Persons	—			16,235			347	356	357	374	359	1793	1924	1891	1509	1040	1937	1720	1529	1349	1010	533
Mean Population, 1891–1900. Males	—			8,295			167	189	168	191	183	898	966	1016	916	552	960	838	754	666	482	247
Mean Population, 1891–1900. Females	—			7,940			180	167	189	183	176	895	958	875	593	488	977	882	775	683	528	286
Deaths from All Causes, 1891–1900. Persons	16·54			2,686			354	93	32	30	24	533	67	46	53	52	103	101	182	279	514	756
Deaths from All Causes, 1891–1900. Males	17·11			1,419			199	52	17	16	14	298	35	21	22	26	65	54	98	146	279	375
Deaths from All Causes, 1891–1900. Females	15·96			1,267			155	41	15	14	10	235	32	25	31	26	38	47	84	133	235	381
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Measles	0·06	0·08	0·04	10	7	3	5	2	—	2	—	9	1	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·07	0·10	0·05	12	8	4	1	—	—	3	1	5	6	—	1	—	—	—	—	—	—	—
Diphtheria	0·32	0·34	0·30	52	28	24	—	5	3	6	6	20	19	9	1	—	1	—	1	1	—	—
Whooping-cough	0·27	0·16	0·39	44	13	31	22	15	6	—	1	44	—	—	—	—	—	—	—	—	—	—
Typhus	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Enteric Fever	0·12	0·17	0·08	20	14	6	—	—	—	—	—	—	1	3	4	—	4	3	2	3	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·18	0·22	0·15	30	18	12	17	3	—	—	—	20	—	—	1	—	—	—	2	1	1	5
Cholera	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Cancer	1·18	1·12	1·23	191	93	98	—	—	—	1	—	1	—	1	—	—	2	6	20	48	77	36
Tabes Mesenterica	0·07	0·08	0·06	12	7	5	2	2	—	—	1	5	2	1	1	—	—	1	1	1	—	—
Phthisis	1·07	1·13	1·01	174	94	80	—	—	—	—	2	2	3	8	21	26	34	19	22	20	15	4
Other Tub. & Scrof. Dis.	0·25	0·20	0·29	40	17	23	11	6	—	5	2	24	3	2	2	1	2	3	1	2	—	—
Diseases of: Nervous System	1·96	1·94	1·98	318	161	157	26	8	6	2	4	46	5	6	1	1	5	11	13	37	81	112
Diseases of: Circulatory „	2·16	2·29	2·02	350	190	160	4	—	—	—	—	4	3	2	3	5	11	16	35	47	115	109
Diseases of: Respiratory „	2·50	2·70	2·28	405	224	181	67	37	10	6	5	125	9	6	3	5	9	7	26	34	78	103
Diseases of: Digestive „	0·79	0·81	0·78	129	67	62	29	5	1	1	1	37	3	4	2	3	9	7	18	19	16	11
Diseases of: Urinary „	0·41	0·57	0·24	66	47	19	—	—	—	—	—	—	1	1	2	—	1	4	10	10	17	20
Diseases of: Generative „	0·01	—	0·03	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—
Puerperal Fever	0·03	—	0·06	5	—	5	—	—	—	—	—	—	—	—	—	1	2	2	—	—	—	—
Childbirth	0·07	—	0·14	11	—	11	—	—	—	—	—	—	—	—	—	1	6	3	1	—	—	—
Violence	0·44	0·76	0·10	71	63	8	6	3	2	1	1	13	2	—	2	1	6	4	6	19	10	8
Other Causes	4·55	4·41	4·73	741	365	376	164	7	4	3	—	178	9	3	9	8	10	15	23	34	104	348

Marriages 907

Births .. Males .. 1,991; Females 1,963 — 3,944

Annual Rate per 1000 living: Persons Married .. 11·17; Births .. .. .. 24·29

Annual Births to 1000 Females aged 15—45 years = 134.

Deaths from Childbirth and Puerperal Fever .. .. 4·06 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

201.—SAFFRON WALDEN.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·06			*104	—	—	—	—	33·53	3·67	1·87	3·19	5·33	5·26	7·14	11·21	22·17	51·25	148·19
Annual Death-Rate per 1000. Males ..	—			13·57			*116	—	—	—	—	37·46	3·42	1·97	2·49	5·49	5·74	7·81	11·76	23·27	51·27	164·56
Annual Death-Rate per 1000. Females	—			12·58			* 91	—	—	—	—	29·68	3·91	1·77	4·01	5·19	4·82	6·52	10·71	21·17	51·23	135·36
Mean Population, 1891-1900. Persons	—			17,129			358	373	363	395	405	1894	2045	2082	1565	1181	2071	1906	1605	1308	1003	469
Mean Population, 1891-1900. Males ..	—			8,412			174	178	188	197	200	937	1022	1067	842	565	993	909	774	623	474	206
Mean Population, 1891-1900. Females	—			8,717			184	195	175	198	205	957	1023	1015	723	616	1078	997	831	685	529	263
Deaths from All Causes, 1891-1900. Persons	16·26			2,786			429	117	36	32	21	635	75	39	50	63	109	136	180	290	514	695
Deaths from All Causes, 1891-1900. Males ..	16·70			1,405			244	67	16	13	11	351	35	21	21	31	57	71	91	145	243	339
Deaths from All Causes, 1891-1900. Females	15·84			1,381			185	50	20	19	10	284	40	18	29	32	52	65	89	145	271	356
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·22	0·18	0·25	37	15	22	9	10	4	6	2	31	6	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·05	0·05	0·06	9	4	5	—	2	1	—	1	4	4	—	—	—	—	—	1	—	—	—
Diphtheria	0·27	0·26	0·28	46	22	24	—	1	3	5	3	12	26	6	2	—	—	—	—	—	—	—
Whooping-cough ..	0·39	0·32	0·46	67	27	40	32	21	8	4	2	67	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·05	0·05	0·05	8	4	4	—	—	—	—	—	—	1	—	1	2	3	—	—	1	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·32	0·34	0·29	54	29	25	21	5	3	—	—	29	1	—	—	—	1	—	—	4	6	13
Cholera	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Cancer	1·05	0·84	1·25	180	71	109	—	—	—	—	—	—	—	1	1	2	2	13	29	54	48	30
Tabes Mesenterica ..	0·04	0·06	0·02	7	5	2	3	—	—	—	—	3	1	—	2	—	1	—	—	—	—	—
Phthisis	0·93	0·92	0·94	159	77	82	5	3	1	1	—	10	4	2	16	28	38	21	23	9	8	—
Other Tub. & Scrof. Dis.	0·20	0·23	0·18	35	19	16	10	4	2	—	—	16	5	2	3	3	2	—	1	1	1	1
Diseases of Nervous System ..	2·29	2·34	2·24	392	197	195	47	7	2	1	1	58	2	5	3	6	5	13	18	47	93	142
Diseases of Circulatory „ ..	2·59	2·76	2·43	444	232	212	1	—	—	—	—	1	2	2	4	4	8	18	29	62	156	158
Diseases of Respiratory „ ..	2·19	2·45	1·94	375	206	169	81	32	6	11	5	135	6	1	2	2	9	21	24	35	68	72
Diseases of Digestive „ ..	0·86	1·05	0·69	148	88	60	24	9	1	—	1	35	4	6	1	4	8	7	18	20	25	20
Diseases of Urinary „ ..	0·45	0·65	0·25	77	55	22	—	—	—	1	1	2	—	2	—	—	—	6	11	19	22	15
Diseases of Generative „ ..	0·06	—	0·13	11	—	11	1	—	—	—	—	1	—	—	1	—	1	1	—	1	4	2
Puerperal Fever ..	0·04	—	0·07	6	—	6	—	—	—	—	—	—	—	—	—	2	2	2	—	—	—	—
Childbirth	0·09	—	0·18	16	—	16	—	—	—	—	—	—	—	—	1	1	4	9	1	—	—	—
Violence	0·41	0·68	0·16	71	57	14	6	3	1	2	3	15	2	6	5	3	8	5	8	10	4	5
Other Causes ..	3·75	3·51	3·97	643	296	347	189	20	4	1	2	216	11	6	8	6	17	20	16	27	79	237

Marriages 1,048

Births .. { Males .. 2,103 / Females 2,023 } 4,126

Annual Rate per 1000 living { Persons Married .. 12·24 / Births .. .. .. 24·09 }

Annual Births to 1000 Females aged 15—45 years = 121.

Deaths from Childbirth and Puerperal Fever .. .. } 5·33 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

202.—RISBRIDGE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 14·22	*123	—	—	—	—	41·15	4·20	2·92	3·52	4·95	6·44	7·45	11·40	19·76	49·02	153·89
Annual Death-Rate per 1000. Males ..	—	In Standard Population. 14·51	*136	—	—	—	—	45·63	3·93	2·70	3·38	4·08	5·09	7·72	11·80	21·38	55·39	157·78
Annual Death-Rate per 1000. Females	—	In Standard Population. 13·94	*110	—	—	—	—	36·67	4·46	3·15	3·67	5·77	7·64	7·21	11·04	18·34	43·36	150·49
Mean Population, 1891–1900. Persons	—	16,736	397	392	405	418	427	2039	2050	1984	1620	1253	2159	1785	1439	1154	867	386
Mean Population, 1891–1900. Males ..	—	8,173	199	181	208	207	224	1019	1019	999	857	612	1021	842	678	538	408	180
Mean Population, 1891–1900. Females	—	8,563	198	211	197	211	203	1020	1031	985	763	641	1138	943	761	616	459	206
Deaths from All Causes, 1891–1900. Persons	16·64	2,785	583	133	44	43	36	839	86	58	57	62	139	133	164	228	425	594
Deaths from All Causes, 1891–1900. Males ..	17·23	1,408	329	75	19	23	19	465	40	27	29	25	52	65	80	115	226	284
Deaths from All Causes, 1891–1900. Females	16·08	1,377	254	58	25	20	17	374	46	31	28	37	87	68	84	113	199	310

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·22	0·24	0·20	37	20	17	11	9	7	5	1	33	2	2	—	—	—	—	—	—
Scarlet Fever	0·09	0·12	0·06	15	10	5	1	1	—	1	3	6	4	1	3	—	—	1	—	—
Diphtheria	0·55	0·51	0·58	92	42	50	1	6	10	10	12	39	34	13	2	—	2	1	—	1
Whooping-cough ..	0·42	0·37	0·48	71	30	41	39	18	5	6	—	68	3	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·14	0·11	0·16	23	9	14	—	—	—	—	1	1	1	4	5	1	4	3	2	1
Simple Continued Fever	0·01	—	0·01	1	—	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·31	0·35	0·27	52	29	23	29	4	—	2	1	36	1	—	—	—	1	—	1	1
Cholera	0·01	—	0·01	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Cancer	0·89	0·81	0·97	149	66	83	—	—	1	—	—	1	—	—	—	—	4	6	25	33
Tabes Mesenterica ..	0·23	0·29	0·16	38	24	14	22	3	1	2	2	30	2	3	1	—	—	1	—	1
Phthisis	1·34	1·29	1·39	224	105	119	2	3	1	—	—	6	3	10	23	28	58	51	28	9
Other Tub. & Scrof. Dis.	0·33	0·40	0·26	55	33	22	15	10	2	2	1	30	7	5	3	1	3	1	1	—
Diseases of Nervous System ..	1·58	1·71	1·46	265	140	125	46	12	3	2	3	66	5	3	3	9	3	11	16	30
Diseases of Circulatory " ..	1·49	1·52	1·47	250	124	126	3	—	1	—	—	4	2	1	4	1	9	16	26	44
Diseases of Respiratory " ..	2·60	2·72	2·49	435	222	213	101	47	8	7	3	166	9	2	1	3	8	10	17	33
Diseases of Digestive " ..	0·82	0·87	0·77	137	71	66	32	5	1	2	—	40	2	—	3	4	5	2	8	22
Diseases of Urinary " ..	0·61	0·75	0·48	102	61	41	1	1	—	—	—	2	—	—	—	1	5	4	16	20
Diseases of Generative " ..	0·03	0·01	0·05	5	1	4	—	—	—	1	—	1	—	—	—	—	1	—	1	1
Puerperal Fever ..	0·05	—	0·09	8	—	8	—	—	—	—	—	—	—	—	—	3	5	—	—	—
Childbirth	0·11	—	0·21	18	—	18	—	—	—	—	—	—	—	—	—	4	9	5	—	—
Violence	0·50	0·66	0·35	84	54	30	13	4	1	1	4	23	5	4	3	3	9	4	6	8
OTHER CAUSES ..	4·31	4·50	4·16	723	367	356	267	10	3	2	4	286	6	10	6	4	13	16	17	24

Causes of Death.	75 and upwds.
Persons.	153·89
Males.	157·78
Females.	150·49
Mean Population, 1891–1900. Persons.	386
Mean Population, 1891–1900. Males.	180
Mean Population, 1891–1900. Females.	206
Deaths from All Causes, 1891–1900. Persons.	594
Deaths from All Causes, 1891–1900. Males.	284
Deaths from All Causes, 1891–1900. Females.	310
Small-pox	—
Measles	—
Scarlet Fever	—
Diphtheria	—
Whooping-cough	—
Typhus	—
Enteric Fever	—
Simple Continued Fever	—
Diarrhœa & Dysentery	8
Cholera	—
Cancer	23
Tabes Mesenterica	—
Phthisis	2
Other Tub. & Scrof. Dis.	2
Diseases of Nervous System	52
Diseases of Circulatory "	66
Diseases of Respiratory "	108
Diseases of Digestive "	22
Diseases of Urinary "	24
Diseases of Generative "	1
Puerperal Fever	—
Childbirth	—
Violence	9
OTHER CAUSES	277

Marriages 1,074

Births .. { Males .. 2,412 / Females 2,310 } 4,722

Annual Rate per 1000 living { Persons Married .. 12·83 / Births .. .. .. 28·21 }

Annual Births to 1000 Females aged 15—45 years = 135.

Deaths from Childbirth and Puerperal Fever .. .. } 5·51 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

203.—SUDBURY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		13·94	*112	—	—	—	—	37·65	3·83	2·20	3·56	5·71	5·81	6·97	11·62	22·41	56·70	146·82
Annual Death-Rate per 1000. Males ..	—					14·52	*123	—	—	—	—	41·27	3·84	2·49	3·38	5·43	5·85	7·27	12·10	25·39	59·95	158·05
Annual Death-Rate per 1000. Females	—					13·39	*101	—	—	—	—	34·06	3·83	1·91	3·77	5·97	5·78	6·69	11·21	19·85	53·70	136·83
Mean Population, 1891–1900. Persons	—			28,445			613	644	637	645	656	3195	3393	3270	2665	2014	3544	3129	2667	2240	1589	739
Mean Population, 1891–1900. Males ..	—			13,844			312	316	316	312	336	1592	1694	1649	1391	958	1693	1471	1248	1036	764	348
Mean Population, 1891–1900. Females	—			14,601			301	328	321	333	320	1603	1699	1621	1274	1056	1851	1658	1419	1204	825	391
Deaths from All Causes, 1891–1900. Persons	17·00			4,837			808	212	82	49	52	1203	130	72	95	115	206	218	310	502	901	1085
Deaths from All Causes, 1891–1900. Males ..	17·99			2,490			452	107	44	25	29	657	65	41	47	52	99	107	151	263	458	550
Deaths from All Causes, 1891–1900. Females	16·07			2,347			356	105	38	24	23	546	65	31	48	63	107	111	159	239	443	535
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·27	0·29	0·26	78	40	38	20	27	7	8	4	66	7	2	2	—	1	—	—	—	—	—
Scarlet Fever	0·11	0·12	0·10	31	17	14	3	6	1	3	4	17	10	2	1	1	—	—	—	—	—	—
Diphtheria	0·17	0·14	0·18	47	20	27	—	2	4	4	5	15	21	4	5	1	—	—	1	—	—	—
Whooping-cough ..	0·29	0·27	0·31	82	37	45	49	17	8	4	2	80	1	—	—	1	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·06	0·07	0·05	16	9	7	—	—	—	—	1	1	1	1	3	1	4	3	—	1	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·27	0·29	0·25	77	40	37	47	4	—	2	1	54	—	—	—	1	—	1	1	4	1	15
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	1·09	0·88	1·29	311	122	189	—	—	—	—	—	—	1	1	1	2	6	15	40	74	118	53
Tabes Mesenterica ..	0·18	0·17	0·18	50	23	27	12	14	5	3	—	34	7	2	3	1	1	—	—	1	1	—
Phthisis	1·36	1·42	1·31	387	196	191	7	2	1	1	1	12	7	13	40	58	91	63	60	32	11	—
Other Tub. & Scrof. Dis.	0·28	0·32	0·24	79	44	35	18	11	6	2	2	39	7	7	4	4	3	5	3	2	3	2
Diseases of Nervous System ..	2·00	2·08	1·93	570	288	282	61	14	6	1	6	88	8	9	6	5	9	19	39	83	171	133
Diseases of Circulatory „ ..	1·59	1·65	1·53	453	229	224	2	1	—	1	—	4	4	3	4	4	18	17	38	80	165	116
Diseases of Respiratory „ ..	3·01	3·25	2·78	856	450	406	156	79	18	12	10	275	23	4	4	5	18	24	31	79	213	180
Diseases of Digestive „ ..	1·00	1·13	0·86	283	157	126	48	10	11	1	6	76	6	5	3	3	8	18	28	44	53	39
Diseases of Urinary „ ..	0·47	0·58	0·38	135	80	55	1	2	—	1	2	6	4	—	2	1	8	6	14	21	38	35
Diseases of Generative „ ..	0·04	—	0·08	12	—	12	1	—	—	—	—	1	—	—	—	—	2	1	4	2	2	—
Puerperal Fever ..	0·05	—	0·10	14	—	14	—	—	—	—	—	—	—	—	—	3	7	3	1	—	—	—
Childbirth	0·08	—	0·15	22	—	22	—	—	—	—	—	—	—	—	1	3	5	12	1	—	—	—
Violence	0·56	0·91	0·22	158	126	32	8	6	4	3	4	25	7	12	6	8	14	13	11	25	19	18
Other Causes.. ..	4·12	4·42	3·87	1176	612	564	375	17	11	3	4	410	16	7	10	13	11	18	38	54	105	494

Marriages 1,758

Births .. { Males .. 3,687 / Females 3,519 } 7,206

Annual Rate per 1000 living { Persons Married .. 12·36 / Births .. .. .. 25·33 }

Annual Births to 1000 Females aged 15—45 years = 123.

Deaths from Childbirth and Puerperal Fever .. .. } 5·00 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

204.—COSFORD.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·46			*102	—	—	—	—	37·21	3·54	2·28	4·60	4·37	5·75	7·38	8·97	22·47	51·83	143·32
Annual Death-Rate per 1000. Males ..	—			In Standard Population. 13·04			*106	—	—	—	—	38·48	3·27	1·38	3·29	2·19	5·98	7·75	8·60	24·59	53·73	142·03
Annual Death-Rate per 1000. Females	—			In Standard Population. 13·85			* 97	—	—	—	—	35·98	3·81	3·14	6·05	6·36	5·52	7·02	9·33	20·48	50·00	144·49
Mean Population. 1891-1900. Persons	—			15,263			394	377	389	381	375	1916	1892	1758	1327	1053	1949	1626	1326	1135	847	434
Mean Population. 1891-1900. Males ..	—			7,538			188	194	196	182	186	946	948	867	699	503	953	800	651	549	415	207
Mean Population. 1891-1900. Females	—			7,725			206	183	193	199	189	970	944	891	628	550	996	826	675	586	432	227
Deaths from All Causes, 1891-1900. Persons	17·00			2,594			453	134	54	42	30	713	67	40	61	46	112	120	119	255	439	622
Deaths from All Causes, 1891-1900. Males ..	16·82			1,268			246	68	20	21	9	364	31	12	23	11	57	62	56	135	223	294
Deaths from All Causes, 1891-1900. Females	17·17			1,326			207	66	34	21	21	349	36	28	38	35	55	58	63	120	216	328
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·13	0·13	0·13	20	10	10	5	6	2	2	—	15	3	—	—	—	1	1	—	—	—	—
Scarlet Fever	0·03	0·03	0·04	5	2	3	—	1	—	1	—	2	—	3	—	—	—	—	—	—	—	—
Diphtheria	0·31	0·29	0·34	48	22	26	—	1	3	7	8	19	18	7	2	—	—	1	—	1	—	—
Whooping-cough ..	0·40	0·36	0·44	61	27	34	30	20	7	2	—	59	1	—	1	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·07	0·04	0·09	10	3	7	—	—	—	—	—	—	—	—	3	—	3	3	1	—	—	—
Simple Continued Fever	0·01	0·01	0·01	2	1	1	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·25	0·28	0·22	38	21	17	19	6	1	—	1	27	—	—	1	—	1	—	1	2	2	4
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·77	0·78	0·76	118	59	59	—	—	—	—	—	—	1	—	1	—	2	4	18	35	45	12
Tabes Mesenterica ..	0·09	0·07	0·10	13	5	8	2	3	—	1	—	6	3	1	1	—	—	1	—	1	—	—
Phthisis	1·09	0·92	1·27	167	69	98	1	—	—	1	1	3	1	6	20	21	45	27	21	16	7	—
Other Tub. & Scrof. Dis.	0·42	0·38	0·45	64	29	35	10	7	4	1	2	24	7	3	6	5	9	6	2	2	—	—
Diseases of Nervous System ..	1·83	1·83	1·83	279	138	141	40	11	8	—	2	61	6	5	7	6	2	10	7	30	70	75
Diseases of Circulatory " ..	1·83	1·84	1·83	280	139	141	5	1	—	1	—	7	3	4	3	4	3	13	10	67	90	76
Diseases of Respiratory " ..	2·49	2·63	2·36	380	198	182	75	47	17	20	8	167	8	2	1	3	10	12	16	26	60	75
Diseases of Digestive " ..	0·87	0·84	0·91	133	63	70	23	15	5	—	2	45	4	5	2	—	4	9	7	18	26	13
Diseases of Urinary " ..	0·51	0·64	0·39	78	48	30	1	—	—	—	—	1	—	1	—	2	3	9	9	13	28	12
Diseases of Generative " ..	0·09	0·01	0·17	14	1	13	—	—	—	—	—	—	—	—	—	—	1	1	1	4	5	2
Puerperal Fever ..	0·02	—	0·04	3	—	3	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—
Childbirth	0·05	—	0·09	7	—	7	—	—	—	—	—	—	—	—	1	1	2	3	—	—	—	—
Violence	0·59	0·84	0·35	90	63	27	7	4	4	4	2	21	5	1	6	—	9	10	8	10	11	
OTHER CAUSES ..	5·15	4·90	5·35	784	370	414	234	12	3	2	4	255	7	2	5	4	14	10	18	30	95	344

Marriages 975

Births .. { Males .. 2,310 / Females 2,134 } 4,444

Annual Rate per 1000 living { Persons Married .. 12·78 / Births .. .. .. 29·12 }

Annual Births to 1000 Females aged 15—45 years = 148.

Deaths from Childbirth and Puerperal Fever .. .. } 2·25 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

205.—THINGOE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 11·58	* 96	—	—	—	—	32·01	3·38	1·68	3·54	3·72	4·76	6·48	9·57	18·63	42·52	124·89
Annual Death-Rate per 1000. Males ..	—	11·93	*108	—	—	—	—	35·42	3·33	1·11	3·47	3·60	4·63	6·36	9·24	21·21	48·82	124·88
Annual Death-Rate per 1000. Females	—	11·26	* 83	—	—	—	—	28·47	3·43	2·31	3·64	3·86	4·89	6·60	9·89	16·21	37·01	124·90
Mean Population, 1891-1900. Persons	—	15,191	361	326	343	387	373	1790	1863	1728	1383	1047	1911	1682	1390	1127	816	454
Mean Population, 1891-1900. Males ..	—	7,675	181	168	175	196	192	912	931	904	779	555	950	833	682	547	381	201
Mean Population, 1891-1900. Females	—	7,516	180	158	168	191	181	878	932	824	604	492	961	849	708	580	435	253
Deaths from All Causes, 1891-1900. Persons	14·55	2,210	393	106	38	18	18	573	63	29	49	39	91	109	133	210	347	567
Deaths from All Causes, 1891-1900. Males ..	14·64	1,124	226	58	20	11	8	323	31	10	27	20	44	53	63	116	186	251
Deaths from All Causes, 1891-1900. Females	14·45	1,086	167	48	18	7	10	250	32	19	22	19	47	56	70	94	161	316

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox., ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·09	0·07	0·11	13	5	8	4	2	3	—	—	9	3	—	1	—	—	—	—	—	—	—
Scarlet Fever	0·08	0·09	0·07	12	7	5	—	2	1	—	2	5	5	—	1	—	—	1	—	—	—	—
Diphtheria	0·21	0·16	0·27	32	12	20	1	4	—	5	6	16	10	4	2	—	—	—	—	—	—	—
Whooping-cough ..	0·28	0·29	0·28	43	22	21	24	9	5	2	2	42	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·03	0·05	—	4	4	—	—	—	—	—	—	—	—	—	—	1	1	—	2	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·12	0·12	0·12	18	9	9	8	2	—	—	—	10	—	1	—	—	—	—	—	1	2	4
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·80	0·61	0·99	121	47	74	—	—	—	—	—	—	—	1	—	1	5	12	22	31	28	21
Tabes Mesenterica ..	0·14	0·20	0·08	21	15	6	8	4	1	—	1	14	1	2	1	—	1	2	—	—	—	—
Phthisis	1·03	0·95	1·12	157	73	84	1	2	1	—	1	5	4	4	23	16	33	24	24	15	9	—
Other Tub. & Scrof. Dis.	0·24	0·22	0·25	36	17	19	12	9	2	1	1	25	4	1	2	2	—	—	—	—	2	—
Diseases of Nervous System ..	1·82	1·82	1·81	276	140	136	38	16	6	2	1	63	8	4	2	4	7	9	10	33	58	78
Diseases of Circulatory „ ..	1·50	1·46	1·54	228	112	116	—	—	—	—	—	—	—	2	1	2	5	9	20	43	69	77
Diseases of Respiratory „ ..	2·82	3·00	2·65	429	230	199	88	33	15	5	—	141	11	4	2	4	4	11	20	34	72	126
Diseases of Digestive „ ..	0·91	0·89	0·93	138	68	70	16	9	3	—	1	29	8	4	—	2	5	4	12	21	31	22
Diseases of Urinary „ ..	0·42	0·48	0·36	64	37	27	—	—	—	—	—	—	—	—	2	1	5	4	6	9	22	15
Diseases of Generative „ ..	0·01	0·01	—	1	1	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Puerperal Fever ..	0·07	—	0·13	10	—	10	—	—	—	—	—	—	—	—	—	3	4	3	—	—	—	—
Childbirth	0·06	—	0·12	9	—	9	—	—	—	—	—	—	—	—	—	—	4	4	1	—	—	—
Violence	0·47	0·70	0·23	71	54	17	6	4	—	1	1	12	4	—	6	2	10	12	4	4	9	8
OTHER CAUSES.. ..	3·45	3·52	3·39	527	271	256	187	9	1	2	2	201	4	2	6	1	7	14	12	19	45	216

Marriages 999

Births .. { Males .. 2,086 / Females 2,002 } 4,088

Annual Rate per 1000 living { Persons Married .. 13·15 / Births .. .. .. 26·91

Annual Births to 1000 Females aged 15—45 years = 141.

Deaths from Childbirth and Puerperal Fever .. .. } 4·65 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

206.—BURY ST. EDMUNDS.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 17·22			*138	—	—	—	—	47·22	4·33	2·65	2·84	5·17	6·35	10·62	15·41	31·48	66·71	171·20
Annual Death-Rate per 1000. Males ..	—			19·51			*159	—	—	—	—	54·51	4·01	2·17	2·65	7·59	7·62	13·40	20·58	41·56	70·61	183·44
Annual Death-Rate per 1000. Females	—			15·07			*115	—	—	—	—	39·98	4·65	3·12	3·03	3·53	5·36	8·22	11·06	23·75	63·70	162·67
Mean Population, 1891–1900. Persons	—			16,459			344	363	363	356	353	1779	1801	1850	1901	1374	2222	1883	1499	1064	718	368
Mean Population, 1891–1900. Males ..	—			7,655			179	174	190	173	170	886	897	920	944	553	971	873	685	462	313	151
Mean Population, 1891–1900. Females	—			8,804			165	189	173	183	183	893	904	930	957	821	1251	1010	814	602	405	217
Deaths from All Causes, 1891–1900. Persons	18·88			3,108			581	148	50	29	32	840	78	49	54	71	141	200	231	335	479	630
Deaths from All Causes, 1891–1900. Males ..	21·27			1,628			344	80	25	16	18	483	36	20	25	42	74	117	141	192	221	277
Deaths from All Causes, 1891–1900. Females	16·81			1,480			237	68	25	13	14	357	42	29	29	29	67	83	90	143	258	353
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·13	0·13	0·14	22	10	12	4	9	3	2	1	19	3	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·03	0·05	0·01	5	4	1	1	—	1	1	—	3	2	—	—	—	—	—	—	—	—	—
Diphtheria	0·30	0·27	0·32	49	21	28	—	6	1	4	11	22	19	6	—	1	1	—	—	—	—	—
Whooping-cough	0·26	0·22	0·30	43	17	26	20	17	4	—	1	42	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·06	0·07	0·06	10	5	5	—	—	—	—	—	—	1	1	—	2	3	1	1	—	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·38	0·46	0·31	62	35	27	43	7	1	—	1	52	2	—	—	1	—	—	1	—	1	5
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	1·06	0·84	1·25	174	64	110	—	—	—	—	—	—	—	—	—	2	3	15	25	47	53	29
Tabes Mesenterica	0·26	0·35	0·18	43	27	16	18	5	3	—	—	26	5	3	4	2	1	2	—	—	—	—
Phthisis	1·60	2·06	1·19	263	158	105	5	4	—	2	—	11	4	11	17	27	56	59	34	31	12	1
Other Tub. & Scrof. Dis.	0·52	0·67	0·39	85	51	34	21	17	7	5	8	58	11	4	5	4	1	—	—	1	1	—
Diseases of Nervous System	2·42	2·70	2·17	398	207	191	55	11	8	2	2	78	6	5	5	1	13	25	34	55	80	96
Diseases of Circulatory	1·84	2·05	1·66	303	157	146	1	—	—	1	—	2	3	2	5	7	12	15	26	54	105	72
Diseases of Respiratory	2·92	3·27	2·61	480	250	230	110	52	16	10	6	194	9	3	4	4	12	12	32	46	68	96
Diseases of Digestive	1·02	1·33	0·75	168	102	66	27	8	—	—	2	37	4	2	5	5	5	14	19	32	24	21
Diseases of Urinary	0·60	0·76	0·47	99	58	41	2	1	—	—	—	3	—	—	1	3	5	7	14	16	26	24
Diseases of Generative	0·09	0·03	0·15	15	2	13	—	—	—	—	—	—	—	1	—	—	3	—	4	3	3	1
Puerperal Fever	0·05	—	0·09	8	—	8	—	—	—	—	—	—	—	—	—	—	5	3	—	—	—	—
Childbirth	0·07	—	0·12	11	—	11	—	—	—	—	—	—	—	—	1	1	4	5	—	—	—	—
Violence	0·62	0·99	0·30	102	76	26	6	1	2	2	—	11	3	3	1	3	7	21	8	13	15	17
OTHER CAUSES	4·65	5·02	4·34	768	384	384	268	10	4	—	—	282	5	8	6	8	10	21	33	37	90	268

Marriages 1,047

Births .. { Males .. 2,160 / Females 2,065 } 4,225

Annual Rate per 1000 living { Persons Married .. 12·72 / Births .. .. .. 25·67

Annual Births to 1000 Females aged 15—45 years = 105.

Deaths from Childbirth and Puerperal Fever .. .. } 4·50 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

207.—MILDENHALL.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·65			*113	—	—	—	—	38·31	4·68	2·32	2·39	4·97	6·10	6·80	11·01	19·46	52·50	151·09
Annual Death-Rate per 1000. Males	—			14·18			*122	—	—	—	—	41·27	5·68	2·70	2·71	5·97	5·84	7·73	13·08	17·83	53·33	152·25
Annual Death-Rate per 1000. Females	—			13·15			*104	—	—	—	—	35·45	3·69	1·96	1·99	3·77	6·37	5·88	8·95	21·07	51·76	150·00
Mean Population, 1891-1900. Persons	—			8,438			194	193	194	211	200	992	1026	990	794	583	1049	882	781	632	480	229
Mean Population, 1891-1900. Males	—			4,250			96	93	91	113	94	487	511	481	442	318	531	440	390	314	225	111
Mean Population, 1891-1900. Females	—			4,188			98	100	103	98	106	505	515	509	352	265	518	442	391	318	255	118
Deaths from All Causes, 1891-1900. Persons	16·95			1,430			262	64	25	22	7	380	48	23	19	29	64	60	86	123	252	346
Deaths from All Causes, 1891-1900. Males	17·29			735			144	29	16	9	3	201	29	13	12	19	31	34	51	56	120	169
Deaths from All Causes, 1891-1900. Females	16·60			695			118	35	9	13	4	179	19	10	7	10	33	26	35	67	132	177
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·13	0·16	0·10	11	7	4	4	1	3	1	—	9	2	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·27	0·28	0·26	23	12	11	1	1	3	3	1	9	6	3	—	1	2	1	—	1	—	—
Diphtheria	0·43	0·49	0·36	36	21	15	3	1	5	5	1	15	14	4	2	1	—	—	—	—	—	—
Whooping-cough	0·27	0·21	0·33	23	9	14	12	7	—	3	—	22	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·02	0·02	0·02	2	1	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·44	0·54	0·33	37	23	14	17	2	—	—	—	19	—	1	—	—	—	—	2	2	2	11
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·83	0·59	1·08	70	25	45	—	—	—	—	—	—	—	—	—	—	1	5	8	20	25	11
Tabes Mesenterica	0·17	0·19	0·14	14	8	6	7	1	1	1	—	10	1	2	—	—	—	1	—	—	—	—
Phthisis	1·22	1·37	1·08	103	58	45	—	—	—	—	1	1	1	3	9	16	30	16	13	9	5	—
Other Tub. & Scrof. Dis.	0·27	0·31	0·24	23	13	10	4	6	1	1	—	12	5	1	1	—	1	—	3	—	—	—
Diseases of Nervous System	1·83	1·72	1·94	154	73	81	21	4	2	3	—	30	1	1	—	1	1	6	6	10	39	59
Diseases of Circulatory "	1·45	1·53	1·36	122	65	57	1	—	—	—	—	1	2	—	2	2	6	3	16	23	32	35
Diseases of Respiratory "	2·73	2·92	2·53	230	124	106	51	24	6	3	2	86	8	—	—	2	3	5	9	15	38	64
Diseases of Digestive "	1·22	1·20	1·24	103	51	52	19	7	—	—	1	27	2	1	—	1	4	5	9	9	24	21
Diseases of Urinary "	0·52	0·56	0·48	44	24	20	1	—	—	—	—	1	—	—	—	—	4	—	4	8	15	12
Diseases of Generative "	0·05	—	0·10	4	—	4	—	—	—	—	—	—	—	—	—	—	—	2	—	—	2	—
Puerperal Fever	0·04	—	0·07	3	—	3	—	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—
Childbirth	0·04	—	0·07	3	—	3	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—
Violence	0·63	0·94	0·31	53	40	13	7	1	1	—	1	10	3	4	3	—	3	8	6	3	8	5
OTHER CAUSES	4·39	4·26	4·56	372	181	191	114	9	3	2	—	128	1	3	1	4	5	7	10	23	62	128

Marriages 554

Births .. Males .. 1,181 } 2,313
Births .. Females 1,132 }

Annual Rate per 1000 living { Persons Married .. 13·13
Annual Rate per 1000 living { Births .. .. .. 27·41

Annual Births to 1000 Females aged 15—45 years = 147.

Deaths from Childbirth and Puerperal Fever .. .. } 2·59 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

208.—STOW.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·04			*108	—	—	—	—	35·22	2·91	2·37	4·05	5·57	4·71	6·61	11·10	20·49	50·95	146·07
Annual Death-Rate per 1000. Males	—			13·59			*122	—	—	—	—	41·06	2·31	2·44	3·27	5·74	4·28	6·75	13·06	21·06	53·82	150·41
Annual Death-Rate per 1000. Females	—			12·52			* 93	—	—	—	—	29·58	3·51	2·29	4·94	5·41	5·11	6·47	9·23	19·97	48·24	142·18
Mean Population, 1891-1900. Persons	—			19,584			455	471	456	485	470	2337	2338	2282	1851	1400	2506	2104	1775	1420	1050	521
Mean Population, 1891-1900. Males	—			9,675			225	229	218	238	237	1147	1169	1148	980	679	1214	1037	865	679	511	246
Mean Population, 1891-1900. Females	—			9,909			230	242	238	247	233	1190	1169	1134	871	721	1292	1067	910	741	539	275
Deaths from All Causes, 1891-1900. Persons	16·03			3,139			583	145	41	33	21	823	68	54	75	78	118	139	197	291	535	761
Deaths from All Causes, 1891-1900. Males	16·74			1,620			338	80	25	18	10	471	27	28	32	39	52	70	113	143	275	370
Deaths from All Causes, 1891-1900. Females	15·33			1,519			245	65	16	15	11	352	41	26	43	39	66	69	84	148	260	391
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·16	0·14	0·18	32	14	18	2	11	5	4	1	23	7	2	—	—	—	—	—	—	—	—
Scarlet Fever	0·04	0·04	0·03	7	4	3	—	—	2	1	1	4	—	1	1	1	—	—	—	—	—	—
Diphtheria	0·15	0·20	0·11	30	19	11	—	2	1	2	5	10	7	8	2	—	1	1	1	—	—	—
Whooping-cough	0·35	0·36	0·33	68	35	33	36	23	6	1	2	68	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·05	0·07	0·03	10	7	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	1	3	1	—	3	2	—	—	—
Diarrhœa & Dysentery	0·23	0·26	0·21	46	25	21	23	2	—	—	1	26	—	—	—	—	—	—	—	—	—	—
Cholera	0·01	0·01	0·01	2	1	1	—	—	1	1	—	2	—	—	1	1	—	—	1	2	8	7
Cancer	0·83	0·65	1·01	163	63	100	—	—	—	—	—	—	—	1	—	1	2	16	23	40	55	25
Tabes Mesenterica	0·05	0·07	0·03	10	7	3	4	—	1	1	—	6	2	—	1	1	—	—	—	—	—	—
Phthisis	1·14	1·20	1·09	224	116	108	2	2	1	1	—	6	6	8	21	32	44	31	40	20	15	1
Other Tub. & Scrof. Dis.	0·40	0·34	0·45	78	33	45	19	9	3	1	1	33	10	3	8	6	7	5	4	2	—	—
Diseases of Nervous System	1·72	1·67	1·76	336	162	174	43	10	2	5	—	60	8	7	7	5	10	8	25	43	78	85
Diseases of Circulatory "	1·91	1·93	1·88	373	187	186	1	—	1	—	—	2	2	3	5	6	10	16	35	61	126	107
Diseases of Respiratory "	2·54	2·66	2·42	497	257	240	108	57	10	13	5	193	17	5	4	3	6	15	13	38	76	127
Diseases of Digestive "	0·87	0·85	0·89	170	82	88	23	10	4	—	2	39	3	4	4	2	4	10	14	23	34	33
Diseases of Urinary "	0·40	0·55	0·25	78	53	25	3	—	—	—	—	3	—	2	1	2	3	4	7	12	30	14
Diseases of Generative "	0·02	—	0·04	4	—	4	—	—	—	—	—	—	—	—	—	—	1	2	—	—	1	—
Puerperal Fever	0·02	—	0·04	4	—	4	—	—	—	—	—	—	—	—	—	2	—	2	—	—	—	—
Childbirth	0·09	—	0·17	17	—	17	—	—	—	—	—	—	—	—	—	—	10	6	1	—	—	—
Violence	0·48	0·68	0·27	93	66	27	11	2	—	2	1	16	2	3	2	6	6	6	12	16	11	13
OTHER CAUSES	4·57	5·06	4·13	897	489	408	308	17	4	1	2	332	4	6	15	9	14	14	19	34	101	349

Marriages 1,343

Births .. { Males .. 2,760 / Females 2,640 } 5,400

Annual Rate per 1000 living { Persons Married .. 13·72 / Births .. .. .. 27·57 }

Annual Births to 1000 Females aged 15—45 years = 137.

Deaths from Childbirth and Puerperal Fever .. .. } 3·89 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

209.—HARTISMERE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·85			*105	—	—	—	—	31·85	2·53	2·28	3·57	4·70	5·62	7·68	10·42	20·90	51·61	157·88
Annual Death-Rate per 1000. Males	—			12·71			*111	—	—	—	—	32·02	3·01	2·62	2·72	4·53	4·94	6·79	10·59	22·93	54·46	173·95
Annual Death-Rate per 1000. Females	—			12·97			* 99	—	—	—	—	31·66	2·05	1·88	4·65	4·86	6·27	8·54	10·27	18·98	48·76	142·79
Mean Population. 1891–1900. Persons	—			14,156			328	342	350	344	341	1705	1741	1712	1316	937	1655	1497	1276	1067	806	444
Mean Population. 1891–1900. Males	—			7,165			164	177	181	186	179	887	865	916	735	464	810	736	614	519	404	215
Mean Population. 1891–1900. Females	—			6,991			164	165	169	158	162	818	876	796	581	473	845	761	662	548	402	229
Deaths from All Causes, 1891–1900. Persons	16·94			2,398			388	93	25	21	16	543	44	39	47	44	93	115	133	223	416	701
Deaths from All Causes, 1891–1900. Males	17·35			1,243			209	47	11	9	8	284	26	24	20	21	40	50	65	119	220	374
Deaths from All Causes, 1891–1900. Females	16·52			1,155			179	46	14	12	8	259	18	15	27	23	53	65	68	104	196	327
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·08	0·08	0·09	12	6	6	3	3	1	—	2	9	1	1	1	—	—	—	—	—	—	—
Scarlet Fever	0·07	0·10	0·04	10	7	3	1	—	1	2	—	4	4	1	1	—	—	—	—	—	—	—
Diphtheria	0·13	0·10	0·16	18	7	11	—	1	2	4	2	9	7	1	—	—	1	—	—	—	—	—
Whooping-cough	0·28	0·24	0·33	40	17	23	17	17	1	4	—	39	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·04	0·03	0·04	5	2	3	—	—	—	—	—	—	—	1	—	—	1	2	—	1	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·38	0·40	0·36	54	29	25	11	2	—	—	—	13	—	—	—	—	—	2	—	5	16	18
Cholera	0·01	0·01	0·01	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1
Cancer	0·92	0·67	1·17	130	48	82	—	—	1	—	—	1	—	—	1	1	3	9	13	44	36	22
Tabes Mesenterica	0·11	0·13	0·10	16	9	7	5	5	1	—	—	11	1	1	—	1	—	1	—	1	—	—
Phthisis	1·09	1·14	1·03	154	82	72	1	5	1	—	—	7	—	7	19	21	36	25	16	10	9	4
Other Tub. & Scrof. Dis.	0·35	0·29	0·41	50	21	29	4	13	2	1	1	21	5	6	1	3	6	4	1	—	3	—
Diseases of Nervous System	1·89	2·00	1·79	268	143	125	40	6	2	2	3	53	6	7	2	4	5	14	12	21	71	73
Diseases of Circulatory „	1·75	1·80	1·69	247	129	118	5	—	—	—	—	5	1	1	2	3	5	14	20	50	81	65
Diseases of Respiratory „	2·48	2·74	2·22	351	196	155	64	21	8	5	3	101	4	2	2	—	6	8	19	25	68	116
Diseases of Digestive „	0·82	0·91	0·73	116	65	51	23	5	2	1	2	33	4	4	4	—	4	3	12	12	22	18
Diseases of Urinary „	0·51	0·66	0·36	72	47	25	1	—	—	—	2	3	1	—	—	—	2	8	11	10	22	15
Diseases of Generative „	0·04	—	0·09	6	—	6	—	—	—	—	—	—	—	—	—	—	2	—	1	2	—	1
Puerperal Fever	0·09	—	0·19	13	—	13	—	—	—	—	—	—	—	—	2	3	7	1	—	—	—	—
Childbirth	0·09	—	0·19	13	—	13	—	—	—	—	—	—	—	—	1	1	4	7	—	—	—	—
Violence	0·73	0·78	0·69	104	56	48	12	5	1	1	1	20	4	3	3	3	9	6	10	16	8	22
OTHER CAUSES	5·08	5·27	4·83	717	378	339	201	10	2	1	—	214	5	4	8	4	2	11	18	26	79	346

Marriages 891

Births .. { Males .. 1,891 / Females 1,817 } 3,708

Annual Rate per 1000 living { Persons Married .. 12·59 / Births .. .. .. 26·19

Annual Births to 1000 Females aged 15—45 years = 139.

Deaths from Childbirth and Puerperal Fever .. .. } 7·01 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

210.—HOXNE.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 11·69			*103	—	—	—	—	31·53	2·68	1·55	3·30	4·35	4·50	6·73	8·40	17·99	45·05	142·86
Annual Death-Rate per 1000. Males ..	—			11·42			*116	—	—	—	—	35·32	3·30	1·59	2·94	4·42	4·23	6·22	6·75	16·96	42·99	137·50
Annual Death-Rate per 1000. Females	—			11·94			* 88	—	—	—	—	27·69	2·05	1·51	3·82	4·29	4·78	7·24	9·96	18·99	47·17	147·93
Mean Population, 1891–1900. Persons	—			10,898			283	242	275	276	291	1367	1379	1227	938	735	1355	1129	976	817	646	329
Mean Population, 1891–1900. Males ..	—			5,555			146	120	128	146	148	688	696	629	545	385	686	563	474	401	328	160
Mean Population, 1891–1900. Females	—			5,343			137	122	147	130	143	679	683	598	393	350	669	566	502	416	318	169
Deaths from All Causes, 1891–1900. Persons	15·39			1,677			320	63	22	14	12	431	37	19	31	32	61	76	82	147	291	470
Deaths from All Causes, 1891–1900. Males ..	15·01			834			190	28	13	7	5	243	23	10	16	17	29	35	32	68	141	220
Deaths from All Causes, 1891–1900. Females	15·78			843			130	35	9	7	7	188	14	9	15	15	32	41	50	79	150	250
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·07	0·09	0·06	8	5	3	2	1	—	1	1	5	1	1	—	—	1	—	—	—	—	—
Scarlet Fever	0·02	0·02	0·02	2	1	1	—	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—
Diphtheria	0·16	0·18	0·13	17	10	7	—	2	2	1	1	6	9	1	—	1	—	—	—	—	—	—
Whooping-cough	0·19	0·07	0·32	21	4	17	11	7	—	—	2	20	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·05	0·04	0·06	5	2	3	—	—	—	—	1	1	1	1	—	—	1	—	—	1	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·20	0·22	0·19	22	12	10	10	2	1	1	—	14	—	—	—	—	1	—	—	1	2	4
Cholera	0·01	0·02	—	1	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	1·12	0·92	1·33	122	51	71	1	—	—	1	—	2	1	—	—	—	2	6	15	33	40	23
Tabes Mesenterica	0·13	0·13	0·13	14	7	7	2	2	—	1	—	5	2	4	—	—	1	1	—	1	—	—
Phthisis	0·95	0·95	0·94	103	53	50	2	1	2	1	—	6	3	5	12	14	21	14	11	8	8	1
Other Tub. & Scrof. Dis.	0·30	0·25	0·36	33	14	19	9	5	2	1	1	18	2	2	3	2	1	2	3	—	—	—
Diseases of Nervous System	1·79	1·89	1·68	195	105	90	42	7	—	1	1	51	3	1	1	1	3	5	7	19	50	54
Diseases of Circulatory "	1·55	1·12	2·00	169	62	107	4	1	—	—	1	6	1	—	3	2	7	15	10	22	45	58
Diseases of Respiratory "	2·66	2·57	2·75	290	143	147	58	28	8	3	3	100	6	—	2	1	4	6	9	17	58	87
Diseases of Digestive "	0·64	0·65	0·64	70	36	34	12	3	—	—	—	15	3	—	—	2	—	5	5	14	11	15
Diseases of Urinary "	0·38	0·41	0·34	41	23	18	—	—	—	—	—	—	—	—	2	1	1	4	5	7	12	9
Diseases of Generative "	0·03	—	0·06	3	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—
Puerperal Fever	0·04	—	0·07	4	—	4	—	—	—	—	—	—	—	—	1	—	2	—	1	—	—	—
Childbirth..	0·09	—	0·19	10	—	10	—	—	—	—	—	—	—	—	—	1	7	2	—	—	—	—
Violence	0·84	1·06	0·60	91	59	32	11	2	5	2	—	20	2	4	2	3	3	6	10	10	17	14
OTHER CAUSES	4·17	4·42	3·91	456	246	210	156	2	1	—	1	160	1	—	5	4	6	10	6	13	46	205

Marriages 726

Births .. { Males .. 1,634 / Females 1,479 } 3,113

Annual Rate per 1000 living { Persons Married .. 13·32 / Births .. .. .. 28·56 }

Annual Births to 1000 Females aged 15—45 years = 157.

Deaths from Childbirth and Puerperal Fever .. .. } 4·50 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

211.—BOSMERE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		12·29	*106	—	—	—	—	34·33	2·71	2·59	3·68	3·73	4·64	5·63	9·50	20·29	50·06	137·20
Annual Death-Rate per 1000. Males	—					12·59	*118	—	—	—	—	39·26	2·19	2·68	1·79	3·26	4·36	5·78	9·44	20·22	54·34	153·23
Annual Death-Rate per 1000. Females	—					12·00	* 93	—	—	—	—	29·38	3·25	2·48	6·03	4·25	4·93	5·47	9·56	20·36	45·73	122·62
Mean Population, 1891–1900. Persons	—			14,637			352	357	348	365	352	1774	1807	1662	1305	1046	1808	1582	1326	1104	801	422
Mean Population, 1891–1900. Males	—			7,414			173	173	172	187	184	889	914	857	725	552	895	778	646	554	403	201
Mean Population, 1891–1900. Females	—			7,223			179	184	176	178	168	885	893	805	580	494	913	804	680	550	3.8	221
Deaths from All Causes, 1891–1900. Persons	15·65			2,291			430	101	40	22	16	609	49	43	48	39	84	89	126	224	401	579
Deaths from All Causes, 1891–1900. Males	16·28			1,207			250	52	27	10	10	349	20	23	13	18	39	45	61	112	219	308
Deaths from All Causes, 1891–1900. Females	15·01			1,084			180	49	13	12	6	260	29	20	35	21	45	44	65	112	182	271
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·08	0·11	0·04	11	8	3	3	2	2	1	—	8	2	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·05	0·03	0·08	8	2	6	—	2	—	—	1	3	3	—	1	—	1	—	—	—	—	—
Diphtheria	0·29	0·31	0·26	42	23	19	3	2	5	4	4	18	11	7	3	1	—	1	1	—	—	—
Whooping-cough	0·31	0·36	0·25	45	27	18	26	12	6	1	—	45	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·10	0·13	0·06	14	10	4	—	—	—	—	—	—	—	4	2	1	1	2	3	—	—	1
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·19	0·22	0·17	28	16	12	15	2	—	1	—	18	—	—	1	—	1	1	—	2	1	4
Cholera	0·01	0·01	—	1	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	0·77	0·65	0·90	113	48	65	—	—	—	—	—	—	—	—	—	1	1	10	19	28	33	21
Tabes Mesenterica	0·18	0·15	0·21	26	11	15	7	4	2	1	—	14	—	4	1	—	1	3	—	3	—	—
Phthisis	0·94	0·90	0·97	137	67	70	—	1	1	—	2	4	2	7	17	19	20	20	20	11	6	2
Other Tub. & Scrof. Dis.	0·31	0·23	0·40	46	17	29	10	3	2	1	2	18	8	6	5	2	2	2	2	—	1	—
Diseases of Nervous System	1·54	1·55	1·54	226	115	111	36	8	3	2	1	50	3	—	2	—	7	9	14	33	52	56
Diseases of Circulatory „	2·26	2·13	2·40	331	158	173	1	1	—	1	—	3	3	3	2	4	6	10	20	54	127	99
Diseases of Respiratory „	2·04	2·13	1·94	298	158	140	67	39	9	6	3	124	5	4	3	2	7	4	10	30	52	57
Diseases of Digestive „	0·79	0·77	0·80	115	57	58	30	7	4	—	1	42	6	2	2	—	3	5	6	12	15	22
Diseases of Urinary „	0·46	0·67	0·24	67	50	17	3	1	—	1	—	5	—	1	—	—	2	4	5	17	18	15
Diseases of Generative „	0·03	—	0·07	5	—	5	—	—	—	—	—	—	—	—	1	—	—	1	1	—	1	1
Puerperal Fever	0·03	—	0·07	5	—	5	—	—	—	—	—	—	—	—	—	1	3	1	—	—	—	—
Childbirth	0·04	—	0·18	13	—	13	—	—	—	—	—	—	—	—	1	3	5	4	—	—	—	—
Violence	0·49	0·74	0·22	71	55	16	8	4	2	1	2	17	2	2	3	3	5	4	7	8	11	9
Other Causes	4·69	5·19	4·21	689	384	305	220	13	4	2	—	239	4	2	4	3	9	8	18	26	84	292

Marriages 980

Births .. { Males .. 2,126 / Females 1,944 } 4,070

Annual Rate per 1000 living { Persons Married .. 13·39 / Births .. .. .. 27·81 }

Annual Births to 1000 Females aged 15—45 years = 146.

Deaths from Childbirth and Puerperal Fever .. .. } 4·42 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

212.—SAMFORD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·81			*108	—	—	—	—	33·51	2·83	1·86	3·30	6·60	6·33	6·27	8·19	21·62	49·28	150·17
Annual Death-Rate per 1000. Males	—			13·04			*123	—	—	—	—	37·63	2·43	1·52	3·23	5·88	7·06	7·17	7·99	22·44	50·16	145·52
Annual Death-Rate per 1000. Females	—			12·60			* 91	—	—	—	—	29·18	3·24	2·23	3·41	7·35	5·65	5·46	8·38	20·82	48·41	154·43
Mean Population, 1891-1900. Persons	—			12,119			309	279	298	300	312	1498	1482	1397	1029	833	1547	1356	1136	911	627	303
Mean Population, 1891-1900. Males	—			6,100			154	146	155	154	159	768	741	725	589	425	751	642	551	450	313	145
Mean Population, 1891-1900. Females	—			6,019			155	133	143	146	153	730	741	672	440	408	796	714	585	461	314	158
Deaths from All Causes, 1891-1900. Persons	15·64			1,896			363	75	30	17	17	502	42	26	34	55	98	85	93	197	309	455
Deaths from All Causes, 1891-1900. Males	15·97			974			214	48	14	6	7	289	18	11	19	25	53	46	44	101	157	211
Deaths from All Causes, 1891-1900. Females	15·32			922			149	27	16	11	10	213	24	15	15	30	45	39	49	96	152	244
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·02	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Measles	0·13	0·16	0·10	16	10	6	4	5	4	1	—	14	2	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·05	0·08	0·02	6	5	1	—	2	—	2	—	4	1	—	—	—	1	—	—	—	—	—
Diphtheria	0·18	0·16	0·20	22	10	12	1	—	1	2	5	9	9	2	—	—	1	—	—	1	—	—
Whooping-cough	0·24	0·25	0·23	29	15	14	18	6	5	—	—	29	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·06	0·05	0·07	7	3	4	—	—	—	—	—	—	—	1	—	1	3	1	1	—	—	—
Simple Continued Fever	0·03	0·02	0·05	4	1	3	—	—	1	—	—	1	1	1	—	—	—	—	—	1	—	—
Diarrhœa & Dysentery	0·21	0·26	0·15	25	16	9	14	4	1	—	—	19	—	—	—	—	1	—	—	1	—	4
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·83	0·79	0·86	100	48	52	—	—	1	1	—	2	—	1	—	—	4	9	13	27	32	12
Tabes Mesenterica	0·13	0·13	0·13	16	8	8	5	3	1	—	—	9	2	2	2	—	—	—	—	—	—	1
Phthisis	1·12	1·25	1·00	136	76	60	1	—	—	—	—	1	3	4	16	29	36	22	13	8	4	—
Other Tub. & Scrof Dis.	0·35	0·36	0 35	43	22	21	8	5	2	2	2	19	7	2	—	3	4	1	—	6	—	1
Diseases of Nervous System	1·58	1·62	1·55	192	99	93	28	8	2	1	1	40	7	4	1	1	3	8	8	30	45	45
Diseases of Circulatory "	1·49	1·18	1·81	181	72	109	1	2	—	1	—	4	—	1	1	—	2	8	17	38	63	47
Diseases of Respiratory "	2·52	2·51	2·53	305	153	152	62	26	8	6	5	107	5	1	1	3	5	12	10	30	56	75
Diseases of Digestive "	0·98	0·90	1·06	119	55	64	18	5	1	1	1	26	1	2	1	4	6	3	9	15	30	22
Diseases of Urinary "	0·39	0·52	0·25	47	32	15	2	2	—	—	—	4	—	—	—	—	6	1	2	8	16	10
Diseases of Generative "	0·04	—	0·08	5	—	5	—	—	—	—	—	—	—	—	—	—	—	2	—	2	1	—
Puerperal Fever	0·11	—	0·22	13	—	13	—	—	—	—	—	—	—	—	—	4	6	3	—	—	—	—
Childbirth	0·06	—	0·12	7	—	7	—	—	—	—	—	—	—	—	—	—	6	1	—	—	—	—
Violence	0·69	1·13	0·23	83	69	14	3	—	1	—	2	6	3	2	9	5	10	8	11	14	9	6
Other Causes	4 44	4·58	4·31	539	279	260	198	7	2	—	1	208	1	3	3	5	4	6	9	16	52	232

Marriages 801

Births .. { Males .. 1,738 / Females 1,637 } 3,375

Annual Rate per 1000 living { Persons Married .. 13·22 / Births .. .. .. 27·85 }

Annual Births to 1000 Females aged 15—45 years = 143.

Deaths from Childbirth and Puerperal Fever .. .. } 5·93 per 1000 Births

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

213.—IPSWICH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population 18·31			*156	—	—	—	—	55·99	4·77	2·62	4·35	5·03	6·88	11·26	16·88	28·97	64·40	160·93
Annual Death-Rate per 1000. Males ..	—			19·90			*175	—	—	—	—	63·78	4·62	2·46	4·38	5·11	8·33	12·75	18·97	33·79	68·58	167·51
Annual Death-Rate per 1000. Females	—			16·82			*136	—	—	—	—	48·50	4·90	2·77	4·33	4·97	5·68	9·95	15·10	25·22	61·19	156·42
Mean Population, 1891–1900. Persons	—			61,399			1478	1390	1360	1432	1416	7076	6861	6643	6457	5542	9253	7170	5338	3687	2402	970
Mean Population, 1891–1900. Males ..	—			28 620			706	714	672	702	674	3468	3354	3290	2967	2483	4214	3342	2451	1613	1044	394
Mean Population, 1891–1900. Females	—			32,779			772	676	688	730	742	3608	3507	3353	3490	3059	5039	3828	2887	2074	1358	576
Deaths from All Causes, 1891–1900. Persons	18·80			11.544			2773	678	225	167	119	3962	327	174	281	279	637	807	901	1068	1547	1561
Deaths from All Causes, 1891–1900. Males ..	20 50			5,868			1589	372	107	83	61	2212	155	81	130	127	351	426	465	545	716	660
Deaths from All Causes, 1891–1900. Females	17·32			5,676			1184	306	118	84	58	1750	172	93	151	152	286	381	436	523	831	901
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	0·00	0·00	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Measles	0·30	0·35	0·25	182	101	81	31	71	28	17	11	158	24	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·08	0·08	0·09	52	22	30	5	8	6	5	5	29	10	7	2	3	—	—	1	—	—	—
Diphtheria	0·23	0·23	0·23	140	65	75	5	19	18	25	16	83	48	3	2	—	1	2	—	1	—	—
Whooping-cough ..	0·33	0·35	0·32	204	100	104	95	52	25	18	7	197	6	—	—	—	—	—	—	—	—	1
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·21	0·25	0·17	126	71	55	—	1	—	—	4	5	11	12	20	13	22	21	17	3	2	—
Simple Continued Fever	0·02	0·01	0·02	10	4	6	7	2	—	—	—	9	—	—	—	1	—	—	—	—	—	—
Diarrhœa & Dysentery	1·00	1·09	0·92	615	312	303	485	55	7	1	2	550	4	3	—	1	1	2	3	4	24	23
Cholera	0·01	0·01	0·02	7	2	5	1	1	—	1	—	3	3	—	—	—	—	—	—	—	1	—
Cancer	0·85	0·71	0·96	519	203	316	1	1	—	—	—	2	1	4	3	1	15	52	108	139	143	51
Tabes Mesenterica ..	0·13	0·14	0·12	79	40	39	37	9	—	1	—	47	12	5	7	—	2	4	1	1	—	—
Phthisis	1·77	1·98	1·58	1087	568	519	3	12	2	3	5	25	18	33	97	127	258	223	167	86	46	7
Other Tub. & Scrof. Dis.	0·45	0·45	0·44	275	130	145	48	34	27	17	15	141	40	27	23	8	16	7	7	4	2	—
Diseases of Nervous System ..	1·89	2·16	1·66	1163	619	544	225	56	18	15	8	322	26	14	19	19	49	96	98	150	238	132
Diseases of Circulatory „ ..	1·76	1·72	1·79	1078	491	587	9	1	—	1	—	11	18	17	32	18	46	84	127	212	318	195
Diseases of Respiratory „ ..	3·16	3·62	2·75	1937	1035	902	435	239	60	42	31	807	41	6	13	13	52	100	125	207	309	264
Diseases of Digestive „ ..	1·04	1·17	0·93	638	334	304	216	53	9	2	2	282	16	9	8	15	31	42	70	75	61	29
Diseases of Urinary „ ..	0·46	0·67	0·28	284	192	92	2	1	1	2	—	6	5	4	11	6	22	26	42	51	67	44
Diseases of Generative „ ..	0·03	0·01	0·05	21	3	18	2	—	—	—	—	2	—	—	1	1	1	2	5	4	4	1
Puerperal Fever ..	0·05	—	0·10	32	—	32	—	—	—	—	—	—	—	—	—	13	11	8	—	—	—	—
Childbirth..	0·06	—	0·10	34	—	34	—	—	—	—	—	—	—	—	2	4	12	16	—	—	—	—
Violence	0·60	0·91	0·33	367	259	108	44	3	9	8	6	70	22	11	17	15	43	44	46	34	36	29
Other Causes ..	4·37	4·59	4·21	2693	1316	1377	1122	60	15	9	7	1213	22	19	24	21	55	78	83	97	296	785

Marriages 4,776

Births .. { Males .. 9,072 / Females 8,711 } 17,783

Annual Rate per 1000 living { Persons Married .. 15·56 / Births .. .. .. 28·96 }

Annual Births to 1000 Females aged 15—45 years = 115.

Deaths from Childbirth and Puerperal Fever .. .. } 3·71 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

214.—WOODBRIDGE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 14·42			*101	—	—	—	—	32·80	3·03	2·48	4·32	5·86	6·95	10·59	13·23	24·82	58·84	151·13
Annual Death-Rate per 1000. Males	—			15·05			*114	—	—	—	—	36·34	2·48	2·00	4·21	6·68	6·91	11·68	15·58	26·16	64·98	153·94
Annual Death-Rate per 1000. Females	—			13·83			* 88	—	—	—	—	29·19	3·59	2·98	4·46	5·07	6·99	9·63	11·16	23·66	53·44	148·56
Mean Population, 1891–1900. Persons	—			24,578			542	541	538	544	579	2744	2807	2707	2290	1929	3265	2785	2297	1777	1312	665
Mean Population, 1891–1900. Males	—			12,050			291	275	268	265	285	1384	1413	1399	1236	943	1534	1310	1078	822	614	317
Mean Population, 1891–1900. Females	—			12,528			251	266	270	279	294	1360	1394	1308	1054	986	1731	1475	1219	955	698	348
Deaths from All Causes, 1891–1900. Persons	17·53			4,308			630	143	62	43	22	900	85	67	99	113	227	295	304	441	772	1005
Deaths from All Causes, 1891–1900. Males	18·34			2,210			360	73	32	25	13	503	35	28	52	63	106	153	168	215	399	488
Deaths from All Causes, 1891–1900. Females	16·75			2,098			270	70	30	18	9	397	50	39	47	50	121	142	136	226	373	517
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·15	0·08	0·21	36	10	26	10	8	6	5	2	31	4	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·06	0·05	0·07	15	6	9	—	1	—	3	—	4	6	2	2	1	—	—	—	—	—	—
Diphtheria	0·26	0·24	0·27	63	29	34	1	2	7	5	4	19	21	9	3	1	2	3	2	1	1	1
Whooping-cough	0·29	0·27	0·31	72	33	39	39	21	5	3	1	69	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·10	0·08	0·12	25	10	15	—	—	—	—	—	—	1	3	1	6	5	4	2	—	2	1
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·35	0·30	0·39	85	36	49	35	1	1	1	—	38	—	—	—	—	1	1	4	6	19	16
Cholera	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Cancer	0·87	0·82	0·93	215	99	116	1	—	1	—	—	2	—	—	—	2	—	15	34	48	69	45
Tabes Mesenterica	0·13	0·12	0·14	31	14	17	10	6	1	1	—	18	1	2	3	1	3	1	1	1	—	—
Phthisis	1·56	1·47	1·64	383	177	206	3	1	2	—	1	7	5	15	25	45	87	76	47	48	22	6
Other Tub. & Scrof. Dis.	0·24	0·24	0·25	60	29	31	10	6	4	2	2	24	7	6	9	2	6	1	3	2	—	—
Diseases of Nervous System	2·32	2·57	2·07	569	310	259	59	11	8	3	2	83	3	4	3	11	33	59	52	68	145	108
Diseases of Circulatory „	1·74	1·77	1·72	428	213	215	—	—	1	—	—	1	3	1	5	5	12	22	37	76	147	119
Diseases of Respiratory „	2·37	2·56	2·18	582	309	273	109	42	14	11	5	181	9	2	1	4	11	19	32	58	135	130
Diseases of Digestive „	0·99	0·95	1·03	243	114	129	41	12	3	4	2	62	7	3	9	9	11	18	17	33	43	31
Diseases of Urinary „	0·63	0·86	0·41	155	104	51	1	—	—	—	—	1	1	2	3	1	1	14	18	34	44	36
Diseases of Generative „	0·04	—	0·08	10	—	10	—	—	—	—	—	—	—	—	—	1	—	1	2	4	2	—
Puerperal Fever	0·04	—	0·07	9	—	9	—	—	—	—	—	—	—	—	—	3	2	4	—	—	—	—
Childbirth	0·06	—	0·12	15	—	15	—	—	—	—	—	—	—	—	—	1	4	10	—	—	—	—
Violence	0·74	1·10	0·41	183	132	51	13	3	3	2	1	22	6	11	17	9	22	19	15	14	21	27
Other Causes	4·59	4·85	4·33	1128	584	544	298	29	6	3	2	338	8	6	18	11	27	28	38	48	121	485

Marriages 1,457

Births .. { Males .. 3,151 / Females 3,083 } 6,234

Annual Rate per 1000 living { Persons Married .. 11·86 / Births .. .. .. 25·36

Annual Births to 1000 Females aged 15—45 years = 119.

Deaths from Childbirth and Puerperal Fever .. .. } 3·85 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables

215.—PLOMESGATE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000. Persons	—	In Standard Population. 12·77	*110	—	—	—	—	33·75	3·57	2·47	3·91	4·95	5·44	5·78	10·15	19·43	48·23	152·64
Annual Death Rate per 1000. Males	—	13·07	*121	—	—	—	—	37·48	3·70	1·88	3·41	5·22	6·06	6·29	11·29	20·85	47·66	149·64
Annual Death Rate per 1000. Females	—	12·48	* 98	—	—	—	—	30·13	3·42	3·19	4·49	4·71	4·87	5·32	9·14	18·13	48·76	155·37
Mean Population, 1891–1900. Persons	—	20,179	443	446	467	493	486	2335	2412	2431	1969	1433	2482	2144	1833	1477	1076	587
Mean Population, 1891–1900. Males	—	10,048	224	224	242	231	229	1150	1242	1333	1055	690	1188	1034	859	705	512	280
Mean Population, 1891–1900. Females	—	10,131	219	222	225	262	257	1185	1170	1098	914	743	1294	1110	974	772	564	307
Deaths from All Causes, 1891–1900. Persons	16·00	3,229	572	114	45	31	26	788	86	60	77	71	135	124	186	287	519	896
Deaths from All Causes, 1891–1900. Males	16·10	1,618	321	61	19	19	11	431	46	25	36	36	72	65	97	147	244	419
Deaths from All Causes, 1891–1900. Females	15·90	1,611	251	53	26	12	15	357	40	35	41	35	63	59	89	140	275	477

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·20	0·21	0·20	41	21	20	7	7	7	3	3	27	8	3	—	—	—	2	1	—	—	—
Scarlet Fever	0·03	0·04	0·02	6	4	2	—	1	1	—	1	3	2	1	—	—	—	—	—	—	—	—
Diphtheria	0·31	0·29	0·34	63	29	34	1	1	4	4	5	15	29	10	2	2	—	3	1	1	—	—
Whooping-cough	0·23	0·26	0·21	47	26	21	24	10	5	4	1	44	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·07	0·10	0·05	15	10	5	—	1	—	1	—	2	2	4	4	—	1	1	—	—	—	1
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·22	0·27	0·18	45	27	18	20	5	—	—	—	25	—	—	—	—	—	—	1	3	4	12
Cholera	0·01	0·01	0·01	2	1	1	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—
Cancer	0·95	0·71	1·18	191	71	120	—	—	—	—	—	—	—	1	—	—	5	12	22	45	60	46
Tabes Mesenterica	0·10	0·11	0·10	21	11	10	10	5	2	—	—	17	2	—	—	—	—	—	2	—	—	—
Phthisis	1·17	1·19	1·14	235	120	115	1	1	—	1	1	4	5	8	40	30	56	28	29	23	11	1
Other Tub. & Scrof. Dis.	0·19	0·26	0·12	38	26	12	6	9	1	2	1	19	6	4	1	2	3	1	2	—	—	—
Diseases of Nervous System	1·96	2·02	1·89	394	203	191	55	6	6	3	5	75	11	4	2	4	9	14	17	30	100	128
Diseases of Circulatory	1·78	1·57	1·97	359	158	201	3	—	—	1	—	4	1	2	3	1	10	9	36	57	126	110
Diseases of Respiratory	2·10	2·13	2·03	422	215	207	96	43	11	5	4	159	2	2	—	2	5	8	9	28	69	138
Diseases of Digestive	0·84	0·80	0·89	170	80	90	41	9	1	3	2	56	3	1	5	3	4	10	14	22	28	24
Diseases of Urinary	0·33	0·44	0·23	67	44	23	2	—	—	—	—	2	1	—	—	1	3	4	6	13	16	21
Diseases of Generative	0·04	0·01	0·07	8	1	7	1	—	—	—	—	1	—	—	—	—	—	—	3	2	2	—
Puerperal Fever	0·04	—	0·09	9	—	9	—	—	—	—	—	—	—	—	—	1	6	2	—	—	—	—
Childbirth	0·05	—	0·11	11	—	11	—	—	—	—	—	—	—	—	1	3	5	2	—	—	—	—
Violence	0·58	0·95	0·23	118	95	23	11	2	2	2	2	19	4	3	10	9	11	11	14	12	12	13
Other Causes	4·80	4·73	4·84	967	476	491	294	14	5	2	1	316	7	17	9	13	16	17	29	50	91	402

Marriages 1,224

Births .. { Males .. 2,651 / Females 2,553 } 5,204

Annual Rate per 1000 living { Persons Married .. 12·13 / Births .. .. .. 25·79

Annual Births to 1000 Females aged 15—45 years = 128.

Deaths from Childbirth and Puerperal Fever .. .. } 3·84 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

216.—BLYTHING.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·00			* 97	—	—	—	—	30·86	2·99	2·01	3·06	4·91	5·14	6·34	10·57	18·37	47·31	140·40
Annual Death-Rate per 1000. Males	—			12·05			*108	—	—	—	—	34·81	3·30	2·50	2·57	4·64	4·86	6·07	10·42	17·56	46·84	142·82
Annual Death-Rate per 1000. Females	—			11·95			* 85	—	—	—	—	26·93	2·67	1·52	3·57	5·16	5·41	6·59	10·70	19·13	47·76	138·17
Mean Population, 1891–1900. Persons	—			25,478			632	602	588	629	627	3078	3077	2886	2352	1750	3207	2822	2300	1873	1378	755
Mean Population, 1891–1900. Males	—			12,490			314	297	299	322	305	1537	1544	1441	1205	840	1542	1350	1094	911	664	362
Mean Population, 1891–1900. Females	—			12,968			318	305	289	307	322	1541	1533	1445	1147	910	1665	1472	1206	962	714	393
Deaths from All Causes, 1891–1900. Persons	15·31			3,901			667	161	51	48	23	950	92	58	72	86	165	179	243	344	652	1060
Deaths from All Causes, 1891–1900. Males	15·62			1,951			386	94	22	19	14	535	51	36	31	39	75	82	114	160	311	517
Deaths from All Causes, 1891–1900. Females	15·01			1,950			281	67	29	29	9	415	41	22	41	47	90	97	129	184	341	543
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·13	0·18	0·08	33	22	11	5	20	3	3	1	32	—	—	1	—	—	—	—	—	—	—
Scarlet Fever	0·04	0·04	0·03	9	5	4	—	1	1	2	—	4	3	2	—	—	—	—	—	—	—	—
Diphtheria	0·22	0·22	0·23	57	27	30	3	3	5	4	1	16	27	8	3	—	1	1	—	1	—	—
Whooping-cough	0·28	0·25	0·31	71	31	40	38	18	6	8	—	70	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·02	0·02	0·03	6	2	4	—	—	—	—	—	—	—	2	—	—	1	2	—	1	—	—
Simple Continued Fever	0·01	0·02	0·01	3	2	1	—	—	—	—	—	—	1	—	—	—	1	—	1	—	—	—
Diarrhœa & Dysentery	0·20	0·21	0·19	51	26	25	26	3	—	2	1	32	—	—	—	—	—	—	1	3	10	5
Cholera	0·00	0·01	—	1	1	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	0·73	0·50	0·96	187	62	125	—	—	1	—	1	2	—	—	—	2	4	14	39	49	53	24
Tabes Mesenterica	0·07	0·07	0·08	19	9	10	4	3	—	1	1	9	—	1	3	1	2	2	—	1	—	—
Phthisis	1·06	1·07	1·04	269	134	135	4	7	1	2	2	16	10	7	37	39	64	39	30	19	6	2
Other Tub. & Scrof. Dis.	0·26	0·30	0·22	65	37	28	14	4	3	4	4	29	12	4	3	3	5	2	3	2	2	—
Diseases of Nervous System	1·52	1·40	1·63	387	175	212	60	16	5	5	1	87	11	6	2	4	10	16	22	43	85	101
Diseases of Circulatory	1·79	1·62	1·96	457	202	255	6	1	1	—	—	8	1	3	5	3	12	18	35	86	169	117
Diseases of Respiratory	2·21	2·32	2·09	562	290	272	108	48	13	11	2	182	9	4	2	5	6	16	25	38	114	161
Diseases of Digestive	0·98	1·09	0·88	250	136	114	53	16	4	5	1	79	6	5	2	7	12	14	21	23	50	31
Diseases of Urinary	0·49	0·69	0·31	126	86	40	—	—	—	—	1	1	2	1	2	1	6	9	20	19	27	38
Diseases of Generative	0·03	—	0·06	8	—	8	—	1	—	—	—	1	—	—	1	—	—	—	3	3	—	—
Puerperal Fever	0·05	—	0·09	12	—	12	—	—	—	—	—	—	—	—	—	4	6	2	—	—	—	—
Childbirth	0·06	—	0·12	15	—	15	—	—	—	—	—	—	—	—	—	4	4	7	—	—	—	—
Violence	0·53	0·81	0·26	135	101	34	7	7	7	1	5	27	7	8	3	3	12	11	13	21	15	15
OTHER CAUSES	4·63	4·80	4·43	1178	603	575	339	12	1	—	2	354	2	7	8	10	19	26	30	35	121	566

Marriages 1,611

Births .. { Males .. 3,583 / Females 3,295 } 6,878

Annual Rate per 1000 living { Persons Married .. 12·65 / Births .. .. .. 27·00 }

Annual Births to 1000 Females aged 15—45 years = 132.

Deaths from Childbirth and Puerperal Fever .. .. } 3·93 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

217.—WANGFORD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds
Annual Death-Rate per 1000. Persons	—			In Standard Population.		12·93	*122	—	—	—	—	36·00	2·81	1·90	3·08	4·89	4·94	6·84	12·44	18·81	48·75	147·31
Annual Death-Rate per 1000. Males	—					13·70	*139	—	—	—	—	40·61	3·12	2·06	3·40	4·39	5·95	7·38	14·61	15·80	54·60	152·63
Annual Death-Rate per 1000. Females	—					12·21	*104	—	—	—	—	31·29	2·50	1·72	2·74	5·32	4·02	6·35	10·56	21·67	43·64	143·18
Mean Population, 1891–1900. Persons	—			15,113			363	360	369	354	368	1814	1777	1840	1495	1125	1945	1652	1326	1026	722	391
Mean Population, 1891–1900. Males	—			7,404			185	180	187	178	186	916	897	969	764	524	924	786	616	500	337	171
Mean Population, 1891–1900. Females	—			7,709			178	180	182	176	182	898	880	871	731	601	1021	866	710	526	385	220
Deaths from All Causes, 1891–1900. Persons	15·44			2,334			484	94	27	27	21	653	50	35	46	55	96	113	165	193	352	576
Deaths from All Causes, 1891–1900. Males	16·15			1,196			277	58	14	12	11	372	28	20	26	23	55	58	90	79	184	261
Deaths from All Causes, 1891–1900. Females	14·76			1,138			207	36	13	15	10	281	22	15	20	32	41	55	75	114	168	315
	Persons.	Males.	Females.	Persons.	Males.	Females	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·09	0·09	0·08	13	7	6	4	3	3	—	—	10	3	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·03	0·03	0·04	5	2	3	—	—	1	—	1	2	1	1	—	1	—	—	—	—	—	—
Diphtheria	0·21	0·22	0·21	32	16	16	2	5	1	4	3	15	11	4	—	—	1	—	1	—	—	—
Whooping-cough	0·26	0·30	0·23	40	22	18	21	12	3	3	—	39	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·04	0·07	0·01	6	5	1	—	—	—	—	—	—	1	—	—	—	3	1	1	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·31	0·26	0·36	47	19	28	27	7	—	1	—	35	—	—	—	—	1	—	—	3	3	5
Cholera	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Cancer	0·87	0·68	1·06	132	50	82	—	—	1	—	1	2	1	—	—	—	3	11	29	29	36	21
Tabes Mesenterica	0·40	0·46	0·34	60	34	26	44	7	—	—	—	51	2	1	1	1	1	1	1	—	1	—
Phthisis	1·29	1·24	1·34	195	92	103	2	3	—	—	1	6	4	8	23	29	42	32	19	14	13	5
Other Tub. & Scrof. Dis.	0·24	0·35	0·14	37	26	11	9	7	5	—	1	22	5	3	3	1	—	—	2	—	—	1
Diseases of Nervous System	2·01	2·19	1·84	304	162	142	49	9	1	9	3	71	5	3	3	3	2	13	20	30	71	83
Diseases of Circulatory	1·72	1·50	1·93	260	111	149	—	—	—	—	—	—	1	1	3	4	8	13	27	47	66	90
Diseases of Respiratory	2·20	2·35	2·05	332	174	158	76	24	5	5	5	115	4	3	—	1	7	4	13	24	64	97
Diseases of Digestive	0·74	0·92	0·57	112	68	44	24	4	1	—	—	29	2	3	2	3	3	7	12	13	20	18
Diseases of Urinary	0·33	0·46	0·21	50	34	16	1	1	1	—	—	3	—	—	1	1	—	2	6	5	14	18
Diseases of Generative	0·05	0·04	0·05	7	3	4	—	—	—	—	—	—	—	—	—	1	—	—	1	—	4	1
Puerperal Fever	0·05	—	0·09	7	—	7	—	—	—	—	—	—	—	—	—	—	4	3	—	—	—	—
Childbirth	0·05	—	0·09	7	—	7	—	—	—	—	—	—	—	—	—	1	3	2	1	—	—	—
Violence	0·58	0·78	0·39	88	58	30	7	4	2	2	2	17	2	3	4	3	10	10	12	5	9	13
Other Causes	3·96	4·20	3·73	599	312	287	218	8	3	3	4	236	7	5	6	6	8	14	19	23	51	224

Marriages 988

Births .. Males .. 1,998 } 3,980
Births .. Females 1,982 }

Annual Rate per 1000 living { Persons Married .. 13·07
Births .. .. .. 26·33 }

Annual Births to 1000 Females aged 15—45 years = 124.

Deaths from Childbirth and Puerperal Fever .. .. } 3·52 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

218.—MUTFORD.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 14·56			*138	—	—	—	—	46·67	3·15	1·97	2·95	4·01	5·33	8·23	11·48	22·73	53·15	138·17
Annual Death-Rate per 1000. Males ..	—			In Standard Population. 15·55			*149	—	—	—	—	49·78	3·12	2·01	3·25	5·12	5·45	9·30	13·95	25·48	58·37	146·76
Annual Death-Rate per 1000. Females	—			In Standard Population. 13·64			*127	—	—	—	—	43·51	3·17	1·92	2·69	3·20	5·24	7·33	9·39	20·43	48·66	131·82
Mean Population, 1891–1900. Persons	—			38,807			1037	965	1015	992	1024	5033	4860	4525	3892	3263	5290	4240	3276	2279	1460	689
Mean Population, 1891–1900. Males	—			18,161			525	483	501	492	536	2537	2434	2239	1813	1388	2313	1935	1498	1036	675	293
Mean Population, 1891–1900. Females	—			20,646			512	482	514	500	488	2496	2426	2286	2079	1875	2977	2305	1778	1243	785	396
Deaths from All Causes, 1891–1900. Persons	15·69			6,090			1681	382	129	91	66	2349	153	89	115	131	282	349	376	518	776	952
Deaths from All Causes, 1891–1900. Males ..	17·16			3,117			926	207	68	31	31	1263	76	45	59	71	126	180	209	264	394	430
Deaths from All Causes, 1891–1900. Females	14·40			2,973			755	175	61	60	35	1086	77	44	56	60	156	169	167	254	382	522
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·36	0·39	0·34	140	70	70	32	62	19	14	8	135	4	—	—	—	1	—	—	—	—	—
Scarlet Fever	0·04	0·06	0·02	15	10	5	1	4	2	1	3	11	2	—	—	—	1	—	1	—	—	—
Diphtheria	0·33	0·29	0·37	128	52	76	4	11	19	22	18	74	45	6	—	—	—	—	1	1	1	—
Whooping-cough ..	0·51	0·42	0·58	196	77	119	111	51	14	10	4	190	6	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·20	0·19	0·20	77	35	42	—	5	—	3	—	8	6	6	6	8	11	17	11	2	2	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·66	0·80	0·53	256	146	110	188	34	2	1	1	226	1	—	—	—	—	—	1	2	13	13
Cholera	0·01	0·01	0·01	5	2	3	1	—	—	—	—	1	—	—	—	—	—	1	1	1	1	—
Cancer	0·84	0·70	0·96	326	128	198	—	2	1	—	—	3	—	—	3	2	9	30	50	87	90	52
Tabes Mesenterica ..	0·12	0·14	0·11	48	26	22	24	6	2	—	1	33	3	4	1	—	4	—	1	—	2	—
Phthisis	0·94	1·03	0·86	364	187	177	6	4	4	1	2	17	5	14	36	45	82	69	42	35	17	2
Other Tub. & Scrof. Dis.	0·35	0·37	0·33	136	67	69	37	16	12	9	4	78	18	7	10	5	7	7	2	1	—	1
Diseases of Nervous System ..	1·60	1·60	1·59	620	291	329	148	23	10	8	4	193	5	9	7	10	16	26	43	70	120	121
Diseases of Circulatory „ ..	1·73	1·97	1·52	670	357	313	10	2	1	—	—	13	11	7	10	10	23	54	81	125	169	167
Diseases of Respiratory „ ..	2·11	2·38	1·87	819	433	386	275	102	23	15	11	426	12	6	6	6	13	23	28	47	108	144
Diseases of Digestive „ ..	0·89	1·04	0·76	345	189	156	145	30	3	2	1	181	6	7	9	10	9	18	18	29	32	26
Diseases of Urinary „ ..	0·47	0·67	0·29	181	121	60	2	—	2	1	1	6	6	1	2	3	12	9	20	35	54	33
Diseases of Generative „ ..	0·05	0·01	0·09	19	1	18	—	—	—	—	—	—	—	—	—	—	5	4	6	1	3	—
Puerperal Fever ..	0·07	—	0·14	29	—	29	—	—	—	—	—	—	—	—	—	6	13	10	—	—	—	—
Childbirth	0·06	—	0·11	23	—	23	—	—	—	—	—	—	—	—	2	2	11	7	1	—	—	—
Violence	0·64	1·07	0·26	247	194	53	22	6	8	3	7	46	17	8	13	19	38	27	25	18	23	13
OTHER CAUSES ..	3·71	4·02	3·46	1446	731	715	675	24	7	1	1	708	6	14	10	5	27	47	44	64	141	380

Marriages 2,980

Births .. { Males .. 6,195 / Females 5,960 } 12,155

Annual Rate per 1000 living { Persons Married .. 15·36 / Births .. .. .. 31·32

Annual Births to 1000 Females aged 15—45 years = 132.

Deaths from Childbirth and Puerperal Fever .. .. } 4·28 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

219.—YARMOUTH.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 18·34			*175	—	—	—	—	63·02	5·12	2·84	3·39	4·69	6·96	10·41	14·95	26·60	57·00	149·60
Males ..	—			20·18			*188	—	—	—	—	68·14	5·27	2·74	4·36	6·04	8·84	12·57	18·53	29·79	64·31	157·69
Females	—			16·62			*161	—	—	—	—	57·89	4·96	2·93	2·63	3·77	5·55	8·64	12·15	24·11	51·71	144·39
Mean Population, 1891-1900. Persons	—			49,633			1185	1054	1140	1136	1126	5641	5628	5432	5020	4240	6813	5696	4594	3350	2223	996
Males ..	—			22,549			606	516	571	567	562	2822	2807	2700	2201	1723	2918	2570	2018	1467	933	390
Females	—			27,084			579	538	569	569	564	2819	2821	2732	2819	2517	3895	3126	2576	1883	1290	606
Deaths from All Causes, 1891-1900. Persons	19·68			9,768			2486	562	223	169	115	3555	288	154	170	199	474	593	687	891	1267	1490
Males ..	21·96			4,952			1367	302	111	82	61	1923	148	74	96	104	258	323	374	437	600	615
Females	17·78			4,816			1119	260	112	87	54	1632	140	80	74	95	216	270	313	454	667	875
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	0·01	0·01	0·01	5	2	3	1	—	—	1	—	2	1	—	—	—	2	—	—	—	—	—
Measles	0·35	0·40	0·31	175	90	85	37	55	37	16	14	159	13	2	—	—	1	—	—	—	—	—
Scarlet Fever	0·14	0·14	0·14	70	32	38	5	5	11	10	12	43	17	7	2	1	—	—	—	—	—	—
Diphtheria	0·48	0·54	0·44	239	121	118	9	20	29	37	29	124	88	19	—	2	1	1	—	3	1	—
Whooping-cough ..	0·40	0·44	0·37	199	99	100	88	54	28	16	7	193	6	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·42	0·49	0·36	207	110	97	—	1	1	4	2	8	30	26	20	27	39	22	20	11	4	—
Simple Continued Fever	0·02	0·02	0·02	10	4	6	—	1	—	1	—	2	1	1	—	1	—	3	—	—	2	—
Diarrhœa & Dysentery	1·05	1·22	0·91	521	274	247	390	58	4	1	1	454	—	—	—	—	1	1	2	6	17	40
Cholera	0·02	0·02	0·02	10	5	5	4	1	—	—	—	5	1	1	—	—	—	1	1	1	—	—
Cancer	0·96	0·82	1·07	475	185	290	—	—	—	—	1	1	1	1	6	1	14	48	87	130	131	55
Tabes Mesenterica ..	0·27	0·31	0·23	132	69	63	93	14	3	5	2	117	4	1	3	1	4	1	—	—	1	—
Phthisis	1·03	1·15	0·93	511	260	251	4	1	2	3	—	10	7	15	41	70	106	111	94	43	12	2
Other Tub. & Scrof. Dis.	0·33	0·39	0·28	165	89	76	57	26	9	6	4	102	20	9	9	2	8	5	2	3	4	1
Diseases of Nervous System ..	2·26	2·60	1·98	1122	586	536	197	45	19	8	10	279	13	11	12	6	51	92	91	151	215	201
Circulatory „ ..	1·72	1·90	1·58	856	428	428	11	1	—	—	—	12	5	17	5	10	45	62	80	162	252	206
Respiratory „ ..	2·74	3·10	2·44	1360	700	660	341	169	51	35	16	612	19	2	7	10	25	31	69	127	227	231
Digestive „ ..	1·22	1·39	1·07	604	314	290	222	39	7	4	2	274	9	10	14	9	32	34	57	60	66	39
Urinary „ ..	0·49	0·68	0·33	243	153	90	8	1	3	1	1	14	4	5	4	5	15	25	34	40	58	39
Generative „ ..	0·05	0·00	0·08	24	1	23	—	—	—	—	—	—	—	—	—	1	—	6	6	5	2	4
Puerperal Fever ..	0·06	—	0·10	28	—	28	—	—	—	—	—	—	—	—	2	7	10	8	1	—	—	—
Childbirth	0·06	—	0·11	29	—	29	—	—	—	—	—	—	—	—	—	1	16	11	1	—	—	—
Violence	0·74	1·10	0·43	366	249	117	45	8	8	8	7	76	26	9	25	20	44	47	41	26	29	23
OTHER CAUSES ..	4·86	5·24	4·57	2417	1181	1236	974	63	11	13	7	1068	23	18	20	25	60	84	101	123	246	649

Marriages 3,991

Births .. Males .. 7,256 / Females 6,969 } 14,225

Annual Rate per 1000 living { Persons Married .. 16·08 / Births .. .. .. 28·66

Annual Births to 1000 Females aged 15—45 years = 115.

Deaths from Childbirth and Puerperal Fever .. .. } 4·01 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

220.—FLEGG.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·88			*142	—	—	—	—	44·37	4·00	2·02	3·69	5·41	6·62	7·97	8·55	17·27	46·05	133·97
Annual Death-Rate per 1000. Males ..	—			In Standard Population. 14·74			*164	—	—	—	—	50·80	3·96	1·75	3·43	5·56	8·12	7·91	7·43	19·82	48·21	137·80
Annual Death-Rate per 1000. Females	—			In Standard Population. 13·08			*118	—	—	—	—	38·09	4·05	2·30	3·99	5·28	5·36	8·03	9·59	14·96	44·03	130·37
Mean Population, 1891–1900. Persons	—			9,807			252	238	251	253	266	1260	1224	1136	868	684	1269	1054	842	689	519	262
Mean Population, 1891–1900. Males ..	—			4,784			124	116	126	118	138	622	606	570	467	324	579	506	404	328	251	127
Mean Population, 1891–1900. Females	—			5,023			128	122	125	135	128	638	618	566	401	360	690	548	438	361	268	135
Deaths from All Causes, 1891–1900. Persons	16·81			1,649			427	82	27	12	11	559	49	23	32	37	84	84	72	119	239	351
Deaths from All Causes, 1891–1900. Males ..	18·02			862			255	40	15	2	4	316	24	10	16	18	47	40	30	65	121	175
Deaths from All Causes, 1891–1900. Females	15·67			787			172	42	12	10	7	243	25	13	16	19	37	44	42	54	118	176
	Persons.	Males.	Females	Persons.	Males.	Females	PERSONS.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·21	0·21	0·22	21	10	11	4	10	5	1	—	20	1	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·11	0·08	0·14	11	4	7	1	—	2	2	—	5	6	—	—	—	—	—	—	—	—	—
Diphtheria	0·25	0·19	0·32	25	9	16	—	2	2	1	2	7	11	2	1	2	—	1	1	—	—	—
Whooping-cough ..	0·38	0·44	0·32	37	21	16	25	11	1	—	—	37	—	—	—	—	—	—	—	—	—	—
Typhus	0·02	—	0·04	2	—	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
Enteric Fever . ..	0·20	0·25	0·16	20	12	8	—	—	—	—	—	—	4	2	1	3	4	2	2	1	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·36	0·40	0·32	35	19	16	24	7	—	—	—	31	—	—	—	—	—	—	—	—	—	4
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·90	0·48	1·29	88	23	65	—	—	—	—	—	—	1	—	—	—	4	10	13	22	25	13
Tabes Mesenterica ..	0·20	0·19	0·22	20	9	11	12	6	—	—	—	18	1	—	1	—	—	—	—	—	—	—
Phthisis	0·95	0·96	0·94	93	46	47	1	1	—	—	—	2	4	3	9	15	24	19	11	2	3	1
Other Tub. & Scrof. Dis.	0·17	0·21	0·14	17	10	7	6	1	2	—	1	10	2	—	—	1	1	3	—	—	—	—
Diseases of Nervous System ..	2·10	2·24	1·97	206	107	99	42	10	4	1	1	58	3	1	—	3	4	12	12	15	37	61
Diseases of Circulatory „ ..	1·20	1·48	0·94	118	71	47	1	—	—	—	—	1	—	2	4	2	2	6	5	22	43	31
Diseases of Respiratory „ ..	2·84	2·97	2 71	278	142	136	73	22	9	3	4	111	5	—	—	1	9	5	3	20	51	73
Diseases of Digestive „ ..	1·06	1·30	0·84	104	62	42	27	4	1	1	1	34	3	2	2	1	3	1	7	13	21	17
Diseases of Urinary „ ..	0·49	0·59	0·40	48	28	20	—	1	—	—	—	1	—	2	3	—	1	1	6	6	11	17
Diseases of Generative „ ..	0·06	0·02	0·10	6	1	5	—	—	—	—	—	—	—	—	—	—	—	2	2	1	1	—
Puerperal Fever ..	0·05	—	0·10	5	—	5	—	—	—	—	—	—	—	—	—	—	2	3	—	—	—	—
Childbirth	0·09	—	0·18	9	—	9	—	—	—	—	—	—	—	—	—	1	4	4	—	—	—	—
Violence	0·73	1·11	0·38	72	53	19	1	—	—	1	1	3	3	4	6	5	12	9	3	6	12	9
OTHER CAUSES ..	4·44	4·90	3·94	434	235	199	210	7	1	2	1	221	4	4	5	3	14	6	7	11	34	125

Marriages 615

Births .. { Males .. 1,558 / Females 1,452 } 3,010

Annual Rate per 1000 living { Persons Married .. 12·54 / Births .. .. .. 30·69 }

Annual Births to 1000 Females aged 15—45 years = 151.

Deaths from Childbirth and Puerperal Fever .. . . } 4·65 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

221.—SMALLBURGH.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·80			*134	—	—	—	—	39·81	3·12	2·96	5·04	5·91	5·32	7·46	10·32	21·72	44·33	147·01
Annual Death-Rate per 1000. Males	—			In Standard Population. 13·72			*149	—	—	—	—	43·31	3·11	2·01	4·77	5·94	5·66	6·40	8·82	21·67	46·17	153·37
Annual Death-Rate per 1000. Females	—			In Standard Population. 13·87			*120	—	—	—	—	36·46	3·13	3·93	5·35	5·89	4·99	8·49	11·70	21·75	42·72	141·92
Mean Population, 1891–1900. Persons	—			17,460			424	402	417	408	396	2047	2052	1959	1608	1268	2295	1903	1637	1271	952	468
Mean Population, 1891–1900. Males	—			8,599			202	192	210	209	189	1002	1028	993	860	623	1113	937	782	609	444	208
Mean Population, 1891–1900. Females	—			8,861			222	210	207	199	207	1045	1024	966	748	645	1182	966	855	662	508	260
Deaths from All Causes, 1891–1900. Persons	16·68			2,912			619	111	42	23	20	815	64	58	81	75	122	142	169	276	422	688
Deaths from All Causes, 1891–1900. Males	16·42			1,412			341	51	20	10	12	434	32	20	41	37	63	60	69	132	205	319
Deaths from All Causes, 1891–1900. Females	16·93			1,500			278	60	22	13	8	381	32	38	40	38	59	82	100	144	217	369
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·13	0·12	0·14	22	10	12	9	6	2	2	—	19	3	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·05	0·07	0·03	9	6	3	3	1	1	2	1	8	—	—	1	—	—	—	—	—	—	—
Diphtheria	0·20	0·21	0·19	35	18	17	—	3	4	1	10	18	10	3	3	—	1	—	—	—	—	—
Whooping-cough	0·32	0·22	0·42	56	19	37	28	15	8	2	2	55	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·09	0·09	0·09	16	8	8	1	—	—	1	—	2	1	2	3	1	3	1	1	2	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·42	0·56	0·28	73	48	25	49	5	1	—	—	55	—	—	—	—	—	—	2	2	7	7
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·96	0·66	1·24	167	57	110	—	—	—	—	—	—	—	—	—	—	4	14	30	43	49	27
Tabes Mesenterica	0·15	0·15	0·15	26	13	13	15	4	—	—	—	19	1	2	1	1	2	—	—	—	—	—
Phthisis	1·29	1·21	1·37	225	104	121	5	5	1	—	—	11	9	16	30	31	41	36	19	21	10	1
Other Tub. & Scrof. Dis.	0·24	0·23	0·25	42	20	22	7	9	3	—	—	19	4	6	4	1	4	4	—	—	—	—
Diseases of Nervous System	1·97	1·69	2·25	344	145	199	73	18	4	3	2	100	7	5	6	4	5	11	20	47	55	84
Diseases of Circulatory "	1·87	1·73	2·01	327	149	178	3	—	—	—	—	3	1	4	7	5	7	11	25	56	108	100
Diseases of Respiratory "	2·11	2·27	1·96	369	195	174	93	25	12	8	2	140	12	1	2	3	7	15	14	33	51	91
Diseases of Digestive "	0·86	0·79	0·93	150	68	82	32	1	—	1	—	34	3	5	4	8	3	14	12	24	25	18
Diseases of Urinary "	0·58	0·84	0·33	101	72	29	1	1	—	1	—	3	1	—	2	1	5	5	6	13	27	38
Diseases of Generative "	0·03	—	0·06	5	—	5	—	—	—	—	—	—	—	—	—	—	1	—	1	1	2	—
Puerperal Fever	0·04	—	0·08	7	—	7	—	—	—	—	—	—	—	—	—	1	4	2	—	—	—	—
Childbirth	0·09	—	0·18	16	—	16	—	—	—	—	—	—	—	—	—	6	6	4	—	—	—	—
Violence	0·52	0·70	0·34	90	60	30	6	3	1	—	—	10	5	8	8	5	14	7	9	8	7	9
OTHER CAUSES	4·76	4·88	4·63	832	420	412	294	15	5	2	3	319	6	6	10	8	15	18	30	26	81	313

Marriages 1,109

Births .. { Males .. 2,292 / Females 2,313 } 4,605

Annual Rate per 1000 living { Persons Married .. 12·70 / Births .. .. .. 26·37

Annual Births to 1000 Females aged 15—45 years = 130.

Deaths from Childbirth and Puerperal Fever .. .. } 4·99 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

222.—ERPINGHAM.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·54			*111	—	—	—	—	35·45	3·43	2·34	3·61	4·63	4·55	6·53	9·51	19·99	46·60	139·02
Annual Death-Rate per 1000. Males	—			12·70			*128	—	—	—	—	38·85	2·63	2·31	3·15	5·35	4·31	6·07	8·84	22·19	49·49	143·03
Annual Death-Rate per 1000. Females	—			12·39			* 95	—	—	—	—	32·07	4·22	2·38	4·10	3·95	4·78	6·98	10·12	18·09	43·95	135·67
Mean Population, 1891–1900. Persons	—			20,360			484	450	477	493	471	2375	2302	2175	1911	1664	2901	2265	1745	1441	1030	551
Mean Population, 1891–1900. Males	—			9,950			241	223	238	241	241	1184	1140	1081	985	804	1415	1104	826	667	493	251
Mean Population, 1891–1900. Females	—			10,410			243	227	239	252	230	1191	1162	1094	926	860	1486	1161	919	774	537	300
Deaths from All Causes, 1891–1900. Persons	15·22			3,098			624	114	52	27	25	842	79	51	69	77	132	148	166	288	480	766
Deaths from All Causes, 1891–1900. Males	15·49			1,541			352	56	25	16	11	460	30	25	31	43	61	67	73	148	244	359
Deaths from All Causes, 1891–1900. Females	14·96			1,557			272	58	27	11	14	382	49	26	38	34	71	81	93	140	236	407
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·07	0·07	0·07	14	7	7	6	2	1	—	—	9	3	1	1	—	—	—	—	—	—	—
Scarlet Fever	0·08	0·08	0·08	16	8	8	—	2	2	5	2	11	4	—	—	—	—	—	1	—	—	—
Diphtheria	0·34	0·32	0·36	69	32	37	1	3	8	11	7	30	23	7	5	1	1	—	1	1	—	—
Whooping-cough	0·25	0·24	0·26	51	24	27	27	12	10	—	1	50	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·07	0·12	0·03	15	12	3	—	—	—	—	—	—	1	—	1	3	3	3	2	2	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·27	0·31	0·22	54	31	23	28	8	—	—	—	36	—	1	—	—	—	—	—	1	5	11
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·95	0·74	1·14	193	74	119	—	—	1	—	—	1	1	—	2	1	5	14	30	51	55	33
Tabes Mesenterica	0·09	0·11	0·07	18	11	7	5	1	2	—	—	8	—	2	3	2	1	2	—	—	—	—
Phthisis	1·04	0·93	1·13	211	93	118	2	3	1	—	3	9	3	10	25	31	50	39	22	11	10	1
Other Tub. & Scrof. Dis.	0·33	0·24	0·42	68	24	44	17	8	7	—	—	32	11	5	3	4	2	4	—	5	2	—
Diseases of Nervous System	1·59	1·59	1·59	324	158	166	63	14	1	3	2	83	5	5	2	—	8	7	15	38	74	87
Diseases of Circulatory „	1·31	1·29	1·34	267	128	139	3	1	—	—	—	4	4	2	2	4	13	10	20	41	84	83
Diseases of Respiratory „	1·97	2·06	1·87	400	205	195	83	40	9	4	3	139	7	3	3	4	3	11	12	37	74	107
Diseases of Digestive „	0·76	0·93	0·59	154	93	61	38	2	2	1	2	45	5	6	2	4	4	7	10	25	27	19
Diseases of Urinary „	0·43	0·57	0·30	88	57	31	5	—	—	—	—	5	—	1	—	1	3	7	3	18	29	21
Diseases of Generative „	0·06	0·01	0·12	13	1	12	1	—	—	—	—	1	—	—	—	—	1	2	4	2	—	3
Puerperal Fever	0·04	—	0·09	9	—	9	—	—	—	—	—	—	—	—	3	1	3	2	—	—	—	—
Childbirth	0·06	—	0·12	13	—	13	—	—	—	—	—	—	—	—	1	—	7	5	—	—	—	—
Violence	0·51	0·76	0·27	104	76	28	5	3	2	2	4	16	6	5	9	10	12	13	10	9	6	8
OTHER CAUSES	5·00	5·12	4·89	1017	507	510	340	15	6	1	1	363	5	3	7	11	16	22	36	47	114	393

Marriages 1,417

Births .. Males .. 2,758, Females 2,864 } 5,622

Annual Rate per 1000 living { Persons Married .. 13·92; Births .. .. .. 27·61

Annual Births to 1000 Females aged 15—45 years = 127.

Deaths from Childbirth and Puerperal Fever .. .. } 3·91 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

223.—AYLSHAM.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·47			*116	—	—	—	—	36·72	2·60	2·26	2·19	5·25	4·81	6·32	9·71	18·88	42·60	147·50
Annual Death-Rate per 1000. Males	—			12·80			*127	—	—	—	—	41·89	2·73	1·84	0·91	5·96	4·42	6·87	9·60	19·90	43·75	150·00
Annual Death-Rate per 1000. Females	—			12·15			*103	—	—	—	—	31·59	2·47	2·69	3·84	4·48	5·18	5·79	9·80	17·96	41·61	145·51
Mean Population, 1891–1900. Persons	—			17,272			384	387	425	419	403	2018	2041	1906	1556	1201	2246	1884	1504	1335	1040	541
Mean Population, 1891–1900. Males	—			8,591			190	194	204	210	207	1005	1027	978	879	621	1108	917	708	628	480	240
Mean Population, 1891–1900. Females	—			8,681			194	193	221	209	196	1013	1014	928	677	580	1138	967	796	707	560	301
Deaths from All Causes, 1891–1900. Persons	16·21			2,800			556	110	40	24	11	741	53	43	34	63	108	119	146	252	443	798
Deaths from All Causes, 1891–1900. Males	16·14			1,387			319	62	21	13	6	421	28	18	8	37	49	63	68	125	210	360
Deaths from All Causes, 1891–1900. Females	16·28			1,413			237	48	19	11	5	320	25	25	26	26	59	56	78	127	233	438
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Measles	0·06	0·08	0·05	11	7	4	2	4	3	—	—	9	2	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·16	0·21	0·12	28	18	10	1	4	4	3	1	13	9	2	—	3	—	1	—	—	—	—
Diphtheria	0·08	0·07	0·09	14	6	8	—	—	—	2	1	3	5	3	1	1	—	—	—	—	1	—
Whooping-cough	0·38	0·37	0·39	66	32	34	32	21	5	3	1	62	4	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·09	0·10	0·08	16	9	7	—	—	—	—	—	—	2	—	1	6	3	1	1	1	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·19	0·23	0·15	33	20	13	16	1	1	—	—	18	1	—	—	—	—	—	—	2	1	11
Cholera	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Cancer	0·78	0·62	0·94	135	53	82	—	—	—	—	—	—	1	—	—	—	3	9	21	35	38	28
Tabes Mesenterica	0·14	0·17	0·10	24	15	9	8	5	1	—	—	14	2	1	2	1	2	—	1	1	—	—
Phthisis	0·94	0·77	1·11	162	66	96	1	—	—	—	—	1	4	6	16	26	42	25	23	13	5	1
Other Tub. & Scrof. Dis.	0·21	0·22	0·21	37	19	18	8	4	—	1	—	13	4	6	1	3	4	5	—	1	—	—
Diseases of: Nervous System	2·06	1·93	2·19	356	166	190	69	17	4	3	2	95	5	5	2	3	5	13	14	38	71	105
Diseases of: Circulatory „	1·93	1·86	1·99	333	160	173	1	—	1	—	—	2	2	2	2	1	14	18	24	60	103	105
Diseases of: Respiratory „	2·22	2·21	2·24	384	190	194	85	33	9	6	2	135	5	3	—	4	7	11	13	24	73	109
Diseases of: Digestive „	0·65	0·65	0·65	112	56	56	23	6	3	2	—	34	1	5	—	—	1	4	10	15	18	24
Diseases of: Urinary „	0·47	0·62	0·33	82	53	29	2	1	—	—	—	3	1	—	—	3	4	4	5	12	22	28
Diseases of: Generative „	0·01	0·01	0·01	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—
Puerperal Fever	0·05	—	0·10	9	—	9	—	—	—	—	—	—	—	—	—	2	4	3	—	—	—	—
Childbirth	0·10	—	0·20	17	—	17	—	—	—	—	—	—	—	—	2	1	10	4	—	—	—	—
Violence	0·35	0·44	0·26	61	38	23	9	2	2	1	2	16	3	1	3	1	—	5	9	7	6	10
OTHER CAUSES	5·32	5·56	5·07	916	476	440	299	12	7	3	2	323	2	9	3	8	9	16	25	43	101	377

Marriages 1,135

Births .. { Males .. 2,511 / Females 2,294 } 4,805

Annual Rate per 1000 living { Persons Married .. 13·14 / Births .. .. .. 27·82 }

Annual Births to 1000 Females aged 15—45 years = 143.

Deaths from Childbirth and Puerperal Fever .. .. } 5·41 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

224.—ST. FAITH'S.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 14·83			*130	—	—	—	—	42·20	2·26	1·91	2·76	5·61	6·88	10·33	12·53	24·13	56·70	141·72
Annual Death-Rate per 1000. Males	—			15·35			*148	—	—	—	—	46·88	2·08	2·09	2·83	6·19	6·81	10·89	12·14	23·58	58·62	153·19
Annual Death-Rate per 1000. Females	—			14·35			*110	—	—	—	—	37·19	2·43	1·70	2·69	5·08	6·95	9·83	12·90	24·64	55·02	131·68
Mean Population, 1891–1900. Persons	—			12,359			278	280	279	300	292	1429	1462	1363	1121	944	1642	1404	1149	924	619	302
Mean Population, 1891–1900. Males	—			6,084			141	146	140	155	156	738	720	716	601	452	764	661	560	441	290	141
Mean Population, 1891–1900. Females	—			6,275			137	134	139	145	136	691	742	647	520	492	878	743	589	483	329	161
Deaths from All Causes, 1891–1900. Persons	17·40			2,150			448	88	33	18	16	603	33	26	31	53	113	145	144	223	351	428
Deaths from All Causes, 1891–1900. Males	18·13			1,103			262	54	14	9	7	346	15	15	17	28	52	72	68	104	170	216
Deaths from All Causes, 1891–1900. Females	16·69			1,047			186	34	19	9	9	257	18	11	14	25	61	73	76	119	181	212
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·20	0·20	0·21	25	12	13	5	5	7	2	3	22	3	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·03	0·02	0·05	4	1	3	—	—	—	—	2	2	1	—	—	1	—	—	—	—	—	—
Diphtheria	0·14	0·13	0·14	17	8	9	1	2	3	1	1	8	6	3	—	—	—	—	—	—	—	—
Whooping-cough	0·46	0·43	0·49	57	26	31	29	16	7	2	1	55	2	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·06	0·05	0·06	7	3	4	—	—	—	—	—	—	2	—	—	1	1	1	1	1	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·27	0·26	0·27	33	16	17	23	1	—	—	—	24	—	—	—	—	—	—	—	1	4	4
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·94	0·71	1·16	116	43	73	—	—	—	—	—	—	—	1	—	—	—	5	19	31	44	16
Tabes Mesenterica	0·08	0·15	0·02	10	9	1	2	1	3	1	—	7	1	—	—	2	—	—	—	—	—	—
Phthisis	1·26	1·07	1·45	156	65	91	1	—	—	—	—	1	1	7	11	17	44	39	19	12	5	—
Other Tub. & Scrof. Dis.	0·22	0·26	0·18	27	16	11	2	4	2	1	2	11	—	1	1	2	5	4	1	2	—	—
Diseases of Nervous System	3·00	3·24	2·77	371	197	174	41	7	2	4	2	56	5	1	1	9	27	52	45	56	70	49
Diseases of Circulatory "	1·76	1·73	1·80	218	105	113	—	—	—	—	—	—	3	3	5	4	7	7	21	49	66	53
Diseases of Respiratory "	2·02	2·32	1·74	250	141	109	60	21	5	5	1	92	2	—	2	2	5	8	7	27	44	61
Diseases of Digestive "	0·94	0·74	1·13	116	45	71	28	8	—	1	1	38	2	1	2	4	3	10	7	14	27	8
Diseases of Urinary "	0·28	0·41	0·16	35	25	10	2	—	—	—	—	2	—	1	1	2	2	3	4	4	9	7
Diseases of Generative "	0·02	—	0·03	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—
Puerperal Fever	0·02	—	0·03	2	—	2	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
Childbirth	0·05	—	0·10	6	—	6	—	—	—	—	—	—	—	—	—	1	3	2	—	—	—	—
Violence	0·39	0·62	0·16	48	38	10	4	4	1	1	1	11	2	3	2	2	5	5	5	3	6	4
OTHER CAUSES	5·26	5·79	4·74	650	353	297	250	19	3	—	2	274	3	5	6	5	10	9	15	22	75	226

Marriages 711

Births .. { Males .. 1,774 / Females 1,685 } 3,459

Annual Rate per 1000 living { Persons Married .. 11·51 / Births .. .. .. 27·99

Annual Births to 1000 Females aged 15—45 years = 131.

Deaths from Childbirth and Puerperal Fever .. .. } 2·31 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

225.—NORWICH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		17·88	*181	—	—	—	—	65·03	3·45	2·39	3·31	4·74	5·45	8·90	14·05	26·29	59·86	149·39
Annual Death-Rate per 1000. Males	—					19·35	*201	—	—	—	—	71·81	3·49	2·39	3·70	5·38	5·71	9·90	16·31	29·53	66·59	160·34
Annual Death-Rate per 1000. Females	—					16·50	*160	—	—	—	—	58·45	3·41	2·39	2·99	4·28	5·25	8·05	12·19	23·77	54·96	142·87
Mean Population, 1891-1900. Persons	—			105,870			2691	2366	2510	2498	2452	12517	11743	11331	11026	9486	15657	12278	9113	6458	4370	1891
Mean Population, 1891-1900. Males	—			48,646			1311	1183	1245	1214	1215	6168	5812	5520	4972	3999	7045	5646	4109	2828	1841	706
Mean Population, 1891-1900. Females	—			57,224			1380	1183	1265	1284	1237	6349	5931	5811	6054	5487	8612	6632	5004	3630	2529	1185
Deaths from All Causes, 1891-1900. Persons	18·89			19,997			5917	1234	453	318	218	8140	405	271	365	450	854	1093	1280	1698	2616	2825
Deaths from All Causes, 1891-1900. Males	20·53			9,987			3329	613	220	158	109	4429	203	132	184	215	402	559	670	835	1226	1132
Deaths from All Causes, 1891-1900. Females	17·49			10,010			2588	621	233	160	109	3711	202	139	181	235	452	534	610	863	1390	1693
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·37	0·39	0·35	388	190	198	87	127	88	41	25	368	17	—	—	—	1	1	—	—	1	—
Scarlet Fever	0·11	0·14	0·07	118	69	49	5	12	16	22	20	75	28	5	2	2	4	2	—	—	—	—
Diphtheria	0·19	0·22	0·17	206	108	98	7	16	22	45	27	117	64	10	1	3	5	3	2	—	1	—
Whooping-cough	0·42	0·38	0·45	445	185	260	212	137	45	27	14	435	8	2	—	—	—	—	—	—	—	—
Typhus	0·00	0·00	—	2	2	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
Enteric Fever	0·25	0·27	0·23	264	131	133	2	3	6	7	9	27	31	30	32	26	62	30	17	7	1	1
Simple Continued Fever	0·00	0·00	—	1	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	1·03	1·24	0·85	1092	603	489	925	96	9	3	1	1034	6	—	1	—	1	—	—	8	20	22
Cholera	0·01	0·00	0·01	6	2	4	4	—	—	—	—	4	—	—	—	—	1	—	—	1	—	—
Cancer	0·92	0·76	1·07	978	368	610	1	1	1	—	—	3	2	4	6	13	26	107	215	248	251	103
Tabes Mesenterica	0·20	0·27	0·15	215	129	86	103	37	8	6	5	159	17	7	8	4	7	3	4	3	3	—
Phthisis	1·25	1·47	1·06	1319	713	606	7	15	6	3	4	35	16	39	125	155	264	294	201	120	65	5
Other Tub. & Scrof. Dis.	0·41	0·43	0·39	432	211	221	97	71	45	28	29	270	40	27	20	21	18	19	7	8	1	1
Diseases of Nervous System	2·06	2·19	1·95	2182	1065	1117	583	80	38	15	14	730	19	16	18	27	36	87	128	254	498	369
Diseases of Circulatory	1·72	1·80	1·65	1817	874	943	16	1	4	1	3	25	23	31	32	28	80	122	203	327	548	398
Diseases of Respiratory	2·73	2·87	2·61	2890	1396	1494	805	362	97	68	25	1357	38	12	18	22	52	90	130	269	469	433
Diseases of Digestive	1·13	1·25	1·02	1192	610	582	475	101	17	16	15	624	23	21	24	25	28	49	99	111	127	61
Diseases of Urinary	0·39	0·56	0·25	415	271	144	7	—	5	—	3	15	7	6	7	10	32	52	53	75	105	53
Diseases of Generative	0·06	0·02	0·10	65	9	56	3	—	—	—	—	3	—	1	1	2	12	10	14	11	7	4
Puerperal Fever	0·08	—	0·15	88	—	88	7	—	—	—	—	—	—	—	4	19	39	25	1	—	—	—
Childbirth	0·06	—	0·12	68	—	68	—	—	—	—	—	—	—	—	1	17	25	24	1	—	—	—
Violence	0·51	0·75	0·30	536	367	169	39	15	17	15	9	95	37	24	25	28	62	56	58	49	54	48
Other Causes	4·99	5·52	4·54	5278	2683	2595	2539	160	29	21	14	2763	29	36	40	47	29	118	147	207	465	1327

Marriages 8,616

Births .. { Males .. 16,574 / Females 16,172 } 32,746

Annual Rate per 1000 living { Persons Married .. 16·28 / Births .. .. .. 30·93 }

Annual Births to 1000 Females aged 15—45 years = 122.

Deaths from Childbirth and Puerperal Fever .. .. } 4·76 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

226.—FOREHOE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		12·70	*121	—	—	—	—	35·40	3·73	2·38	3·17	5·62	5·23	6·25	10·02	17·53	49·69	138·27
Annual Death-Rate per 1000. Males	—					12·44	*120	—	—	—	—	36·35	3·23	1·78	2·54	6·06	4·41	5·19	11·91	17·24	53·80	143·11
Annual Death-Rate per 1000. Females	—					12·94	*122	—	—	—	—	34·46	4·25	3·02	3·94	5·21	6·01	7·28	8·30	17·76	45·86	134·03
Mean Population, 1891–1900. Persons	—			11,689			263	257	261	281	291	1353	1393	1303	1072	818	1490	1263	1078	907	654	358
Mean Population, 1891–1900. Males	—			5,787			126	129	135	139	145	674	711	673	590	396	725	617	512	406	316	167
Mean Population, 1891–1900. Females	—			5,902			137	128	126	142	146	679	682	630	482	422	765	646	566	501	338	191
Deaths from All Causes, 1891–1900. Persons	16·13			1,886			367	72	16	13	11	479	52	31	34	46	78	79	108	159	325	495
Deaths from All Causes, 1891–1900. Males	15·95			923			184	41	10	7	3	245	23	12	15	24	32	32	61	70	170	239
Deaths from All Causes, 1891–1900. Females	16·32			963			183	31	6	6	8	234	29	19	19	22	46	47	47	89	155	256
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·04	0·05	0·03	5	3	2	1	1	—	—	1	3	1	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·06	0·07	0·05	7	4	3	—	—	2	1	—	3	4	—	—	—	—	—	—	—	—	—
Diphtheria	0·15	0·12	0·17	17	7	10	—	1	—	1	1	3	8	3	2	—	—	—	—	1	—	—
Whooping-cough	0·23	0·17	0·29	27	10	17	13	8	2	1	1	25	2	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·09	0·09	0·10	11	5	6	1	—	1	—	—	2	2	—	1	1	1	1	2	—	1	—
Simple Continued Fever	0·01	0·02	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Diarrhœa & Dysentery	0·41	0·41	0·41	48	24	24	29	5	1	—	1	36	—	—	1	—	—	—	—	2	4	5
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·77	0·52	1·02	90	30	60	—	—	—	—	—	—	—	—	1	1	1	6	14	28	27	12
Tabes Mesenterica	0·08	0·05	0·10	9	3	6	3	1	—	—	—	4	1	1	—	—	1	—	2	—	—	—
Phthisis	1·06	1·00	1·12	124	58	66	—	1	—	1	1	3	3	5	11	24	37	17	12	9	3	—
Other Tub. & Scrof. Dis.	0·24	0·24	0·24	28	14	14	5	4	1	1	—	11	6	5	1	1	—	—	2	1	1	—
Diseases of Nervous System	1·69	1·56	1·81	197	90	107	49	6	1	—	1	57	4	3	4	3	3	9	14	23	37	40
Diseases of Circulatory	1·89	2·04	1·75	221	118	103	2	—	—	—	—	2	—	1	1	4	5	6	13	30	91	68
Diseases of Respiratory	2·65	2·66	2·64	310	154	156	56	22	4	4	3	89	8	1	5	2	7	8	14	22	66	88
Diseases of Digestive	1·00	1·02	0·98	117	59	58	20	9	—	1	—	30	2	2	1	3	3	8	10	12	24	22
Diseases of Urinary	0·47	0·64	0·31	55	37	18	—	—	—	—	—	—	2	2	—	1	2	2	4	8	18	16
Diseases of Generative	0·04	0·02	0·07	5	1	4	—	—	—	—	—	—	—	—	—	—	1	—	—	3	—	1
Puerperal Fever	0·03	—	0·07	4	—	4	—	—	—	—	—	—	—	—	—	1	1	2	—	—	—	—
Childbirth	0·09	—	0·17	10	—	10	—	—	—	—	—	—	—	—	—	1	4	5	—	—	—	—
Violence	0·45	0·59	0·32	53	34	19	2	2	3	1	2	10	4	4	5	1	5	5	7	3	3	6
OTHER CAUSES	4·68	4·68	4·67	547	271	276	186	12	1	2	—	201	5	3	1	3	7	10	13	17	50	237

Marriages 699

Births .. { Males .. 1,528 / Females 1,504 } 3,032

Annual Rate per 1000 living { Persons Married .. 11·96 / Births .. .. .. 25·94

Annual Births to 1000 Females aged 15—45 years = 131.

Deaths from Childbirth and Puerperal Fever .. .. } 4·62 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

227.—HENSTEAD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.	11·39		*103	—	—	—	—	28·95	3·51	3·00	3·26	4·53	4·77	5·61	7·97	18·06	48·18	128·44
Males ..	—				12·01		*119	—	—	—	—	34·25	3·36	2·70	2·68	6·77	5·41	4·59	7·25	18·21	52·42	138·00
Females	—				10·80		* 88	—	—	—	—	23·88	3·65	3·30	3·92	2·31	4·20	6·53	8·62	17·92	44·48	120·34
Mean Population, 1891-1900. Persons	—			10,618			248	265	233	258	257	1261	1198	1199	981	773	1362	1194	954	792	577	327
Males ..	—			5,165			127	126	105	122	136	616	595	593	522	384	647	566	455	368	269	150
Females	—			5,453			121	139	128	136	121	645	603	606	459	389	715	628	499	424	308	177
Deaths from All Causes, 1891-1900. Persons	14·68			1,559			277	42	19	16	11	365	42	36	32	35	65	67	76	143	278	420
Males ..	15·41			796			159	24	13	9	6	211	20	16	14	26	35	26	33	67	141	207
Females	13·99			763			118	18	6	7	5	154	22	20	18	9	30	41	43	76	137	213
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·08	0·06	0·11	9	3	6	2	3	—	1	1	7	2	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·03	0·06	—	3	3	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—
Diphtheria	0·22	0·17	0·26	23	9	14	—	—	—	3	3	6	13	2	1	—	1	—	—	—	—	—
Whooping-cough ..	0·22	0·25	0·18	23	13	10	13	5	4	1	—	23	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·09	0·10	0·09	10	5	5	—	—	—	—	—	—	—	5	1	—	1	1	1	—	1	—
Simple Continued Fever	0·01	—	0·02	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·36	0·33	0·39	38	17	21	26	—	—	2	—	28	2	—	—	—	—	—	—	1	2	5
Cholera	0·02	0·02	0·02	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1
Cancer	0·93	0·68	1·17	99	35	64	—	—	—	—	—	—	—	—	—	1	1	4	15	30	31	17
Tabes Mesenterica ..	0·06	0·06	0·06	6	3	3	3	—	—	—	—	3	—	1	1	—	1	—	—	—	—	—
Phthisis	0·88	0·81	0·94	93	42	51	2	—	—	—	—	2	2	7	6	16	23	15	8	7	6	—
Other Tub. & Scrof. Dis.	0·19	0·17	0·20	20	9	11	2	2	2	1	1	8	2	3	1	—	1	2	1	—	2	—
Diseases of Nervous System ..	1·76	1·99	1·54	187	103	84	27	2	3	—	1	33	6	3	2	4	6	6	10	20	45	52
Circulatory " ..	1·46	1·59	1·34	155	82	73	2	—	—	—	—	2	—	4	1	1	4	5	9	29	47	53
Respiratory " ..	2·03	2·30	1·76	215	119	96	41	20	5	4	3	73	4	—	1	2	2	3	4	16	35	75
Digestive " ..	0·77	0·74	0·81	82	38	44	19	2	1	1	—	23	4	2	3	3	2	5	6	10	16	8
Urinary " ..	0·43	0·66	0·22	46	34	12	—	—	—	—	—	—	—	—	—	—	2	3	5	4	19	13
Generative " ..	0·05	—	0·09	5	—	5	—	—	—	—	—	—	—	—	—	—	2	—	1	1	—	1
Puerperal Fever ..	0·08	—	0·15	8	—	8	—	—	—	—	—	—	—	—	—	—	5	3	—	—	—	—
Childbirth	0·08	—	0·15	8	—	8	—	—	—	—	—	—	—	—	—	1	2	4	1	—	—	—
Violence	0·64	1·06	0·24	68	55	13	3	—	—	3	1	7	4	3	7	4	4	6	6	11	13	3
OTHER CAUSES ..	4·29	4·36	4·25	458	225	233	137	8	4	—	1	150	3	3	7	3	8	9	8	14	61	192

Marriages 692

Births .. { Males .. 1,341 / Females 1,340 } 2,681

Annual Rate per 1000 living { Persons Married .. 13·03 / Births .. .. .. 25·25 }

Annual Births to 1000 Females aged 15—45 years = 122.

Deaths from Childbirth and Puerperal Fever .. .. } 5·97 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

228.—BLOFIELD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 16·76			*121	—	—	—	—	35·60	4·29	2·38	4·45	5·49	9·97	13·92	18·18	28·53	63·06	168·48
Annual Death-Rate per 1000. Males ..	—			17·54			*135	—	—	—	—	40·32	4·61	1·79	5·00	5·84	10·31	14·99	20·38	36·99	63·75	172·05
Annual Death-Rate per 1000. Females	—			16·03			*106	—	—	—	—	30·90	3·98	2·99	3·86	5·19	9·68	12·93	16·21	26·39	62·50	165·43
Mean Population, 1891–1900. Persons	—			11,945			260	266	276	291	275	1368	1327	1216	1012	856	1594	1422	1111	978	712	349
Mean Population, 1891–1900. Males ..	—			5,768			131	142	132	139	138	682	673	614	520	394	737	687	525	455	320	161
Mean Population, 1891–1900. Females	—			6,177			129	124	144	152	137	686	654	602	492	462	857	735	586	523	392	188
Deaths from All Causes, 1891–1900. Persons	21·26			2,540			356	72	27	18	14	487	57	29	45	47	159	198	202	279	449	588
Deaths from All Causes, 1891–1900. Males ..	22·09			1,274			204	39	13	9	10	275	31	11	26	23	76	103	107	141	204	277
Deaths from All Causes, 1891–1900. Females	20·50			1,266			152	33	14	9	4	212	26	18	19	24	83	95	95	138	245	311
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·08	0·10	0·06	10	6	4	4	4	—	1	—	9	1	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·12	0·17	0·06	14	10	4	1	3	4	—	2	10	3	1	—	—	—	—	—	—	—	—
Diphtheria	0·36	0·33	0·39	43	19	24	4	1	2	2	4	13	17	4	2	—	2	1	2	1	1	—
Whooping-cough ...	0·33	0·23	0·42	39	13	26	19	11	3	1	—	34	2	1	—	1	—	—	—	—	—	1
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·13	0·07	0·18	15	4	11	—	—	—	—	—	—	1	1	3	3	3	1	—	3	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·33	0·33	0·32	39	19	20	17	2	—	1	—	20	—	—	1	—	2	2	—	3	3	8
Cholera	0·02	—	0·03	2	—	2	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—
Cancer	0·94	0·57	1·28	112	33	79	—	—	—	1	—	1	1	1	—	—	3	10	20	26	27	23
Tabes Mesenterica ..	0·09	0·10	0·08	11	6	5	6	5	—	—	—	11	—	—	—	—	—	—	—	—	—	—
Phthisis	1·92	2·01	1·83	229	116	113	1	3	2	1	—	7	3	2	12	16	53	50	36	36	10	4
Other Tub. & Scrof. Dis.	0·34	0·38	0·31	41	22	19	10	1	3	2	1	17	5	2	2	2	1	3	1	1	—	7
Diseases of: Nervous System ..	3·78	4·09	3·48	451	236	215	18	7	1	5	1	32	8	2	5	5	34	56	69	73	91	76
Diseases of: Circulatory „ ..	2·34	2·71	1·99	279	156	123	5	1	—	—	—	6	1	2	1	1	7	11	16	44	97	93
Diseases of: Respiratory „ ..	2·73	2·64	2·82	326	152	174	41	16	9	—	2	68	4	1	—	3	14	21	16	29	77	93
Diseases of: Digestive „ ..	1·06	1·11	1·02	127	64	63	24	8	—	—	1	33	—	1	2	2	7	10	14	19	30	9
Diseases of: Urinary „ ..	0·61	0·85	0·39	73	49	24	—	—	—	—	—	—	1	—	—	2	4	9	3	12	21	21
Diseases of: Generative „ ..	0·07	—	0·13	8	—	8	—	—	—	—	—	—	—	—	—	—	—	2	2	1	2	1
Puerperal Fever ..	0·05	—	0·10	6	—	6	—	—	—	—	—	—	—	—	—	—	5	1	—	—	—	—
Childbirth	0·11	—	0·21	13	—	13	—	—	—	—	—	—	—	—	1	—	6	6	—	—	—	—
Violence	0·69	1·04	0·36	82	60	22	3	1	1	4	2	11	4	4	14	9	7	5	7	4	10	7
OTHER CAUSES ..	5·16	5·36	5·04	620	309	311	203	9	2	—	1	215	6	7	2	3	11	9	15	27	80	245

Marriages 708

Births .. Males .. 1,506; Females 1,428 — 2,934

Annual Rate per 1000 living: Persons Married .. 11·85; Births .. .. .. 24·56

Annual Births to 1000 Females aged 15—45 years = 115.

Deaths from Childbirth and Puerperal Fever .. .. 6·48 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

229.—LODDON.

CAUSES OF DEATH.		CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000.	Persons	—			In Standard Population.		12·06	*110	—	—	—	—	31·37	2·60	2·67	3·76	5·18	5·41	6·57	8·73	18·35	48·29	133·00
	Males ..	—					11·25	*120	—	—	—	—	32·73	2·62	2·27	2·52	4·10	4·92	5·99	7·56	18·18	46·05	129·29
	Females	—					12·83	*100	—	—	—	—	29·99	2·59	3·09	5·29	6·33	5·88	7·08	9·81	18·50	50·55	136·54
Mean Population, 1891–1900.	Persons	—			12,836			304	283	308	320	328	1543	1574	1460	1145	850	1534	1385	1191	1019	729	406
	Males ..	—			6,422			150	147	156	162	161	776	802	749	635	439	752	651	569	484	367	198
	Females	—			6,414			154	136	152	158	167	767	772	711	510	411	782	734	622	535	362	208
Deaths from All Causes, 1891–1900.	Persons	15·64			2,008			369	69	24	12	10	484	41	39	43	44	83	91	104	187	352	540
	Males ..	14·92			958			205	31	9	3	6	254	21	17	16	18	37	39	43	88	169	256
	Females	16·37			1,050			164	38	15	9	4	230	20	22	27	26	46	52	61	99	183	284
		Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox ..		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles ..		0·09	0·09	0·09	12	6	6	2	5	—	1	2	10	1	1	—	—	—	—	—	—	—	—
Scarlet Fever ..		0·03	0·02	0·05	4	1	3	1	1	1	—	—	3	1	—	—	—	—	—	—	—	—	—
Diphtheria ..		0·13	0·17	0·09	17	11	6	—	3	2	—	2	7	7	3	—	—	—	—	—	—	—	—
Whooping-cough ..		0·18	0·22	0·14	23	14	9	12	7	2	2	—	23	—	—	—	—	—	—	—	—	—	—
Typhus ..		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever ..		0·11	0·12	0·09	14	8	6	—	—	—	1	1	2	1	4	2	1	3	—	—	1	—	—
Simple Continued Fever		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery		0·19	0·11	0·28	25	7	18	14	2	—	—	—	16	—	1	—	—	—	1	—	2	1	4
Cholera ..		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer ..		1·02	0·59	1·45	131	38	93	—	—	1	1	—	2	—	1	1	—	1	12	23	37	39	15
Tabes Mesenterica ..		0·25	0·30	0·20	32	19	13	21	4	3	—	—	28	1	—	1	—	—	1	1	—	—	—
Phthisis ..		1·24	0·84	1·64	159	54	105	2	—	—	—	1	3	5	10	20	21	30	33	18	13	6	—
Other Tub. & Scrof. Dis.		0·25	0·20	0·30	32	13	19	5	6	1	1	1	14	4	3	5	1	2	2	1	—	—	—
Diseases of	Nervous System ..	1·45	1·40	1·50	186	90	96	35	9	3	1	—	48	4	—	—	1	5	5	9	16	50	48
	Circulatory " ..	1·56	1·51	1·61	200	97	103	4	—	—	—	—	4	3	2	2	3	7	6	13	43	59	58
	Respiratory " ..	2·21	2·16	2·26	284	139	145	58	16	9	4	1	88	7	2	2	3	5	6	3	22	61	85
	Digestive " ..	0·83	0·87	0·78	106	56	50	24	4	—	—	—	28	—	1	2	4	4	5	12	7	23	20
	Urinary " ..	0·31	0·42	0·20	40	27	13	1	—	—	—	—	1	1	—	1	—	2	3	4	10	11	7
	Generative " ..	0·06	0·02	0·11	8	1	7	—	—	—	—	—	—	—	—	—	2	1	—	1	2	2	—
Puerperal Fever ..		0·04	—	0·08	5	—	5	—	—	—	—	—	—	—	—	—	1	4	—	—	—	—	—
Childbirth ..		0·09	—	0·17	11	—	11	—	—	—	—	—	—	—	—	—	2	7	2	—	—	—	—
Violence ..		0·50	0·65	0·34	64	42	22	4	2	1	—	1	8	3	5	3	2	5	3	3	10	8	14
OTHER CAUSES ..		5·10	5·23	4·99	655	335	320	186	10	1	1	1	199	3	6	4	3	7	12	16	24	92	289

Marriages 835

Births .. { Males .. 1,714 / Females 1,638 } 3,352

Annual Rate per 1000 living { Persons Married .. 13·01 / Births .. .. .. 26·11 }

Annual Births to 1000 Females aged 15—45 years = 138.

Deaths from Childbirth and Puerperal Fever .. .. } 4·77 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

230.—DEPWADE.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·02			*105	—	—	—	—	31·92	2·39	1·93	2·86	4·70	4·90	6·45	9·52	18·13	51·77	139·36
Annual Death-Rate per 1000. Males ..	—			11·82			*114	—	—	—	—	34·12	2·21	1·43	2·48	3·95	4·26	6·15	10·26	18·61	53·22	143·29
Annual Death-Rate per 1000. Females	—			12·20			* 97	—	—	—	—	29·74	2·55	2·44	3·26	5·39	5·49	6·73	8·88	17·70	50·44	136·11
Mean Population, 1891–1900. Persons	—			22,577			491	493	519	523	540	2566	2640	2641	2100	1575	2839	2387	2059	1721	1325	724
Mean Population, 1891–1900. Males ..	—			10,945			253	243	256	247	276	1275	1268	1327	1088	759	1363	1139	955	806	637	328
Mean Population, 1891–1900. Females	—			11,632			238	250	263	276	264	1291	1372	1314	1012	816	1476	1248	1104	915	688	396
Deaths from All Causes, 1891–1900. Persons	15·78			3,563			600	126	39	31	23	819	63	51	60	74	139	154	196	312	686	1009
Deaths from All Causes, 1891–1900. Males ..	15·75			1,724			324	68	20	14	9	435	28	19	27	30	58	70	98	150	339	470
Deaths from All Causes, 1891–1900. Females	15·81			1,839			276	58	19	17	14	384	35	32	33	44	81	84	98	162	347	539
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·07	0·07	0·07	16	8	8	5	8	2	—	—	15	1	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·01	—	0·03	3	—	3	—	—	—	1	—	1	2	—	—	—	—	—	—	—	—	—
Diphtheria	0·22	0·16	0·28	50	18	32	—	3	4	2	9	18	21	6	3	1	—	1	—	—	—	—
Whooping-cough ..	0·34	0·31	0·37	77	34	43	47	18	3	4	2	74	2	—	1	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·03	0·05	0·02	7	5	2	—	—	—	1	—	1	1	—	1	2	1	1	—	—	—	—
Simple Continued Fever	0·00	0·01	—	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·25	0·25	0·25	56	27	29	25	4	1	1	—	31	1	—	—	—	2	—	1	1	7	13
Cholera	0·02	0·03	0·01	4	3	1	2	—	—	—	—	2	—	—	—	—	1	—	—	—	1	—
Cancer	1·05	0·86	1·23	237	94	143	—	—	—	—	—	—	1	—	—	1	3	14	29	49	97	43
Tabes Mesenterica ..	0·05	0·03	0·07	11	3	8	5	—	2	—	—	7	1	1	—	1	1	—	—	—	—	—
Phthisis	1·03	0·91	1·14	232	100	132	7	1	—	1	—	9	8	13	28	35	48	33	29	16	10	3
Other Tub. & Scrof. Dis.	0·18	0·16	0·21	41	17	24	12	4	6	—	2	24	3	3	1	3	3	2	2	—	—	—
Diseases of Nervous System ..	2·03	1·96	2·10	458	214	244	58	11	4	—	4	77	1	4	2	4	7	13	17	45	109	179
Diseases of Circulatory „ ..	2·01	2·00	2·02	454	219	235	1	—	1	—	—	2	2	5	5	3	9	15	23	66	150	174
Diseases of Respiratory „ ..	2·35	2·57	2·15	531	281	250	96	48	7	10	3	164	6	2	3	1	10	16	15	42	107	165
Diseases of Digestive „ ..	0·75	0·74	0·77	170	81	89	29	6	3	2	1	41	3	1	3	2	3	8	22	29	38	20
Diseases of Urinary „ ..	0·45	0·61	0·29	101	67	34	2	—	—	1	—	3	—	1	3	—	5	5	10	12	35	27
Diseases of Generative „ ..	0·06	0·01	0·10	13	1	12	1	—	—	—	—	1	—	—	—	—	2	—	2	4	1	3
Puerperal Fever ..	0·06	—	0·12	14	—	14	—	—	—	—	—	—	—	—	—	—	8	6	—	—	—	—
Childbirth	0·09	—	0·18	21	—	21	—	—	—	—	—	—	—	—	—	3	8	8	2	—	—	—
Violence	0·50	0·72	0·28	112	79	33	4	3	2	2	2	13	4	4	5	5	10	8	13	12	25	13
OTHER CAUSES ..	4·23	4·30	4·12	954	472	482	306	20	4	6	—	336	5	11	5	13	18	24	31	36	106	369

Marriages 1,385

Births .. { Males .. 2,854 / Females 2,851 } 5,705

Annual Rate per 1000 living { Persons Married .. 12·27 / Births .. .. .. 25·27 }

Annual Births to 1000 Females aged 15—45 years = 125.

Deaths from Childbirth and Puerperal Fever .. .. } 6·13 per 1000 Births.

* The death-rates under one year of age are per 1000 Births

231.—GUILTCROSS.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 11·77			* 97	—	—	—	—	31·15	2·96	2·02	2·23	3·17	5·26	6·63	8·92	18·46	48·90	141·29
Annual Death-Rate per 1000. Males	—			11·41			*105	—	—	—	—	32·87	3·85	1·86	1·43	2·86	3·79	7·25	6·25	18·50	53·71	142·76
Annual Death-Rate per 1000. Females	—			12·11			* 90	—	—	—	—	29·38	2·13	2·20	3·30	3·48	6·64	6·02	11·45	18·43	44·44	139·87
Mean Population, 1891-1900. Persons	—			9,860			213	227	225	245	233	1143	1182	1137	852	631	1197	1086	953	780	589	310
Mean Population, 1891-1900. Males	—			4,935			110	117	117	118	116	578	572	592	488	315	580	538	464	373	283	152
Mean Population, 1891-1900. Females	—			4,925			103	110	108	127	117	565	610	545	364	316	617	548	489	407	306	158
Deaths from All Causes, 1891-1900. Persons	15·65			1,543			250	52	24	19	11	356	35	23	19	20	63	72	85	144	288	438
Deaths from All Causes, 1891-1900. Males	15·54			767			134	26	14	8	8	190	22	11	7	9	22	39	29	69	152	217
Deaths from All Causes, 1891-1900. Females	15·76			776			116	26	10	11	3	166	13	12	12	11	41	33	56	75	136	221
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·20	0·26	0·14	20	13	7	7	6	2	—	2	17	1	2	—	—	—	—	—	—	—	—
Scarlet Fever	0·13	0·10	0·16	13	5	8	2	1	—	4	—	7	2	2	1	—	1	—	—	—	—	—
Diphtheria	0·18	0·22	0·14	18	11	7	—	—	2	4	2	8	7	1	1	—	—	1	—	—	—	—
Whooping-cough	0·31	0·26	0·37	31	13	18	18	7	1	2	1	29	1	—	—	—	1	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·08	0·08	0·08	8	4	4	—	—	—	—	—	—	1	—	—	2	2	—	2	1	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·33	0·30	0·37	33	15	18	6	2	1	—	—	9	4	—	—	—	—	—	1	4	5	10
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·90	0·57	1·24	89	28	61	—	—	—	—	—	—	—	—	—	—	1	6	14	16	32	20
Tabes Mesenterica	0·07	0·08	0·06	7	4	3	1	2	1	—	1	5	—	—	—	—	1	—	—	—	1	—
Phthisis	0·93	0·97	0·89	92	48	44	1	—	—	—	—	1	3	7	6	7	27	18	8	9	4	2
Other Tub. & Scrof. Dis.	0·32	0·22	0·43	32	11	21	7	5	2	2	2	18	3	—	1	2	3	1	1	—	2	1
Diseases of: Nervous System	1·78	1·56	1·99	175	77	98	28	2	2	—	—	32	2	2	—	1	1	7	9	13	48	60
Diseases of: Circulatory „	1·94	2·11	1·77	191	104	87	—	—	—	—	—	—	—	1	1	—	2	9	11	30	69	68
Diseases of: Respiratory „	2·70	2·98	2·42	266	147	119	46	19	7	5	1	78	1	2	2	1	9	8	10	23	49	83
Diseases of: Digestive „	0·61	0·43	0·79	60	21	39	10	2	—	—	—	12	2	—	2	—	1	3	6	7	18	9
Diseases of: Urinary „	0·39	0·63	0·14	38	31	7	—	—	1	—	—	1	1	—	—	—	—	—	3	9	16	8
Diseases of: Generative „	0·04	—	0·08	4	—	4	—	—	—	—	—	—	—	—	1	—	1	—	2	—	—	—
Puerperal Fever	0·06	—	0·12	6	—	6	—	—	—	—	—	—	—	—	—	—	3	2	1	—	—	—
Childbirth	0·06	—	0·12	6	—	6	—	—	—	—	—	—	—	—	—	1	3	2	—	—	—	—
Violence	0·50	0·75	0·24	49	37	12	1	1	3	2	1	8	3	3	2	3	1	5	3	11	3	7
OTHER CAUSES	4·12	4·02	4·21	405	198	207	123	5	2	—	1	131	4	3	2	3	6	10	14	21	41	170

Marriages 599

Births .. { Males .. 1,282 / Females 1,286 } 2,568

Annual Rate per 1000 living { Persons Married .. 12·15 / Births .. .. .. 26·04

Annual Births to 1000 Females aged 15—45 years = 139.

Deaths from Childbirth and Puerperal Fever .. .. } 4·67 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

232.—WAYLAND.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·23			*119	—	—	—	—	34·18	2·64	2·15	3·38	5·01	4·92	7·31	8·96	17·42	46·80	137·31
Annual Death-Rate per 1000. Males ..	—			12·05			*127	—	—	—	—	37·95	2·54	1·54	2·42	5·36	4·87	6·32	8·55	16·10	47·06	139·87
Annual Death-Rate per 1000. Females	—			12·40			*109	—	—	—	—	30·21	2·74	2·83	4·51	4·70	4·98	8·20	9·33	18·64	46·57	134·91
Mean Population, 1891–1900. Persons	—			10,225			232	236	222	230	262	1182	1213	1114	916	679	1300	1095	960	798	641	327
Mean Population, 1891–1900. Males ..	—			5,096			122	122	118	117	127	606	630	584	495	317	637	522	456	385	306	158
Mean Population, 1891–1900. Females	—			5,129			110	114	104	113	135	576	583	530	421	362	663	573	504	413	335	169
Deaths from All Causes, 1891–1900. Persons	16·07			1,643			306	62	20	7	9	404	32	24	31	34	64	80	86	139	300	449
Deaths from All Causes, 1891–1900. Males ..	15·97			814			173	38	11	3	5	230	16	9	12	17	31	33	39	62	144	221
Deaths from All Causes, 1891–1900. Females	16·16			829			133	24	9	4	4	174	16	15	19	17	33	47	47	77	156	228
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·05	0·10	—	5	5	—	1	1	—	1	—	3	1	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·08	0·10	0·06	8	5	3	1	—	3	—	1	5	2	—	1	—	—	—	—	—	—	—
Diphtheria	0·13	0·12	0·14	13	6	7	—	1	—	—	2	3	7	2	—	—	—	—	—	1	—	—
Whooping-cough ..	0·29	0·20	0·39	30	10	20	18	10	1	—	—	29	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·07	0·10	0·04	7	5	2	—	—	—	—	—	—	1	—	1	—	3	—	—	1	1	—
Simple Continued Fever	0·01	0·02	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Diarrhœa & Dysentery	0·29	0·35	0·23	30	18	12	5	2	1	—	—	8	1	—	—	—	—	2	1	1	5	12
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·83	0·55	1·11	85	28	57	—	—	—	—	—	—	—	1	1	—	2	9	12	21	26	13
Tabes Mesenterica ..	0·04	0·06	0·02	4	3	1	2	—	—	1	—	3	—	—	1	—	—	—	—	—	—	—
Phthisis	1·25	1·18	1·33	128	60	68	1	1	1	—	—	3	4	8	16	15	24	24	12	12	8	2
Other Tub. & Scrof. Dis.	0·27	0·27	0·27	28	14	14	6	3	—	1	1	11	3	5	—	3	—	3	3	—	—	—
Diseases of Nervous System ..	2·22	2·00	2·44	227	102	125	40	4	4	—	1	49	1	—	1	—	5	9	8	30	55	69
Diseases of Circulatory " ..	1·52	1·43	1·60	155	73	82	—	—	—	—	—	—	1	1	—	2	3	6	15	28	50	49
Diseases of Respiratory " ..	2·44	2·59	2·28	249	132	117	46	22	3	1	2	74	3	3	3	2	4	3	11	12	51	83
Diseases of Digestive " ..	1·06	0·98	1·13	108	50	58	29	4	3	1	—	37	1	—	1	2	5	4	7	10	22	19
Diseases of Urinary " ..	0·27	0·41	0·14	28	21	7	1	—	—	—	—	1	—	—	1	1	2	1	—	1	6	15
Diseases of Generative " ..	0·06	—	0·12	6	—	6	—	—	—	—	—	—	—	—	—	—	1	1	—	1	1	2
Puerperal Fever ..	0·05	—	0·10	5	—	5	—	—	—	—	—	—	—	—	—	1	4	—	—	—	—	—
Childbirth	0·06	—	0·12	6	—	6	—	—	—	—	—	—	—	—	1	1	3	1	—	—	—	—
Violence	0·34	0·51	0·18	35	26	9	2	1	1	1	—	5	1	1	1	1	—	7	2	4	7	6
OTHER CAUSES ..	4·74	5·00	4·46	485	255	230	154	13	3	1	2	173	5	2	3	6	8	10	15	17	67	179

Marriages 652

Births .. Males .. 1,367 / Females 1,223 } 2,580

Annual Rate per 1000 living { Persons Married .. 12·75 / Births .. .. .. 25·23

Annual Births to 1000 Females aged 15—45 years = 128.

Deaths from Childbirth and Puerperal Fever .. .. } 4·26 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

233.—MITFORD.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·31			*130	—	—	—	—	39·52	3·69	2·64	2·98	4·26	5·43	6·16	9·71	20·67	49·13	146·32
Annual Death-Rate per 1000. Males ..	—			In Standard Population. 13·56			*144	—	—	—	—	42·84	3·40	2·84	2·70	4·42	4·69	5·96	10·80	21·11	51·87	154·62
Annual Death-Rate per 1000. Females	—			In Standard Population. 13·07			*114	—	—	—	—	36·03	3·99	2·44	3·32	4·11	6·13	6·36	8·70	20·26	46·55	139·37
Mean Population, 1891–1900. Persons	—			25,257			553	540	576	603	590	2862	2953	2874	2313	1714	3185	2791	2380	1935	1490	760
Mean Population, 1891–1900. Males ..	—			12,603			287	273	305	321	280	1466	1501	1480	1259	838	1555	1360	1139	938	721	346
Mean Population, 1891–1900. Females	—			12,654			266	267	271	282	310	1396	1452	1394	1054	876	1630	1431	1241	997	769	414
Deaths from All Causes, 1891–1900. Persons	16·94			4,278			848	161	56	32	34	1131	109	76	69	73	173	172	231	400	732	1112
Deaths from All Causes, 1891–1900. Males ..	17·27			2,176			487	81	33	12	15	628	51	42	34	37	73	81	123	198	374	535
Deaths from All Causes, 1891–1900. Females	16·61			2,102			361	80	23	20	19	503	58	34	35	36	100	91	108	202	358	577
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·11	0·07	0·14	27	9	18	9	4	2	2	4	21	3	2	—	1	—	—	—	—	—	—
Scarlet Fever	0·02	0·01	0·03	5	1	4	1	—	—	1	—	2	1	2	—	—	—	—	—	—	—	—
Diphtheria	0·23	0·22	0·25	59	28	31	—	3	3	8	8	22	29	5	1	1	—	1	—	—	—	—
Whooping-cough ..	0·33	0·32	0·34	83	40	43	49	22	8	3	—	82	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·07	0·10	0·05	18	12	6	—	—	—	—	—	—	1	2	—	4	5	3	2	1	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·34	0·37	0·32	87	46	41	49	6	5	—	1	61	2	1	—	—	1	1	—	1	9	11
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	1·03	0·86	1·20	261	109	152	—	—	4	—	1	5	—	—	1	—	4	16	36	76	76	47
Tabes Mesenterica ..	0·08	0·08	0·08	20	10	10	8	2	3	—	1	14	1	1	1	—	—	—	2	1	—	—
Phthisis	1·16	1·14	1·18	293	144	149	4	3	1	1	1	10	10	18	30	32	81	36	31	27	15	3
Other Tub. & Scrof. Dis.	0·20	0·22	0·17	50	28	22	18	6	2	2	3	31	7	3	1	1	3	1	2	1	—	—
Diseases of Nervous System ..	2·04	2·10	1·99	516	264	252	80	9	8	2	2	101	9	3	3	2	9	17	24	59	137	152
Diseases of Circulatory „ ..	1·69	1·62	1·75	426	204	222	2	1	—	—	—	3	1	6	8	8	11	12	34	65	144	134
Diseases of Respiratory „ ..	2·41	2·62	2·21	609	330	279	134	57	12	10	8	221	19	10	4	1	9	17	18	40	102	168
Diseases of Digestive „ ..	0·93	0·93	0·92	234	117	117	39	15	2	1	1	58	7	4	4	4	10	14	16	40	47	30
Diseases of Urinary „ ..	0·37	0·54	0·20	93	68	25	1	2	—	—	—	3	3	—	1	3	4	7	7	16	33	16
Diseases of Generative „ ..	0·04	0·01	0·08	11	1	10	1	—	—	—	—	1	—	—	—	—	2	1	1	1	3	2
Puerperal Fever ..	0·04	—	0·09	11	—	11	—	—	—	—	—	—	—	—	—	1	4	6	—	—	—	—
Childbirth..	0·10	—	0·19	24	—	24	—	—	—	—	—	—	—	—	1	4	9	9	1	—	—	—
Violence	0·46	0·62	0·31	117	78	39	5	3	3	1	1	13	6	8	3	4	7	13	17	13	9	24
OTHER CAUSES ..	5·29	5·44	5·11	1334	687	647	448	28	3	1	3	483	9	11	11	7	14	18	40	59	157	525

Marriages 1,526

Births .. { Males .. 3,389 / Females 3,155 } 6,544

Annual Rate per 1000 living { Persons Married .. 12·08 / Births .. .. .. 25·91 }

Annual Births to 1000 Females aged 15—45 years = 131.

Deaths from Childbirth and Puerperal Fever .. .. } 5·35 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

234.—WALSINGHAM.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·10			*124	—	—	—	—	37·14	2·76	2·08	3·21	4·67	5·47	5·07	9·55	21·13	50·52	148·41
Males ..	—			13·42			*137	—	—	—	—	42·10	2·69	1·87	2·63	5·13	7·05	4·48	10·34	23·03	49·68	145·63
Females	—			12·80			*111	—	—	—	—	32·36	2·84	2·27	3·86	4·22	6·29	5·61	8·83	19·43	51·19	150·83
Mean Population, 1891–1900. Persons	—			19,775			479	433	460	484	489	2345	2316	2309	1870	1413	2523	2190	1781	1401	1061	566
Males ..	—			9,625			238	207	228	242	237	1152	1153	1121	989	702	1220	1049	841	660	475	263
Females	—			10,150			241	226	232	242	252	1193	1163	1188	881	711	1303	1141	940	741	586	303
Deaths from All Causes, 1891–1900. Persons	16·18			3,200			657	134	44	17	19	871	64	48	60	66	138	111	170	296	536	840
Males ..	16·21			1,560			370	74	19	10	12	485	31	21	26	36	56	47	87	152	236	383
Females	16·16			1,640			287	60	25	7	7	386	33	27	34	30	82	64	83	144	300	457
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Measles	0·11	0·15	0·08	22	14	8	5	7	5	1	2	20	2	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·04	0·03	0·04	7	3	4	2	1	1	—	1	5	1	1	—	—	—	—	—	—	—	—
Diphtheria	0·21	0·21	0·22	42	20	22	—	1	3	1	6	11	17	8	2	1	2	—	—	1	—	—
Whooping-cough ..	0·50	0·43	0·57	99	41	58	64	19	9	4	1	97	1	—	—	—	1	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·07	0·06	0·08	14	6	8	—	—	—	—	—	—	3	4	1	—	3	2	—	1	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·31	0·35	0·27	61	34	27	31	8	—	—	—	39	—	—	—	—	1	—	—	1	9	11
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·95	0·60	1·28	188	58	130	—	—	—	—	—	—	—	—	—	1	4	13	21	47	62	40
Tabes Mesenterica ..	0·08	0·05	0·10	15	5	10	4	6	1	1	—	12	—	1	1	—	—	—	1	—	—	—
Phthisis	0·92	0·97	0·88	182	93	89	4	2	1	—	1	8	1	8	26	27	49	22	18	11	11	1
Other Tub. & Scrof. Dis.	0·20	0·22	0·18	39	21	18	12	3	1	2	1	19	5	5	2	1	2	1	3	1	—	—
Diseases of Nervous System ..	2·00	1·95	2·05	396	188	208	53	10	7	1	3	74	6	—	5	3	8	10	26	47	90	127
Circulatory " ..	2·40	2·17	2·62	475	209	266	3	1	—	—	—	4	3	2	2	4	15	8	38	69	150	180
Respiratory " ..	2·69	2·55	2·83	532	245	287	130	53	9	4	3	199	13	2	2	5	7	4	16	27	80	177
Digestive " ..	0·82	0·96	0·69	162	92	70	45	6	—	1	—	52	3	5	2	3	5	7	13	21	23	28
Urinary " ..	0·35	0·55	0·17	70	53	17	1	—	—	—	—	1	—	—	1	—	3	4	3	7	20	31
Generative " ..	0·06	—	0·11	11	—	11	—	—	—	—	—	—	—	1	—	—	2	—	2	2	1	2
Puerperal Fever ..	0·04	—	0·04	7	—	7	—	—	—	—	—	—	—	—	—	—	4	3	—	—	—	—
Childbirth	0·09	—	0·17	17	—	17	—	—	—	—	—	—	—	—	1	2	8	6	—	—	—	—
Violence	0·47	0·76	0·19	92	73	19	1	2	2	—	1	6	1	5	4	8	7	14	10	15	13	9
OTHER CAUSES ..	3·86	4·19	3·56	768	404	364	302	15	5	2	—	324	8	6	10	11	17	17	19	46	77	233

Marriages 1,111

Births .. { Males .. 2,704 / Females 2,578 } 5,282

Annual Rate per 1000 living { Persons Married .. 11·24 / Births .. 26·71

Annual Births to 1000 Females aged 15—45 years = 131

Deaths from Childbirth and Puerperal Fever .. .. } 4·54 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

235.—DOCKING.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 12·93	*117	—	—	—	—	35·15	2·99	2·90	3·94	4·29	5·40	7·45	10·91	20·49	50·50	130·27
Annual Death-Rate per 1000. Males ..	—	13·05	*135	—	—	—	—	38·81	3·52	2 39	2·98	3·93	4·88	7·30	10·49	21·06	52·28	142·47
Annual Death-Rate per 1000. Females	—	12·81	* 99	—	—	—	—	31·51	2·45	3·45	4·93	4·61	5·86	7·59	11·27	19·97	48·82	121·16
Mean Population, 1891–1900. Persons	—	17,429	374	376	380	379	386	1895	1971	2000	1649	1283	2148	1906	1687	1386	992	512
Mean Population, 1891–1900. Males ..	—	8,502	187	181	198	189	188	943	993	1044	838	610	1004	918	791	660	482	219
Mean Population, 1891–1900. Females	—	8,927	187	195	182	190	198	952	978	956	811	673	1144	988	896	726	510	293
Deaths from All Causes, 1891–1900. Persons	16·04	2,797	518	87	31	18	12	666	59	58	65	55	116	142	184	284	501	667
Deaths from All Causes, 1891–1900. Males ..	16·20	1,377	309	39	13	7	7	366	35	25	25	24	49	67	83	139	252	312
Deaths from All Causes, 1891–1900. Females	15·91	1,420	218	48	18	11	5	300	24	33	40	31	67	75	101	145	249	355

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.													
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·04	0·06	0·02	7	5	2	4	2	—	—	—	6	1	—	—	—	—	—	—	—
Scarlet Fever	0·07	0·06	0·08	12	5	7	—	—	1	3	2	6	3	—	2	—	1	—	—	—
Diphtheria	0·13	0·08	0·18	23	7	16	1	1	2	1	—	5	7	9	1	—	—	1	—	—
Whooping-cough ..	0·17	0·14	0·20	30	12	18	17	7	3	1	—	28	2	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·12	0·20	0·04	21	17	4	—	—	—	—	—	—	1	3	4	2	4	3	3	1
Simple Continued Fever	0·02	0·01	0·03	4	1	3	—	—	—	—	—	—	—	—	1	—	3	—	—	—
Diarrhœa & Dysentery	0·19	0·16	0·21	33	14	19	17	—	—	—	—	17	—	—	—	—	—	—	2	1
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·86	0·67	1·04	150	57	93	1	—	—	—	—	1	—	—	—	1	3	11	28	38
Tabes Mesenterica ..	0·10	0·11	0·10	18	9	9	2	4	2	—	1	9	2	1	1	2	—	1	2	—
Phthisis	1·05	0·84	1·25	183	71	112	1	—	—	—	—	1	6	9	31	27	41	30	21	12
Other Tub. & Scrof. Dis.	0·15	0·16	0·15	27	14	13	7	—	3	1	2	13	3	3	3	1	2	—	1	1
Diseases of Nervous System ..	2·18	2·11	2·24	379	179	200	62	13	5	1	1	82	5	5	—	5	13	12	20	48
Diseases of Circulatory " ..	1·87	1·89	1·84	325	161	164	4	—	—	—	—	4	2	4	—	2	13	14	28	56
Diseases of Respiratory " ..	2·22	2·40	2·04	386	204	182	82	31	5	4	2	124	4	3	5	2	8	9	24	30
Diseases of Digestive " ..	0·87	0·81	0·92	151	69	82	23	5	2	1	—	31	4	6	3	—	2	8	21	26
Diseases of Urinary " ..	0·31	0·48	0·15	54	41	13	2	1	—	—	1	4	2	1	1	—	4	2	2	10
Diseases of Generative " ..	0·05	—	0·09	8	—	8	—	—	—	—	—	—	—	—	—	—	—	3	—	3
Puerperal Fever ..	0·05	—	0·10	9	—	9	—	—	—	—	—	—	—	—	1	2	3	3	—	—
Childbirth..	0·04	—	0·08	7	—	7	—	—	—	—	—	—	—	—	1	2	—	4	—	—
Violence	0·59	0·88	0·31	103	75	28	4	2	2	3	3	14	5	5	3	4	10	14	6	17
OTHER CAUSES ..	4·96	5·14	4·84	867	436	431	291	21	6	3	—	321	12	9	8	5	9	27	26	41

Marriages		1,067	Annual Rate per 1000 living { Persons Married .. 12·24	Deaths from Childbirth and Puerperal Fever	3·62 per 1000 Births.
Births .. Males ..	2,223	4,414	Births .. .. .. 25·33		
Births .. Females	2,191		Annual Births to 1000 Females aged 15—45 years = 122.		

* The death-rates under one year of age are per 1000 Births.

236.—FREEBRIDGE LYNN.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		11·92	*108	—	—	—	—	34·27	3·00	2·06	3·72	4·51	4·54	6·10	8·26	18·00	46·87	127·61
Males ..	—					12·09	*123	—	—	—	—	37·91	3·86	1·44	3·13	3·71	4·12	5·63	9·22	16·86	52·00	133·14
Females	—					11·75	* 93	—	—	—	—	30·69	2·22	2·71	4·50	5·28	4·97	6·56	7·33	19·04	42·31	122·68
Mean Population, 1891–1900. Persons	—			12,067			287	257	272	296	315	1427	1465	1356	1074	821	1497	1361	1162	911	638	355
Males ..	—			6,014			156	128	131	138	154	707	699	693	607	404	752	675	575	433	300	169
Females	—			6,053			131	129	141	158	161	720	766	663	467	417	745	686	587	478	338	186
Deaths from All Causes, 1891–1900. Persons	14·93			1,801			354	70	35	20	10	489	44	28	40	37	68	83	96	164	299	453
Males ..	15·21			915			201	37	17	8	5	268	27	10	19	15	31	38	53	73	156	225
Females	14·64			886			153	33	18	12	5	221	17	18	21	22	37	45	43	91	143	228
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·07	0·07	0·07	8	4	4	3	2	1	1	—	7	1	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·08	0·12	0·05	10	7	3	1	—	—	1	2	4	5	1	—	—	—	—	—	—	—	—
Diphtheria	0·25	0·25	0·25	30	15	15	1	3	5	5	2	16	10	1	2	—	1	—	—	—	—	—
Whooping-cough	0·23	0·27	0·20	28	16	12	14	11	2	—	1	28	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·16	0·15	0·17	19	9	10	—	—	—	—	—	—	—	4	1	4	3	5	1	1	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·17	0·17	0·17	20	10	10	10	2	—	—	—	12	—	1	—	—	—	—	—	—	3	4
Cholera	0·01	—	0·02	1	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	0·79	0·58	0·99	95	35	60	—	—	—	1	—	1	2	1	—	—	1	7	16	25	25	17
Tabes Mesenterica	0·06	0·08	0·03	7	5	2	2	1	—	—	—	3	—	—	3	1	—	—	—	—	—	—
Phthisis	0·83	0·68	0·98	100	41	59	—	1	1	—	—	2	2	6	10	14	21	19	12	8	6	—
Other Tub. & Scrof. Dis.	0·11	0·17	0·05	13	10	3	4	1	3	—	2	10	—	—	—	—	2	—	1	—	—	—
Diseases of Nervous System	1·74	1·73	1·75	210	104	106	50	5	4	4	2	65	3	3	2	3	6	6	9	24	50	39
Circulatory "	1·54	1·60	1·49	186	96	90	2	—	—	—	—	2	—	3	3	3	4	8	17	35	62	49
Respiratory "	2·35	2·58	2·12	283	155	128	74	26	11	7	—	118	8	2	2	2	5	10	6	23	36	71
Digestive "	0·61	0·65	0·56	73	39	34	12	3	3	—	—	18	4	2	6	1	1	3	8	9	15	6
Urinary "	0·44	0·52	0·36	53	31	22	—	—	—	—	—	—	2	1	2	—	2	3	5	12	17	9
Generative "	0·05	—	0·10	6	—	6	—	—	—	—	—	—	—	—	—	—	—	2	1	—	1	2
Puerperal Fever	0·05	—	0·10	6	—	6	—	—	—	—	—	—	—	—	1	1	3	1	—	—	—	—
Childbirth	0·05	—	0·10	6	—	6	—	—	—	—	—	—	—	—	1	—	2	3	—	—	—	—
Violence	0·41	0·62	0·21	50	37	13	3	2	1	1	1	8	2	2	1	5	2	6	5	5	6	8
OTHER CAUSES	4·93	4·97	4·87	597	301	296	177	13	4	—	—	194	5	1	6	3	15	10	15	22	78	248

Marriages 816

Births .. { Males .. 1,632 / Females 1,640 } 3,272

Annual Rate per 1000 living { Persons Married .. 13·52 / Births .. .. .. 27·12

Annual Births to 1000 Females aged 15—45 years = 141.

Deaths from Childbirth and Puerperal Fever .. .. } 3·67 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

237.—KING'S LYNN.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 17·61			*147	—	—	—	—	55·26	4·10	3·14	4·65	4·55	5·97	10·49	16·87	30·47	58·40	145·61
Annual Death-Rate per 1000. Males	—			18·90			*164	—	—	—	—	60·00	3·37	3·21	5·37	4·75	7·12	11·17	18·79	36·04	60·94	162·36
Annual Death-Rate per 1000. Females	—			16·40			*129	—	—	—	—	50·32	4·81	3·07	3·99	4·38	4·91	9·87	15·13	26·19	56·57	134·89
Mean Population. 1891–1900. Persons	—			19,918			474	421	449	446	463	2253	2222	2166	2108	1713	2795	2307	1814	1221	863	456
Mean Population. 1891–1900. Males	—			9,527			251	203	223	226	247	1150	1099	1091	1006	800	1349	1101	862	530	361	178
Mean Population. 1891–1900. Females	—			10,391			223	218	226	220	216	1103	1123	1075	1102	913	1446	1206	952	691	502	278
Deaths from All Causes, 1891–1900. Persons	19·25			3,835			834	225	93	55	38	1245	91	68	98	78	167	242	306	372	504	664
Deaths from All Causes, 1891–1900. Males	20·31			1,935			478	114	51	28	19	690	37	35	54	38	96	123	162	191	220	289
Deaths from All Causes, 1891–1900. Females	18·29			1,900			356	111	42	27	19	555	54	33	44	40	71	119	144	181	284	375
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·17	0·15	0·19	34	14	20	9	12	5	3	1	30	4	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·10	0·08	0·12	20	8	12	1	4	3	4	3	15	3	1	—	—	—	1	—	—	—	—
Diphtheria	0·28	0·23	0·32	55	22	33	3	5	7	10	8	33	16	1	1	—	—	2	—	2	—	—
Whooping-cough	0·49	0·55	0·43	97	52	45	43	30	15	3	3	94	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·72	0·83	0·62	143	79	64	—	2	1	—	3	6	9	20	26	19	32	20	8	2	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·58	0·60	0·56	115	57	58	77	13	3	—	—	93	—	—	—	—	—	—	2	4	8	8
Cholera	0·02	0·03	—	3	3	—	2	1	—	—	—	3	—	—	—	—	—	—	—	—	—	—
Cancer	1·25	1·04	1·44	249	99	150	—	—	—	—	—	—	1	1	1	—	7	27	54	63	57	38
Tabes Mesenterica	0·16	0·15	0·16	31	14	17	15	3	2	2	—	22	2	1	2	—	2	—	1	—	—	1
Phthisis	1·14	1·32	0·97	227	126	101	1	2	2	3	—	8	7	8	21	25	49	42	47	12	7	1
Other Tub. & Scrof. Dis.	0·51	0·55	0·47	101	52	49	19	22	4	5	4	54	8	10	6	4	3	8	3	2	3	—
Diseases of: Nervous System	2·36	2·30	2·42	470	219	251	127	20	6	2	2	157	10	2	8	1	6	20	28	61	90	87
Diseases of: Circulatory „	1·66	1·79	1·54	331	171	160	—	1	1	—	1	3	2	6	4	4	17	33	46	66	101	49
Diseases of: Respiratory „	2·84	3·17	2·54	566	302	264	138	62	30	14	4	248	8	3	2	4	7	19	31	42	98	104
Diseases of: Digestive „	0·92	0·92	0·91	183	88	95	46	14	3	2	—	65	6	—	4	4	1	14	8	33	30	18
Diseases of: Urinary „	0·51	0·64	0·39	101	61	40	—	—	—	1	1	2	—	2	3	1	6	8	16	26	21	16
Diseases of: Generative „	0·06	0·01	0·10	11	1	10	—	—	—	—	—	—	—	—	—	—	—	4	1	3	3	—
Puerperal Fever	0·06	—	0·12	12	—	12	—	—	—	—	—	—	—	—	—	3	6	3	—	—	—	—
Childbirth	0·03	—	0·05	5	—	5	—	—	—	—	—	—	—	—	1	—	2	2	—	—	—	—
Violence	0·82	1·25	0·42	163	119	44	10	3	6	4	5	28	9	10	10	9	16	22	26	14	5	14
Other Causes	4·57	4·70	4·52	918	448	470	343	31	5	2	3	384	3	3	9	4	13	17	35	42	80	328

Marriages 1,392

Births .. { Males .. 2,920 / Females 2,757 } 5,677

Annual Rate per 1000 living { Persons Married .. 13·98 / Births .. .. .. 28·50 }

Annual Births to 1000 Females aged 15—45 years = 122.

Deaths from Childbirth and Puerperal Fever .. .. } 2·99 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

238.—DOWNHAM.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·98			*137	—	—	—	—	44·02	3·70	2·34	3·20	4·93	6·00	7·21	11·85	20·01	43·95	136·35
Annual Death-Rate per 1000. Males ..	—			13·74			*145	—	—	—	—	46·43	3·78	2·51	2·41	4·85	4·99	6·46	11·41	20·60	44·11	139·76
Annual Death-Rate per 1000. Females	—			14·20			*129	—	—	—	—	41·63	3·62	2·17	4·07	4·99	6·98	7·92	12·27	19·46	43·80	133·33
Mean Population, 1891–1900. Persons	—			17,892			408	412	429	415	385	2049	2083	2011	1658	1279	2215	1970	1662	1374	1049	542
Mean Population, 1891–1900. Males ..	—			8,813			204	204	217	204	192	1021	1033	995	872	618	1083	960	806	670	501	254
Mean Population, 1891–1900. Females	—			9,079			204	208	212	211	193	1028	1050	1016	786	661	1132	1010	856	704	548	288
Deaths from All Causes, 1891–1900. Persons	17·26			3,089			665	124	46	37	30	902	77	47	53	63	133	142	197	275	461	739
Deaths from All Causes, 1891–1900. Males ..	17·15			1,511			357	66	22	15	14	474	39	25	21	30	54	62	92	138	221	355
Deaths from All Causes, 1891–1900. Females	17·38			1,578			308	58	24	22	16	428	38	22	32	33	79	80	105	137	240	384
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·10	0·07	0·12	17	6	11	4	6	3	1	1	15	2	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·08	0·08	0·08	14	7	7	1	1	2	5	1	10	3	1	—	—	—	—	—	—	—	—
Diphtheria	0·25	0·19	0·30	44	17	27	1	3	6	4	3	17	20	2	2	2	1	—	—	—	—	—
Whooping-cough ..	0·34	0·30	0·39	61	26	35	31	20	2	4	1	58	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·08	0·07	0·09	14	6	8	—	—	—	—	1	1	4	2	3	—	1	3	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·32	0·26	0·37	57	23	34	30	7	—	2	1	40	1	—	—	—	—	—	—	2	4	10
Cholera	0·01	0·01	0·01	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—
Cancer	0·83	0·66	1·00	149	58	91	—	—	—	1	—	1	1	—	—	2	1	6	32	48	36	22
Tabes Mesenterica ..	0·10	0·05	0·14	17	4	13	11	1	—	—	—	12	1	—	1	2	1	—	—	—	—	—
Phthisis	1·29	1·18	1·40	231	104	127	5	—	3	1	—	9	3	6	26	31	56	39	31	22	7	1
Other Tub. & Scrof. Dis.	0·25	0·24	0·25	44	21	23	16	3	1	—	2	22	4	3	—	1	5	2	5	—	1	1
Diseases of Nervous System ..	1·98	1·76	2·19	354	155	199	57	12	4	3	2	78	10	9	4	3	3	9	13	30	84	111
Diseases of Circulatory „ ..	2·00	2·00	1·99	357	176	181	7	—	—	—	—	7	4	5	1	6	3	15	30	63	115	108
Diseases of Respiratory „ ..	2·39	2·60	2·18	427	229	198	110	39	13	9	8	179	8	4	4	2	10	11	16	33	60	100
Diseases of Digestive „ ..	1·32	1·37	1·27	236	121	115	52	8	6	1	2	69	4	3	4	1	8	5	29	28	36	49
Diseases of Urinary „ ..	0·68	0·99	0·39	122	87	35	—	1	1	2	—	4	—	1	—	1	7	6	8	13	41	41
Diseases of Generative „ ..	0·08	0·02	0·14	15	2	13	—	1	—	—	—	1	—	—	—	—	1	3	3	3	3	1
Puerperal Fever ..	0·07	—	0·13	12	—	12	—	—	—	—	—	—	—	—	—	1	8	3	—	—	—	—
Childbirth	0·08	—	0·17	15	—	15	—	—	—	—	—	—	—	—	—	2	5	7	1	—	—	—
Violence	0·58	0·73	0·43	103	64	39	7	2	5	1	4	19	5	7	6	3	8	15	10	12	10	8
OTHER CAUSES ..	4·43	4·57	4·34	798	404	394	333	20	—	3	4	360	4	4	2	6	15	18	19	20	63	287

Marriages 1,166

Births .. { Males .. 2,469 / Females 2,390 } 4,859

Annual Rate per 1000 living { Persons Married .. 13·03 / Births .. .. .. 27·16 }

Annual Births to 1000 Females aged 15—45 years = 135.

Deaths from Childbirth and Puerperal Fever .. .. } 5·56 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

239.—SWAFFHAM.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		12·37	*115	—	—	—	—	35·89	2·62	2·62	3·05	4·55	5·45	5·43	9·76	20·77	43·36	135·31
Annual Death-Rate per 1000. Males ..	—					12·85	*140	—	—	—	—	40·56	2·34	1·57	3·26	5·17	5·41	5·64	10·51	20·55	45·24	145·29
Annual Death-Rate per 1000. Females	—					11·91	* 91	—	—	—	—	31·15	2·88	3·71	2·80	3·98	5·48	5·24	9·09	20·97	41·67	126·09
Mean Population, 1891–1900. Persons	—			11,767			251	274	271	271	287	1354	1412	1376	1083	814	1359	1270	1127	910	708	354
Mean Population, 1891–1900. Males ..	—			5,802			127	143	133	137	143	683	684	702	583	387	665	621	533	438	336	170
Mean Population, 1891–1900. Females	—			5,965			124	131	138	134	144	671	728	674	500	427	694	649	594	472	372	184
Deaths from All Causes, 1891–1900. Persons	15·78			1,857			354	81	23	21	7	486	37	36	33	37	74	69	110	189	307	479
Deaths from All Causes, 1891–1900. Males ..	16·53			959			213	43	11	8	2	277	16	11	19	20	36	35	56	90	152	247
Deaths from All Causes, 1891–1900. Females	15·05			898			141	38	12	13	5	209	21	25	14	17	38	34	54	99	155	232
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·02	—	0·03	2	—	2	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·02	—	0·03	2	—	2	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—
Diphtheria	0·07	0·02	0·12	8	1	7	—	—	1	—	1	2	4	1	—	1	—	—	—	—	—	—
Whooping-cough	0·36	0·38	0·34	42	22	20	19	11	7	4	—	41	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·11	0·19	0·03	13	11	2	—	—	—	—	—	—	—	2	1	3	3	—	1	3	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·23	0·22	0·23	27	13	14	14	5	—	—	—	19	2	—	—	1	—	—	—	—	4	1
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	1·09	0·86	1·31	128	50	78	—	—	—	—	—	—	1	—	—	—	1	5	19	36	37	29
Tabes Mesenterica	0·13	0·12	0·13	15	7	8	4	2	—	2	—	8	—	2	—	1	3	1	—	—	—	—
Phthisis	0·98	0·88	1·07	115	51	64	1	2	—	—	—	3	2	13	15	16	24	18	12	9	3	—
Other Tub. & Scrof. Dis.	0·28	0·41	0·15	33	24	9	15	4	—	2	1	22	2	1	1	2	1	2	1	1	—	—
Diseases of Nervous System	2·09	2·12	2·06	246	123	123	31	8	2	3	1	45	7	4	1	—	4	4	12	30	72	67
Diseases of Circulatory "	2·19	2·34	2·05	258	136	122	3	—	—	1	—	4	3	3	3	2	11	9	17	45	50	111
Diseases of Respiratory "	2·08	2·34	1·83	245	136	109	56	24	10	4	1	95	2	2	1	3	3	6	10	17	42	64
Diseases of Digestive "	1·05	0·97	1·14	124	56	68	22	6	—	—	—	28	4	3	4	4	5	6	12	16	23	19
Diseases of Urinary "	0·31	0·41	0·20	36	24	12	1	—	1	1	—	3	1	—	—	—	2	—	3	6	11	10
Diseases of Generative "	0·02	—	0·03	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1
Puerperal Fever	0·02	—	0·03	2	—	2	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
Childbirth	0·06	—	0·12	7	—	7	—	—	—	—	—	—	—	—	—	1	3	3	—	—	—	—
Violence	0·40	0·60	0·20	47	35	12	6	2	—	1	—	9	1	—	6	1	3	7	5	7	3	5
OTHER CAUSES	4·27	4·67	3·95	505	270	235	181	17	2	3	2	205	5	5	1	1	10	8	17	19	62	172

Marriages 758

Births .. Males .. 1,521; Females 1,549 — 3,070

Annual Rate per 1000 living: Persons Married .. 12·88; Births .. .. .. 26·09

Annual Births to 1000 Females aged 15—45 years = 135.

Deaths from Childbirth and Puerperal Fever .. .. 2·93 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

240.—THETFORD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		12·91	*114	—	—	—	—	36·28	4·22	2·13	2·99	4·36	5·15	5·90	9·23	21·46	47·44	151·67
Annual Death-Rate per 1000. Males	—					13·07	*128	—	—	—	—	40·70	4·17	1·70	2·74	3·74	4·79	5·86	10·57	21·04	47·42	156·70
Annual Death-Rate per 1000. Females	—					12·76	* 99	—	—	—	—	31·92	4·27	2·58	3·30	5·02	5·48	5·94	7·99	21·89	47·46	147·24
Mean Population, 1891–1900. Persons	—			17,134			387	381	389	427	384	1968	2016	1971	1603	1239	2174	1881	1615	1272	917	478
Mean Population, 1891–1900. Males	—			8,551			197	188	190	208	195	978	1008	1001	876	641	1043	922	776	637	445	224
Mean Population, 1891–1900. Females	—			8,583			190	193	199	219	189	990	1008	970	727	598	1131	959	839	635	472	254
Deaths from All Causes, 1891–1900. Persons	16·04			2,748			508	100	47	30	29	714	85	42	48	54	112	111	149	273	435	725
Deaths from All Causes, 1891–1900. Males	16·22			1,387			292	45	30	17	14	398	42	17	24	24	50	54	82	134	211	351
Deaths from All Causes, 1891–1900. Females	15·86			1,361			216	55	17	13	15	316	43	25	24	30	62	57	67	139	224	374
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·05	—	4	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2
Measles	0·13	0·09	0·16	22	8	14	8	3	3	1	1	16	3	2	—	—	1	—	—	—	—	—
Scarlet Fever	0·11	0·09	0·12	18	8	10	1	—	2	1	1	5	9	1	1	2	—	—	—	—	—	—
Diphtheria	0·36	0·36	0·36	62	31	31	2	1	6	5	7	21	30	6	1	1	—	3	—	—	—	—
Whooping-cough	0·31	0·30	0·31	53	26	27	31	15	2	2	3	53	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·12	0·15	0·09	21	13	8	—	—	—	2	1	3	1	5	5	2	1	1	2	—	—	1
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·18	0·19	0·17	31	16	15	16	6	—	—	1	23	—	—	—	—	—	—	—	2	1	5
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·91	0·74	1·08	156	63	93	—	—	—	1	—	1	—	—	—	—	3	7	27	41	48	29
Tabes Mesenterica	0·04	0·05	0·03	7	4	3	3	1	—	—	—	4	1	—	—	—	—	2	—	—	—	—
Phthisis	1·14	1·11	1·17	195	95	100	2	4	3	—	—	9	3	8	20	24	46	29	24	17	12	3
Other Tub. & Scrof. Dis.	0·27	0·30	0·24	47	26	21	8	9	3	3	4	27	2	3	4	1	8	2	—	—	—	—
Diseases of Nervous System	1·83	1·88	1·77	313	161	152	40	9	5	1	1	56	6	1	—	1	3	5	9	38	82	112
Diseases of Circulatory "	1·53	1·54	1·51	262	132	130	—	—	—	—	—	—	1	3	5	3	4	13	19	45	93	76
Diseases of Respiratory "	2·25	2·48	2·02	385	212	173	72	28	8	7	5	120	7	1	—	2	7	11	18	35	60	124
Diseases of Digestive "	0·88	0·84	0·91	150	72	78	41	8	4	1	—	54	5	1	3	2	8	6	12	15	27	17
Diseases of Urinary "	0·44	0·48	0·40	75	41	34	—	—	—	1	1	2	1	2	1	2	1	2	7	12	17	28
Diseases of Generative "	0·05	—	0·09	8	—	8	—	—	—	—	—	—	—	1	—	—	1	2	1	2	1	—
Puerperal Fever	0·04	—	0·08	7	—	7	—	—	—	—	—	—	—	—	—	3	2	2	—	—	—	—
Childbirth	0·06	—	0·13	11	—	11	—	—	—	—	—	—	—	—	—	4	3	4	—	—	—	—
Violence	0·51	0·73	0·29	87	62	25	7	3	7	4	2	23	7	2	1	2	11	4	8	13	8	8
OTHER CAUSES	4·86	4·84	4·93	834	413	421	277	13	4	1	2	297	9	6	7	5	13	18	22	53	84	320

Marriages 1,044

Births .. { Males .. 2,279 / Females 2,190 } 4,469

Annual Rate per 1000 living { Persons Married .. 12·19 / Births .. .. .. 26·08

Annual Births to 1000 Females aged 15—45 years = 131.

Deaths from Childbirth and Puerperal Fever .. .. } 4·03 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

241.—SWINDON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 14·64			*119	—	—	—	—	41·16	3·09	1·97	3·67	3·75	5·09	7·89	13·86	26·35	59·40	151·18
Annual Death-Rate per 1000. Males	—			15·05			*134	—	—	—	—	45·30	2·90	1·55	3·29	3·81	5·11	7·69	14·55	27·27	64·04	160·70
Annual Death-Rate per 1000. Females	—			14·24			*104	—	—	—	—	36·95	3·27	2·40	4·17	3·68	5·06	8·10	13·15	25·47	55·33	142·81
Mean Population, 1891-1900. Persons	—			52,759			1492	1404	1380	1381	1362	7019	6673	5988	5121	4715	8451	6265	4120	2501	1357	549
Mean Population, 1891-1900. Males	—			27,380			761	694	690	714	680	3539	3314	3032	2917	2651	4482	3240	2089	1225	634	257
Mean Population, 1891-1900. Females	—			25,379			731	710	690	667	682	3480	3359	2956	2204	2064	3969	3025	2031	1276	723	292
Deaths from All Causes, 1891-1900. Persons	13·97			7,368			2013	470	183	128	95	2889	206	118	188	177	430	494	571	659	806	830
Deaths from All Causes, 1891-1900. Males	14·16			3,878			1152	245	91	61	54	1603	96	47	96	101	229	249	304	334	406	413
Deaths from All Causes, 1891-1900. Females	13·75			3,490			861	225	92	67	41	1286	110	71	92	76	201	245	267	325	400	417
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	0·00	4	3	1	1	—	—	—	—	1	—	—	—	—	—	1	—	1	1	—
Measles	0·27	0·27	0·26	142	75	67	27	51	23	16	15	132	10	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·07	0·08	0·06	37	23	14	1	3	7	4	3	18	11	5	2	1	—	—	—	—	—	—
Diphtheria	0·14	0·12	0·16	73	33	40	3	8	12	10	11	44	24	1	2	—	1	—	1	—	—	—
Whooping-cough	0·24	0·19	0·30	126	51	75	70	31	15	4	2	122	4	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·11	0·14	0·07	57	39	18	—	—	2	2	—	4	6	4	11	10	7	9	6	—	—	—
Simple Continued Fever	0·00	0·00	—	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·47	0·52	0·41	246	141	105	178	20	6	2	—	206	3	2	—	—	1	3	3	3	6	19
Cholera	0·02	0·01	0·02	8	4	4	5	—	1	—	—	6	—	—	—	—	1	—	—	1	—	—
Cancer	0·55	0·40	0·71	288	109	179	—	—	—	—	1	1	1	—	1	3	4	35	62	84	70	27
Tabes Mesenterica	0·17	0·19	0·15	91	53	38	58	6	3	1	2	70	7	1	4	3	4	1	—	—	1	—
Phthisis	1·14	1·25	1·02	601	342	259	11	5	3	4	1	24	6	21	66	76	168	115	76	33	12	4
Other Tub. & Scrof. Dis.	0·41	0·41	0·42	218	112	106	64	25	18	16	8	131	28	11	16	6	9	5	2	6	2	2
Diseases of Nervous System	1·37	1·43	1·30	720	391	329	220	38	11	9	6	284	12	16	10	8	19	37	52	77	120	85
Diseases of Circulatory	1·38	1·25	1·53	728	341	387	9	1	—	2	—	12	11	17	21	8	31	60	114	147	174	133
Diseases of Respiratory	2·72	2·69	2·74	1432	736	696	403	209	54	34	31	731	33	3	9	11	44	55	88	134	159	165
Diseases of Digestive	0·98	0·96	1·00	518	263	255	187	24	8	7	3	229	14	12	14	9	25	34	51	54	53	23
Diseases of Urinary	0·43	0·51	0·34	226	139	87	4	2	1	1	1	9	4	2	2	4	14	32	28	43	59	29
Diseases of Generative	0·01	0·00	0·02	7	1	6	—	—	—	—	—	—	—	—	—	—	1	4	1	—	1	—
Puerperal Fever	0·07	—	0·14	36	—	36	—	—	—	—	—	—	—	—	1	5	17	11	2	—	—	—
Childbirth	0·08	—	0·16	40	—	40	—	—	—	—	—	—	—	—	1	3	19	17	—	—	—	—
Violence	0·49	0·69	0·28	260	188	72	21	10	12	7	6	56	16	12	13	12	29	23	35	26	25	13
Other Causes	2·84	3·04	2·66	1509	833	676	751	37	7	9	5	809	16	10	15	18	36	52	50	50	123	330

Marriages 3,702

Births .. { Males .. 8,608 / Females 8,281 } 16,889

Annual Rate per 1000 living { Persons Married .. 14·03 / Births .. .. .. 32·01

Annual Births to 1000 Females aged 15—45 years = 150.

Deaths from Childbirth and Puerperal Fever .. .. } 4·50 per 1000 Births

* The death-rates under one year of age are per 1000 Births.

242.—CRICKLADE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·67			* 99	—	—	—	—	33·27	3·52	1·83	3·76	5·21	6·60	7·52	12·97	23·20	54·47	151·14
Annual Death-Rate per 1000. Males	—			13·40			*108	—	—	—	—	35·29	3·78	1·68	3·14	4·66	6·82	7·21	12·62	24·48	50·00	155·41
Annual Death-Rate per 1000. Females	—			13·92			* 89	—	—	—	—	31·19	3·25	1·98	4·55	5·73	6·36	7·83	13·31	22·01	58·61	146·67
Mean Population, 1891-1900. Persons	—			11,618			316	284	297	291	291	1479	1447	1313	1036	883	1501	1223	1041	806	582	307
Mean Population, 1891-1900. Males	—			5,858			147	144	165	148	144	748	740	655	574	429	762	610	515	388	280	157
Mean Population, 1891-1900. Females	—			5,760			169	140	132	143	147	731	707	658	462	454	739	613	526	418	302	150
Deaths from All Causes, 1891-1900. Persons	16·75			1,946			329	92	26	21	24	492	51	24	39	46	99	92	135	187	317	464
Deaths from All Causes, 1891-1900. Males	16·75			981			183	45	15	7	14	264	28	11	18	20	52	44	65	95	140	244
Deaths from All Causes, 1891-1900. Females	16·75			965			146	47	11	14	10	228	23	13	21	26	47	48	70	92	177	220
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·23	0·19	0·28	27	11	16	2	14	1	2	2	21	4	—	1	—	—	1	—	—	—	—
Scarlet Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria	0·09	0·05	0·12	10	3	7	—	—	—	2	6	8	2	—	—	—	—	—	—	—	—	—
Whooping-cough	0·22	0·14	0·31	26	8	18	17	5	2	—	—	24	2	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·06	0·05	0·07	7	3	4	—	—	1	—	—	1	—	1	1	2	1	1	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·28	0·36	0·21	33	21	12	21	4	—	—	—	25	—	—	—	—	—	—	1	—	3	4
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·81	0·65	0·97	94	38	56	—	—	1	—	—	1	1	—	—	—	—	11	14	26	27	14
Tabes Mesenterica	0·08	0·03	0·12	9	2	7	—	2	—	—	1	3	1	2	1	1	—	1	—	—	—	—
Phthisis	1·40	1·37	1·44	163	80	83	6	3	1	1	—	11	2	4	12	24	55	28	15	8	4	—
Other Tub. & Scrof. Dis.	0·26	0·19	0·33	30	11	19	6	5	1	—	1	13	6	1	2	1	3	1	2	1	—	—
Diseases of Nervous System	1·68	1·64	1·72	195	96	99	40	2	1	4	2	49	5	4	2	5	1	4	17	27	36	45
Diseases of Circulatory „	2·39	1·91	2·86	277	112	165	2	1	—	—	—	3	2	3	4	1	6	14	29	57	92	66
Diseases of Respiratory „	2·66	2·89	2·43	309	169	140	48	30	13	7	10	108	10	1	2	1	3	7	12	23	62	80
Diseases of Digestive „	0·84	0·96	0·73	98	56	42	18	19	2	—	1	40	6	—	2	1	—	5	11	12	10	11
Diseases of Urinary „	0·47	0·63	0·31	55	37	18	—	—	—	—	—	—	—	1	—	1	3	1	6	7	18	18
Diseases of Generative „	0·03	—	0·07	4	—	4	—	—	—	—	—	—	—	—	—	—	—	1	2	—	1	—
Puerperal Fever	0·04	—	0·09	5	—	5	—	—	—	—	—	—	—	—	—	1	1	3	—	—	—	—
Childbirth	0·12	—	0·24	14	—	14	—	—	—	—	—	—	—	—	—	2	10	1	1	—	—	—
Violence	0·56	0·77	0·35	65	45	20	4	1	3	3	—	11	7	4	6	—	5	4	9	8	6	5
OTHER CAUSES	4·53	4·92	4·10	525	289	236	165	6	—	2	1	174	3	3	6	6	11	9	16	18	58	221

Marriages 794

Births .. { Males .. 1,691 / Females 1,636 } 3,327

Annual Rate per 1000 living { Persons Married .. 13·67 / Births .. .. .. 28·64

Annual Births to 1000 Females aged 15—45 years = 147.

Deaths from Childbirth and Puerperal Fever .. .. } 5·71 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

243.—MALMESBURY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		12·83	* 97	—	—	—	—	32·78	3·04	2·85	3·78	5·01	4·82	6·90	10·83	22·42	47·84	151·87
Annual Death-Rate per 1000. Males	—					12·81	*101	—	—	—	—	34·16	2·49	3·04	3·38	4·78	4·85	6·31	9·43	25·00	53·64	160·12
Annual Death-Rate per 1000. Females	—					12·84	* 91	—	—	—	—	31·40	3·60	2·67	4·21	5·22	4·80	7·47	12·16	19·83	42·62	144·57
Mean Population, 1891–1900. Persons	—			12,944			280	283	289	295	308	1455	1511	1403	1245	939	1741	1420	1219	968	696	347
Mean Population, 1891–1900. Males	—			6,427			133	144	143	151	158	729	762	691	651	460	866	697	594	484	330	163
Mean Population, 1891–1900. Females	—			6,517			147	139	146	144	150	726	749	712	594	479	875	723	625	484	366	184
Deaths from All Causes, 1891–1900. Persons	15·82			2,048			313	86	32	25	21	477	46	40	47	47	84	98	132	217	333	527
Deaths from All Causes, 1891–1900. Males	16·09			1,034			170	38	18	10	13	249	19	21	22	22	42	44	56	121	177	261
Deaths from All Causes, 1891–1900. Females	15·56			1,014			143	48	14	15	8	228	27	19	25	25	42	54	76	96	156	266
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·19	0·22	0·15	24	14	10	3	8	4	3	1	19	3	—	—	—	2	—	—	—	—	—
Scarlet Fever	0·12	0·11	0·12	15	7	8	—	4	3	2	2	11	2	1	—	—	1	—	—	—	—	—
Diphtheria	0·19	0·16	0·21	24	10	14	—	2	2	3	5	12	10	2	—	—	—	—	—	—	—	—
Whooping-cough	0·18	0·19	0·17	23	12	11	10	4	4	3	2	23	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·18	0·12	0 23	23	8	15	—	—	—	1	1	2	2	4	5	2	—	3	3	1	1	—
Simple Continued Fever	0·01	—	0·02	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·30	0·34	0·26	39	22	17	23	1	2	—	1	27	1	—	1	—	—	—	—	1	—	9
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·78	0·70	0·86	101	45	56	—	—	1	—	—	1	—	1	1	1	3	8	15	29	25	17
Tabes Mesenterica	0·15	0·22	0·08	19	14	5	7	3	—	1	1	12	—	2	1	1	2	1	—	—	—	—
Phthisis	1·00	0·93	1·06	129	60	69	2	4	—	—	—	6	1	8	14	17	31	20	14	12	3	3
Other Tub. & Scrof. Dis.	0·19	0·17	0·21	25	11	14	5	6	—	1	—	12	5	2	1	—	2	1	—	2	—	—
Diseases of Nervous System	2·07	2 10	2·04	268	135	133	51	10	3	4	1	69	3	1	3	5	9	8	12	27	60	71
Diseases of Circulatory	1·96	1·95	1·96	253	125	128	3	1	—	—	1	5	1	1	4	6	5	10	26	49	78	68
Diseases of Respiratory	3·14	3 19	3·09	406	205	201	79	26	8	5	5	123	8	6	1	2	4	10	25	37	73	117
Diseases of Digestive	1·02	0·98	1·06	132	63	69	20	7	1	—	1	29	3	4	6	2	4	3	8	22	25	26
Diseases of Urinary	0·32	0·48	0·15	41	31	10	—	—	—	—	—	—	—	—	—	1	3	1	2	7	9	18
Diseases of Generative	0·05	0·02	0·09	7	1	6	—	—	—	—	—	—	—	—	—	—	—	1	3	1	—	2
Puerperal Fever	0·05	—	0·09	6	—	6	—	—	—	—	—	—	—	—	—	2	2	1	1	—	—	—
Childbirth	0·07	—	0·14	9	—	9	—	—	—	—	—	—	—	—	—	1	4	4	—	—	—	—
Violence	0·49	0·76	0·23	64	49	15	5	1	3	—	—	9	2	3	5	—	9	9	6	6	8	7
OTHER CAUSES	3·36	3·45	3·34	439	222	217	105	9	1	2	—	117	4	5	5	7	3	18	17	23	51	189

Marriages 927

Births .. { Males .. 1,676 / Females 1,567 } 3,243

Annual Rate per 1000 living { Persons Married .. 14·32 / Births .. .. .. 25·05 }

Annual Births to 1000 Females aged 15—45 years = 121.

Deaths from Childbirth and Puerperal Fever .. .. } 4·63 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

244.—CHIPPENHAM.

Causes of Death	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		12·93	* 97	—	—	—	—	31·60	2·99	1·99	2·65	4·20	4·93	7·26	11·26	24·98	56·83	149·23
Annual Death-Rate per 1000. Males ..	—					13·81	*117	—	—	—	—	36·82	2·94	1·62	2·60	4·78	4·82	7·50	12·91	27·75	61·73	161·86
Annual Death-Rate per 1000. Females	—					12·10	* 78	—	—	—	—	26·46	3·03	2·35	2·71	3·62	5·04	7·05	9·72	22·53	52·79	138·81
Mean Population, 1891-1900. Persons	—			22,257			486	527	523	546	538	2620	2645	2468	2074	1714	3020	2519	2079	1549	1047	522
Mean Population, 1891-1900. Males ..	—			10,923			236	259	265	279	262	1301	1325	1236	1114	858	1453	1200	999	728	473	236
Mean Population, 1891-1900. Females	—			11,334			250	268	258	267	276	1319	1320	1232	960	856	1567	1319	1080	821	574	286
Deaths from All Causes, 1891-1900. Persons	15·32			3,410			569	149	66	25	19	828	79	49	55	72	149	183	234	387	595	779
Deaths from All Causes, 1891-1900. Males ..	16·23			1,773			345	83	29	12	10	479	39	20	29	41	70	90	129	202	292	382
Deaths from All Causes, 1891-1900. Females	14·44			1,637			224	66	37	13	9	349	40	29	26	31	79	93	105	185	303	397
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·19	0·23	0·16	43	25	18	14	16	4	1	1	36	4	—	1	—	—	1	—	1	—	—
Scarlet Fever	0·08	0·08	0·07	17	9	8	—	3	1	—	—	4	5	3	1	2	1	—	1	—	—	—
Diphtheria	0·19	0·17	0·20	42	19	23	—	4	6	8	4	22	14	1	1	—	1	3	—	—	—	—
Whooping-cough	0·20	0·21	0·19	45	23	22	26	16	1	1	1	45	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·04	0·05	0·03	9	6	3	—	—	—	—	—	—	1	1	—	2	1	1	1	2	—	—
Simple Continued Fever	0·00	0·01	—	1	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·25	0·27	0·24	56	29	27	23	9	4	—	1	37	—	—	—	—	1	—	—	3	5	10
Cholera	0·01	0·01	0·01	2	1	1	1	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Cancer	0·72	0·58	0·87	161	63	98	—	—	—	—	—	—	—	—	1	—	4	11	34	43	49	19
Tabes Mesenterica	0·13	0·16	0·11	29	17	12	9	9	4	1	—	23	—	2	1	—	2	1	—	—	—	—
Phthisis	1·02	1·10	0·94	227	120	107	4	2	2	—	—	8	4	5	17	33	50	39	32	26	9	4
Other Tub. & Scrof. Dis.	0·14	0·12	0·17	32	13	19	—	4	2	2	2	10	2	1	4	—	6	3	2	2	2	—
Diseases of Nervous System	1·81	1·87	1·75	402	204	198	67	11	12	1	2	93	9	3	3	5	11	21	29	56	80	92
Diseases of Circulatory "	1·90	2·01	1·79	422	219	203	1	3	—	—	—	4	3	8	3	5	10	21	32	91	142	103
Diseases of Respiratory "	2·44	2·58	2·30	543	282	261	111	42	18	8	1	180	4	1	1	5	8	16	28	56	108	136
Diseases of Digestive "	0·97	1·08	0·86	215	118	97	53	18	6	—	2	79	7	5	2	7	3	11	15	29	26	31
Diseases of Urinary "	0·58	0·74	0·43	130	81	49	—	1	—	—	—	1	—	—	1	1	6	10	18	35	33	25
Diseases of Generative "	0·05	—	0·10	11	—	11	—	—	—	—	—	—	—	—	—	—	1	3	4	—	3	—
Puerperal Fever	0·04	—	0·08	9	—	9	—	—	—	—	—	—	—	—	—	1	5	3	—	—	—	—
Childbirth..	0·09	—	0·19	21	—	21	—	—	—	—	—	—	—	—	3	2	8	8	—	—	—	—
Violence	0·61	0·96	0·26	135	105	30	7	2	1	1	3	14	16	8	7	6	16	16	13	15	15	9
OTHER CAUSES	3·86	4·00	3·69	858	438	420	252	8	5	2	2	269	10	11	9	3	15	15	25	28	123	350

Marriages 1,437

Births .. { Males .. 2,961 / Females 878 } 5,839

Annual Rate per 1000 living { Persons Married .. 12·91 / Births .. .. .. 26·23 }

Annual Births to 1000 Females aged 15—45 years = 124.

Deaths from Childbirth and Puerperal Fever .. .. } 5·14 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

245.—CALNE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds
Annual Death-Rate per 1000. Persons	—	In Standard Population. 11·87	*85	—	—	—	—	27·59	3·55	2·34	2·41	4·28	3·65	5·92	8·68	25·98	53·46	146·76
Annual Death-Rate per 1000. Males	—	11·25	*88	—	—	—	—	27·49	2·90	1·98	2·39	3·25	4·44	6·15	8·60	21·90	54·24	149·49
Annual Death-Rate per 1000. Females	—	12·46	*82	—	—	—	—	27·68	4·20	2·71	2·43	5·21	2·97	5·71	8·76	29·63	52·73	144·44
Mean Population, 1891-1900. Persons	—	8,311	199	182	165	195	187	928	958	897	790	584	1068	929	783	666	492	216
Mean Population, 1891-1900. Males	—	4,051	98	89	82	102	91	462	482	454	419	277	496	439	372	315	236	99
Mean Population, 1891-1900. Females	—	4,260	101	93	83	93	96	466	476	443	371	307	572	490	411	351	256	117
Deaths from All Causes, 1891-1900. Persons	15·28	1,270	175	47	14	13	7	256	34	21	19	25	39	55	68	173	263	317
Deaths from All Causes, 1891-1900. Males	14·69	595	91	21	6	6	3	127	14	9	10	9	22	27	32	69	128	148
Deaths from All Causes, 1891-1900. Females	15·85	675	84	26	8	7	4	129	20	12	9	16	17	28	36	104	135	169

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·07	0·10	0·05	6	4	2	1	4	—	—	—	5	—	1	—	—	—	—	—	—	—
Scarlet Fever	0·13	0·07	0·19	11	3	8	—	1	1	3	—	5	3	1	1	—	1	—	—	—	—
Diphtheria	0·37	0·32	0·42	31	13	18	—	3	4	3	3	13	14	2	2	—	—	—	—	—	—
Whooping-cough	0·28	0·32	0·23	23	13	10	13	7	2	1	—	23	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·04	0·07	—	3	3	—	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·19	0·27	0·12	16	11	5	5	1	—	—	—	6	—	—	—	—	—	1	1	—	2	6
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·82	0·69	0·94	68	28	40	—	—	—	—	—	—	1	—	—	—	2	3	9	16	20	17
Tabes Mesenterica	0·05	0·02	0·07	4	1	3	—	1	—	—	—	1	2	1	—	—	—	—	—	—	—	—
Phthisis	0·71	0·84	0·59	59	34	25	3	—	—	—	—	3	—	—	8	9	12	13	9	4	1	—
Other Tub. & Scrof. Dis.	0·16	0·12	0·19	13	5	8	2	2	—	—	—	4	—	2	3	1	—	—	1	1	—	1
Diseases of Nervous System	2·17	2·10	2·23	180	85	95	21	6	—	1	—	28	2	5	2	—	4	5	8	30	53	43
Diseases of Circulatory "	1·77	1·73	1·81	147	70	77	—	—	—	—	—	—	1	—	—	1	2	3	5	39	64	32
Diseases of Respiratory "	3·08	2·84	3·31	256	115	141	35	14	6	4	2	61	4	2	—	2	6	6	11	41	50	73
Diseases of Digestive "	0·93	0·77	1·08	77	31	46	11	4	—	—	1	16	1	4	1	1	2	8	4	15	19	6
Diseases of Urinary "	0·47	0·69	0·26	39	28	11	—	—	—	—	—	—	—	—	—	—	—	4	5	5	16	9
Diseases of Generative "	0·06	—	0·12	5	—	5	—	—	—	—	—	—	—	—	—	—	—	—	3	1	1	—
Puerperal Fever	0·06	—	0·12	5	—	5	—	—	—	—	—	—	—	—	1	—	1	3	—	—	—	—
Childbirth	0·06	—	0·12	5	—	5	—	—	—	—	—	—	—	—	—	2	1	1	1	—	—	—
Violence	0·47	0·64	0·31	39	26	13	5	2	—	1	1	9	4	2	—	1	1	1	3	6	5	7
OTHER CAUSES	3·39	3·10	3·69	283	125	158	79	2	1	—	—	82	2	—	1	6	7	7	8	15	32	123

Marriages 559

Births .. { Males .. 1,031 / Females 1,024 } 2,055

Annual Rate per 1000 living { Persons Married .. 13·45 / Births .. .. .. 24·73 }

Annual Births to 1000 Females aged 15—45 years = 118.

Deaths from Childbirth and Puerperal Fever .. .. } 4·87 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

246.—MARLBOROUGH.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		12·89	*96	—	—	—	—	31·43	2·86	2·49	3·61	4·88	5·13	6·41	11·90	24·53	57·72	133·33
Annual Death-Rate per 1000. Males	—					13·23	*98	—	—	—	—	32·29	3·35	2·29	2·88	4·91	5·27	7·54	13·24	27·12	60·78	141·98
Annual Death-Rate per 1000. Females	—					12·57	*95	—	—	—	—	30·62	2·36	2·70	4·75	4·86	5·00	5·30	10·64	22·09	54·84	125·56
Mean Population, 1891–1900. Persons	—			8,485			179	188	179	179	188	913	943	1006	1025	635	1072	936	731	632	421	171
Mean Population, 1891–1900. Males	—			4,279			91	85	94	92	84	446	477	524	625	285	512	464	355	306	204	81
Mean Population, 1891–1900. Females	—			4,206			88	103	85	87	104	467	466	482	400	350	560	472	376	326	217	90
Deaths from All Causes, 1891–1900. Persons	14·56			1,235			201	49	18	9	10	287	27	25	37	31	55	60	87	155	243	228
Deaths from All Causes, 1891–1900. Males	14·84			635			104	25	7	5	3	144	16	12	18	14	27	35	47	83	124	115
Deaths from All Causes, 1891–1900. Females	14·27			600			97	24	11	4	7	143	11	13	19	17	28	25	40	72	119	113
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·15	0·16	0·14	13	7	6	3	5	—	—	1	9	1	2	1	—	—	—	—	—	—	—
Scarlet Fever	0·06	0·09	0·02	5	4	1	1	1	—	1	—	3	2	—	—	—	—	—	—	—	—	—
Diphtheria	0·28	0·23	0·33	24	10	14	1	—	2	3	6	12	6	4	—	—	1	—	1	—	—	—
Whooping-cough	0·18	0·14	0·21	15	6	9	10	3	1	—	—	14	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·06	0·02	0·10	5	1	4	—	—	—	—	—	—	—	—	1	3	—	—	1	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·28	0·37	0·19	24	16	8	11	4	2	—	—	17	—	—	—	—	—	—	—	—	2	5
Cholera	0·01	0·02	—	1	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	0·93	0·86	1·00	79	37	42	—	—	—	—	—	—	—	—	—	—	1	9	7	21	32	9
Tabes Mesenterica	0·06	0·05	0·07	5	2	3	3	—	1	—	1	5	—	—	—	—	—	—	—	—	—	—
Phthisis	0·93	0·91	0·95	79	39	40	—	2	—	—	—	2	2	2	9	6	19	14	10	11	4	—
Other Tub. & Scrof. Dis.	0·24	0·23	0·24	20	10	10	4	3	—	1	—	8	2	2	2	2	—	2	—	—	1	1
Diseases of Nervous System	1·51	1·47	1·55	128	63	65	22	3	2	1	—	28	2	3	2	2	4	6	15	13	32	21
Diseases of Circulatory	1·78	1·85	1·71	151	79	72	3	—	—	—	—	3	1	—	3	5	6	6	11	37	58	21
Diseases of Respiratory	1·90	2·22	1·57	161	95	66	34	13	4	1	1	53	—	2	2	3	1	5	12	22	38	23
Diseases of Digestive	1·08	1·22	0·95	92	52	40	17	13	3	—	—	33	4	5	3	2	3	4	7	10	13	8
Diseases of Urinary	0·40	0·44	0·36	34	19	15	—	—	1	—	—	1	—	1	—	2	3	2	8	9	6	2
Diseases of Generative	0·09	—	0·19	8	—	8	—	—	—	—	—	—	—	—	1	—	3	1	1	1	1	—
Puerperal Fever	0·06	—	0·12	5	—	5	—	—	—	—	—	—	—	—	1	2	2	—	—	—	—	—
Childbirth	0·05	—	0·10	4	—	4	—	—	—	—	—	—	—	—	—	1	2	1	—	—	—	—
Violence	0·51	0·70	0·31	43	30	13	5	1	1	2	—	9	2	2	3	3	3	6	4	5	4	2
OTHER CAUSES	4·00	3·86	4·16	339	164	175	86	1	1	—	1	89	4	2	9	—	7	4	10	26	52	136

Marriages 545

Births .. { Males .. 1,064 / Females 1,026 } 2,090

Annual Rate per 1000 living { Persons Married .. 12·85 / Births .. .. .. 24·63 }

Annual Births to 1000 Females aged 15—45 years = 117.

Deaths from Childbirth and Puerperal Fever .. .. } 4·31 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

247.—DEVIZES.

Causes of Death.	Crude Death-Rate per 1000,			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		14·82	* 83	—	—	—	—	29·94	3·48	2·32	3·93	4·66	8·06	10·24	17·57	27·20	63·41	155·64
Annual Death-Rate per 1000. Males	—					16·09	*100	—	—	—	—	35·33	2·96	2·03	4·11	4·17	9·88	11·56	21·53	30·62	65·71	163·60
Annual Death-Rate per 1000. Females	—					13·64	* 63	—	—	—	—	24·39	3·99	2·62	3·73	5·16	6·42	9·03	14·14	24·20	61·30	148·73
Mean Population, 1891-1900. Persons	—			19,681			457	405	444	433	432	2171	2267	2113	1806	1503	2569	2236	1884	1522	1096	514
Mean Population, 1891-1900. Males	—			9,676			234	197	234	214	222	1101	1115	1083	974	767	1214	1073	873	712	525	239
Mean Population, 1891-1900. Females	—			10,005			223	208	210	219	210	1070	1152	1030	832	736	1355	1163	1011	810	571	275
Deaths from All Causes, 1891-1900. Persons	18·27			3,595			401	130	55	39	25	650	79	49	71	70	207	229	331	414	695	800
Deaths from All Causes, 1891-1900. Males	19·66			1,902			254	74	30	21	10	389	33	22	40	32	120	124	188	218	345	391
Deaths from All Causes, 1891-1900. Females	16·92			1,693			147	56	25	18	15	261	46	27	31	38	87	105	143	196	350	409
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·32	0·35	0·28	62	34	28	11	20	6	7	2	46	13	2	1	—	—	—	—	—	—	—
Scarlet Fever	0·15	0·10	0·19	29	10	19	1	4	3	4	1	13	11	3	1	—	—	1	—	—	—	—
Diphtheria	0·32	0·33	0·31	63	32	31	3	2	10	9	5	29	22	10	1	—	1	—	—	—	—	—
Whooping-cough	0·17	0·20	0·15	34	19	15	21	8	2	1	2	34	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·04	0·01	0·06	7	1	6	—	—	—	—	—	—	—	1	3	2	—	1	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·16	0·18	0·15	32	17	15	18	2	1	—	—	21	—	—	—	—	—	1	—	2	5	3
Cholera	0·01	0·01	—	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Cancer	0·94	0·84	1·04	185	81	104	—	—	—	—	1	1	—	—	1	—	4	10	40	33	58	38
Tabes Mesenterica	0·07	0·05	0·08	13	5	8	5	1	1	—	—	7	—	—	1	1	1	1	1	—	—	1
Phthisis	1·15	1·42	0·90	227	137	90	—	4	—	—	—	4	—	3	11	28	61	47	43	13	16	1
Other Tub. & Scrof. Dis.	0·35	0·37	0·32	68	36	32	2	11	5	1	1	20	4	6	6	4	8	8	4	5	1	2
Diseases of Nervous System	2·70	3·09	2·33	532	299	233	36	12	5	1	1	55	4	1	7	2	31	54	71	86	116	105
Diseases of Circulatory "	2·68	2·64	2·73	528	255	273	1	1	—	—	—	2	3	3	5	7	22	24	47	93	169	153
Diseases of Respiratory "	3·20	3·50	2·91	630	339	291	116	45	13	7	7	188	7	2	5	5	25	20	48	69	117	144
Diseases of Digestive "	1·00	1·13	0·87	196	109	87	25	9	1	2	1	38	5	5	4	5	10	9	19	24	43	34
Diseases of Urinary "	0·70	0·92	0·48	137	89	48	—	—	—	—	—	—	1	1	2	3	6	12	15	33	33	31
Diseases of Generative "	0·05	0·01	0·08	9	1	8	—	—	—	—	—	—	—	—	—	—	—	—	3	2	2	2
Puerperal Fever	0·06	—	0·11	11	—	11	—	—	—	—	—	—	—	—	1	2	3	5	—	—	—	—
Childbirth	0·07	—	0·13	13	—	13	—	—	—	—	—	—	—	—	—	1	5	7	—	—	—	—
Violence	0·53	0·83	0·25	105	80	25	13	2	4	3	3	25	6	3	4	4	10	7	11	9	15	11
Other Causes	3·60	3·68	3·55	713	357	356	149	9	4	4	1	167	2	9	18	6	20	22	29	45	120	275

Marriages 1,222

Births .. { Males .. 2,532 / Females 2,325 } 4,857

Annual Rate per 1000 living { Persons Married .. 12·42 / Births .. .. .. 24·68 }

Annual Births to 1000 Females aged 15—45 years = 119.

Deaths from Childbirth and Puerperal Fever .. .. } 4·94 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

248.—MELKSHAM.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population 13·03			*100	—	—	—	—	32·18	3·42	1·65	2·25	3·88	4·83	6·58	11·92	24·85	60·48	145·19
Annual Death-Rate per 1000. Males ..	—			In Standard Population 13·86			*120	—	—	—	—	37·58	2·86	1·36	2·52	4·14	4·83	7·11	14·16	27·60	65·44	152·00
Annual Death-Rate per 1000. Females	—			In Standard Population 12·25			* 80	—	—	—	—	27·26	3·97	1·93	2·00	3·68	4·83	6·16	10·10	22·73	56·95	140·00
Mean Population, 1891–1900. Persons	—			18,463			387	391	381	398	385	1942	2046	2065	1864	1493	2463	2172	1778	1324	911	405
Mean Population, 1891–1900. Males ..	—			8,534			181	177	192	198	178	926	1013	1029	914	677	1077	970	798	576	379	175
Mean Population, 1891–1900. Females	—			9,929			206	214	189	200	207	1016	1033	1036	950	816	1386	1202	980	748	532	230
Deaths from All Causes, 1891–1900. Persons	15·01			2,771			433	111	30	32	19	625	70	34	42	58	119	143	212	329	551	588
Deaths from All Causes, 1891–1900. Males ..	15·81			1,349			257	47	20	15	9	348	29	14	23	28	52	69	113	159	248	266
Deaths from All Causes, 1891–1900. Females	14·32			1,422			176	64	10	17	10	277	41	20	19	30	67	74	99	170	303	322
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·17	0·23	0·12	32	20	12	9	10	6	4	1	30	2	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·05	0·05	0·05	9	4	5	—	—	3	2	—	5	3	1	—	—	—	—	—	—	—	—
Diphtheria	0·09	0·13	0·05	16	11	5	1	2	2	1	3	9	6	—	—	—	—	—	1	—	—	—
Whooping-cough ..	0·18	0·15	0·20	33	13	20	10	15	2	5	—	32	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·03	0·04	0·02	5	3	2	—	—	—	—	—	—	1	1	2	—	—	1	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·19	0·28	0·11	35	24	11	21	5	—	—	—	26	—	—	—	—	—	—	—	—	5	4
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·88	0·79	0·97	163	67	96	—	—	—	—	—	—	—	—	1	—	5	16	20	40	67	14
Tabes Mesenterica ..	0·36	0·40	0·33	67	34	33	45	9	4	—	—	58	3	1	—	2	—	—	2	—	1	—
Phthisis	0·87	0·91	0·84	161	78	83	—	—	—	1	—	1	4	5	9	25	40	32	19	18	6	2
Other Tub. & Scrof. Dis.	0·15	0·13	0·16	27	11	16	1	5	1	3	—	10	5	1	1	—	7	1	2	—	—	—
Diseases of Nervous System ..	1·99	1·99	1·98	367	170	197	25	11	1	5	1	43	8	3	2	4	6	18	33	60	112	78
Diseases of Circulatory „ ..	2·09	2·18	2·00	385	186	199	1	—	—	—	—	1	3	4	10	8	9	18	41	57	137	97
Diseases of Respiratory „ ..	2·87	3·01	2·74	529	257	272	111	38	8	8	10	175	16	2	1	3	7	11	27	56	106	125
Diseases of Digestive „ ..	0·99	1·17	0·83	182	100	82	21	8	2	—	1	32	4	4	5	6	9	10	27	35	29	21
Diseases of Urinary „ ..	0·29	0·45	0·16	54	38	16	1	—	—	—	—	1	1	1	1	1	1	1	7	11	18	11
Diseases of Generative „ ..	0·03	—	0·06	6	—	6	—	—	—	—	—	—	—	—	—	—	—	2	1	—	3	—
Puerperal Fever ..	0·05	—	0·09	9	—	9	—	—	—	—	—	—	—	—	—	—	5	4	—	—	—	—
Childbirth	0·06	—	0·11	11	—	11	—	—	—	—	—	—	—	—	—	3	5	3	—	—	—	—
Violence	0·53	0·70	0·38	98	60	38	18	2	—	1	3	24	9	6	6	1	8	4	5	14	10	11
OTHER CAUSES ..	3·14	3·20	3·12	582	273	309	169	6	1	2	—	178	4	5	4	5	17	22	27	38	57	225

Marriages 1,265

Births .. { Males .. 2,139 / Females 2,207 } 4,346

Annual Rate per 1000 living { Persons Married .. 13·70 / Births .. .. .. 23·54 }

Annual Births to 1000 Females aged 15–45 years = 100.

Deaths from Childbirth and Puerperal Fever .. .. } 4·60 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

249.—BRADFORD ON AVON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population 12·75			*106	—	—	—	—	30·39	3·02	2·30	3·29	3·61	3·85	7·22	13·50	24·44	59·96	131·39
Annual Death-Rate per 1000. Males	—			13·51			*112	—	—	—	—	33·75	3·41	2·33	1·94	4·84	3·18	8·09	16·63	29·97	65·33	129·79
Annual Death-Rate per 1000. Females	—			12·03			* 99	—	—	—	—	27·29	2·61	2·28	4·59	2·75	4·40	6·50	10·89	20·00	55·75	132·56
Mean Population, 1891-1900. Persons	—			10,003			223	228	238	244	245	1178	1160	1128	942	747	1325	1150	926	712	512	223
Mean Population, 1891-1900. Males	—			4,656			106	121	112	120	107	566	586	558	463	310	597	519	421	317	225	94
Mean Population, 1891-1900. Females	—			5,347			117	107	126	124	138	612	574	570	479	437	728	631	505	395	287	129
Deaths from All Causes, 1891-1900. Persons	15·10			1,510			266	45	21	17	9	358	35	26	31	27	51	83	125	174	307	293
Deaths from All Causes, 1891-1900. Males	15·96			743			142	27	7	9	6	191	20	13	9	15	19	42	70	95	147	122
Deaths from All Causes, 1891-1900. Females	14·34			767			124	18	14	8	3	167	15	13	22	12	32	41	55	79	160	171
	Persons.	Males.	Females.	Persons.	Males	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·11	0·06	0·15	11	3	8	3	2	2	1	1	9	1	—	—	1	—	—	—	—	—	—
Scarlet Fever	0·07	0·06	0·07	7	3	4	1	—	2	—	1	4	1	2	—	—	—	—	—	—	—	—
Diphtheria	0·08	0·02	0·13	8	1	7	—	—	2	—	—	2	4	1	—	—	—	—	—	—	—	1
Whooping-cough	0·16	0·21	0·11	16	10	6	7	2	1	2	—	12	4	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·05	0·09	0·02	5	4	1	—	—	—	—	—	—	—	2	2	—	1	—	—	—	—	—
Simple Continued Fever	0·02	0·02	0·02	2	1	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—
Diarrhœa & Dysentery	0·33	0·37	0·30	33	17	16	19	—	1	—	—	20	—	—	—	—	1	—	2	—	3	7
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·66	0·54	0·77	66	25	41	—	—	—	—	—	—	—	—	—	—	1	5	15	17	20	8
Tabes Mesenterica	0·10	0·13	0·07	10	6	4	2	4	—	—	—	6	—	—	4	—	—	—	—	—	—	—
Phthisis	0·81	0·79	0·82	81	37	44	—	—	—	—	—	—	1	—	7	8	21	21	11	9	1	2
Other Tub. & Scrof. Dis.	0·12	0·09	0·15	12	4	8	—	1	—	—	—	1	2	2	3	1	1	—	—	1	1	—
Diseases of Nervous System	1·58	1·80	1·38	158	84	74	21	3	1	—	—	25	8	3	1	4	2	10	17	25	38	25
Diseases of Circulatory	1·99	2·13	1·87	199	99	100	—	—	—	—	—	—	1	3	5	1	4	8	21	43	72	41
Diseases of Respiratory	3·48	3·52	3·44	348	164	184	71	24	8	8	5	116	4	4	3	4	3	6	20	30	83	75
Diseases of Digestive	1·05	1·01	1·09	105	47	58	18	4	2	—	1	25	2	3	1	2	2	6	11	19	24	10
Diseases of Urinary	0·31	0·49	0·15	31	23	8	—	2	—	—	—	2	1	—	—	—	1	4	3	8	7	5
Diseases of Generative	0·05	—	0·09	5	—	5	—	—	—	—	—	—	—	—	1	—	—	1	3	—	—	—
Puerperal Fever	0·03	—	0·06	3	—	3	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—
Childbirth	0·10	—	0·19	10	—	10	—	—	—	—	—	—	—	—	—	—	2	7	1	—	—	—
Violence	0·71	1·14	0·34	71	53	18	9	2	1	1	1	14	5	3	1	1	7	8	8	8	12	4
Other Causes	3·29	3·49	3·12	329	162	167	115	1	1	5	—	122	1	3	3	4	3	6	13	14	45	115

Marriages 620
Births .. { Males .. 1,265 / Females 1,248 } 2,513

Annual Rate per 1000 living { Persons Married .. 12·40 / Births .. .. .. 25·12 }
Annual Births to 1000 Females aged 15—45 years = 110.

Deaths from Childbirth and Puerperal Fever .. .. } 5·17 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

250.—WESTBURY.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·72			*115	—	—	—	—	32·83	2·37	1·99	2·82	4·34	5·72	7·15	9·18	23·03	57·19	138·38
Annual Death-Rate per 1000. Males	—			13·25			*125	—	—	—	—	34·82	1·81	2·30	2·61	4·78	5·90	8·06	11·09	21·64	65·04	153·54
Annual Death-Rate per 1000. Females	—			12·22			*104	—	—	—	—	30·86	2·91	1·66	3·04	3·96	5·56	6·37	7·45	24·31	50·77	126·11
Mean Population, 1891–1900. Persons	—			9,993			230	213	242	200	242	1127	1139	1108	887	714	1258	1077	970	838	591	284
Mean Population, 1891–1900. Males	—			4,818			107	111	121	101	120	560	554	566	459	335	593	496	460	402	266	127
Mean Population, 1891–1900. Females	—			5,175			123	102	121	99	122	567	585	542	428	379	665	581	510	436	325	157
Deaths from All Causes, 1891–1900. Persons	16·38			1,637			284	33	22	17	14	370	27	22	25	31	72	77	89	193	338	393
Deaths from All Causes, 1891–1900. Males	17·16			827			157	14	13	7	4	195	10	13	12	16	35	40	51	87	173	195
Deaths from All Causes, 1891–1900. Females	15·65			810			127	19	9	10	10	175	17	9	13	15	37	37	38	106	165	198
	Persons.	Males.	Females	Persons.	Males.	Females	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·09	0·08	0·10	9	4	5	2	3	1	1	1	8	1	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·08	0·04	0·12	8	2	6	1	—	1	1	1	4	3	—	—	—	1	—	—	—	—	—
Diphtheria	0·07	0·02	0·12	7	1	6	—	1	1	2	—	4	3	—	—	—	—	—	—	—	—	—
Whooping-cough	0·14	0·17	0·12	14	8	6	8	1	3	1	1	14	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·03	0·04	0·02	3	2	1	—	—	—	—	—	—	1	—	—	1	1	—	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·27	0·29	0·25	27	14	13	17	—	2	—	—	19	—	—	—	—	—	—	—	2	1	5
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·81	0·66	0·95	81	32	49	—	—	—	—	—	—	—	1	—	1	—	3	12	27	24	13
Tabes Mesenterica	0·23	0·21	0·25	23	10	13	10	6	2	1	—	19	2	—	—	—	—	1	—	—	1	—
Phthisis	0·79	0·98	0·62	79	47	32	1	1	—	1	—	3	—	2	4	11	26	16	7	6	4	—
Other Tub. & Scrof. Dis.	0·19	0·31	0·08	19	15	4	—	5	2	—	2	9	3	1	2	2	1	—	—	1	—	—
Diseases of Nervous System	2·35	2·18	2·51	235	105	130	25	—	—	3	3	31	2	5	3	1	5	5	12	24	74	73
Diseases of Circulatory "	2·50	2·70	2·32	250	130	120	—	—	—	—	—	—	1	4	3	2	9	12	12	53	94	60
Diseases of Respiratory "	3·05	3·30	2·82	305	159	146	72	11	8	4	4	99	5	1	5	2	4	11	10	25	63	80
Diseases of Digestive "	1·07	1·08	1·06	107	52	55	15	1	1	—	1	18	—	3	3	4	1	8	10	17	26	17
Diseases of Urinary "	0·67	1·00	0·37	67	48	19	—	—	—	1	1	2	—	1	1	—	2	6	8	9	21	17
Diseases of Generative "	0·03	—	0·06	3	—	3	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—
Puerperal Fever	0·06	—	0·12	6	—	6	—	—	—	—	—	—	—	—	—	1	4	1	—	—	—	—
Childbirth	0·13	—	0·25	13	—	13	—	—	—	—	—	—	—	—	—	4	6	3	—	—	—	—
Violence	0·48	0·75	0·23	48	36	12	11	1	1	1	—	14	3	2	—	—	6	2	7	7	5	2
OTHER CAUSES	3·34	3·35	3·28	333	162	171	122	3	—	1	—	126	3	2	4	2	4	8	11	22	25	126

Marriages 686

Births .. { Males .. 1,256 / Females 1,224 } 2,480

Annual Rate per 1000 living { Persons Married .. 13·73 / Births .. .. .. 24·82

Annual Births to 1000 Females aged 15—45 years = 121.

Deaths from Childbirth and Puerperal Fever .. .. } 7·66 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

251.—WARMINSTER.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 13·27	* 92	—	—	—	—	30·90	2·61	2·05	2·93	4·19	5·50	7·01	12·93	26·91	56·25	156·42
Annual Death-Rate per 1000. Males ..	—	13·55	*100	—	—	—	—	33·69	2·73	1·74	1·89	3·53	5·93	7·28	14·45	32·66	55·71	157·69
Annual Death-Rate per 1000. Females	—	13·00	* 84	—	—	—	—	28·19	2·49	2·41	4·11	4·76	5·13	6·77	11·69	22·10	56·72	155·31
Mean Population, 1891-1900. Persons	—	12,464	260	254	273	279	277	1343	1420	1413	1194	908	1563	1356	1183	981	768	335
Mean Population, 1891-1900. Males ..	—	6,019	123	127	133	141	138	662	696	749	635	425	725	632	533	447	359	156
Mean Population, 1891-1900. Females	—	6,445	137	127	140	138	139	681	724	664	559	483	838	724	650	534	409	179
Deaths from All Causes, 1891-1900. Persons	16·91	2,108	277	71	26	27	14	415	37	29	35	38	86	95	153	264	432	524
Deaths from All Causes, 1891-1900. Males ..	17·28	1,040	153	36	13	13	8	223	19	13	12	15	43	46	77	146	200	246
Deaths from All Causes, 1891-1900. Females	16·57	1,068	124	35	13	14	6	192	18	16	23	23	43	49	76	118	232	278

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·26	0·27	0·25	32	16	16	7	12	8	1	—	28	3	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·10	0·12	0·08	12	7	5	—	1	1	6	—	8	3	—	1	—	—	—	—	—	—	—
Diphtheria	0·29	0·22	0·36	36	13	23	3	2	3	8	4	20	8	7	1	—	—	—	—	—	—	—
Whooping-cough ..	0·22	0·17	0·28	28	10	18	16	8	1	2	—	27	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·06	0·03	0·09	8	2	6	—	—	—	—	—	—	1	—	—	2	1	2	2	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·18	0·18	0·19	23	11	12	13	1	—	—	—	14	1	—	—	—	—	—	—	1	2	5
Cholera	0·02	0·03	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—
Cancer	0·93	0·63	1·21	116	38	78	—	—	—	1	—	1	—	—	—	—	2	5	19	26	44	19
Tabes Mesenterica ..	0·08	0·08	0·08	10	5	5	5	1	—	—	—	6	1	2	—	—	—	1	—	—	—	—
Phthisis	1·00	1·01	0·98	124	61	63	—	—	—	—	1	1	—	3	8	13	32	26	16	13	8	4
Other Tub. & Scrof. Dis.	0·39	0·47	0·33	49	28	21	8	9	4	2	4	27	6	2	3	2	5	—	2	1	1	—
Diseases of Nervous System ..	2·07	2·21	1·94	258	133	125	22	4	—	2	1	29	2	1	5	2	6	4	20	36	69	84
Diseases of Circulatory " ..	2·75	2·64	2·86	343	159	184	—	—	—	—	—	—	1	1	5	4	9	10	20	63	119	111
Diseases of Respiratory " ..	2·65	2·89	2·42	330	174	156	57	21	3	2	2	85	4	—	—	4	5	8	13	45	76	90
Diseases of Digestive " ..	1·12	1·16	1·09	140	70	70	25	8	2	—	—	35	2	—	3	2	4	5	14	21	30	24
Diseases of Urinary " ..	0·72	0·90	0·56	90	54	36	—	—	—	—	—	—	—	3	—	2	5	7	15	16	24	18
Diseases of Generative " ..	0·05	—	0·09	6	—	6	—	—	—	—	—	—	—	—	—	—	1	—	1	3	1	—
Puerperal Fever ..	0·06	—	0·11	7	—	7	—	—	—	—	—	—	—	—	1	1	3	2	—	—	—	—
Childbirth..	0·05	—	0·09	6	—	6	—	—	—	—	—	—	—	—	—	—	3	3	—	—	—	—
Violence	0·72	1·10	0·37	90	66	24	10	2	2	3	1	18	3	3	3	1	4	8	17	13	12	8
OTHER CAUSES ..	3·19	3·17	3·19	398	191	207	111	2	2	—	1	116	1	6	5	5	6	14	13	26	45	161

Marriages 809

Births .. { Males .. 1,528 / Females 1,472 } 3,000

Annual Rate per 1000 living { Persons Married .. 12·38 / Births .. .. .. 24·07

Annual Births to 1000 Females aged 15—45 years = 115.

Deaths from Childbirth and Puerperal Fever .. .. } 4·33 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

252.—PEWSEY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds
Annual Death-Rate per 1000. Persons	—	In Standard Population. 12·52	* 98	—	—	—	—	30·37	2·88	1·93	2·97	6·04	4·82	6·41	11·46	19·75	53·59	154·91
Annual Death-Rate per 1000. Males ..	—	13·37	*119	—	—	—	—	36·36	3·55	2·35	2·61	6·06	5·43	6·64	12·19	19·31	56·68	166·03
Annual Death-Rate per 1000. Females	—	11·71	* 77	—	—	—	—	24·46	2·27	1·52	3·47	6·01	4·19	6·18	10·75	20·18	50·45	144·71
Mean Population, 1891-1900. Persons	—	11,485	270	267	282	273	281	1373	1352	1296	1045	795	1452	1264	1038	876	668	326
Mean Population, 1891-1900. Males ..	—	5,824	132	136	137	131	146	682	647	639	613	429	736	633	517	435	337	156
Mean Population, 1891-1900. Females	—	5,661	138	131	145	142	135	691	705	657	432	366	716	631	521	441	331	170
Deaths from All Causes, 1891-1900. Persons	16·25	1,866	297	56	35	15	14	417	39	25	31	48	70	81	119	173	358	505
Deaths from All Causes, 1891-1900. Males ..	17·29	1,007	181	34	19	10	4	248	23	15	16	26	40	42	63	84	191	259
Deaths from All Causes, 1891-1900. Females	15·17	859	116	22	16	5	10	169	16	10	15	22	30	39	56	89	167	246

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles ..	0·13	0·14	0·12	15	8	7	4	5	3	1	—	13	2	—	—	—	—	—	—	—	—
Scarlet Fever ..	0·03	0·02	0·04	3	1	2	—	—	1	—	—	1	1	—	—	1	—	—	—	—	—
Diphtheria ..	0·17	0·22	0·12	20	13	7	—	2	1	2	2	7	9	3	—	1	—	—	—	—	—
Whooping-cough ..	0·34	0·33	0·35	39	19	20	17	14	3	2	1	37	2	—	—	—	—	—	—	—	—
Typhus ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever ..	0·04	0·03	0·05	5	2	3	—	—	—	—	—	—	—	—	—	2	—	2	—	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·19	0·21	0·18	22	12	10	10	2	—	—	—	12	1	—	—	—	—	—	—	1	2
Cholera ..	0·02	0·02	0·02	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1
Cancer ..	0·86	0·72	1·01	99	42	57	—	—	—	—	—	—	—	—	—	—	1	5	16	22	32
Tabes Mesenterica ..	0·04	0·05	0·04	5	3	2	4	—	—	—	—	4	1	—	—	—	—	—	—	—	—
Phthisis ..	0·96	1·01	0·90	110	59	51	1	1	1	—	—	3	1	1	10	18	32	26	11	3	3
Other Tub. & Scrof. Dis.	0·24	0·29	0·19	28	17	11	5	2	3	1	1	12	3	2	3	1	4	1	1	1	—
Diseases of: Nervous System ..	2·10	2·08	2·12	241	121	120	30	3	3	—	—	36	1	1	7	3	6	6	17	26	60
Diseases of: Circulatory " ..	2·18	2·15	2·21	250	125	125	2	—	—	—	—	2	2	2	—	5	6	4	16	33	82
Diseases of: Respiratory " ..	2·82	2·95	2·69	324	172	152	63	16	9	6	5	99	3	1	1	5	—	5	9	34	67
Diseases of: Digestive " ..	1·17	1·25	1·08	134	73	61	22	5	1	2	2	32	3	4	1	2	4	5	11	11	33
Diseases of: Urinary " ..	0·43	0·52	0·34	49	30	19	—	—	—	—	—	—	1	1	2	—	3	4	5	7	8
Diseases of: Generative " ..	0·05	—	0·11	6	—	6	—	—	—	—	—	—	—	—	—	—	—	—	1	3	—
Puerperal Fever ..	0·03	—	0·05	3	—	3	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—
Childbirth ..	0·09	—	0·18	10	—	10	—	—	—	—	—	—	—	—	—	1	4	5	—	—	—
Violence ..	0·78	1·27	0·28	90	74	16	13	2	6	1	1	23	5	9	3	4	6	5	10	3	14
Other Causes ..	3·58	4·03	3·09	411	235	176	126	4	4	—	2	136	4	1	4	5	2	12	21	28	56

Marriages ..	..	750
Births .. Males ..	1,522	3,030
Births .. Females	1,508	

Annual Rate per 1000 living: Persons Married .. 13·06; Births .. .. .. 26·38

Annual Births to 1000 Females aged 15—45 years = 141.

Deaths from Childbirth and Puerperal Fever .. .. 4·29 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

253.—AMESBURY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		12·24	*102	—	—	—	—	30·95	2·17	1·53	1·73	2·51	4·74	6·56	8·66	22·88	58·06	165·47
Annual Death-Rate per 1000. Males ..	—					12·11	*104	—	—	—	—	31·65	2·45	1·91	1·04	2·94	5·44	7·30	8·81	22·70	53·69	170·15
Annual Death-Rate per 1000. Females	—					12·37	* 99	—	—	—	—	30·26	1·87	1·10	2·96	1·62	3·80	5·68	8·51	23·05	62·77	161·11
Mean Population, 1891–1900. Persons	—			7,511			162	136	166	138	154	756	783	782	751	758	1054	839	681	577	391	139
Mean Population, 1891–1900. Males ..	—			4,158			82	63	84	64	83	376	408	419	481	511	607	452	352	282	203	67
Mean Population, 1891–1900. Females	—			3,353			80	73	82	74	71	380	375	363	270	247	447	387	329	295	188	72
Deaths from All Causes, 1891–1900. Persons	13·95			1,048			169	37	12	7	9	234	17	12	13	19	50	55	59	132	227	230
Deaths from All Causes, 1891–1900. Males ..	13·01			541			89	16	7	3	4	119	10	8	5	15	33	33	31	64	109	114
Deaths from All Causes, 1891–1900. Females	15·12			507			80	21	5	4	5	115	7	4	8	4	17	22	28	68	118	116
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·04	0·05	0·03	3	2	1	2	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·04	0·02	0·06	3	1	2	—	2	—	—	—	2	—	1	—	—	—	—	—	—	—	—
Diphtheria	0·16	0·14	0·18	12	6	6	—	1	—	2	2	5	3	2	—	—	—	1	1	—	—	—
Whooping-cough ..	0·24	0·14	0·36	18	6	12	12	5	1	—	—	18	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·03	0·02	0·03	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·13	0·12	0·15	10	5	5	4	1	—	—	—	5	—	1	—	—	—	—	—	2	—	2
Cholera	0·05	0·07	0·03	4	3	1	1	—	—	—	—	1	—	—	—	—	—	—	1	—	1	1
Cancer	0·64	0·29	1·07	48	12	36	—	—	—	—	—	—	—	—	—	—	—	4	5	16	13	10
Tabes Mesenterica ..	0·08	0·05	0·12	6	2	4	1	1	2	—	—	4	—	—	1	1	—	—	—	—	—	—
Phthisis	0·85	0·91	0·78	64	38	26	—	1	—	—	—	1	—	2	3	3	12	12	14	9	7	1
Other Tub. & Scrof. Dis.	0·20	0·24	0·15	15	10	5	3	3	—	1	1	8	—	—	2	2	1	2	—	—	—	—
Diseases of Nervous System ..	1·60	1·52	1·70	120	63	57	21	3	1	1	—	26	4	2	—	1	5	2	6	14	33	27
Diseases of Circulatory " ..	2·53	2·38	2·71	190	99	91	—	—	—	—	—	—	—	2	1	2	3	10	9	41	88	34
Diseases of Respiratory " ..	1·92	1·92	1·91	144	80	64	30	12	6	1	4	53	2	—	1	2	7	4	6	16	26	27
Diseases of Digestive " ..	0·65	0·67	0·63	49	28	21	8	3	—	1	—	12	2	1	4	—	1	4	3	7	9	6
Diseases of Urinary " ..	0·28	0·24	0·33	21	10	11	—	—	—	—	—	—	—	—	—	1	1	4	6	2	6	1
Diseases of Generative " ..	0·01	—	0·03	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Puerperal Fever ..	0·01	—	0·03	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Childbirth	0·07	—	0·15	5	—	5	—	—	—	—	—	—	—	—	—	—	2	3	—	—	—	—
Violence	0·47	0·72	0·15	35	30	5	1	—	1	1	1	4	2	—	—	3	8	4	3	6	4	1
Other Causes ..	3·95	3·51	4·52	297	145	152	86	5	1	—	1	93	3	1	1	4	9	5	5	17	39	120

Marriages 456

Births .. { Males .. 855, Females 807 } 1,662

Annual Rate per 1000 living { Persons Married .. 12·14; Births .. .. .. 22·13 }

Annual Births to 1000 Females aged 15—45 years = 123.

Deaths from Childbirth and Puerperal Fever .. .. } 3·61 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

254.—SALISBURY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 15·37			*107	—	—	—	—	36·87	2·67	2·24	2·34	4·31	6·77	11·47	17·48	27·57	61·75	161·37
Annual Death-Rate per 1000. Males	—			16·35			*112	—	—	—	—	41·07	2·95	1·67	2·34	4·36	7·59	12·88	20·53	29·51	67·10	169·79
Annual Death-Rate per 1000. Females	—			14·46			*101	—	—	—	—	32·72	2·39	2·80	2·34	4·28	6·11	10·25	14·94	25·90	57·30	155·71
Mean Population, 1891–1900. Persons	—			29,134			612	610	622	628	639	3111	3106	3165	2949	2529	4196	3451	2654	2031	1357	585
Mean Population, 1891–1900. Males	—			13,545			296	299	316	316	319	1546	1560	1555	1324	1079	1872	1607	1208	942	617	235
Mean Population, 1891–1900. Females	—			15,589			316	311	306	312	320	1565	1546	1610	1625	1450	2324	1844	1446	1089	740	350
Deaths from All Causes, 1891–1900. Persons	17·04			4,965			734	220	81	70	42	1147	83	71	69	109	284	396	464	560	838	944
Deaths from All Causes, 1891–1900. Males	18·26			2,473			401	119	46	48	21	635	46	26	31	47	142	207	248	278	414	399
Deaths from All Causes, 1891–1900. Females	15·99			2,492			333	101	35	22	21	512	37	45	38	62	142	189	216	282	424	545
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·20	0·28	0·13	59	38	21	9	21	13	5	5	53	5	—	—	—	—	—	—	—	1	—
Scarlet Fever	0·04	0·05	0·04	13	7	6	—	—	2	4	1	7	4	1	—	—	—	1	—	—	—	—
Diphtheria	0·11	0·10	0·12	31	13	18	1	—	5	2	5	13	8	7	—	1	1	—	—	1	—	—
Whooping-cough	0·21	0·20	0·21	60	27	33	25	18	6	4	2	55	4	—	—	—	1	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·05	0·07	0·04	15	9	6	—	—	—	1	1	2	1	5	—	1	2	1	—	2	1	—
Simple Continued Fever	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Diarrhœa & Dysentery	0·38	0·41	0·36	112	56	56	68	20	2	2	—	92	1	1	1	—	—	—	2	5	5	5
Cholera	0·01	0·01	0·01	2	1	1	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	—
Cancer	1·11	1·01	1·19	322	137	185	—	1	1	2	—	4	—	1	—	2	5	26	54	88	92	50
Tabes Mesenterica	0·10	0·12	0·08	28	16	12	11	5	1	—	1	18	3	2	—	2	2	1	—	—	—	—
Phthisis	1·39	1·52	1·27	404	206	198	1	—	—	—	—	1	4	8	21	34	108	92	79	37	18	2
Other Tub. & Scrof. Dis.	0·33	0·34	0·33	97	46	51	10	13	4	8	6	41	8	10	13	7	9	8	—	1	—	—
Diseases of Nervous System	2·59	2·98	2·25	755	404	351	89	18	4	9	—	120	9	13	7	21	43	74	97	91	156	124
Diseases of Circulatory	2·31	2·38	2·24	672	323	349	3	1	2	—	1	7	3	5	3	7	18	40	75	126	221	167
Diseases of Respiratory	2·56	2·56	2·57	747	347	400	134	77	29	14	13	267	11	4	6	3	20	38	37	76	119	166
Diseases of Digestive	1·03	1·06	0·99	299	144	155	67	20	3	3	3	96	8	3	7	6	21	21	31	39	38	29
Diseases of Urinary	0·57	0·79	0·37	165	107	58	3	1	—	—	1	5	2	3	1	2	3	23	23	28	47	28
Diseases of Generative	0·08	0·02	0·13	23	3	20	—	1	—	—	—	1	—	—	—	1	2	4	7	4	2	2
Puerperal Fever	0·04	—	0·08	13	—	13	—	—	—	—	—	—	—	—	—	3	8	2	—	—	—	—
Childbirth	0·08	—	0·15	23	—	23	—	—	—	—	—	—	—	—	—	1	12	9	1	—	—	—
Violence	0·46	0·70	0·24	133	95	38	16	10	7	10	—	43	3	4	5	6	7	22	9	12	14	8
Other Causes	3·39	3·65	3·19	991	493	498	297	14	2	6	2	321	9	4	5	11	22	34	48	50	124	363

Marriages 2,008

Births .. Males .. 3,577 / Females 3,309 } 6,886

Annual Rate per 1000 living { Persons Married .. 13·78 / Births .. .. .. 23·64

Annual Births to 1000 Females aged 15—45 years =95.

Deaths from Childbirth and Puerperal Fever .. .. } 5·23 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

255.—WILTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 11·89			*86	—	—	—	—	27·67	2·83	1·92	4·11	4·47	5·15	6·30	9·02	20·97	53·86	141·34
Annual Death-Rate per 1000. Males	—			12·06			*90	—	—	—	—	28·67	3·02	1·34	3·24	4·64	6·08	5·92	9·59	24·65	56·88	146·22
Annual Death-Rate per 1000. Females	—			11·73			*83	—	—	—	—	26·63	2·63	2·56	5·24	4·31	4·29	6·65	8·49	17·62	50·75	137·04
Mean Population, 1891-1900. Persons	—			9,792			233	220	226	222	223	1124	1167	1145	876	693	1261	1080	909	739	544	254
Mean Population, 1891-1900. Males	—			4,926			126	110	111	108	117	572	597	599	494	345	609	524	438	353	276	119
Mean Population, 1891-1900. Females	—			4,866			107	110	115	114	106	552	570	546	382	348	652	556	471	386	268	135
Deaths from All Causes, 1891-1900. Persons	14·86			1,455			214	55	16	11	15	311	33	22	36	31	65	68	82	155	293	359
Deaths from All Causes, 1891-1900. Males	15·23			750			115	30	5	6	8	164	18	8	16	16	37	31	42	87	157	174
Deaths from All Causes, 1891-1900. Females	14·49			705			99	25	11	5	7	147	15	14	20	15	28	37	40	68	136	185
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·12	0·16	0·08	12	8	4	5	4	1	1	—	11	1	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·05	0·06	0·04	5	3	2	—	1	—	—	—	1	1	1	1	—	1	—	—	—	—	—
Diphtheria	0·21	0·16	0·27	21	8	13	—	—	1	2	5	8	4	5	3	—	—	—	—	1	—	—
Whooping-cough	0·21	0·14	0·29	21	7	14	12	5	2	2	—	21	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·02	0·02	0·02	2	1	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·17	0·22	0·12	17	11	6	10	3	—	—	—	13	—	—	—	—	—	1	—	—	1	2
Cholera	0·02	0·04	—	2	2	—	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Cancer	0·70	0·63	0·78	69	31	38	—	—	—	—	—	—	—	—	—	—	—	3	7	15	31	13
Tabes Mesenterica	0·04	0·04	0·04	4	2	2	1	1	—	1	—	3	1	—	—	—	—	—	—	—	—	—
Phthisis	0·94	1·02	0·86	92	50	42	—	—	2	—	—	2	—	2	9	18	22	20	14	3	2	—
Other Tub. & Scrof. Dis.	0·28	0·35	0·21	27	17	10	6	5	3	—	1	15	4	3	1	1	—	2	—	1	—	—
Diseases of Nervous System	1·91	2·07	1·75	187	102	85	21	6	—	1	2	30	6	1	6	1	2	8	11	25	46	51
Diseases of Circulatory "	1·77	1·52	2·01	173	75	98	—	—	—	—	1	1	—	1	4	2	7	10	16	23	64	45
Diseases of Respiratory "	2·07	2·17	1·97	203	107	96	53	16	3	4	4	80	10	1	1	—	1	6	6	20	41	37
Diseases of Digestive "	0·70	0·77	0·64	69	38	31	18	5	1	—	—	24	—	2	1	2	2	2	4	10	10	12
Diseases of Urinary "	0·97	1·04	0·90	95	51	44	1	—	—	—	—	1	—	1	—	2	6	2	5	21	33	24
Diseases of Generative "	0·05	—	0·10	5	—	5	—	—	—	—	—	—	—	—	—	—	2	—	3	—	—	—
Puerperal Fever	0·03	—	0·06	3	—	3	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—
Childbirth	0·04	—	0·08	4	—	4	—	—	—	—	—	—	—	—	—	1	3	—	—	—	—	—
Violence	0·52	0·85	0·19	51	42	9	4	3	2	—	—	9	2	2	1	—	13	3	3	5	7	6
Other Causes	4·04	3·97	4·08	393	195	198	81	6	1	—	2	90	3	2	9	3	4	11	13	31	58	169

Marriages 740

Births .. { Males .. 1,283 / Females 1,199 } 2,482

Annual Rate per 1000 living { Persons Married .. 15·11 / Births .. .. .. 25·35

Annual Births to 1000 Females aged 15—45 years = 128.

Deaths from Childbirth and Puerperal Fever .. .. } 2·82 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

256.—TISBURY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·03			*85	—	—	—	—	26·07	2·49	1·22	3·53	3·60	4·89	5·98	12·65	24·22	57·83	140·10
Annual Death-Rate per 1000. Males ..	—			11·71			*93	—	—	—	—	28·01	2·49	0·68	2·95	3·09	4·64	7·37	12·40	25·54	53·59	137·11
Annual Death-Rate per 1000. Females	—			12·33			*76	—	—	—	—	24·10	2·49	1·74	4·24	4·11	5·12	4·69	12·89	22·97	62·33	142·73
Mean Population, 1891–1900. Persons	—			8,196			186	179	195	202	193	955	964	903	737	583	1064	903	751	669	460	207
Mean Population, 1891–1900. Males...	—			4,079			95	88	102	94	103	482	482	444	407	291	517	434	363	325	237	97
Mean Population, 1891–1900. Females	—			4,117			91	91	93	108	90	473	482	459	330	292	547	469	388	344	223	110
Deaths from All Causes, 1891–1900. Persons	15·25			1,250			174	49	10	10	6	249	24	11	26	21	52	54	95	162	266	290
Deaths from All Causes, 1891–1900. Males ..	15·08			615			98	24	6	4	3	135	12	3	12	9	24	32	45	83	127	133
Deaths from All Causes, 1891–1900. Females	15·42			635			76	25	4	6	3	114	12	8	14	12	28	22	50	79	139	157
	Persons.	Males.	Females	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·15	0·20	0·10	12	8	4	4	—	3	—	—	7	3	1	—	—	—	—	1	—	—	—
Scarlet Fever	0·06	0·05	0·07	5	2	3	—	—	1	—	2	3	1	1	—	—	—	—	—	—	—	—
Diphtheria	0·06	0·10	0·02	5	4	1	—	1	—	—	1	2	2	1	—	—	—	—	—	—	—	—
Whooping-cough ..	0·13	0·07	0·19	11	3	8	6	4	—	1	—	11	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·07	0·07	0·07	6	3	3	3	1	—	—	—	4	—	1	—	—	—	—	—	—	1	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·84	0·74	0·95	69	30	39	—	—	—	—	—	—	—	—	—	—	—	4	13	16	28	8
Tabes Mesenterica ..	0·18	0·17	0·19	15	7	8	4	5	—	1	—	10	2	—	1	—	1	1	—	—	—	—
Phthisis	0·70	0·61	0·78	57	25	32	—	1	1	—	—	2	1	1	7	5	18	8	7	5	1	2
Other Tub. & Scrof. Dis.	0·32	0·32	0·32	26	13	13	5	3	1	3	—	12	5	1	5	1	1	1	—	—	—	—
Diseases of Nervous System ..	2·06	1·94	2·19	169	79	90	29	9	1	1	—	40	1	—	2	2	1	5	16	24	37	41
Diseases of Circulatory „ ..	2·28	1·89	2·67	187	77	110	—	—	—	—	1	1	1	2	1	—	6	7	16	46	73	34
Diseases of Respiratory „ ..	2·57	3·02	2·14	211	123	88	27	17	2	3	1	50	4	1	—	3	4	7	18	24	43	52
Diseases of Digestive „ ..	0·92	0·96	0·87	75	39	36	13	5	—	1	—	19	2	1	3	3	2	4	8	10	14	9
Diseases of Urinary „ ..	0·98	1·05	0·90	80	43	37	1	—	—	—	—	1	—	1	—	1	3	5	7	14	30	18
Diseases of Generative „ ..	0·01	—	0·02	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Puerperal Fever ..	0·05	—	0·10	4	—	4	—	—	—	—	—	—	—	—	1	—	2	1	—	—	—	—
Childbirth	0·07	—	0·15	6	—	6	—	—	—	—	—	—	—	—	—	3	2	1	—	—	—	—
Violence	0·44	0·66	0·22	36	27	9	7	—	1	—	1	9	—	—	2	2	4	3	3	5	4	4
OTHER CAUSES ..	3·36	3·23	3·47	275	132	143	75	3	—	—	—	78	2	—	4	1	8	6	6	18	30	122

Marriages 519

Births .. Males .. 1,053 / Females 1,005 } 2,058

Annual Rate per 1000 living { Persons Married .. 12·66 / Births .. .. .. 25·11

Annual Births to 1000 Females aged 15—45 years = 126.

Deaths from Childbirth and Puerperal Fever .. .. } 4·86 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

257.—MERE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 11·59	*80	—	—	—	—	25·75	2·68	1·83	2·31	4·24	4·43	6·09	10·23	20 52	57·34	146·55
Annual Death-Rate per 1000. Males ..	—	12·29	*95	—	—	—	—	30·79	3·24	1·48	2·54	4·93	5·16	5·00	11·07	22·91	63·19	146·25
Annual Death-Rate per 1000. Females	—	10·93	*64	—	—	—	—	20·95	2·16	2·19	2·10	3·60	3·79	7·00	9·54	18·52	52·36	146·81
Mean Population, 1891–1900. Persons	—	6,082	140	144	140	144	131	699	710	657	562	425	790	657	557	497	354	174
Mean Population, 1891–1900. Males ..	—	2,888	67	68	71	75	60	341	339	338	276	203	368	300	253	227	163	80
Mean Population, 1891–1900. Females	—	3,194	73	76	69	69	71	358	371	319	286	222	422	357	304	270	191	94
Deaths from All Causes, 1891–1900. Persons	15·36	934	124	30	11	8	7	180	19	12	13	18	35	40	57	102	203	255
Deaths from All Causes, 1891–1900. Males ..	16·34	472	74	16	8	3	4	105	11	5	7	10	19	15	28	52	103	117
Deaths from All Causes, 1891–1900. Females	14·46	462	50	14	3	5	3	75	8	7	6	8	16	25	29	50	100	138

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·21	0·21	0·22	13	6	7	3	3	1	1	1	9	3	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·20	0·31	0·09	12	9	3	—	1	1	2	1	5	4	—	—	—	1	2	—	—	—	—
Diphtheria	0·15	0·03	0·25	9	1	8	—	—	—	2	3	5	2	2	—	—	—	—	—	—	—	—
Whooping-cough ..	0·16	0·24	0·09	10	7	3	8	—	2	—	—	10	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·02	—	0·03	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·12	0·21	0·03	7	6	1	2	2	—	—	—	4	—	—	—	—	1	—	1	1	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·81	0·69	0·91	49	20	29	—	—	—	—	—	—	—	—	—	—	—	1	6	13	18	11
Tabes Mesenterica ..	0·05	0·10	—	3	3	—	—	1	—	1	—	2	—	1	—	—	—	—	—	—	—	—
Phthisis	0·84	0·83	0·85	51	24	27	—	—	—	—	—	—	—	—	4	5	10	11	11	8	2	—
Other Tub. & Scrof. Dis.	0·16	0·17	0·16	10	5	5	1	—	—	—	—	1	3	2	2	2	—	—	—	—	—	—
Diseases of Nervous System ..	2·15	2·49	1·85	131	72	59	17	5	2	2	—	26	1	1	1	2	3	3	4	22	35	33
Diseases of Circulatory „ ..	3·01	2·81	3·19	183	81	102	1	—	—	—	—	1	1	—	—	1	2	10	18	23	61	60
Diseases of Respiratory „ ..	2·04	2·49	1·63	124	72	52	31	10	2	—	2	45	—	—	—	2	2	4	4	9	23	35
Diseases of Digestive „ ..	0·89	1·14	0·66	54	33	21	11	1	1	—	—	13	1	2	3	3	2	2	4	10	9	5
Diseases of Urinary „ ..	0·49	0·52	0·47	30	15	15	1	—	—	—	—	1	—	—	1	1	1	3	3	2	12	6
Diseases of Generative „ ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Fever * ..	0·03	—	0·06	2	—	2	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
Childbirth..	0·03	—	0·06	2	—	2	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Violence	0·36	0·48	0·25	22	14	8	1	2	1	—	—	4	2	1	—	1	3	1	3	1	4	2
OTHER CAUSES ..	3·64	3·62	3·66	221	104	117	48	5	1	—	—	54	1	2	2	1	7	2	3	13	39	97

Marriages 401

Births .. { Males .. 776, Females 779 } 1,555

Annual Rate per 1000 living { Persons Married .. 13·19; Births .. .. .. 25·57 }

Annual Births to 1000 Females aged 15—45 years = 121.

Deaths from Childbirth and Puerperal Fever .. .. } 2·57 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

258.—SHAFTESBURY.

Causes of Death.	Crude Death Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		11·74	*85	—	—	—	—	24·76	2·48	2·23	4·12	4·77	5·27	6·47	9·80	24·85	47·35	143·06
Annual Death-Rate per 1000. Males	—					11·97	*98	—	—	—	—	25·97	2·47	2·11	3·58	5·51	5·24	7·12	12·94	24·94	50·15	144·87
Annual Death-Rate per 1000. Females	—					11·52	*72	—	—	—	—	23·40	2·48	2·47	4·67	4·18	5·30	5·91	7·27	24·76	44·89	141·58
Mean Population, 1891–1900. Persons	—			12,418			259	277	266	280	283	1365	1414	1445	1165	901	1612	1360	1143	970	697	346
Mean Population, 1891–1900. Males	—			6,011			137	147	146	151	143	724	728	757	587	399	744	632	510	449	325	156
Mean Population, 1891–1900. Females	—			6,407			122	130	120	129	140	641	686	688	578	502	868	728	633	521	372	190
Deaths from All Causes, 1891–1900. Persons	14·88			1,848			248	44	15	17	14	338	35	33	48	43	85	88	112	241	330	495
Deaths from All Causes, 1891–1900. Males	15·24			916			143	20	5	12	8	188	18	16	21	22	39	45	66	112	163	226
Deaths from All Causes, 1891–1900. Females	14·55			932			105	24	10	5	6	150	17	17	27	21	46	43	46	129	167	269
	Persons.	Males.	Females	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·03	0·02	3	2	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	1
Measles	0·07	0·05	0·09	9	3	6	—	3	2	2	1	8	—	—	—	—	1	—	—	—	—	—
Scarlet Fever	0·03	0·05	0·02	4	3	1	—	—	—	—	1	1	—	1	—	1	—	—	—	1	—	—
Diphtheria	0·19	0·22	0·17	24	13	11	—	6	—	4	4	14	7	2	1	—	—	—	—	—	—	—
Whooping-cough	0·20	0·15	0·25	25	9	16	17	2	3	1	1	24	—	1	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·01	0·02	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·23	0·18	0·28	29	11	18	17	5	—	—	2	24	1	—	—	—	1	—	—	1	2	—
Cholera	0·01	0·02	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Cancer	0·70	0·50	0·89	87	30	57	—	—	—	1	—	1	—	—	1	—	3	5	8	28	26	15
Tabes Mesenterica	0·11	0·08	0·14	14	5	9	5	1	—	—	—	6	3	1	3	—	1	—	—	—	—	—
Phthisis	0·80	0·97	0·64	99	58	41	2	—	—	1	—	3	—	5	7	17	27	21	9	9	1	—
Other Tub. & Scrof. Dis.	0·43	0·48	0·37	53	29	24	15	4	2	1	—	22	5	5	9	4	2	2	—	1	2	1
Diseases of Nervous System	1·79	1·90	1·70	223	114	109	30	7	1	—	—	38	4	4	7	5	3	5	21	37	39	60
Diseases of Circulatory	2·13	1·95	2·31	265	117	148	1	—	—	—	1	2	—	1	5	2	8	9	19	63	81	75
Diseases of Respiratory	2·35	2·30	2·40	292	138	154	42	10	5	2	3	62	4	1	2	2	5	6	11	40	58	101
Diseases of Digestive	0·90	1·06	0·75	112	64	48	16	2	1	2	—	21	2	3	3	1	6	6	6	22	18	24
Diseases of Urinary	0·62	0·92	0·34	77	55	22	—	—	—	—	—	—	—	—	—	1	3	6	6	12	24	25
Diseases of Generative	0·04	0·02	0·06	5	1	4	—	—	—	—	—	—	—	—	—	—	1	2	—	1	—	1
Puerperal Fever	0·06	—	0·12	8	—	8	—	—	—	—	—	—	—	—	—	1	4	3	—	—	—	—
Childbirth	0·10	—	0·19	12	—	12	—	—	—	—	—	—	—	—	—	—	—	5	7	—	—	—
Violence	0·35	0·52	0·20	44	31	13	2	1	—	—	1	4	2	2	2	1	5	5	9	4	5	5
Other Causes	3·74	3·82	3·61	461	231	230	101	3	1	3	—	108	7	7	6	5	11	13	23	22	72	187

Marriages 801

Births .. { Males .. 1,452 / Females 1,451 } 2,903

Annual Rate per 1000 living { Persons Married .. 12·90 / Births .. .. .. 23·38

Annual Births to 1000 Females aged 15—45 years = 108.

Deaths from Childbirth and Puerperal Fever .. .. } 6·89 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

259.—STURMINSTER.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 12·30	* 92	—	—	—	—	28·01	3·33	2·03	3·65	4·71	4·92	7·74	10·44	20·60	55·86	141·85
Annual Death-Rate per 1000. Males ..	—	12·31	*107	—	—	—	—	31·56	2·80	1·34	3·01	5·12	3·82	7·26	13·13	20·50	55·56	150·85
Annual Death-Rate per 1000. Females	—	12·29	* 77	—	—	—	—	24·42	3·85	2·74	4·32	4·38	5·86	8·14	8·15	20·68	56·12	134·87
Mean Population, 1891–1900. Persons	—	9,229	209	199	223	215	200	1046	1081	1035	849	658	1199	1047	862	670	512	270
Mean Population, 1891–1900. Males ..	—	4,407	109	103	106	106	102	526	535	524	432	293	550	482	396	317	234	118
Mean Population, 1891–1900. Females	—	4,822	100	96	117	109	98	520	546	511	417	365	649	565	466	353	278	152
Deaths from All Causes, 1891–1900. Persons	15·70	1,449	211	40	21	13	8	293	36	21	31	31	59	81	90	138	286	383
Deaths from All Causes, 1891–1900. Males ..	15·82	697	123	24	8	5	6	166	15	7	13	15	21	35	52	65	130	178
Deaths from All Causes, 1891–1900. Females	15·60	752	88	16	13	8	2	127	21	14	18	16	38	46	38	73	156	205

	Persons.	Males.	Females	Persons.	Males.	Females.	Persons.													
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·17	0·16	0·19	16	7	9	3	9	2	1	1	16	—	—	—	—	—	—	—	—
Scarlet Fever . ..	0·08	0·02	0·12	7	1	6	—	—	—	3	—	3	1	1	1	—	—	1	—	—	—	—
Diphtheria	0·15	0·16	0·15	14	7	7	2	2	—	2	1	7	4	2	—	—	—	1	—	—	—	—
Whooping-cough ..	0·10	0·05	0·15	9	2	7	5	1	1	1	—	8	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·02	0·02	0·02	2	1	1	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·34	0·36	0·31	31	16	15	16	2	1	—	1	20	2	—	—	—	—	—	1	2	2	4
Cholera	0·01	0·02	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Cancer	0·98	0·79	1·14	90	35	55	—	—	—	—	—	—	—	—	1	—	—	5	13	11	31	29
Tabes Mesenterica ..	0·05	0·02	0·08	5	1	4	1	—	—	—	—	1	—	—	2	—	—	1	1	—	—	—
Phthisis	1·11	0·95	1·24	102	42	60	—	1	—	—	—	1	3	5	10	12	28	20	11	9	3	—
Other Tub. & Scrof. Dis.	0·29	0·23	0·35	27	10	17	4	3	—	—	2	9	4	2	1	3	5	2	1	—	—	—
Diseases of Nervous System ..	2·02	1·88	2·14	186	83	103	23	5	6	2	1	37	1	1	1	1	8	5	8	22	47	55
Diseases of Circulatory „ ..	2·48	2·25	2·70	229	99	130	1	—	—	—	—	1	—	2	2	3	1	10	16	39	89	66
Diseases of Respiratory „ ..	2·19	2·43	1·97	202	107	95	36	15	7	2	1	61	6	—	3	2	3	5	10	21	34	57
Diseases of Digestive „ ..	0·83	1·11	0·58	77	49	28	19	1	1	—	1	22	7	1	2	—	—	4	5	11	15	10
Diseases of Urinary „ ..	0·52	0·68	0·37	48	30	18	—	—	—	—	—	—	—	—	2	1	2	6	4	11	10	12
Diseases of Generative „ ..	0·01	—	0·02	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Puerperal Fever ..	0·04	—	0·08	4	—	4	—	—	—	—	—	—	—	—	1	2	1	—	—	—	—	—
Childbirth	0·04	—	0·08	4	—	4	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—
Violence	0·67	1·02	0·35	62	45	17	3	—	3	1	—	7	5	4	2	4	6	6	8	4	9	7
OTHER CAUSES ..	3·60	3·67	3·56	332	161	171	98	1	—	1	—	100	2	1	3	3	2	13	12	8	45	143

Marriages 596

Births .. { Males .. 1,154 / Females 1,149 } 2,303

Annual Rate per 1000 living { Persons Married .. 12·92 / Births .. .. .. 24·95 }

Annual Births to 1000 Females aged 15—45 years = 115.

Deaths from Childbirth and Puerperal Fever .. .. } 3·47 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

260.—BLANDFORD.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·49			* 93	—	—	—	—	29·44	2·63	2·39	4·44	4·14	4·48	6·38	9·93	24·17	55·06	152·89
Annual Death-Rate per 1000. Males	—			12·78			*101	—	—	—	—	30·76	3·11	2·19	4·72	5·01	5·47	7·29	9·81	23·97	54·18	164·43
Annual Death-Rate per 1000. Females	—			12·21			* 84	—	—	—	—	27·98	2·12	2·62	4·12	3·30	3·59	5·55	10·03	24·34	55·88	143·33
Mean Population, 1891–1900. Persons	—			12,990			270	262	277	295	275	1379	1446	1462	1239	1014	1741	1457	1209	993	721	329
Mean Population, 1891–1900. Males	—			6,459			147	139	140	155	144	725	739	776	657	499	823	700	581	463	347	149
Mean Population, 1891–1900. Females	—			6,531			123	123	137	140	131	654	707	686	582	515	918	757	628	530	374	180
Deaths from All Causes, 1891–1900. Persons	15·45			2,007			281	57	25	21	22	406	38	35	55	42	78	93	120	240	397	503
Deaths from All Causes, 1891–1900. Males	15·73			1,016			157	32	9	14	11	223	23	17	31	25	45	51	57	111	188	245
Deaths from All Causes, 1891–1900. Females	15·17			991			124	25	16	7	11	183	15	18	24	17	33	42	63	129	209	258
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·18	0·19	0·18	24	12	12	3	9	2	4	3	21	2	—	1	—	—	—	—	—	—	—
Scarlet Fever	0·08	0·11	0·06	11	7	4	—	1	1	1	3	6	1	2	—	—	—	1	1	—	—	—
Diphtheria	0·15	0·17	0·14	20	11	9	—	—	3	1	3	7	8	4	1	—	—	—	—	—	—	—
Whooping-cough	0·15	0·20	0·09	19	13	6	14	4	1	—	—	19	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·08	0·12	0·05	11	8	3	—	—	—	—	—	—	1	1	1	1	2	3	1	1	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·20	0·22	0·18	26	14	12	8	1	—	—	—	9	2	—	—	—	—	—	1	2	5	7
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·70	0·63	0·77	91	41	50	—	—	—	—	—	—	—	—	2	—	1	5	16	23	22	22
Tabes Mesenterica	0·05	0·05	0·05	6	3	3	—	1	—	—	—	1	—	3	2	—	—	—	—	—	—	—
Phthisis	0·85	0·94	0·75	110	61	49	—	2	—	—	—	2	1	2	16	17	27	16	16	12	1	—
Other Tub. & Scrof. Dis.	0·30	0·33	0·28	39	21	18	8	3	1	2	2	16	5	4	3	4	1	1	1	3	1	—
Diseases of Nervous System	1·89	2·00	1·79	246	129	117	33	7	4	1	2	47	2	4	2	2	6	9	16	35	61	62
Diseases of Circulatory "	2·40	2·18	2·62	312	141	171	2	—	—	1	—	3	1	4	3	7	8	11	13	50	119	93
Diseases of Respiratory "	3·09	3·22	2·96	401	208	193	60	19	6	5	6	96	4	2	6	2	5	12	22	51	90	111
Diseases of Digestive "	0·86	0·62	1·10	112	40	72	23	2	1	1	—	27	5	—	2	1	4	5	8	13	25	22
Diseases of Urinary "	0·50	0·65	0·35	65	42	23	1	—	—	—	—	1	2	—	2	2	6	5	6	10	15	16
Diseases of Generative "	0·02	—	0·03	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—
Puerperal Fever	0·01	—	0·02	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Childbirth	0·07	—	0·14	9	—	9	—	—	—	—	—	—	—	—	—	1	2	6	—	—	—	—
Violence	0·44	0·70	0·18	57	45	12	5	—	4	2	2	13	2	5	6	4	6	1	3	6	7	4
OTHER CAUSES	3·43	3·40	3·43	445	220	225	124	8	2	3	1	138	2	4	8	1	10	17	15	34	50	166

Marriages 817

Births .. Males .. 1,561 } 3,029
Females 1,468 }

Annual Rate per 1000 living { Persons Married .. 12·58
Births .. .. .. 23·32

Annual Births to 1000 Females aged 15—45 years = 109.

Deaths from Childbirth and Puerperal Fever .. .. } 3·30 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

261.—WIMBORNE.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·48			*89	—	—	—	—	28·88	3·45	1·73	4·11	4·71	5·01	6·87	10·58	22·19	54·07	149·31
Annual Death-Rate per 1000. Males	—			12·17			*93	—	—	—	—	30·53	3·52	1·38	3·61	4·55	4·28	7·05	10·09	22·71	53·44	155·19
Annual Death-Rate per 1000. Females	—			12·77			*85	—	—	—	—	27·26	3·38	2·11	4·68	4·85	5·65	6·71	11·02	21·69	54·62	143·69
Mean Population, 1891–1900. Persons	—			17,502			387	395	404	428	422	2036	2059	1964	1580	1296	2354	1994	1626	1262	897	434
Mean Population, 1891–1900. Males	—			8,545			193	199	209	203	205	1009	1023	1014	832	616	1097	936	773	612	421	212
Mean Population, 1891–1900. Females	—			8,957			194	196	195	225	217	1027	1036	950	748	680	1257	1058	853	650	476	222
Deaths from All Causes, 1891–1900. Persons	15·19			2,659			406	109	27	21	25	588	71	34	65	61	118	137	172	280	485	648
Deaths from All Causes, 1891–1900. Males	15·21			1,300			213	59	15	12	9	308	36	14	30	28	47	66	78	139	225	329
Deaths from All Causes, 1891–1900. Females	15·17			1,359			193	50	12	9	16	280	35	20	35	33	71	71	94	141	260	319
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·13	0·14	0·11	22	12	10	4	8	1	1	1	15	4	1	—	2	—	—	—	—	—	—
Scarlet Fever	0·09	0·09	0·08	15	8	7	1	2	—	1	2	6	6	—	—	1	1	1	—	—	—	—
Diphtheria	0·17	0·16	0·18	30	14	16	1	—	1	5	6	13	11	—	5	1	—	—	—	—	—	—
Whooping-cough	0·19	0·15	0·22	33	13	20	18	11	1	3	—	33	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·02	0·04	0·01	4	3	1	—	—	—	—	1	1	1	—	—	1	1	—	—	—	—	—
Simple Continued Fever	0·01	—	0·02	2	—	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·18	0·22	0·13	31	19	12	16	4	—	1	—	21	—	—	—	—	2	—	2	—	2	4
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·87	0·76	0·97	152	65	87	—	—	—	—	—	—	—	—	—	1	3	6	25	45	46	26
Tabes Mesenterica	0·04	0·01	0·07	7	1	6	3	2	—	—	1	6	1	—	—	—	—	—	—	—	—	—
Phthisis	1·19	0·96	1·42	209	82	127	4	3	2	1	—	10	3	11	30	27	49	31	28	12	7	1
Other Tub. & Scrof. Dis.	0·22	0·22	0·21	38	19	19	9	4	3	—	—	16	7	3	4	1	3	1	3	—	—	—
Diseases of Nervous System	2·12	2·24	2·01	371	191	180	71	15	4	—	3	93	5	3	1	1	6	12	20	33	80	117
Diseases of Circulatory „	2·17	2·12	2·22	380	181	199	2	—	—	—	—	2	2	5	2	4	7	17	27	62	136	116
Diseases of Respiratory „	2·34	2·45	2·24	410	209	201	104	34	9	4	4	155	7	2	—	2	7	12	11	30	66	118
Diseases of Digestive „	0·99	0·90	1·07	173	77	96	20	11	2	—	2	35	6	3	3	—	7	5	14	30	41	29
Diseases of Urinary „	0·47	0·64	0·31	83	55	28	—	—	—	—	1	1	2	—	1	2	5	8	5	20	19	20
Diseases of Generative „	0·02	—	0·03	3	—	3	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	1
Puerperal Fever	0·03	—	0·07	6	—	6	—	—	—	—	—	—	—	—	—	2	4	—	—	—	—	—
Childbirth	0·07	—	0·13	12	—	12	—	—	—	—	—	—	—	—	—	—	3	9	—	—	—	—
Violence	0·38	0·66	0·10	67	58	9	4	5	1	1	—	11	3	—	2	2	7	7	6	14	10	5
OTHER CAUSES	3·49	3·45	3·57	611	293	318	149	10	3	4	4	170	12	5	17	14	12	27	31	34	78	211

Marriages 1,164

Births .. { Males .. 2,291 / Females 2,259 } 4,550

Annual Rate per 1000 living { Persons Married .. 13·30 / Births .. .. .. 26·00 }

Annual Births to 1000 Females aged 15—45 years = 122.

Deaths from Childbirth and Puerperal Fever .. .. } 3·96 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

262.—POOLE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 14·09			*122	—	—	—	—	44·31	3·32	2·07	3·22	3·89	5·22	7·92	12·00	22·10	51·39	129·27
Annual Death-Rate per 1000. Males ..	—			14·67			*132	—	—	—	—	48·00	3·57	1·60	2·70	3·86	5·26	8·18	12·28	25·06	59·18	130·26
Annual Death-Rate per 1000. Females	—			13·55			*111	—	—	—	—	40·63	3·07	2·52	3·72	3·91	5·19	7·70	11·76	19·57	45·26	128·52
Mean Population, 1891–1900. Persons	—			28,792			712	674	708	694	710	3498	3406	3189	2731	2494	4310	3409	2449	1742	1113	451
Mean Population, 1891–1900. Males ..	—			13,598			350	350	348	353	347	1748	1711	1563	1332	1089	1938	1590	1140	802	490	195
Mean Population, 1891–1900. Females	—			15,194			362	324	360	341	363	1750	1695	1626	1399	1405	2372	1819	1309	940	623	256
Deaths from All Causes, 1891–1900. Persons	14·74			4,243			1069	292	75	65	49	1550	113	66	88	97	225	270	294	385	572	583
Deaths from All Causes, 1891–1900. Males ..	15·59			2,120			600	148	40	28	23	839	61	25	36	42	102	130	140	201	290	254
Deaths from All Causes, 1891–1900. Females	13·97			2,123			469	144	35	37	26	711	52	41	52	55	123	140	154	184	282	329
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·32	0·35	0·30	92	47	45	14	34	10	14	8	80	10	1	—	1	—	—	—	—	—	—
Scarlet Fever	0·08	0·04	0·11	22	6	16	1	1	5	4	2	13	4	2	2	—	—	1	—	—	—	—
Diphtheria	0·20	0·14	0·25	57	19	38	3	3	4	7	8	25	25	4	—	—	—	1	1	1	—	—
Whooping-cough ..	0·21	0·26	0·16	60	35	25	35	14	4	2	4	59	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·08	0·07	0·08	22	10	12	—	—	—	—	—	—	2	—	2	3	3	7	3	1	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·48	0·49	0·47	137	66	71	85	20	1	—	2	108	—	—	—	—	—	—	4	1	16	8
Cholera	0·01	0·01	0·01	2	1	1	1	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Cancer	0·72	0·51	0·91	208	70	138	1	1	—	—	—	2	2	—	—	1	5	18	44	51	58	27
Tabes Mesenterica ..	0·15	0·13	0·18	44	17	27	18	9	4	—	—	31	2	1	5	1	1	—	1	2	—	—
Phthisis	1·22	1·20	1·24	352	163	189	11	4	4	1	2	22	7	16	29	41	94	69	39	23	10	2
Other Tub. & Scrof. Dis.	0·35	0·35	0·36	101	47	54	44	18	1	5	3	71	5	6	1	—	3	7	4	2	2	—
Diseases of Nervous System ..	1·74	1·87	1·63	501	254	247	146	29	8	7	1	191	9	7	5	3	15	19	37	46	90	79
Diseases of Circulatory „ ..	1·29	1·30	1·28	372	177	195	3	1	1	1	1	7	5	5	13	9	15	27	35	86	106	64
Diseases of Respiratory „ ..	2·64	3·06	2·26	759	416	343	209	103	25	14	10	361	10	4	10	5	18	25	44	63	107	112
Diseases of Digestive „ ..	1·05	1·21	0·90	301	165	136	89	31	3	2	4	129	8	6	4	4	9	24	31	28	35	23
Diseases of Urinary „ ..	0·38	0·54	0·24	109	73	36	4	1	—	1	—	6	1	1	—	2	4	10	12	18	32	23
Diseases of Generative „ ..	0·02	—	0·04	6	—	6	—	—	—	—	—	—	—	—	—	—	1	1	2	1	1	—
Puerperal Fever ..	0·03	—	0·07	10	—	10	—	—	—	—	—	—	—	—	—	1	8	1	—	—	—	—
Childbirth..	0·08	—	0·15	23	—	23	—	—	—	—	—	—	—	—	—	3	12	8	—	—	—	—
Violence	0·50	0·77	0·26	144	105	39	18	8	3	3	1	33	12	2	9	13	12	18	11	15	12	7
Other Causes ..	3·19	3·29	3·07	921	449	472	387	14	2	4	3	410	10	11	8	10	25	34	26	47	102	238

Marriages 2,231

Births .. { Males .. 4,535 / Females 4,221 } 8,756

Annual Rate per 1000 living { Persons Married .. 15·50 / Births .. .. .. 30·41 }

Annual Births to 1000 Females aged 15—45 years = 125.

Deaths from Childbirth and Puerperal Fever .. .. } 3·77 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

263.—WAREHAM.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 12·41	*84	—	—	—	—	27·98	2·59	1·82	3·53	4·74	5·88	7·38	12·42	21·19	51·23	148·89
Annual Death-Rate per 1000. Males	—	12·89	*97	—	—	—	—	31·53	2·18	1·49	3·11	4·48	6·47	7·70	13·04	23·20	54·32	162·03
Annual Death-Rate per 1000. Females	—	11·96	*71	—	—	—	—	24·31	2·99	2·16	3·98	4·97	5·35	7·08	11·83	19·39	48·65	137·61
Mean Population, 1891–1900. Persons	—	16,318	359	393	393	382	396	1923	1889	1865	1443	1202	2194	1911	1490	1180	816	405
Mean Population, 1891–1900. Males	—	7,926	176	196	203	197	205	977	919	940	740	558	1036	922	721	556	370	187
Mean Population, 1891–1900. Females	—	8,392	183	197	190	185	191	946	970	925	703	644	1158	989	769	624	446	218
Deaths from All Causes, 1891–1900. Persons	15·04	2,455	345	105	44	22	22	538	49	34	51	57	129	141	185	250	418	603
Deaths from All Causes, 1891–1900. Males	15·83	1,255	203	53	24	14	14	308	20	14	23	25	67	71	94	129	201	303
Deaths from All Causes, 1891–1900. Females	14·30	1,200	142	52	20	8	8	230	29	20	28	32	62	70	91	121	217	300

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·12	0·10	0·14	20	8	12	6	6	2	—	2	16	3	—	1	—	—	—	—	—	—	—
Scarlet Fever	0·08	0·10	0·06	13	8	5	—	—	2	2	2	6	6	1	—	—	—	—	—	—	—	—
Diphtheria	0·12	0·13	0·12	20	10	10	1	1	3	1	2	8	6	1	1	2	1	1	—	—	—	—
Whooping-cough	0·21	0·19	0·23	34	15	19	17	10	4	1	—	32	2	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·03	0·05	0·01	5	4	1	—	—	—	—	—	—	—	—	1	2	2	—	—	—	—	—
Simple Continued Fever	0·01	0·01	0·01	2	1	1	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·17	0·19	0·15	28	15	13	17	3	—	—	—	20	—	—	—	—	1	1	—	—	2	4
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·94	0·91	0·98	154	72	82	—	—	—	1	—	1	—	—	1	1	2	14	25	40	50	20
Tabes Mesenterica	0·05	0·05	0·05	8	4	4	2	3	1	1	—	7	—	—	—	—	1	—	—	—	—	—
Phthisis	1·38	1·43	1·33	225	113	112	5	2	1	—	2	10	9	6	17	23	58	36	37	17	8	4
Other Tub. & Scrof. Dis.	0·21	0·23	0·19	34	18	16	3	9	4	1	1	18	6	1	—	3	2	1	—	1	1	1
Diseases of Nervous System	1·77	2·01	1·54	288	159	129	45	12	3	2	3	65	3	5	4	5	4	8	22	30	68	74
Diseases of Circulatory „	2·10	1·80	2·38	343	143	200	1	—	1	2	—	4	—	3	7	1	12	21	21	64	112	98
Diseases of Respiratory „	2·27	2·44	2·12	371	193	178	75	29	16	7	2	129	5	4	6	2	7	9	20	36	66	87
Diseases of Digestive „	0·93	0·92	0·93	151	73	78	19	12	1	2	2	36	3	4	2	3	8	8	12	21	28	26
Diseases of Urinary „	0·52	0·73	0·31	84	58	26	2	—	3	—	—	5	—	1	—	2	—	5	16	18	19	18
Diseases of Generative „	0·02	—	0·04	3	—	3	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	1
Puerperal Fever	0·01	—	0·02	2	—	2	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—
Childbirth	0·10	—	0·20	17	—	17	—	—	—	—	—	—	—	—	—	1	7	9	—	—	—	—
Violence	0·59	0·96	0·25	97	76	21	4	3	2	2	4	15	2	2	6	10	18	12	9	7	5	11
Other Causes	3·41	3·58	3·24	556	285	271	147	15	1	—	2	165	3	6	5	2	6	13	22	16	59	259

Marriages 1,045

Births .. { Males .. 2,091 / Females 1,997 } 4,088

Annual Rate per 1000 living { Persons Married .. 12·81 / Births .. .. .. 25·05 }

Annual Births to 1000 Females aged 15—45 years = 117.

Deaths from Childbirth and Puerperal Fever .. .. } 4·65 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

264.—WEYMOUTH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 14·15			*111	—	—	—	—	39·63	3·03	1·90	3·23	4·51	5·47	8·35	12·91	24·26	54·91	145·12
Annual Death-Rate per 1000. Males	—			14·95			*123	—	—	—	—	43·29	3·70	1·97	3·27	5·04	5·25	9·40	14·00	27·30	57·17	154·65
Annual Death-Rate per 1000. Females	—			13·39			* 98	—	—	—	—	35·93	2·34	1·82	3·15	3·84	5·74	7·20	11·89	21·51	53·11	139·00
Mean Population, 1891–1900. Persons	—			37,307			755	692	704	699	733	3583	3533	3426	4773	3882	6252	4312	3152	2292	1415	687
Mean Population, 1891–1900. Males	—			19,737			390	341	352	359	360	1802	1782	1727	3089	2163	3412	2256	1521	1088	628	269
Mean Population, 1891–1900. Females	—			17,570			365	351	352	340	373	1781	1751	1699	1684	1719	2840	2056	1631	1204	787	418
Deaths from All Causes, 1891–1900. Persons	14·37			5,360			983	246	85	64	42	1420	107	65	154	175	342	360	407	556	777	997
Deaths from All Causes, 1891–1900. Males	14·01			2,766			559	124	39	36	22	780	66	34	101	109	179	212	213	297	359	416
Deaths from All Causes, 1891–1900. Females	14·76			2,594			424	122	46	28	20	640	41	31	53	66	163	148	194	259	418	581
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·02	—	3	3	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—
Measles	0·19	0·18	0·20	72	36	36	18	33	7	4	3	65	3	1	2	—	—	1	—	—	—	—
Scarlet Fever	0·09	0·10	0·08	33	19	14	4	3	5	8	6	26	4	—	3	—	—	—	—	—	—	—
Diphtheria	0·09	0·09	0·09	33	18	15	1	1	3	4	6	15	15	1	1	—	1	—	—	—	—	—
Whooping-cough	0·16	0·15	0·18	61	29	32	29	20	7	2	1	59	2	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·18	0·18	0·18	67	36	31	—	—	1	—	—	1	4	3	13	8	19	10	6	2	1	—
Simple Continued Fever	0·00	0·01	—	1	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·50	0·49	0·52	188	97	91	122	20	3	1	—	146	3	—	1	2	2	1	1	6	11	15
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·79	0·60	1·00	293	118	175	—	—	1	—	1	2	—	—	1	1	9	26	58	76	66	54
Tabes Mesenterica	0·08	0·09	0·07	30	17	13	6	8	—	3	—	17	1	1	4	3	2	1	1	—	—	—
Phthisis	0·93	0·93	0·92	346	184	162	2	—	1	1	2	6	6	7	27	47	106	61	51	23	11	1
Other Tub. & Scrof. Dis.	0·26	0·32	0·20	98	63	35	25	10	5	10	2	52	7	12	9	6	7	2	1	2	—	—
Diseases of Nervous System	1·72	1·58	1·88	643	312	331	115	13	9	5	4	146	13	5	14	13	14	34	50	92	127	135
Diseases of Circulatory "	1·61	1·56	1·67	601	308	293	1	—	1	—	—	2	4	7	10	10	27	55	60	114	182	130
Diseases of Respiratory "	2·36	2·32	2·41	882	458	424	185	98	23	17	12	335	17	—	14	12	30	30	54	75	137	178
Diseases of Digestive "	1·12	1·09	1·16	419	216	203	95	29	10	6	2	142	5	9	11	7	31	32	32	53	62	35
Diseases of Urinary "	0·44	0·54	0·33	164	106	58	—	—	—	—	—	—	6	3	3	11	13	20	16	30	32	30
Diseases of Generative "	0·05	—	0·11	20	—	20	—	—	—	—	—	—	—	—	—	1	4	8	2	2	—	3
Puerperal Fever	0·03	—	0·07	13	—	13	—	—	—	—	—	—	—	—	—	6	6	1	—	—	—	—
Childbirth	0·06	—	0·13	22	—	22	—	—	—	—	—	—	—	—	1	2	10	9	—	—	—	—
Violence	0·61	0·94	0·23	227	186	41	15	2	7	2	1	27	6	7	20	29	29	34	26	22	15	12
Other Causes	3·09	2·82	3·33	1144	559	585	364	9	2	1	2	378	11	9	20	17	31	35	47	59	133	404

Marriages 2,805

Births .. { Males .. 4,563 / Females 4,329 } 8,892

Annual Rate per 1000 living { Persons Married .. 15·04 / Births .. .. .. 23·83 }

Annual Births to 1000 Females aged 15—45 years = 107.

Deaths from Childbirth and Puerperal Fever .. .. } 3·94 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

265.—DORCHESTER.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		14·65	*101	—	—	—	—	33·13	3·04	1·96	3·40	5·65	6·32	10·17	14·30	28·01	61·13	162·15
Annual Death-Rate per 1000. Males ..	—					15·31	*113	—	—	—	—	37·52	2·95	2·13	3·25	5·59	6·53	11·54	15·31	31·64	60·73	168·44
Annual Death-Rate per 1000. Females	—					14·02	* 88	—	—	—	—	28·69	3·14	1·79	3·58	5·70	6·12	8·89	13·42	24·78	61·49	156·72
Mean Population, 1891–1900. Persons	—			24,272			542	531	525	571	557	2726	2629	2554	2350	1930	3481	2861	2265	1717	1191	568
Mean Population, 1891–1900. Males ..	—			11,897			266	279	266	288	271	1370	1324	1267	1260	895	1684	1387	1065	809	573	263
Mean Population, 1891–1900. Females	—			12,375			276	252	259	283	286	1356	1305	1287	1090	1035	1797	1474	1200	908	618	305
Deaths from All Causes, 1891–1900. Persons	17·25			4,187			608	170	62	40	23	903	80	50	80	109	220	291	324	481	728	921
Deaths from All Causes, 1891–1900. Males ..	18·08			2,151			352	93	38	22	9	514	39	27	41	50	110	160	163	256	348	443
Deaths from All Causes, 1891–1900. Females	16·45			2,036			256	77	24	18	14	389	41	23	39	59	110	131	161	225	380	478
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·19	0·21	0·16	45	25	20	7	24	5	5	—	41	3	—	—	—	1	—	—	—	—	—
Scarlet Fever	0·04	0·03	0·04	9	4	5	—	1	1	—	3	5	—	1	1	1	—	1	—	—	—	—
Diphtheria	0·05	0·06	0·05	13	7	6	—	—	1	3	2	6	5	1	—	—	1	—	—	—	—	—
Whooping-cough ..	0·21	0·24	0·19	52	28	24	26	9	9	2	1	47	5	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·04	0·03	0·05	9	3	6	—	—	—	—	—	—	—	1	1	4	2	—	1	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·21	0·18	0·25	52	21	31	16	2	3	—	—	21	—	—	1	—	3	—	4	4	6	13
Cholera	0·01	0·01	0·01	2	1	1	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
Cancer	0·89	0·70	1·07	215	83	132	—	—	—	—	—	—	1	—	—	—	2	20	44	55	66	27
Tabes Mesenterica ..	0·09	0·10	0·09	23	12	11	3	2	1	—	2	8	1	5	1	1	1	—	1	2	3	—
Phthisis	1·27	1·22	1·33	309	145	164	1	2	—	—	—	3	4	6	29	41	69	67	43	29	15	3
Other Tub. & Scrof. Dis.	0·37	0·36	0·38	90	43	47	15	13	5	5	2	40	10	4	5	4	10	5	2	6	4	—
Diseases of Nervous System ..	2·41	2·67	2·17	585	317	268	87	22	5	3	1	118	13	6	11	13	28	42	48	81	119	106
Diseases of Circulatory " ..	2·33	2·34	2·33	566	278	288	4	1	1	—	1	7	4	6	4	6	14	34	46	115	183	147
Diseases of Respiratory " ..	2·86	3·15	2·57	693	375	318	120	49	23	18	7	217	22	7	3	8	21	28	50	76	119	142
Diseases of Digestive " ..	1·04	1·08	1·00	252	128	124	42	21	1	2	1	67	7	4	8	5	18	20	19	35	37	32
Diseases of Urinary " ..	0·45	0·62	0·27	108	74	34	2	2	1	—	—	5	—	1	—	4	8	13	13	18	29	17
Diseases of Generative " ..	0·05	—	0·10	12	—	12	—	—	—	—	—	—	—	—	—	—	—	2	5	2	1	2
Puerperal Fever ..	0·05	—	0·09	11	—	11	—	—	—	—	—	—	—	—	1	3	3	4	—	—	—	—
Childbirth	0·07	—	0·15	18	—	18	—	—	—	—	—	—	—	—	—	3	5	10	—	—	—	—
Violence	0·45	0·72	0·19	109	86	23	9	3	2	1	3	18	2	2	6	4	7	16	16	15	12	11
OTHER CAUSES ..	4·17	4·36	3·96	1,014	521	493	276	19	4	1	—	300	2	6	9	12	27	29	31	43	134	421

Marriages 1,634

Births .. { Males .. 3,117 / Females 2,918 } 6,035

Annual Rate per 1000 living { Persons Married .. 13·46 / Births .. .. .. 24·86 }

Annual Births to 1000 Females aged 15—45 years = 112.

Deaths from Childbirth and Puerperal Fever .. .. } 4·81 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

266.—SHERBORNE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		13·02	*92	—	—	—	—	30·53	3·45	2·28	2·54	4·80	5·32	6·72	12·65	27·02	55·13	140·73
Annual Death-Rate per 1000. Males ..	—					13·55	*99	—	—	—	—	33·73	3·16	2·60	2·40	5·68	4·78	7·47	14·72	28·35	58·27	148·44
Annual Death-Rate per 1000. Females	—					12·52	*84	—	—	—	—	27·19	3·73	1·93	2·70	4·17	5·76	6·12	10·98	25·95	52·58	135·06
Mean Population, 1891–1900. Persons	—			11,916			261	254	268	255	269	1307	1275	1314	1297	980	1597	1295	1099	855	595	302
Mean Population, 1891–1900. Males ..	—			5,616			123	138	133	136	137	667	632	693	667	405	712	576	489	381	266	128
Mean Population, 1891–1900. Females	—			6,300			138	116	135	119	132	640	643	621	630	575	885	719	610	474	329	174
Deaths from All Causes, 1891–1900. Persons	15·51			1,848			266	64	34	18	17	399	44	30	33	47	85	87	139	231	328	425
Deaths from All Causes, 1891–1900. Males ..	16·10			904			149	40	15	12	9	225	20	18	16	23	34	43	72	108	155	190
Deaths from All Causes, 1891–1900. Females	14·98			944			117	24	19	6	8	174	24	12	17	24	51	44	67	123	173	235
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles ..	0·11	0·12	0·10	13	7	6	3	5	1	—	1	10	1	2	—	—	—	—	—	—	—	—
Scarlet Fever ..	0·11	0·07	0·14	13	4	9	2	3	—	4	2	11	2	—	—	—	—	—	—	—	—	—
Diphtheria ..	0·08	0·14	0·03	10	8	2	—	2	2	2	—	6	4	—	—	—	—	—	—	—	—	—
Whooping-cough ..	0·16	0·12	0·19	19	7	12	10	5	3	—	—	18	1	—	—	—	—	—	—	—	—	—
Typhus ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever ..	0·05	0·07	0·03	6	4	2	—	—	—	—	—	—	—	—	3	—	2	—	—	1	—	—
Simple Continued Fever	0·01	—	0·02	1	—	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·16	0·16	0·16	19	9	10	7	1	1	—	1	10	1	1	—	1	—	—	—	—	3	3
Cholera ..	0·01	0·02	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Cancer ..	0·84	0·62	1·03	100	35	65	—	—	—	1	—	1	—	1	1	—	3	5	14	30	34	11
Tabes Mesenterica ..	0·10	0·09	0·11	12	5	7	4	1	2	1	1	9	—	1	—	2	—	—	—	—	—	—
Phthisis ..	0·89	0·91	0·87	106	51	55	—	1	—	—	—	1	2	2	4	19	28	24	11	12	3	—
Other Tub. & Scrof. Dis.	0·23	0·25	0·21	27	14	13	2	3	1	1	—	7	6	1	2	5	3	2	—	—	1	—
Diseases of Nervous System ..	2·16	2·21	2·11	257	124	133	50	10	7	2	1	70	1	3	5	8	7	8	16	42	47	50
Diseases of Circulatory „ ..	1·84	1·92	1·76	219	108	111	1	1	—	—	1	3	—	2	2	2	5	12	27	42	77	47
Diseases of Respiratory „ ..	2·65	2·78	2·54	316	156	160	55	17	11	4	6	93	9	1	4	2	4	10	17	28	60	88
Diseases of Digestive „ ..	1·14	1·26	1·03	136	71	65	20	8	1	2	1	32	10	3	1	2	8	8	16	20	19	17
Diseases of Urinary „ ..	0·57	0·68	0·48	68	38	30	1	—	1	—	—	2	—	—	1	1	3	3	6	19	14	19
Diseases of Generative „ ..	0·03	—	0·06	4	—	4	—	—	—	—	—	—	—	—	1	—	—	—	1	1	—	1
Puerperal Fever ..	0·08	—	0·14	9	—	9	—	—	—	—	—	—	—	—	1	2	5	1	—	—	—	—
Childbirth ..	0·07	—	0·13	8	—	8	—	—	—	—	—	—	—	—	—	1	3	4	—	—	—	—
Violence ..	0·45	0·77	0·17	54	43	11	4	2	1	—	1	8	3	5	3	1	3	3	12	9	3	4
OTHER CAUSES ..	3·77	3·91	3·67	450	219	231	107	5	2	1	2	117	4	8	5	1	11	7	19	27	66	185

Marriages 783

Births .. { Males .. 1,500 / Females 1,387 } 2,887

Annual Rate per 1000 living { Persons Married .. 13·14 / Births .. .. .. 24·23 }

Annual Births to 1000 Females aged 15—45 years = 103.

Deaths from Childbirth and Puerperal Fever .. .. } 5·89 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

267.—BEAMINSTER.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		13·18	* 93	—	—	—	—	29·36	3·06	2·19	3·71	3·95	6·15	8·94	10·22	25·67	58·50	147·67
Annual Death-Rate per 1000. Males	—					13·73	*109	—	—	—	—	35·65	1·75	1·39	2·82	3·66	6·13	8·76	10·41	29·31	65·56	158·82
Annual Death-Rate per 1000. Females	—					12·67	* 75	—	—	—	—	23·45	4·37	2·94	4·66	4·21	6·16	9·11	10·06	22·50	52·94	139·38
Mean Population, 1891–1900. Persons	—			9,786			219	224	242	241	232	1158	1144	1049	890	684	1253	1085	949	748	547	279
Mean Population, 1891–1900. Males	—			4,689			98	103	117	128	115	561	572	505	461	328	587	525	442	348	241	119
Mean Population, 1891–1900. Females	—			5,097			121	121	125	113	117	597	572	544	429	356	666	560	507	400	306	160
Deaths from All Causes, 1891–1900. Persons	16·89			1,653			238	59	22	14	7	340	35	23	33	27	77	97	97	192	320	412
Deaths from All Causes, 1891–1900. Males	17·47			819			146	30	12	7	5	200	10	7	13	12	36	46	46	102	158	189
Deaths from All Causes, 1891–1900. Females	16·36			834			92	29	10	7	2	140	25	16	20	15	41	51	51	90	162	223
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·10	0·04	0·16	10	2	8	2	3	2	—	1	8	—	2	—	—	—	—	—	—	—	—
Scarlet Fever	0·03	—	0·06	3	—	3	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—
Diphtheria	0·10	0·17	0·04	10	8	2	1	—	1	2	—	4	4	1	1	—	—	—	—	—	—	—
Whooping-cough	0·19	0·30	0·10	19	14	5	13	6	—	—	—	19	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·05	0·04	0·06	5	2	3	—	—	—	—	—	—	—	—	2	1	—	1	—	—	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·21	0·21	0·22	21	10	11	10	3	1	—	—	14	—	1	—	—	—	—	—	1	—	5
Cholera	0·02	0·02	0·02	2	1	1	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Cancer	0·86	0·85	0·86	84	40	44	—	—	—	—	—	—	—	—	—	1	3	3	15	20	32	10
Tabes Mesenterica	0·05	0·09	0·02	5	4	1	4	—	—	—	—	4	—	—	—	—	1	—	—	—	—	—
Phthisis	1·21	1·09	1·31	118	51	67	3	1	—	—	—	4	4	4	10	12	27	24	12	13	8	—
Other Tub. & Scrof. Dis.	0·18	0·21	0·16	18	10	8	1	1	—	—	1	3	6	1	2	1	2	1	—	1	1	—
Diseases of: Nervous System	2·29	2·37	2·22	224	111	113	39	1	3	2	—	45	4	3	2	2	4	6	11	35	56	56
Diseases of: Circulatory "	2·24	2·11	2·35	219	99	120	1	—	—	—	—	1	2	3	7	1	8	8	14	37	72	66
Diseases of: Respiratory "	3·55	3·67	3·43	347	172	175	54	30	12	5	3	104	5	—	2	3	7	21	16	39	68	82
Diseases of: Digestive "	1·06	1·02	1·10	104	48	56	17	3	1	—	—	21	2	2	—	—	2	11	10	11	27	18
Diseases of: Urinary "	0·38	0·49	0·27	37	23	14	—	—	—	—	—	—	—	—	1	—	2	3	4	14	8	5
Diseases of: Generative "	0·04	—	0·08	4	—	4	—	—	—	—	—	—	—	—	—	—	—	1	1	1	1	—
Puerperal Fever	0·04	—	0·08	4	—	4	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—
Childbirth	0·10	—	0·20	10	—	10	—	—	—	—	—	—	—	—	—	2	5	3	—	—	—	—
Violence	0·42	0·64	0·22	41	30	11	—	1	1	3	1	6	5	1	3	1	4	5	4	5	3	4
Other Causes	3·77	4·15	3·40	368	194	174	91	10	1	2	1	105	2	3	3	3	8	10	10	15	43	166

Marriages 627

Births .. { Males .. 1,337 / Females 1,230 } 2,567

Annual Rate per 1000 living { Persons Married .. 12·81 / Births .. .. .. 26·23

Annual Births to 1000 Females aged 15—45 years = 128.

Deaths from Childbirth and Puerperal Fever .. .. } 5·45 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

268.—BRIDPORT.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		14·11	*110	—	—	—	—	38·53	4·37	2·57	3·18	4·97	5·51	7·22	14·02	22·58	53·71	139·29
Annual Death-Rate per 1000. Males	—					15·36	*124	—	—	—	—	43·16	4·53	2·26	3·51	6·44	6·69	7·83	16·38	25·05	61·26	146·01
Annual Death-Rate per 1000. Females	—					12·93	* 96	—	—	—	—	33·94	4·20	2·88	2·90	3·92	4·58	6·72	12·11	20·58	47·94	134·62
Mean Population, 1891–1900. Persons	—			13,438			267	287	292	289	290	1425	1487	1516	1352	965	1671	1509	1284	1063	769	397
Mean Population, 1891–1900. Males	—			6,233			136	135	146	148	144	709	773	753	627	404	732	690	574	475	333	163
Mean Population, 1891–1900. Females	—			7,205			131	152	146	141	146	716	714	763	725	561	939	819	710	588	436	234
Deaths from All Causes, 1891–1900. Persons	17·35			2,331			343	108	47	26	25	549	65	39	43	48	92	109	180	240	413	553
Deaths from All Causes, 1891–1900. Males	18·67			1,164			197	60	25	13	11	306	35	17	22	26	49	54	94	119	204	238
Deaths from All Causes, 1891–1900. Females	16·20			1,167			146	48	22	13	14	243	30	22	21	22	43	55	86	121	209	315
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·10	0·10	0·11	14	6	8	3	5	—	2	3	13	—	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·07	0·08	0·06	9	5	4	1	1	—	1	2	5	3	—	1	—	—	—	—	—	—	—
Diphtheria	0·54	0·66	0·43	72	41	31	3	6	10	11	8	38	27	6	1	—	—	—	—	—	—	—
Whooping-cough	0·19	0·18	0·21	26	11	15	10	6	5	4	1	26	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·06	0·06	0·06	8	4	4	—	—	—	—	—	—	—	—	2	—	4	1	—	1	—	—
Simple Continued Fever	0·02	0·02	0·03	3	1	2	—	1	—	—	—	1	—	—	—	—	—	—	—	—	1	1
Diarrhœa & Dysentery	0·10	0·10	0·11	14	6	8	6	1	—	—	—	7	—	—	—	—	—	—	—	—	3	4
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·97	0·71	1·19	130	44	86	—	—	—	—	—	—	—	—	—	—	2	6	21	40	42	19
Tabes Mesenterica	0·14	0·14	0·14	19	9	10	5	4	3	—	—	12	3	1	1	—	—	1	1	—	—	—
Phthisis	1·15	1·17	1·12	154	73	81	—	3	1	—	—	4	1	7	13	22	39	24	31	9	4	—
Other Tub. & Scrof. Dis.	0·23	0·19	0·26	31	12	19	5	5	2	—	—	12	3	4	4	2	1	1	1	2	1	—
Diseases of Nervous System	2·29	2·50	2·10	307	156	151	63	22	1	2	3	91	6	2	5	4	3	6	21	37	64	68
Diseases of Circulatory „	2·02	1·78	2·22	271	111	160	—	—	—	—	1	1	1	4	6	3	7	14	34	61	88	52
Diseases of Respiratory „	2·78	3·29	2·33	373	205	168	69	39	18	2	4	132	10	3	2	1	6	7	27	37	80	68
Diseases of Digestive „	0·81	1·08	0·58	109	67	42	14	7	3	2	—	26	4	3	2	1	3	8	13	18	19	12
Diseases of Urinary „	0·38	0·59	0·19	51	37	14	—	—	—	—	—	—	—	—	1	—	—	4	9	9	16	12
Diseases of Generative „	0·07	0·03	0·10	9	2	7	1	—	—	—	—	1	—	—	—	—	1	1	3	—	1	2
Puerperal Fever	0·03	—	0·06	4	—	4	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—
Childbirth	0·07	—	0·14	10	—	10	—	—	—	—	—	—	—	—	—	1	5	4	—	—	—	—
Violence	0·65	1·14	0·22	87	71	16	2	2	1	—	3	8	4	3	2	8	11	19	9	10	7	6
OTHER CAUSES	4·68	4·85	4·54	630	303	327	161	6	3	2	—	172	3	5	3	6	6	13	10	16	87	309

Marriages 954

Births .. { Males .. 1,588 / Females 1,521 } 3,109

Annual Rate per 1000 living { Persons Married .. 14·20 / Births .. .. .. 23·14

Annual Births to 1000 Females aged 15—45 years = 102.

Deaths from Childbirth and Puerperal Fever .. .. } 4·50 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

269.—AXMINSTER.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		12·43	* 94	—	—	—	—	29·36	3·25	1·71	3·85	4·25	6·03	7·15	10·87	22·96	50·15	137·24
Annual Death-Rate per 1000. Males	—					12·69	*101	—	—	—	—	31·52	2·34	2·05	2·81	3·92	6·65	7·39	13·07	25·94	52·93	135·63
Annual Death-Rate per 1000. Females	—					12·20	* 87	—	—	—	—	27·11	4·20	1·35	4·81	4·50	5·54	6·94	9·13	20·55	47·87	138·65
Mean Population, 1891–1900. Persons	—			16,733			338	347	373	362	375	1795	1845	1818	1558	1294	2156	1819	1583	1311	1025	529
Mean Population, 1891–1900. Males	—			7,854			167	172	193	187	198	917	940	926	748	561	947	825	696	586	461	247
Mean Population, 1891–1900. Females	—			8,879			171	175	180	175	177	878	905	892	810	733	1209	994	887	725	564	282
Deaths from All Causes, 1891–1900. Persons	16·17			2,706			366	92	33	20	16	527	60	31	60	55	130	130	172	301	514	726
Deaths from All Causes, 1891–1900. Males	16·79			1,319			201	49	23	11	5	289	22	19	21	22	63	61	91	152	244	335
Deaths from All Causes, 1891–1900. Females	15·62			1,387			165	43	10	9	11	238	38	12	39	33	67	69	81	149	270	391
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·10	0·17	0·03	16	13	3	5	6	1	1	—	13	2	—	1	—	—	—	—	—	—	—
Scarlet Fever	0·07	0·05	0·08	11	4	7	2	—	1	1	—	4	4	—	2	—	—	1	—	—	—	—
Diphtheria	0·17	0·18	0·17	29	14	15	2	2	1	2	4	11	13	2	1	1	—	—	1	—	—	—
Whooping-cough	0·29	0·28	0·29	48	22	26	22	14	8	1	1	46	2	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·03	—	0·06	5	—	5	—	—	—	—	—	—	—	—	1	1	—	2	—	—	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·16	0·15	0·16	26	12	14	12	2	—	—	—	14	—	—	—	—	—	1	—	1	2	8
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·89	0·67	1·08	149	53	96	—	—	—	—	—	—	—	1	1	—	4	6	20	33	45	39
Tabes Mesenterica	0·10	0·13	0·07	16	10	6	5	6	—	—	—	11	1	—	1	—	1	2	—	—	—	—
Phthisis	0·97	1·07	0·89	163	84	79	1	1	—	—	—	2	1	3	15	20	44	34	24	17	3	—
Other Tub. & Scrof. Dis.	0·25	0·25	0·24	41	20	21	7	4	—	3	1	15	8	3	5	3	5	—	2	—	—	—
Diseases of Nervous System	1·96	2·02	1·90	328	159	169	55	9	3	—	—	67	2	3	11	4	8	11	14	39	76	93
Diseases of Circulatory	2·18	2·23	2·15	366	175	191	1	—	—	—	—	1	2	1	7	5	8	17	30	68	134	93
Diseases of Respiratory	2·75	3·15	2·41	461	247	214	76	29	12	5	2	124	8	3	1	3	11	10	24	48	108	121
Diseases of Digestive	1·04	0·94	1·14	175	74	101	30	9	—	1	1	41	3	4	3	4	9	14	18	27	29	23
Diseases of Urinary	0·38	0·51	0·27	64	40	24	1	—	—	—	—	1	1	2	1	—	5	8	9	12	14	11
Diseases of Generative	0·07	—	0·12	11	—	11	—	—	—	—	—	—	—	—	1	—	2	—	2	3	2	1
Puerperal Fever	0·07	—	0·12	11	—	11	—	—	—	—	—	—	—	—	—	3	6	2	—	—	—	—
Childbirth	0·04	—	0·08	7	—	7	—	—	—	—	—	—	—	—	1	1	3	1	1	—	—	—
Violence	0·65	0·93	0·39	108	73	35	10	4	2	2	5	23	6	1	1	3	9	13	13	13	14	12
OTHER CAUSES	4·00	4·06	3·97	671	319	352	137	6	5	4	2	154	7	8	7	7	15	8	14	40	86	325

Marriages 1,020

Births .. { Males .. 1,989 / Females 1,907 } 3,896

Annual Rate per 1000 living { Persons Married .. 12·19 / Births .. .. .. 23·28

Annual Births to 1000 Females aged 15—45 years = 104.

Deaths from Childbirth and Puerperal Fever .. .. } 4·62 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

270.—HONITON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 13·05	*103	—	—	—	—	33·42	4·37	2·31	3·68	4·42	5·26	7·40	10·88	22·87	51·03	134·16
Annual Death-Rate per 1000. Males ..	—	14·37	*119	—	—	—	—	37·50	4·20	2·44	3·55	5·93	5·74	8·37	14·60	27·83	54·27	150·55
Annual Death-Rate per 1000. Females	—	11·81	* 87	—	—	—	—	29·33	4·53	2·19	3·82	3·24	4·90	6·61	8·08	19·06	48·56	122·04
Mean Population, 1891–1900. Persons	—	20,489	437	398	459	450	458	2202	2243	2206	1900	1585	2775	2297	1885	1587	1162	647
Mean Population, 1891–1900. Males ..	—	9,483	211	209	230	231	223	1104	1118	1108	957	691	1202	1027	808	690	503	275
Mean Population, 1891–1900. Females	—	11,006	226	189	229	219	235	1098	1125	1098	943	894	1573	1270	1077	897	659	372
Deaths from All Causes, 1891–1900. Persons	16·45	3,370	495	119	49	39	34	736	98	51	70	70	146	170	205	363	593	868
Deaths from All Causes, 1891–1900. Males ..	18·08	1,715	290	60	25	23	16	414	47	27	34	41	69	86	118	192	273	414
Deaths from All Causes, 1891–1900. Females	15·04	1,655	205	59	24	16	18	322	51	24	36	29	77	84	87	171	320	454

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							Persons.															
Small-pox	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Measles	0·20	0·21	0·19	41	20	21	10	7	7	5	1	30	8	—	3	—	—	—	—	—	—	—
Scarlet Fever	0·09	0·12	0·06	18	11	7	2	4	2	2	—	10	3	1	1	1	1	1	—	—	—	—
Diphtheria	0·18	0·20	0·16	37	19	18	2	2	3	5	8	20	14	1	2	—	—	—	—	—	—	—
Whooping-cough ..	0·17	0·11	0·22	34	10	24	19	7	4	1	1	32	2	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·07	0·04	0·09	14	4	10	—	—	—	—	1	1	1	—	1	1	3	2	4	1	—	—
Simple Continued Fever	0·01	0·01	0·01	2	1	1	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·21	0·24	0·17	42	23	19	24	2	—	—	—	26	—	—	—	—	1	—	1	3	4	7
Cholera	0·00	—	0·01	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Cancer	0·82	0·63	0·97	167	60	107	—	—	—	—	1	1	—	—	1	2	2	19	28	34	60	20
Tabes Mesenterica ..	0·10	0·09	0·11	21	9	12	7	2	1	—	—	10	2	2	1	—	2	1	1	2	—	—
Phthisis	1·05	1·19	0·93	215	113	102	4	3	—	1	1	9	1	11	22	25	47	45	24	20	10	1
Other Tub. & Scrof. Dis.	0·44	0·53	0·37	91	50	41	20	8	5	2	1	36	12	12	8	4	9	5	2	2	1	—
Diseases of Nervous System ..	1·93	2·20	1·70	396	209	187	68	23	2	3	5	101	12	5	5	6	10	14	23	55	77	88
Diseases of Circulatory „ ..	1·81	1·82	1·79	370	173	197	5	1	—	1	1	8	2	2	2	3	9	22	30	66	122	104
Diseases of Respiratory „ ..	2·98	3·59	2·45	610	340	270	111	39	18	11	6	185	22	1	3	4	9	9	31	60	119	167
Diseases of Digestive „ ..	1·15	1·18	1·13	236	112	124	39	11	1	—	2	53	6	4	4	4	8	13	14	35	54	41
Diseases of Urinary „ ..	0·60	0·78	0·44	122	74	48	—	—	—	1	—	1	—	—	1	1	10	6	12	23	31	37
Diseases of Generative „ ..	0·08	0·01	0·14	16	1	15	—	—	—	—	—	—	—	—	—	1	3	2	2	3	3	2
Puerperal Fever ..	0·02	—	0·04	4	—	4	—	—	—	—	—	—	—	—	—	—	2	1	1	—	—	—
Childbirth	0·07	—	0·14	15	—	15	—	—	—	—	—	—	—	—	—	—	10	4	1	—	—	—
Violence	0·55	0·90	0·25	113	85	28	21	3	2	3	2	31	5	7	9	6	4	6	10	13	14	8
Other Causes ..	3·92	4·22	3·67	804	400	404	163	7	4	4	3	181	8	4	7	11	16	19	21	46	98	393

Marriages 1,215

Births .. { Males .. 2,437 / Females 2,369 } 4,806

Annual Rate per 1000 living { Persons Married .. 11·86 / Births .. .. .. 23·46

Annual Births to 1000 Females aged 15—45 years = 103.

Deaths from Childbirth and Puerperal Fever .. .. } 3·95 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

271.—ST. THOMAS.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 15·55			*122	—	—	—	—	40·91	3·78	2·75	4·24	5·22	6·81	10·33	15·11	26·35	57·76	141·78
Annual Death-Rate per 1000. Males ..	—			In Standard Population. 16·93			*134	—	—	—	—	45·33	4·31	2·36	4·16	5·20	7·97	12·82	18·00	30·74	63·50	149·91
Annual Death-Rate per 1000. Females	—			In Standard Population. 14·26			*109	—	—	—	—	36·59	3·26	3·15	4·31	5·24	5·92	8·29	12·86	23·01	53·45	136·22
Mean Population, 1891–1900. Persons	—			54,002			1166	1117	1098	1166	1138	5685	5821	5782	5002	4403	7562	6360	5236	3993	2796	1362
Mean Population, 1891–1900. Males ..	—			24,955			579	552	551	590	541	2813	2903	2921	2499	1904	3286	2863	2289	1724	1200	553
Mean Population, 1891–1900. Females	—			29,047			587	565	547	576	597	2372	2918	2861	2503	2499	4276	3497	2947	2269	1596	809
Deaths from All Causes, 1891–1900. Persons	17·98			9,708			1593	389	163	96	85	2326	220	159	212	230	515	657	791	1052	1615	1931
Deaths from All Causes, 1891–1900. Males ..	19·37			4,834			901	206	79	48	41	1275	125	69	104	99	262	367	412	530	762	829
Deaths from All Causes, 1891–1900. Females	16·78			4,874			692	183	84	48	44	1051	95	90	108	131	253	290	379	522	853	1102
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	0·00	0·01	—	2	2	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—
Measles	0·30	0·38	0·22	161	96	65	31	55	26	14	11	137	17	5	—	—	2	—	—	—	—	—
Scarlet Fever	0·11	0·12	0·10	58	29	29	1	6	9	9	9	34	16	5	2	—	1	—	—	—	—	—
Diphtheria	0·15	0·18	0·13	82	45	37	5	7	3	15	12	42	20	10	5	2	—	—	2	1	—	—
Whooping-cough ..	0·30	0·32	0·28	162	80	82	75	48	22	6	6	157	4	1	—	—	—	—	—	—	—	—
Typhus	0·00	—	0·00	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Enteric Fever	0·26	0·27	0·26	142	67	75	—	—	2	2	2	6	13	29	34	15	22	12	9	2	—	—
Simple Continued Fever	0·00	0·00	—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Diarrhœa & Dysentery	0·38	0·44	0·33	206	109	97	132	19	4	1	—	156	2	3	1	—	1	—	1	11	9	22
Cholera	0·01	0·01	0·01	5	3	2	1	2	1	—	—	4	—	—	—	—	1	—	—	—	—	—
Cancer	0·95	0·65	1·21	513	162	351	1	1	—	—	—	2	—	—	1	1	8	28	112	137	130	94
Tabes Mesenterica ..	0·12	0·11	0·13	66	28	38	24	4	7	1	2	38	8	3	2	7	2	—	4	1	1	—
Phthisis	1·40	1·56	1·27	757	389	368	12	5	1	1	2	21	11	15	65	98	179	155	107	63	37	6
Other Tub. & Scrof. Dis.	0·34	0·34	0·35	185	84	101	40	15	5	1	8	69	21	11	16	12	15	17	11	8	3	2
Diseases of Nervous System ..	2·61	3·09	2·21	1412	770	642	193	42	12	7	7	261	27	13	14	11	75	156	136	173	280	266
Diseases of Circulatory „ ..	2·05	1·89	2·18	1105	472	633	12	1	1	1	2	17	9	16	9	13	40	67	106	232	337	259
Diseases of Respiratory „ ..	3·03	3·41	2·70	1634	850	784	334	121	46	23	15	539	19	14	13	13	36	65	93	155	344	343
Diseases of Digestive „ ..	1·00	1·13	0·88	538	281	257	127	29	7	5	2	170	14	9	7	9	16	29	57	64	90	73
Diseases of Urinary „ ..	0·48	0·68	0·31	259	170	89	3	—	—	1	—	4	1	1	3	5	11	20	35	52	68	59
Diseases of Generative „ ..	0·03	—	0·06	17	—	17	1	—	—	—	—	1	—	—	—	—	1	3	8	—	3	1
Puerperal Fever ..	0·04	—	0·08	23	—	23	—	—	—	—	—	—	—	—	—	3	7	12	1	—	—	—
Childbirth	0·07	—	0·13	38	—	38	—	—	—	—	—	—	—	—	—	3	24	10	1	—	—	—
Violence	0·62	0·96	0·32	334	240	94	29	9	6	5	4	53	18	9	13	18	30	37	48	40	39	29
OTHER CAUSES ..	3·73	3·82	3·62	2007	956	1051	571	25	11	4	3	614	19	15	27	20	42	46	60	113	274	777

Marriages 3,118

Births .. { Males .. 6,719 / Females 6,375 } 13,094

Annual Rate per 1000 living { Persons Married .. 11·55 / Births .. .. .. 24·25 }

Annual Births to 1000 Females aged 15—45 years = 102.

Deaths from Childbirth and Puerperal Fever .. .. } 4·66 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

272.—EXETER.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 19·33			*156	—	—	—	—	62·05	4·83	3·19	4·66	6·26	6·71	10·95	16·57	33·97	61·83	149·03
Annual Death-Rate per 1000. Males	—			21·40			*170	—	—	—	—	67·27	4·92	3·68	4·61	7·60	8·35	13·60	20·55	41·67	69·72	161·57
Annual Death-Rate per 1000. Females	—			17·38			*141	—	—	—	—	56·78	4·74	2·71	4·70	5·36	5·48	8·87	13·60	28·47	57·03	142·57
Mean Population, 1891–1900. Persons	—			37,638			763	689	713	729	724	3618	3646	3703	4034	3690	5720	4531	3585	2582	1703	826
Mean Population, 1891–1900. Males	—			16,762			379	337	361	379	362	1818	1830	1823	1822	1487	2456	1993	1533	1075	644	281
Mean Population, 1891–1900. Females	—			20,876			384	352	352	350	362	1800	1816	1880	2212	2203	3264	2538	2052	1507	1059	545
Deaths from All Causes, 1891–1900. Persons	20·17			7,593			1449	452	167	122	55	2245	176	118	188	231	384	496	594	877	1053	1231
Deaths from All Causes, 1891–1900. Males	22·19			3,719			811	244	82	62	24	1223	90	67	84	113	205	271	315	448	449	454
Deaths from All Causes, 1891–1900. Females	18·56			3,874			638	208	85	60	31	1022	86	51	104	118	179	225	279	429	604	777
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Measles	0·46	0·51	0·42	173	85	88	38	63	33	22	7	163	9	—	—	—	—	—	—	—	1	—
Scarlet Fever	0·06	0·08	0·05	24	14	10	1	3	5	6	2	17	4	1	1	—	1	—	—	—	—	—
Diphtheria	0·14	0·20	0·10	54	33	21	3	10	7	7	9	36	10	1	1	1	1	1	1	2	—	—
Whooping-cough	0·36	0·36	0·35	134	60	74	60	41	13	15	2	131	2	—	1	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·21	0·24	0·19	80	40	40	—	1	2	—	1	4	8	9	21	13	9	7	3	4	2	—
Simple Continued Fever	0·01	0·01	0·00	2	1	1	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·58	0·69	0·49	218	115	103	162	25	2	2	—	191	1	—	—	—	—	3	—	1	10	12
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	1·08	0·83	1·29	408	139	269	—	1	—	—	1	2	1	1	2	1	5	38	94	122	92	50
Tabes Mesenterica	0·20	0·21	0·19	74	35	39	34	8	2	1	1	46	4	3	4	3	7	2	4	—	1	—
Phthisis	1·74	2·19	1·37	653	367	286	1	5	2	4	1	13	8	17	54	84	156	133	87	69	30	2
Other Tub. & Scrof. Dis.	0·54	0·65	0·45	202	109	93	28	33	8	7	7	83	26	21	18	16	17	8	5	4	3	1
Diseases of: Nervous System	2·45	2·68	2·26	921	449	472	209	39	13	10	5	276	17	9	15	13	17	30	58	133	173	180
Diseases of: Circulatory	1·87	1·84	1·88	702	309	393	3	—	1	—	—	4	12	18	18	20	37	54	79	159	189	112
Diseases of: Respiratory	3·85	4·31	3·49	1451	723	728	292	153	50	31	14	540	25	5	4	12	32	57	94	165	249	268
Diseases of: Digestive	1·28	1·40	1·18	480	234	246	130	35	10	4	3	182	20	9	9	10	22	44	42	52	50	40
Diseases of: Urinary	0·66	1·01	0·37	247	170	77	2	1	—	—	—	3	3	6	3	5	16	24	41	58	48	40
Diseases of: Generative	0·10	0·01	0·18	39	2	37	1	—	—	—	—	1	1	—	2	3	5	5	9	5	4	4
Puerperal Fever	0·04	—	0·07	14	—	14	—	—	—	—	—	—	—	—	1	4	6	3	—	—	—	—
Childbirth	0·06	—	0·10	21	—	21	—	—	—	—	—	—	—	—	—	4	4	12	1	—	—	—
Violence	0·60	0·95	0·31	224	160	64	21	3	6	8	1	39	11	8	8	11	17	37	31	17	23	22
OTHER CAUSES	3·88	4·01	3·82	1471	673	798	463	31	13	5	1	513	13	10	26	31	32	38	45	85	178	500

Marriages 3,817

Births .. { Males .. 4,779 / Females 4,526 } 9,305

Annual Rate per 1000 living { Persons Married .. 20·28 / Births .. .. .. 24·72 }

Annual Births to 1000 Females aged 15—45 years = 91.

Deaths from Childbirth and Puerperal Fever .. .. 3·76 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

273.—NEWTON ABBOT.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 14·84	*125	—	—	—	—	42·57	3·01	2·31	4·01	5·35	6·60	8·19	12·27	24·11	53·61	138·20
Annual Death-Rate per 1000. Males ..	—	16·31	*138	—	—	—	—	47·75	2·60	2·25	3·97	6·75	8·67	10·31	15·11	26·92	60·57	142·67
Annual Death-Rate per 1000. Females	—	13·45	*112	—	—	—	—	37·48	3·41	2·37	4·03	4·50	5·32	6·71	10·31	22·10	48·85	135·37
Mean Population, 1891–1900. Persons	—	79,871	1488	1393	1538	1497	1558	7474	7919	8004	7590	7107	12055	9698	7854	6036	4160	1974
Mean Population, 1891–1900. Males ..	—	34,369	735	687	771	740	776	3709	3930	3919	3350	2682	4625	3976	3210	2515	1689	764
Mean Population, 1891–1900. Females	—	45,502	753	706	767	757	782	3765	3989	4085	4240	4425	7430	5722	4644	3521	2471	1210
Deaths from All Causes, 1891–1900. Persons	16·60	13,256	2172	605	194	128	83	3182	238	185	304	380	796	794	964	1455	2230	2728
Deaths from All Causes, 1891–1900. Males ..	18·51	6,361	1224	341	95	69	42	1771	102	88	133	181	401	410	485	677	1023	1090
Deaths from All Causes, 1891–1900. Females	15·15	6,895	948	264	99	59	41	1411	136	97	171	199	395	384	479	778	1207	1638

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·23	0·26	0·20	182	91	91	53	68	23	13	7	164	16	—	1	—	1	—	—	—	—	—
Scarlet Fever	0·04	0·04	0·04	33	13	20	2	6	5	3	2	18	10	1	2	1	1	—	—	—	—	—
Diphtheria	0·06	0·07	0·06	50	23	27	1	4	7	7	8	27	11	5	1	1	1	—	1	2	1	—
Whooping-cough ..	0·27	0·30	0·24	214	104	110	115	61	22	8	3	209	4	1	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·15	0·19	0·12	120	67	53	—	1	—	1	3	5	7	12	26	18	28	15	1	2	6	—
Simple Continued Fever	0·01	0·01	0·00	5	3	2	1	—	—	—	—	1	—	2	—	—	—	—	—	1	1	—
Diarrhœa & Dysentery	0·27	0·33	0·22	214	112	102	153	16	1	3	—	173	1	—	—	1	3	—	2	5	14	15
Cholera	0·01	0·02	0·00	8	6	2	6	—	—	—	—	6	—	—	—	—	—	—	—	2	—	—
Cancer	0·99	0·76	1·17	793	262	531	—	1	1	—	—	2	1	—	1	3	17	47	132	211	243	136
Tabes Mesenterica ..	0·11	0·12	0·11	90	42	48	36	10	1	1	2	50	6	6	7	9	5	5	2	—	—	—
Phthisis	1·65	1·91	1·45	1316	656	660	11	7	7	2	2	29	16	37	113	182	384	253	157	99	33	13
Other Tub. & Scrof. Dis.	0·32	0·41	0·25	255	141	114	42	40	17	9	6	114	39	26	20	19	10	14	7	4	1	1
Diseases of Nervous System ..	2·00	2·18	1·86	1594	749	845	266	61	17	17	9	370	10	15	16	18	33	60	101	206	368	397
Diseases of Circulatory „ ..	1·99	2·19	1·83	1588	754	834	8	—	1	2	1	12	10	9	17	18	49	103	151	292	497	430
Diseases of Respiratory „ ..	2·77	3·13	2·49	2209	1074	1135	440	225	59	41	19	784	35	14	21	18	45	62	95	225	385	525
Diseases of Digestive „ ..	1·19	1·35	1·07	948	463	485	266	58	13	9	3	349	22	12	17	12	33	55	86	100	145	117
Diseases of Urinary „ ..	0·54	0·78	0·36	431	268	163	4	4	1	1	—	10	4	4	8	6	24	25	52	85	125	88
Diseases of Generative „ ..	0·04	0·01	0·07	34	2	32	1	—	—	—	—	1	—	—	1	2	5	4	8	5	5	3
Puerperal Fever ..	0·04	—	0·07	33	—	33	—	—	—	—	—	—	—	—	—	8	19	5	1	—	—	—
Childbirth	0·06	—	0·11	50	—	50	—	—	—	—	—	—	—	—	2	3	27	17	1	—	—	—
Violence	0·59	0·91	0·35	472	311	161	44	13	11	5	10	83	21	16	21	27	39	52	64	54	57	38
OTHER CAUSES ..	3·27	3·54	3·08	2617	1220	1397	723	30	8	6	8	775	25	25	30	34	72	77	103	162	349	965

Marriages 5,563

Births .. { Males .. 8,899 / Females 8,496 } 17,395

Annual Rate per 1000 living { Persons Married .. 13·93 / Births .. .. .. 21·78

Annual Births to 1000 Females aged 15—45 years = 80.

Deaths from Childbirth and Puerperal Fever .. .. } 4·77 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

274.—TOTNES.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		13·83	*112	—	—	—	—	38·83	2·75	2·26	3·77	4·10	5·64	7·78	11·68	23·73	53·89	140·08
Annual Death-Rate per 1000. Males	—					14·31	*122	—	—	—	—	43·25	2·55	2·06	3·23	4·13	5·60	8·28	11·81	26·37	57·60	144·13
Annual Death-Rate per 1000. Females	—					13·39	*101	—	—	—	—	34·52	2·96	2·45	4·32	4·08	5·67	7·36	11·57	21·59	51·01	137·16
Mean Population, 1891–1900. Persons	—			40,874			911	842	874	872	907	4406	4468	4345	4106	3609	5782	4627	3759	2815	1939	1018
Mean Population, 1891–1900. Males	—			19,210			454	401	433	448	442	2178	2235	2186	2044	1622	2587	2126	1694	1263	849	426
Mean Population, 1891–1900. Females	—			21,664			457	441	441	424	465	2228	2233	2159	2062	1987	3195	2501	2065	1552	1090	592
Deaths from All Causes, 1891–1900. Persons	15·90			6,499			1167	326	100	67	51	1711	123	98	155	148	326	360	439	668	1045	1426
Deaths from All Causes, 1891–1900. Males	16·31			3,134			650	184	52	34	22	942	57	45	66	67	145	176	200	333	489	614
Deaths from All Causes, 1891–1900. Females	15·53			3,365			517	142	48	33	29	769	66	53	89	81	181	184	239	335	556	812
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	—	0·00	1	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Measles	0·24	0·24	0·24	98	47	51	26	37	14	5	3	85	8	3	1	—	—	—	—	—	1	—
Scarlet Fever	0·04	0·03	0·06	18	6	12	—	4	1	4	3	12	6	—	—	—	—	—	—	—	—	—
Diphtheria	0·10	0·11	0·08	40	22	18	3	3	4	7	6	23	13	1	—	—	3	—	—	—	—	—
Whooping-cough	0·22	0·24	0·19	89	47	42	50	18	9	9	2	88	1	—	—	—	—	—	—	—	—	—
Typhus	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Enteric Fever	0·16	0·14	0·18	66	26	40	—	—	—	—	2	2	5	13	9	16	7	8	4	2	—	—
Simple Continued Fever	0·01	0·02	0·01	5	3	2	1	1	—	—	1	3	1	—	—	—	—	1	—	—	—	—
Diarrhœa & Dysentery	0·36	0·39	0·33	146	75	71	87	23	—	—	1	111	1	2	—	—	—	2	2	1	7	20
Cholera	0·00	—	0·00	1	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	0·74	0·61	0·86	304	117	187	1	1	—	1	—	3	—	1	3	1	5	20	56	98	71	46
Tabes Mesenterica	0·12	0·14	0·12	51	26	25	22	6	3	2	2	35	3	5	3	—	—	1	3	1	—	—
Phthisis	1·15	1·04	1·24	469	200	269	7	6	3	—	—	16	9	11	61	50	123	85	54	42	16	2
Other Tub. & Scrof. Dis.	0·24	0·27	0·21	97	51	46	15	16	8	5	6	50	13	9	6	5	2	2	1	7	1	1
Diseases of Nervous System	2·28	2·36	2·20	931	454	477	173	33	19	12	3	240	21	9	9	15	31	59	66	102	197	182
Diseases of Circulatory "	1·91	1·83	1·98	780	351	429	7	2	—	—	—	9	4	12	13	14	27	33	88	155	249	176
Diseases of Respiratory "	2·61	2·93	2·34	1068	562	506	259	128	32	12	14	445	17	7	5	5	18	37	48	80	194	212
Diseases of Digestive "	0·91	0·95	0·88	373	182	191	108	21	1	1	—	131	4	4	7	9	16	19	35	53	61	34
Diseases of Urinary "	0·45	0·60	0·32	185	115	70	1	2	—	3	2	8	1	4	1	4	11	17	21	39	55	24
Diseases of Generative "	0·05	0·01	0·08	19	2	17	1	—	—	—	—	1	—	—	—	1	2	4	3	5	2	1
Puerperal Fever	0·07	—	0·14	30	—	30	—	—	—	—	—	—	—	—	—	6	14	10	—	—	—	—
Childbirth	0·07	—	0·13	28	—	28	—	—	—	—	—	—	—	—	—	4	11	12	1	—	—	—
Violence	0·59	0·98	0·25	243	188	55	30	5	3	4	2	44	8	8	24	10	32	26	22	31	20	18
Other Causes	3·58	3·41	3·69	1456	659	797	374	20	3	2	4	403	8	8	13	8	24	24	35	52	171	710

Marriages 2,734

Births .. { Males .. 5,321 / Females 5,113 } 10,434

Annual Rate per 1000 living { Persons Married .. 13·38 / Births .. .. .. 25·53 }

Annual Births to 1000 Females aged 15—45 years=107.

Deaths from Childbirth and Puerperal Fever .. .. } 5·56 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

275.—KINGSBRIDGE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 13·61	*109	—	—	—	—	35·31	2·61	2·57	4·13	5·57	5·85	8·07	12·29	22·04	52·20	140·73
Males ..	—	15·15	*128	—	—	—	—	42·06	2·38	2·75	3·98	6·89	7·19	9·79	13·61	24·53	59·28	150·23
Females	—	12·16	* 90	—	—	—	—	28·92	2·84	2·38	4·28	4·56	4·79	6·63	11·16	19·85	46·09	133·99
Mean Population, 1891–1900. Persons	—	16,997	371	351	379	376	361	1838	1918	1868	1623	1238	2205	1934	1635	1266	954	518
Males ..	—	8,004	180	174	184	182	174	894	967	944	805	537	974	878	757	591	442	215
Females	—	8,993	191	177	195	194	187	944	951	924	818	701	1231	1056	878	675	512	303
Deaths from All Causes, 1891–1900. Persons	16·91	2,875	461	107	39	26	16	649	50	48	67	69	129	156	201	279	498	729
Males ..	18·53	1,483	276	54	25	16	5	376	23	26	32	37	70	86	103	145	262	323
Females	15·48	1,392	185	53	14	10	11	273	27	22	35	32	59	70	98	134	236	406

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·21	0·29	0·14	36	23	13	4	13	5	5	—	27	5	—	1	—	1	2	—	—	—
Scarlet Fever	0·09	0·07	0·11	16	6	10	1	1	1	3	3	9	4	—	1	—	2	—	—	—	—
Diphtheria	0·08	0·11	0·04	13	9	4	3	—	3	2	1	9	4	—	—	—	—	—	—	—	—
Whooping-cough ..	0·28	0·35	0·22	48	28	20	22	16	4	1	3	46	2	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·11	0·14	0·08	18	11	7	—	1	—	—	—	1	1	3	4	2	2	3	2	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·27	0·26	0·28	46	21	25	31	5	—	—	—	36	—	—	—	—	1	2	—	1	4	2
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·89	0·81	0·97	152	65	87	—	—	—	—	—	—	—	—	—	—	1	8	25	36	50	32
Tabes Mesenterica ..	0·13	0·16	0·10	22	13	9	9	5	2	—	1	17	—	—	1	1	2	1	—	—	—	—
Phthisis	1·31	1·42	1·21	223	114	109	1	—	—	1	—	2	3	13	21	37	52	37	34	20	3	1
Other Tub. & Scrof. Dis.	0·34	0·35	0·33	58	28	30	13	2	3	2	2	22	9	5	9	4	3	1	3	2	—	—
Diseases of Nervous System ..	2·19	2·25	2·15	373	180	193	65	6	4	3	1	79	5	6	7	3	6	13	32	40	94	88
Circulatory " ..	2·06	2·11	2·01	350	169	181	6	—	—	—	—	6	1	—	4	3	10	14	30	57	114	111
Respiratory " ..	2·84	3·31	2·42	483	265	218	84	37	11	6	4	142	7	1	4	3	5	19	18	54	103	127
Digestive " ..	0·95	1·06	0·86	162	85	77	59	9	2	1	1	72	—	1	5	1	5	11	9	22	24	12
Urinary " ..	0·47	0·57	0·38	80	46	34	1	—	—	—	—	1	1	—	1	3	4	5	14	12	23	16
Generative " ..	0·01	—	0·01	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Puerperal Fever ..	0·01	—	0·02	2	—	2	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
Childbirth	0·05	—	0·09	8	—	8	—	—	—	—	—	—	—	—	—	1	2	5	—	—	—	—
Violence	0·72	1·12	0·36	122	90	32	9	1	2	1	—	13	2	8	5	3	17	20	19	12	15	8
Other Causes ..	3·90	4·15	3·70	662	330	332	153	11	2	1	—	167	6	11	4	7	15	14	15	23	68	332

Marriages 1,027

Births .. { Males .. 2,155 / Females 2,062 } 4,217

Annual Rate per 1000 living { Persons Married .. 12·08 / Births .. .. .. 24·81 }

Annual Births to 1000 Females aged 15—45 years=111.

Deaths from Childbirth and Puerperal Fever .. .. } 2·37 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

276.—PLYMPTON ST. MARY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·56			*123	—	—	—	—	39·57	2·69	2·12	2·90	4·00	5·47	7·30	12·31	19·95	52·63	144·33
Annual Death-Rate per 1000. Males	—			13·93			*132	—	—	—	—	42·76	2·26	2·21	2·40	3·94	5·29	8·37	13·89	21·61	53·43	148·29
Annual Death-Rate per 1000. Females	—			13·21			*114	—	—	—	—	36·41	3·14	2·03	3·41	4·07	5·63	6·37	10·97	18·46	51·94	141·25
Mean Population, 1891–1900. Persons	—			27,109			593	592	608	609	595	2997	3006	2874	2761	2447	3929	3097	2356	1845	1197	600
Mean Population, 1891–1900. Males	—			13,074			290	298	307	308	289	1492	1507	1446	1414	1218	1796	1434	1080	870	554	263
Mean Population, 1891–1900. Females	—			14,035			303	294	301	301	306	1505	1499	1428	1347	1229	2133	1663	1276	975	643	337
Deaths from All Causes, 1891–1900. Persons	15·13			4,101			794	228	79	54	31	1186	81	61	80	98	215	226	290	368	630	866
Deaths from All Causes, 1891–1900. Males	15·49			2,025			435	122	42	24	15	638	34	32	34	48	95	120	150	188	296	390
Deaths from All Causes, 1891–1900. Females	14·79			2,076			359	106	37	30	16	548	47	29	46	50	120	106	140	180	334	476
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·35	0·46	0·25	95	60	35	23	45	8	7	4	87	6	1	1	—	—	—	—	—	—	—
Scarlet Fever	0·13	0·11	0·14	35	15	20	2	6	11	3	2	24	6	1	—	—	3	1	—	—	—	—
Diphtheria	0·10	0·11	0·09	27	14	13	1	2	3	5	4	15	7	3	2	—	—	—	—	—	—	—
Whooping-cough	0·29	0·32	0·26	78	42	36	38	24	7	5	2	76	2	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·10	0·11	0·09	27	14	13	—	—	—	1	—	1	4	3	9	2	2	2	3	1	—	—
Simple Continued Fever	0·01	—	0·01	2	—	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—
Diarrhœa & Dysentery	0·57	0·59	0·55	154	77	77	119	8	2	—	—	129	—	—	—	1	1	—	2	3	4	14
Cholera	0·02	0·03	0·01	6	4	2	5	—	—	—	—	5	1	—	—	—	—	—	—	—	—	—
Cancer	0·78	0·57	0·98	211	74	137	—	1	1	—	—	2	—	1	1	—	4	18	37	61	55	32
Tabes Mesenterica	0·17	0·16	0·19	47	21	26	28	4	—	3	—	35	3	1	5	1	1	—	—	—	1	—
Phthisis	1·11	1·09	1·13	300	142	158	5	1	3	4	2	15	3	13	22	37	84	51	40	19	13	3
Other Tub. & Scrof. Dis.	0·23	0·29	0·18	63	38	25	19	8	1	2	7	37	3	7	1	3	4	2	4	2	—	—
Diseases of Nervous System	1·90	1·95	1·85	514	255	259	90	19	8	6	4	127	12	6	7	11	8	15	34	58	114	122
Diseases of Circulatory "	1·74	1·71	1·77	472	224	248	3	—	—	—	—	3	1	3	9	7	12	35	46	72	160	124
Diseases of Respiratory	2·87	2·94	2·80	778	385	393	155	79	21	14	3	272	11	5	9	5	23	24	47	67	131	184
Diseases of Digestive "	0·82	0·76	0·87	221	99	122	59	13	7	—	—	79	3	3	5	3	2	16	21	17	37	35
Diseases of Urinary "	0·33	0·50	0·18	90	65	25	—	—	—	—	—	—	2	1	—	—	11	4	13	14	20	25
Diseases of Generative "	0·04	—	0·08	11	—	11	—	—	—	—	—	—	—	—	—	—	4	1	1	—	2	3
Puerperal Fever	0·07	—	0·14	20	—	20	—	—	—	—	—	—	—	—	—	2	13	5	—	—	—	—
Childbirth	0·04	—	0·07	10	—	10	—	—	—	—	—	—	—	—	—	2	5	3	—	—	—	—
Violence	0·58	0·89	0·29	156	116	40	21	6	3	1	1	32	8	8	3	12	21	25	14	16	4	13
OTHER CAUSES	2·88	2·90	2·86	784	380	404	226	12	4	3	2	247	9	5	6	11	17	24	28	38	88	311

Marriages 1,352

Births .. { Males .. 3,292 / Females 3,155 } 6,447

Annual Rate per 1000 living { Persons Married .. 9·97 / Births .. .. .. 23·78

Annual Births to 1000 Females aged 15—45 years=101.

Deaths from Childbirth and Puerperal Fever .. .. } 4·65 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

277.—PLYMOUTH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 19·49	*174	—	—	—	—	69·49	3·68	2·74	4·32	4·35	7·41	10·20	16·72	30·92	61·57	146·01
Annual Death-Rate per 1000. Males	—	20·76	*192	—	—	—	—	75·75	3·85	2·96	4·02	4·32	7·50	11·61	18·72	34·19	68·12	151·52
Annual Death-Rate per 1000. Females	—	18·29	*156	—	—	—	—	63·23	3·52	2·52	4·60	4·37	7·34	8·98	15·05	28·34	56·99	142·74
Mean Population, 1891–1900. Persons	—	93,855	2175	2002	2019	1988	1902	10086	9480	8956	9300	9428	15350	11246	8429	6064	3838	1678
Mean Population, 1891–1900. Males	—	43,990	1082	999	1026	984	956	5047	4648	4425	4522	4305	7130	5212	3825	2673	1578	625
Mean Population, 1891–1900. Females	—	49,865	1093	1003	993	1004	946	5039	4832	4531	4778	5123	8220	6034	4604	3391	2260	1053
Deaths from All Causes, 1891–1900. Persons	20·03	18,797	4679	1391	475	288	176	7009	349	245	402	410	1138	1147	1409	1875	2363	2450
Deaths from All Causes, 1891–1900. Males	21·13	9,293	2608	736	240	142	97	3823	179	131	182	186	535	605	716	914	1075	947
Deaths from All Causes, 1891–1900. Females	19·06	9,504	2071	655	235	146	79	3186	170	114	220	224	603	542	693	961	1288	1503

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·01	0·01	9	6	3	1	2	—	1	1	5	—	—	—	2	1	1	—	—	—	—
Measles	0·57	0·69	0·46	532	304	228	123	227	80	52	24	506	25	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·12	0·13	0·11	114	58	56	13	18	21	15	11	78	24	6	3	1	1	—	1	—	—	—
Diphtheria	0·12	0·13	0·11	114	57	57	7	11	24	26	12	80	22	3	1	2	4	—	2	—	—	—
Whooping-cough	0·42	0·40	0·44	392	175	217	179	121	49	22	14	385	6	—	—	—	—	—	—	—	1	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·11	0·10	0·11	103	46	57	—	2	3	1	1	7	4	13	18	16	20	13	3	6	3	—
Simple Continued Fever	0·02	0·02	0·02	16	8	8	5	3	1	—	—	9	2	—	—	1	1	1	—	2	—	—
Diarrhœa & Dysentery	0·76	0·83	0·69	712	367	345	567	56	7	—	1	631	3	—	2	—	3	7	13	11	18	24
Cholera	0·08	0·10	0·07	79	43	36	67	8	—	—	—	75	—	—	—	—	3	—	—	—	1	—
Cancer	0·97	0·70	1·22	913	307	606	—	1	—	1	—	2	2	1	7	4	31	84	178	256	236	112
Tabes Mesenterica	0·28	0·31	0·25	259	136	123	168	32	8	—	3	211	6	10	10	8	5	1	5	3	—	—
Phthisis	1·64	1·73	1·56	1538	760	778	45	32	11	11	10	109	26	35	127	166	450	280	192	107	39	7
Other Tub. & Scrof Dis.	0·43	0·52	0·36	408	230	178	125	42	29	20	11	227	44	34	31	12	24	18	9	8	1	—
Diseases of: Nervous System	2·36	2·57	2·18	2219	1133	1086	579	120	38	27	15	779	35	28	33	11	57	104	155	271	399	347
Diseases of: Circulatory	2·01	2·03	2·00	1887	892	995	18	4	2	—	2	26	18	29	39	35	99	141	251	397	516	336
Diseases of: Respiratory	3·74	4·05	3·46	3505	1780	1725	900	504	136	70	41	1651	48	10	24	29	100	122	198	359	472	492
Diseases of: Digestive	1·46	1·56	1·38	1373	684	689	566	97	12	12	10	697	19	7	18	24	66	93	103	128	132	86
Diseases of: Urinary	0·47	0·66	0·31	444	290	154	12	8	1	3	1	25	3	5	9	11	41	51	74	83	89	53
Diseases of: Generative	0·08	0·00	0·16	79	1	78	—	—	—	—	—	—	—	—	2	2	13	25	17	10	7	3
Puerperal Fever	0·06	—	0·10	52	—	52	—	—	—	—	—	—	—	—	3	14	26	9	—	—	—	—
Childbirth	0·07	—	0·12	62	—	62	—	—	—	—	—	—	—	—	3	10	34	14	1	—	—	—
Violence	0·57	0·85	0·32	534	373	161	57	8	23	14	11	113	25	30	27	28	59	58	64	51	45	34
OTHER CAUSES	3·68	3·74	3·62	3453	1643	1810	1247	95	30	13	8	1393	37	33	45	34	100	125	143	183	404	956

Marriages 9,389

Births .. { Males .. 13,608 / Females 13,312 } 26,920

Annual Rate per 1000 living { Persons Married .. 20·01 / Births .. .. .. 28·68

Annual Births to 1000 Females aged 15—45 years=111.

Deaths from Childbirth and Puerperal Fever .. .. } 4·23 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

278.—EAST STONEHOUSE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 23·43			*186	—	—	—	—	72·73	3·18	2·73	16·31	10·95	11·59	14·53	20·48	36·72	65·52	156·72
Annual Death-Rate per 1000. Males	—			In Standard Population. 28·72			*198	—	—	—	—	80·00	3·17	2·48	25·61	15·07	16·13	21·56	26·86	44·70	78·50	171·83
Annual Death-Rate per 1000. Females	—			In Standard Population. 18·47			*172	—	—	—	—	65·71	3·19	2·98	3·52	5·30	6·96	7·83	14·64	29·84	55·67	148·46
Mean Population, 1891–1900. Persons	—			15,270			418	371	363	349	340	1841	1667	1357	1484	1608	2641	1845	1294	836	496	201
Mean Population, 1891–1900. Males	—			7,753			209	190	169	165	172	905	851	686	859	929	1333	900	618	387	214	71
Mean Population, 1891–1900. Females	—			7,517			209	181	194	184	168	936	816	671	625	679	1308	945	676	449	282	130
Deaths from All Causes, 1891–1900. Persons	23·79			3,633			903	257	78	58	43	1339	53	37	242	176	306	268	265	307	325	315
Deaths from All Causes, 1891–1900. Males	27·94			2,166			500	132	44	28	20	724	27	17	220	140	215	194	166	173	168	122
Deaths from All Causes, 1891–1900. Females	19·52			1,467			403	125	34	30	23	615	26	20	22	36	91	74	99	134	157	193
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·87	0·88	0·86	133	68	65	23	63	19	15	6	126	2	—	3	1	1	—	—	—	—	—
Scarlet Fever	0·20	0·21	0·19	30	16	14	—	1	5	3	3	12	4	1	9	3	1	—	—	—	—	—
Diphtheria	0·08	0·13	0·03	12	10	2	—	—	—	2	—	2	3	—	3	2	—	2	—	—	—	—
Whooping-cough	0·46	0·44	0·48	70	34	36	32	21	7	4	3	67	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·48	0·90	0·05	74	70	4	1	—	—	—	1	2	3	2	27	16	13	9	—	1	1	—
Simple Continued Fever	0·01	—	0·01	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·90	0·88	0·92	137	68	69	109	13	2	—	—	124	1	1	—	—	—	3	2	3	2	1
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·69	0·49	0·89	105	38	67	—	—	—	—	—	—	1	1	—	1	3	16	20	33	24	6
Tabes Mesenterica	0·21	0·19	0·23	32	15	17	20	4	2	1	1	28	—	1	1	—	2	—	—	—	—	—
Phthisis	2·63	3·53	1·69	401	274	127	2	2	—	—	1	5	7	7	49	64	122	75	48	14	8	2
Other Tub. & Scrof. Dis.	0·36	0·44	0·28	55	34	21	15	7	4	2	3	31	3	1	13	1	4	1	—	—	1	—
Diseases of: Nervous System	2·74	3·46	2·01	419	268	151	139	27	5	6	8	185	3	4	24	9	19	17	23	46	54	35
Diseases of: Circulatory	1·74	2·09	1·37	265	162	103	4	1	2	—	—	7	2	5	9	8	30	33	42	58	47	24
Diseases of: Respiratory	4·82	6·01	3·59	736	466	270	170	85	24	17	13	309	9	3	64	25	44	34	45	79	75	49
Diseases of: Digestive	1·49	1·38	1·60	227	107	120	85	17	3	2	2	109	1	3	4	9	12	21	25	23	13	7
Diseases of: Urinary	0·56	0·94	0·17	86	73	13	3	—	—	1	—	4	—	1	6	2	12	14	19	10	11	7
Diseases of: Generative	0·01	—	0·03	2	—	2	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—
Puerperal Fever	0·08	—	0·16	12	—	12	—	—	—	—	—	—	—	—	—	3	8	1	—	—	—	—
Childbirth	0·04	—	0·08	6	—	6	—	—	—	—	—	—	—	—	1	2	1	2	—	—	—	—
Violence	0·70	1·04	0·35	107	81	26	19	3	3	3	1	29	5	3	2	6	14	8	18	11	6	5
Other Causes	4·72	4·93	4·53	723	382	341	281	13	2	2	1	299	5	4	27	24	19	32	22	29	83	179

Marriages 1,546

Births .. { Males .. 2,519 / Females 2,343 } 4,862

Annual Rate per 1000 living { Persons Married .. 20·25 / Births .. .. .. 31·84 }

Annual Births to 1000 Females aged 15—45 years=137.

Deaths from Childbirth and Puerperal Fever .. .. } 3·70 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

279.—DEVONPORT.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 17·59			*146	—	—	—	—	56·42	3·88	2·48	3·02	4·46	6 40	10·14	16·19	31·88	60·72	142 80
Annual Death-Rate per 1000. Males ..	—			18·51			*157	—	—	—	—	61·06	4·06	2·36	2·62	4·15	6·43	10·39	18·60	34·25	66·13	161·34
Annual Death-Rate per 1000. Females	-			16·74			*134	—	—	—	—	51·69	3·71	2·59	3·80	4·95	6·36	9·89	14·01	29·86	56·79	131·52
Mean Population, 1891-1900. Persons	—			60,192			1389	1286	1244	1248	1207	6374	5771	5161	7210	7128	10534	6727	4867	3391	2085	944
Mean Population, 1891-1900. Males ..	—			31,732			712	638	611	613	639	3213	2884	2498	4736	4383	5615	3301	2312	1556	877	357
Mean Population, 1891-1900. Females	—			28,460			677	648	633	635	568	3161	2887	2663	2474	2745	4919	3426	2555	1835	1208	587
Deaths from All Causes, 1891-1900. Persons	17·15			10,323			2378	684	234	180	120	3596	224	128	218	318	674	682	788	1081	1266	1348
Deaths from All Causes, 1891-1900. Males ..	16·60			5,267			1302	373	135	87	65	1962	117	59	124	182	361	343	430	533	580	576
Deaths from All Causes, 1891-1900. Females	17·77			5,056			1076	311	99	93	55	1634	107	69	94	136	313	339	358	548	686	772
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·35	0·36	0·34	209	113	96	57	78	34	21	12	202	6	—	—	—	—	—	1	—	—	—
Scarlet Fever	0·08	0·08	0·07	46	25	21	2	5	4	6	8	25	12	3	5	—	1	—	—	—	—	—
Diphtheria	0·14	0·14	0·15	85	43	42	5	16	8	16	15	60	16	4	2	—	2	—	1	—	—	—
Whooping-cough ..	0 31	0·28	0·35	188	89	99	91	60	10	16	4	181	6	1	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·15	0·15	0·15	89	47	42	—	—	1	—	2	3	7	6	18	18	21	6	6	1	2	1
Simple Continued Fever	0 00	—	0·01	2	—	2	—	—	—	—	1	1	—	—	—	—	—	—	—	1	—	—
Diarrhœa & Dysentery	0·42	0·41	0·43	251	130	121	188	17	3	—	—	208	4	—	—	—	3	1	4	7	11	13
Cholera	0·01	0·01	0·01	6	4	2	2	2	—	—	—	4	—	—	—	1	—	—	1	—	—	—
Cancer	0·83	0·62	1·06	497	196	301	—	—	1	—	—	1	—	2	—	1	10	59	98	158	124	44
Tabes Mesenterica ..	0·22	0·23	0·20	131	73	58	86	19	4	4	2	115	4	2	2	4	—	2	1	1	—	—
Phthisis	1·43	1·36	1·51	861	431	430	11	19	7	8	7	52	18	19	60	119	235	178	102	64	11	3
Other Tub. & Scrof. Dis.	0·52	0·49	0·55	315	155	160	101	43	26	15	16	201	39	17	13	12	12	11	5	5	—	—
Diseases of Nervous System ..	2·12	2·08	2·16	1275	661	614	288	70	27	20	14	419	27	12	18	19	34	58	88	161	258	181
Diseases of Circulatory „ ..	1·54	1·43	1·67	929	455	474	7	1	2	2	—	12	7	16	24	19	64	70	126	232	236	123
Diseases of Respiratory „ ..	3·39	3·49	3·29	2044	1107	937	501	263	83	50	28	925	30	10	21	34	62	93	139	208	303	219
Diseases of Digestive „ ..	1·17	1·10	1·25	705	350	355	263	43	5	8	4	323	13	11	8	19	32	40	65	81	71	42
Diseases of Urinary „ ..	0·38	0·51	0·24	230	161	69	1	—	4	2	—	7	1	2	2	6	24	30	34	40	41	43
Diseases of Generative „ ..	0·04	0·01	0·08	26	2	24	1	1	—	—	—	2	—	1	1	4	2	6	4	5	—	1
Puerperal Fever ..	0·05	—	0·12	33	—	33	—	—	—	—	—	—	—	—	1	5	20	7	—	—	—	—
Childbirth	0·09	—	0·19	54	—	54	—	—	—	—	—	—	—	—	—	9	32	12	1	—	—	—
Violence	0·53	0·78	0·26	321	246	75	30	6	3	5	5	49	19	12	24	21	66	35	36	27	25	7
Other Causes ..	3·38	3·07	3·67	2026	979	1047	744	41	12	7	2	806	15	10	19	27	54	74	76	90	184	671

Marriages 6,323

Births .. { Males .. 8,304 / Females 8,016 } 16,320

Annual Rate per 1000 living { Persons Married .. 21·01 / Births .. .. .. 27·11 }

Annual Births to 1000 Females aged 15—45 years=120.

Deaths from Childbirth and Puerperal Fever .. .. } 5·33 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

280.—TAVISTOCK.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 14·34			*116	—	—	—	—	39·72	2·92	2·60	3·90	5·09	6·53	7·98	11·55	24·80	56·84	137·91
Annual Death-Rate per 1000. Males	—			15·18			*129	—	—	—	—	43·66	2·90	2·69	3·86	4·75	6·66	9·10	13·46	28·67	61·89	137·55
Annual Death-Rate per 1000. Females	—			13·55			*103	—	—	—	—	35·73	2·94	2·50	3·95	5·39	6·40	6·93	9·76	21·09	52·28	138·20
Mean Population, 1891–1900. Persons	—			27,019			571	568	557	591	593	2880	2983	2925	2689	2160	3754	3096	2502	2016	1381	633
Mean Population, 1891–1900. Males	—			13,249			290	286	279	297	298	1450	1519	1485	1373	1010	1786	1495	1211	987	656	277
Mean Population, 1891–1900. Females	—			13,770			281	282	278	294	295	1430	1464	1440	1316	1150	1968	1601	1291	1029	725	356
Deaths from All Causes, 1891–1900. Persons	16·51			4,461			746	230	79	47	42	1144	87	76	105	110	245	247	289	500	785	873
Deaths from All Causes, 1891–1900. Males	17·41			2,306			422	130	33	24	24	633	44	40	53	48	119	136	163	283	406	381
Deaths from All Causes, 1891–1900. Females	15·65			2,155			324	100	46	23	18	511	43	36	52	62	126	111	126	217	379	492
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·17	0·14	0·19	45	19	26	10	13	7	4	2	36	3	5	—	—	1	—	—	—	—	—
Scarlet Fever	0·08	0·08	0·09	22	10	12	3	5	4	1	1	14	5	—	1	1	1	—	—	—	—	—
Diphtheria	0·16	0·16	0·17	44	21	23	1	4	4	5	7	21	14	7	2	—	—	—	—	—	—	—
Whooping-cough	0·33	0·33	0·33	89	44	45	36	32	10	3	5	86	2	1	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·05	0·05	0·05	13	6	7	—	—	—	—	—	—	—	1	3	3	1	2	2	1	—	—
Simple Continued Fever	0·00	—	0·01	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Diarrhœa & Dysentery	0·26	0·29	0·22	69	39	30	47	4	—	1	—	52	—	—	1	—	—	1	1	1	4	9
Cholera	0·01	0·02	0·01	3	2	1	1	—	—	—	—	1	—	—	—	—	—	—	—	2	—	—
Cancer	0·83	0·67	0·99	225	89	136	—	—	—	—	—	—	2	1	—	—	2	17	40	73	57	33
Tabes Mesenterica	0·09	0·06	0·12	25	8	17	10	5	—	1	—	16	2	1	1	2	2	1	—	—	—	—
Phthisis	1·30	1·40	1·21	352	185	167	3	3	1	—	—	7	4	6	43	48	93	49	41	42	16	3
Other Tub. & Scrof. Dis.	0·42	0·49	0·35	113	65	48	30	22	7	—	4	63	10	11	6	5	8	2	4	4	—	—
Diseases of: Nervous System	1·81	1·96	1·66	489	260	229	103	19	6	5	1	134	8	7	4	5	11	30	32	49	111	98
Diseases of: Circulatory „	2·01	2·08	1·95	544	275	269	1	—	—	2	—	3	3	6	7	5	21	35	46	136	168	114
Diseases of: Respiratory „	3·16	3·56	2·71	845	472	373	167	68	24	18	11	288	12	1	3	8	16	35	45	93	192	152
Diseases of: Digestive „	0·91	1·04	0·79	247	138	109	72	13	2	5	6	98	4	10	7	2	7	14	17	29	45	14
Diseases of: Urinary „	0·46	0·60	0·31	123	80	43	2	—	—	—	—	2	1	1	6	1	5	11	11	15	36	34
Diseases of: Generative „	0·04	—	0·07	10	—	10	1	—	—	—	—	1	—	—	—	1	1	—	2	2	2	1
Puerperal Fever	0·07	—	0·14	19	—	19	—	—	—	—	—	—	—	—	—	6	8	5	—	—	—	—
Childbirth	0·10	—	0·19	26	—	26	—	—	—	—	—	—	—	—	—	—	15	11	—	—	—	—
Violence	0·57	0·91	0·25	155	121	34	18	7	5	1	3	34	13	9	8	11	19	11	16	14	14	6
OTHER CAUSES	3·68	3·57	3·84	1002	472	530	241	35	9	1	2	288	4	9	13	12	34	23	32	39	139	409

Marriages 1,702

Births .. { Males .. 3,273 / Females 3,159 } 6,432

Annual Rate per 1000 living { Persons Married .. 12·60 / Births .. .. .. 23·81

Annual Births to 1000 Females aged 15—45 years=107.

Deaths from Childbirth and Puerperal Fever .. .. } 7·00 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

281.—OKEHAMPTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 13·11	* 97	—	—	—	—	34·39	3·12	2·26	4·11	4·11	5·11	6·90	9·93	21·99	55·27	149·33
Annual Death-Rate per 1000. Males	—	13·40	*120	—	—	—	—	42·25	2·60	2·01	2·77	4·51	4·13	6·67	9·70	21·24	56·22	157·21
Annual Death-Rate per 1000. Females	—	12·84	* 72	—	—	—	—	26·82	3·61	2·51	5·64	3·76	6·00	7·12	10·15	22·70	54·34	142·50
Mean Population, 1891–1900. Persons	—	16,071	352	331	360	348	368	1759	1797	1771	1556	1291	2151	1811	1440	1164	883	448
Mean Population, 1891–1900. Males	—	7,857	181	161	175	175	172	864	883	896	829	599	1018	870	691	565	434	208
Mean Population, 1891–1900. Females	—	8,214	171	170	185	173	196	895	914	875	727	692	1133	941	749	599	449	240
Deaths from All Causes, 1891–1900. Persons	16·23	2,609	387	118	46	28	26	605	56	40	64	53	110	125	143	256	488	669
Deaths from All Causes, 1891–1900. Males	16·72	1,314	243	69	26	13	14	365	23	18	23	27	42	58	67	120	244	327
Deaths from All Causes, 1891–1900. Females	15·77	1,295	144	49	20	15	12	240	33	22	41	26	68	67	76	136	244	342

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							Persons.															
Small-pox	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Measles	0·22	0·28	0·17	36	22	14	10	12	4	5	—	31	2	—	—	—	2	1	—	—	—	—
Scarlet Fever	0·08	0·10	0·06	13	8	5	—	1	3	4	2	10	2	—	—	—	1	—	—	—	—	—
Diphtheria	0·17	0·18	0·16	27	14	13	2	2	3	2	4	13	8	3	2	—	—	1	—	—	—	—
Whooping-cough	0·33	0·37	0·29	53	29	24	25	13	10	3	1	52	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·08	0·06	0·10	13	5	8	—	—	—	—	—	—	—	1	4	1	1	3	3	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·21	0·25	0·17	34	20	14	22	1	—	—	—	23	—	—	—	—	—	1	—	—	—	10
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·73	0·55	0·90	117	43	74	—	—	—	—	1	1	—	1	—	—	—	8	11	36	35	25
Tabes Mesenterica	0·06	0·09	0·04	10	7	3	1	—	1	—	1	3	—	1	1	—	2	3	—	—	—	—
Phthisis	1·19	1·11	1·27	191	87	104	7	6	—	—	—	13	3	7	21	29	31	31	20	18	17	1
Other Tub. & Scrof. Dis.	0·27	0·25	0·28	43	20	23	6	5	2	1	1	15	8	2	4	2	5	4	2	1	—	—
Diseases of Nervous System	1·97	2·08	1·86	316	163	153	52	14	6	2	—	74	9	1	7	7	5	7	12	34	74	86
Diseases of Circulatory "	2·13	1·87	2·39	343	147	196	1	1	—	—	1	3	1	3	2	—	5	17	27	64	130	91
Diseases of Respiratory "	2·88	3·17	2·61	463	249	214	89	37	7	6	9	148	13	1	2	1	11	12	19	36	90	130
Diseases of Digestive "	0·82	0·85	0·79	132	67	65	32	7	1	3	1	44	2	4	5	1	8	2	13	12	22	19
Diseases of Urinary "	0·56	0·78	0·35	90	61	29	2	—	—	—	1	3	1	1	1	1	6	1	8	14	28	26
Diseases of Generative "	0·03	0·03	0·04	5	2	3	—	—	—	—	—	—	—	—	—	—	1	—	—	1	2	1
Puerperal Fever	0·02	—	0·05	4	—	4	—	—	—	—	—	—	—	—	—	—	3	1	—	—	—	—
Childbirth	0·12	—	0·24	20	—	20	—	—	—	—	—	—	—	—	1	1	11	7	—	—	—	—
Violence	0·54	0·78	0·32	87	61	26	2	5	4	1	1	13	2	7	2	3	5	9	9	13	14	10
OTHER CAUSES	3·81	3·91	3·68	611	308	303	136	14	5	1	3	159	4	8	12	7	13	17	19	27	76	269

Marriages 1,007

Births .. { Males .. 2,020 / Females 1,990 } 4,010

Annual Rate per 1000 living { Persons Married .. 12·53 / Births .. .. .. 24·95

Annual Births to 1000 Females aged 15—45 years = 115.

Deaths from Childbirth and Puerperal Fever .. .. } 5·99 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

282.—CREDITON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·08			* 95	—	—	—	—	32·67	3·23	2·65	3·56	5·87	5·50	6·90	10·24	22·37	54·55	144·97
Annual Death-Rate per 1000. Males	—			13·10			*108	—	—	—	—	35·39	3·24	3·05	2·88	5·62	5·00	7·21	11·58	22·61	52·34	150·23
Annual Death-Rate per 1000. Females	—			13·06			* 81	—	—	—	—	29·90	3·22	2·25	4·32	6·09	5·94	6·61	9·01	22·15	56·68	140·40
Mean population, 1891–1900. Persons	—			16,400			370	361	378	388	404	1901	1949	1885	1518	1176	2055	1826	1485	1225	913	467
Mean population, 1891–1900. Males	—			8,035			174	176	210	185	213	958	987	950	800	552	960	888	708	566	449	217
Mean population, 1891–1900. Females	—			8,365			196	185	168	203	191	943	962	935	718	624	1095	938	777	659	464	250
Deaths from All Causes, 1891–1900. Persons	16·45			2,697			409	90	57	34	31	621	63	50	54	69	113	126	152	274	498	677
Deaths from All Causes, 1891–1900. Males	16·64			1,337			241	42	29	13	14	339	32	29	23	31	48	64	82	128	235	326
Deaths from All Causes, 1891–1900. Females	16·26			1,360			168	48	28	21	17	282	31	21	31	38	65	62	70	146	263	351
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·02	0·04	0·01	4	3	1	—	—	—	—	—	—	—	—	—	—	1	1	2	—	—	—
Measles	0·23	0·24	0·23	38	19	19	8	13	6	5	1	33	4	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·13	0·16	0·10	21	13	8	—	2	2	5	3	12	6	2	—	—	1	—	—	—	—	—
Diphtheria	0·16	0·19	0·14	27	15	12	1	—	2	5	3	11	12	1	3	—	—	—	—	—	—	—
Whooping-cough	0·23	0·17	0·27	37	14	23	18	5	11	1	—	35	2	—	—	—	—	—	—	—	—	—
Typhus	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Enteric Fever	0·07	0·09	0·05	11	7	4	—	—	—	—	—	—	—	6	1	—	2	2	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·32	0·29	0·36	53	23	30	30	4	—	—	1	35	1	—	—	1	—	—	1	—	5	10
Cholera	0·02	0·01	0·02	3	1	2	—	—	—	—	—	—	1	—	—	—	—	—	2	—	—	—
Cancer	0·85	0·68	1·02	140	55	85	1	—	—	—	—	1	—	1	1	—	2	4	15	37	50	29
Tabes Mesenterica	0·12	0·10	0·13	19	8	11	5	3	1	—	1	10	1	—	1	1	2	2	—	2	—	—
Phthisis	1·16	1·22	1·11	191	98	93	5	5	1	—	1	12	5	9	21	34	35	30	23	15	6	1
Other Tub. & Scrof. Dis.	0·30	0·35	0·25	49	28	21	14	2	2	1	2	21	7	4	6	2	3	3	1	—	2	—
Diseases of Nervous System	1·67	1·68	1·66	274	135	139	39	10	6	3	2	60	8	1	5	2	7	13	16	27	71	64
Diseases of Circulatory	2·41	2·17	2·65	396	174	222	3	—	—	1	1	5	—	4	2	2	10	12	18	78	142	123
Diseases of Respiratory	2·59	2·74	2·45	425	220	205	74	26	14	12	8	134	4	2	1	4	5	13	19	43	92	108
Diseases of Digestive	0·78	0·76	0·80	128	61	67	24	4	1	1	1	31	4	2	4	5	8	7	10	20	16	21
Diseases of Urinary	0·54	0·72	0·37	89	58	31	1	—	—	—	—	1	—	1	2	3	3	4	13	13	21	25
Diseases of Generative	0·05	—	0·11	9	—	9	—	—	—	—	—	—	—	—	—	—	2	1	3	3	—	—
Puerperal Fever	0·07	—	0·14	12	—	12	—	—	—	—	—	—	—	—	—	3	6	3	—	—	—	—
Childbirth	0·10	—	0·19	16	—	16	—	—	—	—	—	—	—	—	1	5	6	4	—	—	—	—
Violence	0·49	0·68	0·30	80	55	25	5	2	3	—	3	13	2	9	—	2	6	9	10	9	9	11
OTHER CAUSES	4·13	4·34	3·90	674	349	325	181	14	8	—	4	207	6	7	5	5	14	18	19	27	81	285

Marriages 965

Births .. { Males .. 2,240 / Females 2,067 } 4,307

Annual Rate per 1000 living { Persons Married .. 11·77 / Births .. .. .. 26·26

Annual Births to 1000 Females aged 15—45 years = 128.

Deaths from Childbirth and Puerperal Fever .. .. { 6·50 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

283.—TIVERTON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 14·15			*109	—	—	—	—	38·49	3·29	2·64	2·83	5·16	5·57	7·60	13·60	24·73	54·08	143·69
Males ..	—			14·95			*124	—	—	—	—	42·54	3·07	2·58	2·28	5·57	6·29	8·91	15·10	27·14	56·78	151·67
Females	—			13·39			* 93	—	—	—	—	34·34	3·51	2·71	3·42	4·86	5·00	6·50	12·34	22·72	51·75	137·25
Mean Population, 1891–1900. Persons	—			28,028			603	596	635	635	662	3131	3253	3179	2864	2188	3679	3104	2529	1929	1435	737
Males ..	—			13,388			310	308	315	322	327	1582	1659	1630	1491	933	1638	1426	1159	877	664	329
Females	—			14,640			293	288	320	313	335	1549	1594	1549	1373	1255	2041	1678	1370	1052	771	408
Deaths from All Causes, 1891–1900. Persons	16·72			4,687			788	224	90	66	37	1205	107	84	81	113	205	236	344	477	776	1059
Males ..	17·71			2,371			461	115	45	32	20	673	51	42	34	52	103	127	175	238	377	499
Females	15·82			2,316			327	109	45	34	17	532	56	42	47	61	102	109	169	239	399	560
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·32	0·40	0·25	91	54	37	18	31	17	8	2	76	12	1	—	2	—	—	—	—	—	—
Scarlet Fever	0·11	0·16	0·05	30	22	8	—	2	1	2	5	10	9	7	1	1	2	—	—	—	—	—
Diphtheria	0·14	0·16	0·12	39	21	18	2	3	4	9	6	24	12	3	—	—	—	—	—	—	—	—
Whooping-cough ..	0·23	0·20	0·25	64	27	37	39	11	8	2	1	61	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·12	0·13	0·11	33	17	16	—	—	1	—	—	1	2	5	4	1	5	4	4	2	4	1
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·22	0·20	0·24	62	27	35	34	8	1	—	—	43	1	—	—	—	—	1	—	3	3	11
Cholera	0·01	0·03	—	4	4	—	1	1	1	—	—	3	—	—	1	—	—	—	—	—	—	—
Cancer	0·80	0·77	0·83	225	103	122	—	—	—	1	—	1	—	1	—	2	3	18	37	59	68	36
Tabes Mesenterica ..	0·12	0·12	0·12	33	16	17	17	2	3	—	—	22	3	3	—	—	2	2	—	—	1	—
Phthisis	1·09	1·06	1·11	305	142	163	3	1	—	—	3	7	3	11	22	50	78	58	38	27	7	4
Other Tub. & Scrof. Dis.	0·30	0·31	0·29	84	41	43	16	5	2	6	2	31	8	10	9	7	5	5	6	2	1	—
Diseases of: Nervous System ..	2·11	2·26	1·98	592	302	290	132	24	8	8	3	175	8	9	4	5	12	17	57	68	102	135
Circulatory " ..	1·66	1·59	1·73	466	213	253	5	—	1	—	—	6	3	3	2	6	7	25	51	99	138	126
Respiratory " ..	3·33	3·70	2·99	933	495	438	168	90	31	17	10	316	20	8	5	8	19	23	51	83	181	219
Digestive " ..	0·97	0·95	0·99	272	127	145	66	17	5	4	1	93	5	7	9	6	9	14	24	21	46	38
Urinary " ..	0·61	0·76	0·48	172	102	70	1	—	—	—	—	1	4	1	7	2	6	10	19	38	43	41
Generative " ..	0·01	0·01	0·02	4	1	3	—	—	—	—	—	—	—	—	—	—	—	—	2	—	2	—
Puerperal Fever ..	0·07	—	0·14	20	—	20	—	—	—	—	—	—	—	—	2	3	8	7	—	—	—	—
Childbirth	0·07	—	0·13	19	—	19	—	—	—	—	—	—	—	—	—	—	12	6	1	—	—	—
Violence	0·54	0·84	0·25	150	113	37	12	5	2	4	3	26	9	5	7	8	9	20	18	20	14	14
OTHER CAUSES ..	3·89	4·06	3·74	1089	544	545	274	24	5	5	1	309	5	10	8	12	28	26	36	55	166	434

Marriages 1,714

Births .. { Males .. 3,727, Females 3,514 } 7,241

Annual Rate per 1000 living { Persons Married .. 12·23, Births .. .. .. 25·83 }

Annual Births to 1000 Females aged 15—45 years = 114.

Deaths from Childbirth and Puerperal Fever .. .. } 5·39 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

284.—SOUTH MOLTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·94			*100	—	—	—	—	32·67	3·86	2·55	2·97	4·52	5·45	7·79	9·57	21·47	52·31	151·89
Annual Death-Rate per 1000. Males ..	—			13·16			*120	—	—	—	—	37·39	3·87	2·25	2·89	5·06	4·99	6·32	10·56	21·77	53·97	156·82
Annual Death-Rate per 1000. Females	—			12·74			* 80	—	—	—	—	27·91	3·84	2·89	3·06	4·01	5·88	9·23	8·71	21·18	50·75	146·57
Mean Population, 1891–1900. Persons	—			14,688			316	325	317	352	343	1653	1712	1686	1513	1107	1834	1540	1379	1062	778	424
Mean Population, 1891–1900. Males ..	—			7,329			155	160	161	174	179	829	878	890	795	534	882	760	644	519	378	220
Mean Population, 1891–1900. Females	—			7,359			161	165	156	178	164	824	834	796	718	573	952	780	735	543	400	204
Deaths from All Causes, 1891–1900. Persons	16·17			2,375			375	75	38	29	23	540	66	43	45	50	100	120	132	228	407	644
Deaths from All Causes, 1891–1900. Males ..	16·86			1,236			229	33	21	14	13	310	34	20	23	27	44	48	68	113	204	345
Deaths from All Causes, 1891–1900. Females	15·48			1,139			146	42	17	15	10	230	32	23	22	23	56	72	64	115	203	299
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·13	0·12	0·14	19	9	10	4	11	—	—	—	15	—	2	—	1	1	—	—	—	—	—
Scarlet Fever	0·09	0·11	0·07	13	8	5	3	2	1	2	—	8	2	1	1	—	1	—	—	—	—	—
Diphtheria	0·39	0·31	0·46	57	23	34	2	3	7	7	3	22	25	9	—	1	—	—	—	—	—	—
Whooping-cough ..	0·31	0·34	0·29	46	25	21	20	13	5	2	4	44	1	1	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·08	0·07	0·10	12	5	7	—	—	—	—	—	—	1	1	2	1	—	2	2	1	2	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·12	0·18	0·05	17	13	4	9	—	—	1	1	11	—	—	—	—	—	—	—	—	2	4
Cholera	0·01	—	0·01	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Cancer	0·84	0·79	0·88	123	58	65	—	—	—	2	—	2	—	—	—	2	3	5	14	31	45	21
Tabes Mesenterica ..	0·07	0·10	0·05	11	7	4	6	—	—	1	—	7	1	—	—	—	1	2	—	—	—	—
Phthisis	1·04	1·11	0·98	153	81	72	3	1	—	—	1	5	1	3	11	20	37	27	16	16	15	2
Other Tub. & Scrof. Dis.	0·48	0·53	0·42	70	39	31	22	7	2	2	2	35	9	6	4	5	5	3	2	1	—	—
Diseases of Nervous System ..	1·80	1·72	1·89	265	126	139	61	4	5	3	1	74	3	3	2	1	2	7	13	26	57	77
Diseases of Circulatory " ..	2·16	1·79	2·53	317	131	186	2	—	—	1	2	5	4	5	2	2	4	10	24	53	106	102
Diseases of Respiratory " ..	2·30	2·48	2·12	338	182	156	73	20	10	5	4	112	8	1	4	2	14	8	14	29	58	88
Diseases of Digestive " ..	0·91	1·11	0·71	133	81	52	26	2	1	—	2	31	3	3	3	—	4	15	10	19	25	20
Diseases of Urinary " ..	0·40	0·55	0·26	59	40	19	—	—	—	1	—	1	2	—	—	2	3	2	5	8	15	21
Diseases of Generative " ..	0·07	—	0·14	10	—	10	—	—	1	—	—	1	—	—	—	—	—	3	3	—	2	1
Puerperal Fever ..	0·03	—	0·07	5	—	5	—	—	—	—	—	—	—	—	—	1	3	1	—	—	—	—
Childbirth	0·12	—	0·23	17	—	17	—	—	—	—	—	—	—	—	—	2	7	7	1	—	—	—
Violence	0·49	0·75	0·23	72	55	17	4	2	2	2	1	11	5	2	6	3	7	7	7	4	7	13
Other Causes ..	4·33	4·80	3·85	637	353	284	140	10	4	—	2	156	1	6	10	7	8	21	21	40	72	295

Marriages 907

Births .. { Males .. 1,914 / Females 1,823 } 3,737

Annual Rate per 1000 living { Persons Married .. 12·35 / Births .. .. .. 25·44

Annual Births to 1000 Females aged 15—45 years = 124.

Deaths from Childbirth and Puerperal Fever .. .. } 5·89 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary details of which will be found at the end of these tables

285.—BARNSTAPLE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·70			*114	—	—	—	—	39·03	3·87	2·41	2·74	4·05	5·54	6·97	11·50	22·63	53·07	140·69
Annual Death-Rate per 1000. Males	—			14·38			*130	—	—	—	—	43·65	3·65	2·54	2·40	4·77	6·01	7·58	12·84	22·75	56·77	144·61
Annual Death-Rate per 1000. Females	—			13·06			* 98	—	—	—	—	34·46	4·10	2·29	3·04	3·54	5 19	6·47	10·47	22·54	50·25	137·82
Mean Population, 1891–1900. Persons	—			41,686			945	889	902	911	893	4540	4492	4271	4021	3577	6006	4680	3844	3009	2150	1096
Mean Population, 1891–1900. Males	—			19,117			466	438	425	465	465	2259	2271	2129	1918	1487	2594	2084	1667	1314	930	464
Mean Population, 1891–1900. Females	—			22,569			479	451	477	446	428	2281	2221	2142	2103	2090	3412	2596	2177	1695	1220	632
Deaths from All Causes, 1891–1900. Persons	16·24			6,769			1214	284	118	98	58	1772	174	103	110	145	333	326	442	681	1141	1542
Deaths from All Causes, 1891–1900. Males	17·08			3,266			700	146	61	56	23	986	83	54	46	71	15o	158	214	299	528	671
Deaths from All Causes, 1891–1900. Females	15·52			3,503			514	138	57	42	35	786	91	49	64	74	177	168	228	382	613	871
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·18	0·22	0·14	74	42	32	17	33	8	7	3	68	3	1	—	—	—	2	—	—	—	—
Scarlet Fever	0·11	0·10	0·11	44	20	24	5	5	7	6	2	25	14	2	1	1	—	—	—	1	—	—
Diphtheria	0·43	0·47	0·39	178	89	89	10	16	24	33	22	105	54	15	—	—	1	1	1	1	—	—
Whooping-cough	0·26	0·26	0·27	110	50	60	56	25	14	4	4	103	7	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·07	0·08	0·07	31	15	16	—	—	—	—	—	—	5	5	5	3	5	3	2	3	—	—
Simple Continued Fever	0·01	0·01	0·00	3	2	1	—	—	—	—	—	—	—	—	1	—	—	—	1	1	—	—
Diarrhœa & Dysentery	0·44	0·57	0·33	183	109	74	136	18	1	1	—	156	1	—	—	1	1	—	1	2	5	16
Cholera	0·01	0·02	0·01	6	4	2	5	—	—	—	—	5	—	—	—	—	—	—	1	—	—	—
Cancer	1·07	0·82	1·29	448	157	291	—	—	—	—	—	—	1	—	1	1	9	31	61	120	131	93
Tabes Mesenterica	0·13	0·17	0·09	54	33	21	28	8	2	1	1	40	—	3	1	1	5	—	2	1	—	1
Phthisis	1 10	1·20	1·01	457	230	227	—	3	1	3	2	9	7	11	39	56	117	75	58	34	43	8
Other Tub. & Scrof. Dis.	0·40	0·38	0·41	165	73	92	52	22	9	5	5	93	17	11	10	5	12	4	3	5	2	3
Diseases of Nervous System	1·99	2·18	1·83	829	417	412	131	24	10	6	4	175	7	9	8	5	31	29	56	86	204	219
Diseases of Circulatory	1·83	1·76	1·90	764	336	428	8	—	—	2	—	10	7	11	8	8	15	36	71	126	262	210
Diseases of Respiratory	2·60	2·78	2·45	1085	532	553	239	88	32	14	14	387	19	2	5	11	23	31	43	91	178	295
Diseases of Digestive	0·89	1·03	0·78	372	196	176	103	17	4	1	1	126	6	9	3	4	18	17	25	54	70	40
Diseases of Urinary	0·54	0·73	0·39	227	139	88	3	2	—	1	—	6	5	3	4	7	8	17	31	34	53	59
Diseases of Generative	0·04	—	0·07	15	—	15	—	—	—	—	—	—	—	—	—	—	2	3	3	2	3	2
Puerperal Fever	0·05	—	0·08	19	—	19	—	—	—	—	—	—	—	—	—	3	10	5	1	—	—	—
Childbirth	0·07	—	0·13	29	—	29	—	—	—	—	—	—	—	—	1	6	16	6	—	—	—	—
Violence	0·52	0·83	0·25	215	158	57	13	4	2	8	—	27	6	13	7	17	17	20	30	30	24	24
Other Causes	3·50	3·47	3·52	1461	664	797	408	19	4	6	—	437	15	8	16	16	43	46	52	90	166	572

Marriages 2,833

Births .. { Males .. 5,372 / Females 5,238 } 10,610

Annual Rate per 1000 living { Persons Married .. 13·59 / Births .. .. .. 25·45 }

Annual Births to 1000 Females aged 15—45 years = 104.

Deaths from Childbirth and Puerperal Fever .. .. } 4·52 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

286.—TORRINGTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·92			* 91	—	—	—	—	32·11	4·39	1·92	3·21	5·68	5·00	6·54	10·03	22·21	60·27	135·56
Males	—			12·93			*106	—	—	—	—	35·85	3·38	1·90	2·50	5·10	4·63	6·66	11·95	21·45	59·53	142·44
Females	—			12·91			* 76	—	—	—	—	28·17	5·44	1·95	3·97	6·17	5·32	6·43	8·45	22·82	60·93	129·70
Mean Population, 1891–1900. Persons	—			13,125			297	290	277	280	301	1445	1457	1507	1309	1038	1739	1392	1166	968	730	374
Males	—			6,337			151	153	149	144	145	742	740	789	680	471	800	646	527	429	341	172
Females	—			6,788			146	137	128	136	156	703	717	718	629	567	939	746	639	539	389	202
Deaths from All Causes, 1891–1900. Persons	16·11			2,115			293	81	47	28	15	464	64	29	42	59	87	91	117	215	440	507
Males	16·25			1,030			174	40	30	15	7	266	25	15	17	24	37	43	63	92	203	245
Females	15·98			1,085			119	41	17	13	8	198	39	14	25	35	50	48	54	123	237	262
	Persons.	Males.	Females	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·15	0·13	0·18	20	8	12	5	6	3	4	—	18	1	—	1	—	—	—	—	—	—	—
Scarlet Fever	0 08	0·06	0·10	11	4	7	2	1	2	1	1	7	4	—	—	—	—	—	—	—	—	—
Diphtheria	0·32	0·33	0·31	42	21	21	—	1	7	9	6	23	12	3	1	—	2	—	1	—	—	—
Whooping-cough	0·23	0·16	0·29	30	10	20	12	10	3	1	2	28	2	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·09	0·11	0·07	12	7	5	—	—	—	1	—	1	—	2	1	3	2	2	—	1	—	—
Simple Continued Fever	0·01	—	0·01	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0 27	0·35	0·21	36	22	14	23	1	3	—	—	27	1	1	—	—	—	—	1	—	2	4
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·77	0·49	1·03	101	31	70	—	—	—	—	—	—	—	—	—	—	3	10	7	29	29	23
Tabes Mesenterica	0·14	0·19	0·09	18	12	6	10	3	2	1	—	16	—	—	—	—	—	—	—	—	2	—
Phthisis	1·11	0·95	1·27	146	60	86	1	2	1	—	—	4	3	5	10	26	33	17	22	18	7	1
Other Tub. & Scrof. Dis.	0·34	0·35	0·34	45	22	23	10	9	—	—	2	21	5	3	4	2	2	3	1	3	1	—
Diseases of: Nervous System	2·42	2·45	2·39	317	155	162	47	9	3	4	1	64	6	3	6	6	7	8	13	30	76	98
Circulatory "	2·16	1·94	2·37	284	123	161	1	2	1	—	—	4	1	3	3	5	8	11	29	36	102	82
Respiratory "	2·83	3·25	2·43	371	206	165	48	21	11	4	—	84	9	2	2	4	6	11	20	35	94	104
Digestive "	0·95	1·07	0·84	125	68	57	23	8	1	1	—	33	5	1	5	2	3	5	5	13	36	17
Urinary "	0·51	0·77	0·27	67	49	18	—	—	1	—	—	1	—	—	1	1	—	5	4	13	17	25
Generative "	0·05	—	0·10	7	—	7	—	—	—	—	—	—	—	—	—	1	2	1	—	1	1	1
Puerperal Fever	0·05	—	0·10	7	—	7	—	—	—	—	—	—	—	—	—	1	5	1	—	—	—	—
Childbirth	0·06	—	0·12	8	—	8	—	—	—	—	—	—	—	—	1	2	2	3	—	—	—	—
Violence	0·50	0·76	0·25	65	48	17	6	1	7	1	1	16	5	2	4	1	2	5	7	8	8	7
OTHER CAUSES	3·07	2·89	3·21	402	184	218	105	7	2	1	2	117	9	4	3	5	10	9	7	28	65	145

Marriages 829

Births .. { Males .. 1,644 / Females 1,574 } 3,218

Annual Rate per 1000 living { Persons Married .. 12·63 / Births .. .. .. 24·52 }

Annual Births to 1000 Females aged 15—45 years = 112.

Deaths from Childbirth and Puerperal Fever .. .. } 4·66 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

287.—BIDEFORD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 14·36	*117	—	—	—	—	42·40	3·56	2·08	3·52	4·85	5·51	7·59	10·16	25·11	56·03	138·46
Annual Death-Rate per 1000. Males	—	15·01	*130	—	—	—	—	45·57	3·25	1·91	3·28	6·43	6·41	8·03	12·53	26·67	58·61	138·53
Annual Death-Rate per 1000. Females	—	13·75	*103	—	—	—	—	39·08	3·87	2·24	3·73	3·85	4·89	7·24	8·40	23·89	53·98	138·40
Mean Population, 1891-1900. Persons	—	20,446	497	476	473	474	481	2401	2302	2257	2131	1775	2903	2162	1722	1366	946	481
Mean Population, 1891-1900. Males	—	9,255	251	244	242	250	242	1229	1139	1097	1005	684	1185	946	734	600	418	218
Mean Population, 1891-1900. Females	—	11,191	246	232	231	224	239	1172	1163	1160	1126	1091	1718	1216	988	766	528	263
Deaths from All Causes, 1891-1900. Persons	16·37	3,346	678	195	77	37	31	1018	82	47	75	86	160	164	175	343	530	666
Deaths from All Causes, 1891-1900. Males	17·78	1,646	387	105	31	22	15	560	37	21	33	44	76	76	92	160	245	302
Deaths from All Causes, 1891-1900. Females	15·19	1,700	291	90	46	15	16	458	45	26	42	42	84	88	83	183	285	364

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·36	0·41	0·32	74	38	36	20	25	11	8	5	69	3	2	—	—	—	—	—	—	—	—
Scarlet Fever	0·11	0·16	0·07	23	15	8	1	2	2	6	1	12	2	4	2	—	2	—	—	—	1	—
Diphtheria	0·14	0·15	0·13	29	14	15	1	4	4	3	5	17	10	—	—	1	—	—	1	—	—	—
Whooping-cough	0·52	0·54	0·50	106	50	56	53	33	11	3	2	102	3	1	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·10	0·12	0·08	20	11	9	—	—	—	—	—	—	4	1	2	2	6	—	2	2	1	—
Simple Continued Fever	0·00	—	0·01	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Diarrhœa & Dysentery	0·33	0·37	0·30	68	34	34	49	9	—	—	—	58	—	—	—	—	—	—	—	1	4	5
Cholera	0·01	0·01	0·01	2	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
Cancer	0·82	0·68	0·93	167	63	104	—	—	—	—	—	—	—	—	—	2	2	16	26	44	41	36
Tabes Mesenterica	0·17	0·21	0·14	35	19	16	19	6	—	1	—	26	1	1	1	1	1	—	1	3	—	—
Phthisis	0·98	1·05	0·92	200	97	103	2	—	2	—	—	4	2	5	29	25	45	38	17	16	12	7
Other Tub. & Scrof. Dis.	0·26	0·28	0·24	53	26	27	7	7	2	—	1	17	6	3	7	7	6	4	1	—	2	—
Diseases of Nervous System	1·86	1·97	1·77	380	182	198	54	11	13	7	3	88	11	9	5	7	9	15	16	42	81	97
Diseases of Circulatory	1·55	1·62	1·49	317	150	167	2	—	—	—	—	2	4	3	4	3	15	13	25	64	105	79
Diseases of Respiratory	3·09	3·44	2·80	631	318	313	145	56	14	5	7	227	13	3	3	6	14	14	22	54	117	158
Diseases of Digestive	1·12	1·28	0·98	228	118	110	75	15	2	—	1	93	3	4	4	8	7	14	8	25	31	31
Diseases of Urinary	0·62	0·82	0·45	126	76	50	1	1	—	—	—	2	—	—	1	4	1	11	15	23	35	34
Diseases of Generative	0·04	—	0·07	8	—	8	—	—	—	—	—	—	—	—	—	—	2	2	1	1	—	2
Puerperal Fever	0·05	—	0·09	10	—	10	—	—	—	—	—	—	—	—	1	1	6	2	—	—	—	—
Childbirth	0·09	—	0·16	18	—	18	—	—	—	—	—	—	—	—	—	4	10	4	—	—	—	—
Violence	0·55	0·90	0·26	112	83	29	7	4	5	2	2	20	10	6	6	3	14	11	13	12	9	8
Other Causes	3·60	3·77	3·47	738	351	387	242	22	11	2	4	281	9	5	10	12	20	20	27	54	91	209

Marriages 1,532

Births .. { Males .. 2,987 / Females 2,815 } 5,802

Annual Rate per 1000 living { Persons Married .. 14·99 / Births .. .. .. 28·38 }

Annual Births to 1000 Females aged 15—45 years = 113.

Deaths from Childbirth and Puerperal Fever .. .. } 4·83 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

288.—HOLSWORTHY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rates per 1000. Persons	—			In Standard Population. 13·32			*103	—	—	—	—	36·06	2·66	2·15	3·67	4·04	5·02	6·49	12·19	21·74	57·21	146·05
Males ..	—			13·53			*115	—	—	—	—	41·18	3·02	2·11	4·46	4·24	4·64	5·21	11·17	21·59	53·27	165·45
Females	—			13·11			* 91	—	—	—	—	31·23	2·29	2·19	2·88	3·87	5·38	7·69	13·14	21·89	60·95	127·97
Mean Population, 1891–1900. Persons	—			8,762			203	192	210	212	198	1015	976	930	900	742	1254	955	755	598	409	228
Males ..	—			4,305			98	100	100	101	94	493	496	473	448	354	603	461	367	301	199	110
Females	—			4,457			105	92	110	111	104	522	480	457	452	388	651	494	388	297	210	118
Deaths from All Causes, 1891–1900. Persons	15·85			1,389			252	72	20	14	8	366	26	20	33	30	63	62	92	130	234	333
Males ..	16·47			709			145	40	11	6	1	203	15	10	20	15	28	24	41	65	106	182
Females	15·26			680			107	32	9	8	7	163	11	10	13	15	35	38	51	65	128	151
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·13	0·16	0·09	11	7	4	5	—	1	1	—	7	1	2	1	—	—	—	—	—	—	—
Scarlet Fever	0·08	0·14	0·02	7	6	1	1	—	—	3	—	4	1	1	—	—	—	—	1	—	—	—
Diphtheria	0·16	0·19	0·13	14	8	6	2	1	2	1	1	7	3	—	—	—	—	—	3	—	1	—
Whooping-cough ..	0·47	0·53	0·40	41	23	18	14	16	4	3	—	37	—	3	1	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·03	0·05	0·02	3	2	1	—	—	—	—	—	—	—	1	—	1	—	1	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·31	0·28	0·34	27	12	15	14	4	—	—	—	18	—	—	—	—	1	—	—	1	1	6
Cholera	0·03	0·05	0·02	3	2	1	1	—	—	—	—	1	1	—	—	—	—	—	—	—	1	—
Cancer	0·95	0·74	1·14	83	32	51	—	—	—	—	—	—	—	—	1	—	—	4	10	18	18	32
Tabes Mesenterica ..	0·15	0·16	0·13	13	7	6	2	4	2	1	—	9	1	—	—	—	1	1	—	1	—	—
Phthisis	1·13	1·05	1·21	99	45	54	1	1	—	—	1	3	2	3	10	7	18	15	11	11	15	4
Other Tub. & Scrof. Dis.	0·32	0·35	0·29	28	15	13	5	1	1	2	—	9	3	1	3	3	3	2	1	2	—	1
Diseases of Nervous System ..	2·16	2·23	2·09	189	96	93	35	7	2	1	2	47	2	—	3	3	7	3	14	23	31	56
Circulatory " ..	1·88	1·77	2·00	165	76	89	—	—	—	—	—	—	—	2	2	2	6	7	13	24	51	58
Respiratory " ..	2·68	2·72	2·65	235	117	118	49	26	4	1	—	80	5	—	—	—	7	7	11	22	46	57
Digestive " ..	0·88	0·98	0·79	77	42	35	15	4	1	—	1	21	2	—	3	3	5	3	7	5	19	9
Urinary " ..	0·43	0·70	0·18	38	30	8	—	—	—	1	—	1	—	—	2	—	2	2	5	5	7	14
Generative " ..	0·03	—	0·07	3	—	3	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—
Puerperal Fever ..	0·03	—	0·07	3	—	3	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—	—
Childbirth	0·13	—	0·25	11	—	11	—	—	—	—	—	—	—	—	—	1	6	3	1	—	—	—
Violence	0·39	0·65	0·13	34	28	6	4	—	1	—	2	7	3	4	3	1	1	3	4	3	3	2
Other Causes	3·48	3·72	3·24	305	161	144	104	8	2	—	1	115	2	3	4	6	6	8	11	15	41	94

Marriages 600

Births .. { Males .. 1,265 / Females 1,177 } 2,442

Annual Rate per 1000 living { Persons Married .. 13·70 / Births .. .. .. 27·87 }

Annual Births to 1000 Females aged 15—45 years = 123.

Deaths from Childbirth and Puerperal Fever .. .. } 5·73 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

289.—STRATTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		14·20	*111	—	—	—	—	40·31	2·33	3·05	3·87	6·63	6·36	7·10	9·27	22·99	53·28	153·30
Males ..	—					14·64	*120	—	—	—	—	42·27	2·83	2·97	2·43	7·66	6·67	7·33	9·90	28·34	49·12	173·81
Females	—					13·78	*100	—	—	—	—	38·30	1·79	3·14	5·37	5·78	6·10	6·90	8·73	18·18	56·92	135·71
Mean Population, 1891-1900. Persons	—			7,211			147	163	148	150	156	764	814	786	724	603	975	817	658	522	366	182
Males ..	—			3,497			73	83	73	82	77	388	424	404	370	274	450	382	303	247	171	84
Females	—			3,714			74	80	75	68	79	376	390	382	354	329	525	435	356	275	195	98
Deaths from All Causes, 1891-1900. Persons	16·56			1,194			202	63	24	8	11	308	19	24	28	40	62	58	61	120	195	279
Males ..	17·33			606			114	30	13	1	6	164	12	12	9	21	30	28	30	70	84	146
Females	15·83			588			88	33	11	7	5	144	7	12	19	19	32	30	31	50	111	133
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·17	0·14	0·19	12	5	7	2	3	—	—	3	8	2	1	—	—	—	1	—	—	—	—
Scarlet Fever	0·06	0·06	0·05	4	2	2	—	1	—	—	1	2	—	—	—	—	—	1	1	—	—	—
Diphtheria	0·03	0·03	0·03	2	1	1	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—
Whooping-cough ..	0·55	0·51	0·59	40	18	22	16	15	4	2	2	39	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·07	0·09	0·05	5	3	2	—	—	—	—	—	—	—	—	—	1	2	—	—	1	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·18	0·26	0·11	13	9	4	11	1	1	—	—	13	—	—	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·85	0·54	1·13	61	19	42	—	—	—	—	—	—	—	—	—	—	—	5	9	13	20	14
Tabes Mesenterica ..	0·11	0·11	0·11	8	4	4	—	2	—	—	1	3	2	1	—	—	1	—	—	—	1	—
Phthisis	1·25	1·23	1·27	90	43	47	1	2	1	—	—	4	1	6	11	11	29	12	4	8	3	1
Other Tub. & Scrof. Dis.	0·12	0·17	0·08	9	6	3	1	—	1	—	1	3	2	—	3	—	—	—	—	1	—	—
Diseases of Nervous System ..	1·89	1·94	1·83	136	68	68	16	8	2	1	—	27	1	—	4	5	1	3	13	15	30	37
Circulatory „ ..	1·75	1·66	1·83	126	58	68	—	—	1	—	1	2	—	2	—	1	5	4	8	29	46	29
Respiratory „ ..	2·81	2·92	2·72	203	102	101	40	15	12	4	1	72	3	4	3	—	4	9	9	25	35	39
Digestive „ ..	0·78	0·89	0·67	56	31	25	10	3	—	1	—	14	1	4	1	5	1	1	2	5	13	9
Urinary „ ..	0·37	0·43	0·32	27	15	12	1	—	—	—	—	1	—	—	2	—	1	2	2	8	7	4
Generative „ ..	0·07	—	0·13	5	—	5	—	—	—	—	—	—	—	—	—	1	—	—	—	—	2	2
Puerperal Fever ..	0·04	—	0·08	3	—	3	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—
Childbirth	0·07	—	0·13	5	—	5	—	—	—	—	—	—	—	—	—	1	2	2	—	—	—	—
Violence	0·69	1·09	0·32	50	38	12	4	2	1	—	—	7	6	1	3	10	6	5	5	2	3	2
OTHER CAUSES	4·70	5·26	4·19	339	184	155	100	11	1	—	1	113	—	3	1	5	10	10	8	13	34	142

Marriages 470

Births .. { Males .. 947 } 1,825
{ Females 878 }

Annual Rate per 1000 living { Persons Married .. 13·04
{ Births .. .. .. 25·31

Annual Births to 1000 Females aged 15—45 years = 111.

Deaths from Childbirth and Puerperal Fever .. .. } 4·38 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

290.—CAMELFORD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population 13·02			* 99	—	—	—	—	34·08	3·66	2·46	3·45	4·98	5·77	6·04	11·45	20·49	56·67	133·51
Annual Death-Rate per 1000. Males	—			13·36			*116	—	—	—	—	39·28	3·82	1·05	2·59	5·59	5·43	6·67	11·50	21·62	60·82	130·11
Annual Death-Rate per 1000. Females	—			12·70			* 81	—	—	—	—	28·50	3·50	3·99	4·39	4·35	6·09	5·50	11·40	19·41	52·91	136·63
Mean Population, 1891–1900. Persons	—			7,035			157	158	173	153	160	801	793	731	667	562	953	778	664	532	360	194
Mean Population, 1891–1900. Males	—			3,478			79	84	93	79	80	415	393	380	348	286	460	360	313	259	171	93
Mean Population, 1891–1900. Females	—			3,557			78	74	80	74	80	386	400	351	319	276	493	418	351	273	189	101
Deaths from All Causes, 1891–1900. Persons	15·93			1,121			190	48	13	12	10	273	29	18	23	28	55	47	76	109	204	259
Deaths from All Causes, 1891–1900. Males	16·47			573			115	25	7	9	7	163	15	4	9	16	25	24	36	56	104	121
Deaths from All Causes, 1891–1900. Females	15 41			548			75	23	6	3	3	110	14	14	14	12	30	23	40	53	100	138
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·17	0·17	0·17	12	6	6	3	3	1	—	1	8	1	2	—	—	—	1	—	—	—	—
Scarlet Fever	0·10	0·14	0·06	7	5	2	1	—	1	1	1	4	2	—	—	—	1	—	—	—	—	—
Diphtheria	0·14	0·20	0·08	10	7	3	—	2	—	2	3	7	2	1	—	—	—	—	—	—	—	—
Whooping-cough	0·37	0·35	0·39	26	12	14	13	10	1	1	1	26	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·10	0·17	0·03	7	6	1	—	—	—	—	—	—	—	—	—	3	2	—	2	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·17	0·26	0·08	12	9	3	7	—	—	—	—	7	—	—	—	—	—	—	—	1	4	—
Cholera	0·01	0·03	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Cancer	0·43	0·29	0·56	30	10	20	—	—	—	—	—	—	—	—	—	—	—	1	6	9	9	5
Tabes Mesenterica	0·06	0·06	0·06	4	2	2	1	—	—	—	—	1	—	2	—	—	—	—	—	1	—	—
Phthisis	0·75	0·63	0·87	53	22	31	—	—	—	—	—	—	1	1	3	10	16	6	8	5	2	1
Other Tub & Scrof. Dis.	0·28	0·26	0·31	20	9	11	2	2	—	—	1	5	2	3	3	3	2	—	2	—	—	—
Diseases of Nervous System	2·05	2·13	1·97	144	74	70	27	5	3	2	1	38	3	1	2	1	3	1	16	18	29	32
Diseases of Circulatory	1·46	1·44	1·49	103	50	53	—	—	—	—	—	—	1	1	3	—	3	1	11	23	43	17
Diseases of Respiratory	2·36	2·70	2·02	166	94	72	44	16	4	4	—	68	7	—	2	—	6	7	8	12	20	36
Diseases of Digestive	0·80	0·92	0·67	56	32	24	12	—	—	1	1	14	2	1	3	1	2	5	7	5	12	4
Diseases of Urinary	0·47	0·43	0·51	33	15	18	1	—	—	—	—	1	—	1	—	—	3	3	2	8	10	5
Diseases of Generative	0·03	—	0·06	2	—	2	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—
Puerperal Fever	0·06	—	0·11	4	—	4	—	—	—	—	—	—	—	—	1	1	1	1	—	—	—	—
Childbirth	0·13	—	0·25	9	—	9	—	—	—	—	—	—	—	—	—	—	6	3	—	—	—	—
Violence	0·64	1·09	0·20	45	38	7	4	1	1	—	—	6	5	3	3	6	2	4	4	6	3	3
OTHER CAUSES	5·35	5·20	5·52	377	181	196	75	9	2	1	1	88	3	2	3	3	7	14	9	20	72	156

Marriages 448

Births .. { Males .. 994 / Females 922 } 1,916

Annual Rate per 1000 living { Persons Married .. 12·74 / Births .. .. 27·24 }

Annual Births to 1000 Females aged 15—45 years = 127.

Deaths from Childbirth and Puerperal Fever .. .. } 6·78 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

291.—LAUNCESTON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·33			*104	—	—	—	—	35·89	3·77	2·59	2·93	4·44	5·37	6·93	10·49	22·37	57·02	140·69
Annual Death-Rate per 1000. Males ..	—			13·60			*118	—	—	—	—	39·00	3·69	2·68	2·65	4·49	5·12	8·09	11·16	22·77	60·38	135·98
Annual Death-Rate per 1000. Females	—			13·08			* 89	—	—	—	—	32·43	3·85	2·50	3·23	4·39	5·59	5·86	9·89	22·01	54·12	144·86
Mean Population, 1891–1900. Persons	—			15,162			315	312	343	326	345	1641	1646	1735	1572	1240	2028	1674	1373	1113	791	349
Mean Population, 1891–1900. Males ..	—			7,450			164	158	185	173	184	864	840	895	830	579	937	803	645	527	366	164
Mean Population, 1891–1900. Females	—			7,712			151	154	158	153	161	777	806	840	742	661	1091	871	728	586	425	185
Deaths from All Causes, 1891–1900. Persons	15·55			2,357			379	118	47	24	21	589	62	45	46	55	109	116	144	249	451	491
Deaths from All Causes, 1891–1900. Males ..	15·96			1,189			220	61	27	13	16	337	31	24	22	26	48	65	72	120	221	223
Deaths from All Causes, 1891–1900. Females	15·15			1,168			159	57	20	11	5	252	31	21	24	29	61	51	72	129	230	268
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·21	0·30	0·13	32	22	10	3	11	5	2	3	24	6	—	—	—	2	—	—	—	—	—
Scarlet Fever	0·04	0·04	0·04	6	3	3	—	—	—	—	—	—	4	1	—	—	1	—	—	—	—	—
Diphtheria	0·20	0·19	0·21	30	14	16	—	2	3	3	3	11	11	5	—	—	—	—	2	—	—	1
Whooping-cough ..	0·41	0·46	0·36	62	34	28	32	13	7	4	3	59	2	—	—	1	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·25	0·26	0·25	38	19	19	17	3	2	1	1	24	1	—	1	—	—	1	—	2	1	8
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·92	0·82	1·02	140	61	79	—	—	—	1	1	2	—	1	—	—	4	4	8	29	48	44
Tabes Mesenterica ..	0·05	0·05	0·05	8	4	4	—	—	—	—	—	—	—	1	—	—	2	3	1	1	—	—
Phthisis	1·12	1·15	1·09	170	86	84	4	10	—	—	—	14	2	4	14	29	37	25	18	15	11	1
Other Tub. & Scrof. Dis.	0·31	0·32	0·30	47	24	23	4	3	5	2	2	16	4	10	1	1	6	3	3	2	1	—
Diseases of Nervous System ..	1·84	1·81	1·87	279	135	144	55	17	8	3	2	85	9	1	3	2	6	5	20	28	73	47
Diseases of Circulatory „ ..	2·15	1·93	2·36	326	144	182	1	1	—	—	—	2	1	1	4	3	5	9	26	54	112	109
Diseases of Respiratory „ ..	2·94	3·10	2·79	446	231	215	70	37	10	4	3	124	8	4	6	6	13	23	24	48	95	95
Diseases of Digestive „ ..	0·96	0·95	0·96	145	71	74	28	7	1	1	1	38	5	2	4	3	7	9	11	20	26	20
Diseases of Urinary „ ..	0·63	0·86	0·40	95	64	31	—	—	—	—	1	1	1	2	1	—	2	7	7	14	34	26
Diseases of Generative „ ..	0·04	—	0·08	6	—	6	—	—	—	—	—	—	—	—	—	—	—	1	2	2	—	1
Puerperal Fever ..	0·05	—	0·09	7	—	7	—	—	—	—	—	—	—	—	—	1	2	4	—	—	—	—
Childbirth	0·07	—	0·14	11	—	11	—	—	—	—	—	—	—	—	1	1	5	4	—	—	—	—
Violence	0·48	0·71	0·26	73	53	20	11	1	3	2	—	17	4	5	4	2	6	6	5	11	7	6
OTHER CAUSES.. ..	2·87	3·00	2·75	435	223	212	154	13	3	1	1	172	4	7	7	6	11	12	17	23	43	133

Marriages 954

Births .. { Males .. 1,863 / Females 1,795 } 3,658

Annual Rate per 1000 living { Persons Married .. 12·58 / Births .. .. .. 24·13

Annual Births to 1000 Females aged 15—45 years = 109.

Deaths from Childbirth and Puerperal Fever .. .. } 4·92 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

292.—ST. GERMANS.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		13·57	*117	—	—	—	—	36·84	3·59	2·78	3·47	3·58	5·59	8·03	11·27	23·67	49·10	143·82
Annual Death-Rate per 1000. Males	—					14·04	*126	—	—	—	—	40·28	3·76	2·16	2·65	2·82	6·23	8·42	12·66	23·40	53·44	164·21
Annual Death-Rate per 1000. Females	—					13·12	*107	—	—	—	—	33·20	3·43	3·50	4·86	4·68	4·97	7·69	10·02	23·90	45·58	129·52
Mean Population, 1891–1900. Persons	—			19,342			435	407	416	401	423	2082	2006	1978	2276	1870	2721	2116	1632	1259	941	461
Mean Population, 1891–1900. Males	—			9,958			219	217	208	210	216	1070	985	1064	1433	1101	1333	1010	774	577	421	190
Mean Population, 1891–1900. Females	—			9,384			216	190	208	191	207	1012	1021	914	843	769	1388	1106	858	682	520	271
Deaths from All Causes, 1891–1900. Persons	15·35			2,969			543	127	47	31	19	767	72	55	79	67	152	170	184	298	462	663
Deaths from All Causes, 1891–1900. Males	15·04			1,498			304	69	27	20	11	431	37	23	38	31	83	85	98	135	225	312
Deaths from All Causes, 1891–1900. Females	15·68			1,471			239	58	20	11	8	336	35	32	41	36	69	85	86	163	237	351
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·22	0·31	0·13	43	31	12	8	17	6	3	1	35	3	2	2	—	—	1	—	—	—	—
Scarlet Fever	0·08	0·09	0·06	15	9	6	1	4	3	—	1	9	3	2	—	—	1	—	—	—	—	—
Diphtheria	0·06	0·05	0·06	11	5	6	—	—	1	2	2	5	4	2	—	—	—	—	—	—	—	—
Whooping-cough	0·33	0·33	0·32	63	33	30	34	15	6	4	1	60	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·13	0·10	0·16	25	10	15	—	—	—	1	2	3	2	3	3	1	5	2	3	3	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·46	0·62	0·29	89	62	27	67	4	—	—	1	72	—	—	—	—	—	1	—	2	3	11
Cholera	0·03	0·02	0·04	6	2	4	5	1	—	—	—	6	—	—	—	—	—	—	—	—	—	—
Cancer	0·87	0·61	1·14	168	61	107	—	—	—	—	—	—	—	—	1	—	1	12	24	44	53	33
Tabes Mesenterica	0·08	0·06	0·10	15	6	9	5	1	—	—	1	7	2	—	1	1	2	—	1	1	—	—
Phthisis	0·99	0·95	1·02	191	95	96	1	2	1	—	—	4	2	7	26	17	43	39	23	17	11	2
Other Tub. & Scrof. Dis.	0·31	0·28	0·34	60	28	32	12	10	4	3	2	31	9	3	3	2	4	2	4	—	2	—
Diseases of Nervous System	2·03	2·09	1·96	392	208	184	73	16	6	3	2	100	10	7	8	5	10	17	17	50	72	96
Diseases of Circulatory "	1·79	1·73	1·86	347	172	175	2	—	1	—	—	3	6	6	2	3	15	24	36	67	94	91
Diseases of Respiratory "	2·63	2·50	2·77	509	249	260	101	35	15	10	5	166	11	5	6	7	11	13	32	45	91	122
Diseases of Digestive "	0·92	0·83	1·01	178	83	95	46	15	—	1	1	63	3	4	4	1	7	6	15	17	30	28
Diseases of Urinary "	0·41	0·49	0·32	79	49	30	—	1	—	—	—	1	—	—	2	1	7	11	5	18	18	16
Diseases of Generative "	0·02	—	0·03	3	—	3	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	1
Puerperal Fever	0·04	—	0·09	8	—	8	—	—	—	—	—	—	—	—	—	—	6	2	—	—	—	—
Childbirth	0·05	—	0·11	10	—	10	—	—	—	—	—	—	—	—	1	4	3	2	—	—	—	—
Violence	0·62	0·95	0·26	119	95	24	4	1	1	4	—	10	9	2	12	14	21	14	10	4	12	11
OTHER CAUSES	3·28	3·03	3·61	638	300	338	184	5	3	—	—	192	5	12	8	11	15	24	14	30	75	252

Marriages 777

Births .. { Males .. 2,416 / Females 2,233 } 4,649

Annual Rate per 1000 living { Persons Married .. 8·03 / Births . .. .. 24·04

Annual Births to 1000 Females aged 15—45 years = 113.

Deaths from Childbirth and Puerperal Fever .. .. } 3·87 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

293.—LISKEARD.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·63			*112	—	—	—	—	37·72	3·57	2·37	4·45	4·63	6·83	7·39	10·77	22·76	52·60	127·90
Annual Death-Rate per 1000. Males ..	—			14·30			*126	—	—	—	—	42·15	3·74	2·30	3·94	5·00	6·84	8·19	12·40	25·09	55·50	137·16
Annual Death-Rate per 1000. Females	—			13·01			* 96	—	—	—	—	33·36	3·39	2·45	4·96	4·34	6·83	6·78	9·53	20·88	50·26	121·09
Mean Population, 1891–1900. Persons	—			25,328			568	502	590	558	558	2776	2887	2738	2560	1988	3395	2705	2274	1920	1386	699
Mean Population, 1891–1900. Males ..	—			11,770			279	238	295	279	285	1376	1470	1392	1270	860	1462	1185	984	857	618	296
Mean Population, 1891–1900. Females	—			13,558			289	264	295	279	273	1400	1417	1346	1290	1128	1933	1520	1290	1063	768	403
Deaths from All Causes, 1891–1900. Persons	16·42			4,158			710	196	70	43	28	1047	103	65	114	92	232	200	245	437	729	894
Deaths from All Causes, 1891–1900. Males ..	17·36			2,043			413	96	37	18	16	580	55	32	50	43	100	97	122	215	343	406
Deaths from All Causes, 1891–1900. Females	15·60			2,115			297	100	33	25	12	467	48	33	64	49	132	103	123	222	386	488
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·17	0·23	0·12	43	27	16	14	10	3	3	2	32	8	1	—	—	1	—	1	—	—	—
Scarlet Fever	0·07	0·08	0·06	17	9	8	—	1	1	3	1	6	5	2	2	—	2	—	—	—	—	—
Diphtheria	0·16	0·18	0·14	40	21	19	—	2	5	5	3	15	16	4	—	1	1	2	1	—	—	—
Whooping-cough ..	0·29	0·31	0·27	74	37	37	44	20	6	4	—	74	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever.. ..	0·06	0·05	0·07	15	6	9	—	—	—	—	1	1	—	3	3	1	2	2	3	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Diarrhœa & Dysentery	0·19	0·24	0·15	49	28	21	31	4	—	1	—	36	2	—	—	—	2	—	—	1	2	6
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·97	0·82	1·10	246	97	149	—	—	1	—	—	1	—	—	1	1	3	11	32	59	80	58
Tabes Mesenterica ..	0·14	0·14	0·13	35	17	18	14	6	1	2	—	23	2	2	2	—	3	1	—	—	2	—
Phthisis	1·48	1·63	1·35	375	192	183	1	1	3	2	—	7	4	12	38	49	111	53	37	46	18	—
Other Tub. & Scrof. Dis.	0·41	0·44	0·38	104	52	52	24	9	8	6	3	50	19	6	13	2	3	4	2	2	2	1
Diseases of Nervous System ..	1·98	2·01	1·95	501	237	264	92	15	9	2	2	120	4	6	8	2	18	10	26	54	119	134
Diseases of Circulatory " ..	2·09	1·93	2·23	529	227	302	3	—	—	—	2	5	3	2	6	8	9	17	33	109	174	163
Diseases of Respiratory ..	2·97	3·38	2·61	752	398	354	140	75	13	9	8	245	17	6	8	3	9	30	39	82	145	168
Diseases of Digestive " ..	0·99	1·09	0·90	250	128	122	57	14	5	1	1	78	7	6	10	7	7	9	14	29	43	40
Diseases of Urinary " ..	0·44	0·64	0·27	111	75	36	1	—	—	—	1	2	1	1	—	1	9	8	14	11	31	33
Diseases of Generative " ..	0·03	—	0·06	8	—	8	—	—	—	—	—	—	—	—	—	1	1	1	—	3	1	1
Puerperal Fever ..	0·03	—	0·05	7	—	7	—	—	—	—	—	—	—	—	—	—	4	3	—	—	—	—
Childbirth	0·08	—	0·15	20	—	20	—	—	—	—	—	—	—	—	1	2	7	9	1	—	—	—
Violence	0·46	0·74	0·21	116	87	29	9	8	8	2	2	29	4	5	5	6	18	18	6	6	12	7
OTHER CAUSES	3·41	3·45	3·40	866	405	461	280	31	7	3	2	323	11	9	17	8	22	22	36	35	100	283

Marriages 1,530

Births .. Males .. 3,268 / Females 3,094 } 6,362

Annual Rate per 1000 living { Persons Married .. 12·08 / Births .. .. .. 25·12

Annual Births to 1000 Females aged 15—45 years = 108.

Deaths from Childbirth and Puerperal Fever .. .. } 4·24 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

294.—BODMIN.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 15·99	*114	—	—	—	—	40·52	4·34	2·57	4·07	6·01	6·97	10·82	15·24	25·78	61·99	158·53
Annual Death-Rate per 1000. Males	—	In Standard Population. 16·72	*125	—	—	—	—	45·39	4·47	2·39	3·95	6·22	7·87	13·13	15·88	27·33	61·40	159·34
Annual Death-Rate per 1000. Females	—	In Standard Population. 15·30	*102	—	—	—	—	35·79	4·20	2·74	4·18	5·82	6·24	8·89	14·73	24·51	62·46	157·89
Mean Population, 1891–1900. Persons	—	18,443	383	371	408	389	406	1957	1914	1870	1746	1464	2512	2145	1778	1478	1034	545
Mean Population, 1891–1900. Males	—	8,640	188	172	203	192	210	965	961	920	860	691	1118	975	787	666	456	241
Mean Population, 1891–1900. Females	—	9,803	195	199	205	197	196	992	953	950	886	773	1394	1170	991	812	578	304
Deaths from All Causes, 1891–1900. Persons	19·77	3,647	528	152	62	25	26	793	83	48	71	88	175	232	271	381	641	864
Deaths from All Causes, 1891–1900. Males	20·45	1,767	297	87	30	11	13	438	43	22	34	43	88	128	125	182	280	384
Deaths from All Causes, 1891–1900. Females	19·18	1,880	231	65	32	14	13	355	40	26	37	45	87	104	146	199	361	480

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.													
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·16	0·12	0·19	29	10	19	4	13	1	5	—	23	4	—	—	—	1	—	1	—	—	—
Scarlet Fever	0·04	0·03	0·05	8	3	5	1	1	1	—	1	4	3	—	—	—	—	—	—	1	—	—
Diphtheria	0·23	0·25	0·21	43	22	21	1	1	5	2	10	19	19	3	—	—	1	—	1	—	—	—
Whooping-cough	0·39	0·36	0·42	72	31	41	39	25	6	1	1	72	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·15	0·20	0·10	27	17	10	—	—	—	—	—	—	3	1	5	5	8	2	2	1	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·29	0·36	0·22	53	31	22	33	2	2	—	—	37	—	—	—	—	1	1	—	2	2	10
Cholera	0·02	0·02	0·01	3	2	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	2
Cancer	0·72	0·42	0·98	132	36	96	—	—	—	—	1	1	—	1	1	—	2	7	19	38	38	25
Tabes Mesenterica	0·21	0·27	0·16	39	23	16	10	8	3	1	1	23	1	1	4	1	1	6	1	1	—	—
Phthisis	1·43	1·44	1·42	263	124	139	4	4	—	—	—	8	1	5	20	31	55	44	48	34	14	3
Other Tub. & Scrof. Dis.	0·39	0·45	0·34	72	39	33	11	6	5	3	—	25	7	5	6	3	5	8	4	4	3	2
Diseases of Nervous System	3·10	3·64	2·63	572	314	258	58	16	1	3	1	79	8	7	8	6	29	55	59	80	124	117
Diseases of Circulatory "	2·04	1·82	2·24	377	157	220	1	—	—	—	—	1	2	1	4	3	11	17	28	80	132	98
Diseases of Respiratory "	2·78	2·93	2·65	513	253	260	102	38	17	7	4	168	11	3	1	8	15	21	29	50	90	117
Diseases of Digestive "	0·92	0·93	0·92	170	80	90	36	5	—	—	—	41	5	5	5	7	3	6	20	16	35	27
Diseases of Urinary "	0·58	0·79	0·40	107	68	39	1	—	—	—	—	1	—	2	2	3	2	6	12	22	31	26
Diseases of Generative "	0·04	—	0·07	7	—	7	—	—	—	—	—	—	—	—	—	—	1	1	—	2	2	1
Puerperal Fever	0·04	—	0·07	7	—	7	—	—	—	—	—	—	—	—	—	—	6	1	—	—	—	—
Childbirth	0·13	—	0·24	24	—	24	—	—	—	—	—	—	—	—	1	4	8	10	1	—	—	—
Violence	0·62	0·86	0·42	115	74	41	19	4	4	1	4	32	5	4	5	10	9	15	4	6	14	11
OTHER CAUSES	5·49	5·56	5·44	1014	483	531	207	29	17	2	3	258	14	10	9	7	17	32	42	44	156	425

Marriages 1,184

Births .. { Males .. 2,385 / Females 2,262 } 4,647

Annual Rate per 1000 living { Persons Married .. 12·84 / Births .. .. .. 25·20 }

Annual Births to 1000 Females aged 15—45 years = 110.

Deaths from Childbirth and Puerperal Fever .. .. } 6·67 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

295.—ST. COLUMB.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 13·44	*116	—	—	—	—	37·32	3·76	3·01	3·93	5·68	5·92	7·35	10·14	20·86	50·00	131·94
Annual Death-Rate per 1000. Males	—	In Standard Population. 14·09	*137	—	—	—	—	42·69	3·88	3·58	4·25	5·98	6·34	7·72	10·76	20·31	47·93	138·42
Annual Death-Rate per 1000. Females	—	In Standard Population. 12·83	* 94	—	—	—	—	31·72	3·64	2·44	3·63	5·45	5·60	7·06	9·68	21·31	51·61	126·86
Mean Population, 1891-1900. Persons	—	15,642	353	313	352	341	332	1691	1650	1630	1528	1321	2162	1769	1469	1160	830	432
Mean Population, 1891-1900. Males	—	7,220	181	156	181	181	163	862	825	809	729	569	947	777	652	517	363	190
Mean Population, 1891-1900. Females	—	8,422	172	157	171	160	169	829	825	821	799	752	1215	992	837	643	467	242
Deaths from All Causes, 1891-1900. Persons	16·05	2,511	451	92	36	35	17	631	62	49	60	75	128	130	149	242	415	570
Deaths from All Causes, 1891-1900. Males	16·95	1,224	271	54	17	16	10	368	32	29	31	34	60	60	68	105	174	263
Deaths from All Causes, 1891-1900. Females	15·28	1,287	180	38	19	19	7	263	30	20	29	41	68	70	81	137	241	307

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·14	0·17	0·12	22	12	10	7	5	6	1	1	20	1	—	1	—	—	—	—	—	—	—
Scarlet Fever	0·06	0·11	0·01	9	8	1	3	1	2	—	—	6	1	—	—	1	—	—	—	1	—	—
Diphtheria	0·15	0·18	0·12	23	13	10	—	1	1	4	1	7	12	4	—	—	—	—	—	—	—	—
Whooping-cough	0·40	0·46	0·34	62	33	29	35	17	3	3	3	61	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·16	0·17	0·15	25	12	13	—	—	—	1	—	1	3	4	5	4	1	1	2	4	—	—
Simple Continued Fever	0·01	0·01	0·01	2	1	1	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—
Diarrhœa & Dysentery	0·35	0·46	0·26	55	33	22	37	2	1	2	—	42	2	—	—	—	—	—	—	1	5	5
Cholera	0·02	0·01	0·02	3	1	2	1	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—
Cancer	1·04	0·76	1·28	163	55	108	1	—	—	—	—	1	—	1	—	—	1	16	21	41	47	35
Tabes Mesenterica	0·14	0·15	0·13	22	11	11	5	3	1	2	1	12	1	3	—	1	2	1	2	—	—	—
Phthisis	1·16	1·25	1·08	181	90	91	6	6	1	—	1	14	3	5	17	35	41	21	15	17	12	1
Other Tub. & Scrof. Dis.	0·31	0·36	0·26	48	26	22	10	2	3	2	1	18	5	3	5	6	3	4	2	1	1	—
Diseases of: Nervous System	1·80	1·75	1·84	281	126	155	36	11	6	3	2	58	4	6	4	—	7	5	13	34	67	83
Diseases of: Circulatory "	1·52	1·37	1·64	237	99	138	—	—	—	—	—	—	—	2	4	3	6	9	20	34	84	75
Diseases of: Respiratory "	2·63	2·81	2·45	411	203	208	80	23	4	11	1	119	11	3	6	4	9	14	12	28	80	125
Diseases of: Digestive "	0·88	1·00	0·78	138	72	66	18	7	3	—	2	30	1	6	2	4	9	9	12	15	25	25
Diseases of: Urinary "	0·54	0·66	0·44	85	48	37	1	1	—	1	—	3	3	1	2	—	7	12	10	6	20	21
Diseases of: Generative "	0·03	—	0·06	5	—	5	—	—	—	—	—	—	—	—	—	—	—	1	3	—	1	—
Puerperal Fever	0·02	—	0·04	3	—	3	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—
Childbirth	0·12	—	0·23	19	—	19	—	—	—	—	—	—	—	—	1	1	11	6	—	—	—	—
Violence	0·59	0·86	0·37	93	62	31	7	1	2	2	3	15	5	—	5	6	6	7	11	14	12	12
Other Causes	3·98	4·41	3·65	624	319	305	204	12	3	3	1	223	9	10	8	10	23	22	26	45	60	188

Marriages 1,065

Births .. { Males .. 1,974 / Females 1,922 } 3,896

Annual Rate per 1000 living { Persons Married .. 13·62 / Births .. .. .. 24·91 }

Annual Births to 1000 Females aged 15—45 years = 104.

Deaths from Childbirth and Puerperal Fever .. .. } 5·65 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

296.—ST. AUSTELL.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 15·02	*133	—	—	—	—	47·39	3·58	2·64	3·64	4·81	5·66	6·80	10·18	24·32	60·05	139·59
Annual Death-Rate per 1000. Males ..	—	15·86	*148	—	—	—	—	53·85	4·19	2·63	3·45	4·22	5·54	6·28	10·75	26·90	66·88	143·23
Annual Death-Rate per 1000. Females	—	14·23	*118	—	—	—	—	40·88	2·97	2·65	3·84	5·33	5·76	7·24	9·71	22·27	55·12	136·97
Mean Population, 1891–1900. Persons	—	31,892	800	701	762	781	735	3779	3656	3408	3244	2579	4416	3499	2918	2171	1497	725
Mean Population, 1891–1900. Males ..	—	15,158	392	371	380	384	371	1898	1839	1711	1682	1209	2021	1592	1312	963	628	303
Mean Population, 1891–1900. Females	—	16,734	408	330	382	397	364	1881	1817	1697	1562	1370	2395	1907	1606	1208	869	422
Deaths from All Causes, 1891–1900. Persons	17·18	5,478	1229	332	110	65	55	1791	131	90	118	124	250	238	297	528	899	1012
Deaths from All Causes, 1891–1900. Males ..	17·94	2,719	700	191	66	36	29	1022	77	45	58	51	112	100	141	259	420	434
Deaths from All Causes, 1891–1900. Females	16·49	2,759	529	141	44	29	26	769	54	45	60	73	138	138	156	269	479	578

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·12	0·14	0·10	37	21	16	12	8	6	2	3	31	6	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·06	0·06	0·06	19	9	10	3	2	3	3	3	14	5	—	—	—	—	—	—	—	—	—
Diphtheria	0·24	0·27	0·22	77	41	36	1	7	5	12	13	38	28	7	1	1	1	1	—	—	—	—
Whooping-cough ..	0·45	0·44	0·45	142	66	76	81	41	12	4	4	142	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·03	0·03	0·04	11	5	6	—	—	—	—	—	—	—	—	3	2	2	3	1	—	—	—
Simple Continued Fever	0·01	0·01	0·01	4	2	2	1	1	—	—	—	2	—	—	—	—	1	—	—	—	—	1
Diarrhœa & Dysentery	0·27	0·30	0·25	87	45	42	54	14	2	1	—	71	—	1	—	—	1	1	3	1	4	5
Cholera	0·02	0·03	0·01	5	4	1	2	—	—	—	1	3	—	—	—	—	1	—	—	—	1	—
Cancer	0·74	0·52	0·93	235	79	156	1	—	—	—	—	1	1	1	3	2	4	20	30	72	62	39
Tabes Mesenterica ..	0·11	0·12	0·10	34	18	16	20	5	2	—	—	27	—	2	—	2	2	1	—	—	—	—
Phthisis	0·99	0·96	1·02	315	145	170	2	8	—	1	1	12	5	11	36	53	85	43	23	30	17	—
Other Tub. & Scrof. Dis.	0·42	0·46	0·38	133	70	63	26	20	11	8	2	67	13	12	6	6	14	10	3	1	1	—
Diseases of Nervous System ..	2·07	2·28	1·89	661	345	316	144	40	10	4	5	203	15	6	9	4	13	24	40	66	147	134
Diseases of Circulatory „ ..	1·80	1·70	1·89	573	257	316	2	—	—	—	—	2	5	8	6	7	8	18	49	120	204	146
Diseases of Respiratory „ ..	2·69	3·04	2·36	856	461	395	236	102	36	18	6	398	21	8	5	8	17	15	43	71	157	113
Diseases of Digestive „ ..	1·10	1·13	1·08	352	171	181	85	22	3	2	4	116	5	11	3	8	17	18	30	39	69	36
Diseases of Urinary „ ..	0·49	0·64	0·36	157	97	60	2	1	—	1	—	4	3	2	4	4	11	14	13	31	33	38
Diseases of Generative „ ..	0·06	0·01	0·10	18	2	16	—	—	—	—	—	—	—	—	1	2	2	3	4	3	2	1
Puerperal Fever ..	0·05	—	0·10	17	—	17	—	—	—	—	—	—	—	—	—	4	7	5	1	—	—	—
Childbirth	0·08	—	0·14	24	—	24	—	—	—	—	—	—	—	—	2	3	8	10	1	—	—	—
Violence	0·49	0·73	0·28	157	110	47	22	4	2	5	3	36	11	5	9	8	14	15	13	16	21	9
OTHER CAUSES	4·89	5·07	4·72	1564	771	793	535	57	18	4	10	624	13	16	30	10	42	37	43	78	181	490

Marriages 2,286

Births .. { Males .. 4,723 / Females 4,485 } 9,208

Annual Rate per 1000 living { Persons Married .. 14·34 / Births .. .. .. 28·87 }

Annual Births to 1000 Females aged 15—45 years = 127.

Deaths from Childbirth and Puerperal Fever .. .. } 4·45 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

297.—TRURO.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		14·39	*123	—	—	—	—	41·22	3·05	2·99	3·35	5·20	5·89	7·19	11·69	25·40	53·81	139·61
Annual Death-Rate per 1000. Males	—					15·07	*136	—	—	—	—	45·25	3·09	2·38	2·90	5·83	6·06	7·38	12·95	29·31	58·91	146·18
Annual Death-Rate per 1000. Females	—					13·76	*109	—	—	—	—	37·10	3·02	3·64	3·78	4·76	5·78	7·06	10·82	22·71	50·47	135·59
Mean Population, 1891–1900. Persons	—			33,688			724	650	673	700	705	3452	3537	3413	3378	2788	4598	3809	3242	2602	1940	929
Mean Population, 1891–1900. Males	—			15,069			366	328	341	342	369	1746	1780	1763	1657	1150	1899	1571	1320	1061	769	353
Mean Population, 1891–1900. Females	—			18,619			358	322	332	358	336	1706	1757	1650	1721	1638	2699	2238	1922	1541	1171	576
Deaths from All Causes, 1891–1900. Persons	17·27			5,817			991	252	84	57	39	1423	108	102	113	145	271	274	379	661	1044	1297
Deaths from All Causes, 1891–1900. Males	17·81			2,684			559	137	43	27	24	790	55	42	48	67	115	116	171	311	453	516
Deaths from All Causes, 1891–1900. Females	16·83			3,133			432	115	41	30	15	633	53	60	65	78	156	158	208	350	591	781
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·17	0·19	0·15	56	29	27	13	22	6	7	1	49	6	—	—	—	—	1	—	—	—	—
Scarlet Fever	0·06	0·04	0·08	20	6	14	1	2	2	4	—	9	4	4	2	—	1	—	—	—	—	—
Diphtheria	0·17	0·17	0·17	57	25	32	—	3	9	3	5	20	21	10	3	—	—	1	1	—	1	—
Whooping-cough	0·22	0·27	0·18	73	40	33	32	32	4	2	3	73	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·11	0·09	0·13	38	14	24	—	—	—	—	—	—	4	6	3	7	7	3	3	4	1	—
Simple Continued Fever	0·00	—	0·01	1	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·34	0·40	0·30	115	60	55	77	13	1	1	—	92	—	—	—	—	1	—	5	5	5	7
Cholera	0·01	0·01	0·01	4	2	2	2	1	—	—	—	3	—	—	—	—	—	—	—	—	1	—
Cancer	0·99	0·67	1·26	335	101	234	—	—	—	—	—	—	—	—	2	3	10	20	58	93	93	56
Tabes Mesenterica	0·17	0·19	0·15	56	28	28	25	7	2	4	—	38	2	4	—	3	4	3	1	—	1	—
Phthisis	1·37	1·42	1·34	463	214	249	8	6	2	1	1	18	8	23	41	68	103	80	58	36	24	4
Other Tub. & Scrof. Dis.	0·25	0·27	0·23	83	41	42	18	10	7	3	5	43	11	9	4	5	6	1	2	2	—	—
Diseases of: Nervous System	2·10	2·10	2·09	706	316	390	128	24	6	4	3	165	10	7	9	7	12	21	40	78	186	171
Diseases of: Circulatory	1·80	1·69	1·90	607	254	353	3	—	—	—	—	3	2	9	8	10	17	27	55	137	209	130
Diseases of: Respiratory	2·85	3·28	2·51	961	494	467	163	70	22	12	11	278	15	6	9	15	26	26	46	140	198	202
Diseases of: Digestive	0·97	1·04	0·92	327	156	171	68	20	4	3	1	96	8	5	5	4	10	18	31	51	56	43
Diseases of: Urinary	0·54	0·73	0·39	183	110	73	1	1	2	—	—	4	1	—	2	3	10	10	27	30	57	39
Diseases of: Generative	0·04	0·01	0·07	15	2	13	2	—	—	—	—	2	—	—	1	1	1	5	1	1	2	1
Puerperal Fever	0·05	—	0·09	16	—	16	—	—	—	—	—	—	—	—	—	3	6	7	—	—	—	—
Childbirth	0·06	—	0·11	21	—	21	—	—	—	—	—	—	—	—	—	1	14	3	3	—	—	—
Violence	0·47	0·82	0·18	158	124	34	18	4	6	4	2	34	7	5	11	9	19	19	14	19	9	12
Other Causes	4·53	4·42	4·56	1522	668	854	431	37	11	9	7	495	9	14	13	6	24	29	34	65	201	632

Marriages 2,403

Births .. { Males .. 4,100 / Females 3,979 } 8,079

Annual Rate per 1000 living { Persons Married .. 14·27 / Births .. .. .. 23·98 }

Annual Births to 1000 Females aged 15—45 years = 97.

Deaths from Childbirth and Puerperal Fever .. .. } 4·58 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

298.—FALMOUTH.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		16·34	*144	—	—	—	—	49·87	3·57	2·32	4·55	6·12	6·86	9·50	13·11	26·57	55·43	140·04
Annual Death-Rate per 1000. Males	—					18·35	*160	—	—	—	—	57·44	4·55	2·56	4·86	8·24	8·56	11·31	14·55	30·57	60·99	151·67
Annual Death-Rate per 1000. Females	—					14·44	*127	—	—	—	—	42·78	2·60	2·09	4·16	4·34	5·56	8·08	11·89	23·46	51·67	132·94
Mean Population, 1891–1900. Persons	—			23,870			466	438	471	449	456	2280	2378	2331	2639	2240	3440	2674	2311	1818	1207	552
Mean Population, 1891–1900. Males	—			11,075			238	208	219	216	221	1102	1186	1133	1462	1019	1496	1176	1010	795	487	209
Mean Population, 1891–1900. Females	—			12,795			228	230	252	233	235	1178	1192	1198	1177	1221	1944	1498	1301	1023	720	343
Deaths from All Causes, 1891–1900. Persons	17·81			4,251			832	197	53	31	24	1137	85	54	120	137	236	254	303	483	669	773
Deaths from All Causes, 1891–1900. Males	19·29			2,136			476	110	19	16	12	633	54	29	71	84	128	133	147	243	297	317
Deaths from All Causes, 1891–1900. Females	16·53			2,115			356	87	34	15	12	504	31	25	49	53	108	121	156	240	372	456
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·18	0·21	0·16	43	23	20	13	18	7	1	—	39	4	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·03	0·03	0·03	7	3	4	—	1	—	—	1	2	3	2	—	—	—	—	—	—	—	—
Diphtheria	0·04	0·04	0·04	9	4	5	2	—	—	1	3	6	2	—	—	—	—	—	1	—	—	—
Whooping-cough	0·28	0·26	0·30	68	29	39	36	19	4	4	2	65	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·28	0·29	0·27	66	32	34	—	—	1	—	—	1	5	3	20	10	15	6	3	2	1	—
Simple Continued Fever	0·00	—	0·01	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·54	0·65	0·45	130	72	58	96	7	2	—	—	105	—	1	2	4	2	—	—	3	7	6
Cholera	0·01	0·03	—	3	3	—	1	—	—	—	—	1	—	—	—	—	—	—	1	1	—	—
Cancer	1·03	0·86	1·18	246	95	151	—	—	—	—	—	—	—	—	3	—	6	22	41	75	63	36
Tabes Mesenterica	0·13	0·08	0·17	31	9	22	19	5	1	—	1	26	1	—	—	—	3	—	1	—	—	—
Phthisis	1·37	1·49	1·27	327	165	162	4	1	—	—	—	5	4	9	31	57	67	56	54	33	9	2
Other Tub. & Scrof. Dis.	0·41	0·51	0·31	97	57	40	16	18	6	6	2	48	13	12	3	6	6	2	2	4	1	—
Diseases of: Nervous System	2·02	2·00	2·03	481	221	260	85	31	4	6	3	129	7	2	8	6	14	17	40	69	121	68
Diseases of: Circulatory	1·60	1·82	1·41	382	201	181	2	—	1	—	1	4	2	4	6	8	17	26	46	92	119	58
Diseases of: Respiratory	2·49	2·61	2·38	594	289	305	129	60	13	7	1	210	13	6	11	4	16	21	25	68	103	117
Diseases of: Digestive	1·15	1·34	0·98	274	148	126	55	12	1	4	4	76	5	6	9	12	14	17	26	44	37	28
Diseases of: Urinary	0·41	0·57	0·27	97	63	34	4	—	1	—	—	5	2	—	1	—	5	12	15	16	27	14
Diseases of: Generative	0·03	0·01	0·05	8	1	7	—	—	—	—	—	—	—	—	—	—	1	3	2	2	—	—
Puerperal Fever	0·04	—	0·08	10	—	10	—	—	—	—	—	—	—	—	—	1	7	2	—	—	—	—
Childbirth	0·08	—	0·16	20	—	20	—	—	—	—	—	—	—	—	1	2	6	10	1	—	—	—
Violence	0·69	1·12	0·31	164	124	40	12	2	6	—	2	22	13	3	12	16	25	17	18	18	9	11
OTHER CAUSES	5·00	5·37	4·67	1193	597	596	358	23	6	2	4	393	7	6	13	11	32	43	27	56	172	433

Marriages 1,740

Births .. { Males .. 2,984 / Females 2,796 } 5,780

Annual Rate per 1000 living { Persons Married .. 14·58 / Births .. .. .. 24·21 }

Annual Births to 1000 Females aged 15—45 years = 99.

Deaths from Childbirth and Puerperal Fever .. .. } 5·19 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

299.—HELSTON.

CAUSES OF DEATH.		CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000.	Persons	—			In Standard Population.		16·78	*150	—	—	—	—	54·81	3·69	2·39	3·70	5·83	6·79	7·75	13·19	25·53	61·71	139·82
	Males ..	—					18·12	*162	—	—	—	—	58·86	3·77	2·69	3·85	6·50	7·16	7·39	16·57	30·27	78·04	145·37
	Females	—					15·52	*139	—	—	—	—	50·82	3·62	2·10	3·54	5·26	6·51	8·03	10·65	22·10	51·84	136·62
Mean Population, 1891–1900.	Persons	—			21,530			477	431	461	467	474	2310	2329	2174	2082	1785	2917	2491	2085	1661	1136	560
	Males ..	—			9,783			247	202	231	232	233	1145	1141	1080	1038	816	1257	1083	893	697	428	205
	Females	—			11,747			230	229	230	235	241	1165	1188	1094	1044	969	1660	1408	1192	964	708	355
Deaths from All Causes, 1891–1900.	Persons	19·32			4,159			866	268	69	38	25	1266	86	52	77	104	198	193	275	424	701	783
	Males ..	20·44			2,000			470	145	29	18	12	674	43	29	40	53	90	80	148	211	334	298
	Females	18·38			2,159			396	123	40	20	13	592	43	23	37	51	108	113	127	213	367	485
		Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles		0·23	0·30	0·18	50	29	21	11	17	6	7	2	43	6	—	—	—	—	1	—	—	—	—
Scarlet Fever		0·13	0·13	0·13	28	13	15	2	4	—	5	4	15	5	5	1	1	1	—	—	—	—	—
Diphtheria		0·19	0·17	0·20	40	17	23	2	2	5	3	4	16	17	6	—	1	—	—	—	—	—	—
Whooping-cough ..		0·40	0·37	0·43	87	36	51	52	24	6	1	1	84	2	1	—	—	—	—	—	—	—	—
Typhus		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever		0·12	0·12	0·12	25	12	13	—	—	—	1	—	1	—	—	9	1	7	3	1	2	1	—
Simple Continued Fever		0·01	0·01	0·01	2	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—
Diarrhœa & Dysentery		0·34	0·36	0·32	73	35	38	49	3	1	—	1	54	1	—	—	1	—	—	2	1	6	8
Cholera		0·00	0·01	—	1	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer		1·12	0·91	1·29	240	89	151	—	—	—	—	—	—	—	1	1	—	2	16	43	70	76	31
Tabes Mesenterica ..		0·22	0·22	0·22	48	22	26	23	12	2	—	—	37	1	1	1	1	2	—	3	1	1	—
Phthisis		1·48	1·78	1·23	318	174	144	1	4	—	1	—	6	5	5	25	46	77	40	49	42	20	3
Other Tub. & Scrof. Dis.		0·27	0·29	0·26	58	28	30	14	10	3	—	2	29	10	3	2	1	5	4	1	2	1	—
Diseases of	Nervous System ..	2·17	2·19	2·15	467	214	253	93	29	6	2	—	130	6	5	9	8	13	17	23	64	111	81
	Circulatory " ..	1·44	1·55	1·35	311	152	159	1	1	—	—	—	2	2	7	3	4	7	15	35	61	112	63
	Respiratory " ..	2·85	3·28	2·49	614	321	293	130	88	20	8	6	252	11	6	2	8	12	14	37	66	109	97
	Digestive " ..	1·29	1·29	1·29	278	126	152	92	18	6	1	1	118	3	2	7	2	9	8	10	30	48	41
	Urinary " ..	0·37	0·54	0·23	80	53	27	2	1	—	—	—	3	3	1	1	1	4	2	6	18	28	13
	Generative " ..	0·02	—	0·04	5	—	5	—	—	—	—	—	—	—	—	1	—	—	—	2	1	1	—
Puerperal Fever ..		0·04	—	0·08	9	—	9	—	—	—	—	—	—	—	—	—	2	4	3	—	—	—	—
Childbirth		0·14	—	0·26	30	—	30	—	—	—	—	—	—	—	—	—	5	9	15	1	—	—	—
Violence		0·77	1·29	0·34	166	126	40	5	1	5	3	3	17	7	3	5	14	24	29	26	10	19	12
OTHER CAUSES ..		5·72	5·63	5·76	1229	551	678	388	54	9	6	1	458	7	6	9	8	22	26	36	55	168	434

Marriages 1,476

Births .. { Males .. 2,906, Females 2,858 } 5,764

Annual Rate per 1000 living { Persons Married .. 13·71, Births .. .. .. 26·77 }

Annual Births to 1000 Females aged 15—45 years = 113.

Deaths from Childbirth and Puerperal Fever .. .. } 6·77 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

300.—REDRUTH.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 18·77			*185	—	—	—	—	63·34	3·46	2·50	3·55	5·43	6·50	8·74	14·89	33·26	64·08	142·35
Annual Death-Rate per 1000. Males	—			21·42			*205	—	—	—	—	69·06	3·66	2·49	3·82	5·88	8·83	12·17	21·56	46·24	76·39	149·59
Annual Death-Rate per 1000. Females	—			16·28			*164	—	—	—	—	57·63	3·25	2·52	3·26	5·06	4·82	6·45	10·67	25·66	57·90	139·56
Mean Population, 1891-1900. Persons	—			48,729			1215	978	1104	1055	1077	5429	5405	5152	5244	4328	6912	5329	4494	3458	2102	876
Mean Population, 1891-1900. Males	—			21,612			609	470	559	516	561	2715	2732	2569	2670	1939	2889	2136	1739	1276	703	244
Mean Population, 1891-1900. Females	—			27,117			606	508	545	539	516	2714	2673	2583	2574	2389	4023	3193	2755	2182	1399	632
Deaths from All Causes, 1891-1900. Persons	19·50			9,504			2505	583	173	110	68	3439	187	129	186	235	449	466	669	1150	1347	1247
Deaths from All Causes, 1891-1900. Males	21·46			4,637			1413	284	87	58	33	1875	100	64	102	114	255	260	375	590	537	365
Deaths from All Causes, 1891-1900. Females	17·95			4,867			1092	299	86	52	35	1564	87	65	84	121	194	206	294	560	810	882
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·02	0·01	0·03	9	2	7	2	1	—	—	1	4	2	1	—	—	1	1	—	—	—	—
Measles	0·25	0·30	0·22	124	65	59	34	49	16	10	8	117	7	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·21	0·24	0·19	104	52	52	8	12	16	4	9	49	29	19	6	1	—	—	—	—	—	—
Diphtheria	0·13	0·12	0·13	63	27	36	6	7	9	8	9	39	19	2	1	—	—	—	—	—	1	1
Whooping-cough	0·41	0·41	0·42	202	89	113	101	67	20	11	2	201	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·12	0·12	0·11	58	27	31	—	—	2	—	—	2	—	7	4	13	11	9	5	5	2	—
Simple Continued Fever	0·01	0·00	0·01	3	1	2	1	—	—	—	—	1	—	—	—	—	—	1	—	—	1	—
Diarrhœa & Dysentery	0·80	1·01	0·64	392	218	174	320	17	2	2	—	341	1	—	—	1	3	2	3	9	18	14
Cholera	0·05	0·08	0·03	24	17	7	15	2	—	—	—	17	—	1	—	—	—	—	—	2	2	2
Cancer	0·88	0·67	1·05	428	144	284	3	1	—	—	—	4	—	—	2	1	13	31	86	138	114	39
Tabes Mesenterica	0·18	0·24	0·14	89	52	37	52	9	3	1	1	66	3	4	5	1	2	4	2	2	—	—
Phthisis	1·42	2·07	0·91	693	447	246	7	10	2	—	1	20	3	11	52	81	170	131	113	87	23	2
Other Tub. & Scrof. Dis.	0·40	0·49	0·33	195	106	89	24	21	12	11	8	76	23	16	21	12	15	15	9	4	2	2
Diseases of Nervous System	2·25	2·34	2·18	1095	505	590	360	64	13	16	6	459	14	14	10	17	27	28	65	139	208	114
Diseases of Circulatory	1·68	1·54	1·79	817	332	485	2	—	—	2	2	6	9	13	13	18	27	39	84	228	266	114
Diseases of Respiratory	3·52	4·41	2·82	1717	952	765	381	219	52	25	12	689	41	10	9	9	48	66	142	279	266	158
Diseases of Digestive	0·87	0·94	0·81	424	204	220	161	19	3	1	4	188	5	4	10	8	18	22	32	54	58	25
Diseases of Urinary	0·49	0·60	0·40	237	129	108	10	4	—	4	1	19	3	1	5	7	11	16	26	56	60	33
Diseases of Generative	0·06	0·01	0·10	30	2	28	—	—	—	1	—	1	—	—	1	1	—	6	8	7	5	1
Puerperal Fever	0·04	—	0·07	19	—	19	—	—	—	—	—	—	—	—	—	4	9	6	—	—	—	—
Childbirth	0·08	—	0·15	41	—	41	—	—	—	—	—	—	—	—	2	12	15	9	3	—	—	—
Violence	0·53	0·98	0·17	257	212	45	21	5	10	10	2	48	14	11	22	31	33	30	21	24	10	13
OTHER CAUSES	5·10	4·38	5·25	2483	1054	1429	997	76	13	4	2	1092	13	15	23	18	46	50	70	116	311	729

Marriages 8,605
Births . Males .. 6,907 } 13,554
Births . Females 6,647 }

Annual Rate per 1000 living { Persons Married .. 14·80
Births .. .. .. 27·82 }
Annual Births to 1000 Females aged 15—45 years = 111.

Deaths from Childbirth and Puerperal Fever .. .. } 4·43 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

301.—PENZANCE.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 16·65			*166	—	—	—	—	58·41	4·08	2·36	3·79	4·55	5·87	7·51	12·40	25·44	53·69	141·22
Annual Death-Rate per 1000. Males	—			17·90			*179	—	—	—	—	62·21	3·63	2·25	3·87	5·71	6·24	9·11	14·97	29·69	62·16	155·18
Annual Death-Rate per 1000. Females	—			15·46			*153	—	—	—	—	54·64	4·55	2·48	3·71	3·65	5·60	6·29	10·58	22·67	48·47	133·15
Mean Population, 1891–1900. Persons	—			48,739			1071	999	1079	1067	1059	5275	5289	5034	4963	4196	6880	5497	4547	3498	2427	1133
Mean Population, 1891–1900. Males	—			22,110			529	493	547	538	518	2625	2672	2530	2534	1839	2917	2381	1891	1381	925	415
Mean Population, 1891–1900. Females	—			26,629			542	506	532	529	541	2650	2617	2504	2429	2357	3963	3116	2656	2117	1502	718
Deaths from All Causes, 1891–1900. Persons	18·40			8,969			2172	527	178	116	88	3081	216	119	188	191	404	413	564	890	1303	1600
Deaths from All Causes, 1891–1900. Males	19·45			4,301			1190	250	96	52	45	1633	97	57	98	105	182	217	283	410	575	644
Deaths from All Causes, 1891–1900. Females	17·53			4,668			982	277	82	64	43	1448	119	62	90	86	222	196	281	480	728	956
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·00	—	0·01	2	—	2	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—
Measles	0·25	0·31	0·20	121	69	52	29	40	18	12	6	105	12	1	2	—	1	—	—	—	—	—
Scarlet Fever	0·33	0·37	0·30	161	81	80	14	21	20	23	18	96	36	15	9	2	2	1	—	—	—	—
Diphtheria	0·15	0·14	0·15	71	30	41	3	12	6	10	11	42	20	7	1	—	—	1	—	—	—	—
Whooping-cough	0·45	0·39	0·49	217	86	131	108	58	25	10	6	207	9	1	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·13	0·14	0·12	64	31	33	—	2	3	5	1	11	8	5	6	10	10	7	3	2	2	—
Simple Continued Fever	0·00	—	0·00	1	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·60	0·77	0·45	291	170	121	233	26	1	1	—	261	1	—	1	—	1	1	3	3	11	9
Cholera	0·01	0·01	0·01	5	2	3	1	—	—	—	—	1	—	—	1	—	1	—	—	1	1	—
Cancer	0·99	0·70	1·22	480	155	325	—	—	1	—	—	1	1	—	1	2	10	27	86	133	140	79
Tabes Mesenterica	0·31	0·36	0·27	150	79	71	106	17	9	2	1	135	5	2	2	2	1	3	—	—	—	—
Phthisis	1·43	1·77	1·15	696	391	305	12	9	3	—	1	25	11	20	58	77	155	126	99	92	32	1
Other Tub. & Scrof. Dis.	0·27	0·32	0·23	131	70	61	20	13	8	5	4	50	22	8	8	10	11	7	7	8	—	—
Diseases of Nervous System	2·09	2·18	2·02	1021	482	539	210	57	11	8	8	294	18	11	15	14	22	36	65	132	216	198
Diseases of Circulatory	1·68	1·68	1·67	818	372	446	1	—	—	—	—	1	9	9	10	12	25	39	68	153	278	214
Diseases of Respiratory	2·67	2·92	2·47	1302	645	657	334	169	44	26	15	588	22	6	12	4	28	35	66	120	199	222
Diseases of Digestive	1·19	1·23	1·16	579	271	308	196	43	7	1	5	252	14	10	16	12	15	19	40	74	71	56
Diseases of Urinary	0·37	0·45	0·31	182	100	82	5	3	1	—	—	9	2	3	5	6	9	21	24	28	50	25
Diseases of Generative	0·05	0·02	0·07	23	4	19	—	—	—	—	—	—	—	—	1	—	4	4	5	6	2	1
Puerperal Fever	0·04	—	0·07	19	—	19	—	—	—	—	—	—	—	—	—	1	13	5	—	—	—	—
Childbirth	0·11	—	0·20	54	—	54	—	—	—	—	—	—	—	—	3	5	27	18	1	—	—	—
Violence	0·46	0·74	0·22	222	164	58	17	7	7	6	5	42	10	8	15	23	22	33	19	15	15	20
OTHER CAUSES	4·82	4·95	4·74	2359	1099	1260	882	49	14	7	7	959	16	13	22	11	46	30	78	123	286	775

Marriages 3,324

Births .. Males 6,660, Females 6,425 — 13,085

Annual Rate per 1000 living: Persons Married .. 13·64; Births .. .. 26·85

Annual Births to 1000 Females aged 15—45 years = 110.

Deaths from Childbirth and Puerperal Fever .. .. 5·58 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

302.—SCILLY ISLANDS.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·77			*112	—	—	—	—	32·32	4·11	4·17	4·50	3·37	4·36	9·33	11·29	19·55	43·43	141·54
Annual Death-Rate per 1000. Males ..	—			12·68			*118	—	—	—	—	34·29	6·60	5·00	7·45	2·44	3·40	6·54	11·39	15·79	45·65	137·93
Annual Death-Rate per 1000. Females	—			12·86			*106	—	—	—	—	30·11	1·77	3·26	1·89	4·17	5·30	11·86	11·21	22·37	41·51	144·44
Mean Population, 1891-1900. Persons	—			1,993			38	41	42	35	42	198	219	192	200	178	298	225	186	133	99	65
Mean Population, 1891-1900. Males ..	—			952			21	21	24	20	19	105	106	100	94	82	147	107	79	57	46	29
Mean Population, 1891-1900. Females	—			1,041			17	20	18	15	23	93	113	92	106	96	151	118	107	76	53	36
Deaths from All Causes, 1891-1900. Persons	15·66			312			54	5	2	1	2	64	9	8	9	6	13	21	21	26	43	92
Deaths from All Causes, 1891-1900. Males ..	15·55			148			30	2	2	—	2	36	7	5	7	2	5	7	9	9	21	40
Deaths from All Causes, 1891-1900. Females	15·75			164			24	3	—	1	—	28	2	3	2	4	8	14	12	17	22	52
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·05	—	0·10	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Scarlet Fever	0·10	0·11	0·10	2	1	1	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
Diphtheria	0·05	0·11	—	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Whooping-cough ..	0·30	0·42	0·19	6	4	2	6	—	—	—	—	6	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·10	0·21	—	2	2	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·55	0·53	0·58	11	5	6	6	1	—	—	—	7	1	—	—	—	—	—	—	—	—	3
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·50	0·32	0·67	10	3	7	—	—	—	—	—	—	—	—	—	—	—	—	3	2	2	3
Tabes Mesenterica ..	0·10	0·21	—	2	2	—	—	—	1	—	—	1	—	1	—	—	—	—	—	—	—	—
Phthisis	1·30	0·84	1·73	26	8	18	—	—	—	—	1	1	—	1	4	3	6	7	2	2	—	—
Other Tub. & Scrof. Dis.	0·30	0·32	0·29	6	3	3	2	—	—	—	—	2	—	—	1	—	—	1	1	1	—	—
Diseases of Nervous System ..	2·11	2·10	2·11	42	20	22	7	—	1	—	—	8	1	1	1	—	2	2	3	4	8	12
Diseases of Circulatory " ..	1·41	1·58	1·25	28	15	13	—	—	—	—	1	1	—	—	—	—	1	1	1	3	7	14
Diseases of Respiratory " ..	1·30	1·58	1·06	26	15	11	5	2	—	1	—	8	2	1	1	—	—	1	—	3	6	4
Diseases of Digestive " ..	1·15	0·63	1·63	23	6	17	4	1	—	—	—	5	—	1	—	—	—	2	3	3	3	6
Diseases of Urinary " ..	0·60	0·84	0·38	12	8	4	1	—	—	—	—	1	—	—	—	—	—	—	1	3	4	3
Diseases of Generative " ..	0·10	—	0·19	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—
Puerperal Fever ..	0·05	—	0·10	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Childbirth	0·05	—	0·10	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Violence	0·95	1·26	0·67	19	12	7	1	—	—	—	—	1	1	2	1	1	1	3	2	2	1	4
OTHER CAUSES	4·59	4·49	4·60	91	43	48	21	1	—	—	—	22	2	—	1	1	1	4	4	3	10	43

Marriages 115

Births .. { Males .. 254, Females 227 } 481

Annual Rate per 1000 living { Persons Married .. 11·54; Births .. .. .. 24·13 }

Annual Births to 1000 Females aged 15—45 years = 102.

Deaths from Childbirth and Puerperal Fever .. .. } 4·16 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

303.—WILLITON.

Causes of Death	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		12·65	* 92	—	—	—	—	28·65	2·16	2·54	3·23	5·19	6·55	7·45	10·55	25·21	52·80	139·54
Annual Death-Rate per 1000. Males ..	—					13·03	*103	—	—	—	—	31 51	1·71	2·02	2·79	5·24	7·52	8·95	9·10	28·21	55·58	145·99
Annual Death-Rate per 1000. Females	—					12·29	* 79	—	—	—	—	25·59	2·63	3·08	3·69	5 15	5·71	6·18	11·76	22·45	50·39	134·15
Mean Population, 1891-1900. Persons	—			17,150			339	317	353	374	383	1766	1987	1932	1673	1310	2184	1853	1659	1301	964	521
Mean Population, 1891-1900. Males ..	—			8,297			161	175	179	210	189	914	997	990	859	611	1010	849	758	624	448	237
Mean Population, 1891-1900. Females	—			8,853			178	142	174	164	194	852	990	942	814	699	1174	1004	901	677	516	284
Deaths from All Causes, 1891-1900. Persons	15·98			2,740			365	73	33	26	9	506	43	49	54	68	143	138	175	328	509	727
Deaths from All Causes, 1891-1900. Males ..	16·55			1,373			213	42	19	9	5	288	17	20	24	32	76	76	69	176	249	346
Deaths from All Causes, 1891-1900. Females	15·44			1,367			152	31	14	17	4	218	26	29	30	36	67	62	106	152	260	381
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·13	0·14	0·11	22	12	10	7	8	3	1	1	20	1	—	1	—	—	—	—	—	—	—
Scarlet Fever	0·12	0·11	0·14	21	9	12	1	1	4	2	—	8	5	6	—	1	—	1	—	—	—	—
Diphtheria	0·16	0·12	0·19	27	10	17	2	3	3	5	4	17	8	1	—	—	—	—	1	—	—	—
Whooping-cough ..	0·18	0·17	0·19	31	14	17	22	5	1	3	—	31	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·05	0·05	0·05	8	4	4	—	—	—	—	—	—	—	—	2	—	5	—	—	—	—	1
Simple Continued Fever	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Diarrhœa & Dysentery	0·16	0·19	0·12	27	16	11	13	2	—	—	1	16	1	—	—	—	—	—	1	1	—	8
Cholera	0·01	—	0·01	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Cancer	0·79	0·66	0·90	135	55	80	—	—	—	—	—	—	—	—	—	—	2	11	28	32	32	30
Tabes Mesenterica ..	0·11	0·13	0·09	19	11	8	4	3	—	1	—	8	—	4	1	—	2	3	—	1	—	—
Phthisis	1·06	1·00	1·12	182	83	99	1	3	1	—	—	5	2	4	23	31	52	20	19	13	11	2
Other Tub. & Scrof. Dis.	0·23	0·28	0·18	39	23	16	7	3	5	1	1	17	6	5	1	2	2	4	1	—	1	—
Diseases of Nervous System ..	1·85	1·99	1·73	318	165	153	42	9	4	2	—	57	4	7	6	2	10	8	20	40	77	87
Diseases of Circulatory " ..	2·23	2·28	2·18	382	189	193	3	—	—	—	—	3	—	7	2	5	14	19	30	79	129	94
Diseases of Respiratory " ..	2·93	3·33	2·55	502	276	226	67	27	6	6	1	107	4	1	3	6	12	24	26	60	116	143
Diseases of Digestive " ..	1·06	1·12	0·99	181	93	88	31	3	3	2	—	39	4	2	4	6	6	7	13	35	38	27
Diseases of Urinary " ..	0·48	0·65	0·32	82	54	28	2	—	—	—	—	2	1	1	—	3	4	5	5	17	19	25
Diseases of Generative " ..	0·06	—	0·11	10	—	10	—	—	—	—	—	—	—	—	—	1	—	1	1	2	4	1
Puerperal Fever ..	0·06	—	0·12	11	—	11	—	—	—	—	—	—	—	—	—	1	6	4	—	—	—	—
Childbirth	0·07	—	0·14	12	—	12	—	—	—	—	—	—	—	—	—	2	6	3	1	—	—	—
Violence	0·55	0·65	0·45	94	54	40	14	—	—	3	1	18	3	4	3	3	10	8	10	14	3	18
Other Causes.. ..	3·68	3·67	3·75	635	304	331	149	6	3	—	—	158	4	7	8	5	12	20	17	34	79	291

Marriages 959

Births .. { Males .. 2,067 / Females 1,921 } 3,988

Annual Rate per 1000 living { Persons Married .. 11·18 / Births .. .. .. 23·25 }

Annual Births to 1000 Females aged 15—45 years = 108.

Deaths from Childbirth and Puerperal Fever .. .. } 5·77 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

304.—DULVERTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 11·99			*85	—	—	—	—	27·89	3·53	1·75	3·70	4·22	6·54	6·46	11·83	18·54	48·00	133·57
Annual Death-Rate per 1000. Males	—			11·54			*81	—	—	—	—	27·44	3·68	2·26	2·41	3·52	6·65	4·96	11·35	21·35	53·78	129·11
Annual Death-Rate per 1000. Females	—			12·40			*89	—	—	—	—	28·36	3·37	1·21	5·21	5·00	6·44	7·86	12·38	15·73	42·75	139·34
Mean Population, 1891-1900. Persons	—			4,797			113	105	102	116	109	545	539	513	460	379	642	542	431	356	250	140
Mean Population, 1891-1900. Males	—			2,445			60	49	52	58	58	277	272	265	249	199	316	262	229	178	119	79
Mean Population, 1891-1900. Females	—			2,352			53	56	50	58	51	268	267	248	211	180	326	280	202	178	131	61
Deaths from All Causes, 1891-1900. Persons	14·88			714			101	22	15	7	7	152	19	9	17	16	42	35	51	66	120	187
Deaths from All Causes, 1891-1900. Males	15·09			369			49	14	7	2	4	76	10	6	6	7	21	13	26	38	64	102
Deaths from All Causes, 1891-1900. Females	14·67			345			52	8	8	5	3	76	9	3	11	9	21	22	25	28	56	85
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·27	0·25	0·30	13	6	7	5	2	3	1	—	11	2	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·17	0·25	0·09	8	6	2	—	—	2	—	1	3	3	—	—	—	1	—	1	—	—	—
Diphtheria	0·04	0·04	0·04	2	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
Whooping-cough	0·29	0·41	0·17	14	10	4	4	3	3	2	1	13	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·15	0·08	0·21	7	2	5	—	—	—	—	—	—	—	2	1	2	1	—	1	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·25	0·12	0·38	12	3	9	6	2	—	—	—	8	—	—	—	—	—	—	2	—	—	2
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·56	0·53	0·60	27	13	14	—	—	—	—	—	—	—	—	—	—	1	1	5	4	11	5
Tabes Mesenterica	0·08	0·04	0·13	4	1	3	—	—	2	—	—	2	1	—	—	—	1	—	—	—	—	—
Phthisis	1·02	0·98	1·06	49	24	25	—	—	—	—	—	—	—	1	7	6	9	7	8	6	5	—
Other Tub. & Scrof. Dis.	0·13	0·16	0·09	6	4	2	1	—	—	1	—	2	1	1	—	—	1	—	—	—	1	—
Diseases of Nervous System	1·33	1·39	1·28	64	34	30	11	4	—	2	—	17	2	—	—	1	4	2	4	8	13	13
Diseases of Circulatory "	1·58	1·10	2·08	76	27	49	—	—	—	—	1	1	2	—	4	—	2	5	10	13	22	17
Diseases of Respiratory "	2·02	2·17	1·87	97	53	44	11	7	2	1	2	23	4	1	1	—	6	2	4	11	15	30
Diseases of Digestive "	0·94	0·98	0·89	45	24	21	8	2	—	—	1	11	2	1	1	2	—	2	5	4	9	8
Diseases of Urinary "	0·56	0·70	0·43	27	17	10	—	—	—	—	—	—	—	—	—	—	3	3	3	3	11	4
Diseases of Generative "	0·08	—	0·17	4	—	4	—	—	—	—	—	—	—	—	—	—	—	2	1	—	1	—
Puerperal Fever	0·08	—	0·17	4	—	4	—	—	—	—	—	—	—	—	—	1	2	1	—	—	—	—
Childbirth	0·17	—	0·34	8	—	8	—	—	—	—	—	—	—	—	—	1	4	3	—	—	—	—
Violence	0·63	0·86	0·38	30	21	9	2	1	—	—	—	3	—	1	—	1	4	4	3	3	6	5
OTHER CAUSES	4·53	5·03	3·99	217	123	94	53	1	3	—	1	58	1	1	3	2	3	3	4	13	26	103

Marriages 256

Births .. Males 608, Females 582 } 1,190

Annual Rate per 1000 living: Persons Married .. 10·67; Births .. .. .. 24·81

Annual Births to 1000 Females aged 15—45 years = 119.

Deaths from Childbirth and Puerperal Fever .. .. } 10·08 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

305.—WELLINGTON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5 -	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 12·91	* 90	—	—	—	—	30·84	3·44	2·61	3·54	4·34	5·23	6·86	12·04	26·21	52·76	136·80
Annual Death-Rate per 1000. Males ..	—	13·83	*102	—	—	—	—	35·06	2·98	2·51	2·46	3·48	5·57	7·31	13·64	31·99	57·24	162·78
Annual Death-Rate per 1000. Females	—	12·05	* 78	—	—	—	—	26·66	3·89	2·72	4·62	5·05	4·94	6·46	10·63	21·44	49·26	117·23
Mean Population, 1891-1900. Persons	—	18,367	416	370	422	429	461	2098	2096	2066	1780	1404	2466	2012	1645	1320	961	519
Mean Population, 1891-1900. Males ..	—	8,752	183	184	207	233	237	1044	1041	1037	893	632	1150	944	770	597	421	223
Mean Population, 1891-1900. Females	—	9,615	233	186	215	196	224	1054	1055	1029	887	772	1316	1068	875	723	540	296
Deaths from All Causes, 1891-1900. Persons	15·93	2,925	431	114	44	26	32	647	72	54	63	61	129	138	198	346	507	710
Deaths from All Causes, 1891-1900. Males ..	17·14	1,500	249	59	24	19	15	366	31	26	22	22	64	69	105	191	241	363
Deaths from All Causes, 1891-1900. Females	14·82	1,425	182	55	20	7	17	281	41	28	41	39	65	69	93	155	266	347

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.														
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·14	0·13	0·16	26	11	15	5	9	3	1	2	20	3	2	1	—	—	—	—	—	—
Scarlet Fever	0·09	0·09	0·08	16	8	8	2	2	1	3	—	8	5	2	1	—	—	—	—	—	—
Diphtheria	0·16	0·13	0·20	30	11	19	—	4	2	3	6	15	11	3	1	—	—	—	—	—	—
Whooping-cough ..	0·27	0·33	0·22	50	29	21	39	5	4	2	—	50	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·02	0·02	0·02	4	2	2	—	—	—	—	—	—	—	1	1	1	1	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·27	0·30	0·25	50	26	24	17	7	2	—	—	26	1	—	—	—	—	—	—	5	8	10
Cholera	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Cancer	0·83	0·72	0·93	152	63	89	—	—	1	—	—	1	2	—	1	—	5	11	20	50	46	16
Tabes Mesenterica ..	0·07	0·05	0·08	12	4	8	1	2	—	—	1	4	2	2	2	—	—	1	1	—	—	—
Phthisis	0·99	0·89	1·08	182	78	104	2	—	—	—	1	3	7	6	20	27	47	31	26	10	3	2
Other Tub. & Scrof. Dis.	0·28	0·26	0·30	52	23	29	8	7	4	1	4	24	6	3	3	4	5	4	1	1	1	—
Diseases of Nervous System ..	2·00	2·09	1·91	367	183	184	52	16	5	1	2	76	3	6	8	4	13	19	23	35	76	104
Diseases of Circulatory " ..	1·86	2·14	1·61	342	187	155	4	1	1	2	—	8	5	7	5	3	10	12	38	71	121	62
Diseases of Respiratory " ..	3·11	3·46	2·79	571	303	268	109	44	13	8	10	184	11	4	1	7	11	15	28	59	106	145
Diseases of Digestive " ..	0·87	1·03	0·72	159	90	69	25	4	2	—	1	32	6	6	4	—	8	10	13	34	32	14
Diseases of Urinary " ..	0·40	0·50	0·31	74	44	30	—	—	1	—	—	1	1	2	—	2	5	1	10	18	15	19
Diseases of Generative " ..	0·05	—	0·09	9	—	9	—	—	—	—	—	—	—	—	1	2	—	2	3	—	—	1
Puerperal Fever ..	0·04	—	0·08	8	—	8	—	—	—	—	—	—	—	—	—	—	2	5	1	—	—	—
Childbirth	0·07	—	0·14	13	—	13	—	—	—	—	—	—	—	—	1	5	5	2	—	—	—	—
Violence	0·53	0·88	0·21	97	77	20	12	2	1	2	3	20	4	3	4	1	5	12	14	15	10	9
OTHER CAUSES	3·87	4·11	3·64	710	360	350	155	11	4	3	2	175	5	7	9	5	12	12	20	48	89	328

Marriages 1,239

Births .. { Males .. 2,439, Females 2,333 } 4,772

Annual Rate per 1000 living { Persons Married .. 13·49, Births .. .. .. 25·98 }

Annual Births to 1000 Females aged 15—45 years = 118.

Deaths from Childbirth and Puerperal Fever .. .. } 4·40 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

306.—TAUNTON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 15·69			*126	—	—	—	—	45·00	3·18	2·16	3·99	5·11	6·26	9·14	14·50	26·54	59·68	143·74
Annual Death-Rate per 1000. Males ..	—			17·16			*144	—	—	—	—	51·53	2·97	2·41	3·88	6·59	7·31	10·05	16·49	30·50	66·97	149·32
Annual Death-Rate per 1000. Females	—			14·30			*107	—	—	—	—	38·61	3·39	1·91	4·09	4·15	5·45	8·37	12·91	23·48	54·17	140·00
Mean Population, 1891-1900. Persons	—			37,634			844	788	838	841	858	4169	4155	4118	3859	3111	5304	4247	3428	2562	1771	910
Mean Population, 1891-1900. Males ..	—			17,308			410	374	427	405	445	2061	2090	2077	1855	1230	2297	1930	1522	1118	763	365
Mean Population, 1891-1900. Females	—			20,326			434	414	411	436	413	2108	2065	2041	2004	1881	3007	2317	1906	1444	1008	545
Deaths from All Causes, 1891-1900. Persons	17·73			6,672			1283	336	106	93	58	1876	132	89	154	159	332	388	497	680	1057	1308
Deaths from All Causes, 1891-1900. Males ..	19·28			3,337			749	174	58	52	29	1062	62	50	72	81	168	194	251	341	511	545
Deaths from All Causes, 1891-1900. Females	16·41			3,335			534	162	48	41	29	814	70	39	82	78	164	194	246	339	546	763
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox ..	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Measles ..	0·41	0·44	0·39	156	77	79	32	55	24	11	13	135	15	2	2	—	1	1	—	—	—	—
Scarlet Fever ..	0·06	0·05	0·06	21	9	12	—	1	4	4	3	12	5	3	1	—	—	—	—	—	—	—
Diphtheria ..	0·13	0·13	0·13	50	23	27	2	3	3	8	9	25	15	3	5	—	—	1	1	—	—	—
Whooping-cough ..	0·31	0·27	0·35	118	47	71	64	33	10	6	2	115	3	—	—	—	—	—	—	—	—	—
Typhus ..	0·00	—	0·00	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Enteric Fever ..	0·08	0·11	0·05	29	19	10	—	—	—	—	—	—	3	1	7	3	5	3	6	1	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·42	0·52	0·34	159	90	69	119	12	2	—	—	133	—	—	—	—	2	2	5	—	4	13
Cholera ..	0·00	—	0·00	1	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer ..	0·84	0·70	0·95	315	122	193	—	—	1	3	—	4	—	—	2	1	9	21	61	91	84	42
Tabes Mesenterica ..	0·11	0·12	0·11	43	20	23	14	7	3	2	—	26	4	4	—	3	3	—	1	2	—	—
Phthisis ..	1·20	1·30	1·11	450	225	225	4	—	1	—	1	6	5	11	51	58	121	96	60	33	9	—
Other Tub. & Scrof. Dis.	0·36	0·44	0·29	136	77	59	18	18	4	7	2	49	18	11	13	8	17	7	7	5	1	—
Diseases of Nervous System ..	1·94	2·03	1·85	729	352	377	151	30	9	9	3	202	14	6	7	9	18	37	52	97	157	130
Diseases of Circulatory " ..	2·17	2·18	2·16	815	377	438	9	3	1	1	1	15	11	14	10	9	27	39	97	158	237	198
Diseases of Respiratory " ..	3·06	3·59	2·61	1151	621	530	213	112	29	22	10	386	13	4	9	6	26	38	69	113	220	267
Diseases of Digestive " ..	1·16	1·31	1·03	435	226	209	121	28	4	4	6	163	6	10	8	12	20	17	34	51	68	46
Diseases of Urinary " ..	0·53	0·77	0·32	199	134	65	3	2	—	1	—	6	—	2	1	8	11	16	34	36	53	32
Diseases of Generative " ..	0·05	—	0·09	19	—	19	1	—	—	—	—	1	—	—	—	1	2	5	5	4	1	—
Puerperal Fever ..	0·05	—	0·10	20	—	20	—	—	—	—	—	—	—	—	—	3	12	5	—	—	—	—
Childbirth ..	0·09	—	0·16	32	—	32	—	—	—	—	—	—	—	—	3	—	11	16	2	—	—	—
Violence ..	0·65	1·06	0·31	246	184	62	22	5	7	9	5	48	13	6	16	14	18	37	22	26	24	22
OTHER CAUSES ..	4·11	4·25	4·00	1546	733	813	509	27	4	6	3	549	7	11	19	24	29	47	41	62	199	558

Marriages 2,900

Births .. { Males .. 5,206 / Females 4,979 } 10,185

Annual Rate per 1000 living { Persons Married .. 15·41 / Births .. .. .. 27·06

Annual Births to 1000 Females aged 15–45 years = 111.

Deaths from Childbirth and Puerperal Fever .. .. } 5·11 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

307.—BRIDGWATER.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 14·04			*105	—	—	—	—	37·11	3·17	1·96	3·53	4·86	5·97	7·14	12·45	27·54	60·30	131·03
Annual Death-Rate per 1000. Males ..	—			14·83			*119	—	—	—	—	39·87	3·69	1·78	3·25	6·08	6·53	7·09	14·89	30·49	65·95	134·60
Annual Death-Rate per 1000. Females	—			13·30			* 91	—	—	—	—	34·27	2·66	2·15	3·84	3·83	5·49	7·19	10·34	25·00	55·51	128·51
Mean Population, 1891–1900. Persons	—			33,487			797	780	813	838	806	4034	3942	3882	3228	2492	4386	3710	3012	2349	1627	825
Mean Population, 1891–1900. Males ..	—			16,225			409	389	414	429	403	2044	1951	2020	1690	1134	2036	1777	1397	1089	746	341
Mean Population, 1891–1900. Females	—			17,262			388	391	399	409	403	1990	1991	1862	1538	1358	2350	1933	1615	1260	881	484
Deaths from All Causes, 1891–1900. Persons	16·56			5,544			989	273	96	81	58	1497	125	76	114	121	262	265	375	647	981	1081
Deaths from All Causes, 1891–1900. Males ..	17·24			2,797			567	133	50	34	31	815	72	36	55	69	133	126	208	332	492	459
Deaths from All Causes, 1891–1900. Females	15·91			2,747			422	140	46	47	27	682	53	40	59	52	129	139	167	315	489	622
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·26	0·23	0·28	86	38	48	20	27	12	11	5	75	10	—	—	—	—	—	—	—	1	—
Scarlet Fever	0·15	0·15	0·14	49	24	25	5	7	9	10	8	39	6	1	—	—	2	1	—	—	—	—
Diphtheria	0·15	0·13	0·17	51	21	30	1	6	5	7	6	25	15	4	2	2	1	1	1	—	—	—
Whooping-cough ..	0·22	0·23	0·21	74	38	36	33	24	8	4	3	72	1	—	—	1	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·03	0·04	0·02	10	6	4	—	—	—	—	—	—	—	4	2	2	2	—	—	—	—	—
Simple Continued Fever	0·00	—	0·01	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Diarrhœa & Dysentery	0·34	0·35	0·33	114	57	57	69	9	—	2	2	82	—	—	1	—	2	—	1	7	11	10
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·76	0·62	0·90	255	100	155	—	—	—	—	—	—	—	—	—	—	4	21	53	86	66	25
Tabes Mesenterica ..	0·08	0·09	0·08	28	14	14	13	9	1	—	—	23	1	2	1	—	1	—	—	—	—	—
Phthisis	0·90	1·05	0·76	302	170	132	1	—	—	3	—	4	4	10	18	43	82	51	45	25	18	2
Other Tub. & Scrof. Dis.	0·22	0·25	0·19	73	41	32	11	6	6	2	2	27	17	6	8	4	5	4	1	1	—	—
Diseases of Nervous System ..	2·15	2·16	2·14	721	351	370	170	24	4	5	5	208	11	5	9	7	13	25	47	118	150	128
Diseases of Circulatory „ ..	1·69	1·69	1·69	566	274	292	4	2	1	—	1	8	5	2	18	7	21	29	63	115	188	110
Diseases of Respiratory „ ..	3·09	3·54	2·66	1033	574	459	213	98	28	22	16	377	28	5	12	9	23	30	41	122	192	194
Diseases of Digestive „ ..	1·09	1·17	1·01	365	190	175	79	22	1	5	1	108	6	7	7	5	16	23	42	51	73	27
Diseases of Urinary „ ..	0·36	0·45	0·27	119	73	46	—	1	1	—	—	2	1	3	1	4	11	12	20	19	30	16
Diseases of Generative „ ..	0·03	0·01	0·04	9	2	7	1	1	—	—	—	2	—	—	—	—	2	1	2	—	2	—
Puerperal Fever	0·09	—	0·17	29	—	29	—	—	—	—	—	—	—	—	—	2	16	11	—	—	—	—
Childbirth	0·08	—	0·16	27	—	27	—	—	—	—	—	—	—	—	1	5	15	6	—	—	—	—
Violence	0·75	1·08	0·43	251	176	75	31	10	10	8	4	63	13	14	17	15	21	18	18	31	21	20
OTHER CAUSES	4·12	4·00	4·25	1381	648	733	338	27	10	2	5	382	7	13	17	15	24	32	41	72	229	549

Marriages	..	2,456	
Births .. Males ..	4,780	9,417	
Births .. Females	4,637		

Annual Rate per 1000 living { Persons Married .. 14·67; Births .. .. .. 28·12 }
Annual Births to 1000 Females aged 15–45 years = 131.

Deaths from Childbirth and Puerperal Fever .. .. } 5·95 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

308.—LANGPORT.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·28			* 99	—	—	—	—	32·06	2·11	1·71	3·48	5·10	5·69	7·79	13·32	25·00	56·98	138·12
Annual Death-Rate per 1000. Males ..	—			13·84			*103	—	—	—	--	34·72	1·79	1·62	2·49	4·17	6·20	7·28	15·64	28·54	66·26	150·91
Annual Death-Rate per 1000. Females	—			12·76			* 95	—	—	—	—	29·46	2·41	1·80	4·49	5·88	5·26	8·25	11·32	21·91	50·11	130·00
Mean Population, 1891-1900. Persons	—			14,015			329	308	301	346	316	1600	1613	1582	1266	1000	1757	1579	1366	1060	767	425
Mean Population, 1891-1900. Males ..	—			6,657			155	142	149	174	172	792	784	803	642	456	807	755	633	494	326	165
Mean Population, 1891-1900. Females	—			7,358			174	166	152	172	144	808	829	779	624	544	950	824	733	566	441	260
Deaths from All Causes, 1891-1900. Persons	16·86			2,363			358	91	30	17	17	513	34	27	44	51	100	123	182	265	437	587
Deaths from All Causes, 1891-1900. Males	17·23			1,147			189	53	17	7	9	275	14	13	16	19	50	55	99	141	216	249
Deaths from All Causes, 1891-1900. Females	16·53			1,216			169	38	13	10	8	238	20	14	28	32	50	68	83	124	221	338
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·21	0·20	0·23	30	13	17	6	9	5	2	1	23	5	—	1	—	1	—	—	—	—	—
Scarlet Fever	0·04	0·02	0·07	6	1	5	—	1	1	—	—	2	2	—	1	1	—	—	—	—	—	—
Diphtheria	0·03	0·05	0·01	4	3	1	—	—	—	—	—	—	3	—	1	—	—	—	—	—	—	—
Whooping-cough ..	0·21	0·23	0·19	29	15	14	17	9	2	1	—	29	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·12	0·11	0·14	17	7	10	—	—	—	—	—	—	—	2	2	2	4	4	2	—	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·23	0·21	0·24	32	14	18	15	2	3	—	1	21	1	—	—	—	—	—	1	1	4	4
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·98	0·84	1·10	137	56	81	—	—	—	—	—	—	—	—	—	2	2	9	21	45	39	19
Tabes Mesenterica ..	0·14	0·14	0·14	19	9	10	9	3	1	1	—	14	—	1	—	—	2	—	1	1	—	—
Phthisis	1·19	1·34	1·06	167	89	78	3	2	—	1	—	6	4	6	14	24	43	26	26	14	3	1
Other Tub. & Scrof. Dis.	0·26	0·33	0·20	37	22	15	13	7	2	1	1	24	4	—	—	2	1	3	1	1	1	—
Diseases of Nervous System ..	1·91	1·98	1·85	268	132	136	31	2	2	—	2	37	2	2	1	2	6	10	26	30	83	69
Diseases of Circulatory " ..	2·28	2·54	2·04	319	169	150	7	—	—	1	—	8	—	2	4	1	5	16	33	66	109	75
Diseases of Respiratory " ..	2·57	2·55	2·58	360	170	190	71	38	7	7	4	127	6	2	5	5	4	14	17	40	66	74
Diseases of Digestive " ..	0·95	0·96	0·94	133	64	69	24	9	2	—	3	38	2	4	4	3	7	7	13	21	22	12
Diseases of Urinary " ..	0·50	0·62	0·39	70	41	29	1	—	1	—	—	2	1	1	1	1	2	6	11	11	21	13
Diseases of Generative " ..	0·04	—	0·08	6	—	6	—	—	—	—	—	—	—	—	1	1	—	—	—	2	—	2
Puerperal Fever ..	0·04	—	0·08	6	—	6	—	—	—	—	—	—	—	—	—	1	2	3	—	—	—	—
Childbirth	0·11	—	0·20	15	--	15	—	—	—	—	—	—	—	—	1	3	8	2	1	—	—	—
Violence	0·54	0·84	0·27	76	56	20	12	3	4	2	1	22	2	4	3	—	5	5	3	7	13	12
Other Causes	4·51	4·27	4·72	632	286	346	149	6	—	1	4	160	2	3	5	3	8	18	26	26	75	306

Marriages 929

Births .. Males .. 1,828 / Females 1,781 } 3,609

Annual Rate per 1000 living { Persons Married .. 13·26 / Births .. .. .. 25·75

Annual Births to 1000 Females aged 15—45 years = 123.

Deaths from Childbirth and Puerperal Fever .. .. } 5·82 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

309.—CHARD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year	1—	2—	3—	4—	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 14·12	*113	—	—	—	—	38·38	3·36	2·49	3·61	3·90	5·44	7·18	12·85	26·85	55·56	141·64
Annual Death-Rate per 1000. Males ..	—	15·37	*129	—	—	—	—	45·45	3·06	2·49	2·81	4·20	6·41	7·82	14·08	30·08	60·23	158·05
Annual Death-Rate per 1000. Females	—	12·94	* 98	—	—	—	—	31·64	3·65	2·48	4·34	3·69	4·65	6·64	11 84	24·16	51·66	130·18
Mean Population, 1891–1900. Persons	—	24,545	558	536	556	568	596	2814	2887	2896	2521	1999	3145	2576	2281	1691	1161	574
Mean Population, 1891–1900. Males ..	—	11,430	265	273	264	283	288	1373	1436	1446	1208	833	1403	1176	1023	768	528	236
Mean Population, 1891–1900. Females	—	13,115	293	263	292	285	308	1441	1451	1450	1313	1166	1742	1400	1258	923	633	338
Deaths from All Causes, 1891–1900. Persons	16·21	3,979	753	187	56	45	39	1080	97	72	91	78	171	185	293	454	645	813
Deaths from All Causes, 1891–1900. Males ..	17·68	2,021	436	106	38	23	21	624	44	36	34	35	90	92	144	231	318	373
Deaths from All Causes, 1891–1900. Females	14·93	1,958	317	81	18	22	18	456	53	36	57	43	81	93	149	223	327	440

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox..	0·00	—	0·01	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Measles	0·33	0·36	0·31	81	41	40	14	31	10	7	6	68	9	3	1	—	—	—	—	—	—	—
Scarlet Fever	0·10	0·08	0·11	24	9	15	2	—	4	1	3	10	9	3	2	—	—	—	—	—	—	—
Diphtheria	0·12	0·16	0·08	29	18	11	—	3	3	5	2	13	15	1	—	—	—	—	—	—	—	—
Whooping-cough ..	0·28	0·31	0·25	68	35	33	35	21	4	2	4	66	1	1	—	—	—	—	—	—	—	—
Typhus	0·00	0·01	—	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Enteric Fever	0·09	0·07	0·11	22	8	14	—	—	—	—	—	—	2	4	7	4	3	1	—	1	—	—
Simple Continued Fever	0·00	0·01	—	1	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·28	0·34	0·22	68	39	29	45	2	1	—	—	48	—	—	—	—	—	—	2	1	4	13
Cholera	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Cancer	0·80	0·62	0·96	197	71	126	—	—	—	—	—	—	2	1	—	—	2	10	32	66	58	26
Tabes Mesenterica ..	0·14	0·17	0·11	34	19	15	10	6	1	3	2	22	2	3	3	2	—	—	2	—	—	—
Phthisis	1·08	1·06	1·09	264	121	143	1	—	—	1	—	2	6	6	25	35	60	45	51	25	8	1
Other Tub. & Scrof. Dis.	0·41	0·41	0·40	100	47	53	19	17	3	4	3	46	12	9	11	5	8	2	4	2	1	—
Diseases of Nervous System ..	1·68	1·73	1·63	412	198	214	86	16	4	2	4	112	4	5	2	3	9	15	24	66	94	78
Diseases of Circulatory „ ..	2·22	2·36	2·10	546	270	276	—	1	—	—	—	1	3	11	11	7	12	25	48	123	186	119
Diseases of Respiratory „ ..	2·59	3·15	2·10	636	360	276	154	58	14	17	9	252	11	4	4	3	18	26	38	68	94	118
Diseases of Digestive „ ..	1·05	1·17	0·95	258	134	124	64	15	9	—	1	89	8	6	8	6	16	14	26	41	24	20
Diseases of Urinary „ ..	0·34	0·56	0·15	84	64	20	1	—	—	—	1	2	2	—	2	1	6	7	11	12	27	14
Diseases of Generative „ ..	0·02	—	0·05	6	—	6	—	—	—	—	—	—	—	—	—	—	1	—	3	1	1	—
Puerperal Fever ..	0·06	—	0·11	14	—	14	—	—	—	—	—	—	—	—	—	3	4	7	—	—	—	—
Childbirth..	0·06	—	0·11	14	—	14	—	—	—	—	—	—	—	—	2	—	5	6	1	—	—	—
Violence	0·46	0·68	0·27	113	78	35	17	3	1	2	2	25	7	4	4	3	11	6	18	14	12	9
Other Causes	4·10	4·42	3·81	1005	506	499	304	14	2	1	2	323	3	11	9	6	15	21	33	34	136	414

Marriages 1,744

Births .. { Males .. 3,390 / Females 3,249 } 6,639

Annual Rate per 1000 living { Persons Married .. 14·21 / Births .. .. .. 27·05 }

Annual Births to 1000 Females aged 15—45 years = 118.

Deaths from Childbirth and Puerperal Fever .. .. } 4·22 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

310.—YEOVIL.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons		—		In Standard Population.		14·13	*109	—	—	—	—	36·42	3·58	1·78	2·91	4·10	5·72	7·61	12·77	27·39	59·22	148·17
Annual Death-Rate per 1000. Males ..		—				14·97	*118	—	—	—	—	38·86	2·94	1·78	3·15	4·62	5·40	8·43	15·18	31·34	65·70	173·30
Annual Death-Rate per 1000. Females		—				13·35	* 99	—	—	—	—	33·95	4·22	1·78	2·69	3·74	5·98	6·91	10·86	24·27	54·63	132·39
Mean Population, 1891-1900. Persons		—		27,725			661	601	632	619	656	3169	3153	3091	2821	2291	3808	3076	2599	1891	1253	573
Mean Population, 1891-1900. Males ..		—		12,776			337	294	323	316	323	1593	1566	1521	1334	953	1668	1412	1153	836	519	221
Mean Population, 1891-1900. Females		—		14,949			324	307	309	303	333	1576	1587	1570	1487	1338	2140	1664	1446	1055	734	352
Deaths from All Causes, 1891-1900. Persons		15·84		4,391			792	188	65	59	50	1154	113	55	82	94	218	234	332	518	742	849
Deaths from All Causes, 1891-1900. Males ..		16·81		2,148			440	91	36	26	26	619	46	27	42	44	90	119	175	262	341	383
Deaths from All Causes, 1891-1900. Females		15·00		2,243			352	97	29	33	24	535	67	28	40	50	128	115	157	256	401	466
	Persons.	Males.	Females.	Persons.	Males.	Females	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·43	0·41	0·45	120	53	67	23	41	18	13	6	101	16	1	1	1	—	—	—	—	—	—
Scarlet Fever	0·04	0·05	0·02	10	7	3	1	—	2	1	4	8	1	—	—	1	—	—	—	—	—	—
Diphtheria	0·11	0·09	0·12	30	12	18	—	3	1	4	7	15	11	2	—	—	—	1	1	—	—	—
Whooping-cough ..	0·21	0·20	0·22	59	26	33	26	16	7	4	2	55	2	1	—	—	1	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·08	0·08	0·07	21	10	11	—	—	1	1	—	2	4	1	3	1	2	4	3	1	—	—
Simple Continued Fever	0·00	—	0·01	1	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·21	0·23	0·19	57	29	28	31	3	—	—	1	35	—	1	—	—	1	1	2	3	6	8
Cholera	0·01	0·01	0·01	2	1	1	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Cancer	0·82	0·66	0·96	227	84	143	—	—	—	—	—	—	—	—	3	2	8	27	39	59	66	23
Tabes Mesenterica ..	0·13	0·13	0·13	36	17	19	15	5	2	—	1	23	6	1	1	1	4	—	—	—	—	—
Phthisis	0·91	1·00	0·82	251	128	123	2	2	2	—	2	8	5	6	31	39	68	42	32	13	7	—
Other Tub. & Scrof. Dis.	0·22	0·31	0·14	61	40	21	11	8	3	4	1	27	10	2	3	3	7	3	1	3	1	1
Diseases of Nervous System ..	2·09	2·33	1·88	578	297	281	99	17	7	7	7	137	10	7	5	5	14	21	30	89	124	136
Diseases of Circulatory „ ..	2·31	2·38	2·25	641	304	337	1	1	—	—	—	2	5	8	5	9	18	43	69	144	204	134
Diseases of Respiratory „ ..	2·67	2·86	2·51	740	365	375	170	62	16	17	15	280	22	3	3	5	16	21	40	62	138	150
Diseases of Digestive „ ..	0·96	1·00	0·92	266	128	138	46	14	1	—	1	62	11	6	7	6	18	19	31	45	33	28
Diseases of Urinary „ ..	0·41	0·59	0·25	114	76	38	1	—	—	—	—	1	—	2	—	—	12	6	19	17	40	17
Diseases of Generative „ ..	0·03	—	0·05	8	—	8	1	—	—	—	—	1	—	—	—	1	—	1	2	1	1	1
Puerperal Fever ..	0·09	—	0·17	26	—	26	—	—	—	—	—	—	—	—	—	6	14	5	1	—	—	—
Childbirth..	0·07	—	0·13	19	—	19	—	—	—	—	—	—	—	—	2	2	6	7	2	—	—	—
Violence	0·49	0·80	0·23	136	102	34	17	5	2	2	—	26	5	4	7	2	14	12	23	21	15	7
OTHER CAUSES	3·55	3·68	3·47	988	469	519	346	11	3	6	3	369	5	10	10	10	15	21	37	60	107	344

Marriages 2,021

Births .. Males .. 3,718 / Females 3,571 } 7,239

Annual Rate per 1000 living { Persons Married .. 14·58 / Births .. .. .. 26·29

Annual Births to 1000 Females aged 15—45 years = 110.

Deaths from Childbirth and Puerperal Fever .. .. } 6·17 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

311.—WINCANTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 12·14	*88	—	—	—	—	27·62	1·90	1·78	2·92	3·83	5·47	7·59	10·20	25·08	52·63	142·95
Annual Death-Rate per 1000. Males ..	—	12·77	*95	—	—	—	—	31·86	1·69	1·58	2·65	3·66	5·32	7·72	11·43	28·40	60·20	153·72
Annual Death-Rate per 1000. Females	—	11·55	*81	—	—	—	—	23·89	2·10	1·97	3·22	3·97	5·60	7·47	9·12	22·38	46·88	135·14
Mean Population, 1891-1900. Persons	—	17,810	358	375	413	385	399	1930	2054	2027	1676	1307	2358	2042	1726	1312	931	447
Mean Population, 1891-1900. Males ..	—	8,451	178	190	208	197	190	963	1007	1011	869	601	1072	945	805	588	402	188
Mean Population, 1891-1900. Females	—	9,359	180	185	205	188	209	967	1047	1016	807	706	1286	1097	921	724	529	259
Deaths from All Causes, 1891-1900. Persons	14·74	2,625	365	86	28	31	23	533	39	36	49	50	129	155	176	329	490	639
Deaths from All Causes, 1891-1900. Males ..	15·38	1,300	205	52	15	21	9	302	17	16	23	22	57	73	92	167	242	289
Deaths from All Causes, 1891-1900. Females	14·16	1,325	160	34	13	10	14	231	22	20	26	28	72	82	84	162	248	350

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·12	0·18	0·07	22	15	7	3	6	4	6	1	20	2	—	—	—	—	—	—	—	—
Scarlet Fever	0·07	0·05	0·09	12	4	8	1	3	3	2	1	10	1	—	1	—	—	—	—	—	—
Diphtheria	0·16	0·17	0·15	28	14	14	1	1	5	2	6	15	7	3	1	—	1	—	—	1	—
Whooping-cough ..	0·19	0 13	0·24	33	11	22	18	7	4	3	—	32	1	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·04	0·02	0·05	7	2	5	—	1	—	—	—	1	—	1	—	2	1	1	1	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·22	0·30	0·16	40	25	15	23	3	—	—	—	26	—	—	—	—	—	—	—	7	7
Cholera	0·01	—	0·02	2	—	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
Cancer	0·78	0·76	0·79	138	64	74	—	—	—	—	—	—	—	—	—	—	2	7	20	30	56	23
Tabes Mesenterica ..	0·16	0·13	0·19	29	11	18	12	5	—	1	2	20	3	—	1	1	—	2	1	1	—	—
Phthisis	1·02	1·06	0·97	181	90	91	1	—	—	1	—	2	—	6	15	24	55	38	15	14	8	4
Other Tub. & Scrof. Dis.	0·17	0·18	0·16	30	15	15	5	5	—	—	—	10	1	5	1	3	4	2	4	—	—	—
Diseases of Nervous System ..	2·07	2·11	2·04	369	178	191	45	14	1	3	2	65	6	4	2	5	13	12	27	51	79	105
Diseases of Circulatory " ..	2·02	2·08	1·96	359	176	183	2	—	—	—	1	3	2	3	5	4	8	23	26	72	123	90
Diseases of Respiratory " ..	2·57	2·83	2·34	458	239	219	81	27	4	7	6	125	4	5	3	3	6	10	15	52	97	138
Diseases of Digestive " ..	0·98	1·03	0·94	175	87	88	17	7	2	3	1	30	1	3	5	2	8	15	17	38	30	26
Diseases of Urinary " ..	0·43	0·57	0·30	76	48	28	1	—	—	—	—	1	3	—	—	—	5	7	10	16	14	20
Diseases of Generative " ..	0·04	—	0·07	7	—	7	—	—	—	—	—	—	—	—	—	—	—	—	2	—	3	2
Puerperal Fever	0·03	—	0·05	5	—	5	—	—	—	—	—	—	—	—	—	1	2	2	—	—	—	—
Childbirth	0·09	—	0·17	16	—	16	—	—	—	—	—	—	—	—	—	—	5	10	1	—	—	—
Violence	0·49	0·77	0·25	88	65	23	9	—	2	1	1	13	4	3	7	1	7	6	15	17	5	10
Other Causes	3·08	3·01	3·15	550	256	294	146	7	3	2	2	160	3	3	8	4	12	20	22	37	68	213

Marriages 1,032

Births .. { Males .. 2,167 / Females 1,967 } 4,134

Annual Rate per 1000 living { Persons Married .. 11·59 / Births .. .. .. 23·21 }

Annual Births to 1000 Females aged 15—45 years = 106.

Deaths from Childbirth and Puerperal Fever .. .. } 5·08 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

312.—FROME.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·20			*102	—	—	—	—	32·06	2·52	1·68	2·75	3·51	5·51	7·41	11·83	27·22	58·78	146·95
Annual Death-Rate per 1000. Males ..	—			14·14			*111	—	—	—	—	35·38	2·16	1·52	3·19	4·20	6·02	7·95	12·97	30·92	67·27	162·33
Annual Death-Rate per 1000. Females	—			12·33			*93	—	—	—	—	28·78	2·88	1·83	2·30	2·94	5·08	6·94	10·89	24·21	52·30	136·25
Mean Population, 1891–1900. Persons	—			22,543			484	477	509	493	526	2489	2615	2623	2183	1738	2975	2469	2113	1664	1150	524
Mean Population, 1891–1900. Males ..	—			10,652			234	247	248	253	256	1238	1294	1314	1098	786	1362	1144	956	747	498	215
Mean Population, 1891–1900. Females	—			11,891			250	230	261	240	270	1251	1321	1309	1085	952	1613	1325	1157	917	652	309
Deaths from All Causes, 1891–1900. Persons	15·64			3,525			568	121	52	31	26	798	66	44	60	61	164	183	250	453	676	770
Deaths from All Causes, 1891–1900. Males ..	16·58			1,766			316	65	26	15	16	438	28	20	35	33	82	91	124	231	335	349
Deaths from All Causes, 1891–1900. Females	14·79			1,759			252	56	26	16	10	360	38	24	25	28	82	92	126	222	341	421
	Persons.	Males.	Females	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·18	0·19	0·17	40	20	20	5	16	5	5	4	35	2	1	1	—	—	—	—	1	—	—
Scarlet Fever	0·08	0·08	0·08	18	9	9	—	1	2	1	2	6	9	2	1	—	—	—	—	—	—	—
Diphtheria	0·10	0·08	0·12	23	9	14	—	—	5	2	3	10	9	1	2	—	—	1	—	—	—	—
Whooping-cough ..	0·20	0·21	0·19	45	22	23	29	8	3	3	1	44	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·04	0·04	0·04	9	4	5	—	—	—	—	—	—	2	—	2	1	2	1	—	1	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·27	0·30	0·24	60	32	28	41	4	—	—	—	45	1	—	—	1	—	—	—	1	5	7
Cholera	0·04	0·07	0·02	9	7	2	6	—	—	—	2	8	—	—	—	—	—	—	—	1	—	—
Cancer	0·91	0·70	1·09	205	75	130	—	—	—	—	—	—	1	1	2	—	4	21	31	49	65	31
Tabes Mesenterica ..	0·25	0·24	0·26	57	26	31	27	9	5	2	1	44	2	3	1	2	3	—	2	—	—	—
Phthisis	0·88	0·90	0·86	198	96	102	2	2	3	1	—	8	2	6	14	19	55	34	31	22	6	1
Other Tub. & Scrof. Dis.	0·24	0·30	0·19	55	32	23	12	6	2	1	2	23	5	6	2	5	5	3	2	3	1	—
Diseases of Nervous System ..	1·93	2·15	1·74	436	229	207	72	10	5	3	1	91	5	3	7	1	11	11	33	52	121	101
Diseases of Circulatory „ ..	2·21	2·23	2·18	497	238	259	2	2	—	—	—	4	2	6	5	6	10	18	43	121	171	111
Diseases of Respiratory „ ..	2·41	2·55	2·29	544	272	272	102	34	14	7	5	162	8	2	1	5	10	14	31	77	129	105
Diseases of Digestive „ ..	1·00	1·12	0·89	225	119	106	37	19	3	1	1	61	6	2	3	3	11	18	18	30	48	25
Diseases of Urinary „ ..	0·46	0·56	0·36	103	60	43	2	—	1	—	—	3	3	1	1	2	6	7	12	19	24	25
Diseases of Generative „ ..	0·04	—	0·07	8	—	8	—	—	—	—	—	—	—	—	—	—	—	1	2	—	5	2
Puerperal Fever ..	0·06	—	0·11	13	—	13	—	—	—	—	—	—	—	—	—	2	7	4	—	—	—	—
Childbirth..	0·10	—	0·19	23	—	23	—	—	—	—	—	—	—	—	—	6	8	8	1	—	—	—
Violence	0·61	0·91	0·34	138	97	41	15	6	2	5	3	31	5	4	8	3	13	14	15	23	11	11
Other Causes	3·63	3·95	3·36	819	419	400	216	4	2	—	1	223	2	6	10	5	19	28	29	53	92	351

Marriages 1,476

Births .. { Males .. 2,835 / Females 2,709 } 5,544

Annual Rate per 1000 living { Persons Married .. 13·09 / Births .. .. .. 24·59

Annual Births to 100 Females aged 15—45 years = 111.

Deaths from Childbirth and Puerperal Fever .. .. } 6·49 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

313.—SHEPTON MALLET.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		12·61	* 93	—	—	—	—	29·24	2·96	2·38	3·30	3·25	4·79	7·26	11·45	24·83	57·05	144·59
Males	—					13·61	*110	—	—	—	—	33·37	2·91	2·06	3·67	3·24	5·01	8·30	13·96	27·13	64·24	156·88
Females	—					11·68	* 74	—	—	—	—	25·27	3·01	2·68	2·91	3·26	4·59	6·26	9·19	22·83	51·08	135·96
Mean Population, 1891–1900. Persons	—			15,341			360	364	374	385	367	1850	1891	1723	1395	1137	2024	1709	1406	1059	759	388
Males	—			7,369			177	176	184	191	180	908	929	826	708	524	979	831	666	494	344	160
Females	—			7,972			183	188	190	194	187	942	962	897	687	613	1045	878	740	565	415	228
Deaths from All Causes, 1891–1900. Persons	15·38			2,360			386	92	30	20	13	541	56	41	46	37	97	124	161	263	433	561
Males	16·38			1,207			233	43	10	10	7	303	27	17	26	17	49	69	93	134	221	251
Females	14·46			1,153			153	49	20	10	6	238	29	24	20	20	48	55	68	129	212	310
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·03	0·05	0·01	5	4	1	2	—	—	—	—	2	—	—	—	—	—	—	2	1	—	—
Measles	0·13	0·08	0·18	20	6	14	6	6	3	3	—	18	2	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·11	0·14	0·09	17	10	7	1	2	—	2	4	9	7	1	—	—	—	—	—	—	—	—
Diphtheria	0·07	0·05	0·08	10	4	6	—	2	—	1	1	4	5	1	—	—	—	—	—	—	—	—
Whooping-cough	0·14	0·05	0·21	21	4	17	7	10	2	1	—	20	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·16	0·18	0·14	24	13	11	—	—	—	—	—	—	3	4	6	4	3	2	1	1	—	—
Simple Continued Fever	0·01	0·03	—	2	2	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—
Diarrhœa & Dysentery	0·13	0·16	0·10	20	12	8	10	1	1	—	—	12	—	—	—	1	—	1	1	—	2	3
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·80	0·71	0·88	122	52	70	—	—	1	—	—	1	—	—	1	—	1	4	23	28	40	24
Tabes Mesenterica	0·14	0·11	0·16	21	8	13	4	2	—	—	—	6	1	6	1	1	2	1	1	2	—	—
Phthisis	0·65	0·68	0·61	99	50	49	1	—	—	1	1	3	1	1	6	7	27	31	13	9	1	—
Other Tub. & Scrof. Dis.	0·22	0·22	0·21	33	16	17	5	4	1	—	1	11	4	4	3	2	2	2	2	—	3	—
Diseases of Nervous System	1·94	2·05	1·84	298	151	147	58	13	5	1	—	77	4	6	2	1	8	10	19	41	70	60
Circulatory	1·77	1·85	1·71	272	136	136	3	—	—	—	—	3	3	3	6	5	10	12	27	48	95	60
Respiratory	2·84	3·35	2·37	436	247	189	100	33	14	6	1	154	10	3	2	2	9	13	22	46	83	92
Digestive	0·97	1·07	0·88	149	79	70	32	5	1	1	2	41	5	4	3	2	7	8	11	27	16	25
Urinary	0·44	0·50	0·38	67	37	30	—	—	—	—	—	—	—	1	2	3	3	3	12	14	15	14
Generative	0·02	—	0·04	3	—	3	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—
Puerperal Fever	0·05	—	0·10	8	—	8	—	—	—	—	—	—	—	—	1	2	2	3	—	—	—	—
Childbirth	0·06	—	0·11	9	—	9	—	—	—	—	—	—	—	—	—	—	5	4	—	—	—	—
Violence	0·74	1·09	0·41	113	80	33	8	6	2	2	1	19	6	5	7	6	8	17	11	12	13	9
Other Causes	3·96	4·01	3·95	611	296	315	148	8	—	2	2	160	4	2	6	1	9	13	15	32	95	274

Marriages 887

Births .. { Males .. 2,110 / Females 2,054 } 4,164

Annual Rate per 1000 living { Persons Married .. 11·56 / Births .. .. .. 27·14 }

Annual Births to 1000 Females aged 15–45 years = 129.

Deaths from Childbirth and Puerperal Fever .. .. } 4·08 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

314.—WELLS.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 15·71			*110	—	—	—	—	35·13	2·25	2·30	4·11	5·79	6·98	11·45	18·53	33·60	62·09	145·53
Annual Death-Rate per 1000. Males	—			16·99			*123	—	—	—	—	39·27	2·13	1·98	4·09	6·15	7·41	11·72	23·95	38·60	69·04	159·11
Annual Death-Rate per 1000. Females	—			14·51			* 95	—	—	—	—	30·96	2·38	2·61	4·12	5·48	6·61	11·21	13·89	29·45	56·81	135·52
Mean Population, 1891-1900. Persons	—			23,764			509	499	541	523	550	2622	2708	2613	2264	1899	3266	2778	2261	1634	1137	582
Mean Population, 1891-1900. Males	—			11,320			267	246	266	245	290	1314	1364	1310	1100	878	1525	1306	1044	741	491	247
Mean Population, 1891-1900. Females	—			12,444			242	253	275	278	260	1308	1344	1303	1164	1021	1741	1472	1217	893	646	335
Deaths from All Causes, 1891-1900. Persons	18·15			4,312			659	146	51	33	32	921	61	60	93	110	228	318	419	549	706	847
Deaths from All Causes, 1891-1900. Males	19·47			2,204			383	78	21	15	19	516	29	26	45	54	113	153	250	286	339	393
Deaths from All Causes, 1891-1900. Females	16·94			2,108			276	68	30	18	13	405	32	34	48	56	115	165	169	263	367	454
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·17	0·14	0·20	41	16	25	11	17	4	5	1	38	2	—	—	—	—	1	—	—	—	—
Scarlet Fever	0·05	0·05	0·05	12	6	6	—	—	—	2	3	5	5	1	—	—	—	1	—	—	—	—
Diphtheria	0·11	0·10	0·11	25	11	14	—	3	2	2	2	9	9	4	2	—	1	—	—	—	—	—
Whooping-cough	0·27	0·25	0·28	63	28	35	33	16	7	2	5	63	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·07	0·08	0·06	17	9	8	—	—	—	—	—	—	1	2	6	1	3	1	1	—	2	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·30	0·34	0·27	71	38	33	41	3	2	1	—	47	1	—	—	—	—	2	2	5	5	9
Cholera	0·01	0·01	0·01	2	1	1	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—
Cancer	0·90	0·73	1·05	214	83	131	—	—	1	—	—	1	—	—	1	1	4	14	33	74	54	32
Tabes Mesenterica	0·11	0·11	0·11	26	12	14	11	2	2	—	—	15	2	—	2	3	2	1	—	1	—	—
Phthisis	1·41	1·40	1·42	336	159	177	7	2	1	—	—	10	2	8	40	47	82	56	50	28	12	1
Other Tub. & Scrof. Dis.	0·25	0·26	0·25	60	29	31	15	11	2	—	1	29	6	9	6	5	3	—	1	1	—	—
Diseases of Nervous System	2·81	3·46	2·21	667	392	275	60	12	5	2	3	82	7	8	11	10	31	87	88	105	111	127
Diseases of Circulatory	2·47	2·34	2·59	587	265	322	1	—	—	—	—	1	4	4	4	8	23	33	76	122	175	137
Diseases of Respiratory	3·09	3·45	2·77	735	390	345	147	52	18	10	8	235	9	3	3	10	21	32	53	69	122	178
Diseases of Digestive	1·26	1·36	1·17	300	154	146	70	15	1	1	5	92	4	7	4	9	11	17	25	36	58	37
Diseases of Urinary	0·68	0·74	0·62	161	84	77	—	—	—	—	1	1	2	2	1	—	10	18	22	29	51	25
Diseases of Generative	0·03	—	0·06	8	—	8	—	—	—	—	—	—	—	—	—	1	2	2	1	—	—	2
Puerperal Fever	0·03	—	0·06	7	—	7	—	—	—	—	—	—	—	—	—	2	3	2	—	—	—	—
Childbirth	0·06	—	0·11	14	—	14	—	—	—	—	—	—	—	—	—	1	5	7	1	—	—	—
Violence	0·56	0·84	0·30	132	95	37	18	7	1	2	1	29	1	3	5	5	5	16	25	18	13	12
OTHER CAUSES	3·51	3·81	3·24	834	432	402	245	6	5	6	2	264	6	9	7	7	21	28	41	61	103	287

Marriages 1,368

Births .. { Males .. 3,110 / Females 2,907 } 6,017

Annual Rate per 1000 living { Persons Married .. 11·51 / Births .. .. .. 25·32

Annual Births to 1000 Females aged 15—45 years = 111.

Deaths from Childbirth and Puerperal Fever .. .. } 3·49 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

315.—AXBRIDGE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·80			*110	—	—	—	—	34·42	3·54	2·11	3·60	5·48	6·20	7·38	12·18	26·23	51·69	144·40
Males ..	—			15·09			*119	—	—	—	—	37·03	4·38	2·25	3·46	7·09	7·34	8·71	14·66	30·57	59·59	156·81
Females	—			12·60			* 99	—	—	—	—	31·80	2·70	1·97	3·71	4·49	5·41	6·38	10·30	23·03	46·02	136·71
Mean Population, 1891–1900. Persons	—			45,306			874	839	918	930	968	4529	4776	4978	4609	3906	6403	5220	4203	3241	2308	1133
Males ..	—			20,019			434	431	460	460	486	2271	2373	2441	1995	1481	2631	2240	1815	1374	965	433
Females	—			25,287			440	408	458	470	482	2258	2403	2537	2614	2425	3772	2980	2388	1867	1343	700
Deaths from All Causes, 1891–1900. Persons	15·86			7,186			1105	262	101	52	39	1559	169	105	166	214	397	385	512	850	1193	1636
Males ..	17·49			3,502			614	147	45	18	17	841	104	55	69	105	193	195	266	420	575	679
Females	14·57			3,684			491	115	56	34	22	718	65	50	97	109	204	190	246	430	618	957
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·09	0·14	0·06	43	28	15	11	20	6	1	2	40	1	—	—	1	—	1	—	—	—	—
Scarlet Fever	0·06	0·07	0·05	27	14	13	—	3	3	1	1	8	9	4	3	1	1	1	—	—	—	—
Diphtheria	0·13	0·12	0·13	59	25	34	2	3	5	4	7	21	22	9	2	1	1	1	—	1	1	—
Whooping-cough ..	0·26	0·29	0·23	117	58	59	65	26	12	4	7	114	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·07	0·10	0·05	32	20	12	—	—	1	—	—	1	5	4	4	4	4	7	1	2	—	—
Simple Continued Fever	0·00	0·00	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Diarrhœa & Dysentery	0·29	0·33	0·26	131	66	65	89	12	—	—	—	101	—	—	—	1	1	—	—	5	7	16
Cholera	0·01	0·01	0·01	4	2	2	1	—	—	—	—	1	—	—	—	—	—	1	1	1	—	—
Cancer	0·96	0·90	1·01	435	180	255	—	—	1	—	—	1	1	—	—	1	9	38	67	119	134	65
Tabes Mesenterica ..	0·15	0·18	0·12	66	36	30	38	6	—	2	—	46	2	3	3	3	5	1	2	—	1	—
Phthisis	1·45	1·64	1·29	655	329	326	8	2	1	3	1	15	10	15	75	123	185	105	70	39	15	3
Other Tub. & Scrof. Dis.	0·23	0·25	0·21	103	50	53	21	11	6	1	6	45	14	8	7	8	9	6	2	3	1	—
Diseases of Nervous System ..	1·87	1·96	1·80	847	392	455	114	26	12	5	1	158	18	10	10	9	17	26	73	119	190	217
Circulatory „ ..	2·22	2·41	2·06	1004	482	522	11	—	1	—	—	12	8	15	7	5	26	41	84	205	312	289
Respiratory „ ..	2·46	2·68	2·28	1115	538	577	197	99	35	18	6	355	24	7	11	10	23	28	61	99	182	315
Digestive „ ..	1·06	1·12	1·01	480	225	255	89	24	3	4	2	122	12	9	14	8	19	37	55	64	67	73
Urinary „ ..	0·60	0·77	0·47	274	155	119	4	5	1	2	—	12	4	1	1	2	13	15	34	64	61	67
Generative „ ..	0·02	0·02	0·03	11	4	7	1	—	—	—	—	1	—	—	1	—	2	1	—	3	3	—
Puerperal Fever ..	0·02	—	0·04	11	—	11	—	—	—	—	—	—	—	—	—	1	9	1	—	—	—	—
Childbirth..	0·06	—	0·10	25	—	25	—	—	—	—	—	—	—	—	—	3	11	11	—	—	—	—
Violence	0·58	0·84	0·37	262	169	93	38	6	10	5	4	63	14	10	10	13	23	23	24	35	24	23
OTHER CAUSES	3·27	3·66	2·99	1484	728	756	416	19	4	2	2	443	22	10	18	20	39	41	38	91	194	568

Marriages 2,714

Births .. Males .. 5,146 } 10,089
Females 4,943 }

Annual Rate per 1000 living { Persons Married .. 11·98
Births .. .. .. 22·27 }

Annual Births to 1000 Females aged 15—45 years = 86.

Deaths from Childbirth and Puerperal Fever .. .. } 3·57 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

316.—CLUTTON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		13·32	*105	—	—	—	—	34·88	2·99	1·65	3·49	4·05	5·02	6·85	12·54	26·09	58·16	132·01
Annual Death-Rate per 1000. Males	—					13·62	*111	—	—	—	—	36·80	2·96	1·81	3·43	3·35	5·11	6·79	14·30	26·85	63·35	140·00
Annual Death-Rate per 1000. Females	—					13·04	* 98	—	—	—	—	32·93	3·03	1·48	3·58	4·86	4·93	6·90	10·90	25·41	53·62	126·32
Mean Population, 1891-1900. Persons	—			25,296			680	657	663	668	669	3337	3273	3026	2 21	1851	3286	2746	2161	1602	1140	553
Mean Population, 1891-1900. Males ..	—			12,891			343	337	339	335	331	1685	1657	1604	1400	986	1644	1355	1042	756	532	230
Mean Population, 1891-1900. Females	—			12,405			337	320	324	333	338	1652	1616	1422	921	865	1642	1391	1119	846	608	323
Deaths from All Causes, 1891-1900. Persons	15·43			3,903			821	181	66	58	38	1164	98	50	81	75	165	188	271	418	663	730
Deaths from All Causes, 1891-1900. Males ..	15·25			1,966			447	85	33	34	21	620	49	29	48	33	84	92	149	203	337	322
Deaths from All Causes, 1891-1900. Females	15·61			1,937			374	96	33	24	17	544	49	21	33	42	81	96	122	215	326	408
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	0·00	—	0·01	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Measles	0·22	0·20	0·23	55	26	29	8	27	8	4	4	51	4	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·18	0·22	0·15	46	28	18	3	8	8	8	4	31	12	2	—	—	—	1	—	—	—	—
Diphtheria	0·14	0·11	0·18	36	14	22	3	2	3	4	3	15	12	6	—	1	—	—	—	1	1	—
Whooping-cough ..	0·20	0·21	0·19	51	27	24	24	17	5	2	2	50	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·10	0·16	0·04	25	20	5	—	—	—	—	—	—	2	3	4	5	6	2	1	—	1	1
Simple Continued Fever	0·01	0·02	—	3	3	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·26	0·26	0·26	65	33	32	46	5	1	1	—	53	—	—	—	—	1	—	1	3	2	5
Cholera	0·01	0·01	0·01	2	1	1	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—
Cancer	0·74	0·57	0·92	187	73	114	—	—	—	—	—	—	1	1	—	—	5	13	32	61	52	22
Tabes Mesenterica ..	0·12	0·15	0·10	31	19	12	9	3	4	1	1	18	5	—	5	—	2	—	1	—	—	—
Phthisis	0·79	0·77	0·81	200	99	101	5	2	1	3	—	11	3	2	18	32	49	44	27	8	5	1
Other Tub. & Scrof. Dis.	0·34	0·33	0·35	86	43	43	28	13	3	6	4	54	11	4	6	4	3	1	1	—	2	—
Diseases of Nervous System ..	1·89	1·61	2·18	477	207	270	91	13	6	3	5	118	8	6	5	7	9	18	33	65	119	89
Diseases of Circulatory " ..	1·65	1·58	1·72	417	204	213	2	1	—	—	—	3	2	2	9	7	12	19	43	95	128	97
Diseases of Respiratory " ..	3·27	3·35	3·18	827	432	395	187	64	19	12	5	287	10	4	5	3	14	13	37	74	183	197
Diseases of Digestive " ..	0·89	0·88	0·90	226	114	112	70	18	1	5	—	94	6	1	5	1	7	15	21	21	34	21
Diseases of Urinary " ..	0·41	0·49	0·32	103	63	40	—	—	—	—	1	1	2	1	—	1	5	7	12	25	28	21
Diseases of Generative " ..	0·02	0·01	0·04	6	1	5	—	—	—	—	—	—	—	—	—	—	—	2	2	—	2	—
Puerperal Fever.. ..	0·02	—	0·03	4	—	4	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—
Childbirth..	0·12	—	0·25	31	—	31	—	—	—	—	—	—	—	—	1	3	17	9	1	—	—	—
Violence	0·61	0·85	0·36	154	109	45	21	1	3	6	6	37	7	3	5	2	16	17	19	21	14	13
OTHER CAUSES	3·44	3·47	3·38	870	450	420	324	7	4	3	3	341	10	14	18	9	17	24	38	44	92	263

Marriages 1,452

Births .. Males .. 4,011 / Females 3,816 } 7,827

Annual Rate per 1000 living { Persons Married .. 11·48 / Births .. .. .. 30·94

Annual Births to 1000 Females aged 15—45 years = 162.

Deaths from Childbirth and Puerperal Fever .. .. } 4·47 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

317.—BATH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.	15·75		*125	—	—	—	—	45·36	3·48	2·12	2·94	3·97	5·82	9·13	15 17	27·82	57·80	147·96
Males ..	—				17·53		*138	—	—	—	—	51·12	3·78	2·30	3·20	5·44	7·47	11·83	17·76	34·38	64·81	150·17
Females	—				14·07		*111	—	—	—	—	39·59	3·19	1·94	2·75	3·08	4·74	7·28	13·44	23·75	53·84	146·82
Mean Population, 1891-1900. Persons	—			76,294			1503	1409	1501	1533	1459	7405	7319	7812	7888	7156	11508	9071	7356	5496	3588	1695
Males ..	—			32,638			742	701	773	749	742	3707	3677	4003	3378	2703	4553	3685	2950	2106	1296	580
Females	—			43,656			761	708	728	784	717	3698	3642	3809	4510	4453	6955	5386	4406	3390	2292	1115
Deaths from All Causes, 1891 1900. Persons	17·07			13,021			2229	623	204	176	127	3359	255	166	232	284	670	828	1116	1529	2074	2508
Males ..	18·74			6,116			1270	354	105	99	67	1895	139	92	108	147	340	456	524	724	840	871
Females	15·82			6,905			959	269	99	77	60	1464	116	74	124	137	330	392	592	805	1234	1637
	Persons.	Males.	Females	Persons.	Males.	Females	Persons.															
Small-pox..	0·00	0·01	—	3	3	—	1	—	—	—	—	1	—	—	—	—	1	—	1	—	—	—
Measles	0·34	0·42	0·27	257	138	119	57	105	38	27	11	238	14	5	—	—	—	—	—	—	—	—
Scarlet Fever	0·13	0·17	0·10	101	57	44	4	12	14	23	12	65	25	3	2	2	2	2	—	—	—	—
Diphtheria	0·18	0·22	0·14	135	72	63	8	11	8	28	23	78	34	5	2	4	4	5	2	—	—	1
Whooping-cough ..	0·25	0·28	0·22	188	90	98	94	52	11	19	5	181	6	1	—	—	—	—	—	—	—	—
Typhus	0·00	—	0·00	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Enteric Fever	0·08	0·09	0·08	64	30	34	—	—	1	—	2	3	6	6	7	12	13	7	4	5	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·29	0·32	0·27	222	104	118	157	18	4	1	—	180	3	—	—	—	1	2	4	3	15	14
Cholera	0·00	0·00	0·00	3	1	2	1	—	—	—	—	1	—	—	—	—	1	—	—	—	1	—
Cancer	1·09	0·87	1·25	830	283	547	1	—	1	—	1	3	1	1	1	1	15	56	148	243	238	123
Tabes Mesenterica ..	0·10	0·11	0·09	77	36	41	22	11	2	3	4	42	4	6	7	3	5	5	5	—	—	—
Phthisis	1·16	1·49	0·92	888	487	401	7	9	3	1	3	23	8	15	67	92	218	214	149	72	25	5
Other Tub. & Scrof. Dis.	0·36	0·44	0·30	273	144	129	56	39	17	11	10	133	28	18	19	23	29	11	4	5	3	—
Diseases of Nervous System ..	1·98	2·15	1·84	1507	703	804	300	58	14	5	9	386	19	20	16	14	38	48	114	179	326	347
Circulatory „ ..	2·25	2·15	2·33	1717	701	1016	10	4	1	—	2	17	15	21	24	17	72	110	193	316	484	448
Respiratory „ ..	2·79	3·63	2·62	2132	989	1143	369	192	53	32	19	665	16	10	5	19	44	99	119	230	410	515
Digestive „ ..	1·21	1·35	1·10	922	441	481	246	38	7	4	7	302	17	10	17	14	41	61	108	131	128	93
Urinary „ ..	0·63	0·90	0·43	484	295	189	4	2	2	2	2	12	4	3	7	7	32	44	78	86	122	89
Generative „ ..	0·06	0·01	0·09	43	3	40	—	—	—	—	—	—	—	—	1	1	3	10	9	8	5	6
Puerperal Fever ..	0·04	—	0·08	34	—	34	—	—	—	—	—	—	—	—	1	4	22	6	1	—	—	—
Childbirth	0·04	—	0·07	32	—	32	—	—	—	—	—	—	—	—	—	2	14	16	—	—	—	—
Violence	0·64	0·98	0·39	489	319	170	68	20	12	9	12	121	26	14	20	21	52	46	49	66	32	42
OTHER CAUSES	3·45	3·75	3·23	2619	1220	1399	824	52	16	11	5	908	29	28	36	48	63	86	128	184	284	825

Marriages 5,969

Births .. { Males .. 9,213 / Females 8,652 } 17,865

Annual Rate per 1000 living { Persons Married .. 15·65 / Births .. .. .. 23·42

Annual Births to 1000 Females aged 15—45 years = 84.

Deaths from Childbirth and Puerperal Fever .. .. } 3·69 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

318.—KEYNSHAM.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 14·93			*131	—	—	—	—	46·09	2·65	1·91	3·56	3·83	5·60	7·14	11·91	27·06	53·32	157·43
Annual Death-Rate per 1000. Males ..	—			15·25			*145	—	—	—	—	50·16	2·38	1·81	3·15	4·18	5·87	7·13	13·56	27·28	53·69	158·22
Annual Death-Rate per 1000. Females	—			14·63			*116	—	—	—	—	42·06	2·94	2·01	4·00	3·52	5·36	7·15	10·43	26·86	53·04	156·79
Mean Population, 1891-1900. Persons	—			33,645			919	827	872	905	847	4370	4144	3829	3480	2975	4999	3656	2695	1833	1159	505
Mean Population, 1891-1900. Males ..	—			16,439			467	400	434	451	421	2173	2101	1935	1779	1413	2404	1767	1276	865	501	225
Mean Population, 1891-1900. Females	—			17,206			452	427	438	454	426	2197	2043	1894	1701	1562	2595	1889	1419	968	658	280
Deaths from All Causes, 1891-1900. Persons	15·47			5,206			1410	356	130	80	38	2014	110	73	124	114	280	261	321	496	618	795
Deaths from All Causes, 1891-1900. Males ..	15·76			2,591			785	173	67	43	22	1090	50	35	56	54	141	126	173	236	269	356
Deaths from All Causes, 1891-1900. Females	15·20			2,615			625	183	63	37	16	924	60	38	68	55	139	135	148	260	349	439
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·37	0·33	0·40	124	55	69	32	48	13	10	4	107	15	2	—	—	—	—	—	—	—	—
Scarlet Fever	0·12	0·13	0·11	40	21	19	5	4	4	10	2	25	10	2	1	1	—	1	—	—	—	—
Diphtheria	0·07	0·09	0·06	25	14	11	—	4	2	8	4	18	3	3	—	1	—	—	—	—	—	—
Whooping-cough ..	0·31	0·31	0·31	105	51	54	67	25	9	1	1	103	1	1	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·05	0·07	0·03	18	12	6	—	—	—	—	—	—	—	1	1	4	6	2	2	2	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·51	0·58	0·45	173	95	78	125	20	1	1	1	148	1	1	—	1	1	—	4	1	7	9
Cholera	0·00	0·01	—	1	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	0·61	0·47	0·75	206	77	129	—	1	—	—	—	1	1	—	—	—	3	20	45	54	56	26
Tabes Mesenterica ..	0·17	0·19	0·15	57	32	25	31	10	4	2	—	47	1	2	3	1	2	—	—	1	—	—
Phthisis	1·04	1·13	0·95	349	186	163	2	4	—	1	1	8	2	11	46	45	114	65	29	23	6	—
Other Tub. & Scrof. Dis.	0·31	0·29	0·32	103	48	55	25	19	4	6	—	54	7	8	8	4	9	5	5	1	1	1
Diseases of Nervous System ..	1·93	2·09	1·78	649	343	306	198	33	24	10	2	267	13	9	10	4	16	20	41	79	107	83
Diseases of Circulatory " ..	1·86	1·63	2·08	625	268	357	—	—	1	1	—	2	9	8	21	7	32	30	68	139	159	150
Diseases of Respiratory " ..	3·02	3·22	2·82	1015	530	485	331	128	48	17	10	534	17	4	6	8	21	29	46	84	122	144
Diseases of Digestive " ..	1·00	1·03	0·96	335	169	166	125	31	9	1	1	167	9	2	8	3	13	17	32	36	25	23
Diseases of Urinary " ..	0·23	0·32	0·16	79	52	27	1	1	—	1	3	6	3	5	2	3	6	11	9	11	12	11
Diseases of Generative " ..	0·04	—	0·07	12	—	12	—	—	—	—	—	—	1	—	—	1	—	3	3	1	3	—
Puerperal Fever	0·04	—	0·08	14	—	14	—	—	—	—	—	—	—	—	—	3	9	2	—	—	—	—
Childbirth	0·08	—	0·16	28	—	28	—	—	—	—	—	—	—	—	2	4	14	8	—	—	—	—
Violence	0·56	0·74	0·38	187	122	65	21	6	7	8	6	48	11	5	8	10	16	18	19	23	15	14
OTHER CAUSES	3·15	3·13	3·18	1061	515	546	446	22	4	3	3	478	6	9	8	14	18	30	18	41	105	334

Marriages 2,273

Births .. { Males .. 5,404 / Females 5,383 } 10,787

Annual Rate per 1000 living { Persons Married .. 13·51 / Births .. .. .. 32·06

Annual Births to 1000 Females aged 15—45 years = 139.

Deaths from Childbirth and Puerperal Fever .. .. } 3·89 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

319.—LONG ASHTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 15·20	*129	—	—	—	—	48·88	2·99	2·08	3·50	4·00	4·84	7·78	13·02	25·23	54·95	146·41
Annual Death-Rate per 1000. Males	—	In Standard Population. 15·82	*141	—	—	—	—	52·92	2·97	2·06	3·39	3·95	4·81	7·86	13·97	27·37	62·22	150·00
Annual Death-Rate per 1000. Females	—	In Standard Population. 14·61	*117	—	—	—	—	44·82	3·01	2·11	3·60	4·03	4·87	7·72	12·23	23·55	49·71	144·07
Mean Population, 1891–1900. Persons	—	71,450	1895	1765	1785	1796	1762	9003	8555	8015	7172	6506	10779	7954	6030	4035	2384	1017
Mean Population, 1891–1900. Males	—	33,761	940	886	914	905	873	4518	4305	3988	3454	2935	4931	3716	2742	1772	998	402
Mean Population, 1891–1900. Females	—	37,689	955	879	871	891	889	4485	4250	4027	3718	3571	5848	4238	3288	2263	1386	615
Deaths from All Causes, 1891–1900. Persons	15·50	11,078	2913	887	297	171	133	4401	256	167	251	260	522	619	785	1018	1310	1489
Deaths from All Causes, 1891–1900. Males	16·16	5,455	1616	464	135	101	75	2391	128	82	117	116	237	292	383	485	621	603
Deaths from All Causes, 1891–1900. Females	14·92	5,623	1297	423	162	70	58	2010	128	85	134	144	285	327	402	533	689	886

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							Persons.															
Small-pox	0·02	0·03	0·01	13	10	3	—	—	—	2	—	2	—	1	—	2	2	3	2	—	1	—
Measles	0·56	0·61	0·51	400	206	194	94	165	65	31	23	378	14	3	—	1	—	1	2	1	—	—
Scarlet Fever	0·16	0·18	0·14	112	60	52	5	9	20	22	18	74	25	5	4	1	—	3	—	—	—	—
Diphtheria	0·20	0·24	0·16	142	81	61	10	23	23	15	13	84	41	9	2	—	2	2	—	—	1	1
Whooping-cough	0·49	0·47	0·51	351	158	193	157	116	40	21	11	345	6	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·08	0·11	0·06	59	36	23	1	—	1	2	2	6	6	3	11	4	8	5	7	6	3	—
Simple Continued Fever	0·00	0·01	0·00	3	2	1	—	—	—	—	—	—	—	—	—	—	1	—	1	1	—	—
Diarrhœa & Dysentery	0·45	0·55	0·36	321	184	137	243	33	5	1	2	284	2	—	1	—	1	2	2	6	10	13
Cholera	0·01	0·01	0·01	4	2	2	1	—	1	1	—	3	—	—	—	—	—	1	—	—	—	—
Cancer	0·71	0·50	0·90	507	168	339	—	—	—	—	1	1	2	1	—	4	13	57	112	129	134	54
Tabes Mesenterica	0·15	0·15	0·14	104	52	52	61	15	8	1	1	86	7	3	4	2	1	—	1	—	—	—
Phthisis	1·09	1·13	1·06	781	381	400	9	12	2	2	1	26	10	25	91	110	201	140	113	48	14	3
Other Tub. & Scrof. Dis.	0·37	0·42	0·32	265	143	122	76	52	17	9	10	164	22	17	15	13	16	4	8	3	3	—
Diseases of Nervous System	2·01	2·14	1·90	1437	722	715	505	94	26	19	15	659	26	20	18	11	18	43	76	148	233	185
Diseases of Circulatory "	1·44	1·34	1·54	1031	451	580	14	3	—	—	3	20	12	21	23	18	53	99	149	222	259	155
Diseases of Respiratory "	2·56	2·76	2·37	1826	932	894	509	250	58	25	20	862	27	12	16	17	44	79	111	191	241	226
Diseases of Digestive "	0·90	0·91	0·89	644	307	337	194	47	4	5	2	252	15	11	14	8	33	38	63	76	75	59
Diseases of Urinary "	0·39	0·49	0·29	276	165	111	2	3	3	5	1	14	4	5	7	9	10	31	45	52	51	48
Diseases of Generative "	0·02	0·00	0·04	15	1	14	1	—	—	—	—	1	—	—	—	—	—	5	3	1	4	1
Puerperal Fever	0·06	—	0·12	46	—	46	—	—	—	—	—	—	—	—	—	11	26	9	—	—	—	—
Childbirth	0·07	—	0·14	51	—	51	—	—	—	—	—	—	—	—	1	10	23	17	—	—	—	—
Violence	0·42	0·63	0·23	299	214	85	40	11	5	5	—	61	19	11	11	19	33	33	29	30	27	26
Other Causes	3·34	3·48	3·22	2391	1180	1211	991	54	19	5	10	1079	18	20	33	20	37	47	61	104	254	718

Marriages 4,757

Births .. Males .. 11,460 / Females 11,117 } 22,577

Annual Rate per 1000 living { Persons Married .. 13·32 / Births .. .. .. 31·60

Annual Births to 1000 Females aged 15–45 years = 130.

Deaths from Childbirth and Puerperal Fever .. .. } 4·30 per 1000 Births.

* The death-rates under one year of age are per 1000 Births

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

320.—BRISTOL.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 21·07			*160	—	—	—	—	63·75	5·43	3·38	5·02	5·94	8·57	14·42	21·93	38·00	65·15	145·28
Annual Death-Rate per 1000. Males ..	—			23·69			*178	—	—	—	—	69·97	5·71	3·85	5·84	7·44	10·13	17·33	26·37	44·01	79·11	168·96
Annual Death-Rate per 1000. Females	—			18·62			*140	—	—	—	—	57·59	5·15	2·89	4·32	4·81	7·28	11·93	18·15	33·33	56·18	133·69
Mean Population, 1891–1900. Persons	—			106,393			2454	2242	2336	2357	2277	11666	11451	11819	11153	10425	16573	12501	9395	6206	3656	1548
Mean Population, 1891–1900. Males ..	—			49,287			1217	1112	1161	1177	1140	5807	5727	5946	5118	4475	7471	5776	4316	2711	1431	509
Mean Population, 1891–1900. Females	—			57,106			1237	1130	1175	1180	1137	5859	5724	5873	6035	5950	9102	6725	5079	3495	2225	1039
Deaths from All Causes, 1891–1900. Persons	20·59			21,909			4818	1359	593	400	267	7437	622	399	560	619	1420	1803	2060	2358	2382	2249
Deaths from All Causes, 1891–1900. Males ..	23·00			11,332			2719	707	321	174	142	4063	327	229	299	333	757	1001	1138	1193	1132	860
Deaths from All Causes, 1891–1900. Females	18·52			10,577			2099	652	272	226	125	3374	295	170	261	286	663	802	922	1165	1250	1389
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·01	0·02	0·01	12	8	4	1	—	—	—	—	1	1	—	1	1	2	3	2	1	—	—
Measles	0·44	0·49	0·39	468	243	225	110	197	67	46	19	439	24	—	3	—	—	1	—	1	—	—
Scarlet Fever	0·11	0·11	0·11	116	55	61	4	15	14	21	22	76	23	12	1	2	1	1	—	—	—	—
Diphtheria	0·26	0·27	0·25	277	134	143	18	49	44	44	45	200	63	7	3	1	2	—	1	—	—	—
Whooping-cough ..	0·33	0·35	0·32	354	171	183	144	121	38	28	8	339	15	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·17	0·23	0·11	176	113	63	—	2	3	2	5	12	9	16	30	40	44	13	9	3	—	—
Simple Continued Fever	0·00	—	0·00	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·75	0·92	0·60	795	452	343	602	91	10	6	5	714	7	—	—	1	2	7	4	8	23	29
Cholera	0·01	0·02	0·01	12	9	3	6	4	—	—	—	10	—	—	1	—	—	—	1	—	—	—
Cancer	1·09	1·00	1·17	1161	493	668	4	2	3	1	1	11	3	4	8	14	53	122	260	319	270	97
Tabes Mesenterica ..	0·16	0·16	0·17	174	79	95	85	21	5	8	—	119	11	7	11	4	7	8	5	2	—	—
Phthisis	1·64	1·92	1·39	1742	946	796	26	20	11	10	5	72	28	53	135	193	401	428	270	126	30	6
Other Tub. & Scrof. Dis.	0·57	0·62	0·52	602	304	298	124	88	45	39	26	322	99	48	24	31	38	12	15	8	4	1
Diseases of Nervous System ..	2·21	2·38	2·06	2347	1171	1176	766	74	51	20	18	929	33	21	34	22	48	124	199	305	331	301
Diseases of Circulatory „ ..	2·09	2·31	1·89	2220	1139	1081	12	4	3	2	2	23	27	46	72	56	174	279	338	482	486	237
Diseases of Respiratory „ ..	3·94	4·39	3·55	4194	2166	2028	879	460	170	88	44	1641	74	23	40	56	141	230	325	515	590	559
Diseases of Digestive „ ..	1·31	1·40	1·23	1391	688	703	414	62	24	8	15	523	35	28	53	27	79	120	177	161	120	68
Diseases of Urinary „ ..	0·72	0·95	0·52	766	467	299	11	9	2	6	7	35	13	13	10	23	61	114	138	147	131	81
Diseases of Generative „ ..	0·09	0·01	0·16	97	5	92	3	2	—	—	1	6	1	—	4	5	18	26	14	9	8	6
Puerperal Fever	0·08	—	0·15	83	—	83	—	—	—	—	—	—	—	—	1	17	50	14	1	—	—	—
Childbirth	0·08	—	0·16	89	—	89	—	—	—	—	—	—	—	—	2	16	44	26	1	—	—	—
Violence	1·13	1·73	0·62	1206	851	355	81	40	56	49	33	259	94	62	60	52	133	124	139	112	101	70
OTHER CAUSES	3·40	3·72	3·13	3626	1838	1788	1528	98	47	22	11	1706	62	58	67	58	122	151	161	159	288	794

Marriages 12,776

Births .. { Males .. 15,241 / Females 14,949 } 30,190

Annual Rate per 1000 living { Persons Married .. 24·02 / Births .. .. .. 28·38 }

Annual Births to 1000 Females aged 15—45 years = 109.

Deaths from Childbirth and Puerperal Fever .. .. } 5·70 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

321.—BARTON REGIS.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 15·85			*137	—	—	—	—	50·73	2·86	2·01	2·79	3·63	5·15	8·55	13·61	28·51	60·50	142·47
Annual Death-Rate per 1000. Males	—			16·89			*151	—	—	—	—	55·52	2·91	1·71	2·87	4·01	5·82	9·38	15·44	31·66	67·18	148·89
Annual Death-Rate per 1000. Females	—			14·86			*123	—	—	—	—	45·95	2·80	2·30	2·71	3·36	4·63	7·88	12·13	26·15	56·00	138·86
Mean Population, 1891–1900. Persons	—			167,215			4080	3660	3826	3867	3787	19220	19006	18693	17915	16122	25514	19196	14149	9417	5605	2378
Mean Population, 1891–1900. Males	—			76,230			2035	1797	1930	1936	1902	9600	9515	9156	8111	6683	11057	8659	6300	4037	2255	857
Mean Population, 1891–1900. Females	—			90,985			2045	1863	1896	1931	1885	9620	9491	9537	9804	9439	14457	10537	7849	5380	3350	1521
Deaths from All Causes, 1891–1900. Persons	15·61			26,097			6604	1832	654	387	273	9750	543	376	499	585	1313	1642	1925	2685	3391	3388
Deaths from All Causes, 1891–1900. Males	16·74			12,763			3702	967	338	185	138	5330	277	157	233	268	644	812	973	1278	1515	1276
Deaths from All Causes, 1891–1900. Females	14·66			13,334			2902	865	316	202	135	4420	266	219	266	317	669	830	952	1407	1876	2112
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·04	0·01	41	29	12	5	1	1	—	1	8	—	—	2	1	9	12	5	2	2	—
Measles	0·39	0·42	0·36	649	321	328	140	281	96	64	33	614	30	2	—	1	—	1	1	—	—	—
Scarlet Fever	0·11	0·13	0·10	184	97	87	12	31	28	30	28	129	40	7	2	5	1	—	—	—	—	—
Diphtheria	0·11	0·12	0·10	187	94	93	13	17	29	14	25	98	60	14	4	2	2	1	2	3	—	1
Whooping-cough	0·37	0·40	0·35	624	304	320	287	180	75	45	19	606	17	1	—	—	—	—	—	—	—	—
Typhus	0·00	—	0·00	2	—	2	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
Enteric Fever	0·07	0·07	0·06	112	54	58	—	1	1	1	1	4	6	11	17	18	25	16	8	7	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·55	0·62	0·49	917	469	448	676	113	12	9	1	811	8	1	2	2	1	2	3	17	33	37
Cholera	0·01	0·01	0·01	17	9	8	9	1	1	—	—	11	1	—	1	—	1	—	1	1	—	1
Cancer	0·70	0·49	0·87	1170	377	793	—	—	—	1	—	1	4	—	—	6	28	111	232	332	325	131
Tabes Mesenterica	0·17	0·20	0·15	289	155	134	146	50	13	6	3	218	14	17	8	9	10	8	1	3	1	—
Phthisis	1·32	1·56	1·12	2208	1190	1018	52	32	12	5	8	109	30	81	205	276	525	485	285	154	51	7
Other Tub. & Scrof. Dis.	0·32	0·38	0·27	532	286	246	140	81	55	23	26	325	60	36	35	15	29	15	6	9	2	—
Diseases of: Nervous System	2·10	2·29	1·94	3512	1745	1767	979	115	48	34	26	1202	55	30	44	25	105	173	267	406	627	578
Diseases of: Circulatory	1·55	1·48	1·61	2595	1129	1466	15	4	1	5	5	30	24	52	49	37	120	209	362	594	699	419
Diseases of: Respiratory	3·23	3·53	2·97	5394	2689	2705	1391	740	220	102	65	2518	82	24	19	40	113	185	304	585	810	714
Diseases of: Digestive	0·81	0·85	0·77	1354	651	703	427	71	19	12	5	534	28	25	31	29	65	90	110	164	151	127
Diseases of: Urinary	0·38	0·48	0·30	640	366	274	7	2	2	4	5	20	10	8	11	14	34	72	109	113	144	105
Diseases of: Generative	0·04	0·01	0·07	65	5	60	—	1	—	—	—	1	1	—	—	—	5	13	11	4	17	13
Puerperal Fever	0·05	—	0·09	85	—	85	—	—	—	—	—	—	—	—	1	23	43	17	1	—	—	—
Childbirth	0·07	—	0·12	109	—	109	—	—	—	—	—	—	—	—	3	21	51	33	1	—	—	—
Violence	0·33	0·48	0·21	557	364	193	76	13	16	13	11	129	30	23	25	19	46	53	69	65	54	44
Other Causes	2·91	3·18	2·69	4854	2429	2425	2229	98	25	19	11	2382	43	43	40	42	100	145	147	226	475	1211

Marriages 11,052

Births .. { Males .. 24,559 / Females 23,688 } 48,247

Annual Rate per 1000 living { Persons Married .. 13·22 / Births .. .. .. 28·85 }

Annual Births to 1000 Females aged 15—45 years = 109.

Deaths from Childbirth and Puerperal Fever .. .. } 4·02 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

322.—CHIPPING SODBURY.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.	13·05		*103	—	—	—	—	32·04	2·79	1·73	3·60	4·29	5·09	8·61	10·01	25·81	54·87	145·25
Annual Death-Rate per 1000. Males ..	—				13·31		*112	—	—	—	—	35·11	2·85	1·39	3·86	3·59	4·92	8·22	11·52	27·36	58·37	150·27
Annual Death-Rate per 1000. Females	—				12·80		* 94	—	—	—	—	29·06	2·73	2·06	3·28	5·06	5·25	8·99	8·54	24·37	51·72	141·63
Mean Population, 1891–1900. Persons	—			17,172			415	372	404	422	403	2016	2043	1854	1500	1328	2281	1882	1589	1302	935	442
Mean Population, 1891–1900. Males ..	—			8,555			206	183	201	200	204	994	1016	932	829	696	1118	937	781	625	442	185
Mean Population, 1891–1900. Females	—			8,617			209	189	203	222	199	1022	1027	922	671	632	1163	945	808	677	493	257
Deaths from All Causes, 1891–1900. Persons	16·15			2,774			458	99	38	21	30	646	57	32	54	57	116	162	159	336	513	642
Deaths from All Causes, 1891–1900. Males ..	16·10			1,377			251	53	15	11	19	349	29	13	32	25	55	77	90	171	258	278
Deaths from All Causes, 1891–1900. Females	16·21			1,397			207	46	23	10	11	297	28	19	22	32	61	85	69	165	255	364
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Measles	0·16	0·21	0·12	28	18	10	9	10	4	1	2	26	2	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·09	0·08	0·09	15	7	8	1	3	2	2	3	11	2	1	—	—	1	—	—	—	—	—
Diphtheria	0·11	0·13	0·09	19	11	8	1	—	2	2	5	10	6	1	1	—	—	—	—	1	—	—
Whooping-cough ..	0·22	0·21	0·22	37	18	19	22	8	3	2	—	35	2	—	—	—	—	—	—	—	—	—
Typhus	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Enteric Fever	0·06	0·07	0·05	10	6	4	—	—	—	—	—	—	—	1	—	2	2	2	1	1	1	—
Simple Continued Fever	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Diarrhœa & Dysentery	0·30	0·35	0·24	51	30	21	28	4	2	—	1	35	1	—	—	—	—	2	—	3	5	5
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·82	0·63	1·01	141	54	87	—	—	—	—	1	1	—	1	1	—	2	8	17	31	54	26
Tabes Mesenterica ..	0·10	0·13	0·08	18	11	7	7	3	—	—	—	10	3	1	1	2	—	—	—	—	—	1
Phthisis	0·73	0·78	0·67	125	67	58	—	3	—	—	—	3	2	5	12	13	37	23	11	11	7	1
Other Tub. & Scrof. Dis.	0·18	0·20	0·16	31	17	14	5	3	—	1	1	10	5	4	4	2	2	3	1	—	—	—
Diseases of Nervous System ..	2·19	2·08	2·30	376	178	198	77	13	5	3	4	102	10	6	3	4	5	17	16	55	83	75
Diseases of Circulatory „ ..	2·43	2·08	2·79	418	178	240	—	—	—	—	1	1	1	4	5	5	8	22	28	96	146	102
Diseases of Respiratory „ ..	2·74	2·85	2·62	470	244	226	72	33	14	5	4	128	8	4	9	11	17	22	33	47	82	109
Diseases of Digestive „ ..	0·84	0·82	0·86	144	70	74	32	7	3	1	1	44	4	1	1	4	3	14	12	23	22	16
Diseases of Urinary „ ..	0·52	0·76	0·29	90	65	25	—	1	—	—	1	2	1	1	2	—	4	10	12	19	18	21
Diseases of Generative „ ..	0·02	0·01	0·02	3	1	2	1	—	—	—	—	1	—	—	—	—	—	—	1	—	1	—
Puerperal Fever ..	0·05	—	0·10	9	—	9	—	—	—	—	—	—	—	—	—	3	3	3	—	—	—	—
Childbirth	0·10	—	0·20	17	—	17	—	—	—	—	—	—	—	—	—	2	9	6	—	—	—	—
Violence	0·55	0·85	0·24	94	73	21	5	2	2	4	1	14	7	—	7	1	8	10	13	8	14	12
OTHER CAUSES	3·91	3·83	4·06	675	326	349	198	9	1	—	5	213	3	2	8	8	14	19	13	41	80	274

Marriages 997

Births .. { Males .. 2,245 / Females 2,195 } 4,440

Annual Rate per 1000 living { Persons Married .. 11·61 / Births .. .. .. 25·86 }

Annual Births to 1000 Females aged 15—45 years = 130.

Deaths from Childbirth and Puerperal Fever .. .. } 5·86 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

323.—THORNBURY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·18			* 90	—	—	—	—	27·65	2·72	2·41	3·43	5·30	6·22	8·98	12·79	23·12	62·24	143·14
Annual Death-Rate per 1000. Males	—			14·14			* 99	—	—	—	—	29·67	2·79	2·76	2·94	6·32	6·67	10·07	15·63	26·42	68·34	167·26
Annual Death-Rate per 1000. Females	—			12·19			* 82	—	—	—	—	25·62	2·66	2·06	4·01	4·34	5·81	7·93	10·15	20·03	56·81	126·25
Mean Population, 1891–1900. Persons	—			16,675			412	384	402	425	402	2025	2020	1864	1515	1207	2233	1860	1540	1198	805	408
Mean Population, 1891–1900. Males	—			8,226			212	186	204	209	207	1018	1004	942	816	585	1079	914	742	579	379	168
Mean Population, 1891–1900. Females	—			8,449			200	198	198	216	195	1007	1016	922	699	622	1154	946	798	619	426	240
Deaths from All Causes, 1891–1900. Persons	15·84			2,641			399	78	35	23	25	560	55	45	52	64	139	167	197	277	501	584
Deaths from All Causes, 1891–1900. Males	16·90			1,390			220	37	16	16	13	302	28	26	24	37	72	92	116	153	259	281
Deaths from All Causes, 1891–1900. Females	14·81			1,251			179	41	19	7	12	258	27	19	28	27	67	75	81	124	242	303
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	—	0·01	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Measles	0·20	0·17	0·24	34	14	20	6	10	7	3	4	30	4	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·04	0·04	0·05	7	3	4	—	—	—	2	2	4	1	—	1	—	—	1	—	—	—	—
Diphtheria	0·15	0·16	0·14	25	13	12	—	1	—	1	3	5	9	8	1	1	1	—	—	—	—	—
Whooping-cough	0·20	0·18	0·21	33	15	18	19	9	1	1	—	30	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·05	0·07	0·04	9	6	3	—	—	—	—	—	—	—	—	3	1	2	3	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·16	0·19	0·13	27	16	11	14	3	1	—	—	18	—	—	—	—	—	1	—	1	2	5
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·78	0·56	0·99	130	46	84	—	1	—	—	—	1	—	—	1	—	1	15	17	35	36	24
Tabes Mesenterica	0·07	0·06	0·08	12	5	7	1	1	—	—	2	4	1	1	1	1	3	1	—	—	—	—
Phthisis	1·03	1·09	0·97	172	90	82	2	2	—	—	—	4	1	8	15	23	47	34	30	5	5	—
Other Tub. & Scrof. Dis.	0·30	0·30	0·30	50	25	25	7	6	2	3	2	20	5	3	3	2	6	7	4	—	—	—
Diseases of Nervous System	2·12	2·35	1·89	353	193	160	65	7	2	2	2	78	7	3	3	1	7	10	26	46	84	88
Diseases of Circulatory "	2·81	3·05	2·58	469	251	218	3	1	—	1	—	5	2	1	6	5	16	25	46	83	145	135
Diseases of Respiratory "	2·56	2·75	2·38	427	226	201	93	24	17	5	6	145	6	1	1	3	6	13	16	33	91	112
Diseases of Digestive "	0·79	0·78	0·80	132	64	68	27	3	—	—	2	32	1	2	2	4	5	13	11	14	27	21
Diseases of Urinary "	0·44	0·60	0·30	74	49	25	—	—	—	—	—	—	—	1	1	3	3	4	7	16	21	18
Diseases of Generative "	0·02	0·01	0·02	3	1	2	1	—	—	—	—	1	—	—	—	—	—	2	—	—	—	—
Puerperal Fever	0·05	—	0·11	9	—	9	—	—	—	—	—	—	—	—	—	—	8	1	—	—	—	—
Childbirth	0·07	—	0·13	11	—	11	—	—	—	—	—	—	—	—	—	3	3	5	—	—	—	—
Violence	0·89	1·29	0·51	149	106	43	13	3	3	3	1	23	9	8	6	11	19	15	19	11	14	14
OTHER CAUSES	3·10	3·25	2·93	514	267	247	148	7	2	2	1	160	6	9	8	6	11	17	21	33	76	167

Marriages 951

Births .. { Males .. 2,220 / Females 2,195 } 4,415

Annual Rate per 1000 living { Persons Married .. 11·41 / Births .. .. .. 26·48

Annual Births to 1000 Females aged 15—45 years = 129.

Deaths from Childbirth and Puerperal Fever .. .. } 4·53 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

324.—DURSLEY.

CAUSES OF DEATH.		CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000.	Persons	—	In Standard Population. 12·74	* 94	—	—	—	—	30·90	2·60	1·95	3·47	3·61	5·12	6·76	13·27	21·76	52·48	154·76
	Males ..	—	13·77	*106	—	—	—	—	35·36	3·27	1·66	3·18	4·78	4·79	7·06	13·75	27·57	61·43	164·86
	Females	—	11·78	* 81	—	—	—	—	26·44	1·90	2·24	3·74	2·83	5·38	6·50	12·87	17·01	45·80	146·81
Mean Population, 1891-1900.	Persons	—	11,927	257	250	253	292	265	1317	1387	1331	1123	886	1542	1317	1115	887	686	336
	Males ..	—	5,540	132	125	127	143	132	659	704	661	534	356	668	609	509	399	293	148
	Females	—	6,387	125	125	126	149	133	658	683	670	589	530	874	708	606	488	393	188
Deaths from All Causes, 1891-1900.	Persons	16·17	1,929	279	64	32	16	16	407	36	26	39	32	79	89	148	193	360	520
	Males ..	17·69	980	160	43	13	8	9	233	23	11	17	17	32	43	70	110	180	244
	Females	14·86	949	119	21	19	8	7	174	13	15	22	15	47	46	78	83	180	276

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.														
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·20	0·25	0·16	24	14	10	2	9	3	2	4	20	1	2	—	1	—	—	—	—	—
Scarlet Fever	0·07	0·07	0·06	8	4	4	—	1	—	—	2	3	2	2	—	—	—	1	—	—	—
Diphtheria	0·17	0·22	0·13	20	12	8	1	1	4	1	3	10	8	—	—	1	—	—	—	1	—
Whooping-cough ..	0·17	0·13	0·20	20	7	13	9	5	4	2	—	20	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·12	0·07	0·16	14	4	10	—	—	—	—	1	1	1	—	3	1	2	4	2	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·25	0·34	0·17	30	19	11	17	4	—	—	—	21	—	—	—	—	—	—	1	—	4
Cholera	0·03	0·02	0·03	3	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Cancer	0·88	0·76	0·99	105	42	63	—	—	—	—	—	—	—	1	—	—	3	7	14	29	28
Tabes Mesenterica ..	0·08	0·13	0·05	10	7	3	5	3	1	—	—	9	—	1	—	—	—	—	—	—	—
Phthisis	0·97	1·10	0·86	116	61	55	—	—	—	—	—	—	2	6	15	15	24	21	21	8	3
Other Tub. & Scrof. Dis.	0·18	0·25	0·11	21	14	7	2	3	1	1	—	7	5	1	2	1	2	3	—	—	—
Diseases of: Nervous System ..	2·37	2·42	2·32	282	134	148	39	11	—	—	1	51	1	1	3	1	4	9	13	32	88
Diseases of: Circulatory „ ..	1·69	1·84	1·57	202	102	100	—	—	—	—	—	—	1	2	5	1	9	9	21	31	59
Diseases of: Respiratory „ ..	3·06	3·50	2·68	365	194	171	82	20	14	7	4	127	7	1	3	—	6	6	14	33	64
Diseases of: Digestive „ ..	0·99	1·07	0·92	118	59	59	13	1	1	1	—	16	2	4	1	1	4	7	18	23	24
Diseases of: Urinary „ ..	0·62	0·70	0·55	74	39	35	—	—	1	—	—	1	—	—	1	—	2	3	8	11	22
Diseases of: Generative „ ..	0·04	—	0·08	5	—	5	—	—	—	—	—	—	—	—	—	—	—	2	2	—	—
Puerperal Fever ..	0·08	—	0·14	9	—	9	—	—	—	—	—	—	—	—	—	1	6	2	—	—	—
Childbirth	0·08	—	0·16	10	—	10	—	—	—	—	—	—	—	—	—	1	5	3	1	—	—
Violence	0·51	0·78	0·28	61	43	18	5	2	2	—	—	9	2	1	3	5	2	7	9	6	7
OTHER CAUSES.. ..	3·61	4·04	3·24	432	224	208	104	4	1	2	1	112	4	4	3	3	10	5	24	19	60

Marriages 687

Births .. { Males .. 1,511 / Females 1,470 } 2,981

Annual Rate per 1000 living { Persons Married .. 11·52 / Births .. .. .. 24·99

Annual Births to 1000 Females aged 15—45 years = 110.

Deaths from Childbirth and Puerperal Fever .. .. } 6·37 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

325.—WESTBURY ON SEVERN.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 14·33			*120	—	—	—	—	40·24	3·52	1·70	2·90	4·46	5·29	7·21	11·31	26·43	65·91	137·91
Annual Death-Rate per 1000. Males	—			14·72			*135	—	—	—	—	44·32	3·25	1·58	2·74	3·56	4·57	6·98	11·85	30·55	70·43	146·15
Annual Death-Rate per 1000. Females	—			13·97			*105	—	—	—	—	36·13	3·79	1·82	3·13	5·45	6·04	7·44	10·78	22·57	62·10	131·06
Mean Population, 1891-1900. Persons	—			23,305			662	582	607	635	618	3104	3067	2830	2206	1705	2890	2483	2086	1536	968	430
Mean Population, 1891-1900. Males	—			11,827			336	281	311	326	303	1557	1509	1453	1278	898	1467	1246	1038	743	443	195
Mean Population, 1891-1900. Females	—			11,478			326	301	296	309	315	1547	1558	1377	928	807	1423	1237	1048	793	525	235
Deaths from All Causes, 1891-1900. Persons	16·09			3,750			881	202	69	54	43	1249	108	48	64	76	153	179	236	406	638	593
Deaths from All Causes, 1891-1900. Males	16·32			1,930			494	119	35	22	20	690	49	23	35	32	67	87	123	227	312	285
Deaths from All Causes, 1891-1900. Females	15·86			1,820			387	83	34	32	23	559	59	25	29	44	86	92	113	179	326	308
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	—	0·01	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Measles	0·28	0·28	0·29	66	33	33	15	19	10	4	6	54	9	—	1	1	—	—	—	1	—	—
Scarlet Fever	0·15	0·13	0·17	35	15	20	5	5	4	8	2	24	8	2	—	—	1	—	—	—	—	—
Diphtheria	0·23	0·21	0·25	54	25	29	—	4	6	6	10	26	23	2	—	1	—	—	1	1	—	—
Whooping-cough	0·22	0·23	0·21	51	27	24	38	8	2	2	1	51	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·04	0·04	0·03	9	5	4	—	—	—	—	1	1	—	—	1	2	2	—	1	1	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·23	0·23	0·24	54	27	27	29	3	—	1	1	34	3	—	1	—	2	1	1	2	7	3
Cholera	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Cancer	0·61	0·50	0·72	142	59	83	—	—	—	—	—	—	—	—	1	—	6	16	26	41	38	14
Tabes Mesenterica	0·28	0·31	0·24	65	37	28	35	24	2	—	1	62	3	—	—	—	—	—	—	—	—	—
Phthisis	0·73	0·69	0·77	169	81	88	1	1	1	—	1	4	4	6	19	30	39	28	21	12	6	—
Other Tub. & Scrof. Dis.	0·23	0·22	0·24	54	26	28	15	13	3	3	2	36	4	5	2	1	1	2	—	2	1	—
Diseases of Nervous System	1·81	1·81	1·81	422	214	208	82	13	5	4	1	105	5	5	6	6	5	12	32	65	114	67
Diseases of Circulatory "	1·64	1·65	1·64	383	195	188	1	1	—	—	1	3	2	5	7	7	21	22	51	81	136	48
Diseases of Respiratory "	2·84	3·14	2·54	662	371	291	174	66	20	18	9	287	19	5	1	5	15	15	30	85	121	79
Diseases of Digestive "	1·09	1·07	1·11	253	126	127	74	22	4	5	3	108	5	7	8	7	6	13	18	31	34	16
Diseases of Urinary "	0·31	0·41	0·22	73	48	25	1	—	1	1	1	4	2	1	—	1	3	9	14	18	19	2
Diseases of Generative "	0·03	0·01	0·04	6	1	5	—	1	—	—	—	1	—	—	—	—	—	2	—	2	1	—
Puerperal Fever	0·10	—	0·20	23	—	23	—	—	—	—	—	—	—	—	—	2	10	11	—	—	—	—
Childbirth	0·14	—	0·28	32	—	32	—	—	—	—	—	—	—	—	1	6	16	9	—	—	—	—
Violence	0·61	0·88	0·33	142	104	38	14	4	6	1	1	26	9	5	13	2	16	15	19	13	12	12
OTHER CAUSES	4·52	4·50	4·52	1053	535	518	397	18	5	1	2	423	11	5	3	5	10	24	22	50	148	352

Marriages 1,617

Births .. Males 3,651, Females 3,683 } 7,334

Annual Rate per 1000 living { Persons Married .. 13·88; Births .. .. .. 31·47

Annual Births to 1000 Females aged 15—45 years = 167.

Deaths from Childbirth and Puerperal Fever .. .. } 7·50 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

326.—NEWENT.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.	12·69		* 94	—	—	—	—	32·73	2·21	1·96	2·57	4·70	6·03	5·82	10·70	24·02	54·41	138·89
Males	—				12·69		*104	—	—	—	—	34·14	1·81	1·34	1·81	4·12	6·40	4·86	12·86	27·78	56·39	139·84
Females	—				12·70		* 84	—	—	—	—	31·37	2·60	2·61	3·40	5·25	5·69	6·73	8·62	20·65	52·60	138·03
Mean Population, 1891–1900. Persons	—			9,137			211	221	213	222	230	1097	1130	1022	739	596	1111	1014	841	762	555	270
Males	—			4,482			111	104	103	106	112	536	554	524	386	291	531	494	412	360	266	128
Females	—			4,655			100	117	110	116	118	561	576	498	353	305	580	520	429	402	289	142
Deaths from All Causes, 1891–1900. Persons	16·71			1,527			240	72	25	11	11	359	25	20	19	28	67	59	90	183	302	375
Males	16·93			759			131	30	11	6	5	183	10	7	7	12	34	24	53	100	150	179
Females	16·50			768			109	42	14	5	6	176	15	13	12	16	33	35	37	83	152	196
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	—	0·02	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Measles	0·25	0·22	0·28	23	10	13	3	9	3	1	3	19	2	1	—	—	—	1	—	—	—	—
Scarlet Fever	0·10	0·13	0·06	9	6	3	—	—	1	1	1	3	4	2	—	—	—	—	—	—	—	—
Diphtheria	0·14	0·11	0·17	13	5	8	—	—	1	—	2	3	6	1	1	—	1	1	—	—	—	—
Whooping-cough	0·32	0·20	0·43	29	9	20	17	11	1	—	—	29	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·03	0·04	0·02	3	2	1	—	—	—	—	—	—	—	1	—	1	—	1	—	—	—	—
Simple Continued Fever	0·01	0·02	—	1	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·30	0·22	0·37	27	10	17	9	3	1	—	—	13	—	—	—	—	—	2	—	2	2	8
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·59	0·45	0·73	54	20	34	—	—	—	—	—	—	—	—	—	—	—	4	9	13	16	12
Tabes Mesenterica	0·10	0·11	0·09	9	5	4	1	4	—	—	—	5	—	1	—	—	1	—	1	1	—	—
Phthisis	0·79	0·71	0·86	72	32	40	2	—	1	—	—	3	—	5	8	10	24	12	6	4	—	—
Other Tub. & Scrof. Dis.	0·13	0·13	0·13	12	6	6	—	5	3	—	—	8	2	—	—	—	1	—	—	—	1	—
Diseases of Nervous System	2·17	2·39	1·96	198	107	91	21	3	3	2	—	29	1	2	—	1	3	9	10	30	56	57
Circulatory „	2·15	2·08	2·21	196	93	103	1	—	—	—	—	1	2	1	2	3	5	2	16	42	78	44
Respiratory „	3·03	3·37	2·71	277	151	126	54	23	6	3	2	88	4	—	1	3	4	8	13	24	64	68
Digestive „	1·03	0·92	1·14	94	41	53	22	7	3	2	1	35	1	1	1	3	4	4	10	12	14	9
Urinary „	0·42	0·51	0·32	38	23	15	—	1	—	—	—	1	—	1	1	2	3	1	4	9	6	10
Generative „	0·02	—	0·04	2	—	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—
Puerperal Fever	0·02	—	0·04	2	—	2	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—
Childbirth	0·16	—	0·32	15	—	15	—	—	—	—	—	—	—	—	—	1	9	3	2	—	—	—
Violence	0·53	0·67	0·39	48	30	18	8	3	—	—	1	12	1	1	—	—	4	3	7	6	6	8
OTHER CAUSES	4·41	4·65	4·21	404	208	196	102	3	1	2	1	109	2	3	4	4	6	8	12	39	58	159

Marriages 570

Births .. { Males .. 1,262 / Females 1,303 } 2,565

Annual Rate per 1000 living { Persons Married .. 12·48 / Births .. .. .. 28·07

Annual Births to 1000 Females aged 15—45 years = 146.

Deaths from Childbirth and Puerperal Fever .. .. } 6·63 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

327.—GLOUCESTER.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 1878			*141	—	—	—	—	52·80	6·86	3·00	4·66	5·38	7·98	12·16	17·44	33·04	66·54	153·88
Annual Death-Rate per 1000. Males	—			In Standard Population. 1878			*151	—	—	—	—	56·25	6·57	3·22	4·58	6·12	8·64	13·74	20·18	37·92	73·57	163·04
Annual Death-Rate per 1000. Females	—			In Standard Population. 1878			*130	—	—	—	—	49·36	7·14	2·79	4·75	4·73	7·38	10·70	14·98	28·94	60·97	147·25
Mean Population, 1891-1900. Persons	—			54,469			1311	1255	1306	1294	1253	6419	5979	5726	5445	4831	8146	6530	4879	3475	2098	941
Mean Population, 1891-1900. Males	—			26,162			649	618	661	653	617	3198	2981	2825	2688	2254	3864	3136	2309	1585	927	395
Mean Population, 1891-1900. Females	—			28,307			662	637	645	641	636	3221	2998	2901	2757	2577	4282	3394	2570	1890	1171	546
Deaths from All Causes, 1891-1900. Persons	19·78			10,772			2208	547	269	186	179	3389	410	172	254	260	650	794	851	1148	1396	1448
Deaths from All Causes, 1891-1900. Males	21·04			5,505			1212	268	140	92	87	1799	196	91	123	138	334	431	466	601	682	644
Deaths from All Causes, 1891-1900. Females	18·61			5,267			996	279	129	94	92	1590	214	81	131	122	316	363	385	547	714	804
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·82	0·88	0·76	447	231	216	61	23	25	26	45	180	104	10	11	12	51	39	21	12	5	2
Measles	0·52	0·55	0·49	283	143	140	59	98	59	24	17	257	24	2	—	—	—	—	—	—	—	—
Scarlet Fever	0·09	0·12	0·06	50	32	18	1	4	6	9	5	25	16	3	3	—	2	1	—	—	—	—
Diphtheria	0·44	0·43	0·46	242	112	130	6	21	23	41	35	126	86	19	3	1	3	1	2	1	—	—
Whooping-cough	0·25	0·19	0·30	135	50	85	62	41	21	6	4	134	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·12	0·14	0·10	64	37	27	1	—	2	—	2	5	8	9	7	7	6	9	6	3	4	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·55	0·60	0·49	297	157	140	214	38	6	2	1	261	2	—	—	—	1	2	2	3	13	13
Cholera	0·01	0·02	0·01	8	6	2	3	1	1	—	—	5	—	—	—	—	1	—	1	1	—	—
Cancer	0·92	0·75	1·07	501	197	304	1	—	1	1	1	4	4	3	2	4	9	59	83	140	141	52
Tabes Mesenterica	0·11	0·13	0·10	61	34	27	19	8	3	1	—	31	6	6	6	4	3	3	1	1	—	—
Phthisis	1·43	1·48	1·39	781	387	394	5	4	2	—	2	13	14	15	74	83	199	162	114	73	32	2
Other Tub. & Scrof. Dis.	0·37	0·43	0·31	201	112	89	30	22	14	7	16	89	27	16	20	12	18	7	6	4	1	1
Diseases of Nervous System	2·48	2·71	2·28	1353	708	645	217	28	16	11	8	280	18	16	9	24	83	132	157	199	245	190
Diseases of Circulatory "	1·59	1·66	1·53	867	433	434	4	1	2	1	2	10	9	15	16	10	50	77	113	185	236	146
Diseases of Respiratory "	3·15	3·47	2·85	1715	908	807	376	154	59	33	15	637	29	11	19	14	39	90	101	215	318	242
Diseases of Digestive "	1·24	1·32	1·16	673	344	329	192	44	9	5	9	259	12	6	18	9	37	54	71	99	66	42
Diseases of Urinary "	0·61	0·76	0·46	330	200	130	3	3	1	1	—	8	7	1	6	7	19	29	59	70	78	46
Diseases of Generative "	0·05	0·02	0·09	29	4	25	1	1	—	—	—	2	—	—	1	1	5	4	9	4	3	—
Puerperal Fever	0·07	—	0·14	39	—	39	—	—	—	—	—	—	—	—	1	8	18	12	—	—	—	—
Childbirth	0·08	—	0·16	46	—	46	—	—	—	—	—	—	—	—	3	7	17	18	1	—	—	—
Violence	0·84	1·30	0·41	458	341	117	55	14	8	12	9	98	22	20	33	34	54	42	48	36	44	27
OTHER CAUSES	4·04	4·08	3·99	2192	1069	1123	898	42	11	6	8	965	21	20	22	23	35	53	56	102	210	685

Marriages 4,569

Births .. { Males .. 8,001 / Females 7,678 } 15,679

Annual Rate per 1000 living { Persons Married .. 16·78 / Births .. .. .. 28·79 }

Annual Births to 1000 Females aged 15—45 years = 121.

Deaths from Childbirth and Puerperal Fever .. .. } 5·42 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

328.—WHEATENHURST.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		12·44	* 94	—	—	—	—	26·36	2·56	1·71	2·68	6·42	4·77	6·86	12·89	23·95	54·49	150·56
Annual Death-Rate per 1000. Males ..	—					13·14	*111	—	—	—	—	30·39	1·85	2·37	2·24	6·25	5·16	7·10	15·83	28·69	60·00	144·16
Annual Death-Rate per 1000. Females	—					11·79	* 78	—	—	—	—	22·62	3·31	1·06	3·23	6·54	4·47	6·67	10·45	19·78	50·00	155·45
Mean Population, 1891-1900. Persons	—			6,514			138	151	155	140	167	751	742	759	560	452	838	743	613	522	356	178
Mean Population, 1891-1900. Males ..	—			3,090			65	74	77	62	84	362	379	380	312	192	368	338	278	244	160	77
Mean Population, 1891-1900. Females	—			3,424			73	77	78	78	83	389	363	379	248	260	470	405	335	278	196	101
Deaths from All Causes, 1891-1900. Persons	15·83			1,031			143	30	11	10	4	198	19	13	15	29	40	51	79	125	194	268
Deaths from All Causes, 1891-1900. Males ..	16·47			509			83	17	4	5	1	110	7	9	7	12	19	24	44	70	96	111
Deaths from All Causes, 1891-1900. Females	15·25			522			60	13	7	5	3	88	12	4	8	17	21	27	35	55	98	157
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	0·02	—	0·03	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Measles	0·09	0·10	0·09	6	3	3	2	2	—	—	—	4	1	—	1	—	—	—	—	—	—	—
Scarlet Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria	0·14	0·13	0·15	9	4	5	—	1	1	1	3	6	3	—	—	—	—	—	—	—	—	—
Whooping-cough ..	0·21	0·16	0·26	14	5	9	6	2	1	3	—	12	2	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·06	0·13	—	4	4	—	—	—	—	—	—	—	—	—	1	1	2	—	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·17	0·26	0·09	11	8	3	4	1	—	1	—	6	—	—	—	—	—	—	—	1	2	2
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	1·15	0·87	1·40	75	27	48	—	—	—	—	—	—	—	—	—	—	—	2	11	20	27	15
Tabes Mesenterica ..	0·03	0·03	0·03	2	1	1	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—
Phthisis	1·00	0·94	1·05	65	29	36	2	—	—	—	—	2	—	—	5	10	14	13	13	5	3	—
Other Tub. & Scrof. Dis.	0·20	0·23	0·18	13	7	6	2	1	1	—	—	4	2	—	1	—	2	—	1	2	1	—
Diseases of Nervous System ..	1·80	1·78	1·81	117	55	62	17	1	2	—	—	20	2	—	1	1	3	4	9	15	30	32
Diseases of Circulatory „ ..	2·55	2·59	2·51	166	80	86	—	—	1	—	—	1	3	1	—	2	2	8	15	32	56	46
Diseases of Respiratory „ ..	2·53	2·85	2·25	165	88	77	35	12	1	5	—	53	1	3	—	1	3	5	4	16	28	51
Diseases of Digestive „ ..	0·61	0·45	0·76	40	14	26	3	2	2	—	—	7	—	1	—	4	4	4	3	4	6	7
Diseases of Urinary „ ..	0·35	0·65	0·09	23	20	3	1	—	—	—	—	1	—	—	—	—	—	—	5	2	6	9
Diseases of Generative „ ..	0·03	—	0·06	2	—	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—
Puerperal Fever ..	0·06	—	0·12	4	—	4	—	—	—	—	—	—	—	—	1	—	2	1	—	—	—	—
Childbirth	0·02	—	0·03	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Violence	0·94	1·33	0·58	61	41	20	6	1	1	—	—	8	4	5	3	3	3	8	8	8	5	6
OTHER CAUSES.. ..	3·87	3·97	3·76	252	123	129	65	6	1	—	1	73	1	3	1	5	4	6	10	20	29	100

Marriages 337

Births .. Males .. 746, Females 772 } 1,518

Annual Rate per 1000 living { Persons Married .. 10·35; Births .. .. .. 23·30

Annual Births to 1000 Females aged 15—45 years = 110.

Deaths from Childbirth and Puerperal Fever .. .. } 3·29 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The boundary of this District was altered during the decennium; the part transferred contained no population.

329.—STROUD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 14·09			*109	—	—	—	—	35·76	3·61	2·10	3·89	5·14	5·78	7·32	11·40	26·19	59·55	148·71
Annual Death-Rate per 1000. Males	—			14·94			*120	—	—	—	—	39·43	3·37	2·12	3·91	6·36	6·83	7·76	12·14	28·32	66·50	159·28
Annual Death-Rate per 1000. Females	—			13·30			* 98	—	—	—	—	32·22	3·85	2·09	3·88	4·31	5·00	6·96	10·82	24·54	54·46	141·41
Mean Population, 1891-1900. Persons	—			40,890			853	825	829	885	901	4293	4484	4517	4187	3385	5692	4770	3946	2898	1901	817
Mean Population, 1891-1900. Males	—			18,468			418	413	417	426	431	2105	2224	2219	1894	1368	2432	2087	1738	1264	803	334
Mean Population, 1891-1900. Females	—			22,422			435	412	412	459	470	2188	2260	2298	2293	2017	3260	2683	2208	1634	1098	483
Deaths from All Causes, 1891-1900. Persons	15·56			6,363			1068	242	80	73	72	1535	162	95	163	174	329	349	450	759	1132	1215
Deaths from All Causes, 1891-1900. Males	16·66			3,076			596	112	44	40	38	830	75	47	74	87	166	162	211	358	534	532
Deaths from All Causes, 1891-1900. Females	14·66			3,287			472	130	36	33	34	705	87	48	89	87	163	187	239	401	598	683
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·03	0·01	8	5	3	1	—	—	—	1	2	—	—	—	—	—	2	1	2	—	1
Measles	0·17	0·19	0·15	68	35	33	15	19	9	10	5	58	5	4	1	—	—	—	—	—	—	—
Scarlet Fever	0·10	0·11	0·09	40	21	19	—	5	3	4	6	18	18	2	1	—	1	—	—	—	—	—
Diphtheria	0·21	0·23	0·20	86	42	44	1	6	7	19	12	45	28	7	1	1	1	2	—	—	—	1
Whooping-cough	0·19	0·15	0·23	79	28	51	39	27	6	4	3	79	—	—	—	—	—	—	—	—	—	—
Typhus	0·00	—	0·00	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Enteric Fever	0·06	0·09	0·04	24	16	8	—	—	—	—	1	1	1	—	3	5	7	4	—	1	2	—
Simple Continued Fever	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Diarrhœa & Dysentery	0·22	0·25	0·19	88	46	42	49	11	1	1	1	63	—	—	—	—	1	—	1	1	9	13
Cholera	0·01	0·01	0·01	4	1	3	3	—	—	—	—	3	1	—	—	—	—	—	—	—	—	—
Cancer	0·96	0·81	1·08	391	149	242	—	—	1	—	—	1	—	1	—	5	11	26	69	115	106	57
Tabes Mesenterica	0·11	0·14	0·08	43	25	18	19	7	2	—	—	28	5	3	3	2	1	—	1	—	—	—
Phthisis	1·07	1·20	0·96	436	221	215	3	1	1	3	1	9	4	9	52	67	115	84	46	36	12	2
Other Tub. & Scrof. Dis.	0·27	0·31	0·23	110	58	52	23	9	2	3	4	41	20	7	10	9	3	9	4	3	3	1
Diseases of Nervous System	1·87	2·00	1·77	766	370	396	125	24	5	4	3	161	6	9	12	11	16	16	49	95	205	186
Diseases of Circulatory	2·15	1·97	2·31	880	363	517	1	—	1	1	2	5	9	17	21	19	33	43	80	169	276	208
Diseases of Respiratory	2·73	2·99	2·51	1115	552	563	239	92	20	13	17	381	23	6	13	11	25	32	61	134	214	215
Diseases of Digestive	1·01	1·07	0·96	414	198	216	115	18	6	3	2	144	10	3	9	6	19	25	40	46	66	46
Diseases of Urinary	0·55	0·74	0·39	224	137	87	1	2	1	—	2	6	4	4	8	2	9	16	23	41	70	41
Diseases of Generative	0·04	0·01	0·07	16	1	15	—	—	—	—	—	—	—	—	—	—	2	2	3	3	4	2
Puerperal Fever	0·06	—	0·10	23	—	23	—	—	—	—	—	—	—	—	—	3	11	9	—	—	—	—
Childbirth	0·10	—	0·18	40	—	40	—	—	—	—	—	—	—	—	2	7	18	12	1	—	—	—
Violence	0·59	0·98	0·27	241	181	60	14	5	12	8	6	45	12	9	10	11	16	25	31	32	22	28
Other Causes	3·07	3·37	2·83	1265	626	639	420	16	3	—	6	445	16	14	17	15	39	42	39	81	143	414

Marriages 2,881

Births .. Males .. 4,978 / Females 4,805 } 9,783

Annual Rate per 1000 living { Persons Married .. 14·09 / Births .. .. .. 23·93

Annual Births to 1000 Females aged 15—45 years = 95.

Deaths from Childbirth and Puerperal Fever .. .. } 6·44 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

Note.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

330.—TETBURY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 14·63			*119	—	—	—	—	38·86	2·49	1·94	2·68	4·41	5·45	8·07	13·25	28·47	60·58	161·65
Annual Death-Rate per 1000. Males ..	—			15·42			*145	—	—	—	—	45·48	1·91	2·46	2·62	4·33	5·96	8·98	14·34	32·68	60·27	153·97
Annual Death-Rate per 1000. Females	—			13·88			* 92	—	—	—	—	32·42	3·03	1·40	2·75	4·47	5·01	7·27	12·28	24·67	60·84	168·57
Mean Population, 1891-1900. Persons	—			6,192			139	132	133	150	164	718	762	722	596	454	808	719	536	432	312	133
Mean Population, 1891-1900. Males ..	—			2,967			67	63	71	74	79	354	366	366	305	208	369	334	251	205	146	63
Mean Population, 1891-1900. Females	—			3,225			72	69	62	76	85	364	396	356	291	246	439	385	285	227	166	70
Deaths from All Causes, 1891-1900. Persons	16·93			1,048			195	43	15	11	15	279	19	14	16	20	44	58	71	123	189	215
Deaths from All Causes, 1891-1900. Males ..	18·00			534			121	19	6	4	11	161	7	9	8	9	22	30	36	67	88	97
Deaths from All Causes, 1891-1900. Females	15·94			514			74	24	9	7	4	118	12	5	8	11	22	28	35	56	101	118
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·36	0·47	0·25	22	14	8	5	7	3	1	5	21	—	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·02	—	0·03	1	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Diphtheria	0·02	0·03	—	1	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Whooping-cough ..	0·34	0·30	0·37	21	9	12	12	5	2	1	—	20	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	0·02	0·03	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Diarrhœa & Dysentery	0·27	0·24	0·31	17	7	10	7	1	—	—	—	8	1	—	—	—	1	—	—	—	3	4
Cholera	0·02	0·03	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Cancer	0·50	0·54	0·47	31	16	15	—	—	—	—	—	—	—	—	—	—	—	—	3	12	13	3
Tabes Mesenterica ..	0·15	0·17	0·12	9	5	4	—	1	1	—	1	3	1	2	1	—	1	1	—	—	—	—
Phthisis	1·29	1·38	1·21	80	41	39	2	—	2	—	1	5	2	1	3	5	18	17	14	7	7	1
Other Tub. & Scrof. Dis.	0·27	0·34	0·22	17	10	7	3	1	1	—	—	5	3	2	—	1	1	—	2	1	2	—
Diseases of Nervous System ..	2·42	2·60	2·26	150	77	73	31	4	2	—	2	39	4	2	2	—	5	2	9	16	32	39
Diseases of Circulatory „ ..	1·76	1·25	2·23	109	37	72	2	—	1	1	—	4	—	—	3	4	3	4	14	28	32	17
Diseases of Respiratory „ ..	3·39	3·61	3·19	210	107	103	47	12	2	3	2	66	2	1	1	—	4	5	9	17	53	52
Diseases of Digestive „ ..	1·11	1·18	1·05	69	35	34	15	4	1	1	1	22	—	—	1	2	1	9	5	10	11	8
Diseases of Urinary „ ..	0·61	0·84	0·40	38	25	13	1	2	—	2	—	5	—	—	1	1	1	5	2	6	10	7
Diseases of Generative „ ..	0·02	—	0·03	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Puerperal Fever ..	0·06	—	0·12	4	—	4	—	—	—	—	—	—	—	—	—	3	—	1	—	—	—	—
Childbirth	0·08	—	0·16	5	—	5	—	—	—	—	—	—	—	—	—	—	1	4	—	—	—	—
Violence	0·71	1·11	0·34	44	33	11	3	—	—	2	1	6	2	4	2	3	5	5	3	8	3	3
Other Causes ..	3·51	3·88	3·18	217	115	102	67	5	—	—	1	73	3	1	2	1	3	5	8	17	23	81

Marriages 354

Births .. { Males .. 834, Females 803 } 1,637

Annual Rate per 1000 living { Persons Married .. 11·43; Births .. .. .. 26·44

Annual Births to 1000 Females aged 15—45 years = 120.

Deaths from Childbirth and Puerperal Fever .. .. } 5·50 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

331.—CIRENCESTER.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·07			*107	—	—	—	—	32·95	2·81	2·56	3·24	3·97	5·30	7·21	10·50	23·93	53·28	154·70
Annual Death-Rate per 1000. Males	—			In Standard Population. 13·06			*117	—	—	—	—	35·82	2·74	2·01	2·11	4·50	4·60	8·36	10·34	24·44	53·22	164·90
Annual Death-Rate per 1000. Females	—			In Standard Population. 13·07			* 98	—	—	—	—	30·22	2·89	3·11	4·59	3·49	5·92	6·19	10·65	23·45	53·33	146·54
Mean Population, 1891-1900. Persons	—			20,045			455	422	454	460	461	2252	2239	2188	1916	1536	2736	2261	1904	1492	1053	468
Mean Population, 1891-1900. Males	—			9,782			227	196	221	219	234	1097	1133	1094	1044	734	1284	1065	890	720	513	208
Mean Population, 1891-1900. Females	—			10,263			228	226	233	241	227	1155	1106	1094	872	802	1452	1196	1014	772	540	260
Deaths from All Causes, 1891-1900. Persons	15·63			3,134			528	111	52	26	25	742	63	56	62	61	145	163	200	357	561	724
Deaths from All Causes, 1891-1900. Males	15·67			1,533			291	59	20	13	10	393	31	22	22	33	59	89	92	176	273	343
Deaths from All Causes, 1891-1900. Females	15·60			1,601			237	52	32	13	15	349	32	34	40	28	86	74	108	181	288	381
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Measles	0·22	0·20	0·23	44	20	24	9	15	7	4	1	36	2	1	3	2	—	—	—	—	—	—
Scarlet Fever	0·08	0·04	0·13	17	4	13	—	2	3	1	1	7	5	4	—	—	1	—	—	—	—	—
Diphtheria	0·10	0·12	0·09	21	12	9	1	2	1	5	6	15	5	—	—	1	—	—	—	—	—	—
Whooping-cough	0·25	0·13	0·37	51	13	38	34	7	6	1	2	50	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·06	0·04	0·09	13	4	9	—	—	—	—	—	—	3	2	2	—	4	—	1	1	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·17	0·15	0·19	34	15	19	20	3	—	—	—	23	—	—	—	—	—	—	2	—	3	6
Cholera	0·01	0·01	0·01	2	1	1	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Cancer	1·05	0·82	1·27	210	80	130	—	—	—	—	—	—	—	—	1	—	4	15	31	52	70	37
Tabes Mesenterica	0·16	0·17	0·15	32	17	15	16	3	4	—	2	25	—	—	2	4	1	—	—	—	—	—
Phthisis	1·10	1·04	1·16	221	102	119	—	1	—	—	1	2	6	8	19	23	61	53	21	23	4	1
Other Tub. & Scrof. Dis.	0·30	0·31	0·29	60	30	30	8	8	3	4	3	26	9	7	6	4	3	2	1	—	1	1
Diseases of Nervous System	2·05	2·11	2·00	411	206	205	73	11	6	4	1	95	6	8	6	3	8	11	25	65	89	95
Diseases of Circulatory	2·23	2·13	2·33	447	208	239	1	—	—	—	2	3	2	6	3	3	10	18	35	87	148	132
Diseases of Respiratory	2·10	2·23	1·98	421	218	203	107	35	16	2	2	162	6	4	4	5	7	9	23	28	71	102
Diseases of Digestive	0·90	1·00	0·81	181	98	83	39	10	—	1	1	51	3	4	3	5	5	7	17	27	37	22
Diseases of Urinary	0·46	0·59	0·33	92	58	34	4	1	—	—	—	5	1	—	—	—	9	7	9	13	25	23
Diseases of Generative	0·03	0·01	0·06	7	1	6	—	—	—	—	—	—	—	—	—	—	—	—	1	3	2	1
Puerperal Fever	0·05	—	0·10	10	—	10	—	—	—	—	—	—	—	—	—	—	8	2	—	—	—	—
Childbirth	0·05	—	0·11	11	—	11	—	—	—	—	—	—	—	—	—	—	8	3	—	—	—	—
Violence	0·57	0·80	0·36	115	78	37	12	1	5	2	1	21	8	3	4	5	5	15	16	13	18	7
Other Causes	3·69	3·76	3·54	733	367	366	202	12	1	2	2	219	6	9	9	6	10	21	18	45	93	297

Marriages 1,362
Births .. { Males .. 2,489 / Females 2,426 } 4,915

Annual Rate per 1000 living { Persons Married .. 13·59 / Births .. .. .. 24·52 }
Annual Births to 1000 Females aged 15—45 years = 114.

Deaths from Childbirth and Puerperal Fever .. .. } 4·27 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

332.—NORTHLEACH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 11·81			* 97	—	—	—	—	29·24	3·68	1·68	3·72	2·89	4·97	7·85	7·80	22·21	47·84	133·19
Annual Death-Rate per 1000. Males ..	—			11·46			*102	—	—	—	—	29·29	4·28	1·21	2·35	2·08	5·13	7·16	7·45	22·90	52·99	139·25
Annual Death-Rate per 1000. Females	—			12·15			* 93	—	—	—	—	29·18	3·11	2·19	5·81	3·83	4·81	8·57	8·15	21·55	42·86	128·00
Mean Population, 1891-1900. Persons	—			8,529			199	174	198	184	206	961	950	950	779	623	1066	930	821	707	510	232
Mean Population, 1891-1900. Males ..	—			4,381			101	87	103	99	105	495	467	494	469	336	526	475	416	345	251	107
Mean Population, 1891-1900. Females	—			4,148			98	87	95	85	101	466	483	456	310	287	540	455	405	362	259	125
Deaths from All Causes, 1891-1900. Persons	15·00			1,279			203	45	14	12	7	281	35	16	29	18	53	73	64	157	244	309
Deaths from All Causes, 1891-1900. Males ..	14·65			642			108	25	6	3	3	145	20	6	11	7	27	34	31	79	133	149
Deaths from All Causes, 1891-1900. Females	15·36			637			95	20	8	9	4	136	15	10	18	11	26	39	33	78	111	160
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·16	0·16	0·17	14	7	7	4	4	1	—	1	10	1	1	1	—	1	—	—	—	—	—
Scarlet Fever	0·02	0·02	0·02	2	1	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
Diphtheria	0·35	0·41	0·29	30	18	12	1	3	1	3	3	11	14	5	—	—	—	—	—	—	—	—
Whooping-cough ..	0·25	0·21	0·29	21	9	12	14	6	—	1	—	21	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·04	0·05	0·02	3	2	1	—	—	—	—	—	—	—	—	1	—	1	1	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·20	0·16	0·24	17	7	10	11	1	—	—	—	12	—	1	—	—	1	—	1	—	1	1
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·72	0·48	0·96	61	21	40	—	—	—	—	—	—	1	—	—	—	—	6	9	17	21	7
Tabes Mesenterica ..	0·04	—	0·07	3	—	3	2	—	—	—	—	2	—	—	—	—	—	1	—	—	—	—
Phthisis	0·73	0·71	0·75	62	31	31	1	—	—	1	—	2	2	3	6	6	21	11	5	5	1	—
Other Tub. & Scrof. Dis.	0·13	0·09	0·17	11	4	7	2	1	—	2	—	5	1	—	3	1	—	1	—	—	—	—
Diseases of Nervous System ..	1·93	1·85	2·03	165	81	84	19	2	2	—	—	23	4	1	3	1	3	13	7	17	43	50
Diseases of Circulatory " ..	2·67	2·60	2·75	228	114	114	5	—	—	—	—	5	—	2	2	3	3	3	20	56	70	64
Diseases of Respiratory " ..	2·43	2·31	2·56	207	101	106	40	17	7	2	1	67	3	1	2	—	2	7	10	19	39	57
Diseases of Digestive " ..	0·89	0·89	0·89	76	39	37	14	1	2	1	—	18	6	—	5	—	4	7	2	12	15	7
Diseases of Urinary " ..	0·48	0·59	0·36	41	26	15	—	1	—	—	—	1	—	—	2	1	3	5	2	8	14	5
Diseases of Generative " ..	0·01	—	0·02	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Puerperal Fever ..	0·06	—	0·12	5	—	5	—	—	—	—	—	—	—	—	1	1	2	1	—	—	—	—
Childbirth	0·11	—	0·22	9	—	9	—	—	—	—	—	—	—	—	—	1	3	5	—	—	—	—
Violence	0·30	0·34	0·27	26	15	11	3	1	—	2	1	7	—	1	1	1	4	2	—	5	2	3
Other Causes ..	3·48	3·78	3·16	297	166	131	87	8	1	—	1	97	2	—	2	3	5	10	7	18	38	115

Marriages 537

Births .. Males .. 1,060 / Females 1,024 } 2,084

Annual Rate per 1000 living { Persons Married .. 12·59 / Births .. .. .. 24·43

Annual Births to 1000 Females aged 15—45 years = 131.

Deaths from Childbirth and Puerperal Fever .. .. } 6·72 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

333.—STOW ON THE WOLD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.	12·19		* 95	—	—	—	—	28·74	2·62	1·58	2·74	4·58	4·90	6·90	8·84	25·99	55·03	140·99
Annual Death-Rate per 1000. Males ..	—				12·12		*108	—	—	—	—	31·38	2·36	1·24	2·83	2·93	4·66	7·21	10·22	26·06	54·30	148·48
Annual Death-Rate per 1000. Females	—				12·26		* 81	—	—	—	—	26·11	2·87	1·93	2·64	6·25	5·12	6·61	7·57	25·92	55·69	134·96
Mean Population, 1891-1900. Persons	—			8,616			194	188	204	205	197	988	1030	950	803	611	1081	942	837	685	467	222
Mean Population, 1891-1900. Males ..	—			4,241			90	98	102	105	99	494	508	484	424	307	515	458	401	330	221	99
Mean Population, 1891-1900. Females	—			4,375			104	90	102	100	98	494	522	466	379	304	566	484	436	355	246	123
Deaths from All Causes, 1891-1900. Persons	15·27			1,316			206	46	16	10	6	284	27	15	22	28	53	65	74	178	257	313
Deaths from All Causes, 1891-1900. Males ..	15·21			645			116	25	6	7	1	155	12	6	12	9	24	33	41	86	120	147
Deaths from All Causes, 1891-1900. Females	15·34			671			90	21	10	3	5	129	15	9	10	19	29	32	33	92	137	166
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·17	0·17	0·18	15	7	8	4	5	2	—	1	12	1	2	—	—	—	—	—	—	—	—
Scarlet Fever	0·02	0·02	0·02	2	1	1	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—
Diphtheria	0·07	0·07	0·07	6	3	3	—	—	2	—	—	2	4	—	—	—	—	—	—	—	—	—
Whooping-cough ..	0·19	0·19	0·18	16	8	8	4	8	1	3	—	16	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·03	—	0·07	3	—	3	—	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·14	0·19	0·09	12	8	4	7	—	—	1	—	8	—	—	—	—	—	1	—	—	1	2
Cholera	0·01	—	0·02	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Cancer	1·02	0·73	1·30	88	31	57	—	—	—	—	—	—	—	—	—	—	1	6	11	27	24	19
Tabes Mesenterica ..	0·17	0·24	0·11	15	10	5	7	5	1	—	—	13	—	1	1	—	—	—	—	—	—	—
Phthisis	0·91	0·90	0·91	78	38	40	1	2	—	2	—	5	4	1	7	8	25	12	5	9	2	—
Other Tub. & Scrof. Dis.	0·34	0·28	0·39	29	12	17	11	2	3	—	1	17	2	4	1	2	—	2	—	—	1	—
Diseases of: Nervous System ..	1·93	1·89	1·97	166	80	86	14	3	1	1	3	22	3	—	4	2	3	5	10	24	50	43
Diseases of: Circulatory „ ..	2·29	2·43	2·15	197	103	94	2	—	—	—	—	2	1	—	2	4	6	9	11	49	74	39
Diseases of: Respiratory „ ..	1·90	1·82	1·99	164	77	87	41	12	2	—	—	55	4	1	3	1	3	3	6	21	43	24
Diseases of: Digestive „ ..	0·95	0·90	1·01	82	38	44	21	4	1	1	—	27	3	1	—	2	3	5	8	13	15	5
Diseases of: Urinary „ ..	0·48	0·59	0·37	41	25	16	2	1	—	—	1	4	1	—	1	1	2	3	7	9	7	6
Diseases of: Generative „ ..	0·03	—	0·07	3	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—
Puerperal Fever ..	0·02	—	0·05	2	—	2	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
Childbirth..	0·07	—	0·14	6	—	6	—	—	—	—	—	—	—	—	—	3	—	2	1	—	—	—
Violence	0·28	0·38	0·18	24	16	8	5	—	1	1	—	7	—	1	—	2	2	3	2	3	3	1
Other Causes ..	4·25	4·41	4·07	366	188	178	87	4	2	1	—	94	4	3	2	3	3	14	13	21	35	174

Persons.

Marriages 520

Births .. { Males .. 1,072 / Females 1,107 } 2,179

Annual Rate per 1000 living { Persons Married .. 12·07 / Births .. .. .. 25·29

Annual Births to 1000 Females aged 15—45 years = 126.

Deaths from Childbirth and Puerperal Fever .. .. } 3·67 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

334.—WINCHCOMB.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·54			* 90	—	—	—	—	30·73	2·70	2·45	2·09	4·82	4·70	8·42	9·19	24·00	57·49	134·45
Males	—			13·10			*101	—	—	—	—	36·27	2·36	1·74	1·33	4·78	4·71	8·18	9·79	26·26	57·38	158·49
Females	—			12·02			* 77	—	—	—	—	25·46	3·02	3·17	3·05	4·86	4·69	8·64	8·63	21·80	57·60	115·15
Mean Population, 1891–1900. Persons	—			9,048			224	193	208	206	217	1048	1037	1022	813	643	1149	998	881	725	494	238
Males	—			4,468			110	91	101	99	109	510	508	518	452	314	552	477	429	358	244	106
Females	—			4,580			114	102	107	107	108	538	529	504	361	329	597	521	452	367	250	132
Deaths from All Causes, 1891–1900. Persons	15·69			1,420			215	64	21	8	14	322	28	25	17	31	54	84	81	174	284	320
Males	16·47			736			125	34	14	3	9	185	12	9	6	15	26	39	42	94	140	168
Females	14·93			684			90	30	7	5	5	137	16	16	11	16	28	45	39	80	144	152
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·19	0·25	0·13	17	11	6	2	7	4	—	1	14	2	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·03	0·04	0·02	3	2	1	—	1	—	—	—	1	1	1	—	—	—	—	—	—	—	—
Diphtheria	0·10	0·11	0·09	9	5	4	2	2	—	1	2	7	2	—	—	—	—	—	—	—	—	—
Whooping-cough	0·07	0·09	0·04	6	4	2	3	1	1	—	1	6	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·09	0·02	0·15	8	1	7	—	—	—	—	—	—	2	1	1	—	—	1	2	—	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·24	0·20	0·28	22	9	13	11	3	—	—	—	14	—	—	—	—	—	—	—	1	4	3
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·93	0·65	1·20	84	29	55	—	—	—	—	—	—	1	1	—	—	1	6	7	23	24	21
Tabes Mesenterica	0·11	0·04	0·17	10	2	8	4	—	—	—	—	4	1	1	1	—	1	1	1	—	—	—
Phthisis	0·66	0·65	0·68	60	29	31	—	—	1	1	—	2	1	2	3	14	15	14	4	1	2	2
Other Tub. & Scrof. Dis.	0·48	0·60	0·35	43	27	16	15	4	3	1	3	26	1	6	1	3	2	3	—	1	—	—
Diseases of Nervous System	2·11	2·13	2·10	191	95	96	9	5	2	2	1	19	1	3	1	1	4	9	10	33	55	55
Circulatory "	2·58	2·55	2·60	233	114	119	1	—	—	—	—	1	3	1	—	3	5	10	21	45	75	69
Respiratory "	2·48	2·44	2·51	224	109	115	45	29	5	—	3	82	4	1	2	—	6	8	10	27	45	39
Digestive "	1·09	1·25	0·94	99	56	43	12	6	1	1	2	42	2	—	2	1	1	7	5	9	18	12
Urinary "	0·60	0·72	0·48	54	32	22	1	1	1	—	—	3	1	—	1	—	2	6	3	11	18	9
Generative "	0·03	—	0·07	3	—	3	—	—	—	—	—	—	—	—	—	—	1	—	1	—	1	—
Puerperal Fever	0·06	—	0·11	5	—	5	—	—	—	—	—	—	—	—	1	1	1	2	—	—	—	—
Childbirth	0·02	—	0·04	2	—	2	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Violence	0·63	0·98	0·28	57	44	13	4	4	1	2	1	12	4	5	2	3	8	7	4	4	5	3
Other Causes	3·19	3·75	2·69	290	167	123	86	1	2	—	—	89	2	2	2	5	6	9	13	19	36	107

Marriages 591

Births .. { Males .. 1,233 / Females 1,164 } 2,397

Annual Rate per 1000 living { Persons Married .. 13·06 / Births .. .. .. 26·49 }

Annual Births to 1000 Females aged 15—45 years = 133.

Deaths from Childbirth and Puerperal Fever .. .. } 2·92 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

335.—CHELTENHAM.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 15·08			*134	—	—	—	—	45·92	3·75	2·21	2·48	3·57	5·19	7·71	13·32	25·45	57·89	141·34
Annual Death-Rate per 1000. Males ..	—			16·17			*145	—	—	—	—	48·26	3·73	1·96	2·58	4·31	6·78	9·23	15·96	30·32	62·60	156·49
Annual Death-Rate per 1000. Females	—			14·06			*123	—	—	—	—	43·52	3·77	2·46	2·41	3·18	4·27	6·73	11·57	22·23	55·04	132·93
Mean Population, 1891-1900. Persons	—			56,197			1041	991	1046	1043	1042	5163	5333	5744	6297	5235	8213	6565	5407	4125	2712	1403
Mean Population, 1891-1900. Males ..	—			23,370			531	489	525	542	530	2617	2629	2862	2559	1811	3009	2556	2156	1646	1024	501
Mean Population, 1891-1900. Females	—			32,827			510	502	521	501	512	2546	2704	2882	3738	3424	5204	4009	3251	2479	1688	902
Deaths from All Causes, 1891-1900. Persons	16·54			9,296			1663	383	161	88	76	2371	200	127	156	187	426	506	720	1050	1570	1983
Deaths from All Causes, 1891-1900. Males ..	18·27			4,269			918	196	70	41	38	1263	98	56	66	78	204	236	344	499	641	784
Deaths from All Causes, 1891-1900. Females	15·31			5,027			745	187	91	47	38	1108	102	71	90	109	222	270	376	551	929	1199
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·31	0·35	0·28	173	82	91	31	58	28	18	14	149	20	1	1	—	2	—	—	—	—	—
Scarlet Fever	0·07	0·09	0·05	39	21	18	2	1	7	7	6	23	11	2	2	1	—	—	—	—	—	—
Diphtheria	0·14	0·17	0·11	76	40	36	2	12	11	10	10	45	19	4	1	1	1	2	—	1	2	—
Whooping-cough ..	0·18	0·22	0·16	103	51	52	53	24	13	6	3	99	4	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·09	0·12	0·07	51	29	22	—	—	—	—	—	—	3	3	6	5	12	8	6	5	3	—
Simple Continued Fever	0·00		0·00	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·39	0·51	0·30	217	120	97	155	21	3	—	—	179	—	—	—	—	2	2	2	6	9	17
Cholera	0·01	0·01	0·00	3	2	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	1	1
Cancer	1·07	0·83	1·24	600	194	406	—	1	—	—	—	1	1	4	3	5	11	41	98	184	157	95
Tabes Mesenterica ..	0·13	0·15	0·11	71	35	36	22	11	3	3	3	42	5	6	6	1	5	4	2	—	—	—
Phthisis	1·24	1·52	1·04	696	355	341	13	6	7	4	4	34	17	18	42	77	156	148	104	63	29	8
Other Tub. & Scrof. Dis.	0·29	0·30	0·28	164	71	93	29	26	9	7	2	73	18	19	15	4	14	6	8	4	3	—
Diseases of Nervous System ..	2·05	2·17	1·96	1151	508	643	197	42	12	11	4	266	21	12	10	10	28	33	88	135	289	259
Diseases of Circulatory „ ..	2·06	2·15	2·00	1159	503	656	10	2	—	—	2	14	11	9	16	16	39	58	112	231	341	312
Diseases of Respiratory „ ..	2·74	3·05	2·52	1540	713	827	293	107	42	16	14	472	30	6	8	8	24	47	82	157	296	410
Diseases of Digestive „ ..	1·07	1·19	0·99	602	277	325	165	31	6	2	1	205	11	11	13	12	27	27	69	68	95	64
Diseases of Urinary „ ..	0·41	0·57	0·29	229	134	95	1	1	1	—	1	4	2	4	5	4	10	12	33	42	54	59
Diseases of Generative „ ..	0·05	—	0·09	29	—	29	—	—	—	—	—	—	—	—	—	—	6	3	9	7	3	1
Puerperal Fever ..	0·06	—	0·10	32	—	32	—	—	—	—	—	—	—	—	1	4	14	12	1	—	—	—
Childbirth	0·06	—	0·10	32	—	32	—	—	—	—	—	—	—	—	—	11	9	12	—	—	—	—
Violence	0·44	0·71	0·26	249	165	84	34	5	9	2	5	55	10	7	8	7	20	27	25	28	27	35
OTHER CAUSES ..	3·68	4·16	3·36	2079	969	1110	655	35	10	2	7	709	16	21	19	21	46	64	81	119	261	722

Marriages 4,051

Births .. { Males .. 6,331 / Females 6,081 } 12,412

Annual Rate per 1000 living { Persons Married .. 14·42 / Births .. .. .. 22·09

Annual Births to 1000 Females aged 15—45 years = 76.

Deaths from Childbirth and Puerperal Fever .. .. } 5·16 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

336.—TEWKESBURY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 15·16			*124	—	—	—	—	42·03	4·23	2·81	5·13	6·07	6·11	7·72	13·76	23·17	55·71	149·84
Annual Death-Rate per 1000. Males ..	—			15·77			*132	—	—	—	—	42·62	3·44	2·36	4·14	5·25	7·08	8·59	18·31	27·27	59·80	166·43
Annual Death-Rate per 1000. Females	—			14·57			*115	—	—	—	—	41·42	5·04	3·26	6·17	6·73	5·30	6·96	9·62	19·77	52·14	136·87
Mean Population, 1891–1900. Persons	—			12,811			321	281	322	313	312	1549	1490	1424	1131	939	1702	1463	1192	945	657	319
Mean Population, 1891–1900. Males ..	—			6,167			159	148	165	166	148	786	756	719	580	419	777	687	568	429	306	140
Mean Population, 1891–1900. Females	—			6,644			162	133	157	147	164	763	734	705	551	520	925	776	624	516	351	179
Deaths from All Causes, 1891–1900. Persons	18·05			2,313			446	113	42	28	22	651	63	40	58	57	104	113	164	219	366	478
Deaths from All Causes, 1891–1900. Males ..	19·05			1,175			240	57	19	11	8	335	26	17	24	22	55	59	104	117	183	233
Deaths from All Causes, 1891–1900. Females	17·13			1,138			206	56	23	17	14	316	37	23	34	35	49	54	60	102	183	245
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·25	0·24	0·26	32	15	17	3	15	6	5	—	29	2	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·14	0·13	0·15	18	8	10	1	2	2	3	3	11	2	3	1	—	1	—	—	—	—	—
Diphtheria	0·10	0·06	0·14	13	4	9	—	1	—	—	1	2	8	1	1	—	1	—	—	—	—	—
Whooping-cough ..	0·40	0·39	0·41	51	24	27	28	14	4	2	—	48	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·09	0·03	0·14	11	2	9	—	—	—	1	—	1	2	2	1	1	—	2	2	—	—	—
Simple Continued Fever	0·01	—	0·02	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·50	0·44	0·56	64	27	37	43	11	2	—	1	57	—	—	—	—	1	—	—	1	2	3
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·73	0·52	0·92	93	32	61	—	—	—	—	—	—	—	1	—	—	3	6	16	31	22	14
Tabes Mesenterica ..	0·12	0·13	0·12	16	8	8	4	2	1	1	—	8	1	1	2	—	2	—	1	1	—	—
Phthisis	1·19	1·36	1·03	153	84	69	2	3	2	1	1	9	2	1	16	21	32	28	25	11	6	2
Other Tub. & Scrof. Dis.	0·41	0·50	0·32	52	31	21	12	5	4	—	2	23	15	2	2	3	5	2	—	—	—	—
Diseases of Nervous System ..	2·27	2·74	1·83	291	169	122	79	11	4	3	3	100	6	1	7	4	7	4	19	36	64	43
Diseases of Circulatory „ ..	2·75	2·87	2·63	352	177	175	—	—	—	1	—	1	1	5	5	6	12	19	30	54	107	112
Diseases of Respiratory „ ..	2·47	2·77	2·18	316	171	145	64	34	11	8	6	123	8	3	5	4	7	14	19	25	49	59
Diseases of Digestive „ ..	0·98	0·89	1·05	125	55	70	24	7	—	1	3	35	4	6	4	4	4	8	13	15	19	13
Diseases of Urinary „ ..	0·52	0·76	0·29	66	47	19	7	1	—	1	—	9	—	1	1	—	1	5	8	13	20	8
Diseases of Generative „ ..	0·05	—	0·09	6	—	6	—	—	—	—	—	—	—	—	1	—	1	1	1	—	1	1
Puerperal Fever ..	0·09	—	0·18	12	—	12	—	—	—	—	—	—	—	—	1	4	4	3	—	—	—	—
Childbirth	0·08	—	0·15	10	—	10	—	—	—	—	—	—	—	—	—	1	6	3	—	—	—	—
Violence	0·69	1·07	0·35	89	66	23	5	1	2	1	1	10	4	2	7	3	8	10	16	11	9	9
Other Causes ..	4·21	4·15	4·31	542	255	287	174	6	4	—	1	185	4	10	4	6	9	8	14	21	67	214

Marriages 821

Births .. { Males .. 1,819 / Females 1,785 } 3,604

Annual Rate per 1000 living { Persons Married .. 12·82 / Births .. .. .. 28·13

Annual Births to 1000 Females aged 15—45 years = 130.

Deaths from Childbirth and Puerperal Fever .. .. } 6·10 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

337.—LEDBURY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·95			*103	—	—	—	—	33·78	4·03	1·79	3·99	4·55	5·11	9·18	12·23	25·35	60·12	150·76
Annual Death-Rate per 1000. Males	—			14·64			*110	—	—	—	—	35·74	4·18	1·47	4·19	4·47	5·89	9·82	13·96	28·84	63·43	165·93
Annual Death-Rate per 1000. Females	—			13·30			* 96	—	—	—	—	31·79	3·88	2·13	3·77	4·61	4·44	8·59	10·69	22·16	57·18	140·10
Mean Population, 1891-1900. Persons	—			13,055			304	270	299	300	307	1480	1464	1454	1179	968	1721	1503	1292	1010	657	327
Mean Population, 1891-1900. Males	—			6,338			150	134	152	148	163	747	742	750	596	447	798	723	609	482	309	135
Mean Population, 1891-1900. Females	—			6,717			154	136	147	152	144	733	722	704	583	521	923	780	683	528	348	192
Deaths from All Causes, 1891-1900. Persons	16·88			2,204			363	75	31	14	17	500	59	26	47	44	88	138	158	256	395	493
Deaths from All Causes, 1891-1900. Males	17·61			1,116			201	35	20	3	8	267	31	11	25	20	47	71	85	139	196	224
Deaths from All Causes, 1891-1900. Females	16·20			1,088			162	40	11	11	9	233	28	15	22	24	41	67	73	117	199	269
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·16	0·14	0·18	21	9	12	3	7	4	1	1	16	3	1	—	—	—	1	—	—	—	—
Scarlet Fever	0·11	0·13	0·10	15	8	7	1	2	3	1	—	7	5	—	—	—	3	—	—	—	—	—
Diphtheria	0·21	0·17	0·25	28	11	17	—	1	—	3	3	7	13	6	1	—	1	—	—	—	—	—
Whooping-cough	0·23	0·27	0·19	30	17	13	21	4	2	1	1	29	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·04	0·03	0·04	5	2	3	—	—	—	—	—	—	2	—	—	—	1	2	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·31	0·36	0·25	40	23	17	28	2	3	—	—	33	2	1	—	—	—	—	—	1	1	2
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	1·01	0·92	1·10	132	58	74	—	—	—	—	—	—	1	—	—	—	2	9	23	33	41	23
Tabes Mesenterica	0·08	0·05	0·10	10	3	7	4	1	—	—	—	5	1	—	1	1	—	2	—	—	—	—
Phthisis	1·07	1·14	1·01	140	72	68	7	1	—	1	—	9	2	5	10	20	27	31	17	13	6	—
Other Tub. & Scrof. Dis.	0·34	0·35	0·33	44	22	22	8	4	3	—	1	16	3	2	7	—	5	1	1	7	2	—
Diseases of Nervous System	2·17	2·49	1·86	283	158	125	48	9	2	—	1	60	3	6	2	2	4	15	18	41	71	61
Diseases of Circulatory "	2·19	2·21	2·17	286	140	146	1	—	1	—	—	2	—	—	3	3	10	11	36	60	94	67
Diseases of Respiratory "	2·26	2·57	1·97	295	163	132	71	28	4	3	2	108	5	1	1	2	8	8	17	32	54	59
Diseases of Digestive "	1·22	1·18	1·25	159	75	84	54	8	2	1	2	67	4	1	2	—	3	10	19	19	19	15
Diseases of Urinary "	0·44	0·55	0·33	57	35	22	1	—	—	—	—	1	—	—	2	3	5	4	7	6	15	14
Diseases of Generative "	0·02	—	0·04	3	—	3	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—
Puerperal Fever	0·04	—	0·07	5	—	5	—	—	—	—	—	—	—	—	1	1	1	2	—	—	—	—
Childbirth	0·09	—	0·18	12	—	12	—	—	—	—	—	—	—	—	—	1	3	8	—	—	—	—
Violence	0·64	0·80	0·48	83	51	32	4	1	2	3	4	14	5	2	8	3	5	15	4	12	7	8
Other Causes	4·25	4·25	4·30	556	269	287	112	7	5	—	2	126	9	1	7	8	9	19	16	32	85	244

Marriages 801

Births .. { Males .. 1,833 / Females 1,681 } 3,514

Annual Rate per 1000 living { Persons Married .. 12·27 / Births .. .. .. 26·92 }

Annual Births to 1000 Females aged 15—45 years = 125.

Deaths from Childbirth and Puerperal Fever .. .. } 4·84 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

338.—ROSS.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 14·58			*110	—	—	—	—	36·28	4·37	2·01	3·80	4·69	6·27	8·01	12·89	27·42	59·07	159·24
Males ..	—						*125	—	—	—	—	40·09	4·32	2·15	4·70	4·22	7·01	9·38	15·62	31·61	61·84	160·67
Females	—			15·60			* 94	—	—	—	—	32·53	4·41	1·86	2·91	5·07	5·63	6·71	10·34	23·15	56·69	158·06
Mean Population, 1891–1900. Persons	—			13·63																		
Males ..	—			15,964			356	349	356	366	384	1811	1877	1744	1500	1172	2090	1773	1552	1229	821	395
Females	—			7,758			183	169	173	186	187	898	948	885	745	521	970	864	749	620	380	178
				8,206			173	180	183	180	197	913	929	859	755	651	1120	909	803	609	441	217
Deaths from All Causes, 1891–1900. Persons	17·60			2,810			480	99	27	34	17	657	82	35	57	55	131	142	200	337	485	629
Males ..	18·82			1,460			279	47	10	15	9	360	41	19	35	22	68	81	117	196	235	286
Females	16·45			1,350			201	52	17	19	8	297	41	16	22	33	63	61	83	141	250	343
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	0·01	0·01	0·01	2	1	1	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
Measles	0·21	0·13	0·28	33	10	23	6	10	2	5	3	26	6	—	—	—	—	1	—	—	—	—
Scarlet Fever	0·16	0·23	0·09	25	18	7	5	2	3	2	2	14	9	1	—	—	1	—	—	—	—	—
Diphtheria	0·20	0·18	0·22	32	14	18	1	5	1	4	3	14	13	1	3	—	—	—	1	—	—	—
Whooping-cough ..	0·20	0·22	0·18	32	17	15	17	12	—	1	1	31	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·04	0·03	0·05	6	2	4	1	—	1	—	—	2	1	—	—	—	3	—	—	—	—	—
Simple Continued Fever	0·01	0·01	—	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·26	0·22	0·30	42	17	25	33	1	2	—	—	36	—	—	—	—	—	—	1	1	3	1
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·95	0·73	1·15	151	57	94	1	—	—	—	—	1	—	—	—	—	3	8	25	49	43	22
Tabes Mesenterica ..	0·16	0·23	0·10	26	18	8	12	1	—	1	—	14	2	—	3	2	1	1	1	1	—	1
Phthisis	0·93	0·99	0·87	148	77	71	—	—	—	—	—	—	2	1	12	18	33	36	19	18	9	—
Other Tub. & Scrof. Dis.	0·30	0·27	0·33	48	21	27	6	6	3	3	1	19	3	5	5	3	5	3	2	—	1	2
Diseases of: Nervous System ..	1·95	2·09	1·82	311	162	149	75	8	—	1	—	84	6	3	3	6	5	7	17	44	67	69
Circulatory " ..	2·15	2·19	2·11	343	170	173	5	—	—	—	—	5	4	6	5	4	8	15	35	56	115	90
Respiratory " ..	3·16	3·49	2·85	505	271	234	93	31	7	4	3	138	7	4	1	2	14	19	34	64	100	122
Digestive " ..	1·25	1·50	1·01	199	116	83	43	6	3	3	1	56	11	1	3	4	10	14	19	29	28	24
Urinary " ..	0·49	0·67	0·32	78	52	26	—	2	—	—	—	2	—	2	2	—	4	3	10	14	23	18
Generative " ..	0·04	0·01	0·06	6	1	5	—	—	—	—	—	—	—	1	—	—	1	1	2	—	1	—
Puerperal Fever ..	0·08	—	0·15	12	—	12	—	—	—	—	—	—	—	—	—	3	7	2	—	—	—	—
Childbirth	0·08	—	0·16	13	—	13	—	—	—	—	—	—	—	—	—	2	5	6	—	—	—	—
Violence	0·63	1·06	0·22	100	82	18	6	2	3	3	—	14	5	4	11	4	17	7	15	11	7	5
Other Causes ..	4·34	4·56	4·17	697	353	344	176	13	2	7	3	201	10	6	9	7	14	18	19	50	88	275

Marriages 1,021

Births .. Males .. 2,225; Females 2,137 — 4,362

Annual Rate per 1000 living: Persons Married .. 12·79; Births .. .. .. 27·32

Annual Births to 1000 Females aged 15—45 years = 127.

Deaths from Childbirth and Puerperal Fever .. .. 5·73 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

339.—HEREFORD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 15·95			*125	—	—	—	—	41·52	3·92	2·56	3·61	5·53	6·94	8·90	15·38	30·60	63·68	150·86
Annual Death-Rate per 1000. Males	—			17·04			*137	—	—	—	—	45·96	3·78	2·40	3·62	6·08	7·18	9·78	17·31	36·20	70·76	156·33
Annual Death-Rate per 1000. Females	—			14·92			*112	—	—	—	—	37·14	4·06	2·72	3·60	5·13	6·75	8·10	13·55	25·50	57·75	146·95
Mean Population, 1891-1900. Persons	—			41,923			927	835	940	916	917	4535	4666	4656	3964	3415	5733	4741	4091	3121	2073	928
Mean Population, 1891-1900. Males	—			19,891			447	396	473	459	477	2252	2328	2378	1850	1448	2578	2259	1981	1486	944	387
Mean Population, 1891-1900. Females	—			22,032			480	439	467	457	440	2283	2338	2278	2114	1967	3155	2482	2110	1635	1129	541
Deaths from All Causes, 1891-1900. Persons	18·23			7,641			1332	286	119	69	77	1883	183	119	143	189	398	422	629	955	1320	1400
Deaths from All Causes, 1891-1900. Males	19·58			3,895			734	155	61	39	46	1035	88	57	67	88	185	221	343	538	668	605
Deaths from All Causes, 1891-1900. Females	17·00			3,746			598	131	58	30	31	848	95	62	76	101	213	201	286	417	652	795
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·01	—	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Measles	0·14	0·15	0·13	59	30	29	5	21	11	6	6	49	5	2	1	—	1	—	—	1	—	—
Scarlet Fever	0·12	0·12	0·13	52	24	28	4	8	7	5	8	32	11	3	—	2	1	3	—	—	—	—
Diphtheria	0·20	0·17	0·22	82	34	48	2	2	8	8	13	33	35	9	—	2	2	—	1	—	—	—
Whooping-cough	0·17	0·19	0·16	73	37	36	41	18	7	6	—	72	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·03	0·04	0·03	14	7	7	—	—	—	—	—	—	—	3	1	2	6	—	2	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·24	0·21	0·27	100	41	59	64	10	4	—	—	78	—	—	—	—	—	1	3	6	3	9
Cholera	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Cancer	0·94	0·75	1·12	395	149	246	—	—	1	1	—	2	1	1	—	1	13	22	75	117	98	65
Tabes Mesenterica	0·11	0·15	0·08	46	29	17	17	4	7	2	—	30	1	4	2	6	1	1	1	—	—	—
Phthisis	1·30	1·40	1·20	544	279	265	10	15	8	1	2	36	11	21	53	68	130	98	65	47	10	5
Other Tub. & Scrof. Dis.	0·31	0·35	0·27	129	69	60	34	15	5	4	3	61	15	13	13	4	9	4	5	2	3	—
Diseases of Nervous System	2·66	2·96	2·40	1117	589	528	288	41	11	6	9	355	13	13	11	14	37	48	85	137	211	193
Diseases of Circulatory „	2·25	2·37	2·15	945	472	473	3	—	—	—	1	4	8	11	15	11	32	45	112	222	300	185
Diseases of Respiratory „	3·26	3·66	2·91	1368	728	640	268	107	34	18	17	444	33	8	8	20	29	56	100	174	257	239
Diseases of Digestive „	1·04	1·14	0·95	436	226	210	70	16	4	1	1	92	17	5	7	15	22	25	64	62	84	43
Diseases of Urinary „	0·53	0·80	0·29	224	160	64	7	1	1	—	4	13	2	—	4	4	14	10	29	45	56	47
Diseases of Generative „	0·05	0·03	0·06	20	6	14	4	—	—	—	—	4	—	—	—	—	2	3	4	3	3	1
Puerperal Fever	0·09	—	0·15	33	—	33	—	—	—	—	—	—	—	—	—	5	20	8	—	—	—	—
Childbirth	0·09	—	0·15	33	—	33	—	—	—	—	—	—	—	—	2	4	10	15	2	—	—	—
Violence	0·65	0·99	0·35	272	196	76	18	3	3	10	8	42	12	14	13	19	34	30	20	31	31	26
OTHER CAUSES	4·05	4·08	3·98	1697	817	880	497	25	8	1	5	536	17	12	13	11	35	53	61	108	264	587

Marriages 2,975

Births .. { Males .. 5,352 / Females 5,321 } 10,673

Annual Rate per 1000 living { Persons Married .. 14·19 / Births .. .. .. 25·46

Annual Births to 1000 Females aged 15—45 years = 110.

Deaths from Childbirth and Puerperal Fever .. .. } 6·18 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

340.—WEOBLEY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.	13·53		* 97	—	—	—	—	28·30	3·58	2·61	3·61	6·68	5·61	9·45	12·67	24·03	61·58	143·46
Annual Death-Rate per 1000. Males ..	—				14·40		*106	—	—	—	—	32·40	3·20	3·10	3·13	7·81	4·84	8·89	15·80	28·71	65·53	163·51
Annual Death-Rate per 1000. Females	—				12·72		* 88	—	—	—	—	24·60	3·95	2·15	4·08	5·84	6·26	10·00	9·79	19·28	57·75	130·77
Mean Population, 1891-1900. Persons	—			7,200			143	158	176	162	188	827	867	806	582	449	892	825	726	616	419	191
Mean Population, 1891-1900. Males ..	—			3,452			68	65	87	87	85	392	437	387	288	192	413	405	348	310	206	74
Mean Population, 1891-1900. Females	—			3,748			75	93	89	75	103	435	430	419	294	257	479	420	378	306	213	117
Deaths from All Causes, 1891-1900. Persons	17·18			1,237			176	31	9	12	6	234	31	21	21	30	50	78	92	148	258	274
Deaths from All Causes, 1891-1900. Males ..	18·34			633			97	16	2	10	2	127	14	12	9	15	20	36	55	89	135	121
Deaths from All Causes, 1891-1900. Females	16·12			604			79	15	7	2	4	107	17	9	12	15	30	42	37	59	123	153
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·11	0·12	0·11	8	4	4	2	2	1	1	—	6	1	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·13	0·12	0·13	9	4	5	1	2	1	1	—	5	1	1	1	—	—	1	—	—	—	—
Diphtheria	0·14	0·14	0·13	10	5	5	1	1	—	—	—	2	4	1	—	2	1	—	—	—	—	—
Whooping-cough ..	0·24	0·23	0·24	17	8	9	9	3	—	1	—	13	3	—	—	—	—	—	—	—	—	1
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·06	0·06	0·05	4	2	2	—	—	—	1	—	1	—	1	—	1	—	1	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·22	0·17	0·27	16	6	10	10	2	—	—	—	12	—	—	—	—	—	—	1	—	1	2
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·79	0·90	0·69	57	31	26	—	—	—	—	—	—	—	—	—	—	—	2	10	18	16	11
Tabes Mesenterica ..	0·08	0·09	0·08	6	3	3	5	—	—	—	—	5	—	—	—	—	—	—	1	—	—	—
Phthisis	0·76	0·75	0·77	55	26	29	—	—	—	1	—	1	2	2	1	10	17	13	5	1	2	1
Other Tub. & Scrof. Dis.	0·15	0·17	0·13	11	6	5	4	1	—	1	—	6	—	—	2	2	1	—	—	—	—	—
Diseases of Nervous System ..	2·46	3·01	1·95	177	104	73	24	—	—	—	1	25	5	3	—	2	3	9	13	36	42	39
Diseases of Circulatory " ..	2·64	2·58	2·69	190	89	101	2	—	1	—	—	3	—	2	3	1	7	6	15	39	66	48
Diseases of Respiratory " ..	2·36	2·49	2·24	170	86	84	27	10	4	1	—	42	6	2	3	2	6	8	8	10	41	42
Diseases of Digestive " ..	0·81	0·52	1·07	58	18	40	13	2	—	—	2	17	3	2	1	1	2	3	4	9	10	6
Diseases of Urinary " ..	0·71	1·10	0·37	51	38	13	—	—	—	—	—	—	—	1	1	—	1	9	7	8	12	12
Diseases of Generative " ..	0·01	—	0·03	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Puerperal Fever ..	0·04	—	0·08	3	—	3	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—
Childbirth	0·15	—	0·29	11	—	11	—	—	—	—	—	—	—	—	—	1	3	7	—	—	—	—
Violence	0·56	0·84	0·29	40	29	11	2	3	—	3	1	9	3	—	2	2	2	4	7	6	4	1
Other Causes ..	4·76	5·05	4·51	343	174	169	76	5	2	2	2	87	3	5	7	5	6	14	21	21	63	111

Marriages 409

Births .. { Males .. 912, Females 895 } 1,807

Annual Rate per 1000 living { Persons Married .. 11·36; Births .. .. .. 25·10

Annual Births to 1000 Females aged 15—45 years = 125.

Deaths from Childbirth and Puerperal Fever .. .. } 7·75 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

341.—BROMYARD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		13·29	*101	—	—	—	—	33·02	2·63	2·19	2·24	3·80	5·45	9·57	14·53	24·45	54·72	134·12
Annual Death-Rate per 1000. Males	—					14·51	*117	—	—	—	—	37·80	3·11	2·78	2·30	3·01	5·43	12·20	16·73	23·98	63·70	143·44
Annual Death-Rate per 1000. Females	—					12·15	* 85	—	—	—	—	28·55	2·17	1·58	2·17	4·58	5·48	6·87	12·20	24·94	45·36	125·56
Mean Population, 1891–1900. Persons	—			10,311			239	224	256	239	229	1187	1179	1143	937	736	1302	1150	1032	818	572	255
Mean Population, 1891–1900. Males	—			5,205			109	104	132	115	114	574	579	575	522	365	645	582	532	417	292	122
Mean Population, 1891–1900. Females	—			5,106			130	120	124	124	115	613	600	568	415	371	657	568	500	401	280	133
Deaths from All Causes, 1891–1900. Persons	16·32			1,683			283	65	19	14	11	392	31	25	21	28	71	110	150	200	313	342
Deaths from All Causes, 1891–1900. Males	17·87			930			164	32	7	6	8	217	18	16	12	11	35	71	89	100	186	175
Deaths from All Causes, 1891–1900. Females	14·75			753			119	33	12	8	3	175	13	9	9	17	36	39	61	100	127	167
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·03	0·06	—	3	3	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	2	—
Measles	0·11	0·13	0·08	11	7	4	5	4	—	—	—	9	—	—	—	—	1	1	—	—	—	—
Scarlet Fever	0·06	0·06	0·06	6	3	3	—	2	—	1	—	3	2	—	1	—	—	—	—	—	—	—
Diphtheria	0·13	0·15	0·10	13	8	5	—	—	2	2	1	5	4	4	—	—	—	—	—	—	—	—
Whooping-cough	0·20	0·21	0·20	21	11	10	12	5	1	—	1	19	2	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·02	0·04	—	2	2	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·16	0·13	0·18	16	7	9	8	3	—	—	—	11	—	—	—	—	—	—	1	2	2	—
Cholera	0·01	—	0·02	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Cancer	0·79	0·56	1·02	81	29	52	—	1	—	—	—	1	—	—	—	—	3	6	19	21	26	5
Tabes Mesenterica	0·18	0·21	0·16	19	11	8	10	2	—	2	—	14	1	—	2	2	—	—	—	—	—	—
Phthisis	0·79	0·83	0·74	81	43	38	—	1	—	—	—	1	—	3	9	5	17	20	16	8	2	—
Other Tub. & Scrof. Dis.	0·36	0·40	0·31	37	21	16	7	2	1	1	—	11	4	4	1	4	5	5	2	1	—	—
Diseases of Nervous System	1·97	2·34	1·59	203	122	81	33	7	2	1	1	44	3	—	1	2	4	13	16	28	50	42
Diseases of Circulatory "	2·12	2·23	2·02	219	116	103	—	—	—	—	—	—	1	—	—	3	2	9	26	50	81	47
Diseases of Respiratory "	2·27	2·65	1·88	234	138	96	43	15	6	—	3	67	4	2	—	—	6	14	14	31	57	39
Diseases of Digestive "	0·95	1·06	0·84	98	55	43	27	12	2	1	1	43	5	—	—	1	4	6	8	7	16	8
Diseases of Urinary "	0·58	0·85	0·31	60	44	16	2	—	—	—	—	2	—	1	1	1	1	3	15	11	11	14
Diseases of Generative "	0·04	—	0·08	4	—	4	—	—	—	—	—	—	—	—	—	—	2	—	2	—	—	—
Puerperal Fever	0·06	—	0·12	6	—	6	—	—	—	—	—	—	—	—	—	—	4	2	—	—	—	—
Childbirth	0·09	—	0·18	9	—	9	—	—	—	—	—	—	—	—	—	1	4	4	—	—	—	—
Violence	0·75	1·04	0·45	77	54	23	7	5	1	3	2	18	2	2	2	4	5	10	12	6	8	8
Other Causes	4·65	4·92	4·41	482	256	226	128	6	4	3	2	143	3	9	4	5	13	15	19	34	58	179

Marriages 593

Births .. { Males .. 1,397 / Females 1,401 } 2,798

Annual Rate per 1000 living { Persons Married .. 11·50 / Births .. .. .. 27·14 }

Annual Births to 1000 Females aged 15—45 years = 139.

Deaths from Childbirth and Puerperal Fever .. .. } 5·36 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

342.—LEOMINSTER.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·39			*104	—	—	—	—	33·19	2·49	2·16	2·94	4·44	4·75	8·26	12·42	26·48	58·89	143·09
Annual Death-Rate per 1000. Males ..	—			14·01			*117	—	—	—	—	38·22	2·91	2·04	2·10	3·19	4·48	8·32	13·53	30·35	64·36	149·36
Annual Death-Rate per 1000. Females	—			12·81			* 89	—	—	—	—	28·30	2·07	2·30	3·79	5·61	4·98	8·21	11·37	22·76	53·60	138·50
Mean Population, 1891-1900. Persons	—			13,589			274	278	286	301	298	1437	1529	1526	1325	1037	1749	1513	1272	1095	737	369
Mean Population, 1891-1900. Males ..	—			6,640			125	146	148	146	144	709	755	786	666	502	825	721	621	537	362	156
Mean Population, 1891-1900. Females	—			6,949			149	132	138	155	154	728	774	740	659	535	924	792	651	558	375	213
Deaths from All Causes, 1891-1900. Persons	16·56			2,251			349	67	30	15	16	477	38	33	39	46	83	125	158	290	434	528
Deaths from All Causes, 1891-1900. Males ..	17·30			1,149			203	34	15	9	10	271	22	16	14	16	37	60	84	163	233	233
Deaths from All Causes, 1891-1900. Females	15·86			1,102			146	33	15	6	6	206	16	17	25	30	46	65	74	127	201	295
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·01	0·02	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Measles	0·04	0·06	0·01	5	4	1	1	1	—	—	—	2	2	—	—	—	1	—	—	—	—	—
Scarlet Fever	0·07	0·09	0·04	9	6	3	—	—	2	2	1	5	2	1	—	—	—	1	—	—	—	—
Diphtheria	0·10	0·12	0·07	13	8	5	—	3	2	1	1	7	3	—	—	1	1	1	—	—	—	—
Whooping-cough	0·27	0·21	0·33	37	14	23	18	11	3	1	1	34	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·01	0·03	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·15	0·18	0·12	20	12	8	9	2	1	—	1	13	—	—	—	—	—	—	—	1	—	6
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	1·01	0·86	1·17	138	57	81	—	—	—	—	1	1	—	—	—	1	4	7	24	40	35	26
Tabes Mesenterica	0·07	0·09	0·06	10	6	4	5	—	1	1	—	7	—	1	—	1	—	1	—	—	—	—
Phthisis	0·79	0·69	0·88	107	46	61	1	—	2	—	—	3	3	3	12	16	25	21	9	12	2	1
Other Tub. & Scrof. Dis.	0·33	0·27	0·39	45	18	27	12	7	2	2	—	23	5	5	6	2	2	1	1	—	—	—
Diseases of Nervous System	2·33	2·36	2·30	317	157	160	51	6	3	2	3	65	2	1	1	3	10	7	18	39	88	83
Diseases of Circulatory „	2·43	2·48	2·39	331	165	166	1	—	—	—	—	1	2	4	2	2	9	18	29	77	106	81
Diseases of Respiratory „	2·71	3·03	2·42	369	201	168	50	19	6	4	3	82	2	1	1	2	5	15	25	49	82	105
Diseases of Digestive „	1·01	1·21	0·83	138	80	58	40	7	1	—	—	48	3	2	5	2	3	9	6	15	28	17
Diseases of Urinary „	0·41	0·65	0·19	56	43	13	1	—	—	1	—	2	—	1	—	—	—	5	13	7	16	12
Diseases of Generative „	0·07	—	0·13	9	—	9	—	—	—	—	—	—	—	—	—	1	—	1	1	2	4	—
Puerperal Fever	0·07	—	0·13	9	—	9	—	—	—	—	—	—	—	—	1	2	1	5	—	—	—	—
Childbirth	0·09	—	0·17	12	—	12	—	—	—	—	—	—	—	—	—	2	5	5	—	—	—	—
Violence	0·60	0·86	0·35	81	57	24	9	3	3	—	4	19	4	5	5	2	3	10	5	11	9	8
OTHER CAUSES	3·99	4·09	3·88	542	272	270	151	8	4	1	1	165	7	9	6	9	14	17	26	36	64	189

Marriages 869

Births .. Males .. 1,730 / Females 1,642 } 3,372

Annual Rate per 1000 living { Persons Married .. 12·79 / Births .. .. .. 24·81

Annual Births to 1000 Females aged 15—45 years = 116.

Deaths from Childbirth and Puerperal Fever .. .. } 6·23 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

343.—KINGTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 13·59	*108	—	—	—	—	32·98	3·43	2·19	3·33	5·11	6·54	9·84	11·33	24·01	55·00	138·10
Annual Death-Rate per 1000. Males ..	—	In Standard Population. 14·11	*121	—	—	—	—	35·03	3·89	0·95	3·07	6·17	6·77	10·98	12·82	25·17	55·81	155·30
Annual Death-Rate per 1000. Females	—	In Standard Population. 13·11	* 94	—	—	—	—	30·85	2·98	3·49	3·58	4·16	6·33	8·69	9·93	22·79	54·18	124·07
Mean Population, 1891-1900. Persons	—	10,995	248	233	243	256	251	1231	1195	1233	1052	822	1406	1220	1059	883	600	294
Mean Population, 1891-1900. Males ..	—	5,450	120	119	127	131	131	628	591	631	521	389	679	610	515	453	301	132
Mean Population, 1891-1900. Females	—	5,545	128	114	116	125	120	603	604	602	531	433	727	610	544	430	299	162
Deaths from All Causes, 1891-1900. Persons	16·65	1,831	296	59	17	19	15	406	41	27	35	42	92	120	120	212	330	406
Deaths from All Causes, 1891-1900. Males ..	17·52	955	169	22	10	12	7	220	23	6	16	24	46	67	66	114	168	205
Deaths from All Causes, 1891-1900. Females	15·80	876	127	37	7	7	8	186	18	21	19	18	46	53	54	98	162	201

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							PERSONS.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·05	0·07	0·04	6	4	2	2	3	—	1	—	6	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·12	0·13	0·11	13	7	6	—	3	1	2	2	8	1	1	1	1	1	—	—	—	—	—
Diphtheria	0·24	0·22	0·25	26	12	14	1	2	2	1	3	9	9	6	—	—	1	—	—	1	—	—
Whooping-cough ..	0·16	0·13	0·20	18	7	11	12	5	—	1	—	18	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·05	0·07	0·04	6	4	2	—	—	—	—	—	—	—	—	—	1	1	1	2	1	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·15	0·09	0·20	16	5	11	8	1	—	—	—	9	—	—	—	—	1	—	1	1	1	3
Cholera	0·01	—	0·02	1	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Cancer	0·95	0·88	1·01	104	48	56	—	—	—	—	—	—	—	—	1	1	—	7	14	34	34	13
Tabes Mesenterica ..	0·11	0·09	0·13	12	5	7	2	1	1	2	—	6	3	—	1	—	—	2	—	—	—	—
Phthisis	1·16	1·27	1·05	127	69	58	—	—	2	—	—	2	2	5	12	16	30	23	23	13	1	—
Other Tub. & Scrof. Dis.	0·39	0·37	0·41	43	20	23	13	8	—	—	2	23	7	2	1	3	2	2	2	1	—	—
Diseases of Nervous System ..	2·06	1·95	2·18	227	106	121	54	4	1	2	3	64	1	4	3	2	10	10	10	34	42	47
Diseases of Circulatory „ ..	2·16	2·06	2·25	237	112	125	—	1	—	—	—	1	1	3	3	3	7	13	20	52	86	48
Diseases of Respiratory „ ..	2·19	2·35	2·04	241	128	113	38	20	7	7	2	74	7	2	5	1	9	11	10	22	49	51
Diseases of Digestive „ ..	0·82	0·97	0·67	90	53	37	21	2	—	—	1	24	2	1	1	2	4	8	15	9	12	12
Diseases of Urinary „ ..	0·39	0·53	0·25	43	29	14	1	—	1	—	—	2	—	—	—	—	2	5	2	10	14	8
Diseases of Generative „ ..	0·02	—	0·04	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1
Puerperal Fever ..	0·05	—	0·11	6	—	6	—	—	—	—	—	—	—	—	—	—	4	2	—	—	—	—
Childbirth	0·07	—	0·14	8	—	8	—	—	—	—	—	—	—	—	—	—	2	6	—	—	—	—
Violence	0·54	0·77	0·31	59	42	17	2	3	1	2	1	9	5	—	1	4	8	9	8	7	5	3
OTHER CAUSES.. ..	4·96	5·57	4·35	546	304	242	142	6	1	1	1	151	3	3	5	8	10	21	13	26	86	220

Marriages 639
Births .. Males .. 1,400; Females 1,350 — 2,750

Annual Rate per 1000 living: Persons Married .. 11·62; Births .. .. .. 25·01
Annual Births to 1000 Females aged 15—45 years = 120.

Deaths from Childbirth and Puerperal Fever .. .. 5·09 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

344.—LUDLOW.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·37			*106	—	—	—	—	33·25	3·07	2·14	3·36	3·83	5·30	7·31	12·39	23·70	59·37	152·07
Annual Death-Rate per 1000. Males ..	—			13·93			*113	—	—	—	—	36·75	2·67	1·78	3·63	3·90	5·06	8·06	13·53	25·71	67·01	153·76
Annual Death-Rate per 1000. Females	—			12·84			* 98	—	—	—	—	29·71	3·46	2·51	3·06	3·75	5·52	6·55	11·24	21·71	52·34	150·70
Mean Population, 1891–1900. Persons	—			17,983			424	389	409	408	424	2054	2021	2012	1726	1437	2453	2011	1719	1342	822	386
Mean Population, 1891–1900. Males ..	—			9,010			203	210	209	214	198	1034	1010	1014	909	743	1185	1018	865	665	394	173
Mean Population, 1891–1900. Females	—			8,973			221	179	200	194	226	1020	1011	998	817	694	1268	993	854	677	428	213
Deaths from All Causes, 1891–1900. Persons	15·48			2,784			496	104	46	19	18	683	62	43	58	55	130	147	213	318	488	587
Deaths from All Causes, 1891–1900. Males ..	16·06			1,447			270	69	24	10	7	380	27	18	33	29	60	82	117	171	264	266
Deaths from All Causes, 1891–1900. Females	14·90			1,337			226	35	22	9	11	303	35	25	25	26	70	65	96	147	224	321
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·17	0·19	0·14	30	17	13	6	10	4	4	1	25	5	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·08	0·06	0·11	15	5	10	1	—	3	1	5	10	4	—	—	—	—	—	—	1	—	—
Diphtheria	0·15	0·13	0·17	27	12	15	—	4	3	2	2	11	8	3	1	1	1	1	—	1	—	—
Whooping-cough ..	0·21	0·22	0·20	38	20	18	13	15	3	2	3	36	2	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·12	0·08	0·16	21	7	14	—	—	—	—	1	1	2	2	4	5	2	2	1	2	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·26	0·29	0·23	47	26	21	29	7	2	—	—	38	—	—	—	—	—	1	—	1	3	4
Cholera	0·01	0·01	0·01	2	1	1	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—
Cancer	0·86	0·71	1·00	154	64	90	1	—	—	—	—	1	—	1	—	—	—	9	34	44	44	21
Tabes Mesenterica ..	0·10	0·09	0·11	18	8	10	8	—	2	—	—	10	2	1	2	—	—	2	—	1	—	—
Phthisis	0·87	0·95	0·78	156	86	70	—	—	—	—	—	—	4	8	15	24	46	27	17	12	3	—
Other Tub. & Scrof. Dis.	0·25	0·29	0·21	45	26	19	9	5	2	—	1	17	4	6	4	3	4	2	3	1	1	—
Diseases of Nervous System ..	1·82	2·16	1·47	327	195	132	76	10	6	1	—	93	7	2	4	—	8	15	22	41	73	62
Diseases of Circulatory „ ..	2·00	2·06	1·94	360	186	174	4	2	—	1	1	8	2	6	3	9	11	13	34	77	117	80
Diseases of Respiratory „ ..	2·57	2·61	2·53	462	235	227	102	30	16	2	—	150	4	4	2	3	10	24	30	49	83	103
Diseases of Digestive „ ..	0·92	0·93	0·90	165	84	81	40	5	1	—	1	47	5	1	6	1	4	11	15	25	31	19
Diseases of Urinary „ ..	0·47	0·63	0·30	84	57	27	1	1	—	—	—	2	1	—	1	—	6	7	10	12	26	19
Diseases of Generative „ ..	0·02	—	0·03	3	—	3	—	—	—	—	—	—	—	—	—	—	1	—	1	1	—	—
Puerperal Fever ..	0·06	—	0·11	10	—	10	—	—	—	—	—	—	—	—	—	1	6	2	1	—	—	—
Childbirth	0·09	—	0·19	17	—	17	—	—	—	—	—	—	—	—	2	—	6	7	2	—	—	—
Violence	0·53	0·80	0·27	96	72	24	7	1	2	3	2	15	7	4	8	3	8	10	10	12	8	11
OTHER CAUSES ..	3·92	3·85	4·04	707	346	361	198	14	2	3	1	218	5	5	6	5	17	13	33	38	99	268

Marriages 1,157

Births .. Males .. 2,382 / Females 2,310 } 4,692

Annual Rate per 1000 living { Persons Married .. 12·87 / Births .. .. .. 26·09

Annual Births to 1000 Females aged 15—45 years = 124.

Deaths from Childbirth and Puerperal Fever .. .. } 5·75 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

345.—CLUN.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.	13·55		* 93	—	—	—	—	28·97	2·10	2·01	4·32	5·99	7·10	9·71	12·54	23·41	56·39	157·58
Annual Death-Rate per 1000. Males	—				13·98		*106	—	—	—	—	30·62	2·09	2·27	4·61	6·07	6·30	10·51	15·05	23·85	61·51	169·03
Annual Death-Rate per 1000. Females	—				13·15		* 80	—	—	—	—	27·33	2·11	1·74	3·98	5·92	7·88	8·91	10·12	22·97	50·67	146·61
Mean Population, 1891-1900. Persons	—			8,968			208	202	203	204	215	1032	1047	1046	811	651	1155	989	837	692	477	231
Mean Population, 1891-1900. Males	—			4,509			101	97	97	105	116	516	526	529	434	313	571	495	412	348	252	113
Mean Population, 1891-1900. Females	—			4,459			107	105	106	99	99	516	521	517	377	338	584	494	425	344	225	118
Deaths from All Causes, 1891-1900. Persons	16·66			1,494			219	51	14	6	9	299	22	21	35	39	82	96	105	162	269	364
Deaths from All Causes, 1891-1900. Males	17·72			799			122	23	5	3	5	158	11	12	20	19	36	52	62	83	155	191
Deaths from All Causes, 1891-1900. Females	15·59			695			97	28	9	3	4	141	11	9	15	20	46	44	43	79	114	173
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·03	0·07	—	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1
Measles	0·07	—	0·13	6	—	6	2	2	—	—	—	4	—	—	—	—	—	2	—	—	—	—
Scarlet Fever	0·02	0·02	0·02	2	1	1	—	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—
Diphtheria	0·13	0·18	0·09	12	8	4	—	2	—	3	2	7	3	—	1	—	—	—	—	—	1	—
Whooping-cough	0·17	0·16	0·18	15	7	8	9	5	—	1	—	15	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·09	0·13	0·04	8	6	2	—	—	—	—	—	—	1	1	1	2	2	1	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·08	0·09	0·07	7	4	3	4	—	—	—	—	4	—	—	—	—	—	—	—	1	1	1
Cholera	0·01	—	0·02	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Cancer	0·89	0·80	0·99	80	36	44	—	—	—	—	—	—	—	—	—	—	2	7	6	25	26	14
Tabes Mesenterica	0·06	—	0·11	5	—	5	1	—	—	1	—	2	—	1	—	2	—	—	—	—	—	—
Phthisis	1·26	1·44	1·08	113	65	48	—	—	—	—	—	—	—	3	15	19	30	25	9	8	4	—
Other Tub. & Scrof. Dis.	0·20	0·13	0·27	18	6	12	1	1	3	—	2	7	4	2	1	1	2	1	—	—	—	—
Diseases of Nervous System	2·20	2·33	2·06	197	105	92	37	7	—	—	1	45	3	4	2	1	7	7	11	26	32	59
Diseases of Circulatory "	1·97	2·15	1·79	177	97	80	1	—	—	—	—	1	4	2	2	3	3	10	12	32	56	52
Diseases of Respiratory "	2·68	2·84	2·51	240	128	112	37	21	3	—	3	64	2	—	1	4	4	10	14	23	48	70
Diseases of Digestive "	1·00	1·15	0·85	90	52	38	17	2	2	1	—	22	2	2	5	2	4	5	11	12	16	9
Diseases of Urinary "	0·59	0·73	0·45	53	33	20	—	—	—	—	—	—	1	—	1	—	4	1	6	7	17	16
Diseases of Generative "	0·06	0·02	0·09	5	1	4	—	—	—	—	—	—	—	—	1	—	—	1	—	1	2	—
Puerperal Fever	0·03	—	0·07	3	—	3	—	—	—	—	—	—	—	—	—	1	—	1	1	—	—	—
Childbirth	0·17	—	0·34	15	—	15	—	—	—	—	—	—	—	—	—	1	6	7	1	—	—	—
Violence	0·58	0·89	0·27	52	40	12	6	2	3	—	—	11	1	1	1	1	5	5	9	7	8	3
OTHER CAUSES	4·37	4·59	4·16	392	207	185	104	8	3	—	1	116	—	5	4	2	13	13	25	19	56	139

Marriages 561

Births .. { Males .. 1,146 / Females 1,210 } 2,356

Annual Rate per 1000 living { Persons Married .. 12·51 / Births .. .. .. 26·27 }

Annual Births to 1000 Females aged 15—45 years = 131.

Deaths from Childbirth and Puerperal Fever .. .. } 7·64 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

346.—CHURCH STRETTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·20			*101	—	—	—	—	31·10	1·59	1·62	3·84	3·80	6·36	6·83	10·61	19·92	47·04	149·06
Annual Death-Rate per 1000. Males ..	—			13·51			*124	—	—	—	—	39·01	2·07	1·42	2·85	5·00	6·65	8·19	11·92	21·72	47·98	161·90
Annual Death-Rate per 1000. Females	—			10·96			* 76	—	—	—	—	23·24	1·09	1·84	4·93	2·56	6·09	5·57	9·39	18·03	46·06	134·67
Mean Population, 1891–1900. Persons	—			5,353			110	114	115	104	123	566	565	554	469	395	707	586	537	477	338	159
Mean Population, 1891–1900. Males ..	—			2,688			56	60	54	52	60	282	290	282	246	200	346	281	260	244	173	84
Mean Population, 1891–1900. Females	—			2,665			54	54	61	52	63	284	275	272	223	195	361	305	277	233	165	75
Deaths from All Causes, 1891–1900. Persons	16·07			860			127	29	5	6	9	176	9	9	18	15	45	40	57	95	159	237
Deaths from All Causes, 1891–1900. Males ..	18·08			486			82	16	3	3	6	110	6	4	7	10	23	23	31	53	83	136
Deaths from All Causes, 1891–1900. Females	14·03			374			45	13	2	3	3	66	3	5	11	5	22	17	26	42	76	101
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·06	0·04	0·08	3	1	2	1	—	1	—	—	2	—	—	—	—	1	—	—	—	—	—
Scarlet Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria	0·07	0·11	0·04	4	3	1	1	—	—	—	2	3	—	1	—	—	—	—	—	—	—	—
Whooping-cough ..	0·09	0·11	0·08	5	3	2	2	3	—	—	—	5	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·04	0·04	0·04	2	1	1	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·21	0·26	0·15	11	7	4	7	2	—	—	—	9	—	—	—	—	—	—	—	1	1	—
Cholera	0·02	0·04	—	1	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	0·86	0·82	0·90	46	22	24	—	—	—	—	—	—	—	—	—	—	1	1	8	15	12	9
Tabes Mesenterica ..	0·11	0·11	0·11	6	3	3	1	3	—	—	1	5	—	—	—	—	1	—	—	—	—	—
Phthisis	0·80	1·19	0·41	43	32	11	1	1	—	1	—	3	—	2	7	4	9	9	4	2	3	—
Other Tub. & Scrof. Dis.	0·34	0·37	0·30	18	10	8	3	1	1	1	2	8	2	1	2	—	3	—	1	—	1	—
Diseases of Nervous System ..	1·91	2·49	1·31	102	67	35	15	1	—	1	2	19	1	1	—	2	3	6	4	13	19	34
Diseases of Circulatory " ..	2·21	2·12	2·29	118	57	61	2	—	—	—	—	2	1	—	4	1	2	7	14	19	30	38
Diseases of Respiratory " ..	2·67	3·42	1·91	143	92	51	22	10	1	2	1	36	1	—	2	1	3	1	7	14	31	47
Diseases of Digestive " ..	0·92	0·74	1·09	49	20	29	5	3	1	—	1	10	—	1	—	3	1	3	5	3	15	8
Diseases of Urinary " ..	0·50	0·63	0·38	27	17	10	—	—	—	—	—	—	—	—	2	—	1	2	1	4	5	12
Diseases of Generative " ..	0·02	—	0·04	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Puerperal Fever ..	0·06	—	0·11	3	—	3	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—
Childbirth	0·13	—	0·26	7	—	7	—	—	—	—	—	—	—	—	—	—	4	3	—	—	—	—
Violence	0·52	0·78	0·26	28	21	7	2	1	—	—	—	3	4	1	—	1	4	3	4	4	3	1
Other Causes ..	4·53	4·81	4·27	243	129	114	64	4	1	1	—	70	—	2	—	3	7	5	9	20	39	88

Marriages 306

Births .. Males .. 662, Females 594 — 1,256

Annual Rate per 1000 living: Persons Married .. 11·43; Births .. .. .. 23·46

Annual Births to 1000 Females aged 15—45 years = 116.

Deaths from Childbirth and Puerperal Fever .. .. 7·96 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

347.—CLEOBURY MORTIMER.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 11·99			* 95	—	—	—	—	33·07	2·39	1·29	2·39	3·12	4·38	5·08	8·21	19·27	57·41	155·68
Annual Death-Rate per 1000. Males ..	—			12·18			*111	—	—	—	—	36·75	2·79	1·24	2·18	1·66	3·63	4·85	9·81	19 47	61·19	162·92
Annual Death-Rate per 1000. Females	—			11·81			* 79	—	—	—	—	29 16	2·00	1·34	2·65	4·98	5·25	5·35	6·38	19·05	53·40	148·96
Mean Population, 1891-1900. Persons	—			8,485			196	198	205	205	200	1004	1003	932	752	642	1120	964	804	654	425	185
Mean Population, 1891-1900. Males ..	—			4,471			97	96	112	105	107	517	502	483	412	361	606	515	428	339	219	89
Mean Population, 1891-1900. Females	—			4,014			99	102	93	100	93	487	501	449	340	281	514	449	376	315	206	96
Deaths from All Causes, 1891-1900. Persons	14·47			1,228			221	59	16	20	16	332	24	12	18	20	49	49	66	126	244	288
Deaths from All Causes, 1891-1900. Males ..	14·74			659			133	32	6	8	11	190	14	6	9	6	22	25	42	66	134	145
Deaths from All Causes, 1891-1900. Females	14·18			569			88	27	10	12	5	142	10	6	9	14	27	24	24	60	110	143
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·16	0·22	0·10	14	10	4	4	1	2	1	2	10	2	1	—	—	1	—	—	—	—	—
Scarlet Fever	0·16	0·20	0·12	14	9	5	2	3	—	1	1	7	3	2	1	1	—	—	—	—	—	—
Diphtheria	0·13	0·11	0·15	11	5	6	1	—	—	2	4	7	2	2	—	—	—	—	—	—	—	—
Whooping-cough ..	0·24	0·25	0·22	20	11	9	8	7	3	1	1	20	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·06	0·04	0·07	5	2	3	—	1	—	—	—	1	—	1	—	1	1	—	—	—	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·29	0·18	0·42	25	8	17	14	1	—	—	—	15	—	—	—	—	—	—	—	2	2	6
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·72	0·69	0·75	61	31	30	—	—	—	—	—	—	—	—	—	—	3	4	9	14	19	12
Tabes Mesenterica ..	0·11	0·09	0·12	9	4	5	6	1	1	—	—	8	—	—	—	—	1	—	—	—	—	—
Phthisis	0·52	0·43	0·62	44	19	25	1	—	—	—	—	1	2	—	3	8	9	9	7	4	1	—
Other Tub. & Scrof. Dis.	0·13	0·13	0·12	11	6	5	2	2	1	—	—	5	2	1	1	—	1	1	—	—	—	—
Diseases of Nervous System ..	1·70	1·79	1·59	144	80	64	32	4	3	2	2	43	3	1	—	—	2	3	5	16	32	39
Diseases of Circulatory " ..	1·65	1·59	1·72	140	71	69	1	—	—	—	—	1	1	1	—	2	3	8	12	21	59	32
Diseases of Respiratory " ..	3·60	3·80	3·36	305	170	135	55	25	3	8	4	95	1	—	5	—	6	4	11	25	63	95
Diseases of Digestive " ..	0·83	0·72	0·95	70	32	38	10	8	—	1	—	19	—	1	—	2	3	4	8	10	12	11
Diseases of Urinary " ..	0·51	0·60	0·40	43	27	16	1	—	—	—	—	1	—	—	1	—	3	2	3	7	13	13
Diseases of Generative " ..	0·05	—	0·10	4	—	4	—	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—
Puerperal Fever ..	0·02	—	0·05	2	—	2	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
Childbirth	0·13	—	0·27	11	—	11	—	—	—	—	—	—	—	—	—	1	5	5	—	—	—	—
Violence	0·64	0·89	0·35	54	40	14	2	2	2	2	2	10	2	—	6	4	4	3	4	7	8	6
OTHER CAUSES.. ..	2·82	3·01	2·70	241	134	107	82	4	1	2	—	89	6	2	1	—	4	5	7	19	34	74

Marriages 497

Births .. { Males .. 1,196 / Females 1,121 } 2,317

Annual Rate per 1000 living { Persons Married .. 11·71 / Births .. .. .. 27·31

Annual Births to 1000 Females aged 15—45 years = 146.

Deaths from Childbirth and Puerperal Fever .. .. } 5·61 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

348.—BRIDGNORTH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 13·12	*113	—	—	—	—	35·87	3·12	1·71	2·89	4·28	4·57	6·74	10·88	25·35	51·60	147·78
Annual Death-Rate per 1000. Males ..	—	14·48	*133	—	—	—	—	42·49	3·57	1·93	2·70	4·16	5·37	7·63	12·70	29·06	54·85	159·38
Annual Death-Rate per 1000. Females	—	11·86	* 93	—	—	—	—	29·38	2·67	1·48	3·08	4·38	3·88	5·91	9·28	22·06	48·33	138·50
Mean Population, 1891-1900. Persons	—	14,728	342	312	340	337	339	1670	1636	1640	1418	1215	1968	1646	1333	1061	781	360
Mean Population, 1891-1900. Males ..	—	7,107	166	165	163	170	162	826	812	827	704	553	912	800	622	499	392	160
Mean Population, 1891-1900. Females	—	7,621	176	147	177	167	177	844	824	813	714	662	1056	846	711	562	389	200
Deaths from All Causes, 1891-1900. Persons	15·76	2,321	437	89	35	18	20	599	51	28	41	52	90	111	145	269	403	532
Deaths from All Causes, 1891-1900. Males ..	17·48	1,242	264	51	19	9	8	351	29	16	19	23	49	61	79	145	215	255
Deaths from All Causes, 1891-1900. Females	14·16	1,079	173	38	16	9	12	248	22	12	22	29	41	50	66	124	188	277

	All Ages. Persons.	All Ages. Males.	All Ages. Females.	Under 1 Year. Persons.	Under 1 Year. Males.	Under 1 Year. Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·24	0·32	0·17	36	23	13	10	10	8	3	2	33	3	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·07	0·07	0·07	10	5	5	—	2	—	—	—	2	6	1	—	—	1	—	—	—	—	—
Diphtheria	0·12	0·10	0·14	18	7	11	2	1	2	3	3	11	2	2	1	2	—	—	—	—	—	—
Whooping-cough ..	0·28	0·30	0·26	41	21	20	22	14	1	—	3	40	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·05	0·07	0·04	8	5	3	—	—	1	1	—	2	—	—	1	2	—	3	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·16	0·15	0·17	24	11	13	20	—	—	—	—	20	—	—	—	—	—	—	—	—	3	1
Cholera	0·01	—	0·03	2	—	2	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
Cancer	0·77	0·61	0·93	114	43	71	—	—	—	—	—	—	1	—	1	—	2	5	15	31	35	24
Tabes Mesenterica ..	0·12	0·14	0·09	17	10	7	5	2	1	2	1	11	1	—	2	—	2	—	1	—	—	—
Phthisis	0·77	0·93	0·62	113	66	47	—	—	—	—	—	—	—	1	5	14	28	27	14	15	7	2
Other Tub. & Scrof. Dis.	0·22	0·27	0·17	32	19	13	5	4	2	—	—	11	4	5	3	6	1	2	—	—	—	—
Diseases of Nervous System ..	1·41	1·67	1·15	207	119	88	34	11	5	—	—	50	6	2	2	4	4	5	11	26	55	42
Diseases of Circulatory " ..	1·82	1·96	1·69	268	139	129	1	—	—	—	1	2	1	2	4	1	6	15	18	65	96	58
Diseases of Respiratory " ..	2·27	2·60	1·96	334	185	149	79	27	8	4	4	122	8	2	1	2	7	10	20	38	61	63
Diseases of Digestive " ..	1·26	1·46	1·08	186	104	82	71	9	3	2	1	86	2	—	6	2	3	10	13	22	24	18
Diseases of Urinary " ..	0·56	0·77	0·35	82	55	27	—	1	—	—	—	1	1	1	—	1	4	6	8	18	28	14
Diseases of Generative " ..	0·07	0·01	0·13	11	1	10	1	—	—	—	—	1	—	—	—	—	2	—	2	2	2	2
Puerperal Fever ..	0·05	—	0·09	7	—	7	—	—	—	—	—	—	—	—	—	2	2	3	—	—	—	—
Childbirth	0·08	—	0·16	12	—	12	—	—	—	—	—	—	—	—	—	1	4	7	—	—	—	—
Violence	0·60	0·90	0·31	88	64	24	13	—	3	—	2	18	10	3	4	5	6	5	9	10	9	9
OTHER CAUSES ..	4·83	5·15	4·55	711	365	346	174	8	1	3	3	189	4	9	11	10	18	13	34	41	83	299

Marriages 971

Births .. { Males .. 1,984 / Females 1,870 } 3,854

Annual Rate per 1000 living { Persons Married .. 13·19 / Births .. .. .. 26·17

Annual Births to 1000 Females aged 15—45 years = 118.

Deaths from Childbirth and Puerperal Fever .. .. } 4·93 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

349.—SHIFNAL.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·39			*112	—	—	—	—	35·91	2·78	1·80	2·65	2·86	6·07	7·11	11·60	24·00	53·53	156·67
Annual Death-Rate per 1000. Males	—			In Standard Population. 13·52			*120	—	—	—	—	38·14	2·86	1·90	2·34	3·06	5·37	6·40	15·05	23·29	56·73	160·18
Annual Death-Rate per 1000. Females	—			In Standard Population. 13·26			*103	—	—	—	—	33·63	2·71	1·69	3·00	2·65	6·74	7·80	8·33	24·67	50·52	153·54
Mean Population, 1891–1900. Persons	—			12,031			257	277	263	276	272	1345	1401	1335	1207	980	1632	1308	1121	896	566	240
Mean Population, 1891–1900. Males	—			6,007			126	132	138	143	140	679	700	684	641	490	801	641	545	438	275	113
Mean Population, 1891–1900. Females	—			6,024			131	145	125	133	132	666	701	651	566	490	831	667	576	458	291	127
Deaths from All Causes, 1891–1900. Persons	15·14			1,822			347	75	22	28	11	483	39	24	32	28	99	93	130	215	303	376
Deaths from All Causes, 1891–1900. Males	15·43			927			191	41	11	10	6	259	20	13	15	15	43	41	82	102	156	181
Deaths from All Causes, 1891–1900. Females	14·86			895			156	34	11	18	5	224	19	11	17	13	56	52	48	113	147	195
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·18	0·25	0·12	22	15	7	4	9	3	3	—	19	2	—	—	—	1	—	—	—	—	—
Scarlet Fever	0·10	0·13	0·07	12	8	4	—	1	—	6	1	8	1	2	—	—	1	—	—	—	—	—
Diphtheria	0·12	0·13	0·12	15	8	7	—	1	2	1	3	7	8	—	—	—	—	—	—	—	—	—
Whooping-cough	0·28	0·25	0·32	34	15	19	23	8	2	1	—	34	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·07	0·05	0·10	9	3	6	—	—	—	1	—	1	—	—	1	1	1	2	2	1	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·18	0·13	0·23	22	8	14	15	2	—	—	—	17	—	—	—	—	—	—	—	1	2	2
Cholera	0·01	0·01	—	1	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Cancer	0·76	0·67	0·86	92	40	52	—	—	—	—	—	—	—	—	1	—	3	7	17	26	26	12
Tabes Mesenterica	0·19	0·17	0·22	23	10	13	17	4	1	—	—	22	—	1	—	—	—	—	—	—	—	—
Phthisis	0·78	0·75	0·81	94	45	49	—	1	—	—	—	1	1	4	7	11	25	19	16	8	1	1
Other Tub. & Scrof. Dis.	0·29	0·37	0·22	35	22	13	12	4	1	4	—	21	5	2	1	3	1	1	1	—	—	—
Diseases of: Nervous System	1·51	1·33	1·69	182	80	102	34	7	7	3	—	51	4	2	4	2	6	5	10	28	35	35
Diseases of: Circulatory	2·10	2·10	2·11	253	126	127	2	—	—	—	—	2	1	3	3	2	8	10	15	61	85	63
Diseases of: Respiratory	2·49	2·98	2·01	300	179	121	72	29	4	4	4	113	7	—	1	2	8	10	18	30	52	59
Diseases of: Digestive	1·03	1·07	1·00	124	64	60	39	3	—	1	1	44	1	—	3	2	10	12	7	14	18	13
Diseases of: Urinary	0·53	0·63	0·43	64	38	26	1	—	—	—	—	1	—	1	1	—	3	4	10	13	18	13
Diseases of: Generative	0·02	—	0·03	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1
Puerperal Fever	0·03	—	0·07	4	—	4	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—
Childbirth	0·11	—	0·22	13	—	13	—	—	—	—	—	—	—	—	—	2	7	4	—	—	—	—
Violence	0·56	0·90	0·22	67	54	13	1	1	—	3	1	6	5	2	6	2	10	5	12	7	8	4
OTHER CAUSES	3·80	3·51	4·01	454	211	243	127	5	2	1	—	135	4	7	4	1	13	12	21	26	58	173

Marriages 739

Births .. { Males .. 1,586 / Females 1,521 } 3,107

Annual Rate per 1000 living { Persons Married .. 12·28 / Births .. .. .. 25·82

Annual Births to 1000 Females aged 15—45 years = 122.

Deaths from Childbirth and Puerperal Fever .. .. } 5·47 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

350.—MADELEY.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		14·65	*123	—	—	—	—	40·74	4·03	2·27	3·80	5·34	6·09	6·83	10·76	24·73	61·86	148·55
Annual Death-Rate per 1000. Males	—					14·66	*135	—	—	—	—	43·74	3·93	2·12	2·65	4·29	5·10	7·24	11·71	27·50	66·61	147·39
Annual Death-Rate per 1000. Females	—					14·63	*110	—	—	—	—	37·72	4·12	2·43	5·24	6·59	7·11	6·41	9·86	22·13	57·67	149·45
Mean Population, 1891–1900. Persons	—			23,447			596	550	550	595	544	2835	2755	2594	2239	1798	3101	2519	2138	1820	1164	484
Mean Population, 1891–1900. Males	—			11,847			303	273	275	301	270	1422	1373	1318	1247	979	1569	1270	1033	880	545	211
Mean Population, 1891–1900. Females	—			11,600			293	277	275	294	274	1413	1382	1276	992	819	1532	1249	1105	940	619	273
Deaths from All Causes, 1891–1900. Persons	17·00			3,986			822	178	59	54	42	1155	111	59	85	96	189	172	230	450	720	719
Deaths from All Causes, 1891–1900. Males	16·78			1,988			464	96	24	22	16	622	54	28	33	42	80	92	121	242	363	311
Deaths from All Causes, 1891–1900. Females	17·22			1,998			358	82	35	32	26	533	57	31	52	54	109	80	109	208	357	408
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·28	0·29	0·28	66	34	32	11	26	12	5	4	58	7	—	1	—	—	—	—	—	—	—
Scarlet Fever	0·11	0·08	0·15	26	9	17	3	3	3	1	3	13	8	3	—	—	—	1	1	—	—	—
Diphtheria	0·12	0·12	0·11	27	14	13	3	1	1	4	4	13	8	4	—	1	—	—	1	—	—	—
Whooping-cough	0·23	0·19	0·27	53	22	31	25	21	3	1	1	51	2	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·07	0·11	0·03	17	13	4	1	1	—	—	—	2	1	1	2	—	3	3	1	3	1	—
Simple Continued Fever	0·00	0·01	—	1	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·33	0·35	0·32	78	41	37	62	3	1	—	1	67	1	—	—	—	1	—	—	2	1	6
Cholera	0·01	0·02	—	2	2	—	1	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—
Cancer	0·70	0·49	0·91	164	58	106	—	—	—	—	—	—	—	—	2	2	5	7	22	48	56	22
Tabes Mesenterica	0·11	0·08	0·15	26	9	17	9	5	1	1	—	16	4	2	1	2	—	—	—	1	—	—
Phthisis	1·16	1·21	1·12	273	143	130	2	—	2	3	1	8	6	10	40	40	64	46	27	22	10	—
Other Tub. & Scrof. Dis.	0·24	0·31	0·16	56	37	19	11	6	4	4	5	30	5	6	2	5	3	4	1	—	—	—
Diseases of: Nervous System	2·06	1·97	2·14	482	234	248	114	19	6	6	3	148	14	5	5	6	11	14	23	53	120	83
Diseases of: Circulatory	2·23	2·05	2·41	523	243	280	1	—	—	1	—	2	7	7	4	5	18	25	47	121	176	111
Diseases of: Respiratory	2·78	3·06	2·50	652	362	290	156	57	14	16	16	259	19	7	5	5	11	20	34	66	116	110
Diseases of: Digestive	0·95	0·87	1·03	222	103	119	67	7	3	2	—	79	6	7	5	3	8	8	16	34	30	26
Diseases of: Urinary	0·46	0·57	0·34	108	68	40	1	2	—	—	—	3	—	—	3	4	5	4	11	25	35	18
Diseases of: Generative	0·03	0·01	0·04	6	1	5	—	—	—	—	—	—	—	—	—	1	1	—	—	3	—	1
Puerperal Fever	0·08	—	0·16	19	—	19	—	—	—	—	—	—	—	—	1	5	9	4	—	—	—	—
Childbirth	0·10	—	0·21	24	—	24	—	—	—	—	—	—	—	—	—	3	16	5	—	—	—	—
Violence	0·61	0·86	0·34	142	102	40	13	4	3	2	3	25	8	3	7	5	12	16	16	18	18	14
OTHER CAUSES	4·34	4·13	4·55	1019	492	527	341	23	6	8	1	379	15	4	7	9	22	15	30	53	157	328

Marriages 1,530

Births .. { Males .. 3,442 / Females 3,264 } 6,706

Annual Rate per 1000 living { Persons Married .. 13·05 / Births .. .. .. 28·60 }

Annual Births to 1000 Females aged 15—45 years = 146.

Deaths from Childbirth and Puerperal Fever .. .. } 6·41 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

351.—ATCHAM.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		17·11	*123	—	—	—	—	40·42	3·82	2·46	4·01	5·13	7·76	12·29	17·94	31·63	71·96	166·96
Annual Death-Rate per 1000. Males ..	—					18·32	*134	—	—	—	—	44·66	3·89	2·74	3·86	5·78	8·44	14·38	19·60	35·96	79·36	173·19
Annual Death-Rate per 1000. Females	—					15·98	*111	—	—	—	—	36·30	3·76	2·18	4·16	4·57	7·16	10·40	16·43	27·66	65·73	162·37
Mean Population, 1891-1900. Persons	—			48,846			1062	1031	1064	1037	1088	5282	5205	5117	5037	4111	6944	5670	4766	3531	2172	1011
Mean Population, 1891-1900. Males ..	—			23,528			525	515	524	523	517	2604	2571	2553	2540	1922	3257	2698	2270	1691	993	429
Mean Population, 1891-1900. Females	—			25,318			537	516	540	514	571	2678	2634	2564	2497	2189	3687	2972	2496	1840	1179	582
Deaths from All Causes, 1891-1900. Persons	19·10			9,332			1532	315	136	85	67	2135	199	126	202	211	539	697	855	1117	1563	1688
Deaths from All Causes, 1891-1900. Males ..	20·35			4,789			838	166	79	44	36	1163	100	70	98	111	275	388	445	608	788	743
Deaths from All Causes, 1891-1900. Females	17·94			4,543			694	149	57	41	31	972	99	56	104	100	264	309	410	509	775	945
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·13	0·17	0·09	65	41	24	19	20	12	2	6	59	5	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·09	0·08	0·10	45	19	26	1	8	10	4	4	27	8	2	—	1	3	1	1	2	—	—
Diphtheria	0·24	0·19	0·28	117	45	72	4	13	16	15	10	58	35	11	2	2	—	3	1	5	—	—
Whooping-cough ..	0·25	0·26	0·23	121	62	59	64	31	11	8	4	118	3	—	—	—	—	—	—	—	—	—
Typhus	0·00	0·00	0·00	2	1	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Enteric Fever	0·14	0·10	0·17	67	24	43	1	1	—	1	1	4	6	9	11	9	8	7	5	4	3	1
Simple Continued Fever	0·00	—	0·00	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Diarrhœa & Dysentery	0·35	0·39	0·32	172	91	81	126	6	—	2	1	135	—	1	—	—	—	1	2	7	7	19
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	1·11	0·94	1·27	544	222	322	3	2	1	—	—	6	1	—	3	2	16	41	101	151	137	86
Tabes Mesenterica ..	0·19	0·17	0·21	95	41	54	58	5	2	6	2	73	6	1	3	2	4	3	1	1	1	—
Phthisis	1·57	1·76	1·40	769	414	355	10	7	2	3	1	23	11	17	52	86	205	160	121	68	24	2
Other Tub. & Scrof. Dis.	0·29	0·33	0·26	143	78	65	27	13	6	1	6	53	19	14	12	11	13	7	4	5	5	—
Diseases of Nervous System ..	2·46	2·54	2·39	1201	597	604	210	22	12	6	4	254	14	16	13	16	44	89	116	189	248	202
Diseases of Circulatory „ ..	2·70	2·69	2·71	1317	632	685	5	—	—	1	—	6	10	13	15	9	46	81	123	220	418	376
Diseases of Respiratory „ ..	3·06	3·43	2·72	1495	807	688	312	133	40	17	9	511	32	4	13	15	38	69	105	141	262	305
Diseases of Digestive „ ..	1·19	1·23	1·16	582	289	293	147	25	1	3	6	182	11	7	14	13	18	41	67	80	84	65
Diseases of Urinary „ ..	0·53	0·76	0·31	258	179	79	4	2	1	2	—	9	2	4	4	5	12	22	29	53	72	46
Diseases of Generative „ ..	0·06	—	0·11	29	—	29	—	—	—	—	—	—	—	—	—	2	2	7	7	6	4	1
Puerperal Fever ..	0·05	—	0·09	24	—	24	—	—	—	—	—	—	—	—	—	3	16	4	1	—	—	—
Childbirth	0·05	—	0·09	24	—	24	—	—	—	—	—	—	—	—	3	2	7	10	2	—	—	—
Violence	0·79	1·25	0·36	384	294	90	25	3	14	11	8	61	19	15	20	15	46	50	49	42	41	26
OTHER CAUSES ..	3·85	4·06	3·67	1877	953	924	516	24	8	3	5	556	17	11	37	18	60	100	119	143	257	559

Marriages 3,537

Births .. { Males .. 6,255 / Females 6,239 } 12,494

Annual Rate per 1000 living { Persons Married .. 14·48 / Births .. .. .. 25·58 }

Annual Births to 1000 Females aged 15—45 years = 110.

Deaths from Childbirth and Puerperal Fever .. .. } 3·84 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

352.—OSWESTRY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 14·59			*115	—	—	—	—	39·26	4·08	2·18	3·54	4·71	6·24	9·01	11·44	24·69	58·51	150·85
Annual Death-Rate per 1000. Males ..	—			15·50			*123	—	—	—	—	42·02	3·90	2·15	3·16	4·70	6·88	9·59	13·26	27·22	69·11	165·14
Annual Death-Rate per 1000. Females	—			13·73			*106	—	—	—	—	36·52	4·27	2·20	3·95	4·72	5·64	8·44	9·66	22·33	48·92	140·78
Mean Population, 1891-1900. Persons	—			27,805			679	626	692	647	672	3316	3184	3126	2740	2229	3798	3119	2543	1989	1234	527
Mean Population, 1891-1900. Males ..	—			13,788			336	301	349	329	339	1654	1614	1578	1423	1107	1846	1544	1259	959	586	218
Mean Population, 1891-1900. Females	—			14,017			343	325	343	318	333	1662	1570	1548	1317	1122	1952	1575	1284	1030	648	309
Deaths from All Causes, 1891-1900. Persons	16·25			4,519			879	203	100	75	45	1302	130	68	97	105	237	281	291	491	722	795
Deaths from All Causes, 1891-1900. Males ..	17·09			2,357			478	104	46	39	28	695	63	34	45	52	127	148	167	261	405	360
Deaths from All Causes, 1891-1900. Females	15·42			2,162			401	99	54	36	17	607	67	34	52	53	110	133	124	230	317	435
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Measles	0·13	0·14	0·12	36	19	17	10	10	6	6	1	33	2	—	1	—	—	—	—	—	—	—
Scarlet Fever	0·18	0·20	0·16	49	27	22	—	9	11	8	7	35	8	4	—	—	1	1	—	—	—	—
Diphtheria	0·35	0·30	0·39	96	42	54	3	7	16	12	11	49	30	13	—	—	1	2	—	—	1	—
Whooping-cough ..	0·24	0·16	0·33	68	22	46	36	19	4	5	3	67	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·09	0·12	0·07	26	16	10	2	—	—	1	1	4	1	2	3	2	3	8	1	—	2	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·21	0·17	0·24	57	24	33	41	3	1	—	—	45	—	—	—	—	—	—	—	—	7	5
Cholera	0·01	0·01	0·01	4	2	2	2	—	—	—	—	2	—	—	—	—	—	—	—	1	—	1
Cancer	0·78	0·65	0·91	216	89	127	—	—	—	—	—	—	—	—	—	1	4	13	31	69	62	36
Tabes Mesenterica ..	0·23	0·20	0·26	65	28	37	37	7	2	2	2	50	1	—	4	1	4	2	3	—	—	—
Phthisis	1·23	1·25	1·22	343	172	171	4	2	1	—	2	9	9	8	32	39	91	75	28	31	20	1
Other Tub. & Scrof. Dis.	0·34	0·33	0·35	95	46	49	27	13	4	3	—	47	10	11	6	6	3	7	3	2	—	—
Diseases of Nervous System ..	2·00	2·07	1·93	557	286	271	139	23	7	9	4	182	13	4	6	9	6	22	38	67	110	100
Diseases of Circulatory " ..	1·86	2·01	1·71	517	277	240	2	—	—	—	1	3	8	5	6	8	14	25	40	116	163	129
Diseases of Respiratory " ..	2·64	2·98	2·30	734	411	323	188	73	26	18	7	312	16	2	8	7	28	35	39	68	118	101
Diseases of Digestive " ..	1·16	1·18	1·14	322	162	160	72	18	8	5	2	105	9	2	5	8	9	29	25	47	58	25
Diseases of Urinary " ..	0·51	0·72	0·31	143	99	44	2	—	—	—	—	2	2	1	5	5	8	12	16	29	34	29
Diseases of Generative " ..	0·03	—	0·06	8	—	8	—	—	—	—	—	—	—	—	—	—	1	2	2	1	2	—
Puerperal Fever ..	0·03	—	0·06	9	—	9	—	—	—	—	—	—	—	—	—	1	5	3	—	—	—	—
Childbirth	0·08	—	0·16	23	—	23	—	—	—	—	—	—	—	—	—	2	13	8	—	—	—	—
Violence	0·62	0·95	0·29	171	131	40	10	7	9	5	4	35	11	7	6	10	12	11	18	23	24	14
Other Causes ..	3·53	3·64	3·40	979	503	476	304	12	5	1	—	322	9	9	15	6	34	26	47	36	121	354

Marriages 1,829

Births .. { Males .. 3,871 / Females 3,791 } 7,662

Annual Rate per 1000 living { Persons Married .. 13·16 / Births .. .. .. 27·56

Annual Births to 1000 Females aged 15—45 years = 128.

Deaths from Childbirth and Puerperal Fever .. .. } 4·18 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

353.—ELLESMERE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 13·95	*106	—	—	—	—	35 33	2·85	2·02	2·37	4·67	5·56	7·62	13·40	25·97	60·95	155·28
Annual Death-Rate per 1000. Males	—	14·57	*120	—	—	—	—	39·90	2·68	1·95	3·05	5·04	5·70	7·13	13·50	28·66	68·14	154·60
Annual Death-Rate per 1000. Females	—	13·38	* 90	—	—	—	—	30·67	3·01	2·09	1·68	4·35	5·43	8·09	13·30	23·45	54·01	155·91
Mean Population, 1891–1900. Persons	—	13,956	306	295	302	293	321	1517	1510	1538	1435	1156	1907	1536	1261	1001	735	360
Mean Population, 1891–1900. Males	—	6,902	151	149	155	144	168	767	745	822	721	536	912	757	622	485	361	174
Mean Population, 1891–1900. Females	—	7,054	155	146	147	149	153	750	765	716	714	620	995	779	639	516	374	186
Deaths from All Causes, 1891–1900. Persons	16·89	2,357	401	77	29	20	9	536	43	31	34	54	106	117	169	260	448	559
Deaths from All Causes, 1891–1900. Males	17·89	1,235	236	36	22	6	6	306	20	16	22	27	52	54	84	139	246	269
Deaths from All Causes, 1891–1900. Females	15·91	1,122	165	41	7	14	3	230	23	15	12	27	54	63	85	121	202	290

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·06	0·09	0·04	9	6	3	3	—	3	1	—	7	1	—	1	—	—	—	—	—	—	—
Scarlet Fever	0·06	0·03	0·10	9	2	7	—	2	—	—	—	2	4	1	—	—	1	1	—	—	—	—
Diphtheria	0·24	0·25	0·23	33	17	16	5	3	2	5	5	20	8	3	—	—	2	—	—	—	—	—
Whooping-cough	0·14	0·13	0·14	19	9	10	7	5	5	2	—	19	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·08	0·09	0·07	11	6	5	—	—	—	—	—	—	3	—	—	4	3	—	1	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·14	0·17	0·11	20	12	8	12	1	—	—	—	13	—	—	—	—	—	—	1	—	2	4
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	1·02	0·90	1·15	143	62	81	—	—	—	—	—	—	—	—	—	1	1	13	20	32	50	26
Tabes Mesenterica	0·11	0·10	0·11	15	7	8	8	3	—	—	—	11	—	—	—	1	2	1	—	—	—	—
Phthisis	0·86	1·04	0·68	120	72	48	2	—	—	—	—	2	1	3	6	16	37	23	14	11	6	1
Other Tub. & Scrof. Dis.	0·22	0·28	0·17	31	19	12	5	4	3	3	—	15	—	3	3	3	—	2	2	3	—	—
Diseases of: Nervous System	2·34	2·42	2·27	327	167	160	88	5	1	—	—	94	3	6	3	3	3	10	19	36	81	69
Diseases of: Circulatory „	2·26	2·32	2·21	316	160	156	2	—	—	—	—	2	3	5	1	2	7	17	28	65	93	93
Diseases of: Respiratory „	2·47	2·71	2·23	344	187	157	59	32	8	4	3	106	2	—	—	—	9	14	17	32	66	98
Diseases of: Digestive „	1·13	1·15	1·12	158	79	79	40	10	1	—	—	51	4	2	3	4	6	5	14	18	26	25
Diseases of: Urinary „	0·56	0·72	0·40	78	50	28	2	1	—	1	—	4	1	—	—	1	2	6	12	17	22	13
Diseases of: Generative „	0·06	—	0·13	9	—	9	—	—	—	—	—	—	—	—	1	—	2	1	1	2	—	2
Puerperal Fever	0·07	—	0·14	10	—	10	—	—	—	—	—	—	—	—	—	2	7	1	—	—	—	—
Childbirth	0·06	—	0·13	9	—	9	—	—	—	—	—	—	—	—	—	2	4	3	—	—	—	—
Violence	0·58	0·77	0·40	81	53	28	1	3	3	2	1	10	6	3	9	3	6	6	8	8	14	8
Other Causes	4·43	4·72	4·08	615	327	288	167	8	3	2	—	180	7	5	7	12	14	14	32	36	88	220

Marriages 905

Births .. { Males .. 1,969 / Females 1,824 } 3,793

Annual Rate per 1000 living { Persons Married .. 12·97 / Births .. .. .. 27·18 }

Annual Births to 1000 Females aged 15—45 years = 122.

Deaths from Childbirth and Puerperal Fever .. .. } 5·01 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

354.—WEM.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·16			* 89	—	—	—	—	29·69	2·71	1·55	1·59	5·47	4·30	7·49	10·37	20·88	55·65	145·04
Annual Death-Rate per 1000. Males	—			12·70			*108	—	—	—	—	34·78	3·04	1·42	1·63	5·25	3·96	8·01	11·57	23·24	59·15	138·26
Annual Death-Rate per 1000. Females	—			11·65			* 69	—	—	—	—	24·70	2·39	1·69	1·55	5·68	4·62	6·98	9·24	18·69	52·43	150·34
Mean Population, 1891–1900. Persons	—			10,253			235	211	221	239	256	1162	1145	1096	944	786	1417	1108	945	795	593	262
Mean Population, 1891–1900. Males	—			5,039			112	109	108	118	128	575	559	563	491	381	681	549	458	383	284	115
Mean Population, 1891–1900. Females	—			5,214			123	102	113	121	128	587	586	533	453	405	736	559	487	412	309	147
Deaths from All Causes, 1891–1900. Persons	15·30			1,569			238	62	28	9	8	345	31	17	15	43	61	83	98	166	330	380
Deaths from All Causes, 1891–1900. Males	15·74			793			147	31	12	6	4	200	17	8	8	20	27	44	53	89	168	159
Deaths from All Causes, 1891–1900. Females	14·88			776			91	31	16	3	4	145	14	9	7	23	34	39	45	77	162	221
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·13	0·14	0·12	13	7	6	2	3	2	—	—	7	4	1	—	1	—	—	—	—	—	—
Scarlet Fever	0·04	0·04	0·04	4	2	2	—	1	1	1	—	3	1	—	—	—	—	—	—	—	—	—
Diphtheria	0·13	0·12	0·13	13	6	7	—	2	—	—	1	3	8	1	1	—	—	—	—	—	—	—
Whooping-cough	0·17	0·16	0·17	17	8	9	9	4	2	—	1	16	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·07	0·06	0·08	7	3	4	—	—	—	—	—	—	—	2	—	2	1	2	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·23	0·28	0·19	24	14	10	11	3	—	—	—	14	—	—	—	—	—	1	—	—	6	3
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·91	0·81	1·00	93	41	52	—	—	—	—	—	—	—	—	1	—	—	6	16	17	39	14
Tabes Mesenterica	0·11	0·18	0·04	11	9	2	3	2	1	—	1	7	1	1	—	2	—	—	—	—	—	—
Phthisis	0·92	0·89	0·94	94	45	49	3	1	—	—	1	5	2	4	5	19	20	18	10	9	2	—
Other Tub. & Scrof. Dis.	0·25	0·28	0·23	26	14	12	10	4	3	—	1	18	2	2	—	2	1	1	—	—	—	—
Diseases of Nervous System	1·94	1·77	2·11	199	89	110	38	10	3	3	1	55	5	1	2	1	8	7	10	24	41	45
Diseases of Circulatory „	1·95	2·22	1·69	200	112	88	1	—	—	—	—	1	1	1	—	4	4	8	19	46	72	44
Diseases of Respiratory „	2·25	2·48	2·03	231	125	106	43	25	6	1	2	77	1	2	1	1	6	8	15	19	46	55
Diseases of Digestive „	0·79	0·89	0·69	81	45	36	22	3	3	1	—	29	—	—	2	1	3	3	8	11	14	10
Diseases of Urinary „	0·53	0·71	0·35	54	36	18	—	—	—	—	—	—	—	—	—	2	2	3	5	12	18	12
Diseases of Generative „	0·06	—	0·12	6	—	6	—	—	—	—	—	—	—	—	—	—	2	—	—	1	2	1
Puerperal Fever	0·05	—	0·10	5	—	5	—	—	—	—	—	—	—	—	—	2	1	2	—	—	—	—
Childbirth	0·07	—	0·13	7	—	7	—	—	—	—	—	—	—	—	1	1	1	4	—	—	—	—
Violence	0·42	0·54	0·31	43	27	16	2	2	4	1	—	9	3	2	2	1	3	6	4	3	6	4
OTHER CAUSES	4·28	4·17	4·41	441	210	231	94	2	3	2	—	101	2	—	—	4	9	14	11	24	84	192

Marriages 645

Births .. { Males .. 1,362 / Females 1,321 } 2,683

Annual Rate per 1000 living { Persons Married .. 12·58 / Births .. .. .. 26·17

Annual Births to 1000 Females aged 15—45 years = 125.

Deaths from Childbirth and Puerperal Fever .. .. } 4·47 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

355.—WHITCHURCH.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·28			* 95	—	—	—	—	32·91	3·22	2·13	2·50	3·11	4·69	6·60	13·19	23·60	58·48	168·33
Annual Death-Rate per 1000. Males	—			13·73			*104	—	—	—	—	35·45	3·87	2·56	2·85	3·84	4·27	6·48	13·92	28·68	58·30	171·55
Annual Death-Rate per 1000. Females	—			12·85			* 86	—	—	—	—	30·28	2·55	1·71	2·15	2·50	5·06	6·70	12·52	18·73	58·66	165·32
Mean Population, 1891-1900. Persons	—			11,852			258	245	268	275	285	1331	1337	1270	1200	1029	1686	1319	1069	805	566	240
Mean Population, 1891-1900. Males	—			5,754			127	127	147	127	149	677	671	625	596	469	796	617	510	394	283	116
Mean Population, 1891-1900. Females	—			6,098			131	118	121	148	136	654	666	645	604	560	890	702	559	411	283	124
Deaths from All Causes, 1891-1900. Persons	15·20			1,802			300	86	20	17	15	438	43	27	30	32	79	87	141	190	331	404
Deaths from All Causes, 1891-1900. Males	16·32			939			165	51	7	9	8	240	26	16	17	18	34	40	71	113	165	199
Deaths from All Causes, 1891-1900. Females	14·15			863			135	35	13	8	7	198	17	11	13	14	45	47	70	77	166	205
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·19	0·23	0·16	23	13	10	7	9	2	2	—	20	2	—	—	—	—	1	—	—	—	—
Scarlet Fever	0·07	0·10	0·03	8	6	2	1	1	—	1	1	4	3	—	1	—	—	—	—	—	—	—
Diphtheria	0·19	0·23	0·15	22	13	9	—	4	1	1	1	7	10	4	—	—	1	—	—	—	—	—
Whooping-cough	0·23	0·23	0·23	27	13	14	17	7	2	—	1	27	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·06	0·07	0·05	7	4	3	—	—	—	—	—	—	—	2	1	2	—	—	1	1	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·36	0·43	0·30	43	25	18	28	1	1	—	1	31	1	—	—	—	1	—	—	—	5	5
Cholera	0·03	0·05	0·02	4	3	1	3	—	—	—	—	3	—	—	—	—	—	—	—	1	—	—
Cancer	1·05	0·96	1·15	125	55	70	—	—	—	—	—	—	—	1	—	—	—	7	20	34	43	20
Tabes Mesenterica	0·07	0·07	0·07	8	4	4	1	1	2	—	—	4	2	1	—	—	1	—	—	—	—	—
Phthisis	0·88	1·03	0·74	104	59	45	—	1	—	—	—	1	—	2	7	9	21	18	24	11	9	2
Other Tub. & Scrof Dis.	0·24	0·23	0·26	29	13	16	3	7	3	—	1	14	4	4	—	1	2	3	—	1	—	—
Diseases of Nervous System	1·87	1·88	1·85	221	108	113	49	8	1	4	—	62	2	1	4	1	7	3	16	31	49	45
Diseases of Circulatory "	2·33	2·21	2·44	276	127	149	1	1	—	—	2	4	3	3	2	2	17	10	21	42	93	79
Diseases of Respiratory "	2·07	2·49	1·67	245	143	102	44	30	5	2	2	83	5	1	3	2	2	8	17	27	45	52
Diseases of Digestive "	1·09	1·20	0·98	129	69	60	38	12	1	1	1	53	2	2	2	1	2	8	14	11	15	19
Diseases of Urinary "	0·39	0·54	0·25	46	31	15	—	—	—	—	—	—	1	—	2	2	5	8	5	6	6	11
Diseases of Generative "	0·03	0·02	0·03	3	1	2	—	—	—	—	—	—	—	—	—	1	—	—	—	2	—	—
Puerperal Fever	0·01	—	0·02	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Childbirth	0·08	—	0·16	10	—	10	—	—	—	—	—	—	—	—	—	3	3	4	—	—	—	—
Violence	0·45	0·63	0·28	53	36	17	2	—	1	2	4	9	7	2	3	—	4	5	5	7	8	3
OTHER CAUSES	3·51	3·72	3·31	418	216	202	106	4	1	4	1	116	1	4	5	8	12	12	18	16	58	168

Marriages 800

Births .. { Males .. 1,587 / Females 1,576 } 3,163

Annual Rate per 1000 living { Persons Married .. 13·50 / Births .. .. .. 26·69 }

Annual Births to 1000 Females aged 15—45 years = 115.

Deaths from Childbirth and Puerperal Fever .. .. } 3·48 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

356.—MARKET DRAYTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.	14·10		*121	—	—	—	—	40·05	4·42	2·20	3·39	3·01	4·70	7·33	11·50	24·47	55·17	157·99
Males ..	—				14·58		*137	—	—	—	—	45·01	3·80	1·96	4·13	2·50	4·81	7·00	13·60	25·58	55·77	160·67
Females	—				13·66		*104	—	—	—	—	35·12	5·04	2·44	2·61	3·44	4·60	7·64	9·61	23·45	54·57	155·62
Mean Population, 1891-1900. Persons	—			14,040			297	310	298	317	306	1528	1583	1503	1355	1131	1895	1609	1322	1079	716	319
Males ..	—			6,853			142	150	156	163	151	762	790	766	703	521	894	771	625	516	355	150
Females	—			7,187			155	160	142	154	155	766	793	737	652	610	1001	838	697	563	361	169
Deaths from All Causes, 1891-1900. Persons	16·50			2,317			444	82	41	17	28	612	70	33	46	34	89	118	152	264	395	504
Males ..	17·26			1,183			256	45	24	6	12	343	30	15	29	13	43	54	85	132	198	241
Females	15·78			1,134			188	37	17	11	16	269	40	18	17	21	46	64	67	132	197	263
	Persons.	Males.	Females.	Persons.	Males.	Females	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·14	0·13	0·15	20	9	11	7	3	2	1	1	14	4	2	—	—	—	—	—	—	—	—
Scarlet Fever	0·12	0·12	0·13	17	8	9	1	2	2	1	4	10	5	1	—	1	—	—	—	—	—	—
Diphtheria	0·30	0·26	0·33	42	18	24	1	—	6	4	9	20	15	4	2	—	—	1	—	—	—	—
Whooping-cough	0·20	0·22	0·18	28	15	13	19	5	2	—	—	26	2	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·08	0·09	0·07	11	6	5	—	—	—	—	1	1	1	—	1	2	2	3	1	—	—	—
Simple Continued Fever	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Diarrhœa & Dysentery	0·30	0·39	0·21	42	27	15	18	7	3	—	—	28	4	—	—	—	1	1	—	1	2	5
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·87	0·61	1·11	122	42	80	—	—	—	—	—	—	1	—	—	—	1	7	16	38	44	15
Tabes Mesenterica	0·36	0·44	0·29	51	30	21	37	7	2	—	1	47	3	—	—	—	—	—	—	1	—	—
Phthisis	0·80	0·82	0·79	113	56	57	1	—	—	—	1	2	1	3	11	9	29	25	18	9	6	—
Other Tub. & Scrof. Dis.	0·31	0·35	0·26	43	24	19	9	8	4	—	2	23	7	4	2	—	1	3	1	2	—	—
Diseases of Nervous System	1·85	2·00	1·71	260	137	123	72	6	6	3	1	88	5	2	2	—	5	5	17	40	50	46
Circulatory "	2·12	2·15	2·10	298	147	151	1	—	—	—	—	1	1	7	5	4	8	12	30	63	92	75
Respiratory "	2·56	2·66	2·48	360	182	178	77	30	8	4	1	120	6	2	—	4	8	13	18	33	64	92
Digestive "	1·09	1·15	1·03	153	79	74	31	6	—	—	—	37	6	—	6	2	5	15	10	25	27	20
Urinary "	0·51	0·67	0·35	71	46	25	2	—	—	—	2	4	3	—	2	1	4	4	6	11	13	23
Generative "	0·05	—	0·10	7	—	7	—	—	—	—	—	—	—	—	—	—	1	2	4	—	—	—
Puerperal Fever	0·04	—	0·07	5	—	5	—	—	—	—	—	—	—	—	—	1	1	3	—	—	—	—
Childbirth..	0·10	—	0·19	14	—	14	—	—	—	—	—	—	—	—	—	2	5	7	—	—	—	—
Violence	0·60	0·88	0·33	84	60	24	7	2	4	1	5	19	3	5	6	6	6	6	9	6	15	3
Other Causes	4·09	4·31	3·90	575	296	279	161	6	2	3	—	172	3	3	9	2	12	11	22	35	81	225

Marriages 906

Births .. { Males .. 1,867 / Females 1,807 } 3,674

Annual Rate per 1000 living { Persons Married .. 12·91 / Births .. .. .. 26·17 }

Annual Births to 1000 Females aged 15—45 years = 118.

Deaths from Childbirth and Puerperal Fever .. .. } 5·17 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

357.—WELLINGTON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population 15·23			*134	—	—	—	—	44·86	3·36	2·51	3·66	3·56	5·41	7·96	12·46	25·52	65·65	149·67
Annual Death-Rate per 1000. Males	—			In Standard Population 15·8			*144	—	—	—	—	47·22	3·32	1·99	3·37	3·38	5·25	7·79	14·97	27·86	73·53	171·51
Annual Death-Rate per 1000. Females	—			In Standard Population 14·63			*124	—	—	—	—	42·44	3·39	3·05	4·04	3·75	5·57	8·13	10·13	23·33	58·64	134·46
Mean Population, 1891–1900. Persons	—			24,888			621	573	616	582	624	3016	3037	2868	2485	1997	3328	2638	2247	1736	1083	453
Mean Population, 1891–1900. Males	—			12,583			315	287	316	298	311	1527	1534	1460	1396	1064	1675	1309	1082	840	510	186
Mean Population, 1891–1900. Females	—			12,305			306	286	300	284	313	1489	1503	1408	1089	933	1653	1329	1165	896	573	267
Deaths from All Causes, 1891–1900. Persons	16·84			4,191			986	197	75	54	41	1353	102	72	91	71	180	210	280	443	711	678
Deaths from All Causes, 1891–1900. Males	17·20			2,164			541	96	36	29	19	721	51	29	47	36	88	102	162	234	375	319
Deaths from All Causes, 1891–1900. Females	16·47			2,027			445	101	39	25	22	632	51	43	44	35	92	108	118	209	336	359
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·00	—	0·01	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Measles	0·23	0·17	0·29	58	22	36	16	27	3	4	2	52	5	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·10	0·07	0·14	26	9	17	4	6	3	4	2	19	6	—	—	—	1	—	—	—	—	—
Diphtheria	0·31	0·27	0·34	76	34	42	1	11	5	10	18	45	26	2	—	2	—	1	—	—	—	—
Whooping-cough	0·36	0·36	0·36	89	45	44	52	21	7	5	—	85	2	2	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·07	0·10	0·05	18	12	6	—	—	—	—	—	—	1	5	3	1	3	3	—	1	—	1
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·54	0·48	0·59	134	61	73	96	13	2	—	—	111	—	—	—	—	—	1	—	3	11	8
Cholera	0·00	0·01	—	1	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	0·80	0·63	0·98	199	79	120	—	2	1	—	—	3	—	—	2	—	6	9	31	45	71	32
Tabes Mesenterica	0·14	0·14	0·14	35	18	17	14	6	3	—	1	24	—	1	3	—	2	1	4	—	—	—
Phthisis	1·05	1·09	1·01	261	137	124	4	1	1	—	1	7	3	7	28	32	83	39	27	24	10	1
Other Tub. & Scrof. Dis.	0·38	0·35	0·41	95	44	51	39	13	8	3	1	64	9	4	5	7	3	2	1	—	—	—
Diseases of Nervous System	1·81	1·88	1·75	451	236	215	125	13	9	6	2	155	12	6	2	4	10	19	32	55	95	61
Diseases of Circulatory "	2·03	2·09	1·97	505	263	242	2	1	—	—	—	3	5	13	10	3	14	26	48	100	166	117
Diseases of Respiratory "	2·67	3·00	2·33	664	377	287	159	56	17	9	5	246	8	6	3	5	9	35	39	73	138	102
Diseases of Digestive "	1·14	1·19	1·08	283	150	133	83	10	3	6	2	104	8	5	4	5	12	18	30	40	37	20
Diseases of Urinary "	0·45	0·53	0·36	111	67	44	2	1	1	1	2	7	—	2	4	—	3	10	16	20	30	19
Diseases of Generative "	0·02	—	0·03	4	—	4	1	—	—	—	—	1	—	—	—	—	—	1	—	2	—	—
Puerperal Fever	0·07	—	0·15	18	—	18	—	—	—	—	—	—	—	—	1	4	9	4	—	—	—	—
Childbirth	0·06	—	0·13	16	—	16	—	—	—	—	—	—	—	—	—	2	4	10	—	—	—	—
Violence	0·56	0·76	0·37	140	95	45	13	2	7	3	5	30	9	4	9	2	10	11	16	22	13	14
OTHER CAUSES	4·05	4·08	3·98	1006	514	492	374	14	5	3	—	396	8	14	17	3	11	20	36	58	140	303

Marriages 1,696

Births .. { Males .. 3,755 / Females 3,583 } 7,338

Annual Rate per 1000 living { Persons Married .. 13·63 / Births .. .. .. 29·48 }

Annual Births to 1000 Females aged 15—45 years = 147.

Deaths from Childbirth and Puerperal Fever .. .. } 4·63 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

358.—NEWPORT.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·70			*112	—	—	—	—	36·54	3·30	1·75	3·76	5·15	5·89	7·52	10·78	25·29	55·69	139·13
Annual Death-Rate per 1000. Males ..	—			14·04			*127	—	—	—	—	39·68	3·95	1·35	2·94	5·68	5·79	7·35	11·41	27·79	61·47	134·01
Annual Death-Rate per 1000. Females	—			13·39			* 97	—	—	—	—	33·33	2·68	2·15	4·72	4·61	5·99	7·67	10·20	23·02	50·14	143·43
Mean Population, 1891–1900. Persons	—			13,983			328	294	335	334	321	1612	1667	1601	1330	1049	1799	1530	1317	1036	720	322
Mean Population, 1891–1900. Males ..	—			6,915			162	152	162	180	158	814	810	812	715	528	864	748	631	493	353	147
Mean Population, 1891–1900. Females	—			7,068			166	142	173	154	163	798	857	789	615	521	935	782	686	543	367	175
Deaths from All Causes, 1891–1900. Persons	16·09			2,250			424	88	40	22	15	589	55	28	50	54	106	115	142	262	401	448
Deaths from All Causes, 1891–1900. Males ..	16·56			1,145			245	39	23	10	6	323	32	11	21	30	50	55	72	137	217	197
Deaths from All Causes, 1891–1900. Females	15·63			1,105			179	49	17	12	9	266	23	17	29	24	56	60	70	125	184	251
	Persons.	Males.	Females.	Persons.	Males.	Females	PERSONS.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·10	0·12	0·08	14	8	6	3	8	2	—	—	13	1	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·12	0·14	0·10	17	10	7	3	2	4	3	2	14	3	—	—	—	—	—	—	—	—	—
Diphtheria	0·17	0·10	0·24	24	7	17	1	2	2	4	3	12	8	2	—	—	2	—	—	—	—	—
Whooping-cough	0·23	0·23	0·23	32	16	16	15	11	1	2	1	30	1	1	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·05	0·09	0·01	7	6	1	—	—	—	—	—	—	—	—	—	3	4	—	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·24	0·22	0·25	33	15	18	16	2	1	1	1	21	2	—	—	—	—	—	1	1	1	7
Cholera	0·01	0·01	—	1	1	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	1·09	0·91	1·26	152	63	89	—	—	—	—	—	—	—	—	—	—	3	7	29	46	47	20
Tabes Mesenterica	0·09	0·07	0·10	12	5	7	9	—	—	—	—	9	1	—	—	1	—	1	—	—	—	—
Phthisis	1·01	0·84	1·17	141	58	83	—	1	—	—	2	3	1	6	26	20	37	24	12	10	2	—
Other Tub. & Scrof. Dis.	0·35	0·45	0·25	49	31	18	16	7	2	1	1	27	12	1	4	2	1	1	1	—	—	—
Diseases of Nervous System	1·81	1·92	1·71	254	133	121	56	9	4	1	1	71	2	5	4	3	5	10	11	27	70	46
Diseases of Circulatory „	1·93	1·74	2·12	270	120	150	2	—	—	—	—	2	2	1	1	6	11	16	25	64	76	66
Diseases of Respiratory „	2·78	3·15	2·43	390	218	172	83	40	12	6	3	144	5	1	2	3	7	14	15	46	79	74
Diseases of Digestive „	0·90	0·94	0·86	126	65	61	32	4	1	—	—	37	2	1	2	5	6	8	12	20	17	16
Diseases of Urinary „	0·49	0·71	0·28	69	49	20	3	—	1	1	—	5	1	1	—	—	5	6	5	9	25	12
Diseases of Generative „	0·04	—	0·07	5	—	5	—	—	—	—	—	—	—	—	—	—	1	1	2	—	—	1
Puerperal Fever	0·05	—	0·10	7	—	7	—	—	—	—	—	—	—	—	—	—	5	2	—	—	—	—
Childbirth	0·02	—	0·04	3	—	3	—	—	—	—	—	—	—	—	1	—	1	1	—	—	—	—
Violence	0·68	1·00	0·37	95	69	26	5	—	7	2	1	15	10	8	3	5	6	5	14	13	9	7
OTHER CAUSES	3·93	3·92	3·96	549	271	278	180	1	3	1	—	185	4	1	7	6	12	19	15	26	75	199

Marriages 998

Births .. { Males .. 1,927 / Females 1,842 } 3,769

Annual Rate per 1000 living { Persons Married .. 14·27 / Births .. .. .. 26·95 }

Annual Births to 1000 Females aged 15—45 years = 132.

Deaths from Childbirth and Puerperal Fever .. .. } 2·65 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

359.—STAFFORD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 19·35			*123	—	—	—	—	41·76	3·55	2·45	4·29	7·23	10·74	17·77	23·48	37·66	75·37	158·75
Annual Death-Rate per 1000. Males ..	—			In Standard Population. 20·82			*131	—	—	—	—	44·51	3·82	2·34	4·32	8·03	12·27	21·27	26·40	43·38	81·88	159·48
Annual Death-Rate per 1000. Females	—			In Standard Population. 17·96			*114	—	—	—	—	38·97	3·27	2·57	4·26	6·51	9·29	14·31	20·57	31·95	69·19	158·11
Mean Population. 1891–1900. Persons	—			30,915			721	636	701	692	734	3484	3412	3384	3170	2782	4499	3608	2896	2026	1157	497
Mean Population. 1891–1900. Males ..	—			15,331			362	311	356	342	386	1757	1729	1712	1596	1307	2185	1791	1447	1012	563	232
Mean Population. 1891–1900. Females	—			15,584			359	325	345	350	348	1727	1683	1672	1574	1475	2314	1817	1449	1014	594	265
Deaths from All Causes, 1891–1900. Persons	20·13			6,224			1036	230	92	49	48	1455	121	83	136	201	483	641	680	763	872	789
Deaths from All Causes, 1891–1900. Males ..	21·94			3,363			573	117	50	24	18	782	66	40	69	105	268	381	382	439	461	370
Deaths from All Causes, 1891–1900. Females	18·36			2,861			463	113	42	25	30	673	55	43	67	96	215	260	298	324	411	419
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·22	0·23	0·21	68	35	33	13	38	7	5	1	64	4	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·09	0·09	0·08	27	14	13	—	—	7	4	6	17	8	2	—	—	—	—	—	—	—	—
Diphtheria	0·15	0·10	0·19	45	16	29	1	5	4	4	4	18	17	8	2	—	—	—	—	—	—	—
Whooping cough ..	0·16	0·13	0·19	49	20	29	25	14	5	3	1	48	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·12	0·14	0·09	36	22	14	—	—	—	—	—	—	2	3	8	7	4	8	3	1	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·40	0·45	0·35	123	69	54	85	12	1	3	2	103	2	—	—	1	—	1	—	4	5	7
Cholera	0·00	0·01	—	1	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	0·77	0·67	0·88	239	102	137	—	—	—	—	—	—	—	—	—	1	7	25	48	69	63	26
Tabes Mesenterica ..	0·13	0·15	0·11	40	23	17	15	6	3	1	3	28	3	1	2	3	—	1	2	—	—	—
Phthisis	2·48	2·88	2·08	766	442	324	15	6	4	4	2	31	8	11	41	87	194	180	126	66	22	—
Other Tub. & Scrof. Dis.	0·41	0·48	0·35	128	73	55	44	17	10	2	3	76	8	9	6	9	6	4	7	2	1	—
Diseases of: Nervous System ..	3·80	4·53	3·07	1173	694	479	194	24	12	2	7	239	15	11	18	28	98	209	182	169	128	76
Diseases of: Circulatory „ ..	2·38	2·36	2·39	734	361	373	7	—	—	1	1	9	6	6	12	12	24	34	104	180	235	112
Diseases of: Respiratory „ ..	2·80	3·04	2·55	864	466	398	174	82	22	11	5	294	18	7	9	9	33	54	75	112	147	106
Diseases of: Digestive „ ..	1·06	1·17	0·95	327	179	148	76	10	2	3	1	92	12	4	7	6	24	32	43	49	42	16
Diseases of: Urinary „ ..	0·43	0·57	0·30	134	87	47	1	—	—	1	1	3	—	—	2	4	16	22	20	26	30	11
Diseases of: Generative „ ..	0·03	—	0·06	9	—	9	—	—	—	—	—	—	—	—	—	—	—	1	3	3	—	2
Puerperal Fever ..	0·07	—	0·14	22	—	22	—	—	—	—	—	—	—	—	—	5	12	4	1	—	—	—
Childbirth..	0·08	—	0·17	26	—	26	—	—	—	—	—	—	—	—	1	4	14	7	—	—	—	—
Violence	0·67	1·04	0·31	208	159	49	17	6	10	4	9	46	8	9	15	7	28	24	22	20	17	12
OTHER CAUSES ..	3·88	3·90	3·89	1205	600	605	368	10	5	1	2	386	9	12	13	18	23	35	44	62	182	421

Marriages 2,155
Births .. { Males .. 4,369 / Females 4,060 } 8,429

Annual Rate per 1000 living { Persons Married .. 13·94 / Births .. .. .. 27·27 }
Annual Births to 1000 Females aged 15—45 years = 117.

Deaths from Childbirth and Puerperal Fever .. .. } 5·69 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

360.—STONE.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 16·11			*132	—	—	—	—	45·79	3·77	2·19	3·37	4·96	6·39	9·38	14·90	27·97	64·39	150·00
Annual Death-Rate per 1000. Males ..	—			16·86			*146	—	—	—	—	48·71	4·41	1·89	3·74	5·59	6·98	9·69	18·33	29·68	63·52	160·54
Annual Death-Rate per 1000. Females	—			15·40			*117	—	—	—	—	42·82	3·14	2·49	3·02	4·44	5·87	9·09	11·77	26·44	65·13	142·29
Mean Population, 1891–1900. Persons	—			26,351			623	600	626	612	625	3086	3027	2969	2726	2359	3787	2901	2289	1716	1053	438
Mean Population, 1891–1900. Males ..	—			12,668			325	307	303	302	317	1554	1497	1482	1337	1074	1776	1372	1091	812	488	185
Mean Population, 1891–1900. Females	—			13,683			298	293	323	310	308	1532	1530	1487	1389	1285	2011	1529	1198	904	565	253
Deaths from All Causes, 1891–1900. Persons	16·97			4,471			986	232	88	59	48	1413	114	65	92	117	242	272	341	480	678	657
Deaths from All Causes, 1891–1900. Males ..	17·89			2,266			539	112	48	31	27	757	66	28	50	60	124	133	200	241	310	297
Deaths from All Causes, 1891–1900. Females	16·11			2,205			447	120	40	28	21	656	48	37	42	57	118	139	141	239	368	360
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·37	0·38	0·37	98	48	50	17	44	15	2	12	90	8	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·18	0·21	0·16	48	26	22	4	5	9	5	6	29	15	3	—	—	—	1	—	—	—	—
Diphtheria	0·10	0·14	0·07	27	18	9	1	3	5	3	3	15	8	4	—	—	—	—	—	—	—	—
Whooping-cough ..	0·29	0·28	0·29	76	36	40	39	20	8	7	2	76	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·18	0·20	0·17	48	25	23	—	3	—	—	—	3	2	4	6	5	8	12	6	1	1	—
Simple Continued Fever	0·01	0·02	0·01	3	2	1	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—
Diarrhœa & Dysentery	0·35	0·35	0·36	93	44	49	67	7	2	—	—	76	1	—	—	—	—	—	1	1	4	10
Cholera	0·02	0·03	0·01	5	4	1	2	—	—	—	—	2	—	—	—	—	1	—	—	2	—	—
Cancer	0·83	0·60	1·05	219	76	143	—	—	—	—	—	—	1	—	—	1	8	19	42	70	58	20
Tabes Mesenterica ..	0·08	0·09	0·06	20	12	8	9	3	—	1	—	13	2	—	1	—	1	2	—	1	—	—
Phthisis	1·13	1·41	0·87	298	179	119	3	2	—	1	—	6	5	5	24	39	74	65	41	34	4	1
Other Tub. & Scrof. Dis.	0·24	0·24	0·24	63	30	33	11	8	4	3	1	27	8	4	8	4	6	4	2	—	—	—
Diseases of Nervous System ..	1·86	1·91	1·81	490	242	248	165	18	11	3	4	201	7	7	6	9	16	16	29	51	87	61
Diseases of Circulatory „ ..	1·98	1·78	2·17	522	225	297	3	—	1	1	—	5	7	6	8	7	14	33	53	115	175	99
Diseases of Respiratory „ ..	3·03	3·52	2·57	797	446	351	190	71	20	15	8	304	15	3	6	10	27	37	67	99	134	95
Diseases of Digestive „ ..	1·18	1·13	1·22	310	143	167	123	27	1	1	3	155	7	6	8	7	12	21	23	23	31	17
Diseases of Urinary „ ..	0·38	0·51	0·26	100	65	35	3	—	—	1	1	5	2	1	1	2	5	8	12	18	31	15
Diseases of Generative „ ..	0·04	—	0·08	11	—	11	—	—	—	—	—	—	—	—	—	3	2	1	3	1	1	—
Puerperal Fever ..	0·03	—	0·06	8	—	8	—	—	—	—	—	—	—	—	—	2	5	1	—	—	—	—
Childbirth	0·11	—	0·22	30	—	30	—	—	—	—	—	—	—	—	1	6	11	10	2	—	—	—
Violence	0·89	1·29	0·52	234	163	71	11	5	9	13	6	44	18	13	11	11	38	22	26	25	20	6
OTHER CAUSES ..	3·69	3·80	3·54	971	482	489	338	16	3	3	2	362	7	9	11	10	14	20	34	39	132	333

Marriages 1,804

Births .. { Males .. 3,683 / Females 3,805 } 7,488

Annual Rate per 1000 living { Persons Married .. 13·69 / Births .. .. .. 28·42 }

Annual Births to 1000 Females aged 15—45 years = 121.

Deaths from Childbirth and Puerperal Fever .. .. } 5·07 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

361.—NEWCASTLE UNDER LYME.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 18·34	*156	—	—	—	—	60·32	3·62	2·06	3·56	5·11	6·02	9·18	15·25	34·48	69·71	151·15
Males ..	—	19·03	*172	—	—	—	—	67·02	3·18	1·99	4·07	4·95	5·60	8·87	14·97	38·76	71·61	154·40
Females	—	17·69	*140	—	—	—	—	53·74	4·06	2·13	2·95	5·28	6·43	9·52	15·54	30·16	67·92	148·34
Mean Population, 1891–1900. Persons	—	38,822	1127	1017	1038	931	1033	5146	4866	4418	3964	3463	5717	4334	3207	2175	1139	393
Males ..	—	19,656	577	501	520	443	509	2550	2454	2215	2136	1758	2855	2222	1637	1094	553	182
Females	—	19,166	550	516	518	488	524	2596	2412	2203	1828	1705	2862	2112	1570	1081	586	211
Deaths from All Causes, 1891–1900. Persons	18·18	7,058	2116	547	215	130	96	3104	176	91	141	177	344	398	489	750	794	594
Males ..	18·86	3,708	1191	291	106	71	50	1709	78	44	87	87	160	197	245	424	396	281
Females	17·48	3,350	925	256	109	59	46	1395	98	47	54	90	184	201	244	326	398	313

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·42	0·47	0·37	162	92	70	36	69	23	17	13	158	4	—	—	—	—	—	—	—
Scarlet Fever	0·27	0·25	0·29	104	49	55	2	15	15	23	11	66	28	5	1	1	3	—	—	—
Diphtheria	0·22	0·22	0·22	86	43	43	9	16	12	12	8	57	25	2	—	—	2	—	—	—
Whooping-cough ..	0·38	0·35	0·41	146	68	78	62	50	19	6	4	141	5	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·14	0·17	0·11	55	33	22	—	1	—	2	—	3	7	9	7	8	9	9	2	1
Simple Continued Fever	0·01	0·01	0·01	3	2	1	—	1	—	—	—	1	1	1	—	—	—	—	—	—
Diarrhœa & Dysentery	0·68	0·75	0·60	262	147	115	178	32	7	1	3	221	5	—	—	1	—	2	3	9
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·62	0·48	0·77	242	94	148	—	1	—	—	—	1	—	—	1	—	4	25	52	79
Tabes Mesenterica ..	0·15	0·17	0·13	59	34	25	26	12	4	1	1	44	7	—	1	4	1	2	—	—
Phthisis	0·92	0·92	0·92	356	180	176	5	7	5	—	3	20	5	7	28	57	95	65	46	28
Other Tub. & Scrof. Dis.	0·23	0·24	0·22	90	48	42	13	9	11	5	6	44	11	11	3	3	6	7	3	2
Diseases of Nervous System ..	2·42	2·43	2·42	941	478	463	434	56	24	7	10	531	14	8	8	7	23	28	43	98
Circulatory " ..	1·14	1·03	1·25	443	203	240	2	—	—	—	1	3	9	6	14	17	31	47	64	113
Respiratory " ..	4·16	4·65	3·66	1615	914	701	449	191	60	36	23	759	28	13	7	11	32	74	124	214
Digestive " ..	1·23	1·24	1·23	478	243	235	195	44	12	5	4	260	10	4	10	13	18	18	48	51
Urinary " ..	0·47	0·51	0·42	182	101	81	2	2	3	3	1	11	3	5	2	5	14	17	27	46
Generative " ..	0·04	—	0·07	14	—	14	—	1	—	—	—	1	—	—	—	2	—	3	4	3
Puerperal Fever ..	0·10	—	0·21	40	—	40	—	—	—	—	—	—	—	—	2	6	19	13	—	—
Childbirth..	0·10	—	0·20	39	—	39	—	—	—	—	—	—	—	—	1	4	19	15	—	—
Violence	0·75	1·24	0·25	290	243	47	18	8	7	10	5	48	7	16	44	23	42	37	28	23
OTHER CAUSES ..	3·73	3·73	3·72	1451	736	715	685	32	13	2	3	735	7	4	12	15	26	36	45	83

Diseases of Generative " ..	0·04	—	0·07	14	—	14	—	1	—	—	—	1	—	—	—	2	—	3	4	3
Puerperal Fever ..	0·10	—	0·21	40	—	40	—	—	—	—	—	—	—	—	2	6	19	13	—	—
Childbirth..	0·10	—	0·20	39	—	39	—	—	—	—	—	—	—	—	1	4	19	15	—	—
Violence	0·75	1·24	0·25	290	243	47	18	8	7	10	5	48	7	16	44	23	42	37	28	23
OTHER CAUSES ..	3·73	3·73	3·72	1451	736	715	685	32	13	2	3	735	7	4	12	15	26	36	45	83

Marriages 3,052

Births .. { Males .. 6,928 / Females 6,603 } 13,531

Annual Rate per 1000 living { Persons Married .. 15·72 / Births .. .. .. 34·85

Annual Births to 1000 Females aged 15—45 years = 159.

Deaths from Childbirth and Puerperal Fever .. .. } 5·84 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

362.—WOLSTANTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 22·12			*188	—	—	—	—	79·67	4·91	2·16	3·31	4·64	5·73	11·37	19·24	38·54	79·51	170·58
Annual Death-Rate per 1000. Males ..	—						*207	—	—	—	—	88·02	5·07	2·02	3·15	4·72	5·18	11·84	22·43	42·90	86·88	172·24
Annual Death-Rate per 1000. Females	—			23·55			*168	—	—	—	—	71·54	4·76	2·29	3·48	4·57	6·28	10·87	15·99	34·46	73·54	169·23
Mean Population, 1891–1900. Persons	—			90,860			2822	2439	2430	2372	2294	12357	11298	10336	9927	8615	13913	9991	7109	4530	2196	588
Mean Population, 1891–1900. Males ..	—			45,005			1376	1230	1189	1153	1147	6095	5522	5089	4953	4216	6974	5125	3594	2191	983	263
Mean Population, 1891–1900. Females	—			45,855			1446	1209	1241	1219	1147	6262	5776	5247	4974	4399	6939	4866	3515	2339	1213	325
Deaths from All Causes, 1891–1900. Persons	21·07			19,148			6487	1918	697	447	296	9845	555	223	329	400	797	1136	1368	1746	1746	1003
Deaths from All Causes, 1891–1900. Males ..	22·50			10,124			3637	1002	372	214	140	5365	280	103	156	199	361	607	806	940	854	453
Deaths from All Causes, 1891–1900. Females	19·68			9,024			2850	916	325	233	156	4480	275	120	173	201	436	529	562	806	892	550
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·01	—	4	4	—	—	—	—	—	—	—	—	—	—	—	1	1	1	1	—	—
Measles	0·71	0·73	0·70	648	327	321	157	263	113	53	35	621	24	2	—	—	—	1	—	—	—	—
Scarlet Fever	0·37	0·40	0·34	336	179	157	13	59	65	59	47	243	71	10	4	3	1	4	—	—	—	—
Diphtheria	0·42	0·41	0·42	377	183	194	31	55	52	69	46	253	107	8	3	—	2	1	1	2	—	—
Whooping-cough ..	0·45	0·41	0·48	405	185	220	190	131	47	16	14	398	6	—	—	—	—	—	—	1	—	—
Typhus	0·00	0·00	0·00	3	1	2	—	—	—	—	—	—	—	—	1	—	1	1	—	—	—	—
Enteric Fever	0·21	0·29	0·13	189	131	58	—	1	4	3	7	15	19	20	24	28	50	22	7	3	1	—
Simple Continued Fever	0·02	0·02	0·02	15	7	8	1	2	1	2	1	7	1	1	1	—	1	2	1	1	—	—
Diarrhœa & Dysentery	1·13	1·22	1·04	1025	549	476	777	116	33	15	3	944	5	3	—	1	5	4	5	13	28	17
Cholera	0·03	0·05	0·02	28	21	7	10	4	—	2	—	16	1	—	—	1	1	1	2	6	—	—
Cancer	0·56	0·40	0·72	510	178	332	—	—	1	1	1	3	2	—	2	2	20	70	123	152	112	24
Tabes Mesenterica ..	0·49	0·50	0·47	443	227	216	293	85	24	5	2	409	15	5	1	6	2	3	1	1	—	—
Phthisis	1·01	1·14	0·89	921	514	407	5	8	10	4	4	31	27	33	73	103	188	230	155	69	12	—
Other Tub. & Scrof. Dis.	0·41	0·48	0·33	369	218	151	128	89	38	21	8	284	26	10	16	12	8	10	2	1	—	—
Diseases of Nervous System ..	3·05	3·27	2·84	2772	1473	1299	1410	214	70	34	24	1752	52	21	25	25	52	88	146	255	265	91
Diseases of Circulatory „ ..	1·37	1·38	1·36	1245	620	625	3	1	1	1	2	8	12	27	33	30	61	152	212	329	287	94
Diseases of Respiratory ..	4·37	5·07	3·69	3971	2279	1692	1066	589	158	97	70	1980	74	13	39	35	89	205	370	534	462	170
Diseases of Digestive ..	1·41	1·44	1·38	1282	649	633	570	154	29	10	7	770	19	23	22	29	32	68	97	119	88	15
Diseases of Urinary „ ..	0·41	0·46	0·35	368	206	162	11	18	5	9	3	46	16	6	11	17	34	53	53	70	46	16
Diseases of Generative „ ..	0·03	0·01	0·05	25	3	22	1	—	2	—	—	3	—	—	—	4	2	7	2	4	3	—
Puerperal Fever ..	0·10	—	0·21	95	—	95	—	—	—	—	—	—	—	—	6	22	49	17	1	—	—	—
Childbirth	0·14	—	0·27	123	—	123	—	—	—	—	—	—	—	—	2	22	64	35	—	—	—	—
Violence	0·57	0·81	0·34	520	363	157	29	23	27	24	14	117	41	23	37	28	56	70	61	47	32	8
Other Causes ..	3·81	4·00	3·63	3474	1807	1667	1792	106	17	22	8	1945	37	18	29	32	78	91	128	138	410	568

Marriages 8,317

Births .. { Males .. 17,540 / Females 16,955 } 34,495

Annual Rate per 1000 living { Persons Married .. 18·31 / Births .. .. .. 37·97 }

Annual Births to 1000 Females aged 15—45 years = 163.

Deaths from Childbirth and Puerperal Fever .. .. } 6·32 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

363.—STOKE UPON TRENT.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.	24·09		*210	—	—	—	—	85·78	5·62	2·61	3·84	5·05	7·54	14·10	23·58	42·26	79·17	158·25
Males	—				25·63		*228	—	—	—	—	92·12	5·58	2·61	3·87	4·61	7·44	14·58	27·76	48·53	89·27	161·01
Females	—				22·65		*191	—	—	—	—	79·50	5·66	2·61	3·82	5·47	7·63	13·59	19·39	36·60	71·63	156·41
Mean Population, 1891–1900. Persons	—			136,824			4095	3642	3644	3445	3437	18263	16511	15637	14701	13336	21257	15592	10901	6521	3159	946
Males	—			67,435			2035	1823	1845	1686	1705	9094	8178	7703	7192	6403	10608	7969	5465	3095	1351	377
Females	—			69,389			2060	1819	1799	1759	1732	9169	8333	7934	7509	6933	10649	7623	5436	3426	1808	569
Deaths from All Causes, 1891–1900. Persons	22·92			31,366			10747	2731	1031	674	483	15666	928	408	565	674	1602	2198	2571	2756	2501	1497
Males	24·30			16,390			5944	1370	517	318	228	8377	456	201	278	295	789	1162	1517	1502	1206	607
Females	21·58			14,976			4803	1361	514	356	255	7289	472	207	287	379	813	1036	1054	1254	1295	890
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·00	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Measles	0·77	0·77	0·77	1059	522	537	258	448	163	92	50	1011	45	1	1	—	1	—	—	—	—	—
Scarlet Fever	0·28	0·28	0·28	378	186	192	25	45	71	64	55	260	91	13	6	2	4	2	—	—	—	—
Diphtheria	0·59	0·55	0·62	801	373	428	34	136	119	125	107	521	228	27	9	6	4	3	1	1	—	1
Whooping-cough	0·46	0·44	0·49	636	296	340	298	182	83	42	19	624	10	1	—	—	—	—	—	—	1	—
Typhus	0·00	0·00	0·00	2	1	1	—	—	—	—	1	1	—	—	—	—	—	1	—	—	—	—
Enteric Fever	0·35	0·42	0·28	481	284	197	5	4	8	10	8	35	46	35	56	63	116	69	36	18	6	1
Simple Continued Fever	0·01	0·01	0·01	17	10	7	1	—	—	—	—	1	6	1	1	1	3	2	1	1	—	—
Diarrhœa & Dysentery	1·19	1·29	1·08	1622	873	749	1314	171	20	14	4	1523	2	—	—	1	6	4	6	22	30	28
Cholera	0·03	0·04	0·03	47	25	22	34	4	—	—	—	38	—	—	—	—	—	2	—	3	4	—
Cancer	0·66	0·53	0·79	905	359	546	1	1	—	2	2	6	2	2	3	6	35	138	243	248	173	49
Tabes Mesenterica	0·35	0·39	0·32	484	265	219	300	90	23	9	3	425	18	10	8	2	10	6	3	2	—	—
Phthisis	1·23	1·44	1·03	1684	969	715	19	24	13	5	6	67	17	39	114	164	371	449	303	123	29	8
Other Tub. & Scrof. Dis.	0·43	0·50	0·35	584	339	245	193	123	43	25	13	397	47	35	25	12	29	17	13	7	1	1
Diseases of Nervous System	2·90	3·02	2·79	3972	2035	1937	1906	282	100	40	37	2365	82	40	47	32	77	154	241	378	368	188
Circulatory	1·64	1·62	1·66	2244	1091	1153	32	4	2	2	4	44	26	36	64	61	156	292	408	541	468	148
Respiratory	4·44	5·18	3·72	6071	3492	2579	1600	772	240	154	96	2862	106	30	45	52	191	387	642	761	665	330
Digestive	1·91	1·97	1·85	2610	1326	1284	1295	222	41	25	18	1601	43	32	28	48	104	149	205	198	144	58
Urinary	0·49	0·61	0·37	668	413	255	33	24	10	2	8	77	18	11	16	20	58	91	113	124	101	39
Generative	0·05	0·00	0·10	72	2	70	—	2	1	—	—	3	—	—	5	5	16	14	17	7	3	2
Puerperal Fever	0·10	—	0·20	139	—	139	—	—	—	—	—	—	—	—	5	41	65	28	—	—	—	—
Childbirth	0·13	—	0·26	179	—	179	—	—	—	—	—	—	—	—	6	36	70	66	1	—	—	—
Violence	0·79	1·08	0·51	1080	728	352	86	23	40	45	39	233	86	58	61	62	129	132	129	112	59	19
Other Causes	4·12	4·16	4·07	5630	2800	2830	3313	174	54	18	13	3572	55	37	65	60	157	192	208	210	449	625

Marriages 12,054

Births .. { Males .. 26,057 / Females 25,170 } 51,227

Annual Rate per 1000 living { Persons Married .. 17·62 / Births .. .. .. 37·44 }

Annual Births to 1000 Females aged 15—45 years = 157.

Deaths from Childbirth and Puerperal Fever .. .. } 6·21 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

364.—LEEK.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.	17·23		*140	—	—	—	—	52·49	3·75	1·95	3·70	5·86	6·59	8·95	14·71	31·32	66·00	153·02
Males ..	—				17·43		*159	—	—	—	—	57·42	3·71	2·22	3·12	3·90	5·75	8·10	16·11	32·53	70·63	156·71
Females	—				17·04		*120	—	—	—	—	47·72	3·79	1·69	4·27	7·49	7·35	9·75	13·38	30·14	61·71	149·81
Mean Population, 1891–1900. Persons	—			39,093			1053	981	1001	990	923	4948	4665	4350	4023	3484	5735	4391	3298	2356	1347	496
Males ..	—			19,017			511	473	495	495	457	2431	2318	2160	1985	1642	2713	2124	1601	1165	647	231
Females	—			20,076			542	508	506	495	466	2517	2347	2190	2038	1842	3022	2267	1697	1191	700	265
Deaths from All Causes, 1891-1900. Persons	17·52			6,850			1744	492	186	102	73	2597	175	85	149	202	378	393	485	738	889	759
Males ..	18·09			3 440			1003	238	83	37	35	1396	86	48	62	64	156	172	258	379	457	362
Females	16·99			3,410			741	254	103	65	38	1201	89	37	87	138	222	221	227	359	432	397
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox ..	0·00	—	0·00	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Measles ..	0·51	0·55	0·47	199	104	95	52	81	32	15	10	190	7	1	—	—	—	1	—	—	—	—
Scarlet Fever ..	0·20	0·18	0·21	77	34	43	9	15	13	11	6	54	20	—	1	1	1	—	—	—	—	—
Diphtheria ..	0·21	0·19	0·23	82	36	46	3	11	12	10	12	48	25	6	1	2	—	—	—	—	—	—
Whooping-cough ..	0·28	0·26	0·30	110	49	61	54	29	11	9	3	106	4	—	—	—	—	—	—	—	—	—
Typhus ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever ..	0·14	0·13	0·15	55	25	30	—	—	—	—	—	—	—	5	9	11	13	4	8	1	4	—
Simple Continued Fever	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Diarrhœa & Dysentery	0·41	0·41	0·39	162	84	78	100	19	5	2	1	127	2	—	—	—	—	—	2	11	11	9
Cholera ..	0·01	0·02	—	4	4	—	1	—	—	—	—	1	—	—	—	—	—	1	1	1	—	—
Cancer ..	0·75	0·61	0·89	295	116	179	—	—	—	—	1	1	1	—	1	2	8	43	55	99	63	22
Tabes Mesenterica ..	0·16	0·18	0·13	62	35	27	24	12	5	1	—	42	2	3	1	3	4	3	3	1	—	—
Phthisis ..	1·12	1·02	1·22	438	193	245	4	2	1	—	1	8	9	11	47	79	108	87	49	27	13	—
Other Tub. & Scrof. Dis.	0·48	0·49	0·48	189	93	96	55	29	15	9	11	119	16	13	9	10	11	5	3	1	—	2
Diseases of Nervous System ..	2·06	2·17	1·95	805	413	392	259	52	16	5	6	338	16	10	8	7	24	28	48	96	143	87
Circulatory " ..	1·97	2·01	1·92	768	382	386	5	—	1	1	—	7	5	3	16	11	38	52	102	178	233	123
Respiratory " ..	3·32	3·64	3·04	1302	692	610	357	161	49	28	13	608	30	6	12	12	28	47	84	144	189	142
Digestive " ..	1·26	1·36	1·18	494	258	236	199	40	6	5	4	254	14	7	13	14	18	18	33	53	45	25
Urinary " ..	0·37	0·42	0·33	145	79	66	3	2	2	—	—	7	1	2	3	3	12	11	14	35	37	20
Generative " ..	0·03	—	0·06	13	—	13	—	—	—	—	—	—	—	—	2	1	3	1	5	—	1	—
Puerperal Fever ..	0·12	—	0·23	46	—	46	—	—	—	—	—	—	—	—	1	10	27	8	—	—	—	—
Childbirth ..	0·14	—	0·28	56	—	56	—	—	—	—	—	—	—	—	1	5	26	24	—	—	—	—
Violence ..	0·46	0·63	0·29	178	120	58	8	8	11	4	3	34	16	10	9	8	18	17	20	21	16	9
OTHER CAUSES ..	3·52	3·78	3·24	1368	722	646	611	31	7	2	2	653	7	8	15	23	38	43	58	70	133	320

Marriages 2,723

Births .. { Males .. 6,291, Females 6,190 } 12,481

Annual Rate per 1000 living { Persons Married .. 13·93, Births .. .. .. 31·93 }

Annual Births to 1000 Females aged 15—45 years = 136.

Deaths from Childbirth and Puerperal Fever .. .. } 8·17 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

365.—CHEADLE.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		16·44	*127	—	—	—	—	43·93	4·20	2·31	3·38	4·69	6·11	10·45	15·63	28·36	67·43	167·49
Annual Death-Rate per 1000. Males	—					16·63	*140	—	—	—	—	48·69	4·05	1·76	2·53	4·81	4·47	10·55	17·96	31·12	69·82	165·76
Annual Death-Rate per 1000. Females	—					16·26	*113	—	—	—	—	39·12	4·22	2·97	4·41	4·58	7·68	10·37	13·50	25·86	65·20	169·23
Mean Population, 1891–1900. Persons	—			24,407			656	601	628	586	641	3112	2977	2905	2516	2068	3456	2583	2015	1488	921	366
Mean Population, 1891–1900. Males	—			12,256			344	304	313	288	314	1563	1483	1590	1383	998	1699	1242	963	707	444	184
Mean Population, 1891–1900. Females	—			12,151			312	297	315	298	327	1549	1494	1315	1133	1070	1757	1341	1052	781	477	182
Deaths from All Causes, 1891–1900. Persons	17·17			4,191			965	227	88	51	36	1367	123	67	85	97	211	270	315	422	621	613
Deaths from All Causes, 1891–1900. Males	17·52			2,147			545	121	47	28	20	761	60	28	35	48	76	131	173	220	310	305
Deaths from All Causes, 1891–1900. Females	16·82			2,044			420	106	41	23	16	606	63	39	50	49	135	139	142	202	311	308
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·27	0·31	0·24	67	38	29	21	23	9	2	3	58	8	—	—	1	—	—	—	—	—	—
Scarlet Fever	0·13	0·16	0·10	31	19	12	4	4	4	6	4	22	5	1	1	—	2	—	—	—	—	—
Diphtheria	0·33	0·30	0·35	89	37	43	4	9	10	10	14	47	22	8	2	—	—	1	—	—	—	—
Whooping-cough	0·21	0·18	0·25	52	22	30	27	18	3	2	—	50	1	—	1	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·11	0·07	0·15	27	9	18	1	1	—	—	—	2	3	2	4	5	5	2	2	1	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·32	0·29	0·35	77	35	42	42	5	4	1	—	52	3	1	—	—	—	—	1	3	8	9
Cholera	0·00	0·01	—	1	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	0·76	0·64	0·87	185	79	106	—	—	—	—	—	—	—	—	1	1	6	14	35	57	52	19
Tabes Mesenterica	0·15	0·17	0·12	36	21	15	16	4	3	2	2	27	4	3	—	—	—	—	1	1	—	—
Phthisis	1·14	1·15	1·12	277	141	136	3	2	3	—	1	9	3	12	22	35	57	51	45	29	12	2
Other Tub. & Scrof. Dis.	0·41	0·45	0·36	99	55	44	37	20	2	5	1	65	9	3	7	4	2	3	3	2	1	—
Diseases of Nervous System	2·03	2·21	1·85	496	271	225	149	26	6	5	1	187	6	5	8	8	19	22	39	44	88	70
Diseases of Circulatory „	2·09	1·97	2·21	510	242	268	7	—	—	—	—	7	8	7	9	10	13	36	46	114	156	104
Diseases of Respiratory „	2·71	3·01	2·41	662	369	293	163	58	22	9	5	257	15	4	5	4	19	32	51	69	110	96
Diseases of Digestive „	1·19	1·29	1·09	291	158	133	116	19	3	2	1	141	7	6	5	1	8	19	25	29	36	14
Diseases of Urinary „	0·38	0·47	0·29	92	57	35	2	1	1	—	—	4	5	—	—	3	5	14	13	16	18	14
Diseases of Generative „	0·05	0·01	0·08	11	1	10	—	—	—	—	—	—	—	—	1	1	—	2	2	1	3	1
Puerperal Fever	0·13	—	0·26	31	—	31	—	—	—	—	—	—	—	—	—	4	18	9	—	—	—	—
Childbirth	0·10	—	0·21	25	—	25	—	—	—	—	—	—	—	—	3	3	9	10	—	—	—	—
Violence	0·61	0·79	0·43	149	97	52	14	6	5	4	3	32	13	6	8	5	11	17	13	13	16	15
OTHER CAUSES	4·05	4·04	4·08	992	495	497	359	31	12	3	1	406	11	9	8	12	37	38	39	43	120	269

Marriages 2,002

Births .. { Males .. 3,904 / Females 3,712 } 7,616

Annual Rate per 1000 living { Persons Married .. 16·41 / Births .. .. .. 31·20

Annual Births to 1000 Females aged 15—45 years = 144.

Deaths from Childbirth and Puerperal Fever .. .. } 7·35 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

366.—UTTOXETER.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 14·45			*114	—	—	—	—	38·39	3·01	1·46	2·63	3·68	6·09	9·48	11·56	27·23	61·58	153·42
Males ..	—			14·99			*124	—	—	—	—	42·10	2·36	1·78	2·80	3·02	5·45	10·92	13·40	29·14	61·18	172·31
Females	—			13·93			*104	—	—	—	—	34·65	3·64	1·10	2·45	4·26	6·68	8·11	9·94	25·40	61·96	139·55
Mean Population, 1891–1900. Persons	—			15,117			357	338	343	349	340	1727	1697	1716	1636	1276	2119	1687	1306	977	669	307
Males ..	—			7,419			182	170	177	163	175	867	846	898	820	596	1027	824	612	477	322	130
Females	—			7,698			175	168	166	186	165	860	851	818	816	680	1092	863	694	500	347	177
Deaths from All Causes, 1891–1900. Persons	16·00			2,418			472	93	50	30	18	663	51	25	43	47	129	160	151	266	412	471
Males ..	16·58			1,230			261	55	21	16	12	365	20	16	23	18	56	90	82	139	197	224
Females	15·43			1,188			211	38	29	14	6	298	31	9	20	29	73	70	69	127	215	247
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·21	0·26	0·16	31	19	12	3	12	6	3	2	26	3	—	—	—	2	—	—	—	—	—
Scarlet Fever	0·05	0·04	0·05	7	3	4	1	1	—	2	—	4	2	—	—	—	1	—	—	—	—	—
Diphtheria	0·16	0·13	0·18	24	10	14	—	—	1	4	2	7	10	6	—	—	—	—	—	1	—	—
Whooping-cough ..	0·20	0·20	0·19	30	15	15	18	6	4	1	—	29	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·07	0·07	0·06	10	5	5	—	—	1	—	—	1	2	1	—	2	2	1	1	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·24	0·23	0·26	37	17	20	24	2	1	—	—	27	—	—	—	—	1	—	—	2	1	6
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·72	0·53	0·91	109	39	70	—	—	—	—	—	—	—	—	—	—	1	5	13	35	31	24
Tabes Mesenterica ..	0·32	0·32	0·31	48	24	24	24	8	2	3	—	37	3	2	1	—	2	2	1	—	—	—
Phthisis	1·09	1·12	1·05	164	83	81	2	3	2	1	—	8	1	2	13	15	48	34	24	11	6	2
Other Tub. & Scrof. Dis.	0·21	0·24	0·17	31	18	13	5	4	5	1	1	16	1	3	5	3	2	1	—	—	—	—
Diseases of Nervous System ..	2·24	2·36	2·12	338	175	163	76	18	7	3	2	106	4	1	2	1	7	11	12	41	90	63
Circulatory " ..	2·24	2·18	2·29	338	162	176	1	—	—	—	—	1	3	1	2	5	11	20	29	59	121	86
Respiratory " ..	2·67	2·70	2·65	404	200	204	83	28	15	5	10	141	9	4	7	5	12	21	21	30	67	87
Digestive " ..	1·01	1·17	0·86	153	87	66	30	4	1	1	1	37	5	2	3	4	9	14	17	31	18	13
Urinary " ..	0·44	0·62	0·26	66	46	20	2	—	—	—	—	2	2	—	1	1	2	2	10	12	10	24
Generative " ..	0·03	—	0·05	4	—	4	—	—	—	—	—	—	—	—	—	—	—	3	—	1	—	—
Puerperal Fever ..	0·08	—	0·16	12	—	12	—	—	—	—	—	—	—	—	—	4	4	4	—	—	—	—
Childbirth	0·08	—	0·16	12	—	12	—	—	—	—	—	—	—	—	1	3	5	2	1	—	—	—
Violence	0·55	0·80	0·31	83	59	24	6	—	4	3	—	13	—	2	5	3	12	13	3	11	11	10
OTHER CAUSES ..	3·39	3·61	3·23	517	268	249	197	7	1	3	—	208	5	1	3	1	8	27	19	32	57	156

Marriages 1,032

Births .. { Males .. 2,101 / Females 2,025 } 4,126

Annual Rate per 1000 living { Persons Married .. 13·65 / Births .. .. .. 27·29 }

Annual Births to 1000 Females aged 15—45 years = 120.

Deaths from Childbirth and Puerperal Fever .. .. } 5·82 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

367.—BURTON UPON TRENT.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds
Annual Death-Rate per 1000. Persons	—			In Standard Population. 17·04			*134	—	—	—	—	48·71	3·38	1·94	3·47	4·48	6·79	10·73	16·53	30·16	67·38	160·63
Annual Death-Rate per 1000. Males	—			18·23			*148	—	—	—	—	53·16	3·21	1·60	3·51	4·34	7·02	12·17	19·63	34·38	73·65	172·80
Annual Death-Rate per 1000. Females	—			15·93			*120	—	—	—	—	44·25	3·55	2·28	3·42	4·63	6·54	9·19	13·36	26·12	61·85	152·54
Mean Population, 1891–1900. Persons	—			87,759			2416	2224	2261	2220	2287	11408	11035	10273	8822	7773	12965	10118	7399	4636	2446	884
Mean Population, 1891–1900. Males	—			44,779			1205	1108	1147	1113	1138	5711	5485	5181	4816	4166	6682	5233	3740	2266	1146	353
Mean Population, 1891–1900. Females	—			42,980			1211	1116	1114	1107	1149	5697	5550	5092	4006	3607	6283	4885	3659	2370	1300	531
Deaths from All Causes, 1891–1900. Persons	16·45			14,438			3751	1032	355	260	159	5557	373	199	306	348	880	1086	1223	1398	1648	1420
Deaths from All Causes, 1891–1900. Males	17·24			7,718			2114	532	177	125	88	3036	176	83	169	181	469	637	734	779	844	610
Deaths from All Causes, 1891–1900. Females	15·64			6,720			1637	500	178	135	71	2521	197	116	137	167	411	449	489	619	804	810
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·00	0·00	4	2	2	—	—	—	—	—	—	—	—	1	—	—	—	2	—	1	—
Measles	0·45	0·49	0·41	395	218	177	82	158	70	34	21	365	25	2	1	—	—	—	1	—	1	—
Scarlet Fever	0·14	0·12	0·16	123	53	70	4	22	20	21	17	84	23	7	4	3	1	1	—	—	—	—
Diphtheria	0·28	0·26	0·30	246	115	131	10	43	30	52	34	169	64	5	—	1	2	1	2	1	1	—
Whooping-cough	0·36	0·30	0·43	316	133	183	158	99	26	19	7	309	5	1	—	—	—	—	—	—	—	1
Typhus	0·00	0·00	0·00	2	1	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—
Enteric Fever	0·18	0·20	0·16	159	89	70	—	1	4	2	2	9	10	15	25	19	35	27	13	3	1	2
Simple Continued Fever	0·00	0·00	0·01	4	1	3	1	—	1	—	—	2	—	1	—	—	—	—	—	—	1	—
Diarrhœa & Dysentery	0·52	0·51	0·53	456	229	227	329	64	6	2	1	402	1	1	2	—	2	3	3	6	17	19
Cholera	0·03	0·02	0·03	22	8	14	16	3	1	—	—	20	—	—	—	—	—	—	—	2	—	—
Cancer	0·66	0·57	0·76	580	253	327	2	—	4	—	—	6	2	1	—	4	19	59	108	152	157	72
Tabes Mesenterica	0·17	0·18	0·16	150	81	69	79	29	9	4	1	122	11	4	5	1	3	2	2	—	—	—
Phthisis	1·38	1·52	1·23	1212	682	530	7	19	3	1	2	32	18	30	95	119	303	274	195	101	41	4
Other Tub. & Scrof. Dis.	0·35	0·37	0·32	303	165	138	68	59	25	18	13	183	33	19	16	12	15	10	4	6	4	1
Diseases of Nervous System	2·15	2·37	1·92	1885	1061	824	624	68	26	16	12	746	35	13	20	19	70	141	162	192	290	197
Diseases of Circulatory „	1·56	1·50	1·62	1367	671	696	11	—	2	—	—	13	15	19	31	19	73	132	185	303	361	216
Diseases of Respiratory „	2·77	3·05	2·47	2426	1366	1060	717	318	81	59	27	1202	44	11	18	27	67	109	153	212	306	277
Diseases of Digestive „	1·02	1·03	1·02	896	459	437	238	55	10	6	5	314	27	17	17	25	51	73	115	135	86	36
Diseases of Urinary „	0·43	0·52	0·34	379	231	148	3	2	2	1	1	9	9	4	7	11	31	40	68	61	82	57
Diseases of Generative „	0·03	0·00	0·06	28	1	27	—	—	—	—	—	—	—	1	—	2	5	4	1	7	3	5
Puerperal Fever	0·07	—	0·15	63	—	63	—	—	—	—	—	—	—	—	1	14	34	13	1	—	—	—
Childbirth	0·07	—	0·15	65	—	65	—	—	—	—	—	—	—	—	3	6	26	30	—	—	—	—
Violence	0·55	0·86	0·23	486	387	99	35	20	21	15	11	102	25	14	22	28	61	79	70	40	29	16
OTHER CAUSES	3·28	3·37	3·18	2871	1512	1359	1367	72	14	10	5	1468	26	34	37	38	82	87	138	177	267	517

Marriages 6,489

Births .. { Males .. 14,314 / Females 13,691 } 28,005

Annual Rate per 1000 living { Persons Married .. 14·79 / Births .. .. .. 31·91 }

Annual Births to 1000 Females aged 15—45 years = 149.

Deaths from Childbirth and Puerperal Fever .. .. } 4·57 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

368.—TAMWORTH.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.	14·79		*133	—	—	—	—	44·11	3·76	2·43	2·90	4·53	5·18	7·26	10·95	26·50	57·27	154·46
Annual Death-Rate per 1000. Males ..	—				15·18		*146	—	—	—	—	48·78	2·79	2·08	2·58	4·52	5·02	7·61	13·57	28·24	55·93	157·89
Annual Death-Rate per 1000. Females	—				14·42		*119	—	—	—	—	39·55	4·73	2·79	3·26	4·54	5·33	6·89	8·33	24·81	58·56	151·76
Mean Population, 1891–1900. Persons	—			23,097			653	579	614	561	590	2997	2874	2711	2446	2054	3169	2494	1945	1313	791	303
Mean Population, 1891–1900. Males ..	—			11,540			327	277	312	272	292	1480	1436	1349	1281	1018	1573	1261	973	648	388	133
Mean Population, 1891–1900. Females	—			11,557			326	302	302	289	298	1517	1438	1362	1165	1036	1596	1233	972	665	403	170
Deaths from All Causes, 1891–1900. Persons	15·10			3,487			960	201	79	49	33	1322	108	66	71	93	164	181	213	348	453	468
Deaths from All Causes, 1891–1900. Males ..	15·48			1,786			542	98	48	23	11	722	40	28	33	46	79	96	132	183	217	210
Deaths from All Causes, 1891–1900. Females	14·72			1,701			418	103	31	26	22	600	68	38	38	47	85	85	81	165	236	258
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Measles	0·36	0·35	0·37	83	40	43	26	24	12	7	3	72	11	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·10	0·10	0·10	23	11	12	1	1	6	3	7	18	4	—	—	—	—	1	—	—	—	—
Diphtheria	0·11	0·11	0·11	26	13	13	1	7	3	3	5	19	4	1	1	—	1	—	—	—	—	—
Whooping-cough ..	0·24	0·21	0·27	55	24	31	31	17	1	3	2	54	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·05	0·06	0·04	12	7	5	—	—	—	—	—	—	1	3	1	1	3	2	1	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·64	0·68	0·60	148	79	69	121	5	2	—	—	128	5	—	—	—	—	—	2	3	4	6
Cholera	0·03	0·04	0·02	7	5	2	4	1	—	—	—	5	—	—	—	—	—	—	1	—	1	—
Cancer	0·56	0·49	0·64	130	56	74	—	—	—	—	1	1	—	1	—	—	3	15	21	47	28	14
Tabes Mesenterica ..	0·16	0·16	0·15	36	19	17	21	3	4	—	—	28	—	2	—	4	1	—	1	—	—	—
Phthisis	0·85	0·86	0·85	197	99	98	1	3	—	—	—	4	3	11	23	25	54	33	25	18	1	—
Other Tub. & Scrof. Dis.	0·29	0·25	0·34	68	29	39	12	10	2	2	2	28	19	7	1	3	6	1	2	—	1	—
Diseases of Nervous System ..	1·83	1·87	1·78	422	216	206	147	22	7	3	—	179	6	9	2	4	4	11	21	51	76	59
Diseases of Circulatory „ ..	1·57	1·36	1·78	363	157	206	4	—	—	—	—	4	3	9	9	3	17	22	41	79	118	58
Diseases of Respiratory „ ..	2·93	3·23	2·62	676	373	303	166	81	31	21	5	304	14	2	5	7	14	27	43	70	93	97
Diseases of Digestive „ ..	1·15	1·05	1·25	266	121	145	110	12	3	5	2	132	16	6	3	6	6	11	16	26	27	17
Diseases of Urinary „ ..	0·35	0·43	0·26	80	50	30	—	—	—	—	1	1	3	4	2	2	4	8	10	12	17	17
Diseases of Generative „ ..	0·04	0·01	0·08	10	1	9	—	—	—	—	—	—	—	—	2	1	1	—	2	2	1	1
Puerperal Fever ..	0·08	—	0·16	18	—	18	—	—	—	—	—	—	—	—	—	8	8	2	—	—	—	—
Childbirth	0·10	—	0·19	22	—	22	—	—	—	—	—	—	—	—	—	4	10	8	—	—	—	—
Violence	0·61	0·97	0·26	142	112	30	7	2	6	2	4	21	9	5	14	13	17	22	6	8	16	11
OTHER CAUSES.. ..	3·05	3·24	2·85	702	373	329	308	13	2	—	1	324	9	6	8	12	15	17	21	32	70	188

Marriages 1,769

Births .. { Males .. 3,706 / Females 3,516 } 7,222

Annual Rate per 1000 living { Persons Married .. 15·32 / Births .. .. .. 31·27 }

Annual Births to 1000 Females aged 15—45 years = 144.

Deaths from Childbirth and Puerperal Fever .. .. } 5·54 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

369.—LICHFIELD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 17·64			*126	—	—	—	—	44·83	3·23	2·49	3·39	5·31	9·02	11·84	18·29	34·79	68·47	157·80
Annual Death-Rate per 1000. Males ..	—			17·76			*138	—	—	—	—	48·79	2·96	2·36	3·15	4·59	8·21	11·83	19·54	36·93	69·91	160·54
Annual Death-Rate per 1000. Females	—			17·53			*114	—	—	—	—	40·80	3·49	2·62	3·72	6·14	9·85	11·85	17·04	32·70	67·13	155·56
Mean Population, 1891–1900. Persons	—			41,229			1088	1032	1051	1020	1031	5222	5014	4664	4193	3541	5708	4535	3559	2604	1535	654
Mean Population, 1891–1900. Males ..	—			21,108			551	507	528	524	526	2636	2496	2377	2448	1896	2876	2274	1781	1289	741	294
Mean Population, 1891–1900. Females	—			20,121			537	525	523	496	505	2586	2518	2287	1745	1645	2832	2261	1778	1315	794	360
Deaths from All Causes, 1891–1900. Persons	18·53			7,641			1641	386	147	101	66	2341	162	116	142	188	515	537	651	906	1051	1032
Deaths from All Causes, 1891–1900. Males ..	18·47			3,899			927	195	76	57	31	1286	74	56	77	87	236	269	348	476	518	472
Deaths from All Causes, 1891–1900. Females	18·60			3,742			714	191	71	44	35	1055	88	60	65	101	279	268	303	430	533	560
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·24	0·26	0·23	100	54	46	18	38	19	13	6	94	6	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·14	0·17	0·10	56	35	21	5	8	7	10	6	36	13	4	2	1	—	—	—	—	—	—
Diphtheria	0·15	0·13	0·17	62	28	34	1	8	7	11	7	34	25	2	—	—	—	—	1	—	—	—
Whooping-cough ..	0·39	0·30	0·48	161	64	97	79	48	19	7	3	156	5	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·08	0·08	0·08	34	17	17	—	—	1	—	1	2	2	5	6	2	9	2	1	4	—	1
Simple Continued Fever	0·00	0·00	0·00	2	1	1	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·35	0·38	0·32	145	81	64	83	17	3	2	2	107	2	—	—	—	—	2	2	8	11	13
Cholera	0·01	0·01	—	3	3	—	—	2	—	—	—	2	1	—	—	—	—	—	—	—	—	—
Cancer	0·70	0·54	0·87	289	113	176	—	1	—	—	—	1	—	1	1	3	5	25	51	87	83	32
Tabes Mesenterica ..	0·18	0·18	0·18	75	39	36	28	19	7	3	1	58	3	3	3	1	4	1	1	1	—	—
Phthisis	1·64	1·45	1·83	675	307	368	3	1	3	3	1	11	6	18	39	81	183	140	101	74	22	—
Other Tub. & Scrof. Dis.	0·27	0·31	0·23	112	65	47	26	18	7	2	2	55	16	11	4	10	7	5	—	4	—	—
Diseases of Nervous System ..	3·24	3·27	3·22	1337	690	647	227	34	11	13	7	292	22	13	15	19	106	154	154	201	212	149
Diseases of Circulatory „ ..	1·90	1·76	2·04	782	372	410	5	—	—	1	—	6	6	18	11	7	34	51	101	193	226	129
Diseases of Respiratory „ ..	2·86	3·12	2·59	1181	659	522	295	108	28	21	19	471	18	8	15	14	35	39	73	147	189	172
Diseases of Digestive „ ..	1·13	1·16	1·10	467	245	222	161	43	6	6	—	216	9	7	7	7	21	34	34	51	46	35
Diseases of Urinary „ ..	0·39	0·47	0·30	159	99	60	5	4	2	1	1	13	2	3	4	6	11	11	26	28	27	28
Diseases of Generative „ ..	0·06	0·00	0·11	23	1	22	—	—	—	—	—	—	—	—	2	—	3	3	5	4	2	4
Puerperal Fever ..	0·06	—	0·11	23	—	23	—	—	—	—	—	—	—	—	2	9	9	3	—	—	—	—
Childbirth	0·08	—	0·16	33	—	33	—	—	—	—	—	—	—	—	—	3	19	10	1	—	—	—
Violence	0·60	0·83	0·35	246	175	71	14	6	14	4	6	44	14	8	12	12	35	24	32	27	21	17
Other Causes ..	4·06	4·05	4·13	1676	851	825	690	31	13	4	4	742	12	14	19	13	34	33	68	77	212	452

Marriages 2,916

Births .. { Males .. 6,713 / Females 6,275 } 12,988

Annual Rate per 1000 living { Persons Married .. 14·15 / Births .. .. .. 31·50 }

Annual Births to 1000 Females aged 15—45 years = 153.

Deaths from Childbirth and Puerperal Fever .. .. } 4·31 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

370.—CANNOCK.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 15·90			*145	—	—	—	—	50·81	3·22	2·21	3·39	4·27	5·41	6·75	12·85	27·30	66·02	149·12
Annual Death-Rate per 1000. Males	—			16·67			*163	—	—	—	—	56·30	3·10	2·41	3·69	4·17	4·53	6·67	14·38	30·92	69·86	152·94
Annual Death-Rate per 1000. Females	—			15·18			*126	—	—	—	—	45·28	3·34	2·00	2·96	4·40	6·39	6·84	11·21	23·55	62·08	145·35
Mean Population, 1891–1900. Persons	—			43,773			1335	1233	1210	1192	1212	6182	5707	5209	4161	3581	6176	4739	3657	2465	1383	513
Mean Population, 1891–1900. Males	—			22,925			681	640	587	590	603	3101	2836	2659	2437	2013	3267	2503	1899	1255	700	255
Mean Population, 1891–1900. Females	—			20,848			654	593	623	602	609	3081	2871	2550	1724	1568	2909	2236	1758	1210	683	258
Deaths from All Causes, 1891–1900. Persons	16·47			7,209			2262	515	178	106	80	3141	184	115	141	153	334	320	470	673	913	765
Deaths from All Causes, 1891–1900. Males	17·13			3,927			1300	257	96	53	40	1746	88	64	90	84	148	167	273	388	489	390
Deaths from All Causes, 1891–1900. Females	15·74			3,282			962	258	82	53	40	1395	96	51	51	69	186	153	197	285	424	375
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·00	0·00	2	1	1	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—
Measles	0·45	0·46	0·43	195	105	90	51	67	32	17	12	179	14	1	—	—	1	—	—	—	—	—
Scarlet Fever	0·16	0·11	0·22	71	26	45	5	9	12	15	6	47	20	—	1	—	—	2	1	—	—	—
Diphtheria	0·11	0·09	0·12	47	21	26	1	6	3	5	3	18	18	5	3	2	1	—	—	—	—	—
Whooping-cough	0·27	0·25	0·30	120	57	63	63	36	13	4	1	117	2	—	—	—	1	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·08	0·08	0·09	37	19	18	—	2	1	—	—	3	2	4	4	12	5	2	4	1	—	—
Simple Continued Fever	0·00	0·00	—	1	1	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·62	0·66	0·58	272	151	121	176	40	6	5	—	227	2	—	—	—	2	1	3	4	14	19
Cholera	0·01	0·01	0·00	4	3	1	—	1	—	—	—	1	—	—	—	—	1	1	—	1	—	—
Cancer	0·65	0·55	0·76	286	127	159	—	—	—	—	—	—	—	2	3	1	4	25	49	75	100	27
Tabes Mesenterica	0·18	0·17	0·19	79	40	39	43	16	1	2	2	64	6	5	1	—	1	—	1	1	—	—
Phthisis	0·69	0·73	0·65	304	168	136	3	3	2	1	1	10	7	10	33	39	88	42	52	16	7	—
Other Tub. & Scrof. Dis.	0·21	0·22	0·21	94	50	44	28	13	11	6	6	64	5	10	4	4	5	1	1	—	—	—
Diseases of Nervous System	1·99	2·14	1·84	873	490	383	348	52	18	7	4	429	15	8	13	7	20	26	47	90	132	86
Diseases of Circulatory „	1·37	1·33	1·41	599	305	294	5	1	—	—	2	8	11	16	11	6	29	34	85	141	180	78
Diseases of Respiratory „	3·65	4·03	3·22	1596	924	672	483	188	54	24	28	777	38	12	12	16	29	46	102	176	214	174
Diseases of Digestive „	0·91	0·92	0·89	397	211	186	124	31	4	3	1	163	8	6	3	8	14	24	39	57	54	21
Diseases of Urinary „	0·34	0·40	0·28	150	91	59	3	5	2	1	1	12	1	1	2	2	12	11	18	27	39	25
Diseases of Generative „	0·02	0·00	0·04	9	1	8	1	—	—	—	—	1	1	—	—	3	1	2	—	—	1	—
Puerperal Fever	0·08	—	0·17	35	—	35	—	—	—	—	—	—	—	—	2	5	19	9	—	—	—	—
Childbirth	0·11	—	0·23	48	—	48	—	—	—	—	—	—	—	—	—	4	19	23	2	—	—	—
Violence	0·66	1·01	0·27	287	231	56	23	6	9	14	11	63	20	19	30	20	32	29	23	25	17	9
OTHER CAUSES	3·91	3·97	3·84	1703	905	798	904	38	10	2	2	956	14	16	19	24	49	42	43	59	155	326

Marriages 3,163

Births .. { Males .. 7,972 / Females 7,611 } 15,583

Annual Rate per 1000 living { Persons Married .. 14·45 / Births .. .. .. 35·60 }

Annual Births to 1000 Females aged 15—45 years = 185.

Deaths from Childbirth and Puerperal Fever .. .. } 5·33 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

371.—WOLVERHAMPTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 21·23			*188	—	—	—	—	75·33	4·61	2·45	3·51	5·03	6·99	11·27	18·32	36·11	75·57	152·96
Annual Death-Rate per 1000. Males	—			22·85			*205	—	—	—	—	82·92	4·80	2·56	3·59	5·51	7·57	12·21	19·97	39·19	83·13	164·30
Annual Death-Rate per 1000. Females	—			19·72			*169	—	—	—	—	67·87	4·42	2·35	3·42	4·56	6·41	10·32	16·71	33·24	68·88	144·55
Mean Population, 1891-1900. Persons	—			163,002			4621	4051	4200	4065	4090	21027	19341	18504	16794	14840	24495	18610	13426	9070	5137	1758
Mean Population, 1891-1900. Males	—			81,111			2303	1991	2084	2006	2035	10419	9672	9352	8569	7369	12195	9373	6634	4368	2412	748
Mean Population, 1891-1900. Females	—			81,891			2318	2060	2116	2059	2055	10608	9669	9152	8225	7471	12300	9237	6792	4702	2725	1010
Deaths from All Causes, 1891-1900. Persons	21·25			34,634			10650	2863	1136	705	485	15839	891	454	589	747	1711	2097	2460	3275	3882	2689
Deaths from All Causes, 1891-1900. Males	22·68			18,394			5965	1486	557	377	254	8639	464	239	308	406	923	1144	1325	1712	2005	1229
Deaths from All Causes, 1891-1900. Females	19·83			16,240			4685	1377	579	328	231	7200	427	215	281	341	788	953	1135	1563	1877	1460
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·04	0·04	0·04	62	32	30	12	2	5	1	2	22	3	1	2	5	14	11	3	1	—	—
Measles	0·48	0·48	0·48	787	391	396	177	277	150	78	53	735	47	2	2	—	1	—	—	—	—	—
Scarlet Fever	0·21	0·22	0·20	340	177	163	24	50	66	57	52	249	69	10	5	5	1	1	—	—	—	—
Diphtheria	0·28	0·29	0·27	452	235	217	20	61	63	81	69	294	124	21	3	—	3	4	1	1	1	—
Whooping-cough	0·52	0·47	0·57	843	380	463	358	252	105	62	39	816	25	—	—	1	—	—	—	—	1	—
Typhus	0·00	0·00	0·00	2	1	1	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—	—
Enteric Fever	0·27	0·28	0·25	436	230	206	1	5	6	11	15	38	34	42	76	70	84	54	26	11	1	—
Simple Continued Fever	0·00	0·01	—	7	7	—	—	—	2	—	1	3	3	—	—	—	1	—	—	—	—	—
Diarrhœa & Dysentery	1·36	1·44	1·29	2221	1165	1056	1615	371	59	17	4	2066	10	—	1	1	1	3	13	25	45	56
Cholera	0·01	0·02	0·01	24	13	11	18	5	—	—	—	23	—	—	—	—	—	—	1	—	—	—
Cancer	0·61	0·46	0·77	1008	376	632	1	3	3	3	—	10	5	3	6	10	41	121	229	293	226	64
Tabes Mesenterica	0·24	0·26	0·22	398	214	184	199	95	32	9	9	344	21	5	9	3	6	4	4	2	—	—
Phthisis	1·20	1·49	0·92	1962	1206	756	114	65	20	15	8	222	21	46	109	236	480	408	266	127	44	3
Other Tub. & Scrof. Dis.	0·27	0·31	0·24	445	248	197	106	73	30	27	16	252	47	33	28	14	33	23	10	3	1	1
Diseases of Nervous System	2·23	2·40	2·06	3631	1944	1687	1352	248	100	67	44	1811	77	49	50	36	92	145	218	426	510	217
Diseases of Circulatory "	1·41	1·39	1·44	2299	1124	1175	16	3	3	1	1	24	29	59	57	53	148	260	359	551	545	214
Diseases of Respiratory "	4·44	4·97	3·92	7243	4032	3211	1764	837	306	165	89	3161	151	32	59	77	247	402	573	927	1074	540
Diseases of Digestive "	1·56	1·64	1·48	2541	1332	1209	1086	238	40	21	14	1399	35	41	38	45	82	136	208	260	211	86
Diseases of Urinary "	0·47	0·55	0·40	772	447	325	16	17	10	6	4	53	19	7	20	18	57	105	167	145	120	61
Diseases of Generative "	0·04	0·01	0·07	66	7	59	3	1	—	—	—	4	—	—	1	4	9	11	15	11	8	3
Puerperal Fever	0·07	—	0·14	114	—	114	—	—	—	—	—	—	—	—	3	32	57	21	1	—	—	—
Childbirth	0·10	—	0·20	167	—	167	—	—	—	—	—	—	—	—	3	23	72	66	3	—	—	—
Violence	0·67	0·90	0·43	1084	731	353	77	37	58	55	48	275	98	48	57	53	103	106	106	96	86	56
OTHER CAUSES	4·77	5·05	4·43	7730	4102	3628	3691	223	77	29	17	4037	73	55	59	61	179	216	257	396	1009	1388

Marriages 13,467

Births .. { Males .. 29,042 / Females 27,698 } 56,740

Annual Rate per 1000 living { Persons Married .. 16·52 / Births .. .. .. 34·81

Annual Births to 1000 Females aged 15—45 years = 152.

Deaths from Childbirth and Puerperal Fever .. .. } 4·95 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

372.—WALSALL.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 20·43			*184	—	—	—	—	72·33	4·38	2·69	3·37	4·40	6·01	10·84	16·50	36·50	75·65	151·11
Annual Death-Rate per 1000. Males	—			21·56			*200	—	—	—	—	78·49	4·19	2·81	3·53	4·36	5·91	11·44	17·40	40·67	79·31	164·63
Annual Death-Rate per 1000. Females	—			19·38			*167	—	—	—	—	66·19	4·57	2·56	3·21	4·44	6·12	10·23	15·60	32·41	72·24	140·54
Mean Population, 1891–1900. Persons	—			108,528			3274	2849	2905	2876	2864	14768	13449	12426	11697	10330	16430	11908	8483	5416	2764	857
Mean Population, 1891–1900. Males	—			54,327			1679	1416	1435	1439	1392	7361	6725	6225	5842	5133	8309	6060	4277	2685	1334	376
Mean Population, 1891–1900. Females	—			54,201			1595	1433	1470	1437	1472	7407	6724	6201	5855	5197	8121	5848	4206	2731	1430	481
Deaths from All Causes, 1891–1900. Persons	19·81			21,495			7258	2038	724	398	263	10681	589	334	394	455	988	1291	1400	1977	2091	1295
Deaths from All Causes, 1891–1900. Males	20·91			11,362			4013	1036	375	220	134	5778	282	175	206	224	491	693	744	1092	1058	619
Deaths from All Causes, 1891–1900. Females	18·70			10,133			3245	1002	349	178	129	4903	307	159	188	231	497	598	656	885	1033	676
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·09	0·10	0·07	94	54	40	18	6	16	4	5	49	4	2	4	8	13	12	1	1	—	—
Measles	0·57	0·57	0·57	617	307	310	137	234	114	57	36	578	36	2	—	—	—	1	—	—	—	—
Scarlet Fever	0·23	0·22	0·24	248	118	130	15	39	48	44	30	176	63	5	—	1	1	1	1	—	—	—
Diphtheria	0·13	0·16	0·10	141	85	56	8	27	21	18	16	90	36	7	4	—	2	2	—	—	—	—
Whooping-cough	0·47	0·41	0·53	505	220	285	241	150	64	21	16	492	13	—	—	—	—	—	—	—	—	—
Typhus	0·00	0·00	0·00	2	1	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
Enteric Fever	0·20	0·22	0·18	217	121	96	2	1	3	4	4	14	23	31	45	26	40	22	11	4	1	—
Simple Continued Fever	0·01	0·01	0·00	6	4	2	—	—	2	—	—	2	1	—	—	1	—	—	—	—	1	1
Diarrhœa & Dysentery	1·36	1·41	1·31	1479	767	712	1062	262	30	10	7	1371	1	2	1	—	5	8	13	23	36	19
Cholera	0·01	0·01	0·00	7	5	2	3	1	—	—	—	4	—	—	1	—	—	—	—	2	—	—
Cancer	0·53	0·40	0·66	574	217	357	—	—	1	—	1	2	5	1	1	1	17	66	145	169	132	35
Tabes Mesenterica	0·22	0·23	0·20	236	127	109	142	50	12	6	3	213	6	5	5	2	4	1	—	—	—	—
Phthisis	1·07	1·22	0·91	1158	663	495	45	26	8	6	5	90	31	47	101	132	268	254	148	73	11	3
Other Tub. & Scrof. Dis.	0·36	0·39	0·34	395	211	184	142	79	35	13	15	284	35	9	13	15	22	7	7	2	1	—
Diseases of Nervous System	2·17	2·32	2·01	2351	1260	1091	1002	165	56	40	25	1288	72	36	33	19	54	96	142	239	268	104
Diseases of Circulatory „	1·25	1·20	1·29	1351	653	698	17	5	2	2	1	27	22	34	29	40	91	156	225	337	308	82
Diseases of Respiratory „	4·55	5·04	4·06	4938	2738	2200	1338	659	211	110	58	2376	104	38	54	78	154	281	351	615	605	282
Diseases of Digestive „	1·26	1·29	1·22	1362	703	659	570	157	25	9	9	770	17	27	25	12	51	96	112	144	87	21
Diseases of Urinary „	0·37	0·41	0·34	406	224	182	23	26	10	6	1	66	8	4	9	11	32	48	46	83	77	22
Diseases of Generative „	0·03	—	0·05	29	—	29	—	1	—	—	—	1	—	—	—	4	5	7	4	6	2	—
Puerperal Fever	0·08	—	0·16	88	—	88	—	—	—	—	—	—	—	—	4	17	43	23	1	—	—	—
Childbirth	0·12	—	0·23	127	—	127	—	—	—	—	—	—	—	—	2	24	47	54	—	—	—	—
Violence	0·69	0·90	0·47	747	491	256	94	29	40	39	20	222	81	49	31	31	54	71	72	74	43	19
OTHER CAUSES	4·04	4·40	3·76	4417	2393	2024	2399	121	26	9	11	2566	31	34	32	33	84	85	121	205	519	707

Marriages 8,853

Births .. { Males .. 20,067 / Females 19,403 } 39,470

Annual Rate per 1000 living { Persons Married .. 16·31 / Births .. .. .. 36·37

Annual Births to 1000 Females aged 15—45 years = 158.

Deaths from Childbirth and Puerperal Fever .. .. } 5·45 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

373.—WEST BROMWICH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 19·07	*174	—	—	—	—	67·48	3·98	2·22	2·89	3·89	5·52	9·05	16·33	32·98	71·44	153·22
Annual Death-Rate per 1000. Males ..	—	In Standard Population. 20·53	*190	—	—	—	—	73·77	4·06	2·07	3·18	4·34	5·90	10·28	17·74	37·35	80·14	161·10
Annual Death-Rate per 1000. Females	—	In Standard Population. 17·69	*156	—	—	—	—	61·31	3·89	2·36	2·60	3·46	5·16	7·85	14·98	28·99	64·20	147·34
Mean Population, 1891–1900. Persons	—	156,047	4355	3928	3919	3851	3911	19964	18488	17568	16334	14993	24249	17694	12748	8187	4377	1445
Mean Population, 1891–1900. Males ..	—	76,696	2180	1924	1914	1895	1962	9875	9186	8726	8248	7275	11880	8753	6241	3906	1989	617
Mean Population, 1891–1900. Females	—	79,351	2175	2004	2005	1956	1949	10089	9302	8842	8086	7718	12369	8941	6507	4281	2388	828
Deaths from All Causes, 1891–1900. Persons	18·40	28,715	9048	2658	880	536	349	13471	735	390	472	583	1339	1602	2082	2700	3127	2214
Deaths from All Causes, 1891–1900. Males ..	19·78	15,172	5047	1371	436	255	176	7285	373	181	262	316	701	900	1107	1459	1594	994
Deaths from All Causes, 1891–1900. Females	17·07	13,543	4001	1287	444	281	173	6186	362	209	210	267	638	702	975	1241	1533	1220

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox..	0·01	0·01	0·02	20	8	12	5	—	1	1	—	7	1	2	1	1	4	2	2	—	—	—
Measles	0·57	0·59	0·55	889	455	434	194	386	129	88	46	843	43	1	1	—	—	1	—	—	—	—
Scarlet Fever	0·20	0·18	0·21	308	141	167	17	47	56	43	38	201	75	20	6	6	—	—	—	—	—	—
Diphtheria	0·13	0·14	0·11	197	109	88	17	31	21	35	32	136	48	5	5	1	1	—	1	—	—	—
Whooping-cough ..	0·38	0·32	0·43	588	243	345	266	177	76	36	21	576	12	—	—	—	—	—	—	—	—	—
Typhus	0·00	0·00	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Enteric Fever	0·22	0·25	0·19	344	191	153	1	7	3	5	8	24	37	42	59	52	68	34	14	10	4	—
Simple Continued Fever	0·01	0·01	0·01	8	4	4	2	1	1	1	—	5	2	—	—	—	—	—	1	—	—	—
Diarrhœa & Dysentery	0·96	1·05	0·88	1503	805	698	1016	259	37	11	9	1332	8	2	2	1	4	7	15	24	53	55
Cholera	0·01	0·01	0·01	18	11	7	7	—	—	1	—	8	—	2	1	1	3	—	2	1	—	—
Cancer	0·59	0·44	0·73	922	341	581	2	1	2	—	4	9	2	2	2	10	27	82	193	290	237	68
Tabes Mesenterica ..	0·37	0·43	0·31	572	326	246	329	146	31	17	7	530	17	5	4	2	4	4	4	2	—	—
Phthisis	0·86	1·04	0·68	1340	800	540	19	12	1	1	5	38	18	33	104	167	343	314	211	91	16	5
Other Tub. & Scrof. Dis.	0·32	0·36	0·29	501	274	227	165	100	40	17	8	330	54	29	17	17	25	13	10	5	1	—
Diseases of Nervous System ..	1·99	2·16	1·83	3108	1660	1448	1037	221	78	52	36	1424	82	43	34	22	94	149	218	360	468	214
Diseases of Circulatory " ..	1·21	1·24	1·18	1884	949	935	31	4	1	3	7	46	26	31	58	37	110	180	330	454	448	164
Diseases of Respiratory " ..	3·81	4·30	3·34	5947	3299	2648	1588	772	244	136	63	2803	119	41	43	67	186	285	459	738	830	376
Diseases of Digestive " ..	1·35	1·42	1·28	2100	1085	1015	919	225	47	17	15	1223	31	23	25	42	59	109	160	196	152	80
Diseases of Urinary " ..	0·41	0·48	0·35	647	369	278	17	19	13	3	4	56	8	12	10	13	46	76	120	131	124	51
Diseases of Generative " ..	0·04	0·00	0·07	56	3	53	1	1	—	—	—	2	—	—	2	3	10	7	16	6	8	2
Puerperal Fever ..	0·07	—	0·13	102	—	102	—	—	—	—	—	—	—	—	2	16	57	26	1	—	—	—
Childbirth	0·07	—	0·15	116	—	116	—	—	—	—	—	—	—	—	1	14	60	38	3	—	—	—
Violence	0·63	0·88	0·40	988	674	314	116	45	36	42	30	269	89	46	40	48	99	99	109	94	55	40
Other Causes ..	4·19	4·47	3·92	6556	3424	3132	3299	204	63	27	16	3609	63	51	55	63	139	175	213	298	731	1159

Marriages 12,688

Births .. { Males .. 26,516 / Females 25,572 } 52,088

Annual Rate per 1000 living { Persons Married .. 16·26 / Births .. .. .. 33·38 }

Annual Births to 1000 Females aged 15—45 years = 140.

Deaths from Childbirth and Puerperal Fever .. .. } 4·19 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

374.—DUDLEY.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		20·68	*177	—	—	—	—	72·10	3·97	2·09	3·44	4·84	5·99	9·60	15·65	33·50	75·28	160·55
Annual Death-Rate per 1000. Males ..	—					21·21	*195	—	—	—	—	78·46	4·05	2·09	3·70	4·98	5·87	10·02	16·94	36·80	80·75	170·85
Annual Death-Rate per 1000. Females	—					19·01	*158	—	—	—	—	65·86	3·90	2·09	3·14	4·69	6·11	9·18	14·40	30·41	70·52	152·63
Mean Population, 1891–1900. Persons	—			146,998			4587	4045	3976	3968	3961	20537	18788	17334	15592	13104	20757	15508	11534	7928	4433	1483
Mean Population, 1891–1900. Males ..	—			73,475			2296	2004	1964	1952	1961	10177	9342	8676	8179	6663	10422	7783	5692	3834	2062	645
Mean Population, 1891–1900. Females	—			73,523			2291	2041	2012	2016	2000	10360	9446	8658	7413	6441	10335	7725	5842	4094	2371	838
Deaths from All Causes, 1891–1900. Persons	20·41			29,997			9859	2956	1020	573	400	14808	746	362	536	634	1243	1489	1805	2656	3337	2381
Deaths from All Causes, 1891–1900. Males ..	21·39			15,713			5496	1521	498	273	197	7985	378	181	303	332	612	780	964	1411	1665	1102
Deaths from All Causes, 1891–1900. Females	19·43			14,284			4363	1435	522	300	203	6823	368	181	233	302	631	709	841	1245	1672	1279
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	0·01	0·01	0·02	20	8	12	1	1	—	—	1	3	2	1	3	5	4	1	—	1	—	—
Measles	0·75	0·76	0·75	1103	555	548	220	489	184	101	70	1064	34	—	2	1	1	—	1	—	—	—
Scarlet Fever	0·25	0·25	0·26	371	183	188	28	86	90	46	29	279	73	8	3	3	4	1	—	—	—	—
Diphtheria	0·11	0·10	0·13	168	75	93	11	34	19	25	27	116	43	4	1	2	1	—	—	1	—	—
Whooping-cough ..	0·47	0·41	0·54	695	298	397	345	193	76	33	25	672	23	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·30	0·33	0·27	440	240	200	2	7	4	15	16	44	39	45	80	63	81	32	29	23	4	—
Simple Continued Fever	0·00	0·00	0·01	6	1	5	1	—	—	—	2	3	1	1	—	—	1	—	—	—	—	—
Diarrhœa & Dysentery	1·08	1·13	1·02	1585	832	753	1034	319	52	15	10	1430	13	5	1	5	3	8	8	23	45	44
Cholera	0·01	0·01	0·01	17	11	6	5	2	—	1	—	8	1	—	—	—	1	1	4	2	—	—
Cancer	0·53	0·40	0·65	772	295	477	—	—	1	2	2	5	2	1	5	5	35	87	155	247	173	57
Tabes Mesenterica ..	0·36	0·41	0·31	529	299	230	271	166	42	12	2	493	12	8	2	2	4	5	1	2	—	—
Phthisis	0·76	0·83	0·68	1116	613	503	20	14	9	10	8	61	30	34	101	140	274	217	130	99	29	1
Other Tub. & Scrof. Dis.	0·27	0·28	0·25	391	205	186	117	87	37	12	17	270	47	11	17	12	19	9	3	3	—	—
Diseases of Nervous System ..	2·25	2·31	2·19	3305	1696	1609	1236	165	77	41	29	1548	85	46	35	48	79	140	186	372	534	232
Diseases of Circulatory " ..	1·26	1·19	1·33	1852	874	978	11	2	1	—	7	21	24	33	52	34	96	167	294	480	504	147
Diseases of Respiratory " ..	4·19	4·76	3·62	6156	3496	2660	1699	812	280	163	74	3028	112	37	64	70	165	285	422	725	827	421
Diseases of Digestive " ..	1·27	1·33	1·21	1861	974	887	724	244	31	21	22	1042	35	23	29	27	68	95	166	175	150	51
Diseases of Urinary " ..	0·37	0·40	0·34	542	294	248	13	42	12	5	4	76	11	13	14	24	37	59	84	103	87	34
Diseases of Generative " ..	0·03	0·00	0·06	47	3	44	3	—	3	2	—	8	—	—	—	2	8	11	6	8	3	1
Puerperal Fever ..	0·07	—	0·14	103	—	103	—	—	—	—	—	—	—	—	3	20	57	23	—	—	—	—
Childbirth	0·11	—	0·22	159	—	159	—	—	—	—	—	—	—	—	5	31	64	55	4	—	—	—
Violence	0·69	0·98	0·41	1020	717	303	94	33	47	44	34	252	92	39	67	72	100	100	91	87	81	39
OTHER CAUSES ..	5·27	5·50	5·01	7739	4044	3695	4024	260	55	25	21	4385	67	53	52	68	141	193	221	305	900	1354

Marriages 13,345

Births .. { Males .. 28,145 / Females 27,579 } 55,724

Annual Rate per 1000 living { Persons Married .. 18·16 / Births .. .. .. 37·91 }

Annual Births to 1000 Females aged 15—45 years = 175.

Deaths from Childbirth and Puerperal Fever .. .. } 4·70 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

375.—STOURBRIDGE.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 17·74			*159	—	—	—	—	61·77	3·62	2·02	2·72	4·16	5·42	7·97	14·10	29·41	71·24	150·83
Annual Death-Rate per 1000. Males ..	—			18·95			*175	—	—	—	—	67·63	3·47	2·24	2·75	4·02	5·52	8·37	16·31	33·57	76·71	162·09
Annual Death-Rate per 1000. Females	—			16·60			*142	—	—	—	—	55·91	3·76	1·80	2·69	4·30	5·33	7·57	11·97	25·66	66·40	141·67
Mean Population, 1891–1900. Persons	—			87,221			2513	2242	2312	2274	2237	11578	10895	10175	9138	7789	12360	9399	7028	4967	2869	1023
Mean Population, 1891–1900. Males ..	—			43,505			1256	1108	1141	1169	1118	5792	5473	5132	4759	3908	6145	4682	3451	2356	1348	459
Mean Population, 1891–1900. Females	—			43,716			1257	1134	1171	1105	1119	5786	5422	5043	4379	3881	6215	4717	3577	2611	1521	564
Deaths from All Causes, 1891–1900. Persons	18·10			15,783			4887	1301	510	287	167	7152	394	206	249	324	670	749	991	1461	2044	1543
Deaths from All Causes, 1891–1900. Males ..	19·25			8,373			2761	690	267	122	77	3917	190	115	131	157	339	392	563	791	1034	744
Deaths from All Causes, 1891–1900. Females	16·95			7,410			2126	611	243	165	90	3235	204	91	118	167	331	357	428	670	1010	799
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	0·02	0·02	0·01	15	10	5	4	—	1	—	—	5	—	1	1	1	4	2	—	1	—	—
Measles	0·56	0·56	0·56	487	242	245	97	197	84	55	28	461	24	1	—	1	—	—	—	—	—	—
Scarlet Fever	0·19	0·18	0·20	167	80	87	7	30	48	24	14	123	31	11	1	—	1	—	—	—	—	—
Diphtheria	0·11	0·09	0·13	96	40	56	11	19	16	16	8	70	19	2	2	1	—	1	—	1	—	—
Whooping-cough ..	0·41	0·37	0·45	360	162	198	163	104	35	28	16	346	14	—	—	—	—	—	—	—	—	—
Typhus	0·00	0·00	—	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Enteric Fever	0·18	0·22	0·14	157	96	61	—	—	2	4	—	6	11	16	27	29	37	16	9	6	—	—
Simple Continued Fever	0·02	0·02	0·02	17	10	7	6	3	2	3	—	14	2	1	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·85	0·95	0·76	744	412	332	503	128	18	6	2	657	5	1	—	—	4	7	2	11	33	24
Cholera	0·01	0·02	0·01	11	8	3	3	1	—	—	—	4	—	—	—	—	—	1	2	3	1	—
Cancer	0·61	0·50	0·73	536	216	320	—	1	1	—	—	2	2	1	—	6	18	52	131	150	127	47
Tabes Mesenterica ..	0·30	0·33	0·27	264	144	120	161	60	17	5	—	243	5	6	4	—	—	2	—	2	2	—
Phthisis	0·76	0·82	0·70	665	358	307	4	9	6	3	2	24	17	27	55	82	185	132	90	43	10	—
Other Tub. & Scrof. Dis.	0·29	0·34	0·25	254	146	108	75	46	21	8	10	160	40	12	10	5	10	9	3	3	2	—
Diseases of Nervous System ..	1·92	2·02	1·82	1675	880	795	532	76	38	22	11	679	37	17	21	13	38	52	95	198	335	190
Diseases of Circulatory " ..	1·46	1·35	1·56	1269	589	680	22	2	—	—	—	24	7	18	22	23	55	88	161	312	396	163
Diseases of Respiratory " ..	3·47	3·90	3·04	3025	1695	1330	814	347	133	64	40	1398	65	15	22	28	64	121	183	340	496	293
Diseases of Digestive " ..	1·30	1·40	1·20	1132	609	523	439	148	33	18	10	648	30	15	13	13	36	53	86	106	92	40
Diseases of Urinary " ..	0·48	0·62	0·34	419	271	148	6	8	6	2	1	23	9	4	6	11	28	43	62	84	101	48
Diseases of Generative " ..	0·03	0·01	0·04	24	6	18	1	1	—	—	1	3	—	—	—	—	7	5	3	3	2	1
Puerperal Fever ..	0·09	—	0·18	78	—	78	—	—	—	—	—	—	—	—	—	25	39	14	—	—	—	—
Childbirth	0·09	—	0·18	77	—	77	—	—	—	—	—	—	—	—	4	11	33	25	4	—	—	—
Violence	0·60	0·89	0·31	522	387	135	59	18	28	8	13	126	48	17	26	28	47	51	53	53	47	26
OTHER CAUSES ..	4·35	4·64	4·05	3788	2011	1777	1980	103	21	21	11	2136	28	41	34	47	64	75	107	145	400	711

Marriages 7,169

Births .. { Males .. 15,774 / Females 14,949 } 30,723

Annual Rate per 1000 living { Persons Married .. 16·44 / Births .. .. .. 35·22

Annual Births to 1000 Females aged 15—45 years = 160.

Deaths from Childbirth and Puerperal Fever .. .. } 5·05 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

376.—KIDDERMINSTER.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 16·07			*139	—	—	—	—	46·27	3·59	1·86	3·34	4·25	5·55	8·55	15·13	30·27	64·92	153·25
Annual Death-Rate per 1000. Males ..	—			17·41			*156	—	—	—	—	54·13	3·77	1·95	3·15	5·07	6·28	9·53	16·29	31·92	70·50	162·79
Annual Death-Rate per 1000. Females	—			14·81			*122	—	—	—	—	39·00	3·40	1·77	3·50	3·65	4·96	7·73	14·11	28·85	60·24	145·92
Mean Population, 1891–1900. Persons	—			40,969			908	856	903	896	893	4456	4546	4565	4312	3696	6005	4794	3669	2554	1679	693
Mean Population, 1891–1900. Males ..	—			18,982			437	417	433	427	429	2143	2252	2252	1966	1557	2661	2193	1713	1178	766	301
Mean Population, 1891–1900. Females	—			21,987			471	439	470	469	464	2313	2294	2313	2346	2139	3344	2601	1956	1376	913	392
Deaths from All Causes, 1891–1900. Persons	16·68			6,834			1466	304	143	88	61	2062	163	85	144	157	333	410	555	773	1090	1062
Deaths from All Causes, 1891–1900. Males ..	18·39			3,491			832	182	69	49	28	1160	85	44	62	79	167	209	279	376	540	490
Deaths from All Causes, 1891–1900. Females	15·20			3,343			634	122	74	39	33	902	78	41	82	78	166	201	276	397	550	572
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·25	0·31	0·21	104	58	46	27	39	15	10	5	96	8	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·08	0·08	0·08	34	16	18	1	4	7	10	3	25	5	3	—	1	—	—	—	—	—	—
Diphtheria	0·26	0·27	0·25	106	51	55	3	15	16	15	18	67	24	8	5	—	—	1	—	1	—	—
Whooping-cough ..	0·23	0·24	0·23	95	45	50	47	28	13	3	3	94	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·08	0·07	0·08	32	14	18	—	—	1	—	—	1	3	3	7	1	5	4	2	3	2	1
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·44	0·51	0·38	180	97	83	120	18	—	—	—	138	—	1	—	—	1	1	1	5	21	12
Cholera	0·03	0·05	0·01	11	9	2	8	1	—	—	—	9	—	—	—	—	—	—	—	2	—	—
Cancer	0·90	0·66	1·11	370	125	245	—	—	—	—	—	—	—	—	—	4	7	30	84	102	104	39
Tabes Mesenterica ..	0·18	0·21	0·15	72	40	32	34	8	6	—	1	49	7	1	5	1	5	1	—	—	1	2
Phthisis	1·10	1·36	0·86	449	259	190	7	3	3	2	1	16	7	9	38	59	111	101	68	29	9	2
Other Tub. & Scrof. Dis.	0·30	0·39	0·22	122	74	48	25	20	7	8	2	62	18	6	8	6	9	5	3	3	2	—
Diseases of: Nervous System ..	1·68	1·80	1·58	689	342	347	150	20	12	7	4	193	14	3	16	7	20	34	50	94	141	117
Diseases of: Circulatory " ..	1·67	1·72	1·63	685	326	359	2	1	—	1	1	5	7	15	9	17	31	45	111	152	206	87
Diseases of: Respiratory " ..	2·89	3·32	2·52	1183	629	554	247	89	41	22	12	411	17	4	6	7	17	56	77	152	240	196
Diseases of: Digestive " ..	1·30	1·40	1·22	534	266	268	218	35	5	3	4	265	8	5	15	9	18	23	40	55	61	35
Diseases of: Urinary " ..	0·53	0·74	0·35	218	140	78	3	—	—	—	—	3	2	2	2	6	20	19	31	51	52	30
Diseases of: Generative " ..	0·03	0·01	0·05	13	2	11	—	—	—	—	—	—	—	—	1	1	—	2	2	2	1	4
Puerperal Fever ..	0·07	—	0·12	27	—	27	—	—	—	—	—	—	—	—	—	3	16	8	—	—	—	—
Childbirth	0·09	—	0·17	37	—	37	—	—	—	—	—	—	—	—	2	6	14	15	—	—	—	—
Violence	0·67	0·97	0·41	275	185	90	25	6	8	6	7	52	30	3	11	14	26	25	29	26	29	30
OTHER CAUSES ..	3·90	4·28	3·57	1598	813	785	549	17	9	1	—	576	12	22	19	15	33	40	57	96	221	507

Marriages 3,064

Births .. { Males .. 5,324 / Females 5,198 } 10,522

Annual Rate per 1000 living { Persons Married .. 14·96 / Births .. .. .. 25·68 }

Annual Births to 1000 Females aged 15—45 years = 101.

Deaths from Childbirth and Puerperal Fever .. .. } 6·08 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

377.—TENBURY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 13·55	*105	—	—	—	—	37·59	3·60	1·84	1·92	3·27	4·74	8·60	12·88	26·81	49·33	144·44
Annual Death-Rate per 1000. Males	—	14·50	*117	—	—	—	—	42·58	3·80	1·72	1·81	3·32	4·29	8·89	15·13	31·23	59·44	134·92
Annual Death-Rate per 1000. Females	—	12·65	* 93	—	—	—	—	32·60	3·39	1·96	2·04	3·23	5·18	8·29	10·53	22·34	40·00	151·11
Mean Population, 1891–1900. Persons	—	7,156	163	140	168	171	180	822	778	816	626	550	991	779	699	567	375	153
Mean Population, 1891–1900. Males	—	3,596	81	75	83	84	88	411	395	408	332	271	489	405	357	285	180	63
Mean Population, 1891–1900. Females	—	3,560	82	65	85	87	92	411	383	408	294	279	502	374	342	282	195	90
Deaths from All Causes, 1891–1900. Persons	15·99	1,144	200	52	22	19	16	309	28	15	12	18	47	67	90	152	185	221
Deaths from All Causes, 1891–1900. Males	16·80	604	113	33	11	9	9	175	15	7	6	9	21	36	54	89	107	85
Deaths from All Causes, 1891–1900. Females	15·17	540	87	19	11	10	7	134	13	8	6	9	26	31	36	63	78	136

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·27	0·25	0·28	19	9	10	6	2	3	1	2	14	1	—	—	—	2	1	—	1	—	—
Scarlet Fever	0·15	0·19	0·11	11	7	4	1	2	1	1	3	8	2	—	1	—	—	—	—	—	—	—
Diphtheria	0·45	0·50	0·39	32	18	14	—	1	4	7	5	17	10	2	1	—	2	—	—	—	—	—
Whooping-cough	0·27	0·22	0·31	19	8	11	12	5	1	—	—	18	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·15	0·11	0·20	11	4	7	—	—	—	—	1	1	1	—	—	1	2	4	1	—	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·36	0·50	0·22	26	18	8	17	4	1	—	1	23	—	—	—	—	—	—	—	—	1	2
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·89	0·67	1·12	64	24	40	—	—	—	—	—	—	—	—	1	—	1	2	13	18	18	11
Tabes Mesenterica	0·08	0·06	0·11	6	2	4	3	1	—	—	—	4	1	—	—	—	—	—	—	1	—	—
Phthisis	0·60	0·70	0·51	43	25	18	—	—	—	—	—	—	—	1	1	2	12	11	10	3	3	—
Other Tub. & Scrof. Dis.	0·15	0·25	0·06	11	9	2	1	3	2	—	—	6	1	1	1	2	—	—	—	—	—	—
Diseases of: Nervous System	2·22	2·37	2·08	159	85	74	30	2	3	1	—	36	2	1	1	—	1	4	12	30	33	39
Diseases of: Circulatory „	1·76	1·84	1·69	126	66	60	1	—	—	1	—	2	2	2	2	2	4	8	13	27	38	26
Diseases of: Respiratory „	2·45	2·92	1·97	175	105	70	39	19	5	3	1	67	2	—	—	1	2	8	8	22	32	33
Diseases of: Digestive „	0·91	1·03	0·79	65	37	28	12	5	—	1	1	19	1	1	—	3	4	3	6	13	8	7
Diseases of: Urinary „	0·49	0·75	0·22	35	27	8	—	—	—	—	—	—	—	—	—	—	2	4	3	9	11	6
Diseases of: Generative „	0·01	—	0·03	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Puerperal Fever	0·01	—	0·03	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Childbirth	0·08	—	0·17	6	—	6	—	—	—	—	—	—	—	—	—	—	3	3	—	—	—	—
Violence	0·63	0·92	0·34	45	33	12	3	1	—	2	2	8	1	3	—	3	3	4	8	6	4	5
Other Causes	4·06	3·52	4·54	289	127	162	75	7	2	2	—	86	3	4	4	3	9	15	15	22	36	92

Marriages 456

Births .. { Males .. 966 / Females 934 } 1,900

Annual Rate per 1000 living { Persons Married .. 12·74 / Births .. .. .. 26·55

Annual Births to 1000 Females aged 15—45 years = 131.

Deaths from Childbirth and Puerperal Fever .. .. } 3·68 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

378.—MARTLEY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·83			*110	—	—	—	—	34·81	3·30	1·44	3·38	3·85	5·24	6·66	10·33	21·24	50·61	150·81
Annual Death-Rate per 1000. Males	—			13·80			*131	—	—	—	—	40·11	2·46	1·07	2·91	4·63	5·38	6·56	11·51	26·78	55·41	169·13
Annual Death-Rate per 1000. Females	—			11·92			* 88	—	—	—	—	29·56	4·08	1·84	3·88	3·15	5·12	6·74	9·25	16·33	46·67	138·46
Mean Population, 1891–1900. Persons	—			16,201			351	365	366	396	401	1879	1851	1807	1479	1196	2214	1803	1558	1224	820	370
Mean Population, 1891–1900. Males	—			7,786			183	179	186	191	196	935	895	936	757	561	1022	839	747	575	370	149
Mean Population, 1891–1900. Females	—			8,415			168	186	180	205	205	944	956	871	722	635	1192	964	811	649	450	221
Deaths from All Causes, 1891–1900. Persons	15·23			2,467			471	100	32	25	26	654	61	26	50	46	116	120	161	260	415	558
Deaths from All Causes, 1891–1900. Males	16·21			1,262			286	50	18	10	11	375	22	10	22	26	55	55	86	154	205	252
Deaths from All Causes, 1891–1900. Females	14·32			1,205			185	50	14	15	15	279	39	16	28	20	61	65	75	106	210	306
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·13	0·08	0·18	21	6	15	2	6	4	1	3	16	3	1	—	—	—	1	—	—	—	—
Scarlet Fever	0·08	0·06	0·10	13	5	8	—	1	—	3	1	5	7	—	—	—	—	1	—	—	—	—
Diphtheria	0·20	0·15	0·25	33	12	21	1	2	1	6	4	14	13	5	1	—	—	—	—	—	—	—
Whooping-cough	0·23	0·26	0·20	37	20	17	20	11	5	—	1	37	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·09	0·10	0·08	15	8	7	—	1	—	1	—	2	1	2	6	1	3	—	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·29	0·40	0·19	47	31	16	30	1	1	—	—	32	—	—	1	—	—	1	1	2	3	7
Cholera	0·01	—	0·01	1	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	0·76	0·59	0·92	123	46	77	—	—	—	—	—	—	—	1	—	—	2	10	17	36	29	23
Tabes Mesenterica	0·17	0·23	0·12	28	18	10	17	3	1	—	—	21	1	1	2	—	1	—	—	—	2	—
Phthisis	0·86	0·99	0·74	139	77	62	1	3	1	—	1	6	3	4	16	13	34	26	20	8	7	2
Other Tub. & Scrof. Dis.	0·18	0·21	0·15	29	16	13	6	5	1	1	2	15	2	2	3	2	3	2	—	—	—	—
Diseases of Nervous System	·83	1·95	1·72	297	152	145	52	10	—	1	2	65	3	—	1	3	6	6	18	33	77	85
Diseases of Circulatory „	2·41	2·61	2·23	391	203	188	—	1	—	1	1	3	2	2	5	5	15	13	34	76	120	116
Diseases of Respiratory „	2·47	3·01	1·97	400	234	166	98	31	9	6	5	149	12	2	2	2	7	12	23	40	70	81
Diseases of Digestive „	0·90	0·96	0·83	145	75	70	42	10	—	—	2	54	2	—	4	3	3	13	12	23	17	14
Diseases of Urinary „	0·33	0·45	0·21	53	35	18	1	1	—	—	2	4	—	—	—	—	7	—	7	9	15	11
Diseases of Generative „	0·04	—	0·07	6	—	6	—	—	—	—	—	—	—	—	—	—	2	2	1	—	—	1
Puerperal Fever	0·09	—	0·17	14	—	14	—	—	—	—	—	—	—	—	1	3	7	3	—	—	—	—
Childbirth	0·06	—	0·12	10	—	10	—	—	—	—	—	—	—	—	—	1	7	1	1	—	—	—
Violence	0·59	0·73	0·45	95	57	38	5	2	5	5	—	17	6	4	3	7	10	14	11	3	9	11
Other Causes	3·51	3·43	3·61	570	267	303	196	11	4	—	2	213	6	2	5	6	9	15	16	30	66	202

Marriages 1,016

Births .. { Males .. 2,185 / Females 2,098 } 4,283

Annual Rate per 1000 living { Persons Married .. 12·54 / Births .. .. .. 26·44 }

Annual Births to 1000 Females aged 15—45 years = 122.

Deaths from Childbirth and Puerperal Fever .. .. } 5·60 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

379.—WORCESTER.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		19·16	*163	—	—	—	—	61·19	4·69	3·10	3·15	4·65	6·65	11·74	18·64	33·87	66·93	143·93
Annual Death-Rate per 1000. Males ..	—					20·91	*178	—	—	—	—	67·21	4·95	3·20	3·50	5·07	7·93	13·51	21·25	38·69	74·86	155·88
Annual Death-Rate per 1000. Females	—					17·52	*147	—	—	—	—	55·41	4·43	3·01	2·85	4·34	5·60	10·21	16·42	29·92	61·35	137·11
Mean Population, 1891–1900. Persons	—			45,709			1034	960	1019	1016	993	5022	4903	4936	4728	4130	6817	5391	4223	3038	1772	749
Mean Population, 1891–1900. Males ..	—			21,051			501	463	503	508	486	2461	2422	2377	2171	1754	3052	2501	1939	1370	732	272
Mean Population, 1891–1900. Females	—			24,658			533	497	516	508	507	2561	2481	2559	2557	2376	3765	2890	2284	1668	1040	477
Deaths from All Causes, 1891–1900. Persons	19·61			8,963			2123	529	184	133	104	3073	230	153	149	192	453	633	787	1029	1186	1078
Deaths from All Causes, 1891–1900. Males ..	21·42			4,509			1183	274	85	68	44	1654	120	76	76	89	242	338	412	530	548	424
Deaths from All Causes, 1891–1900. Females	18·06			4,454			940	255	99	65	60	1419	110	77	73	103	211	295	375	499	638	654
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·00	0·00	2	1	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	1
Measles	0·40	0·44	0·37	184	92	92	45	70	29	18	12	174	8	1	—	—	1	—	—	—	—	—
Scarlet Fever	0·08	0·07	0·09	36	14	22	2	4	7	3	2	18	13	2	—	1	2	—	—	—	—	—
Diphtheria	0·39	0·35	0·42	176	73	103	7	24	18	32	24	105	55	9	—	1	2	1	2	1	—	—
Whooping-cough ..	0·41	0·41	0·42	189	86	103	95	47	19	14	10	185	3	1	—	—	—	—	—	—	—	—
Typhus	0·00	0·00	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Enteric Fever	0·11	0·13	0·09	50	28	22	—	1	—	—	4	5	4	4	12	6	9	5	4	—	1	—
Simple Continued Fever	0·00	—	0·01	2	—	2	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
Diarrhœa & Dysentery	0·52	0·58	0·47	239	122	117	183	29	3	2	—	217	3	1	—	1	2	—	1	1	6	7
Cholera	0·00	0·00	0·00	2	1	1	1	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Cancer	0·85	0·61	1·06	389	128	261	—	—	1	—	—	1	—	—	1	2	6	46	99	111	99	24
Tabes Mesenterica ..	0·31	0·38	0·25	140	79	61	90	30	4	2	—	126	5	3	2	—	3	1	—	—	—	—
Phthisis	1·35	1·66	1·09	618	350	268	7	8	3	1	2	21	10	17	34	74	125	138	99	67	31	2
Other Tub. & Scrof. Dis.	0·43	0·48	0·38	195	102	93	48	27	11	10	13	109	20	21	11	8	13	10	3	—	—	—
Diseases of Nervous System ..	2·07	2·17	1·99	946	456	490	133	32	8	9	5	187	16	13	8	16	30	51	92	157	210	166
Diseases of Circulatory " ..	2·04	1·99	2·09	934	419	515	6	5	2	2	—	15	10	21	11	13	48	82	119	210	258	147
Diseases of Respiratory " ..	3·29	3·74	2·90	1503	788	715	340	160	47	23	14	584	24	4	8	21	36	68	113	173	239	233
Diseases of Digestive " ..	1·46	1·60	1·34	668	337	331	233	36	8	3	4	284	5	9	3	8	21	47	77	98	71	45
Diseases of Urinary " ..	0·66	1·03	0·35	303	217	86	12	—	2	3	3	20	5	2	6	6	26	41	60	57	58	22
Diseases of Generative " ..	0·09	0·01	0·15	40	3	37	1	—	—	—	—	1	—	—	3	1	7	11	8	3	4	2
Puerperal Fever ..	0·09	—	0·16	39	—	39	—	—	—	—	—	—	—	—	1	9	16	13	—	—	—	—
Childbirth	0·06	—	0·12	29	—	29	—	—	—	—	—	—	—	—	2	2	12	13	—	—	—	—
Violence	0·80	1·19	0·46	365	251	114	44	13	10	6	10	83	34	21	17	10	42	42	28	33	34	21
Other Causes ..	4·20	4·58	3·85	1913	961	952	876	42	11	5	1	935	14	24	30	13	52	64	81	117	175	408

Marriages 3,757

Births .. { Males .. 6,628 / Females 6,390 } 13,018

Annual Rate per 1000 living { Persons Married .. 16·44 / Births .. .. .. 28·48 }

Annual Births to 1000 Females aged 15—45 years = 112.

Deaths from Childbirth and Puerperal Fever .. .. } 5·22 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

380.—UPTON ON SEVERN.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 15·63			*109	—	—	—	—	34·65	2·39	2·35	3·43	5·32	7·29	12·06	17·13	29·80	61·18	155·56
Males ..	—						*129	—	—	—	—	40·57	2·64	3·00	3·61	6·95	9·01	15·17	23·23	35·70	72·58	173·93
Females	—			18·06			* 89	—	—	—	—	28·85	2·14	1·66	3·26	4·35	6·13	9·76	12·75	25·35	52·77	145·19
				13·35																		
Mean Population, 1891–1900. Persons	—			24,018			410	425	435	460	466	2196	2306	2469	2593	1974	3499	2835	2370	1903	1288	585
Males ..	—			10,651			198	214	220	230	225	1087	1136	1267	1245	734	1410	1206	990	818	547	211
Females	—			13,367			212	211	215	230	241	1109	1170	1202	1348	1240	2089	1629	1380	1085	741	374
Deaths from All Causes, 1891–1900. Persons	18·05			4,336			568	99	39	26	29	761	55	58	89	105	255	342	406	567	788	910
Males ..	20·66			2,201			335	58	20	11	17	441	30	38	45	51	127	183	230	292	397	367
Females	15·97			2,135			233	41	19	15	12	320	25	20	44	54	128	159	176	275	391	543
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·05	0·06	0·05	13	6	7	7	2	1	1	1	12	1	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·03	0·05	0·02	8	5	3	—	—	—	1	2	3	2	1	1	—	—	1	—	—	—	—
Diphtheria	0·14	0·22	0·08	34	23	11	—	1	2	4	4	11	13	6	3	1	—	—	—	—	—	—
Whooping-cough ..	0·21	0·21	0·22	51	22	29	30	14	2	3	2	51	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·07	0·07	0·07	16	7	9	—	—	—	—	—	—	—	2	2	3	3	1	2	2	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·22	0·27	0·17	52	29	23	36	3	—	—	—	39	—	—	—	1	1	1	—	—	3	7
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·95	0·79	1·07	227	84	143	—	—	—	—	—	—	—	—	—	—	1	8	36	68	67	47
Tabes Mesenterica ..	0·08	0·08	0·08	19	8	11	5	—	—	—	1	6	1	3	2	—	2	2	1	1	1	—
Phthisis	1·49	1·51	1·47	358	161	197	—	—	1	—	—	1	5	9	28	42	89	82	50	31	17	4
Other Tub. & Scrof. Dis.	0·27	0·42	0·16	66	45	21	14	10	3	—	4	31	7	5	4	2	7	4	3	3	—	—
Diseases of Nervous System ..	3·06	4·25	2·10	734	453	281	51	9	3	3	1	67	2	7	7	9	58	104	97	107	160	116
Circulatory " ..	2·64	2·93	2·41	634	312	322	3	1	1	—	2	7	2	8	7	9	15	35	70	145	201	135
Respiratory " ..	2·62	2·88	2·42	630	307	323	112	40	16	6	6	180	11	4	2	7	20	26	46	76	134	124
Digestive " ..	0·96	1·17	0·79	231	125	106	34	13	2	2	2	53	3	8	11	5	9	22	27	27	30	36
Urinary " ..	0·50	0·70	0·33	119	75	44	2	—	1	1	1	5	—	—	4	6	3	7	18	25	30	21
Generative " ..	0·05	0·01	0·07	11	1	10	—	—	—	—	—	—	—	—	—	—	2	1	4	2	1	1
Puerperal Fever ..	0·06	—	0·10	14	—	14	—	—	—	—	—	—	—	—	—	4	9	1	—	—	—	—
Childbirth..	0·04	—	0·07	10	—	10	—	—	—	—	—	—	—	—	—	1	6	3	—	—	—	—
Violence	0·55	0·77	0·38	133	82	51	16	2	4	3	2	27	4	3	5	10	9	18	19	12	10	16
OTHER CAUSES ..	4·06	4·27	3·91	976	456	520	258	4	3	2	1	268	4	2	13	5	21	26	33	68	133	403

Marriages 1,448

Births .. { Males .. 2,607 / Females 2,617 } 5,224

Annual Rate per 1000 living { Persons Married .. 12·06 / Births .. .. .. 21·75 }

Annual Births to 1000 Females aged 15—45 years = 83.

Deaths from Childbirth and Puerperal Fever .. .. } 4·59 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

381.—EVESHAM.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·50			* 93	—	—	—	—	32·23	2·16	2·16	3·33	2·93	4·73	6·57	10·82	23·11	53·61	148·75
Annual Death-Rate per 1000. Males	—			13·48			*104	—	—	—	—	35·31	2·81	2·27	2·92	2·93	4·77	7·51	12·45	25·74	65·81	158·50
Annual Death-Rate per 1000. Females	—			11·59			* 81	—	—	—	—	29·25	1·53	2·05	3·77	2·93	4·70	5·70	9·27	20·57	43·17	141·98
Mean Population, 1891–1900. Persons	—			16,780			430	400	410	417	403	2060	1942	1807	1592	1398	2388	1812	1497	1164	761	359
Mean Population, 1891–1900. Males	—			8,198			218	189	204	209	194	1014	961	880	822	682	1174	865	731	571	351	147
Mean Population, 1891–1900. Females	—			8,582			212	211	206	208	209	1046	981	927	770	716	1214	947	766	593	410	212
Deaths from All Causes, 1891–1900. Persons	14·56			2,444			454	126	49	20	15	664	42	39	53	41	113	119	162	269	408	534
Deaths from All Causes, 1891–1900. Males	15·52			1,272			262	56	22	9	9	358	27	20	24	20	56	65	91	147	231	233
Deaths from All Causes, 1891–1900. Females	13·66			1,172			192	70	27	11	6	306	15	19	29	21	57	54	71	122	177	301
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Measles	0·32	0·26	0·37	53	21	32	6	28	6	3	3	46	7	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·04	0·04	0·05	7	3	4	—	2	2	—	—	4	2	—	1	—	—	—	—	—	—	—
Diphtheria	0·05	0·05	0·06	9	4	5	—	—	1	3	2	6	2	1	—	—	—	—	—	—	—	—
Whooping-cough	0·30	0·28	0·33	51	23	28	17	20	12	1	—	50	—	1	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·05	0·05	0·05	8	4	4	—	—	—	—	—	—	—	1	4	—	1	—	2	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·26	0·28	0·23	43	23	20	26	8	—	—	—	34	—	—	—	—	—	—	1	1	—	7
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·58	0·44	0·71	97	36	61	—	—	—	—	—	—	—	—	—	1	2	3	19	23	33	16
Tabes Mesenterica	0·13	0·10	0·15	21	8	13	9	3	—	1	—	13	—	1	2	2	1	2	—	—	—	—
Phthisis	0·93	0·94	0·92	156	77	79	—	1	2	2	—	5	—	3	8	17	36	30	27	20	10	—
Other Tub. & Scrof. Dis.	0·18	0·17	0·20	31	14	17	8	3	2	—	2	15	2	3	1	1	5	1	1	1	1	—
Diseases of Nervous System	1·85	2·09	1·63	311	171	140	50	13	6	2	2	73	2	7	6	3	6	15	14	51	62	72
Diseases of Circulatory	1·73	1·71	1·76	291	140	151	—	—	—	—	—	—	2	2	5	3	15	16	15	59	107	67
Diseases of Respiratory	2·19	2·44	1·95	367	200	167	96	32	12	8	3	151	6	—	8	1	5	11	17	32	55	81
Diseases of Digestive	0·82	0·87	0·78	138	71	67	30	6	2	—	—	38	3	3	2	3	8	8	13	24	24	12
Diseases of Urinary	0·42	0·54	0·31	71	44	27	1	—	—	—	1	2	1	1	—	—	7	3	11	13	18	15
Diseases of Generative	0·04	0·01	0·06	6	1	5	1	—	—	—	—	1	—	—	—	—	—	—	2	1	1	1
Puerperal Fever	0·05	—	0·09	8	—	8	—	—	—	—	—	—	—	—	—	—	3	5	—	—	—	—
Childbirth	0·05	—	0·09	8	—	8	—	—	—	—	—	—	—	—	1	1	2	4	—	—	—	—
Violence	0·64	1·00	0·30	108	82	26	7	4	3	—	1	15	10	6	6	5	8	7	13	11	16	11
OTHER CAUSES	3·92	4·24	3·62	659	349	310	203	6	1	—	1	211	5	10	9	4	14	14	26	33	81	252

Marriages 1,184

Births .. { Males .. 2,517 / Females 2,361 } 4,878

Annual Rate per 1000 living { Persons Married .. 14·11 / Births .. .. .. 29·07

Annual Births to 1000 Females aged 15—45 years = 134.

Deaths from Childbirth and Puerperal Fever .. .. } 3·28 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

382.—PERSHORE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·54			*113	—	—	—	—	35·43	2·84	1·83	3·74	5·23	4·59	7·89	12·60	22·60	54·60	156·38
Annual Death-Rate per 1000. Males	—			14·79			*131	—	—	—	—	39·58	3·07	1·84	3·65	5·00	5·88	9·77	15·17	26·21	59·70	161·33
Annual Death-Rate per 1000. Females	—			12·37			* 94	—	—	—	—	31·13	2·60	1·82	3·85	5·45	3·33	6·10	10·24	19·20	49·71	152·41
Mean Population, 1891–1900. Persons	—			12,891			293	275	310	305	296	1479	1480	1366	1176	937	1722	1444	1254	1022	674	337
Mean Population, 1891–1900. Males	—			6,460			147	138	163	157	148	753	750	708	657	460	850	706	600	496	330	150
Mean Population, 1891–1900. Females	—			6,431			146	137	147	148	148	726	730	658	519	477	872	738	654	526	344	187
Deaths from All Causes, 1891–1900. Persons	16·76			2,161			385	75	31	19	14	524	42	25	44	49	79	114	158	231	368	527
Deaths from All Causes, 1891–1900. Males	17·96			1,160			227	35	16	11	9	298	23	13	24	23	50	69	91	130	197	242
Deaths from All Causes, 1891–1900. Females	15·57			1,001			158	40	15	8	5	226	19	12	20	26	29	45	67	101	171	285
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·10	0·11	0·09	13	7	6	3	3	2	3	1	12	1	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·05	0·06	0·03	6	4	2	1	1	1	—	2	5	1	—	—	—	—	—	—	—	—	—
Diphtheria	0·08	0·11	0·05	10	7	3	—	—	—	—	1	1	5	3	1	—	—	—	—	—	—	—
Whooping-cough	0·13	0·15	0·11	17	10	7	9	4	1	2	—	16	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·05	0·02	0·09	7	1	6	—	—	—	—	—	—	1	—	1	2	—	1	1	1	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·16	0·14	0·19	21	9	12	7	1	—	—	1	9	—	—	—	—	—	—	—	3	5	4
Cholera	0·01	0·02	—	1	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	0·86	0·56	1·17	111	36	75	—	—	—	—	—	—	—	1	2	—	1	5	16	28	37	21
Tabes Mesenterica	0·05	0·05	0·05	6	3	3	3	—	—	—	—	3	—	—	2	1	—	—	—	—	—	—
Phthisis	1·02	1·25	0·78	131	81	50	3	—	—	—	—	3	2	8	12	23	29	22	18	12	2	—
Other Tub. & Scrof. Dis.	0·26	0·22	0·30	33	14	19	5	—	3	3	3	14	4	1	5	1	5	3	—	—	—	—
Diseases of Nervous System	1·76	1·90	1·62	227	123	104	39	—	3	1	1	44	4	1	—	2	5	10	16	29	52	64
Diseases of Circulatory "	2·22	2·03	2·41	286	131	155	1	—	—	—	—	1	3	3	3	3	4	18	36	53	90	72
Diseases of Respiratory "	3·28	3·55	3·02	423	229	194	96	35	10	7	5	153	7	2	3	4	11	18	20	33	68	104
Diseases of Digestive "	1·33	1·44	1·21	171	93	78	51	27	7	—	—	85	6	3	1	2	4	11	12	17	19	11
Diseases of Urinary "	0·86	1·24	0·48	111	80	31	1	—	—	1	—	2	1	1	1	2	3	5	13	18	37	28
Diseases of Generative "	0·01	—	0·02	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Puerperal Fever	0·05	—	0·11	7	—	7	—	—	—	—	—	—	—	—	1	1	1	4	—	—	—	—
Childbirth	0·05	—	0·09	6	—	6	—	—	—	—	—	—	—	—	—	—	3	3	—	—	—	—
Violence	0·65	1·15	0·16	84	74	10	8	3	2	1	—	14	4	1	5	3	7	8	9	18	9	6
Other Causes	3·78	3·96	3·59	489	257	232	157	1	2	1	—	161	2	1	7	5	6	6	17	19	49	216

Marriages 916

Births .. { Males .. 1,738 / Females 1,673 } 3,411

Annual Rate per 1000 living { Persons Married .. 14·21 / Births .. .. .. 26·46 }

Annual Births to 1000 Females aged 15—45 years = 131.

Deaths from Childbirth and Puerperal Fever .. .. } 3·81 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

383.—DROITWICH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·46			*114	—	—	—	—	37·85	2·25	1·78	3·55	4·08	4·86	7·08	11·63	23·27	58·13	139·19
Annual Death-Rate per 1000. Males	—			14·41			*131	—	—	—	—	42·54	2·87	1·52	4·23	5·15	5·58	7·63	12·20	26·65	60·74	139·31
Annual Death-Rate per 1000. Females	—			12·57			* 96	—	—	—	—	33·21	1·64	2·04	2·82	3·19	4·24	6·60	11·11	20·20	55·84	139·09
Mean Population, 1891-1900. Persons	—			18,303			421	434	474	427	416	2172	2179	2080	1691	1324	2389	2104	1763	1341	867	393
Mean Population, 1891-1900. Males	—			8,817			206	220	236	211	206	1079	1082	1052	874	602	1093	983	836	638	405	173
Mean Population, 1891-1900. Females	—			9,486			215	214	238	216	210	1093	1097	1028	817	722	1296	1121	927	703	462	220
Deaths from All Causes, 1891-1900. Persons	15·60			2,855			567	121	58	38	38	822	49	37	60	54	116	149	205	312	504	547
Deaths from All Causes, 1891-1900. Males	16·66			1,469			322	60	40	17	20	459	31	16	37	31	61	75	102	170	246	241
Deaths from All Causes, 1891-1900. Females	14·61			1,386			245	61	18	21	18	363	18	21	23	23	55	74	103	142	258	306
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	0·01	2	1	1	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—
Measles	0·11	0·16	0·07	21	14	7	5	6	6	2	—	19	1	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·07	0·05	0·08	12	4	8	—	2	—	2	2	6	2	1	1	1	—	1	—	—	—	—
Diphtheria	0·20	0·20	0·19	36	18	18	2	3	4	7	8	24	7	3	1	1	—	—	—	—	—	—
Whooping-cough	0·29	0·31	0·27	53	27	26	32	13	5	2	—	52	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·08	0·09	0·07	15	8	7	—	—	—	—	3	3	3	1	2	—	2	3	1	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·34	0·33	0·35	62	29	33	37	9	2	1	—	49	—	1	—	—	—	—	1	3	3	5
Cholera	0·03	0·03	0·02	5	3	2	2	—	—	—	—	2	—	—	—	—	1	—	—	1	—	1
Cancer	0·86	0·59	1·11	157	52	105	—	—	—	—	—	—	—	1	1	1	3	13	32	44	48	14
Tabes Mesenterica	0·17	0·20	0·14	31	18	13	17	5	1	1	—	24	2	1	2	1	—	1	—	—	—	—
Phthisis	0·94	1·01	0·88	172	89	83	—	1	1	—	1	3	3	7	21	22	47	27	19	13	10	—
Other Tub. & Scrof. Dis.	0·33	0·40	0·27	61	35	26	16	9	3	2	5	35	5	6	1	3	6	1	—	—	3	1
Diseases of Nervous System	1·65	1·62	1·67	301	143	158	51	13	7	2	—	73	2	4	2	1	9	19	17	36	79	59
Diseases of Circulatory "	1·78	1·86	1·70	325	164	161	5	—	1	—	—	6	1	2	5	2	7	15	34	83	108	62
Diseases of Respiratory "	2·50	2·63	2·37	457	232	225	127	30	18	12	4	191	6	—	7	3	7	19	25	37	90	72
Diseases of Digestive "	1·07	1·24	0·91	195	109	86	44	16	3	—	4	67	5	1	4	—	2	14	26	24	31	21
Diseases of Urinary "	0·52	0·70	0·35	95	62	33	1	1	—	—	2	4	1	1	1	3	6	4	13	21	29	12
Diseases of Generative "	0·01	—	0·02	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1
Puerperal Fever	0·03	—	0·05	5	—	5	—	—	—	—	—	—	—	—	—	1	3	—	1	—	—	—
Childbirth	0·07	—	0·13	12	—	12	—	—	—	—	—	—	—	—	—	1	4	7	—	—	—	—
Violence	0·61	0·96	0·28	112	85	27	10	3	4	4	5	26	6	2	8	9	7	9	10	14	11	10
Other Causes	3·93	4·27	3·67	724	376	348	218	10	3	3	4	238	4	5	4	5	12	15	24	36	92	289

Marriages 1,038

Births .. { Males .. 2,450 / Females 2,541 } 4,991

Annual Rate per 1000 living { Persons Married .. 11·34 / Births .. .. .. 27·27 }

Annual Births to 1000 Females aged 15—45 years = 126.

Deaths from Childbirth and Puerperal Fever .. .. } 3·41 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

384.—BROMSGROVE.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 14·61			*137	—	—	—	—	44·68	3·51	2·01	2·71	4·05	5·31	7·35	11·59	24·46	56·85	149·75
Annual Death-Rate per 1000. Males ..	—			15·47			*152	—	—	—	—	49·55	3·35	2·01	2·52	3·67	6·06	7·23	13·42	26·34	63·05	158·27
Annual Death-Rate per 1000. Females	—			13·81			*121	—	—	—	—	40·10	3·67	2·01	2·90	4·36	4·66	7·45	9·96	22·72	51·26	142·17
Mean Population, 1891–1900. Persons	—			34,368			845	790	827	830	795	4087	4075	3875	3509	2863	4782	3893	3003	2253	1437	591
Mean Population, 1891–1900. Males ..	—			16,545			406	393	393	414	376	1982	2059	1938	1784	1282	2229	1813	1416	1082	682	278
Mean Population, 1891–1900. Females	—			17,823			439	397	434	416	419	2105	2016	1937	1725	1581	2553	2080	1587	1171	755	313
Deaths from All Causes, 1891–1900. Persons	15·71			5,399			1307	280	115	65	59	1826	143	78	95	116	254	286	348	551	817	885
Deaths from All Causes, 1891–1900. Males ..	16·88			2,793			731	130	59	35	27	982	69	39	45	47	135	131	190	285	430	440
Deaths from All Causes, 1891–1900. Females	14·62			2,606			576	150	56	30	32	844	74	39	50	69	119	155	158	266	387	445
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	0·00	—	0·01	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Measles	0·26	0·25	0·26	88	41	47	25	33	14	5	5	82	6	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·10	0·10	0·10	34	17	17	1	2	8	4	6	21	11	2	—	—	—	—	—	—	—	—
Diphtheria	0·16	0·14	0·18	56	23	33	1	3	8	7	11	30	20	3	1	1	—	—	—	—	1	—
Whooping-cough ..	0·28	0·27	0·30	97	44	53	58	26	5	5	2	96	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·09	0·10	0·08	32	17	15	—	—	—	—	—	—	1	4	6	3	9	5	2	1	—	1
Simple Continued Fever	0·00	—	0·01	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·63	0·71	0·55	217	118	99	154	21	3	1	2	181	1	1	—	—	—	1	1	3	10	19
Cholera	0·01	—	0·01	2	—	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—
Cancer	0·66	0·57	0·74	226	94	132	—	1	1	—	1	3	—	—	2	—	5	15	35	67	70	29
Tabes Mesenterica ..	0·19	0·18	0·20	65	30	35	32	13	2	1	1	49	4	1	4	3	3	1	—	—	—	—
Phthisis	1·06	1·23	0·90	364	203	161	3	3	1	—	1	8	9	13	33	48	82	82	55	19	14	1
Other Tub. & Scrof. Dis.	0·55	0·60	0·50	190	100	90	87	22	9	8	5	131	12	9	5	8	13	3	6	2	1	—
Diseases of Nervous System ..	1·71	1·75	1·67	587	289	298	113	21	3	4	4	145	11	9	6	4	17	24	36	74	129	132
Diseases of Circulatory „ ..	1·54	1·56	1·52	530	258	272	5	2	—	1	1	9	5	6	9	4	20	32	68	116	153	108
Diseases of Respiratory „ ..	2·89	3·20	2·60	994	530	464	257	101	35	15	7	415	25	4	6	10	23	32	59	108	161	151
Diseases of Digestive „ ..	0·86	0·93	0·80	297	154	143	82	17	4	3	2	108	8	3	4	5	9	15	20	49	49	27
Diseases of Urinary „ ..	0·41	0·57	0·26	141	95	46	1	—	1	—	—	2	3	4	1	1	7	15	9	29	38	32
Diseases of Generative „ ..	0·04	—	0·07	13	—	13	—	—	—	—	—	—	—	—	—	1	1	4	2	3	2	—
Puerperal Fever ..	0·07	—	0·13	23	—	23	—	—	—	—	—	—	—	—	—	7	11	5	—	—	—	—
Childbirth	0·07	—	0·13	23	—	23	—	—	—	—	—	—	—	—	—	3	14	5	1	—	—	—
Violence	0·53	0·67	0·40	182	111	71	20	3	14	6	8	51	16	8	7	7	14	15	16	16	14	18
OTHER CAUSES ..	3·60	4·05	3·20	1236	669	567	467	12	7	5	3	494	10	10	11	11	26	32	38	64	174	366

Marriages 2,400

Births .. { Males .. 4,816 / Females 4,750 } 9,566

Annual Rate per 1000 living { Persons Married .. 13·97 / Births .. .. .. 27·83 }

Annual Births to 1000 Females aged 15—45 years = 120.

Deaths from Childbirth and Puerperal Fever .. .. } 4·81 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

385.—KINGS NORTON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.	15·72		*143	—	—	—	—	50·43	3·26	1·74	2·34	3·27	4·79	7·79	13·44	28·13	61·99	152·24
Annual Death-Rate per 1000. Males	—				16·76		*157	—	—	—	—	54·87	3·47	1·75	2·53	3·89	5·22	8·19	15·22	32·19	68·12	159·33
Annual Death-Rate per 1000. Females	—				14·75		*130	—	—	—	—	46·01	3·05	1·74	2·18	2·82	4·46	7·44	11·86	24·89	57·48	147·80
Mean Population, 1891-1900. Persons	—			154,573			3705	3468	3496	3483	3321	17473	16522	15828	16344	16382	26487	18644	12928	8048	4288	1629
Mean Population, 1891-1900. Males	—			71,518			1829	1748	1745	1766	1635	8723	8164	7715	7355	6884	11772	8817	6072	3573	1816	627
Mean Population, 1891-1900. Females	—			83,055			1876	1720	1751	1717	1686	8750	8358	8113	8989	9498	14715	9827	6856	4475	2472	1002
Deaths from All Causes, 1891-1900. Persons	14·50			22,406			6298	1415	519	346	234	8812	538	276	382	536	1270	1453	1737	2264	2658	2480
Deaths from All Causes, 1891-1900. Males	15·81			11,304			3492	748	260	172	114	4786	283	135	186	268	614	722	924	1150	1237	999
Deaths from All Causes, 1891-1900. Females	13·37			11,102			2806	667	259	174	120	4026	255	141	196	268	656	731	813	1114	1421	1481
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·01	0·01	0·01	14	8	6	2	—	1	—	1	4	—	1	—	2	2	1	4	—	—	—
Measles	0·23	0·26	0·21	360	183	177	74	148	55	34	23	334	22	—	—	1	2	1	—	—	—	—
Scarlet Fever	0·06	0·07	0·06	96	50	46	4	13	14	10	14	55	28	3	3	5	1	—	1	—	—	—
Diphtheria	0·22	0·24	0·20	343	174	169	11	30	54	39	54	188	103	27	4	3	6	7	2	1	2	—
Whooping-cough	0·26	0·25	0·27	408	182	226	194	108	42	37	17	398	10	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·12	0·15	0·09	180	107	73	1	1	—	3	1	6	13	16	28	34	34	26	15	6	1	1
Simple Continued Fever	0·00	0·00	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Diarrhœa & Dysentery	0·59	0·66	0·53	915	473	442	706	96	12	5	2	821	7	—	—	1	4	1	7	11	25	38
Cholera	0·01	0·01	0·01	20	9	11	13	4	1	—	—	18	—	—	—	—	—	1	—	1	—	—
Cancer	0·65	0·48	0·80	1009	345	664	—	2	1	4	1	8	2	—	3	3	28	91	223	301	259	91
Tabes Mesenterica	0·22	0·27	0·18	343	190	153	226	63	12	5	4	310	11	7	4	3	5	2	—	1	—	—
Phthisis	1·00	1·24	0·79	1543	890	653	13	5	7	4	6	35	14	21	115	193	423	357	223	122	36	4
Other Tub. & Scrof. Dis.	0·36	0·44	0·30	558	312	246	202	104	40	24	13	383	45	30	16	20	31	13	12	4	3	1
Diseases of Nervous System	1·62	1·79	1·47	2501	1279	1222	648	137	54	29	21	889	46	27	26	25	90	143	201	322	436	296
Diseases of Circulatory „	1·27	1·23	1·30	1955	876	1079	26	1	3	5	2	37	35	38	45	48	110	180	291	418	499	264
Diseases of Respiratory „	2·78	3·21	2·41	4296	2297	1999	1024	452	140	94	55	1765	71	24	40	52	154	195	293	503	644	555
Diseases of Digestive „	1·13	1·21	1·05	1739	865	874	689	120	32	21	8	870	45	24	18	31	60	101	162	180	144	104
Diseases of Urinary „	0·35	0·43	0·29	546	309	237	12	9	3	2	—	26	15	5	3	12	43	62	80	109	117	74
Diseases of Generative „	0·03	—	0·05	45	—	45	—	2	—	—	—	2	—	—	—	3	9	11	5	7	6	2
Puerperal Fever	0·05	—	0·10	82	—	82	—	—	—	—	—	—	—	—	2	17	42	20	1	—	—	—
Childbirth	0·07	—	0·13	104	—	104	—	—	—	—	—	—	—	—	2	10	54	36	2	—	—	—
Violence	0·36	0·52	0·22	554	369	185	120	16	17	10	8	171	32	17	23	17	55	52	54	56	46	31
OTHER CAUSES	3·11	3·34	2·90	4794	2385	2409	2333	104	31	20	4	2492	39	36	50	56	117	152	171	222	440	1019

Marriages 11,555

Births .. { Males .. 22,276 / Females 21,638 } 43,914

Annual Rate per 1000 living { Persons Married .. 14·95 / Births .. .. .. 28·41

Annual Births to 1000 Females aged 15—45 years = 102.

Deaths from Childbirth and Puerperal Fever .. .. } 4·24 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

386.—BIRMINGHAM.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population	25·44		*200	—	—	—	—	83·54	5·51	2·87	4·13	5·60	9·36	17·72	27·13	46·54	83·71	164·95
Males ..	—				27·70		*217	—	—	—	—	89·47	5·44	2·87	4·59	6·43	10·96	20·40	30·73	54·41	89·94	187·25
Females	—				23·32		*182	—	—	—	—	77·71	5·57	2·87	3·70	4·87	7·85	15·08	23·70	39·59	78·56	150·24
Mean Population, 1891-1900. Persons	—			245,386			6529	5789	5906	5894	5590	29708	27287	26685	26023	24695	38968	29243	21091	12988	6587	2111
Males ..	—			119,534			3166	2853	2949	2937	2821	14726	13565	13358	12576	11667	18975	14473	10290	6083	2982	839
Females	—			125,852			3363	2936	2957	2957	2769	14982	13722	13327	13447	13028	19993	14770	10801	6905	3605	1272
Deaths from All Causes, 1891-1900. Persons	24·10			59,138			16455	4562	1909	1139	752	24817	1503	767	1075	1384	3649	5181	5722	6044	5514	3482
Males ..	26·25			31,381			9051	2276	948	537	363	13175	738	384	577	750	2079	2953	3162	3310	2682	1571
Females	22·06			27,757			7404	2286	961	602	389	11642	765	383	498	634	1570	2228	2560	2734	2832	1911
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	0·10	0·11	0·10	253	132	121	42	10	7	4	3	66	6	5	11	22	55	55	15	9	6	3
Measles	0·52	0·52	0·53	1284	621	663	302	495	232	123	65	1217	63	2	—	1	1	—	—	—	—	—
Scarlet Fever	0·30	0·32	0·29	743	383	360	37	116	122	140	108	523	149	30	20	8	10	2	—	1	—	—
Diphtheria	0·30	0·29	0·31	743	349	394	56	121	122	102	104	505	183	24	6	7	6	4	5	3	—	—
Whooping-cough ..	0·59	0·53	0·64	1441	633	808	584	468	186	118	48	1404	36	1	—	—	—	—	—	—	—	—
Typhus	0·00	—	0·00	2	—	2	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—
Enteric Fever	0·24	0·29	0·19	592	350	242	2	12	6	6	8	34	46	66	95	103	128	81	28	10	1	—
Simple Continued Fever	0·00	0·01	0·00	12	8	4	3	3	—	—	1	7	1	—	—	—	1	1	—	—	1	1
Diarrhœa & Dysentery	1·27	1·41	1·14	3121	1685	1436	2442	362	54	11	5	2874	16	1	1	2	9	9	22	31	95	61
Cholera	0·02	0·02	0·02	49	29	20	20	13	1	1	—	35	1	—	—	—	1	4	2	2	4	—
Cancer	0·92	0·79	1·04	2255	945	1310	2	8	2	8	2	22	11	11	14	14	111	313	561	687	398	113
Tabes Mesenterica ..	0·24	0·26	0·22	583	311	272	314	91	50	17	11	483	27	12	16	8	19	6	7	2	2	1
Phthisis	1·99	2·69	1·32	4887	3220	1667	52	25	24	13	15	129	40	72	224	409	1166	1340	911	427	142	27
Other Tub. & Scrof. Dis.	0·45	0·50	0·39	1094	602	492	266	204	87	73	46	676	115	47	38	41	56	46	31	22	15	7
Diseases of: Nervous System ..	2·32	2·54	2·11	5684	3033	2651	1688	344	143	72	38	2285	100	53	69	73	242	460	606	730	699	267
Circulatory „ ..	1·78	1·73	1·82	4361	2064	2297	46	13	11	10	7	87	79	106	121	111	340	558	837	1018	795	309
Respiratory „ ..	4·90	5·45	4·40	12028	6495	5533	2566	1464	521	229	137	4917	174	51	93	121	438	822	1148	1611	1715	938
Digestive „ ..	1·78	1·84	1·74	4380	2197	2183	1964	345	93	40	24	2466	92	66	87	86	170	289	394	366	273	91
Urinary „ ..	0·72	0·91	0·54	1772	1093	679	24	19	15	11	7	76	35	20	35	48	141	273	349	389	292	114
Generative „ ..	0·09	0·01	0·16	219	13	206	3	1	—	—	1	5	—	—	4	14	56	71	41	13	9	6
Puerperal Fever ..	0·07	—	0·14	173	—	173	—	—	—	—	—	—	—	—	8	53	71	41	—	—	—	—
Childbirth	0·09	—	0·18	225	—	225	—	—	—	—	—	—	—	—	2	31	105	84	3	—	—	—
Violence	1·19	1·50	0·89	2917	1792	1125	604	96	134	105	86	1025	216	103	97	113	221	300	311	252	171	108
OTHER CAUSES ..	4·22	4·53	3·89	10320	5426	4894	5438	352	99	56	36	5981	113	97	134	119	302	420	451	471	896	1336

Marriages 25,365

Births .. { Males .. 41,646 / Females 40,696 } 82,342

Annual Rate per 1000 living { Persons Married .. 20·67 / Births .. .. .. 33·56 }

Annual Births to 1000 Females aged 15—45 years = 134.

Deaths from Childbirth and Puerperal Fever .. .. } 4·83 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

387.—ASTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		19·46	*178	—	—	—	—	67·67	3·27	1·88	2·97	3·83	5·67	10·42	17·38	34·77	72·24	157·37
Annual Death-Rate per 1000. Males	—					20·38	*193	—	—	—	—	72·32	3·10	1·85	2·95	4·08	5·96	10·71	18·64	38·49	78·52	165·70
Annual Death-Rate per 1000. Females	—					18·60	*162	—	—	—	—	63·08	3·44	1·92	2·99	3·59	5·39	10·13	16·18	31·50	67·42	152·02
Mean Population, 1891–1900. Persons	—			283,185			7900	7125	7202	6990	6773	35990	33235	31615	29466	28093	46154	33289	22790	13732	6712	2109
Mean Population, 1891–1900. Males	—			138,065			3939	3528	3597	3488	3314	17866	16452	15707	14363	13448	22444	16541	11081	6423	2915	825
Mean Population, 1891–1900. Females	—			145,120			3961	3597	3605	3502	3459	18124	16783	15908	15103	14645	23710	16748	11709	7309	3797	1284
Deaths from All Causes, 1891–1900. Persons	18·00			50,974			17103	4426	1437	834	554	24354	1088	595	876	1075	2615	3468	3961	4774	4849	3319
Deaths from All Causes, 1891–1900. Males	18·83			25,997			9395	2155	690	403	278	12921	510	290	424	549	1337	1772	2066	2472	2289	1367
Deaths from All Causes, 1891–1900. Females	17·21			24,977			7708	2271	747	431	276	11433	578	305	452	526	1278	1696	1895	2302	2560	1952
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	0·01	31	20	11	4	1	—	—	1	6	—	3	2	3	7	6	4	—	—	—
Measles	0·42	0·44	0·41	1198	602	596	254	496	201	124	69	1144	50	—	2	—	2	—	—	—	—	—
Scarlet Fever	0·07	0·07	0·07	185	90	95	9	16	18	30	24	97	61	10	7	3	5	—	2	—	—	—
Diphtheria	0·21	0·21	0·22	606	291	315	30	91	76	107	90	394	174	22	3	3	6	1	1	2	—	—
Whooping-cough	0·49	0·44	0·54	1401	614	787	590	459	166	90	49	1354	47	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·19	0·23	0·14	529	319	210	4	7	11	4	14	40	35	47	80	94	111	59	36	22	5	—
Simple Continued Fever	0·00	0·00	0·01	14	4	10	—	—	2	3	—	5	6	—	1	1	—	—	1	—	—	—
Diarrhœa & Dysentery	1·31	1·38	1·25	3713	1904	1809	2922	434	63	19	14	3452	10	7	2	—	3	19	17	43	87	73
Cholera	0·03	0·04	0·02	88	54	34	58	13	2	—	—	73	—	1	2	1	2	2	2	3	2	—
Cancer	0·59	0·41	0·76	1666	561	1105	1	3	1	1	1	7	4	6	6	7	54	217	398	495	370	102
Tabes Mesenterica	0·19	0·20	0·19	548	272	276	294	102	43	14	7	460	27	16	4	7	11	8	7	7	1	—
Phthisis	1·27	1·59	0·97	3606	2201	1405	42	21	15	16	6	100	40	71	252	384	908	895	633	273	48	2
Other Tub. & Scrof. Dis.	0·29	0·33	0·26	830	449	381	261	153	66	43	35	558	71	41	29	24	47	32	18	7	3	—
Diseases of Nervous System	2·00	2·12	1·89	5659	2923	2736	1966	417	154	65	54	2656	101	53	64	48	152	270	377	663	825	450
Diseases of Circulatory "	1·39	1·31	1·47	3940	1805	2135	53	2	5	6	2	68	57	94	95	77	235	439	707	943	878	347
Diseases of Respiratory "	3·87	4·23	3·52	10956	5834	5122	2988	1503	457	227	124	5299	169	46	96	105	354	673	915	1270	1306	723
Diseases of Digestive "	1·33	1·36	1·30	3768	1875	1893	1834	360	62	30	20	2306	61	36	56	48	132	185	295	312	237	100
Diseases of Urinary "	0·32	0·37	0·27	900	506	394	23	21	6	10	6	66	24	10	16	24	58	120	159	202	152	69
Diseases of Generative "	0·03	0·01	0·04	74	9	65	5	1	—	—	—	6	—	1	3	2	12	19	10	9	9	3
Puerperal Fever	0·07	—	0·14	204	—	204	—	—	—	—	—	—	—	—	7	52	104	40	1	—	—	—
Childbirth	0·09	—	0·17	252	—	252	—	—	—	—	—	—	—	—	11	40	98	96	7	—	—	—
Violence	0·43	0·54	0·33	1221	749	472	427	41	12	10	16	506	64	44	31	39	87	101	98	122	79	50
Other Causes	3·40	3·54	3·23	9585	4915	4670	5338	285	77	35	22	5757	87	87	107	113	227	286	273	401	847	1400

Marriages 23,768

Births .. { Males .. 48,594 / Females 47,552 } 96,146

Annual Rate per 1000 living { Persons Married .. 16·79 / Births .. .. .. 33·95 }

Annual Births to 1000 Females aged 15—45 years = 137.

Deaths from Childbirth and Puerperal Fever .. .. } 4·74 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

388.—MERIDEN.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 12·98	*105	—	—	—	—	33·16	2·48	2·61	2·61	4·87	5·19	6·36	10·67	24·71	55·06	148·88
Annual Death-Rate per 1000. Males	—	13·61	*117	—	—	—	—	36·44	2·64	2·74	3·34	4·87	5·39	8·16	13·80	24·28	52·30	154·55
Annual Death-Rate per 1000. Females	—	12·39	* 92	—	—	—	—	29·62	2·31	2·42	1·85	4·87	5·03	4·77	7·80	25·11	58·06	143·38
Mean Population, 1891-1900. Persons	—	11,100	213	233	220	239	253	1158	1369	1458	995	780	1425	1226	984	854	583	268
Mean Population, 1891-1900. Males	—	5,565	100	122	110	140	129	601	719	839	509	349	649	576	471	416	304	132
Mean Population, 1891-1900. Females	—	5,535	113	111	110	99	124	557	650	619	486	431	776	650	513	438	279	136
Deaths from All Causes, 1891-1900. Persons	15·39	1,708	270	48	25	24	17	384	34	38	26	38	74	78	105	211	321	399
Deaths from All Causes, 1891-1900. Males	16·28	906	156	24	17	13	9	219	19	23	17	17	35	47	65	101	159	204
Deaths from All Causes, 1891-1900. Females	14·49	802	114	24	8	11	8	165	15	15	9	21	39	31	40	110	162	195

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·08	0·02	0·14	9	1	8	3	3	1	1	—	8	1	—	—	—	—	—	—	—
Scarlet Fever	0·10	0·11	0·09	11	6	5	—	1	1	2	2	6	3	—	—	—	2	—	—	—
Diphtheria	0·19	0·16	0·22	21	9	12	—	—	2	5	6	13	5	1	—	1	—	—	—	1
Whooping-cough	0·18	0·11	0·25	20	6	14	11	6	1	1	1	20	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·03	0·04	0·02	3	2	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—
Simple Continued Fever	0·01	—	0·02	1	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Diarrhœa & Dysentery	0·14	0·16	0·13	16	9	7	9	1	—	—	1	11	—	—	—	—	—	—	1	2
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·98	0·97	0·99	109	54	55	—	—	—	—	—	—	1	—	1	1	—	7	7	40
Tabes Mesenterica	0·09	0·07	0·11	10	4	6	3	1	1	—	—	5	2	—	—	—	2	—	1	—
Phthisis	0·79	0·75	0·83	88	42	46	—	1	—	2	—	3	—	7	9	18	20	12	13	3
Other Tub. & Scrof. Dis.	0·22	0·29	0·14	24	16	8	3	3	4	1	1	12	3	4	2	1	1	—	1	—
Diseases of Nervous System	1·42	1·69	1·16	158	94	64	30	8	2	1	—	41	7	6	2	2	6	5	9	21
Diseases of Circulatory "	1·81	1·80	1·83	201	100	101	2	—	—	3	1	6	1	—	1	2	5	6	20	53
Diseases of Respiratory "	2·50	2·86	2·15	278	159	119	50	15	12	5	3	85	1	6	4	1	7	8	15	28
Diseases of Digestive "	1·21	1·29	1·12	134	72	62	28	2	—	1	2	33	3	6	3	1	7	11	12	21
Diseases of Urinary "	0·28	0·25	0·31	31	14	17	1	—	—	—	—	1	—	—	—	1	—	2	3	12
Diseases of Generative "	0·05	—	0·09	5	—	5	—	—	—	—	—	—	—	—	—	—	—	—	1	3
Puerperal Fever	0·01	—	0·02	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Childbirth	0·07	—	0·14	8	—	8	—	—	—	—	—	—	—	—	—	1	4	3	—	—
Violence	0·59	0·88	0·31	66	49	17	3	1	1	1	—	6	2	4	1	5	8	12	9	7
Other Causes	4·64	4·83	4·42	514	269	245	127	6	—	1	—	134	4	4	3	2	11	11	14	21

	75 and upwds.
Persons	148·88
Males	154·55
Females	143·38
Persons	268
Males	132
Females	136
Persons	399
Males	204
Females	195
Small-pox	—
Measles	—
Scarlet Fever	—
Diphtheria	—
Whooping-cough	—
Typhus	—
Enteric Fever	—
Simple Continued Fever	—
Diarrhœa & Dysentery	2
Cholera	—
Cancer	21
Tabes Mesenterica	—
Phthisis	1
Other Tub. & Scrof. Dis.	—
Nervous System	27
Circulatory	31
Respiratory	61
Digestive	12
Urinary	3
Generative	1
Puerperal Fever	—
Childbirth	—
Violence	4
Other Causes	236

Marriages 689

Births .. { Males .. 1,337 / Females 1,241 } 2,578

Annual Rate per 1000 living { Persons Married .. 12·41 / Births .. .. .. 23·23 }

Annual Births to 1000 Females aged 15—45 years = 110.

Deaths from Childbirth and Puerperal Fever .. .. } 3·49 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

389.—ATHERSTONE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds
Annual Death-Rate per 1000. Persons	—	In Standard Population. 15·02	*142	—	—	—	—	49·70	3·50	1·75	3·66	3·82	5·88	7·91	11·12	21·91	52·29	146·36
Annual Death-Rate per 1000. Males ..	—	15·75	*161	—	—	—	—	55·87	3·49	2·06	3·45	3·36	5·47	8·64	10·92	23·58	56·27	152·03
Annual Death-Rate per 1000. Females	—	14·33	*122	—	—	—	—	43·63	3·52	1·42	3·93	4·35	6·33	7·18	11·32	20·31	48·44	141·30
Mean Population, 1891–1900. Persons	—	16,482	510	469	475	466	450	2370	2112	1889	1614	1389	2345	1758	1277	899	568	261
Mean Population, 1891–1900. Males ..	—	8,459	247	217	236	244	232	1176	1060	972	927	745	1224	880	632	441	279	123
Mean Population, 1891–1900. Females	—	8,023	263	252	239	222	218	1194	1052	917	687	644	1121	878	645	458	289	138
Deaths from All Causes, 1891–1900. Persons	16·33	2,692	828	202	67	50	31	1178	74	33	59	53	138	139	142	197	297	382
Deaths from All Causes, 1891–1900. Males ..	16·92	1,431	480	100	35	26	16	657	37	20	32	25	67	76	69	104	157	187
Deaths from All Causes, 1891–1900. Females	15·72	1,261	348	102	32	24	15	521	37	13	27	28	71	63	73	93	140	195

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox..	0·01	0·01	—	1	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Measles	0·49	0·50	0·47	80	42	38	15	33	19	5	2	74	6	—	—	—	—	—	—	—	—
Scarlet Fever	0·14	0·13	0·15	23	11	12	2	1	4	4	2	13	5	3	1	—	—	1	—	—	—
Diphtheria	0·13	0·13	0·14	22	11	11	—	6	—	6	3	15	6	—	1	—	—	—	—	—	—
Whooping-cough ..	0·42	0·31	0·55	70	26	44	46	13	4	4	2	69	1	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·25	0·28	0·22	42	24	18	—	—	3	1	1	5	2	2	8	8	9	5	1	2	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·62	0·61	0·64	103	52	51	80	5	—	—	1	86	1	—	—	—	—	—	—	2	7
Cholera	0·03	—	0·06	5	—	5	2	1	—	—	—	3	—	—	—	—	—	1	—	1	—
Cancer	0·55	0·38	0·74	91	32	59	—	—	—	—	—	—	—	—	—	1	3	8	17	21	24
Tabes Mesenterica ..	0·14	0·14	0·14	23	12	11	10	3	1	—	1	15	2	—	2	2	1	—	—	1	—
Phthisis	0·84	0·82	0·86	138	69	69	1	—	—	—	—	1	2	2	11	17	42	28	21	10	4
Other Tub. & Scrof. Dis.	0·38	0·40	0·35	62	34	28	14	7	5	4	5	35	5	3	4	4	5	2	3	1	—
Diseases of Nervous System ..	1·84	1·81	1·88	304	153	151	95	19	5	4	6	129	5	3	4	—	4	14	16	30	43
Diseases of Circulatory " ..	1·48	1·38	1·58	244	117	127	3	1	—	—	—	4	4	6	6	3	8	17	20	44	68
Diseases of Respiratory " ..	2·81	3·07	2·53	463	260	203	151	64	19	13	5	252	14	2	1	3	11	16	12	23	51
Diseases of Digestive " ..	1·41	1·45	1·36	232	123	109	108	25	—	3	1	137	5	2	2	4	4	10	11	17	25
Diseases of Urinary " ..	0·35	0·48	0·20	57	41	16	3	2	—	1	—	6	2	1	1	1	6	2	6	7	14
Diseases of Generative " ..	0·03	—	0·06	5	—	5	—	—	—	—	—	—	—	—	—	—	—	2	—	2	—
Puerperal Fever ..	0·07	—	0·14	11	—	11	—	—	—	—	—	—	—	—	—	1	8	2	—	—	—
Childbirth..	0·07	—	0·15	12	—	12	—	—	—	—	—	—	—	—	—	—	6	5	1	—	—
Violence	0·72	1·09	0·32	118	92	26	12	6	5	4	—	27	10	4	10	5	14	11	8	14	11
OTHER CAUSES ..	3·55	3·93	3·18	586	331	255	285	16	2	1	2	306	4	5	8	4	17	15	26	22	50

Marriages 1,245

Births .. { Males .. 2,982 / Females 2,857 } 5,839

Annual Rate per 1000 living { Persons Married .. 15·11 / Births .. .. .. 35·43 }

Annual Births to 1000 Females aged 15—45 years = 175.

Deaths from Childbirth and Puerperal Fever .. .. } 3·94 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

390.—NUNEATON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 16·97			*161	—	—	—	—	59·61	3·91	2·23	3·46	4·44	4·89	8·35	13·38	26·38	61·74	142·38
Annual Death-Rate per 1000. Males	—			17·50			*173	—	—	—	—	64·86	3·65	2·32	4·17	4·24	4·59	7·79	14·25	26·39	68·14	141·13
Annual Death-Rate per 1000. Females	—			16·47			*150	—	—	—	—	54·56	4·18	2·15	2·69	4·67	5·21	8·92	12·54	26·38	56·40	143·48
Mean Population, 1891-1900. Persons	—			22,314			670	607	653	570	592	3092	2708	2373	2252	2142	3480	2420	1697	1103	745	302
Mean Population, 1891-1900. Males	—			11,234			320	310	317	272	295	1514	1343	1165	1175	1157	1829	1220	828	523	339	141
Mean Population, 1891-1900. Females	—			11,080			350	297	336	298	297	1578	1365	1208	1077	985	1651	1200	869	580	406	161
Deaths from All Causes, 1891-1900. Persons	17·72			3,955			1298	319	96	80	50	1843	106	53	78	95	170	202	227	291	460	430
Deaths from All Causes, 1891-1900. Males	17·99			2,021			701	168	48	42	23	982	49	27	49	49	84	95	118	138	231	199
Deaths from All Causes, 1891-1900. Females	17·45			1,934			597	151	48	38	27	861	57	26	29	46	86	107	109	153	229	231
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·62	0·65	0·60	139	73	66	34	57	20	14	5	130	8	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·15	0·13	0·17	34	15	19	1	5	5	9	2	22	12	—	—	—	—	—	—	—	—	—
Diphtheria	0·26	0·22	0·30	58	25	33	4	5	5	11	14	39	15	2	—	1	—	—	—	1	—	—
Whooping-cough	0·20	0·17	0·23	44	19	25	23	17	3	—	—	43	1	—	—	—	—	—	—	—	—	—
Typhus	0·00	—	0·01	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Enteric Fever	0·28	0·33	0·23	62	37	25	—	—	1	1	—	2	10	7	13	5	10	10	4	1	—	—
Simple Continued Fever	0·01	0·01	0·02	3	1	2	—	—	—	1	1	2	—	1	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	1·47	1·48	1·45	327	166	161	264	32	6	1	—	303	1	—	—	—	—	1	3	3	5	11
Cholera	0·03	0·05	0·01	7	6	1	4	3	—	—	—	7	—	—	—	—	—	—	—	—	—	—
Cancer	0·59	0·45	0·72	131	51	80	—	1	—	1	—	2	—	—	—	—	4	15	29	28	43	10
Tabes Mesenterica	0·40	0·44	0·36	89	49	40	57	18	1	—	2	78	1	5	2	—	1	—	1	1	—	—
Phthisis	0·91	0·93	0·89	204	105	99	—	—	1	—	1	2	3	5	16	36	54	43	24	17	4	—
Other Tub. & Scrof. Dis.	0·22	0·20	0·23	49	23	26	7	8	8	2	—	25	6	2	4	3	2	5	2	—	—	—
Diseases of Nervous System	1·81	1·75	1·86	403	197	206	133	21	7	3	7	171	5	8	3	3	3	16	23	32	82	57
Diseases of Circulatory "	1·13	0·99	1·26	251	111	140	3	1	—	—	—	4	5	2	7	5	14	20	38	54	66	36
Diseases of Respiratory "	3·29	3·56	3·01	734	400	334	220	97	26	25	11	379	11	2	5	4	10	14	33	73	103	100
Diseases of Digestive "	1·23	1·25	1·22	275	140	135	101	28	7	1	1	138	9	2	4	7	8	15	25	29	28	10
Diseases of Urinary "	0·36	0·36	0·36	81	41	40	1	—	1	1	—	3	3	3	3	5	5	6	8	10	26	9
Diseases of Generative "	0·01	0·01	0·02	3	1	2	1	—	—	—	—	1	—	—	—	—	1	1	—	—	—	—
Puerperal Fever	0·11	—	0·23	25	—	25	—	—	—	—	—	—	—	—	—	4	13	8	—	—	—	—
Childbirth	0·10	—	0·20	22	—	22	—	—	—	—	—	—	—	—	1	2	9	10	—	—	—	—
Violence	0·62	0·94	0·30	139	106	33	8	5	3	9	6	31	10	7	9	10	17	14	11	12	15	3
OTHER CAUSES	3·92	4·07	3·77	874	455	419	437	21	2	1	—	461	5	6	11	10	19	24	26	30	88	194

Marriages 1,687

Births .. { Males .. 4,047, Females 3,992 } 8,039

Annual Rate per 1000 living { Persons Married .. 15·12, Births .. .. .. 36·03

Annual Births to 1000 Females aged 15—45 years = 164.

Deaths from Childbirth and Puerperal Fever .. .. } 5·85 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

391.—FOLESHILL.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 16·30			*150	—	—	—	—	53·73	3·15	2·17	3·68	4·88	5·50	6·17	11·44	26·86	66·28	159·32
Annual Death-Rate per 1000. Males ..	—			In Standard Population. 16·64			*166	—	—	—	—	58·77	3·29	1·67	3·59	4·44	4·99	5·54	10·90	28·16	71·74	169·33
Annual Death-Rate per 1000. Females	—			In Standard Population. 15·97			*135	—	—	—	—	48·78	3·01	2·68	3·78	5·33	5·99	6·76	11·95	25·74	61·44	150·79
Mean Population, 1891-1900. Persons	—			21,605			667	564	585	546	571	2933	2697	2392	2172	1884	3036	2270	1739	1262	866	354
Mean Population, 1891-1900. Males ..	—			10,653			319	291	294	279	270	1453	1366	1198	1115	946	1483	1101	835	586	407	163
Mean Population, 1891-1900. Females	—			10,952			348	273	291	267	301	1480	1331	1194	1057	938	1553	1169	904	676	459	191
Deaths from All Causes, 1891-1900. Persons	17·90			3,868			1116	250	106	55	49	1576	85	52	80	92	167	140	199	339	574	564
Deaths from All Causes, 1891-1900. Males ..	18·40			1,960			624	133	46	24	27	854	45	20	40	42	74	61	91	165	292	276
Deaths from All Causes, 1891-1900. Females	17·42			1,908			492	117	60	31	22	722	40	32	40	50	93	79	108	174	282	288
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·33	0·32	0·35	72	34	38	20	19	18	7	4	68	2	2	—	—	—	—	—	—	—	—
Scarlet Fever	0·19	0·24	0·15	42	26	16	3	12	8	6	8	37	2	1	2	—	—	—	—	—	—	—
Diphtheria	0·19	0·16	0·22	41	17	24	1	3	9	4	10	27	12	2	—	—	—	—	—	—	—	—
Whooping-cough ..	0·26	0·21	0·31	56	22	34	26	20	5	3	—	54	2	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·24	0·20	0·27	51	21	30	—	—	1	2	1	4	7	9	5	9	11	4	1	1	—	—
Simple Continued Fever	0·05	0·05	0·05	10	5	5	—	—	2	1	2	5	1	3	—	—	—	1	—	—	—	—
Diarrhœa & Dysentery	0·86	0·94	0·78	185	100	85	136	28	4	—	1	169	3	—	—	—	—	—	—	1	7	5
Cholera	0·00	0·01	—	1	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	0·55	0·42	0·67	118	45	73	—	—	1	—	—	1	—	—	—	—	3	9	16	46	33	10
Tabes Mesenterica ..	0·47	0·60	0·34	101	64	37	73	14	6	3	1	97	—	—	1	1	1	—	—	1	—	—
Phthisis	0·96	1·00	0·92	208	107	101	1	—	1	1	1	4	5	8	26	34	56	37	22	15	1	—
Other Tub. & Scrof. Dis.	0·31	0·32	0·29	66	34	32	17	10	8	5	3	43	6	2	4	2	5	2	1	—	1	—
Diseases of Nervous System ..	1·84	1·81	1·86	397	193	204	98	16	3	4	2	123	4	3	5	4	7	16	26	61	97	51
Diseases of Circulatory " ..	1·11	0·91	1·31	240	97	143	3	2	—	—	2	7	2	5	6	5	11	13	33	54	79	25
Diseases of Respiratory " ..	2·63	2·88	2·38	568	307	261	174	65	27	8	5	279	14	1	5	5	16	12	32	51	97	56
Diseases of Digestive " ..	1·14	1·15	1·12	246	123	123	61	25	4	3	3	96	1	3	6	5	6	7	26	45	33	18
Diseases of Urinary " ..	0·42	0·58	0·26	90	62	28	4	4	4	—	—	12	3	—	1	4	4	6	11	14	28	7
Diseases of Generative " ..	0·03	0·01	0·05	7	1	6	1	—	—	—	—	1	—	—	—	—	—	3	2	—	1	—
Puerperal Fever ..	0·06	—	0·11	12	—	12	—	—	—	—	—	—	—	—	—	6	5	1	—	—	—	—
Childbirth	0·08	—	0·16	18	—	18	—	—	—	—	—	—	—	—	—	2	10	6	—	—	—	—
Violence	0·59	0·79	0·39	127	84	43	16	2	2	4	1	25	10	1	10	7	12	9	13	14	16	10
Other Causes ..	5·59	5·80	5·43	1212	617	595	481	30	3	4	5	523	11	12	9	8	20	14	16	36	181	382

Marriages 1,755

Births .. { Males .. 3,761 / Females 3,655 } 7,416

Annual Rate per 1000 living { Persons Married .. 16·25 / Births .. .. .. 34·33 }

Annual Births to 1000 Females aged 15—45 years = 157.

Deaths from Childbirth and Puerperal Fever .. .. } 4·05 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

392.—COVENTRY.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population 17·72			*154	—	—	—	—	56·80	3·72	1·91	2·98	3·96	6·26	10·06	15·42	30·11	68·50	156·61
Annual Death-Rate per 1000. Males	—			18·74			*168	—	—	—	—	59·37	3·66	1·94	3·40	4·34	6·60	11·64	17·49	32·75	77·74	168·44
Annual Death-Rate per 1000. Females	—			16·76			*140	—	—	—	—	54·22	3·78	1·88	2·58	3·60	5·95	8·59	13·56	27·82	61·55	148·23
Mean Population, 1891–1900. Persons	—			57,887			1431	1389	1346	1338	1309	6813	6318	5979	6042	5757	9420	6697	4772	3298	2019	772
Mean Population, 1891–1900. Males	—			28,043			730	695	668	676	652	3421	3171	2943	2937	2788	4561	3238	2264	1533	867	320
Mean Population, 1891–1900. Females	—			29,844			701	694	678	662	657	3392	3147	3036	3105	2969	4859	3459	2508	1765	1152	452
Deaths from All Causes, 1891–1900. Persons	17·64			10,212			2761	611	232	162	104	3870	235	114	180	228	590	674	736	993	1383	1209
Deaths from All Causes, 1891–1900. Males	18·59			5,214			1526	297	96	66	46	2031	116	57	100	121	301	377	396	502	674	539
Deaths from All Causes, 1891–1900. Females	16·75			4,998			1235	314	136	96	58	1839	119	57	80	107	289	297	340	491	709	670
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·00	0·00	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Measles	0·41	0·37	0·44	235	104	131	50	81	43	25	21	220	15	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·13	0·13	0·14	78	37	41	2	12	11	9	12	46	24	2	4	1	—	—	1	—	—	—
Diphtheria	0·13	0·09	0·16	73	25	48	2	11	14	14	11	52	14	1	—	—	2	2	1	1	—	—
Whooping-cough	0·25	0·23	0·26	142	64	78	62	45	17	8	6	138	4	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·14	0·16	0·13	83	45	38	1	—	1	2	1	5	6	5	12	15	13	17	6	3	—	1
Simple Continued Fever	0·01	0·02	0·00	6	5	1	1	—	1	—	—	2	1	—	—	—	—	—	2	—	1	—
Diarrhœa & Dysentery	1·20	1·26	1·15	696	352	344	561	72	7	2	—	642	2	—	2	—	—	3	2	9	12	24
Cholera	0·01	0·01	0·01	6	4	2	4	—	—	—	—	4	—	—	—	—	1	—	1	—	—	—
Cancer	0·84	0·71	0·96	484	199	285	—	—	—	1	—	1	2	2	—	2	18	47	90	130	145	47
Tabes Mesenterica	0·21	0·20	0·22	123	56	67	71	24	4	2	1	102	2	4	3	4	4	—	2	1	1	—
Phthisis	1·41	1·76	1·08	814	493	321	7	3	1	1	1	13	14	14	60	93	220	192	125	60	19	4
Other Tub. & Scrof. Dis.	0·35	0·41	0·29	200	114	86	75	27	23	5	5	135	21	6	9	7	12	2	3	3	2	—
Diseases of: Nervous System	2·01	2·25	1·78	1163	631	532	266	49	23	25	7	370	29	13	15	8	23	50	96	137	268	154
Diseases of: Circulatory	1·71	1·60	1·80	988	450	538	9	2	—	—	3	14	8	15	18	15	66	85	117	217	278	155
Diseases of: Respiratory	3·09	3·32	2·87	1788	932	856	430	204	66	48	22	770	36	11	16	11	58	90	95	175	278	248
Diseases of: Digestive	1·23	1·33	1·14	712	373	339	281	47	2	8	6	344	11	10	8	13	28	43	63	78	77	37
Diseases of: Urinary	0·42	0·51	0·34	245	143	102	3	3	3	—	—	9	7	3	3	6	27	25	32	40	58	35
Diseases of: Generative	0·03	—	0·06	18	—	18	—	—	—	—	—	—	—	—	4	—	3	4	2	2	1	2
Puerperal Fever	0·09	—	0·18	54	—	54	—	—	—	—	—	—	—	—	1	16	31	6	—	—	—	—
Childbirth	0·06	—	0·11	34	—	34	—	—	—	—	—	—	—	—	1	4	17	12	—	—	—	—
Violence	0·52	0·68	0·37	301	192	109	45	7	9	9	5	75	17	7	6	14	25	37	35	35	29	21
OTHER CAUSES	3·39	3·55	3·26	1968	994	974	891	24	7	3	3	928	22	21	18	19	42	59	62	102	214	481

Marriages 5,391

Births .. { Males .. 9,079 / Females 8,811 } 17,890

Annual Rate per 1000 living { Persons Married .. 18·63 / Births .. .. 30·91

Annual Births to 1000 Females aged 15—45 years = 124.

Deaths from Childbirth and Puerperal Fever .. .. } 4·92 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

393.—RUGBY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 13·14	*114	—	—	—	—	35·78	3·05	2·25	3·01	4·23	4·61	6·78	12·50	21·34	52·46	148·65
Annual Death-Rate per 1000. Males	—	14·06	*131	—	—	—	—	40·73	3·09	2·09	3·11	4·20	5·03	8·05	14·23	22·25	54·12	165·38
Annual Death-Rate per 1000. Females	—	12·27	* 98	—	—	—	—	30·92	3·02	2·43	2·90	4·26	4·23	5·61	10·94	20·57	51·00	135·63
Mean Population, 1891-1900. Persons	—	30,595	718	649	740	712	711	3530	3471	3469	2957	2436	4401	3659	2728	2029	1321	594
Mean Population, 1891-1900. Males	—	15,037	366	327	350	360	345	1748	1717	1862	1578	1167	2107	1751	1293	935	619	260
Mean Population, 1891-1900. Females	—	15,558	352	322	390	352	366	1782	1754	1607	1379	1269	2294	1908	1435	1094	702	334
Deaths from All Causes, 1891-1900. Persons	14·51	4,440	918	200	69	40	36	1263	106	78	89	103	203	248	341	433	693	883
Deaths from All Causes, 1891-1900. Males	15·34	2,306	530	102	35	22	23	712	53	39	49	49	106	141	184	208	335	430
Deaths from All Causes, 1891-1900. Females	13·72	2,134	388	98	34	18	13	551	53	39	40	54	97	107	157	225	358	453

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·01	0·01	4	2	2	1	—	—	—	—	1	—	—	—	—	—	1	1	—	1	—
Measles	0·27	0·33	0·22	84	50	34	16	41	6	4	8	75	8	—	1	—	—	—	—	—	—	—
Scarlet Fever	0·08	0·07	0·08	24	11	13	1	4	4	4	1	14	8	2	—	—	—	—	—	—	—	—
Diphtheria	0·15	0·17	0·14	47	26	21	2	3	11	5	6	27	15	2	2	—	—	—	—	—	—	1
Whooping-cough	0·19	0·17	0·21	58	26	32	37	11	6	2	1	57	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·09	0·08	0·10	27	12	15	1	—	1	1	—	3	2	2	6	2	7	3	2	—	—	—
Simple Continued Fever	0·00	0·01	—	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·36	0·41	0·32	111	61	50	71	8	4	—	1	84	—	1	—	2	—	3	—	2	8	11
Cholera	0·01	0·01	0·01	2	1	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—
Cancer	0·84	0·69	0·98	256	104	152	1	—	—	—	—	1	2	—	—	1	3	19	47	83	58	42
Tabes Mesenterica	0·07	0·04	0·09	20	6	14	8	2	1	—	—	11	1	3	1	1	2	1	—	—	—	—
Phthisis	0·79	0·78	0·80	242	118	124	4	3	1	—	—	8	2	8	29	35	59	49	32	16	4	—
Other Tub. & Scrof. Dis.	0·24	0·23	0·25	73	34	39	13	8	7	4	3	35	8	3	9	5	2	4	5	1	1	—
Diseases of Nervous System	1·57	1·68	1·47	481	253	228	110	18	8	2	4	142	7	10	6	7	13	13	28	53	94	108
Diseases of Circulatory "	1·62	1·45	1·77	494	218	276	5	—	—	—	—	5	4	7	7	5	14	25	54	77	173	133
Diseases of Respiratory "	2·37	2·62	2·13	725	394	331	198	68	5	12	5	288	10	4	1	5	18	37	41	80	117	124
Diseases of Digestive "	0·94	1·02	0·87	289	154	135	70	15	5	2	1	93	8	9	7	6	13	18	28	23	50	34
Diseases of Urinary "	0·40	0·55	0·26	123	82	41	3	3	—	—	—	6	6	1	2	1	5	11	27	11	33	20
Diseases of Generative "	0·07	0·01	0·13	21	1	20	1	—	—	—	—	1	—	1	1	1	2	3	4	5	2	1
Puerperal Fever	0·05	—	0·10	15	—	15	—	—	—	—	—	—	—	—	—	4	10	—	1	—	—	—
Childbirth	0·07	—	0·14	21	—	21	—	—	—	—	—	—	—	—	1	3	6	10	1	—	—	—
Violence	0·58	0·90	0·27	178	136	42	13	3	5	2	4	27	11	8	8	12	17	22	23	22	12	16
Other Causes	3·74	4·11	3·37	1144	616	528	362	13	5	2	2	384	12	17	8	13	32	29	47	60	139	403

Marriages 2,023

Births .. { Males .. 4,045 / Females 3,974 } 8,019

Annual Rate per 1000 living { Persons Married .. 13·22 / Births .. .. .. 26·21

Annual Births to 1000 Females aged 15—45 years = 117.

Deaths from Childbirth and Puerperal Fever .. .. } 4·49 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

394.—SOLIHULL.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		12·83	*115	—	—	—	—	34·82	2·29	1·73	2·59	3·28	5·29	7·56	12·59	24·24	51·73	127·50
Annual Death-Rate per 1000. Males ..	—					13·35	*130	—	—	—	—	38·53	1·97	1·99	3·08	3·62	5·25	7·67	14·36	26·07	53·14	128·01
Annual Death-Rate per 1000. Females	—					12·34	*100	—	—	—	—	31·11	2·60	1·49	2·19	3·04	5·32	7·46	11·03	22·70	50·49	127·04
Mean Population, 1891–1900. Persons	—			38,378			920	888	900	906	881	4495	4228	3979	3779	3507	6312	4658	3295	2195	1330	600
Mean Population, 1891–1900. Males ..	—			17,908			465	436	458	460	426	2245	2076	1962	1722	1495	2798	2190	1546	1001	621	282
Mean Population, 1891–1900. Females	—			20,470			455	452	442	446	455	2250	2152	2017	2057	2042	3514	2468	1749	1194	709	318
Deaths from All Causes, 1891–1900. Persons	13·11			5,030			1130	248	92	50	45	1565	97	69	98	115	334	352	415	532	688	765
Deaths from All Causes, 1891–1900. Males ..	14·18			2,540			640	124	47	31	23	865	41	39	53	53	147	168	222	261	330	361
Deaths from All Causes, 1891–1900. Females	12·16			2,490			490	124	45	19	22	700	56	30	45	62	187	184	193	271	358	404
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·02	0·00	4	3	1	1	—	—	—	—	1	—	—	1	—	1	—	1	—	—	—
Measles	0·17	0·25	0·11	67	44	23	22	22	9	5	4	62	4	—	1	—	—	—	—	—	—	—
Scarlet Fever	0·05	0·06	0·04	20	11	9	—	2	2	1	4	9	8	1	2	—	—	—	—	—	—	—
Diphtheria	0·12	0·10	0·13	45	18	27	2	4	5	3	6	20	16	5	1	—	1	—	—	1	1	—
Whooping-cough ..	0·27	0·29	0·24	102	52	50	55	30	10	4	1	100	2	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·10	0·13	0·08	39	23	16	—	1	1	—	—	2	3	2	5	4	13	3	6	1	—	—
Simple Continued Fever	0·00	—	0·00	1	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·49	0·49	0·49	189	88	101	134	23	3	1	—	161	2	—	—	—	1	—	1	3	8	13
Cholera	0·01	0·01	0·01	4	2	2	2	—	—	—	—	2	—	—	—	—	—	1	1	—	—	—
Cancer	0·73	0·53	0·90	280	95	185	—	—	1	—	—	1	—	1	2	3	12	29	47	84	59	42
Tabes Mesenterica ..	0·05	0·06	0·04	20	11	9	4	4	3	2	—	13	2	—	—	—	2	1	1	1	—	—
Phthisis	0·84	1·03	0·68	324	184	140	2	3	1	1	1	8	3	8	20	38	97	72	44	23	10	1
Other Tub. & Scrof. Dis.	0·27	0·30	0·24	103	53	50	30	14	6	4	4	58	12	2	7	1	10	6	4	2	1	—
Diseases of Nervous System ..	1·45	1·46	1·44	557	262	295	119	28	5	4	2	158	8	6	9	7	18	21	36	79	117	98
Diseases of Circulatory " ..	1·32	1·38	1·27	506	247	259	6	—	—	—	1	7	5	14	14	10	15	41	60	114	130	96
Diseases of Respiratory " ..	2·12	2·41	1·86	813	432	381	203	69	26	12	7	317	8	6	6	2	34	43	64	82	107	144
Diseases of Digestive " ..	0·85	0·93	0·79	327	166	161	91	17	4	6	4	122	6	7	2	8	15	26	36	42	43	20
Diseases of Urinary " ..	0·39	0·53	0·27	151	95	56	2	—	—	—	—	2	1	1	2	4	13	12	26	25	41	24
Diseases of Generative " ..	0·18	0·01	0·33	69	1	68	1	—	—	—	—	1	—	—	3	5	23	25	10	—	2	—
Puerperal Fever ..	0·03	—	0·06	13	—	13	—	—	—	—	—	—	—	—	—	2	10	1	—	—	—	—
Childbirth	0·08	—	0·16	32	—	32	—	—	—	—	—	—	—	—	—	4	13	14	1	—	—	—
Violence	0·50	0·76	0·27	192	136	56	22	8	6	3	7	46	6	4	11	14	23	22	24	15	21	6
Other Causes ..	3·08	3·43	2·75	1172	617	555	434	22	10	4	4	474	11	12	12	13	33	35	53	60	148	321

Marriages 2,408

Births .. { Males .. 4 917, Females 4 883 } 9,800

Annual Rate per 1000 living { Persons Married .. 12·55, Births .. .. .. 25·54

Annual Births to 1000 Females aged 15–45 years = 97.

Deaths from Childbirth and Puerperal Fever .. .. } 4·59 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

395.—WARWICK.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		16·05	*125	—	—	—	—	41·67	3·00	2·61	3·69	5·04	6·65	10·77	17·27	28·29	60·75	146·25
Annual Death-Rate per 1000. Males	—					17·58	*132	—	—	—	—	44·82	3·20	2·81	3·23	7·18	8·59	13·10	21·05	33·69	68·66	148·49
Annual Death-Rate per 1000. Females	—					14·61	*117	—	—	—	—	38·48	2·79	2·42	4·07	3·70	5·33	9·02	14·54	24·48	55·39	144·85
Mean Population, 1891-1900. Persons	—			54,616			1042	1016	1052	1062	1077	5249	5407	5514	5613	4726	7990	6565	5372	4072	2815	1293
Mean Population, 1891-1900. Males	—			24,025			521	503	537	542	534	2637	2719	2705	2539	1810	3223	2816	2257	1686	1136	497
Mean Population, 1891-1900. Females	—			30,591			521	513	515	520	543	2612	2688	2809	3074	2916	4767	3749	3115	2386	1679	796
Deaths from All Causes, 1891-1900. Persons	18·05			9,857			1521	373	134	93	66	2187	162	144	207	238	531	707	928	1152	1710	1891
Deaths from All Causes, 1891-1900. Males	19·83			4,764			822	200	69	52	39	1182	87	76	82	130	277	369	475	568	780	738
Deaths from All Causes, 1891-1900. Females	16·65			5,093			699	173	65	41	27	1005	75	68	125	108	254	338	453	584	930	1153
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·19	0·18	0·20	104	43	61	20	36	13	12	8	89	10	3	1	—	1	—	—	—	—	—
Scarlet Fever	0·05	0·07	0·03	26	16	10	—	5	3	4	1	13	9	3	1	—	—	—	—	—	—	—
Diphtheria	0·11	0·14	0·09	62	33	29	—	6	7	13	11	37	17	2	2	2	1	—	1	—	—	—
Whooping-cough	0·24	0·24	0·24	132	58	74	67	43	15	4	2	131	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·07	0·07	0·07	37	17	20	—	—	—	1	—	1	1	6	9	4	9	2	3	2	—	—
Simple Continued Fever	0·00	0·00	0·00	2	1	1	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·40	0·46	0·35	216	110	106	153	17	1	1	—	172	—	—	—	—	—	1	2	6	15	20
Cholera	0·00	—	0·00	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Cancer	1·09	0·94	1·21	594	225	369	1	—	—	—	1	2	—	2	1	9	13	46	105	155	183	78
Tabes Mesenterica	0·12	0·15	0·09	63	35	28	21	11	4	4	2	42	4	4	3	4	4	1	1	—	—	—
Phthisis	1·36	1·62	1·16	744	390	354	4	4	3	1	—	12	6	29	64	81	171	134	135	80	26	6
Other Tub. & Scrof. Dis.	0·38	0·42	0·35	208	100	108	38	26	13	10	13	100	19	20	17	10	15	11	12	4	—	—
Diseases of Nervous System	2·65	2·98	2·39	1447	715	732	170	47	12	9	5	243	23	13	21	25	70	151	152	187	298	264
Diseases of Circulatory	2·12	2·18	2·07	1156	524	632	11	—	2	—	—	13	3	15	18	14	41	74	142	238	345	253
Diseases of Respiratory	3·01	3·36	2·74	1646	808	838	260	117	38	19	12	446	20	10	17	21	58	89	110	181	322	372
Diseases of Digestive	1·17	1·21	1·15	641	290	351	124	21	8	4	3	160	10	6	14	17	26	36	71	83	113	105
Diseases of Urinary	0·57	0·79	0·40	310	189	121	3	2	1	1	—	7	1	1	3	5	13	26	39	49	92	74
Diseases of Generative	0·07	0·00	0·08	37	1	36	—	—	—	—	—	—	—	—	—	—	—	7	8	6	9	7
Puerperal Fever	0·02	—	0·04	13	—	13	—	—	—	—	—	—	—	—	—	—	8	4	1	—	—	—
Childbirth	0·07	—	0·12	37	—	37	—	—	—	—	—	—	—	—	1	8	15	13	—	—	—	—
Violence	0·63	1·00	0·34	344	241	103	24	9	6	6	4	49	27	13	17	14	33	47	42	40	35	27
Other Causes	3·73	4·02	3·53	2037	968	1069	624	29	8	4	4	669	11	16	18	24	53	64	104	121	272	685

Marriages 3,858

Births .. { Males .. 6,224 / Females 5,992 } 12,216

Annual Rate per 1000 living { Persons Married .. 14·13 / Births .. .. .. 22·37 }

Annual Births to 1000 Females aged 15—45 years = 84.

Deaths from Childbirth and Puerperal Fever .. .. } 4·09 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

396.—STRATFORD ON AVON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·60			*107	—	—	—	—	33·59	3·95	2·11	3·43	5·33	4·80	8·09	12·24	24·94	54·68	151·43
Annual Death-Rate per 1000. Males ..	—			14·35			*120	—	—	—	—	37·34	4·40	1·22	3·59	6·48	5·98	7·54	13·98	27·56	58·35	156·02
Annual Death-Rate per 1000. Females	—			12·80			* 94	—	—	—	—	29·88	3·51	3·03	3·27	4·41	3·82	8·60	10·72	22·56	51·37	147·52
Mean Population, 1891–1900. Persons	—			21,410			447	442	460	497	479	2325	2430	2419	2041	1595	2834	2360	2067	1640	1176	523
Mean Population, 1891–1900. Males ..	—			10,295			228	228	229	243	229	1157	1204	1232	1032	710	1288	1128	966	780	557	241
Mean Population, 1891–1900. Females	—			11,115			219	214	231	254	250	1168	1226	1187	1009	885	1546	1232	1101	860	619	282
Deaths from All Causes, 1891–1900. Persons	16·38			3,507			553	126	55	24	23	781	96	51	70	85	136	191	253	409	643	792
Deaths from All Causes, 1891–1900. Males ..	17·45			1,796			311	64	33	10	14	432	53	15	37	46	77	85	135	215	325	376
Deaths from All Causes, 1891–1900. Females	15·39			1,711			242	62	22	14	9	349	43	36	33	39	59	106	118	194	318	416
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Measles	0·11	0·11	0·12	24	11	13	4	8	3	1	1	17	5	1	—	1	—	—	—	—	—	—
Scarlet Fever	0·09	0·05	0·13	19	5	14	—	2	2	1	2	7	8	4	—	—	—	—	—	—	—	—
Diphtheria	0·25	0·24	0·25	53	25	28	2	4	3	3	5	17	22	7	2	1	3	1	—	—	—	—
Whooping-cough ..	0·23	0·25	0·21	49	26	23	24	15	8	2	—	49	—	—	—	—	—	—	—	—	—	—
Typhus	0·00	0·01	—	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Enteric Fever	0·08	0·07	0·09	17	7	10	—	—	—	—	1	1	1	1	2	5	3	3	—	1	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·27	0·29	0·25	58	30	28	26	7	1	—	1	35	1	1	—	1	1	—	—	—	9	10
Cholera	0·01	0·03	—	3	3	—	2	—	—	—	—	2	—	—	—	—	—	—	—	1	—	—
Cancer	1·02	0·81	1·22	219	83	136	—	—	—	—	—	—	—	1	—	—	2	10	31	58	79	38
Tabes Mesenterica ..	0·13	0·09	0·17	28	9	19	6	5	1	—	—	12	3	3	3	4	2	—	—	1	—	—
Phthisis	1·05	1·19	0·92	224	122	102	1	1	1	—	—	3	4	6	19	19	63	48	35	19	8	—
Other Tub. & Scrof. Dis.	0·22	0·17	0·27	48	18	30	7	8	3	—	1	19	3	7	8	2	5	3	—	1	—	—
Diseases of Nervous System ..	2·15	2·38	1·93	460	245	215	51	14	3	1	2	71	8	3	5	10	8	17	39	69	103	127
Diseases of Circulatory „ ..	1·87	1·95	1·79	400	201	199	5	—	—	—	—	5	3	4	2	1	8	29	29	69	160	90
Diseases of Respiratory „ ..	2·80	2·91	2·69	599	300	299	125	42	18	7	4	196	12	2	2	4	10	24	26	75	117	131
Diseases of Digestive „ ..	1·11	1·26	0·96	237	130	107	52	5	4	3	3	67	5	2	8	12	4	11	33	42	30	23
Diseases of Urinary „ ..	0·39	0·51	0·28	84	53	31	1	2	—	—	1	4	1	1	1	3	4	5	15	10	25	15
Diseases of Generative „ ..	0·04	—	0·08	9	—	9	—	—	—	—	—	—	—	—	—	2	—	4	1	1	—	1
Puerperal Fever ..	0·04	—	0·08	9	—	9	—	—	—	—	—	—	—	—	—	1	1	7	—	—	—	—
Childbirth	0·07	—	0·13	14	—	14	—	—	—	—	—	—	—	—	—	1	4	9	—	—	—	—
Violence	0·54	0·87	0·22	115	90	25	13	4	6	3	2	28	10	5	7	7	7	6	7	12	16	10
OTHER CAUSES ..	3·91	4·25	3·60	836	436	400	234	9	2	3	—	248	9	3	11	10	11	14	37	50	96	347

Marriages 1,337

Births .. Males .. 2,582, Females 2,571 } 5,153

Annual Rate per 1000 living { Persons Married .. 12·49; Births .. .. .. 24·07

Annual Births to 1000 Females aged 15—45 years = 110.

Deaths from Childbirth and Puerperal Fever .. .. } 4·46 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

397.—ALCESTER.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·18			*116	—	—	—	—	38·00	2·80	1·51	3·33	4·53	4·66	6·83	11·16	22·94	54·22	131·54
Annual Death-Rate per 1000. Males	—			13·85			*120	—	—	—	—	42·00	2·97	1·53	2·75	5·38	5·17	6·73	12·83	24·31	59·10	133·01
Annual Death-Rate per 1000. Females	—			12·55			*112	—	—	—	—	34·31	2·64	1·49	3·85	3·82	4·22	6·91	9·62	21·69	49·80	130·25
Mean Population, 1891-1900. Persons	—			20,433			475	476	491	443	486	2371	2390	2316	1983	1634	2769	2271	1881	1434	937	447
Mean Population, 1891-1900. Males	—			9,786			241	231	241	198	227	1138	1178	1176	945	743	1276	1085	904	687	445	209
Mean Population, 1891-1900. Females	—			10,647			234	245	250	245	259	1233	1212	1140	1038	891	1493	1186	977	747	492	238
Deaths from All Causes, 1891-1900. Persons	14·99			3,062			633	137	58	39	34	901	67	35	66	74	129	155	210	329	508	588
Deaths from All Causes, 1891-1900. Males	15·94			1,560			329	73	37	18	21	478	35	18	26	40	66	73	116	167	263	278
Deaths from All Causes, 1891-1900. Females	14·11			1,502			304	64	21	21	13	423	32	17	40	34	63	82	94	162	245	310
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Measles	0·14	0·18	0·09	28	18	10	2	11	4	4	2	23	3	1	1	—	—	—	—	—	—	—
Scarlet Fever	0·07	0·07	0·08	15	7	8	—	2	1	2	1	6	4	2	2	—	1	—	—	—	—	—
Diphtheria	0·18	0·22	0·13	36	22	14	—	1	5	7	5	18	13	3	—	1	1	—	—	—	—	—
Whooping-cough	0·23	0·21	0·25	48	21	27	27	9	8	3	1	48	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·06	0·03	0·08	12	3	9	—	—	—	1	—	1	—	—	3	2	—	3	1	2	—	—
Simple Continued Fever	0·00	—	0·01	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Diarrhœa & Dysentery	0·30	0·29	0·32	62	28	34	43	4	—	—	—	47	2	—	—	—	—	—	—	1	2	10
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·73	0·64	0·81	149	63	86	—	—	—	—	—	—	—	—	—	—	4	8	30	35	43	29
Tabes Mesenterica	0·08	0·08	0·08	16	8	8	6	3	—	1	—	10	1	—	1	—	1	1	1	1	—	—
Phthisis	1·21	1·55	0·89	247	152	95	1	3	1	—	2	7	5	7	19	33	50	45	38	25	15	3
Other Tub. & Scrof. Dis.	0·53	0·58	0·48	108	57	51	47	16	2	4	2	71	7	4	7	1	7	4	5	2	—	—
Diseases of: Nervous System	1·49	1·41	1·56	304	138	166	48	5	4	—	3	60	5	3	2	4	8	8	18	51	80	65
Diseases of: Circulatory „	1·69	1·61	1·76	345	158	187	2	—	1	—	1	4	4	1	5	8	3	17	33	68	106	96
Diseases of: Respiratory „	2·49	2·90	2·11	509	284	225	147	54	22	10	11	244	7	3	3	5	10	12	24	40	89	72
Diseases of: Digestive „	0·92	0·92	0·93	189	90	99	51	14	2	1	1	69	2	3	3	2	3	16	20	23	28	20
Diseases of: Urinary „	0·30	0·44	0·17	61	43	18	—	—	—	1	1	2	—	—	—	2	4	2	8	12	19	12
Diseases of: Generative „	0·05	0·01	0·08	10	1	9	—	—	—	—	—	—	—	—	—	—	2	1	1	1	3	2
Puerperal Fever	0·06	—	0·11	12	—	12	—	—	—	—	—	—	—	—	—	2	8	2	—	—	—	—
Childbirth	0·08	—	0·15	16	—	16	—	—	—	—	—	—	—	—	1	1	7	7	—	—	—	—
Violence	0·50	0·73	0·29	102	71	31	11	3	3	5	2	24	4	1	7	5	5	10	10	15	12	9
OTHER CAUSES	3·88	4·06	3·73	791	395	396	248	12	5	—	2	267	10	7	12	8	14	19	21	52	111	270

Marriages 1,353

Births .. Males .. 2,739, Females 2,709 } 5,448

Annual Rate per 1000 living { Persons Married .. 13·24; Births .. .. .. 26·66

Annual Births to 1000 Females aged 15—45 years =118.

Deaths from Childbirth and Puerperal Fever .. .. } 5·14 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

398.—SHIPSTON ON STOUR.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		12·51	*100	—	—	—	—	31·09	2·60	2·24	3·15	4·40	4·85	6·68	11·48	22·72	53·76	141·79
Males ..	—					12·82	*115	—	—	—	—	34·06	2·06	2·41	2·69	4·06	4·93	7·11	12·43	24·12	56·67	148·85
Females	—					12·22	* 85	—	—	—	—	27·92	3·14	2·05	3·71	4·72	4·78	6·27	10·59	21·43	51·17	135·98
Mean Population, 1891–1900. Persons	—			16,006			337	358	366	361	347	1769	1844	1829	1427	1068	1978	1737	1551	1351	971	481
Males ..	—			7,974			168	197	178	190	180	913	921	953	780	517	973	844	748	651	457	217
Females	—			8,032			169	161	188	171	167	856	923	876	647	551	1005	893	803	700	514	264
Deaths from All Causes, 1891–1900. Persons	16·44			2,632			402	78	33	20	17	550	48	41	45	47	96	116	178	307	522	682
Males ..	16·74			1,335			237	39	15	10	10	311	19	23	21	21	48	60	93	157	259	323
Females	16·15			1,297			165	39	18	10	7	239	29	18	24	26	48	56	85	150	263	359
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·22	0·24	0·21	36	19	17	5	14	5	4	2	30	3	2	1	—	—	—	—	—	—	—
Scarlet Fever	0·07	0·05	0·09	11	4	7	3	1	—	2	—	6	3	1	1	—	—	—	—	—	—	—
Diphtheria	0·14	0·19	0·10	23	15	8	—	—	4	—	2	6	7	8	1	—	—	1	—	—	—	—
Whooping-cough ..	0·18	0·19	0·17	29	15	14	21	5	3	—	—	29	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·06	0·04	0·07	9	3	6	—	—	—	—	—	—	—	—	1	1	2	1	2	1	—	1
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·36	0·39	0·34	58	31	27	28	2	—	1	—	31	—	—	—	—	—	—	1	2	8	16
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·87	0·63	1·12	140	50	90	—	—	—	—	—	—	—	—	—	—	1	5	26	35	42	31
Tabes Mesenterica ..	0·11	0·09	0·12	17	7	10	8	—	—	—	—	8	1	—	1	1	3	1	2	—	—	—
Phthisis	0·87	0·87	0·88	140	69	71	—	—	1	—	—	1	2	5	12	20	39	27	16	7	8	3
Other Tub. & Scrof. Dis.	0·21	0·24	0·19	34	19	15	9	5	1	2	—	17	3	4	1	1	3	1	1	2	1	—
Diseases of: Nervous System ..	2·27	2·45	2·09	363	195	168	38	3	6	3	4	54	3	4	7	2	6	8	23	46	111	99
Circulatory „ ..	2·21	2·01	2·40	353	160	193	3	—	—	—	1	4	2	3	4	1	13	9	22	62	109	124
Respiratory „ ..	2·39	2·62	2·15	382	209	173	83	25	8	5	1	122	7	1	2	3	5	17	24	44	74	83
Digestive „ ..	1·04	1·02	1·06	166	81	85	23	6	1	1	2	33	3	2	1	4	5	9	15	31	43	20
Urinary „ ..	0·67	0·83	0·52	108	66	42	2	—	—	—	—	2	2	—	—	2	3	6	9	28	25	31
Generative „ ..	0·06	—	0·11	9	—	9	—	—	—	—	—	—	—	—	—	—	—	1	2	1	2	3
Puerperal Fever ..	0·04	—	0·07	6	—	6	—	—	—	—	—	—	—	—	—	3	—	3	—	—	—	—
Childbirth	0·06	—	0·12	10	—	10	—	—	—	—	—	—	—	—	1	1	3	3	2	—	—	—
Violence	0·52	0·77	0·27	83	61	22	7	4	—	1	3	15	6	5	3	2	3	9	8	10	13	9
OTHER CAUSES ..	4·09	4·11	4·07	655	331	324	172	13	4	1	2	192	6	6	9	6	10	15	25	38	86	262

Marriages 966

Births .. { Males .. 2,063 / Females 1,942 } 4,005

Annual Rate per 1000 living { Persons Married .. 12·07 / Births .. .. .. 25·02 }

Annual Births to 1000 Females aged 15—45 years = 129.

Deaths from Childbirth and Puerperal Fever .. .. } 4·00 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

399.—SOUTHAM.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·21			*105	—	—	—	—	36·04	2·24	2·37	5·02	4·81	5·08	7·91	10·87	17·84	52·44	148·87
Annual Death-Rate per 1000. Males ..	—			13·29			*119	—	—	—	—	38·89	2·44	1·74	3·49	4·23	4·62	7·99	12·90	18·77	55·44	153·33
Annual Death-Rate per 1000. Females	—			13·14			* 91	—	—	—	—	33·11	2·05	3·01	7·05	5·41	5·53	7·83	8·88	16·92	49·48	144·27
Mean Population, 1891-1900. Persons	—			10,093			239	250	236	243	239	1207	1249	1140	856	645	1279	1113	957	807	574	266
Mean Population, 1891-1900. Males ..	—			5,098			120	121	126	116	129	612	615	576	487	331	628	551	473	405	285	135
Mean Population, 1891-1900. Females	—			4,995			119	129	110	127	110	595	634	564	369	314	651	562	484	402	289	131
Deaths from All Causes, 1891-1900. Persons	16·47			1,662			302	83	18	19	13	435	28	27	43	31	65	88	104	144	301	396
Deaths from All Causes, 1891-1900. Males ..	17·05			869			176	38	8	12	4	238	15	10	17	14	29	44	61	76	158	207
Deaths from All Causes, 1891-1900. Females	15·88			793			126	45	10	7	9	197	13	17	26	17	36	44	43	68	143	189
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·28	0·39	0·16	28	20	8	11	7	5	—	2	25	1	—	1	—	1	—	—	—	—	—
Scarlet Fever	0·02	0·04	—	2	2	—	—	1	—	1	—	2	—	—	—	—	—	—	—	—	—	—
Diphtheria	0·21	0·16	0·26	21	8	13	1	2	3	5	2	13	2	2	1	1	2	—	—	—	—	—
Whooping-cough ..	0·35	0·22	0·48	35	11	24	18	10	4	3	—	35	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·11	0·10	0·12	11	5	6	1	—	—	—	—	1	1	1	4	—	1	2	1	—	—	—
Simple Continued Fever	0·01	—	0·02	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Diarrhœa & Dysentery	0·47	0·45	0·48	47	23	24	25	5	—	—	—	30	—	—	1	—	1	—	—	2	6	7
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·64	0·59	0·70	65	30	35	—	—	—	—	—	—	—	—	—	—	1	5	9	23	21	6
Tabes Mesenterica ..	0·06	0·06	0·06	6	3	3	2	—	1	—	—	3	—	—	1	—	1	—	—	—	1	—
Phthisis	0·85	0·80	0·90	86	41	45	—	—	—	—	—	—	2	6	15	14	21	16	7	5	—	—
Other Tub. & Scrof. Dis.	0·34	0·31	0·36	34	16	18	4	5	—	4	1	14	1	4	3	2	3	2	4	—	—	1
Diseases of Nervous System ..	1·95	1·90	2·00	197	97	100	23	4	—	—	1	28	3	1	2	5	3	9	11	18	49	68
Diseases of Circulatory " ..	1·94	2·00	1·88	196	102	94	3	—	—	—	—	3	2	3	—	1	5	13	17	33	67	52
Diseases of Respiratory " ..	3·45	3·63	3·26	348	185	163	68	32	3	1	6	110	11	1	5	2	6	15	16	24	65	93
Diseases of Digestive " ..	0·82	0·84	0·80	83	43	40	11	3	1	1	—	16	1	2	—	1	2	2	14	15	19	11
Diseases of Urinary " ..	0·53	0·71	0·34	53	36	17	—	—	—	—	—	—	—	—	—	—	—	1	5	5	23	19
Diseases of Generative " ..	0·05	0·02	0·08	5	1	4	—	—	—	1	—	1	—	—	—	1	—	1	—	—	2	—
Puerperal Fever ..	0·07	—	0·14	7	—	7	—	—	—	—	—	—	—	—	1	—	3	3	—	—	—	—
Childbirth	0·06	—	0·12	6	—	6	—	—	—	—	—	—	—	—	—	1	4	1	—	—	—	—
Violence	0·55	0·77	0·32	55	39	16	8	5	—	1	—	14	2	2	4	3	4	6	6	4	5	5
Other Causes ..	3·71	4·06	3·40	376	207	169	127	9	1	2	1	140	2	5	5	—	7	12	13	15	43	134

Marriages 707

Births .. { Males .. 1,476 / Females 1,389 } 2,865

Annual Rate per 1000 living { Persons Married .. 14·01 / Births .. .. .. 28·39

Annual Births to 1000 Females aged 15—45 years = 151.

Deaths from Childbirth and Puerperal Fever .. .. } 4·54 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

400.—LUTTERWORTH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·71			*109	—	—	—	—	33·36	2·07	2·15	2·69	4·35	6·25	7·15	10·78	19·68	49·55	152·68
Annual Death-Rate per 1000. Males	—			13·03			*125	—	—	—	—	37·18	1·76	2·65	3·04	4·29	6·28	5·62	9·42	22·06	57·97	156·10
Annual Death-Rate per 1000. Females	—			12·40			* 92	—	—	—	—	29·67	2·38	1·63	2·36	4·40	6·22	8·55	11·92	17·55	42·28	149·74
Mean Population, 1891–1900. Persons	—			11,674			236	236	238	244	245	1199	1256	1253	1077	828	1473	1301	1141	1006	785	355
Mean Population, 1891–1900. Males	—			5,588			119	121	109	128	112	589	626	641	527	373	685	623	520	476	364	164
Mean Population, 1891–1900. Females	—			6,086			117	115	129	116	133	610	630	612	550	455	788	678	621	530	421	191
Deaths from All Causes, 1891–1900. Persons	16·75			1,955			296	55	19	20	10	400	26	27	29	36	92	93	123	198	389	542
Deaths from All Causes, 1891–1900. Males	17·50			978			169	27	9	9	5	219	11	17	16	16	43	35	49	105	211	256
Deaths from All Causes, 1891–1900. Females	16·05			977			127	28	10	11	5	181	15	10	13	20	49	58	74	93	178	286
	Persons.	Males.	Females	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·16	0·16	0·16	19	9	10	7	6	1	—	—	14	3	1	—	—	—	—	1	—	—	—
Scarlet Fever	0·08	0·09	0·07	9	5	4	1	2	1	2	—	6	1	1	—	—	—	—	—	1	—	—
Diphtheria	0·12	0·16	0·08	14	9	5	—	1	4	3	2	10	—	3	—	—	1	—	—	—	—	—
Whooping-cough	0·23	0·20	0·26	27	11	16	11	11	1	3	1	27	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·17	0·20	0·15	20	11	9	—	1	—	—	—	1	1	2	—	3	4	4	5	—	—	—
Simple Continued Fever	0·01	0·02	—	1	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Diarrhœa & Dysentery	0·21	0·20	0·23	25	11	14	15	—	—	—	1	16	—	—	—	—	—	1	1	—	4	3
Cholera	0·02	—	0·03	2	—	2	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—
Cancer	1·08	0·90	1·25	126	50	76	—	—	—	—	—	—	—	1	—	—	3	9	14	24	40	35
Tabes Mesenterica	0·07	0·05	0·08	8	3	5	1	3	—	—	—	4	—	2	—	2	—	—	—	—	—	—
Phthisis	0·74	0·68	0·79	86	38	48	1	—	—	—	1	2	2	2	6	8	28	18	10	8	2	—
Other Tub. & Scrof. Dis.	0·24	0·16	0·31	28	9	19	8	1	1	1	1	12	4	—	3	2	2	—	4	1	—	—
Diseases of Nervous System	2·55	2·45	2·65	298	137	161	38	3	6	2	—	49	4	3	1	2	5	8	15	34	80	97
Diseases of Circulatory	2·13	2·09	2·15	248	117	131	1	—	—	1	—	2	2	2	2	5	8	11	19	44	78	75
Diseases of Respiratory	3·11	3·62	2·65	363	202	161	60	17	4	5	3	89	—	1	5	—	5	9	15	37	74	128
Diseases of Digestive	0·95	0·79	1·10	111	44	67	14	3	1	2	—	20	4	3	2	—	4	12	12	12	29	13
Diseases of Urinary	0·49	0·75	0·25	57	42	15	1	—	—	—	—	1	—	—	3	—	4	—	4	9	19	17
Diseases of Generative	0·04	0·02	0·07	5	1	4	—	—	—	—	—	—	—	—	—	—	1	—	1	—	1	2
Puerperal Fever	0·04	—	0·08	5	—	5	—	—	—	—	—	—	—	—	—	—	3	2	—	—	—	—
Childbirth	0·08	—	0·15	9	—	9	—	—	—	—	—	—	—	—	—	1	4	3	1	—	—	—
Violence	0·64	1·04	0·28	75	58	17	8	—	—	—	1	9	3	4	4	4	11	5	7	9	9	10
Other Causes	3·59	3·92	3·26	419	220	199	130	7	—	1	—	138	2	2	3	8	9	9	14	19	53	162

Marriages 782

Births .. Males .. 1,348 / Females 1,373 } 2,721

Annual Rate per 1000 living { Persons Married .. 13·40 / Births .. .. .. 23·31

Annual Births to 1000 Females aged 15—45 years = 110.

Deaths from Childbirth and Puerperal Fever .. .. } 5·15 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

401.—MARKET HARBOROUGH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·42			*104	—	—	—	—	33·26	2·72	2·29	2·85	2·89	4·64	8·17	10·77	20·15	47·58	146·44
Annual Death-Rate per 1000. Males	—			12·73			*108	—	—	—	—	34·96	2·40	2·18	3·05	2·62	5·61	8·34	11·20	20·70	51·43	157·14
Annual Death-Rate per 1000. Females	—			12·12			*100	—	—	—	—	31·67	3·05	2·40	2·67	3·09	3·81	8·02	10·38	19·62	44·11	137·78
Mean Population, 1891-1900. Persons	—			17,786			371	388	401	394	394	1948	1986	1877	1825	1523	2524	1971	1597	1241	887	407
Mean Population, 1891-1900. Males	—			8,399			176	178	200	194	196	944	1002	917	853	648	1159	911	759	604	420	182
Mean Population, 1891-1900. Females	—			9,387			195	210	201	200	198	1004	984	960	972	875	1365	1060	838	637	467	225
Deaths from All Causes, 1891-1900. Persons	14·39			2,559			460	99	44	19	26	648	54	43	52	44	117	161	172	250	422	596
Deaths from All Causes, 1891-1900. Males	15·12			1,270			241	48	23	8	10	330	24	20	26	17	65	76	85	125	216	286
Deaths from All Causes, 1891-1900. Females	13·73			1,289			219	51	21	11	16	318	30	23	26	27	52	85	87	125	206	310
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·19	0·20	0·17	33	17	16	5	14	3	2	2	26	5	2	—	—	—	—	—	—	—	—
Scarlet Fever	0·08	0·06	0·11	15	5	10	—	—	4	2	2	8	3	4	—	—	—	—	—	—	—	—
Diphtheria	0·13	0·11	0·15	23	9	14	1	3	2	3	4	13	9	—	—	1	—	—	—	—	—	—
Whooping-cough	0·26	0·20	0·32	47	17	30	18	20	6	1	1	46	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·19	0·24	0·15	34	20	14	—	—	2	1	1	4	3	4	4	4	5	6	2	—	2	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·30	0·31	0·30	54	26	28	40	4	2	—	—	46	—	1	—	—	—	—	—	—	—	7
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	1·04	0·89	1·17	185	75	110	—	—	—	—	1	1	—	—	1	—	4	15	21	53	64	26
Tabes Mesenterica	0·07	0·10	0·04	12	8	4	5	—	—	—	—	5	—	2	—	1	1	2	—	1	—	—
Phthisis	0·89	0·93	0·85	158	78	80	—	1	1	—	—	2	2	6	20	11	43	40	21	11	2	—
Other Tub. & Scrof. Dis.	0·25	0·26	0·23	44	22	22	10	2	6	—	2	20	8	3	2	1	4	—	2	2	1	1
Diseases of Nervous System	1·89	2·20	1·61	336	185	151	70	11	3	1	2	87	1	4	2	3	5	9	19	39	81	86
Diseases of Circulatory "	1·56	1·67	1·47	278	140	138	4	—	—	—	—	4	1	5	4	4	10	14	33	57	87	59
Diseases of Respiratory "	1·99	2·07	1·91	353	174	179	75	20	11	6	5	117	7	2	2	3	6	18	15	25	69	89
Diseases of Digestive "	0·81	0·83	0·79	144	70	74	42	6	—	—	—	48	2	2	2	4	5	12	15	20	19	15
Diseases of Urinary "	0·38	0·52	0·24	67	44	23	1	1	—	—	1	3	—	1	2	—	1	4	6	10	12	28
Diseases of Generative "	0·04	0·02	0·06	8	2	6	—	—	—	—	—	—	—	—	—	—	1	3	—	3	—	1
Puerperal Fever	0·04	—	0·07	7	—	7	—	—	—	—	—	—	—	—	—	—	6	1	—	—	—	—
Childbirth	0·06	—	0·12	11	—	11	—	—	—	—	—	—	—	—	—	—	3	7	1	—	—	—
Violence	0·50	0·75	0·28	89	63	26	10	4	3	3	2	22	6	2	3	3	7	8	15	8	10	5
OTHER CAUSES	3·72	3·76	3·69	661	315	346	179	13	1	—	3	196	6	5	10	9	16	22	22	21	75	279

Marriages 1,158

Births .. { Males .. 2,223 / Females 2,180 } 4,403

Annual Rate per 1000 living { Persons Married .. 13·02 / Births .. .. .. 24·76 }

Annual Births to 1000 Females aged 15—45 years = 103.

Deaths from Childbirth and Puerperal Fever .. .. } 4·09 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

402.—BILLESDON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		12·51	*103	—	—	—	—	32·36	2·51	3·29	2·41	4·50	4·28	6·99	10·86	20·23	50·78	149·70
Annual Death-Rate per 1000. Males	—					12·27	*104	—	—	—	—	31·78	1·47	3·32	1·17	5·16	5·36	6·80	10·54	25·10	53·51	143·18
Annual Death-Rate per 1000. Females	—					12·73	*103	—	—	—	—	32·96	3·60	3·26	3·73	3·95	3·37	7·16	11·18	16·07	48·24	156·96
Mean Population, 1891–1900. Persons	—			7,012			136	128	155	159	142	720	797	729	665	556	982	830	663	519	384	167
Mean Population, 1891–1900. Males	—			3,418			75	64	77	76	73	365	408	361	343	252	448	397	332	239	185	88
Mean Population, 1891–1900. Females	—			3,594			61	64	78	83	69	355	389	368	322	304	534	433	331	280	199	79
Deaths from All Causes, 1891–1900. Persons	14·83			1,040			167	31	18	8	9	233	20	24	16	25	42	58	72	105	195	250
Deaths from All Causes, 1891–1900. Males	15·27			522			85	16	7	5	3	116	6	12	4	13	24	27	35	60	99	126
Deaths from All Causes, 1891–1900. Females	14·41			518			82	15	11	3	6	117	14	12	12	12	18	31	37	45	96	124
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·06	0·03	0·08	4	1	3	—	1	1	—	—	2	1	1	—	—	—	—	—	—	—	—
Diphtheria	0·29	0·20	0·36	20	7	13	—	—	2	2	3	7	6	4	1	—	—	2	—	—	—	—
Whooping-cough	0·27	0·20	0·34	19	7	12	9	6	3	—	—	18	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·13	0·12	0·14	9	4	5	—	—	—	—	2	2	1	2	1	—	1	1	1	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·44	0·59	0·31	31	20	11	19	1	—	—	—	20	—	—	—	—	—	—	1	1	3	6
Cholera	0·03	0·03	0·03	2	1	1	1	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Cancer	0·74	0·76	0·72	52	26	26	—	—	—	—	—	—	—	—	—	—	—	2	8	14	18	10
Tabes Mesenterica	0·13	0·18	0·08	9	6	3	6	1	1	—	—	8	—	—	—	1	—	—	—	—	—	—
Phthisis	0·96	1·05	0·86	67	36	31	3	—	—	—	—	3	2	1	6	9	17	13	9	4	3	—
Other Tub. & Scrof. Dis.	0·26	0·12	0·39	18	4	14	2	2	2	—	—	6	1	4	1	1	1	—	1	1	1	1
Diseases of Nervous System	1·89	1·73	2·06	133	59	74	19	8	3	1	1	32	1	2	2	3	3	4	10	14	27	35
Diseases of Circulatory "	1·65	1·76	1·56	116	60	56	1	—	1	—	—	2	3	4	3	1	3	12	10	23	28	27
Diseases of Respiratory "	2·53	2·75	2·34	178	94	84	28	6	3	4	2	43	1	1	—	4	3	6	9	19	51	41
Diseases of Digestive "	0·63	0·67	0·58	44	23	21	6	2	—	—	—	8	1	1	—	2	1	5	5	7	8	6
Diseases of Urinary "	0·36	0·50	0·22	25	17	8	1	—	—	1	—	2	—	—	—	1	—	2	5	5	7	3
Diseases of Generative "	0·09	—	0·17	6	—	6	—	—	—	—	—	—	—	—	—	—	—	1	2	—	3	—
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	0·06	—	0·11	4	—	4	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—
Violence	0·56	0·73	0·39	39	25	14	3	1	—	—	—	4	1	3	—	1	3	6	4	6	5	6
OTHER CAUSES	3·75	3·85	3·67	264	132	132	69	2	2	—	1	74	1	1	2	2	8	2	7	11	41	115

Marriages 424

Births .. { Males .. 817 / Females 799 } 1,616

Annual Rate per 1000 living { Persons Married .. 12·09 / Births .. .. .. 23·05

Annual Births to 1000 Females aged 15—45 years = 101.

Deaths from Childbirth and Puerperal Fever .. .. } 2·48 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

403.—BLABY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 14·86	*134	—	—	—	—	47·44	3·98	2·44	3·79	4·31	4·66	7·30	10·97	23·70	55·33	146·69
Annual Death-Rate per 1000. Males	—	15·31	*151	—	—	—	—	51·76	3·62	2·33	3·93	5·61	4·46	7·08	10·70	25·51	58·42	147·67
Annual Death-Rate per 1000. Females	—	14·43	*117	—	—	—	—	43·07	4·33	2·55	3·63	3·15	4·84	7·52	11·22	21·99	52·44	145·79
Mean Population, 1891–1900. Persons	—	24,577	644	634	609	662	617	3166	3067	2832	2586	2160	3523	2697	2024	1325	835	362
Mean Population, 1891–1900. Males	—	12,118	317	321	315	337	302	1592	1519	1418	1347	1017	1725	1300	981	643	404	172
Mean Population, 1891–1900. Females	—	12,459	327	313	294	325	315	1574	1548	1414	1239	1143	1798	1397	1043	682	431	190
Deaths from All Causes, 1891–1900. Persons	15·36	3,774	1057	217	99	64	65	1502	122	69	98	93	164	197	222	314	462	531
Deaths from All Causes, 1891–1900. Males	16·09	1,950	600	109	48	34	33	824	55	33	53	57	77	92	105	164	236	254
Deaths from All Causes, 1891–1900. Females	14·64	1,824	457	108	51	30	32	678	67	36	45	36	87	105	117	150	226	277

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							Persons.															
Small-pox	0·02	0·02	0·02	4	2	2	1	—	—	—	—	1	1	1	—	—	—	—	1	—	—	—
Measles	0·22	0·24	0·21	55	29	26	8	20	10	6	7	51	3	—	1	—	—	—	—	—	—	—
Scarlet Fever	0·26	0·26	0·27	65	31	34	2	3	15	6	10	36	19	5	1	1	2	1	—	—	—	—
Diphtheria	0·26	0·23	0·29	64	28	36	2	7	6	12	9	36	23	1	3	—	—	—	1	—	—	—
Whooping-cough	0·27	0·29	0·26	67	35	32	28	20	11	1	4	64	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·15	0·16	0·14	36	19	17	—	1	—	1	—	2	2	4	6	7	7	4	4	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·60	0·71	0·49	147	86	61	103	15	1	1	—	120	—	—	—	—	1	1	2	4	6	13
Cholera	0·01	0·01	0·01	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—
Cancer	0·63	0·45	0·82	156	54	102	—	—	2	1	—	3	—	—	3	4	1	6	34	47	39	19
Tabes Mesenterica	0·15	0·21	0·10	38	26	12	25	6	—	—	1	32	—	—	2	2	2	—	—	—	—	—
Phthisis	0·94	0·97	0·92	232	118	114	6	—	1	—	2	9	4	12	30	34	66	47	18	10	2	—
Other Tub. & Scrof. Dis.	0·39	0·44	0·35	96	53	43	32	14	2	3	3	54	10	6	9	5	4	4	2	2	—	—
Diseases of Nervous System	2·07	2·01	2·14	509	243	266	160	21	15	5	8	209	18	13	8	6	11	14	25	36	82	87
Diseases of Circulatory "	1·38	1·32	1·43	338	160	178	8	—	—	1	2	11	7	7	10	6	10	23	42	65	101	56
Diseases of Respirative "	2·61	2·77	2·45	641	336	305	168	76	24	18	10	296	15	5	5	6	13	28	34	66	87	86
Diseases of Digestive "	0·93	0·98	0·88	229	119	110	74	16	2	3	2	97	5	3	5	5	6	17	21	24	34	12
Diseases of Urinary "	0·35	0·51	0·19	86	62	24	1	—	1	1	1	4	2	—	2	2	6	4	11	8	27	20
Diseases of Generative "	0·02	—	0·04	5	—	5	—	—	—	—	—	—	—	—	—	—	3	1	—	—	1	—
Puerperal Fever	0·04	—	0·08	10	—	10	—	—	—	—	—	—	—	—	—	1	4	5	—	—	—	—
Childbirth	0·06	—	0·11	14	—	14	—	—	—	—	—	—	—	—	—	1	4	9	—	—	—	—
Violence	0·54	0·80	0·28	132	97	35	8	5	4	4	1	22	6	4	8	7	9	21	12	24	11	8
OTHER CAUSES	3·46	3·71	3·16	848	451	397	431	13	5	1	5	455	4	8	5	6	15	12	15	27	71	230

Marriages 1,713

Births .. { Males .. 3,986 / Females 3,918 } 7,904

Annual Rate per 1000 living { Persons Married .. 13·94 / Births .. .. .. 32·16 }

Annual Births to 1000 Females aged 15—45 years = 142.

Deaths from Childbirth and Puerperal Fever .. .. } 3·04 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

404.—HINCKLEY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		16·89	*143	—	—	—	—	58·37	6·85	2·78	3·29	4·11	5·21	7·72	12·47	25·42	53·33	157·61
Annual Death-Rate per 1000. Males	—					17·37	*155	—	—	—	—	61·86	6·91	2·88	2·97	4·42	4·77	8·09	14·08	27·08	51·42	169·70
Annual Death-Rate per 1000. Females	—					16·45	*132	—	—	—	—	54·96	6·79	2·68	3·57	3·85	5·61	7·38	10·99	23·93	55·24	145·88
Mean Population, 1891–1900. Persons	—			22,155			640	607	575	580	562	2964	2671	2553	2343	1996	3185	2370	1700	1196	842	335
Mean Population, 1891–1900. Males	—			10,686			318	308	272	296	269	1463	1331	1248	1111	904	1510	1150	817	565	422	165
Mean Population, 1891–1900. Females	—			11,469			322	299	303	284	293	1501	1340	1305	1232	1092	1675	1220	883	631	420	170
Deaths from All Causes, 1891–1900. Persons	17·99			3 985			1,101	328	137	102	62	1730	183	71	77	82	166	183	212	304	449	528
Deaths from All Causes, 1891–1900. Males	19·05			2,036			601	159	66	50	29	905	92	36	33	40	72	93	115	153	217	280
Deaths from All Causes, 1891–1900. Females	16·99			1,949			500	169	7[illegible]	52	33	825	91	35	44	42	94	90	97	151	232	248
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·05	0·06	0·04	11	6	5	2	1	—	—	1	4	—	1	—	—	1	3	1	1	—	—
Measles	0·55	0·52	0·58	122	56	66	23	50	25	13	2	113	8	—	1	—	—	—	—	—	—	—
Scarlet Fever	0·12	0·14	0·10	26	15	11	2	4	4	6	4	20	6	—	—	—	—	—	—	—	—	—
Diphtheria	1·28	1·20	1·36	284	128	156	12	43	39	54	30	178	94	10	1	1	—	—	—	—	—	—
Whooping-cough	0·31	0·19	0·42	68	20	48	39	22	3	1	1	66	2	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·22	0·26	0·18	49	28	21	—	1	1	—	1	3	8	6	5	10	10	2	2	2	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·48	0·58	0·38	106	62	44	73	12	1	—	—	86	1	—	—	—	—	—	1	1	4	13
Cholera	0·01	0·01	0·01	2	1	1	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—
Cancer	0·61	0·51	0·69	134	55	79	—	—	—	—	1	1	—	1	—	1	4	13	26	35	37	16
Tabes Mesenterica	0·17	0·15	0·19	38	16	22	19	4	1	—	—	24	3	4	4	—	2	—	1	—	—	—
Phthisis	1·09	1·08	1·10	241	115	126	4	4	3	—	1	12	3	12	22	37	56	59	25	13	2	—
Other Tub. & Scrof. Dis.	0·32	0·39	0·25	71	42	29	10	10	8	2	2	32	9	3	4	4	10	4	1	3	1	—
Diseases of Nervous System	2·09	2·17	2·01	462	232	230	155	25	5	4	6	195	14	7	3	3	9	13	25	47	84	62
Diseases of Circulatory "	1·39	1·53	1·25	307	164	143	—	—	—	3	—	3	3	10	12	5	7	24	46	70	85	42
Diseases of Respiratory "	2·92	3·22	2·63	646	344	302	210	101	33	10	8	362	11	6	5	4	15	19	23	48	80	73
Diseases of Digestive "	1·07	1·22	0·92	236	130	106	93	28	7	3	3	134	3	—	4	5	10	6	19	20	26	9
Diseases of Urinary "	0·37	0·51	0·24	82	55	27	3	4	1	—	1	9	5	1	4	2	5	3	12	10	16	15
Diseases of Generative "	0·05	—	0·09	10	—	10	—	—	—	—	—	—	—	—	1	1	2	—	—	3	2	1
Puerperal Fever	0·05	—	0·10	11	—	11	—	—	—	—	—	—	—	—	—	1	7	3	—	—	—	—
Childbirth	0·06	—	0·12	14	—	14	—	—	—	—	—	—	—	—	1	2	5	6	—	—	—	—
Violence	0·42	0·57	0·28	93	61	32	14	4	2	4	1	25	3	5	3	2	7	9	10	12	11	6
Other Causes	4·36	4·74	4·05	972	506	466	442	15	4	2	—	463	10	5	7	4	15	19	19	39	100	291

Marriages 1,762
Births .. Males .. 3,888 / Females 3,794 } 7,682

Annual Rate per 1000 living { Persons Married .. 15·91 / Births .. .. .. 34·67
Annual Births to 1000 Females aged 15—45 years = 147.

Deaths from Childbirth and Puerperal Fever .. .. } 3·25 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

405.—MARKET BOSWORTH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 14·58	*127	—	—	—	—	45·76	3·28	2·09	3·79	3·48	4·66	7·36	11·02	20·43	55·69	162·59
Annual Death-Rate per 1000. Males	—	14·02	*135	—	—	—	—	47·86	2·44	1·90	3·95	3·22	4·16	7·43	11·09	18·76	50·14	163·97
Annual Death-Rate per 1000. Females	—	15·09	*119	—	—	—	—	43·75	4·14	2·31	3·56	3·78	5·19	7·28	10·94	22·11	61·56	161·39
Mean Population, 1891-1900. Persons	—	16,340	467	432	442	420	433	2194	2105	2011	1532	1292	2147	1767	1343	969	686	294
Mean Population, 1891-1900. Males	—	8,471	239	212	212	199	212	1074	1066	1103	886	684	1106	902	676	485	353	136
Mean Population, 1891-1900. Females	—	7,869	228	220	230	221	221	1120	1039	908	646	608	1041	865	667	484	333	158
Deaths from All Causes, 1891-1900. Persons	16·24	2,654	689	170	77	34	34	1004	69	42	58	45	100	130	148	198	382	478
Deaths from All Causes, 1891-1900. Males	15·31	1,297	369	78	31	19	17	514	26	21	35	22	46	67	75	91	177	223
Deaths from All Causes, 1891-1900. Females	17·24	1,357	320	92	46	15	17	490	43	21	23	23	54	63	73	107	205	255

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							Persons.															
Small-pox	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Measles	0·40	0·43	0·38	66	36	30	17	28	12	2	2	61	4	—	—	—	—	1	—	—	—	—
Scarlet Fever	0·12	0·08	0·15	19	7	12	2	3	3	1	2	11	7	—	—	—	—	1	—	—	—	—
Diphtheria	0·19	0·19	0·19	31	16	15	5	2	4	3	8	22	7	2	—	—	—	—	—	—	—	—
Whooping-cough	0·31	0·18	0·44	50	15	35	25	9	7	4	1	46	4	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·14	0·18	0·10	23	15	8	—	—	—	—	2	2	2	5	3	3	3	2	3	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·46	0·52	0·39	75	44	31	53	7	1	—	1	62	—	—	1	1	—	1	1	1	3	5
Cholera	0·02	0·02	0·03	4	2	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	3
Cancer	0·64	0·46	0·84	105	39	66	—	—	—	—	2	2	1	—	—	—	5	6	20	20	41	10
Tabes Mesenterica	0·16	0·15	0·17	26	13	13	12	4	3	—	1	20	2	1	—	1	—	2	—	—	—	—
Phthisis	0·64	0·59	0·70	105	50	55	2	1	—	—	—	3	4	4	10	14	23	26	15	5	1	—
Other Tub. & Scrof. Dis.	0·50	0·41	0·60	82	35	47	26	10	8	7	5	56	6	5	3	2	4	2	—	3	—	1
Diseases of: Nervous System	1·80	1·82	1·78	294	154	140	88	14	6	3	1	112	5	4	10	2	5	10	16	26	52	52
Diseases of: Circulatory	1·66	1·50	1·84	272	127	145	1	—	—	—	—	1	6	5	6	3	9	24	22	55	74	67
Diseases of: Respiratory	3·02	3·02	3·01	493	256	237	140	61	25	10	3	239	6	1	6	2	9	9	21	37	83	80
Diseases of: Digestive	1·30	0·99	1·63	212	84	128	77	17	6	1	1	102	5	3	5	3	5	5	16	19	26	23
Diseases of: Urinary	0·33	0·40	0·25	54	34	20	3	1	—	—	—	4	—	1	—	3	2	3	6	12	13	10
Diseases of: Generative	0·01	—	0·03	2	—	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—
Puerperal Fever	0·06	—	0·13	10	—	10	—	—	—	—	—	—	—	—	1	1	3	4	1	—	—	—
Childbirth	0·09	—	0·18	14	—	14	—	—	—	—	—	—	—	—	—	2	6	6	—	—	—	—
Violence	0·59	0·83	0·33	96	70	26	10	4	1	3	4	22	5	9	9	4	9	9	6	7	6	10
Other Causes	3·79	3·53	4·07	620	299	321	228	9	1	—	1	239	5	2	4	3	16	18	21	13	82	217

Marriages 1,189

Births .. { Males .. 2,734 / Females 2,680 } 5,414

Annual Rate per 1000 living { Persons Married .. 14·55 / Births .. .. .. 33·13 }

Annual Births to 1000 Females aged 15—45 years = 171.

Deaths from Childbirth and Puerperal Fever .. .. } 4·43 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

406.—ASHBY DE LA ZOUCH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 15·59			*141	—	—	—	—	50·71	3·43	1·74	3·51	4·27	5·43	8·00	10·90	25·12	61·74	146·44
Males ..	—			16·05			*151	—	—	—	—	55·78	3·29	2·39	3·01	4·40	5·10	7·26	11·19	26·28	67·03	148·22
Females	—			15·16			*131	—	—	—	—	45·72	3·58	1·09	4·15	4·12	5·78	8·77	10·61	23·96	56·96	144·84
Mean Population, 1891–1900. Persons	—			39,960			1182	1070	1062	1067	1046	5427	5129	4643	3986	3445	5638	4265	3247	2305	1341	534
Males ..	—			20 514			591	509	530	549	512	2691	2615	2341	2229	1843	2922	2189	1645	1149	637	253
Females	—			19,446			591	561	532	518	534	2736	2514	2302	1757	1602	2716	2076	1602	1156	704	281
Deaths from All Causes, 1891–1900. Persons	16·23			6,486			1966	450	157	111	68	2752	176	81	140	147	306	341	354	579	828	782
Males ..	16·51			3,387			1085	252	77	60	27	1501	86	56	67	81	149	159	184	302	427	375
Females	15·94			3,099			881	198	80	51	41	1251	90	25	73	66	157	182	170	277	401	407
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·37	0·38	0·36	147	77	70	37	58	17	19	10	141	5	—	—	—	—	—	—	1	—	—
Scarlet Fever	0·20	0·19	0·21	79	39	40	10	11	11	12	5	49	19	5	5	1	—	—	—	—	—	—
Diphtheria	0·14	0·16	0·12	55	32	23	6	6	3	5	7	27	16	3	3	1	3	1	—	1	—	—
Whooping-cough ..	0·39	0·36	0·42	154	73	81	89	42	14	8	1	154	—	—	—	—	—	—	—	—	—	—
Typhus	0·00	—	0·01	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Enteric Fever	0·25	0·27	0·23	100	56	44	—	1	1	1	1	4	10	5	20	13	24	14	7	1	1	1
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·38	0·36	0·39	150	74	76	82	18	2	1	1	104	—	1	2	1	—	1	3	6	13	19
Cholera	0·02	0·02	0·02	8	4	4	—	—	1	—	—	1	—	—	—	—	1	—	—	5	1	—
Cancer	0·61	0·50	0·73	243	102	141	—	1	2	—	1	4	1	—	1	1	2	24	37	78	73	22
Tabes Mesenterica ..	0·14	0·16	0·12	57	33	24	29	12	3	3	—	47	3	4	2	1	—	—	—	—	—	—
Phthisis	0·69	0·68	0·70	276	139	137	5	1	1	1	1	9	8	6	31	44	62	56	33	22	4	1
Other Tub. & Scrof. Dis.	0·37	[illegible]	0·35	147	79	68	31	27	14	10	6	88	17	7	7	7	6	7	5	2	1	—
Diseases of Nervous System ..	2·14	2·22	2·05	853	455	398	334	50	13	8	8	413	13	11	12	12	21	23	37	78	134	99
Circulatory „ ..	1·48	1·36	1·60	590	279	311	2	—	—	—	—	2	5	6	10	8	27	39	71	130	196	96
Respiratory „ ..	2·83	3·04	2·60	1129	623	506	362	129	44	25	18	578	39	4	12	8	22	39	40	81	156	150
Digestive „ ..	1·46	1·46	1·46	582	299	283	232	59	10	7	3	311	10	5	6	5	27	27	37	67	52	35
Urinary „ ..	0·30	0·34	0·27	121	69	52	4	1	3	—	—	8	3	1	1	—	13	14	13	17	29	22
Generative „ ..	0·02	—	0·05	9	—	9	—	—	—	—	—	—	—	—	1	—	1	3	1	2	—	1
Puerperal Fever ..	0·08	—	0·16	31	—	31	—	—	—	—	—	—	—	—	1	4	15	11	—	—	—	—
Childbirth	0·11	—	0·22	42	—	42	—	—	—	—	—	—	—	—	1	5	19	17	—	—	—	—
Violence	0·60	0·92	0·27	241	188	53	21	7	14	10	5	57	15	12	14	19	24	20	28	21	22	9
Other Causes	3·65	3·71	3·60	1471	766	705	722	27	4	1	1	755	12	11	11	17	38	45	42	67	146	327

Marriages 3,162

Births .. { Males .. 7,174 / Females 6,724 } 13,898

Annual Rate per 1000 living { Persons Married .. 15·83 / Births .. .. .. 34·78 }

Annual Births to 1000 Females aged 15—45 years = 171.

Deaths from Childbirth and Puerperal Fever .. .. } 5·25 per 1000 Births.

* The death-rates under one year of age are per 1000 births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

407.—LOUGHBOROUGH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 16·53			*156	—	—	—	—	52·52	3·45	2·18	3·05	5·01	5·97	9·30	12·94	29·25	60·44	150·09
Annual Death-Rate per 1000. Males	—			17·24			*179	—	—	—	—	59·73	3·80	2·23	2·44	4·42	5·82	9·26	13·95	29·50	63·32	154·32
Annual Death-Rate per 1000. Females	—			15·87			*132	—	—	—	—	45·39	3·12	2·12	3·60	5·50	6·09	9·35	12·01	29·03	57·97	146·48
Mean Population, 1891-1900. Persons	—			32,735			830	774	778	773	771	3926	3795	3677	3405	2953	4861	3644	2752	1969	1226	527
Mean Population, 1891-1900. Males	—			15,649			410	400	400	373	369	1952	1870	1794	1598	1335	2267	1772	1312	939	567	243
Mean Population, 1891-1900. Females	—			17,086			420	374	378	400	402	1974	1925	1883	1807	1618	2594	1872	1440	1030	659	284
Deaths from All Causes, 1891-1900. Persons	17·16			5,618			1495	312	113	82	60	2062	131	80	104	148	290	339	356	576	741	791
Deaths from All Causes, 1891-1900. Males	18·31			2,865			869	156	62	45	34	1166	71	40	39	59	132	164	183	277	359	375
Deaths from All Causes, 1891-1900. Females	16·11			2,753			626	156	51	37	26	896	60	40	65	89	158	175	173	299	382	416
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	0·01	2	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—
Measles	0·33	0·39	0·27	108	61	47	27	41	16	10	7	101	6	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·17	0·18	0·16	56	28	28	2	8	8	7	4	29	19	5	—	1	2	—	—	—	—	—
Diphtheria	0·12	0·13	0·12	40	20	20	—	5	6	10	3	24	15	—	—	—	—	—	—	1	—	—
Whooping-cough	0·27	0·27	0·27	89	43	46	48	25	9	6	1	89	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·19	0·19	0·19	61	29	32	—	—	—	—	1	1	4	11	7	6	12	11	4	3	1	1
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·94	1·14	0·76	307	178	129	234	32	3	2	—	271	—	—	—	—	—	3	3	5	10	15
Cholera	0·01	0·01	0·01	3	1	2	2	—	—	—	—	2	—	—	—	—	1	—	—	—	—	—
Cancer	0·79	0·66	0·92	260	103	157	1	1	—	1	—	3	1	1	3	2	3	13	58	73	67	36
Tabes Mesenterica	0·14	0·22	0·07	47	35	12	22	10	2	1	1	36	4	1	1	—	4	—	1	—	—	—
Phthisis	1·22	1·30	1·06	399	218	181	2	1	2	—	2	7	6	15	38	55	107	92	42	26	9	2
Other Tub. & Scrof. Dis.	0·32	0·33	0·32	105	51	54	17	14	8	4	10	53	17	6	6	5	7	5	2	3	1	—
Diseases of Nervous System	2·30	2·40	2·22	754	375	379	291	39	13	10	7	360	8	9	8	13	16	19	39	96	96	90
Diseases of Circulatory "	1·79	1·73	1·84	585	271	314	5	—	—	—	—	5	5	8	5	14	24	44	73	134	192	81
Diseases of Respiratory "	2·73	2·91	2·56	893	455	438	215	104	32	19	14	384	20	2	4	13	26	56	43	94	142	109
Diseases of Digestive "	0·79	0·85	0·73	258	133	125	56	13	1	4	2	76	4	4	5	6	10	21	25	34	49	24
Diseases of Urinary "	0·31	0·43	0·19	100	68	32	3	2	1	1	1	8	—	1	2	1	7	11	7	23	19	21
Diseases of Generative "	0·07	0·01	0·13	23	1	22	1	—	—	—	—	1	—	1	2	1	3	3	5	4	1	2
Puerperal Fever	0·08	—	0·16	27	—	27	—	—	—	—	—	—	—	—	—	6	13	6	2	—	—	—
Childbirth	0·07	—	0·14	24	—	24	—	—	—	—	—	—	—	—	—	3	13	8	—	—	—	—
Violence	0·61	0·83	0·41	200	130	70	27	2	8	6	5	48	10	2	12	9	14	16	20	28	23	18
Other Causes	3·90	4·23	3·57	1277	664	613	542	15	4	1	2	564	12	13	11	12	28	31	32	51	131	392

Marriages 2,438

Births .. { Males .. 4,865 / Females 4,732 } 9,597

Annual Rate per 1000 living { Persons Married .. 14·90 / Births .. .. .. 29·32 }

Annual Births to 1000 Females aged 15—45 years = 122.

Deaths from Childbirth and Puerperal Fever .. .. } 5·31 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

408.—BARROW UPON SOAR.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 15·48	*147	—	—	—	—	52·13	3·36	2·25	4·28	5·39	5·16	7·39	10·75	21·70	57·23	144·71
Annual Death-Rate per 1000. Males	—	16·20	*156	—	—	—	—	57·18	4·10	2·04	3·83	5·84	5·69	6·73	10·84	23·48	62·29	150·00
Annual Death-Rate per 1000. Females	—	14·81	*138	—	—	—	—	47·23	2·64	2·46	4·71	5·02	4·69	8·04	10·67	20·07	52·87	140·00
Mean Population, 1891-1900. Persons	—	25,120	630	601	593	582	619	3025	3004	2846	2639	2132	3507	2746	2139	1590	1038	454
Mean Population, 1891-1900. Males	—	12,144	298	306	289	287	310	1490	1489	1421	1279	976	1651	1353	1033	758	480	214
Mean Population, 1891-1900. Females	—	12,976	332	295	304	295	309	1535	1515	1425	1360	1156	1856	1393	1106	832	558	240
Deaths from All Causes, 1891-1900. Persons	16·64	4,180	1123	248	99	65	42	1577	101	64	113	115	181	203	230	345	594	657
Deaths from All Causes, 1891-1900. Males	17·65	2,143	601	137	53	30	31	852	61	29	49	57	94	91	112	178	299	321
Deaths from All Causes, 1891-1900. Females	15·70	2,037	522	111	46	35	11	725	40	35	64	58	87	112	118	167	295	336

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.													
Small-pox	0·00	—	0·01	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Measles	0·36	0·41	0·31	90	50	40	20	26	19	14	3	82	7	1	—	—	—	—	—	—
Scarlet Fever	0·12	0·14	0·10	30	17	13	1	2	3	3	6	15	13	1	1	—	—	—	—	—
Diphtheria	0·27	0·38	0·18	69	46	23	3	4	15	12	8	42	21	2	1	1	—	1	1	—
Whooping-cough	0·33	0·35	0·30	82	43	39	40	26	10	2	2	80	2	—	—	—	—	—	—	—
Typhus	—	—	—	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·16	0·20	0·12	39	24	15	—	—	1	2	—	3	3	7	8	6	2	5	2	1
Simple Continued Fever	0·00	0·01	—	1	1	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·80	0·90	0·72	202	109	93	147	17	1	2	—	167	—	1	—	3	1	—	1	4
Cholera	0·01	0·01	0·01	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	2
Cancer	0·63	0·54	0·72	158	65	93	—	—	—	—	—	—	1	1	2	1	1	12	32	44
Tabes Mesenterica	0·12	0·12	0·13	31	14	17	15	1	—	—	—	16	1	1	6	2	2	1	1	1
Phthisis	1·24	1·24	1·24	311	150	161	3	4	2	—	2	11	4	10	45	58	88	49	22	15
Other Tub. & Scrof. Dis.	0·35	0·36	0·33	87	44	43	26	12	5	2	2	47	9	5	7	2	9	3	3	2
Diseases of Nervous System	2·03	2·19	1·88	510	266	244	177	24	11	9	3	224	9	7	4	4	5	12	24	55
Diseases of Circulatory "	1·67	1·57	1·76	419	191	228	3	—	1	—	—	4	6	4	9	6	15	34	54	88
Diseases of Respiratory "	2·64	2·75	2·54	664	334	330	202	92	18	13	10	335	9	5	3	6	13	23	26	47
Diseases of Digestive "	0·91	0·97	0·86	229	118	111	65	14	1	2	2	84	3	7	8	5	6	11	10	30
Diseases of Urinary "	0·29	0·41	0·18	73	50	23	2	1	1	—	2	6	2	1	2	3	3	7	8	7
Diseases of Generative "	0·02	0·01	0·04	6	1	5	—	—	—	—	—	—	—	—	—	2	—	1	2	—
Puerperal Fever	0·02	—	0·04	5	—	5	—	—	—	—	—	—	—	—	—	1	2	2	—	—
Childbirth	0·06	—	0·11	14	—	14	—	—	—	—	—	—	—	—	1	2	5	6	—	—
Violence	0·61	0·88	0·35	152	107	45	8	5	7	3	1	24	8	3	9	8	13	20	16	10
OTHER CAUSES	4·00	4·21	3·77	1005	512	493	411	19	4	1	1	436	3	8	7	5	16	16	27	39

	75 and upwds.
Diseases of Nervous System	74
Diseases of Circulatory	52
Diseases of Respiratory	93
Diseases of Digestive	26
Diseases of Urinary	19
Diseases of Generative	15
Puerperal Fever	1
Childbirth	—
Violence	18
OTHER CAUSES	23
	114
	334

Marriages 1,732

Births .. { Males .. 3,853 / Females 3,775 } 7,628

Annual Rate per 1000 living { Persons Married .. 13·79 / Births .. .. .. 30·37

Annual Births to 1000 Females aged 15—45 years = 132.

Deaths from Childbirth and Puerperal Fever .. .. } 2·49 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

409.—LEICESTER.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		19·58	*195	—	—	—	—	72·70	4·85	2·11	3·48	4·24	5·45	9·39	15·30	30·99	65·62	156·73
Annual Death-Rate per 1000. Males	—					20·98	*213	—	—	—	—	79·43	5·04	2·02	4·01	4·90	5·89	9·93	16·75	34·66	71·89	165·32
Annual Death-Rate per 1000. Females	—					18·27	*175	—	—	—	—	66·11	4·66	2·19	3·04	3·73	5·06	8·89	14·02	27·93	60·84	150·95
Mean Population, 1891-1900. Persons	—			188,120			4909	4400	4449	4427	4245	22430	20593	20019	20032	19058	31001	22704	15795	9532	5114	1842
Mean Population, 1891-1900. Males	—			88,409			2436	2172	2149	2194	2135	11086	10107	9669	9030	8434	14453	10910	7433	4333	2213	741
Mean Population, 1891-1900. Females	—			99,711			2473	2228	2300	2233	2110	11344	10486	10350	11602	10624	16548	11794	8362	5199	2901	1101
Deaths from All Causes, 1891-1900. Persons	18·43			34,668			11583	2595	957	721	450	16306	998	422	697	809	1690	2132	2417	2954	3356	2887
Deaths from All Causes, 1891-1900. Males	20·11			17,783			6437	1300	486	355	228	8806	509	195	362	413	852	1083	1245	1502	1591	1225
Deaths from All Causes, 1891-1900. Females	16·93			16,885			5146	1295	471	366	222	7500	489	227	335	396	838	1049	1172	1452	1765	1662
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	0·01	21	7	14	2	1	1	2	3	9	6	1	—	—	3	—	1	1	—	—
Measles	0·45	0·48	0·44	855	421	434	191	341	130	100	42	804	46	—	—	2	2	1	—	—	—	—
Scarlet Fever	0·22	0·25	0·20	421	224	197	13	46	60	78	60	257	116	24	12	7	4	—	1	—	—	—
Diphtheria	0·45	0·48	0·42	849	427	422	36	114	139	149	113	551	241	36	5	5	8	1	1	—	1	—
Whooping-cough	0·38	0·38	0·38	717	337	380	351	226	66	50	15	708	9	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·18	0·20	0·16	331	173	158	1	4	8	4	7	24	29	50	53	52	62	27	22	8	4	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	1·57	1·74	1·41	2950	1540	1410	2532	253	24	3	1	2813	6	3	1	—	3	2	15	24	35	48
Cholera	0·01	0·00	0·01	12	4	8	7	1	—	—	1	9	—	—	—	1	—	—	—	—	2	—
Cancer	0·71	0·54	0·86	1330	474	856	1	1	5	5	4	16	5	6	6	15	50	141	321	373	287	110
Tabes Mesenterica	0·24	0·27	0·22	455	235	220	284	59	19	10	5	377	18	9	12	14	13	5	5	2	—	—
Phthisis	1·29	1·60	1·02	2435	1416	1019	50	24	10	8	7	99	27	45	211	330	622	576	315	163	38	9
Other Tub. & Scrof. Dis.	0·41	0·48	0·35	777	428	349	266	121	51	31	27	496	86	40	35	24	42	25	13	11	2	3
Diseases of Nervous System	2·18	2·42	1·97	4104	2139	1965	1508	250	78	49	24	1909	70	25	42	35	115	217	290	459	597	345
Diseases of Circulatory "	1·39	1·30	1·47	2615	1148	1467	44	4	4	4	2	58	39	56	76	64	162	278	428	605	623	226
Diseases of Respiratory "	3·08	3·45	2·75	5796	3054	2742	1602	776	258	158	82	2876	111	19	55	54	133	264	376	608	751	549
Diseases of Digestive "	1·08	1·17	0·99	2026	1035	991	846	170	20	21	14	1071	42	20	40	47	91	127	172	182	157	77
Diseases of Urinary "	0·39	0·53	0·27	736	472	264	22	13	6	5	5	51	29	16	16	21	36	84	103	159	144	77
Diseases of Generative "	0·04	0·01	0·07	77	7	70	2	3	—	—	—	5	—	—	2	2	12	16	13	16	9	2
Puerperal Fever	0·06	—	0·11	110	—	110	—	—	—	—	—	—	—	—	7	15	58	29	1	—	—	—
Childbirth	0·08	—	0·15	145	—	145	—	—	—	—	—	—	—	—	6	15	56	64	4	—	—	—
Violence	0·61	0·81	0·43	1147	714	433	243	38	41	27	25	374	68	35	56	56	80	105	130	102	62	79
Other Causes	3·60	3·99	3·24	6759	3528	3231	3582	150	37	17	13	3799	50	37	62	50	138	170	206	241	644	1362

Marriages 16,268

Births .. { Males .. 30,161 / Females 29,388 } 59,549

Annual Rate per 1000 living { Persons Married .. 17·30 / Births .. .. .. 31·65 }

Annual Births to 1000 Females aged 15—45 years = 119.

Deaths from Childbirth and Puerperal Fever .. .. } 4·28 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

410.—MELTON MOWBRAY.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·96			*130	—	—	—	—	42·23	3·96	2·32	2·91	4·86	4·77	6·93	10·72	21·78	52·05	148·94
Annual Death-Rate per 1000. Males ..	—			In Standard Population. 14·56			*144	—	—	—	—	47·41	3·90	2·59	3·07	5·97	4·14	6·75	12·30	21·93	52·12	158·04
Annual Death-Rate per 1000. Females	—			In Standard Population. 13·39			*115	—	—	—	—	37·22	4·01	2·05	2·74	3·82	5·39	7·11	9·19	21·64	51·98	140·65
Mean Population, 1891-1900. Persons	—			21,873			514	482	542	524	486	2548	2578	2281	1993	1728	3124	2612	1977	1515	1047	470
Mean Population, 1891-1900. Males ..	—			10,906			248	245	259	263	238	1253	1307	1160	1009	837	1547	1318	976	757	518	224
Mean Population, 1891-1900. Females	—			10,967			266	237	283	261	248	1295	1271	1121	984	891	1577	1294	1001	758	529	246
Deaths from All Causes, 1891-1900. Persons	15·96			3,490			786	154	53	46	37	1076	102	53	58	84	149	181	212	330	545	700
Deaths from All Causes, 1891-1900. Males ..	16·68			1,819			447	77	32	18	20	594	51	30	31	50	64	89	120	166	270	354
Deaths from All Causes, 1891-1900. Females	15·24			1,671			339	77	21	28	17	482	51	23	27	34	85	92	92	164	275	346
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·11	0·12	0·11	25	13	12	4	9	2	2	—	17	3	5	—	—	—	—	—	—	—	—
Scarlet Fever	0·12	0·10	0·15	27	11	16	1	2	3	5	3	14	10	1	1	1	—	—	—	—	—	—
Diphtheria	0·10	0·10	0·09	21	11	10	—	—	2	—	5	7	8	2	2	1	—	1	—	—	—	—
Whooping-cough ..	0·27	0·22	0·31	58	24	34	28	16	4	5	2	55	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·07	0·09	0·05	15	10	5	—	—	—	—	—	—	1	2	1	4	3	—	3	1	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·41	0·48	0·34	89	52	37	67	9	—	—	—	76	1	1	—	1	—	1	—	2	6	1
Cholera	0·03	0·01	0·05	6	1	5	4	1	—	—	1	6	—	—	—	—	—	—	—	—	—	—
Cancer	0·79	0·66	0·91	172	72	100	—	—	—	—	—	—	—	1	—	1	4	10	24	51	56	25
Tabes Mesenterica ..	0·08	0·09	0·07	18	10	8	9	1	1	2	—	13	3	—	—	1	—	—	—	—	—	1
Phthisis	0·86	0·82	0·91	189	89	100	2	1	—	1	1	5	5	6	18	24	53	42	18	9	9	—
Other Tub. & Scrof. Dis.	0·21	0·22	0·21	47	24	23	8	8	4	—	2	22	3	2	2	3	8	6	—	1	—	—
Diseases of Nervous System ..	2·08	2·06	2·10	455	225	230	94	19	7	4	7	131	10	8	7	8	12	11	36	56	95	81
Diseases of Circulatory " ..	1·52	1·62	1·42	333	177	156	1	—	—	—	—	1	6	3	2	7	9	27	33	60	103	82
Diseases of Respiratory " ..	2·59	2·78	2·41	567	303	264	129	54	23	19	12	237	15	3	3	2	14	16	24	49	96	108
Diseases of Digestive " ..	1·20	1·27	1·14	263	138	125	72	17	—	4	—	93	14	5	5	7	5	15	17	29	47	26
Diseases of Urinary " ..	0·41	0·58	0·24	89	63	26	5	—	—	1	—	6	1	2	1	3	3	5	9	15	17	27
Diseases of Generative " ..	0·03	—	0·05	6	—	6	—	—	—	—	—	—	—	1	1	—	—	1	3	—	—	—
Puerperal Fever ..	0·07	—	0·15	16	—	16	—	—	—	—	—	—	—	—	—	5	9	2	—	—	—	—
Childbirth	0·08	—	0·16	18	—	18	—	—	—	—	—	—	—	—	1	3	5	8	1	—	—	—
Violence	0·61	0·99	0·23	133	108	25	8	2	3	3	2	18	10	4	6	7	10	14	16	22	11	15
OTHER CAUSES ..	4·32	4·47	4·14	943	488	455	354	15	4	—	2	375	9	7	8	6	14	22	28	35	105	334

Marriages 1,386

Births .. { Males .. 3,111 / Females 2,958 } 6,069

Annual Rate per 1000 living { Persons Married .. 12·67 / Births .. .. .. 27·75 }

Annual Births to 1000 Females aged 15—45 years = 128.

Deaths from Childbirth and Puerperal Fever .. .. } 5·60 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

411.—OAKHAM.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·85			*116	—	—	—	—	37·22	2·37	2·11	2·24	3·58	4·50	6·64	10·86	20·24	51·89	150·64
Males ..	—			12·85			*126	—	—	—	—	38·85	2·36	2·89	1·87	3·46	4·02	5·94	11·18	22·37	58·53	141·96
Females	—			12·85			*104	—	—	—	—	35·59	2·37	1·28	2·63	3·69	4·94	7·31	10·55	18·33	46·15	158·54
Mean Population, 1891–1900. Persons	—			10,705			223	252	215	240	220	1150	1183	1135	1029	839	1555	1235	967	820	557	235
Males ..	—			5,280			119	112	112	121	110	574	593	588	535	405	746	606	474	389	258	112
Females	—			5,425			104	140	103	119	110	576	590	547	494	434	809	629	493	431	299	123
Deaths from All Causes, 1891–1900. Persons	14·94			1,599			312	67	15	17	17	428	28	24	23	30	70	82	105	166	289	354
Males ..	15·04			794			173	34	4	7	5	223	14	17	10	14	30	36	53	87	151	159
Females	14·84			805			139	33	11	10	12	205	14	7	13	16	40	46	52	79	138	195
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·15	0·15	0·15	16	8	8	3	9	2	1	1	16	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·01	0·02	—	1	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
Diphtheria	0·24	0·23	0·26	26	12	14	—	1	4	3	8	16	9	—	1	—	—	—	—	—	—	—
Whooping-cough ..	0·12	0·13	0·11	13	7	6	8	5	—	—	—	13	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·06	0·04	0·07	6	2	4	—	1	—	—	—	1	2	—	—	—	1	1	—	—	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·19	0·21	0·17	20	11	9	11	1	—	—	1	13	—	—	—	—	—	—	—	—	4	3
Cholera	0·03	0·02	0·04	3	1	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	1
Cancer	1·04	0·81	1·25	111	43	68	—	—	—	—	—	—	—	—	—	1	1	11	16	36	31	15
Tabes Mesenterica ..	0·24	0·27	0·22	26	14	12	21	2	—	1	—	24	—	—	1	—	—	—	—	1	—	—
Phthisis	0·93	0·85	1·01	100	45	55	2	1	1	—	—	4	1	7	8	12	27	15	14	8	4	—
Other Tub. & Scrof. Dis.	0·27	0·15	0·39	29	8	21	3	4	—	4	—	11	3	1	3	2	5	2	1	—	1	—
Diseases of Nervous System ..	1·69	1·69	1·70	181	89	92	46	8	1	3	—	58	1	3	1	1	1	8	11	23	41	33
Circulatory „ ..	1·75	1·97	1·53	187	104	83	1	—	—	—	—	1	—	1	—	2	5	9	21	36	67	45
Respiratory „ ..	2·38	2·50	2·27	255	132	123	70	27	4	4	3	108	6	4	2	4	5	8	15	14	44	45
Digestive „ ..	0·76	0·64	0·87	81	34	47	18	3	—	—	2	23	3	1	3	—	4	8	7	11	15	6
Urinary „ ..	0·37	0·42	0·33	40	22	18	—	—	—	—	—	—	—	1	—	1	3	1	2	8	14	10
Generative „ ..	0·04	0·02	0·06	4	1	3	1	—	—	—	—	1	—	—	—	—	—	1	—	1	1	—
Puerperal Fever ..	0·02	—	0·04	2	—	2	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
Childbirth	0·05	—	0·09	5	—	5	—	—	—	—	—	—	—	—	—	—	2	3	—	—	—	—
Violence	0·42	0·63	0·22	45	33	12	2	—	2	1	1	6	1	3	1	4	5	4	5	4	9	3
OTHER CAUSES	4·18	4·29	4·06	448	227	221	126	5	—	—	1	132	—	3	3	3	9	11	13	24	57	193

Marriages 679

Births .. { Males .. 1,369 / Females 1,331 } 2,700

Annual Rate per 1000 living { Persons Married .. 12·69 / Births .. .. .. 25·22

Annual Births to 1000 Females aged 15—45 years = 114.

Deaths from Childbirth and Puerperal Fever .. .. } 2·59 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

412.—UPPINGHAM.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·26			*105	—	—	—	—	32·45	1·82	1·26	3·12	5·78	4·86	6·63	10·06	22·94	48·25	138·08
Annual Death-Rate per 1000. Males ..	—			13·36			*122	—	—	—	—	36·78	1·83	1·28	3·42	6·60	5·97	6·35	12·17	25·59	57·86	138·52
Annual Death-Rate per 1000. Females	—			11·22			* 85	—	—	—	—	28·07	1·80	1·25	2·65	5·12	3·90	6·89	8·13	20·57	39·81	137·68
Mean Population, 1891-1900. Persons	—			10,774			212	221	210	234	220	1097	1212	1266	1251	709	1338	1206	1034	802	599	260
Mean Population, 1891-1900. Males ..	—			5,397			111	112	107	116	106	552	600	705	761	318	620	567	493	379	280	122
Mean Population, 1891-1900. Females	—			5,377			101	109	103	118	114	545	612	561	490	391	718	639	541	423	319	138
Deaths from All Causes, 1891-1900. Persons	14·43			1,555			252	66	19	13	6	356	22	16	39	41	65	80	104	184	289	359
Deaths from All Causes, 1891-1900. Males ..	15·40			831			154	36	4	5	4	203	11	9	26	21	37	36	60	97	162	169
Deaths from All Causes, 1891-1900. Females	13·46			724			98	30	15	8	2	153	11	7	13	20	28	44	44	87	127	190
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·06	0·04	0·09	7	2	5	4	1	—	—	1	6	1	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·10	0·09	0·11	11	5	6	1	3	—	2	1	7	—	2	1	—	1	—	—	—	—	—
Diphtheria	0·09	0·07	0·11	10	4	6	—	—	1	—	1	2	4	1	1	1	—	—	—	1	—	—
Whooping-cough	0·28	0·24	0·32	30	13	17	14	10	3	3	—	30	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·05	0·07	0·02	5	4	1	—	—	—	—	—	—	—	—	2	1	1	1	—	—	—	—
Simple Continued Fever	0·01	—	0·02	1	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·18	0·22	0·13	19	12	7	10	2	1	—	1	14	—	—	—	—	—	1	—	1	1	2
Cholera	0·01	0·02	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Cancer	0·84	0·87	0·80	90	47	43	—	—	—	—	—	—	—	—	—	—	—	3	17	19	36	15
Tabes Mesenterica	0·14	0·15	0·13	15	8	7	7	2	1	—	—	10	—	1	1	1	1	—	1	—	—	—
Phthisis	0·83	0·98	0·67	89	53	36	4	3	—	1	—	8	—	1	13	13	15	20	9	10	—	—
Other Tub. & Scrof. Dis.	0·24	0·30	0·19	26	16	10	2	4	—	2	1	9	5	1	3	2	2	2	—	2	—	—
Diseases of: Nervous System	1·81	1·87	1·75	195	101	94	31	3	1	2	—	37	2	3	2	3	4	4	15	29	38	58
Diseases of: Circulatory "	1·61	1·76	1·45	173	95	78	—	—	—	—	—	—	—	—	4	6	3	6	15	31	54	54
Diseases of: Respiratory "	2·40	2·60	2·20	258	140	118	64	25	8	1	1	99	2	—	3	3	5	11	12	18	48	57
Diseases of: Digestive "	0·96	0·98	0·93	103	53	50	26	6	1	—	—	33	2	3	1	3	4	3	6	17	21	10
Diseases of: Urinary "	0·54	0·78	0·30	58	42	16	—	—	—	—	—	—	—	—	—	1	1	4	3	16	16	17
Diseases of: Generative "	0·03	—	0·06	3	—	3	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	1
Puerperal Fever	0·05	—	0·09	5	—	5	—	—	—	—	—	—	—	—	—	1	3	1	—	—	—	—
Childbirth	0·07	—	0·15	8	—	8	—	—	—	—	—	—	—	—	—	—	3	4	1	—	—	—
Violence	0·57	0·82	0·32	61	44	17	3	5	2	1	—	11	3	2	2	4	9	4	9	8	6	3
OTHER CAUSES	3·56	3·54	3·62	387	191	196	86	2	1	1	—	90	3	2	5	2	12	16	15	32	68	142

Marriages 642

Births .. { Males .. 1,258 / Females 1,151 } 2 409

Annual Rate per 1000 living { Persons Married .. 11·92 / Births .. .. .. 22·36

Annual Births to 1000 Females aged 15—45 years = 108.

Deaths from Childbirth and Puerperal Fever .. .. } 5·40 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

413.—STAMFORD.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 14·19			*113	—	—	—	—	36·51	2·22	2·47	3·35	5·29	5·16	7·86	13·99	24·30	57·03	164·69
Annual Death-Rate per 1000. Males ..	—			14·99			*123	—	—	—	—	40·56	1·93	1·97	2·58	6·03	5·85	8·62	17·41	27·36	56·47	177·99
Annual Death-Rate per 1000. Females	—			13·44			*102	—	—	—	—	32·57	2·52	2·98	4·13	4·66	4·56	7·17	10·92	21·47	57·52	154·72
Mean Population, 1891-1900. Persons	—			16,874			363	357	346	384	355	1805	1846	1906	1701	1343	2289	1960	1616	1255	782	371
Mean Population, 1891-1900. Males ..	—			8,132			188	171	179	192	160	890	932	966	853	614	1060	928	764	603	363	159
Mean Population, 1891-1900. Females	—			8,742			175	186	167	192	195	915	914	940	848	729	1229	1032	852	652	419	212
Deaths from All Causes, 1891-1900. Persons	16·21			2,735			460	121	35	17	26	659	41	47	57	71	118	154	226	305	446	611
Deaths from All Causes, 1891-1900. Males ..	17·03			1,385			257	61	19	9	15	361	18	19	22	37	62	80	133	165	205	283
Deaths from All Causes, 1891-1900. Females	15·44			1,350			203	60	16	8	11	298	23	28	35	34	56	74	93	140	241	328
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·10	0·15	0·06	17	12	5	8	6	2	1	—	17	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·11	0·14	0·08	18	11	7	2	2	2	—	4	10	5	3	—	—	—	—	—	—	—	—
Diphtheria	0·12	0·10	0·15	21	8	13	1	1	1	3	—	6	9	3	—	—	—	—	—	—	1	2
Whooping-cough ..	0·33	0·28	0·37	55	23	32	28	18	5	—	1	52	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·08	0·05	0·10	13	4	9	—	1	2	—	—	3	—	—	3	1	2	1	—	3	—	—
Simple Continued Fever	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Diarrhœa & Dysentery	0·40	0·41	0·39	67	33	34	47	8	—	1	—	56	—	—	—	—	1	—	—	2	2	6
Cholera	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Cancer	1·08	0·78	1·37	183	63	120	—	—	—	—	—	—	—	—	—	—	2	12	31	57	45	36
Tabes Mesenterica ..	0·12	0·20	0·05	20	16	4	6	3	1	—	1	11	1	3	—	1	2	1	1	—	—	—
Phthisis	1·01	1·02	1·00	170	83	87	1	3	—	1	1	6	3	5	17	20	34	37	23	15	8	2
Other Tub. & Scrof. Dis.	0·29	0·34	0·24	49	28	21	14	6	4	2	2	28	1	4	5	5	2	2	1	1	—	—
Diseases of Nervous System ..	2·03	2·20	1·88	343	179	164	64	9	3	1	—	77	5	2	4	1	4	9	28	30	84	99
Diseases of Circulatory „ ..	1·70	1·80	1·61	287	146	141	—	—	—	—	—	—	1	7	4	4	19	11	28	65	84	64
Diseases of Respiratory „ ..	2·57	2·77	2·39	434	225	209	86	45	10	3	9	153	1	2	3	6	6	14	17	43	71	118
Diseases of Digestive „ ..	0·97	0·91	1·03	164	74	90	30	8	2	—	1	41	1	1	4	5	8	15	19	20	30	20
Diseases of Urinary „ ..	0·50	0·78	0·25	85	63	22	1	—	—	—	—	1	—	—	1	5	2	7	16	18	18	17
Diseases of Generative „ ..	0·08	0·01	0·14	13	1	12	—	—	—	—	—	—	—	—	1	1	2	4	5	—	—	—
Puerperal Fever ..	0·06	—	0·11	10	—	10	—	—	—	—	—	—	—	—	—	1	6	3	—	—	—	—
Childbirth.. . ..	0·09	—	0·17	15	—	15	—	—	—	—	—	—	—	—	—	3	3	8	1	—	—	—
Violence	0·68	1·08	0·31	115	88	27	6	—	2	1	5	14	7	4	6	9	11	9	12	16	17	10
OTHER CAUSES ..	3·87	3·99	3·74	654	326	328	166	11	1	4	2	184	4	13	9	9	14	21	44	34	85	237

Marriages 1,172

Births .. { Males .. 2,083 / Females 1,992 } 4,075

Annual Rate per 1000 living { Persons Married .. 13·89 / Births .. .. .. 24·15 }

Annual Births to 1000 Females aged 15—45 years = 106.

Deaths from Childbirth and Puerperal Fever .. .. } 6·13 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

414.—BOURNE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·50			*129	—	—	—	—	40·75	4·14	1·97	2·91	5·62	5·72	6·61	8·80	20·78	47·71	143·58
Annual Death-Rate per 1000. Males ..	—			13·62			*140	—	—	—	—	42·62	4·40	1·92	2·58	4·50	4·97	6·94	9·40	21·70	52·74	152·53
Annual Death-Rate per 1000. Females	—			13·39			*118	—	—	—	—	38·91	3·88	2·03	3·28	6·72	6·47	6·29	8·23	19·86	42·88	136 50
Mean Population, 1891-1900. Persons	—			18,186			445	384	421	437	421	2108	2150	2078	1686	1299	2306	1983	1693	1386	1006	491
Mean Population, 1891-1900. Males ..	—			9,065			232	187	211	217	197	1044	1092	1043	893	644	1147	966	830	696	493	217
Mean Population, 1891-1900. Females	—			9,121			213	197	210	220	224	1064	1058	1035	793	655	1159	1017	863	690	513	274
Deaths from All Causes, 1891-1900. Persons	* 16·47			2,996			639	130	47	17	26	859	89	41	49	73	132	131	149	288	480	705
Deaths from All Causes, 1891-1900. Males ..	16·65			1,509			352	59	23	5	6	445	48	20	23	29	57	67	78	151	260	331
Deaths from All Causes, 1891-1900. Females	16·30			1,487			287	71	24	12	20	414	41	21	26	44	75	64	71	137	220	374
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·03	—	3	3	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—
Measles	0·15	0·17	0·13	27	15	12	13	11	2	—	—	26	1	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·09	0·11	0·07	16	10	6	—	1	1	1	—	3	9	1	—	1	2	—	—	—	—	—
Diphtheria	0·25	0·23	0·27	46	21	25	1	5	6	6	9	27	12	5	—	1	1	—	—	—	—	—
Whooping-cough	0·31	0·26	0·36	57	24	33	36	7	8	1	—	52	3	—	—	—	—	—	1	1	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·12	0·07	0·16	21	6	15	—	—	—	—	—	—	3	2	2	1	5	3	1	4	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·20	0·20	0·21	37	18	19	23	2	—	—	—	25	—	1	—	—	—	—	—	—	2	9
Cholera	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Cancer	1·03	0·81	1·25	187	73	114	—	—	—	—	—	—	1	2	—	1	4	11	20	41	61	46
Tabes Mesenterica	0·14	0·09	0·19	25	8	17	12	3	—	—	—	15	1	—	—	4	—	3	2	—	—	—
Phthisis	0·95	1·07	0·82	172	97	75	3	4	1	—	—	8	4	6	19	28	38	26	23	15	3	2
Other Tub. & Scrof. Dis.	0·40	0·36	0·44	73	33	40	24	11	3	2	3	43	11	4	4	2	4	1	1	1	2	—
Diseases of Nervous System	1·91	1·97	1·85	348	179	169	94	16	4	1	5	120	7	4	1	5	8	11	10	38	66	78
Diseases of Circulatory „	1·81	1·81	1·81	329	164	165	—	1	—	—	1	2	2	1	4	4	11	11	22	76	99	97
Diseases of Respiratory „	2·51	2·59	2·42	456	235	221	128	38	14	2	5	187	13	—	1	2	7	16	19	33	76	102
Diseases of Digestive „	1·05	1·20	0·90	191	109	82	70	14	3	—	2	89	4	2	2	3	8	9	14	15	22	23
Diseases of Urinary „	0·44	0·60	0·29	80	54	26	3	—	—	—	—	3	1	1	—	1	5	3	4	16	27	19
Diseases of Generative „	0·06	—	0·11	10	—	10	—	—	—	—	—	—	—	—	—	—	3	1	2	2	2	—
Puerperal Fever	0·07	—	0·14	13	—	13	—	—	—	—	—	—	—	—	—	3	9	1	—	—	—	—
Childbirth	0·09	—	0·19	17	—	17	—	—	—	—	—	—	—	—	2	1	5	9	—	—	—	—
Violence	0·50	0·79	0·21	91	72	19	5	4	2	2	1	14	11	3	7	4	4	3	7	12	13	7
OTHER CAUSES	4·36	4·28	4·48	796	387	409	227	13	3	2	—	245	6	9	7	12	18	16	22	32	107	322

Marriages 1,326

Births .. { Males .. 2,518 / Females 2,433 } 4,951

Annual Rate per 1000 living { Persons Married .. 14·58 / Births .. .. .. 27·22 }

Annual Births to 1000 Females aged 15—45 years = 137.

Deaths from Childbirth and Puerperal Fever .. .. } 6·06 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

415.—SPALDING.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·51			*116	—	—	—	—	36·43	3·66	1·90	3·81	5·46	5·52	7·92	10·90	23·33	51·18	137·65
Annual Death-Rate per 1000. Males	—			14·27			*127	—	—	—	—	39·93	4·21	1·97	3·72	6·16	5·23	8·33	11·42	26·57	54·56	153·61
Annual Death-Rate per 1000. Females	—			12·80			*104	—	—	—	—	33·17	3·09	1·84	3·91	4·84	5·78	7·54	10·42	20·46	48·16	125·00
Mean Population, 1891-1900. Persons	—			21,757			492	474	470	502	497	2435	2487	2468	2284	1704	2736	2286	2018	1560	1184	595
Mean Population, 1891-1900. Males	—			10,561			231	235	215	240	251	1172	1258	1220	1183	795	1300	1105	972	734	559	263
Mean Population, 1891-1900. Females	—			11,196			261	239	255	262	246	1263	1229	1248	1101	909	1436	1181	1046	826	625	332
Deaths from All Causes, 1891-1900. Persons	16·30			3,546			649	143	46	31	18	887	91	47	87	93	151	181	220	364	606	819
Deaths from All Causes, 1891-1900. Males	17·17			1,813			354	72	23	13	6	468	53	24	44	49	68	92	111	195	305	404
Deaths from All Causes, 1891-1900. Females	15·48			1,733			295	71	23	18	12	419	38	23	43	44	83	89	109	169	301	415
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·08	0·10	0·07	19	11	8	4	7	2	2	—	15	2	1	—	—	1	—	—	—	—	—
Scarlet Fever	0·08	0·09	0·08	18	9	9	—	3	2	2	2	9	5	1	1	1	—	—	1	—	—	—
Diphtheria	0·22	0·22	0·21	47	23	24	1	3	4	6	3	17	22	3	3	1	—	—	—	—	—	1
Whooping-cough	0·20	0·23	0·18	44	24	20	30	11	1	2	—	44	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·04	0·04	0·04	9	4	5	—	—	—	—	1	1	—	1	2	2	1	—	—	1	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·23	0·22	0·25	51	23	28	22	6	—	—	—	28	3	—	—	—	—	—	2	1	5	12
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	1·14	1·06	1·22	248	112	136	—	—	—	—	—	—	—	—	2	—	1	23	35	58	85	44
Tabes Mesenterica	0·13	0·09	0·16	28	10	18	9	1	1	1	—	12	3	3	5	2	1	2	—	—	—	—
Phthisis	1·31	1·27	1·34	284	134	150	7	2	1	—	1	11	6	9	34	53	64	46	30	21	9	1
Other Tub. & Scrof. Dis.	0·26	0·21	0·30	56	22	34	14	7	4	1	1	27	6	6	6	1	5	2	2	1	—	—
Diseases of Nervous System	2·01	2·11	1·91	437	223	214	84	15	4	4	1	108	5	1	4	5	15	12	24	58	102	103
Diseases of Circulatory „	1·68	1·64	1·72	365	173	192	4	—	—	—	1	5	1	4	3	1	14	23	31	62	118	103
Diseases of Respiratory „	2·58	2·83	2·34	561	299	262	98	53	14	6	6	177	8	5	3	1	2	12	18	72	117	146
Diseases of Digestive „	0·96	0·94	0·98	209	99	110	58	12	3	—	—	73	6	1	3	3	9	16	23	23	30	22
Diseases of Urinary „	0·39	0·55	0·24	85	58	27	2	—	1	1	1	5	1	—	3	1	5	3	7	16	25	19
Diseases of Generative „	0·01	—	0·02	2	—	2	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—
Puerperal Fever	0·04	—	0·07	8	—	8	—	—	—	—	—	—	—	—	—	1	4	3	—	—	—	—
Childbirth	0·06	—	0·13	14	—	14	—	—	—	—	—	—	—	—	—	—	8	5	1	—	—	—
Violence	0·67	1·07	0·29	145	113	32	10	2	5	4	1	22	12	6	9	8	13	16	15	13	18	13
Other Causes	4·21	4·50	3·93	916	476	440	306	21	4	2	—	333	11	6	9	13	8	16	31	38	96	355

Marriages 1,604

Births .. { Males .. 2,784 / Females 2,823 } 5,607

Annual Rate per 1000 living { Persons Married .. 14·74 / Births .. .. .. 25·77 }

Annual Births to 1000 Females aged 15—45 years = 121.

Deaths from Childbirth and Puerperal Fever .. .. } 3·92 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

416.—HOLBEACH.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·49			*133	—	—	—	—	42·09	3·21	1·87	3·12	4·23	4·71	7·13	9·43	20·28	51·93	144·47
Annual Death-Rate per 1000. Males	—			14·14			*151	—	—	—	—	46·33	3·85	1·59	3·58	4·41	4·59	6·42	10·39	20·36	58·52	152·42
Annual Death-Rate per 1000. Females	—			12·88			*114	—	—	—	—	37·74	2·57	2·16	2·59	4·06	4·82	7·82	8·51	20·19	45·57	137·30
Mean Population, 1891–1900. Persons	—			17,717			418	395	397	391	390	1991	2116	2090	1825	1348	2124	1852	1686	1297	909	479
Mean Population, 1891–1900. Males	—			8,905			212	197	195	211	193	1008	1066	1072	977	658	1046	919	828	658	446	227
Mean Population, 1891–1900. Females	—			8,812			206	198	202	180	197	983	1050	1018	848	690	1078	933	858	639	463	252
Deaths from All Causes, 1891–1900. Persons	16·24			2,877			617	135	36	29	21	838	68	39	57	57	100	132	159	263	472	692
Deaths from All Causes, 1891–1900. Males	17·10			1,523			359	63	19	13	13	467	41	17	35	29	48	59	86	134	261	346
Deaths from All Causes, 1891–1900. Females	15·37			1,354			258	72	17	16	8	371	27	22	22	28	52	73	73	129	211	346
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·11	0·10	0·11	19	9	10	5	5	4	1	1	16	3	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·07	0·03	0·10	12	3	9	—	1	—	2	2	5	4	3	—	—	—	—	—	—	—	—
Diphtheria	0·28	0·28	0·27	49	25	24	—	6	3	5	5	19	17	6	2	2	1	1	—	—	1	—
Whooping-cough	0·21	0·16	0·26	37	14	23	22	10	4	—	—	36	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·05	0·07	0·02	8	6	2	—	—	—	—	—	—	—	1	2	2	1	—	1	1	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·25	0·25	0·25	44	22	22	26	5	1	—	1	33	—	—	—	—	—	—	—	1	3	7
Cholera	0·02	0·03	—	3	3	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	1	—
Cancer	0·94	0·76	1·12	167	6	99	1	—	—	—	—	1	1	—	—	—	4	11	30	39	51	30
Tabes Mesenterica	0·12	0·12	0·12	22	11	11	9	4	1	1	—	15	—	—	4	—	2	—	—	—	1	—
Phthisis	0·82	0·80	0·84	145	71	74	2	3	1	—	1	7	3	3	12	25	28	32	15	16	3	1
Other Tub. & Scrof. Dis.	0·22	0·25	0·19	39	22	17	10	6	1	1	3	21	2	2	4	2	5	—	1	1	—	1
Diseases of: Nervous System	1·84	1·93	1·75	326	172	154	63	8	5	2	2	80	8	5	5	2	8	13	15	33	81	76
Diseases of: Circulatory	1·63	1·73	1·53	289	154	135	—	1	—	—	—	1	1	3	2	2	8	14	24	50	102	82
Diseases of: Respiratory	2·68	3·00	2·35	474	267	207	115	50	8	9	4	186	6	2	1	4	10	18	28	38	71	110
Diseases of: Digestive	0·90	0·98	0·82	159	87	72	41	9	2	1	—	53	2	1	4	2	3	12	11	25	30	16
Diseases of: Urinary	0·42	0·44	0·40	74	39	35	—	—	—	1	—	1	1	—	—	—	4	4	8	18	23	15
Diseases of: Generative	0·05	—	0·10	9	—	9	—	—	—	—	—	—	—	—	—	—	3	—	1	3	2	—
Puerperal Fever	0·02	—	0·05	4	—	4	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—
Childbirth	0·06	—	0·12	11	—	11	—	—	—	—	—	—	—	—	—	3	4	4	—	—	—	—
Violence	0·71	1·13	0·27	125	101	24	9	5	2	4	1	21	10	6	10	7	10	4	7	17	16	17
OTHER CAUSES	4·84	5·04	4·70	861	449	412	314	21	4	2	1	342	9	7	11	6	9	14	18	21	87	337

Marriages 1,275

Births .. { Males .. 2,376 / Females 2,260 } 4,636

Annual Rate per 1000 living { Persons Married .. 14·39 / Births .. .. .. 26·17

Annual Births to 1000 Females aged 15—45 years = 131.

Deaths from Childbirth and Puerperal Fever .. .. } 3·24 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

417.—BOSTON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 14·78			*137	—	—	—	—	44·81	3·45	2·18	3·70	5·13	6·01	8·37	11·84	23·18	52·35	144·02
Annual Death-Rate per 1000. Males	—			15·73			*152	—	—	—	—	49·60	3·85	2·07	3·72	4·88	5·77	8·60	12·59	27·32	59·33	155·28
Annual Death-Rate per 1000. Females	—			13·90			*122	—	—	—	—	40·05	3·05	2·28	3·69	5·35	6·22	8·15	11·15	19·41	46·36	135·83
Mean Population, 1891–1900. Persons	—			37,946			859	853	860	856	866	4294	4206	4180	3860	3040	4944	4064	3605	2778	1939	1036
Mean Population, 1891–1900. Males	—			18,291			411	417	435	434	442	2139	2076	2074	1935	1414	2324	1942	1731	1325	895	436
Mean Population, 1891–1900. Females	—			19,655			448	436	425	422	424	2155	2130	2106	1925	1626	2620	2122	1874	1453	1044	600
Deaths from All Causes, 1891–1900. Persons	17·59			6,674			1448	271	93	60	52	1924	145	91	143	156	297	340	427	644	1015	1492
Deaths from All Causes, 1891–1900. Males	18·66			3,414			816	140	45	31	29	1061	80	43	72	69	134	167	218	362	531	677
Deaths from All Causes, 1891–1900. Females	16·59			3,260			632	131	48	29	23	863	65	48	71	87	163	173	209	282	484	815
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·01	0·02	—	3	3	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	1
Measles	0·17	0·17	0·17	64	31	33	18	28	9	1	2	58	6	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·08	0·10	0·07	31	18	13	3	1	3	1	1	9	10	4	1	1	4	2	—	—	—	—
Diphtheria	0·16	0·19	0·13	60	34	26	2	2	4	6	6	20	23	6	3	—	—	3	2	1	2	—
Whooping-cough	0·29	0·31	0·27	110	56	54	54	31	14	5	4	108	2	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·14	0·15	0·14	55	28	27	1	—	—	1	1	3	4	6	9	1	10	7	5	7	2	1
Simple Continued Fever	0·02	0·01	0·02	6	2	4	—	—	—	—	—	—	—	—	2	2	—	1	—	1	—	—
Diarrhœa & Dysentery	0·70	0·79	0·62	266	145	121	164	29	1	3	—	197	2	—	1	—	—	1	4	2	20	39
Cholera	0·08	0·09	0·07	30	17	13	25	3	—	—	—	28	—	—	—	—	—	—	1	1	—	—
Cancer	0·90	0·74	1·05	342	136	206	—	—	—	1	—	1	—	2	1	1	3	29	64	87	89	65
Tabes Mesenterica	0·09	0·07	0·12	36	13	23	11	4	3	1	1	20	3	4	4	—	2	—	2	1	—	—
Phthisis	1·25	1·31	1·20	476	240	236	1	1	1	—	1	4	12	21	50	70	99	80	59	52	23	6
Other Tub. & Scrof. Dis.	0·28	0·28	0·28	107	52	55	27	11	8	5	9	60	18	10	5	4	1	2	1	3	2	1
Diseases of Nervous System	2·40	2·55	2·25	909	467	442	251	30	12	7	5	305	12	10	10	7	20	21	51	83	166	224
Diseases of Circulatory "	1·73	1·94	1·54	658	355	303	3	2	—	1	1	7	4	4	5	7	31	51	74	126	196	153
Diseases of Respiratory "	2·68	2·85	2·51	1015	522	493	241	76	23	10	6	356	10	3	6	10	25	24	35	79	183	284
Diseases of Digestive "	1·15	1·14	1·16	436	209	227	109	22	1	2	4	138	10	3	13	14	15	25	34	49	70	65
Diseases of Urinary "	0·53	0·71	0·37	202	130	72	—	—	1	—	—	1	4	3	3	—	8	10	14	32	69	58
Diseases of Generative "	0·06	0·02	0·11	24	3	21	1	—	—	—	—	1	—	—	—	2	1	2	6	5	5	2
Puerperal Fever	0·04	—	0·08	15	—	15	—	—	—	—	—	—	—	—	—	3	6	6	—	—	—	—
Childbirth	0·07	—	0·14	28	—	28	—	—	—	—	—	—	—	—	1	3	15	9	—	—	—	—
Violence	0·72	1·02	0·44	273	186	87	13	10	8	12	8	51	19	5	16	14	34	26	25	37	26	20
OTHER CAUSES	4·04	4·20	3·85	1528	767	761	524	21	5	4	3	557	6	10	13	17	23	40	50	77	162	573

Marriages 3,019

Births .. { Males .. 5,383 / Females 5,179 } 10,562

Annual Rate per 1000 living { Persons Married .. 15·91 / Births .. .. .. 27·83

Annual Births to 1000 Females aged 15—45 years = 127.

Deaths from Childbirth and Puerperal Fever .. .. } 4·07 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables

418.—SLEAFORD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		13·32	*123	—	—	—	—	38·90	3·22	2·07	3·51	4·51	5·51	7·59	10·18	20·46	49·47	139·45
Annual Death-Rate per 1000. Males ..	—					13·96	*139	—	—	—	—	43·23	3·34	2·13	3·46	4·12	5·09	7·98	10·94	21·86	55·42	147·57
Annual Death-Rate per 1000. Females	—					12·72	*107	—	—	—	—	34·62	3·10	2·00	3·56	4·88	5·89	7·22	9·44	19·12	44·05	132·43
Mean Population, 1891–1900. Persons	—			23,712			562	534	520	527	546	2689	2701	2614	2396	1861	3033	2516	2221	1823	1237	621
Mean Population, 1891–1900. Males ..	—			11,681			276	269	258	258	276	1337	1347	1317	1243	897	1454	1228	1088	892	590	288
Mean Population, 1891–1900. Females	—			12,031			286	265	262	269	270	1352	1354	1297	1153	964	1579	1288	1133	931	647	333
Deaths from All Causes, 1891–1900. Persons	15·98			3,790			766	162	55	37	26	1046	87	54	84	84	167	191	226	373	612	866
Deaths from All Causes, 1891–1900. Males ..	16·86			1,969			440	75	27	22	14	578	45	28	43	37	74	98	119	195	327	425
Deaths from All Causes, 1891–1900. Females	15·14			1,821			326	87	28	15	12	468	42	26	41	47	93	93	107	178	285	441
	Persons.	Males.	Females	Persons.	Males.	Females	Persons.															
Small-pox	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Measles	0·11	0·10	0·12	27	12	15	7	7	3	3	—	20	5	1	1	—	—	—	—	—	—	—
Scarlet Fever	0·08	0·11	0·06	20	13	7	—	2	2	5	3	12	3	2	—	—	2	—	1	—	—	—
Diphtheria	0·19	0·22	0·15	44	26	18	5	—	3	8	2	18	22	3	1	—	—	—	—	—	—	—
Whooping-cough ..	0·25	0·16	0·34	60	19	41	29	16	6	3	1	55	2	3	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·10	0·09	0·12	24	10	14	—	—	—	1	—	1	—	—	1	2	9	2	3	2	3	1
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·30	0·30	0·29	70	35	35	25	8	2	1	1	37	—	—	—	—	—	—	2	7	8	16
Cholera	0·02	0·02	0·02	4	2	2	1	1	—	—	—	2	—	—	—	1	—	—	—	—	1	—
Cancer	0·78	0·74	0·82	185	86	99	—	—	—	—	—	—	2	1	—	—	1	9	32	54	58	28
Tabes Mesenterica ..	0·09	0·10	0·08	22	12	10	10	5	1	—	—	16	2	2	—	—	1	1	—	—	—	—
Phthisis	0·91	0·87	0·94	215	102	113	3	2	1	—	—	6	5	7	31	36	52	45	18	13	2	—
Other Tub. & Scrof. Dis.	0·24	0·23	0·25	57	27	30	13	4	1	2	2	22	8	5	11	4	4	—	1	—	2	—
Diseases of Nervous System ..	2·34	2·63	2·06	555	307	248	161	23	6	3	2	195	6	5	8	4	11	14	37	52	102	121
Diseases of Circulatory „ ..	1·89	1·94	1·85	449	227	222	1	—	—	—	—	1	2	4	10	4	18	26	31	84	149	120
Diseases of Respiratory „ ..	2·63	2·95	2·32	623	344	279	167	53	17	5	6	248	11	3	7	5	13	22	30	51	108	125
Diseases of Digestive „ ..	0·96	0·92	1·00	228	108	120	49	18	4	—	4	75	8	2	3	5	8	15	24	22	36	30
Diseases of Urinary „ ..	0·45	0·63	0·28	107	73	34	6	—	—	1	—	7	—	1	2	3	4	9	13	17	23	28
Diseases of Generative „ ..	0·04	0·01	0·07	9	1	8	—	—	—	—	—	—	—	—	—	—	1	1	3	4	—	—
Puerperal Fever ..	0·04	—	0·08	10	—	10	—	—	—	—	—	—	—	—	—	—	3	7	—	—	—	—
Childbirth	0·09	—	0·18	22	—	22	—	—	—	—	—	—	—	—	—	3	14	5	—	—	—	—
Violence	0·49	0·69	0·29	116	81	35	7	4	6	3	5	25	6	9	1	5	12	11	4	17	13	13
Other Causes ..	3·98	4·14	3·82	942	483	459	282	19	3	2	—	306	5	6	8	12	14	23	27	50	107	384

Marriages 1,742

Births .. { Males .. 3,160 / Females 3,054 } 6,214

Annual Rate per 1000 living { Persons Married .. 14·69 / Births .. .. .. 26·21 }

Annual Births to 1000 Females aged 15—45 years = 125.

Deaths from Childbirth and Puerperal Fever .. .. } 5·15 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

419.—GRANTHAM.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 14·86			*134	—	—	—	—	43·95	3·12	2·04	3·75	4·96	5·44	7·95	11·54	24·10	59·89	150·15
Annual Death-Rate per 1000. Males ..	—			15·69			*156	—	—	—	—	51·46	2·63	1·70	3·39	4·61	4·33	7·95	12·90	26·94	64·75	164·56
Annual Death-Rate per 1000. Females	—			14·08			*111	—	—	—	—	36·76	3·61	2·38	4·14	5·29	6·52	7·96	10·23	21·44	55·65	139·31
Mean Population, 1891–1900. Persons	—			32,976			749	756	751	789	746	3791	3880	3672	3250	2679	4610	3760	2947	2232	1491	664
Mean Population, 1891–1900. Males ..	—			16,229			368	362	368	393	363	1854	1939	1826	1680	1279	2262	1887	1442	1080	695	285
Mean Population, 1891–1900. Females	—			16,747			381	394	383	396	383	1937	1941	1846	1570	1400	2348	1873	1505	1152	796	379
Deaths from All Causes, 1891–1900. Persons	16·48			5,435			1218	254	90	61	43	1666	121	75	122	133	251	299	340	538	893	997
Deaths from All Causes, 1891–1900. Males ..	17·23			2,796			713	138	44	34	25	954	51	31	57	59	98	150	186	291	450	469
Deaths from All Causes, 1891–1900. Females	15·76			2,639			505	116	46	27	18	712	70	44	65	74	153	149	154	247	443	528
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·22	0·28	0·16	71	45	26	23	29	10	3	3	68	2	—	—	1	—	—	—	—	—	—
Scarlet Fever	0·14	0·09	0·18	45	15	30	3	3	8	6	5	25	15	3	—	—	1	—	1	—	—	—
Diphtheria	0·05	0·05	0·05	16	8	8	2	—	—	2	3	7	8	1	—	—	—	—	—	—	—	—
Whooping-cough	0·36	0·35	0·38	119	56	63	68	30	9	6	2	115	4	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·15	0·12	0·19	50	19	31	—	—	1	—	2	3	6	9	8	9	9	3	2	1	—	—
Simple Continued Fever	0·01	0·01	0·01	3	2	1	—	1	—	—	—	1	1	—	—	1	—	—	—	—	—	—
Diarrhœa & Dysentery	0·53	0·58	0·48	175	94	81	126	14	2	2	1	145	1	1	—	—	1	1	3	5	7	11
Cholera	0·02	0·04	—	6	6	—	4	—	—	—	—	4	—	—	—	1	—	—	1	—	—	—
Cancer	0·96	0·85	1·06	315	138	177	1	—	—	1	—	2	—	2	2	1	7	27	47	72	103	52
Tabes Mesenterica	0·12	0·13	0·11	39	21	18	19	3	2	1	—	25	1	2	1	3	3	2	1	1	—	—
Phthisis	1·12	1·04	1·20	370	169	201	—	1	2	3	—	6	4	9	41	51	89	84	44	25	16	1
Other Tub. & Scrof. Dis.	0·40	0·41	0·39	131	66	65	41	14	6	6	3	70	15	12	10	6	10	5	—	2	1	—
Diseases of Nervous System	1·98	2·03	1·93	653	330	323	127	23	7	5	4	166	11	7	9	3	10	24	29	86	147	161
Diseases of Circulatory	1·69	1·75	1·63	557	284	273	1	3	—	—	—	4	1	3	5	7	18	33	50	116	175	145
Diseases of Respiratory	2·34	2·50	2·18	771	406	365	182	74	22	12	11	301	21	4	6	3	10	28	35	74	145	144
Diseases of Digestive	1·14	1·26	1·03	376	204	172	125	31	5	2	2	165	6	4	8	9	18	18	28	42	50	28
Diseases of Urinary	0·42	0·55	0·30	139	89	50	7	1	—	—	—	8	2	3	4	6	9	9	21	18	37	22
Diseases of Generative	0·04	0·01	0·07	14	2	12	1	—	—	—	—	1	—	—	1	—	3	3	2	2	2	—
Puerperal Fever	0·08	—	0·16	26	—	26	—	—	—	—	—	—	—	—	1	6	13	6	—	—	—	—
Childbirth	0·09	—	0·17	29	—	29	—	—	—	—	—	—	—	—	—	5	12	11	1	—	—	—
Violence	0·56	0·84	0·29	184	136	48	12	2	6	5	2	27	14	5	6	10	15	18	18	22	34	15
Other Causes	4·06	4·34	3·79	1346	706	640	476	25	10	7	5	523	9	10	20	11	23	27	57	72	176	418

Marriages 2,421

Births .. { Males .. 4,579 / Females 4,514 } 9,123

Annual Rate per 1000 living { Persons Married .. 14·68 / Births .. .. .. 27·67 }

Annual Births to 1000 Females aged 15—45 years = 127.

Deaths from Childbirth and Puerperal Fever .. .. } 6·03 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

420.—LINCOLN.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		16·91	*151	—	—	—	—	50·99	3·39	2·51	4·04	5·02	6·55	10·11	14·49	28·14	61·70	160·26
Annual Death-Rate per 1000. Males	—					17·86	*168	—	—	—	—	56·97	3·16	2·37	3·66	5·39	6·42	10·42	15·66	31·19	66·25	174·76
Annual Death-Rate per 1000. Females	—					16·02	*132	—	—	—	—	45·12	3·63	2·65	4·45	4·68	6·66	9·82	13·34	25·18	57·79	149·28
Mean Population, 1891–1900. Persons	—			70,638			1564	1535	1478	1526	1532	7635	7787	7603	7223	6229	10325	8394	6727	4698	2804	1213
Mean Population, 1891–1900. Males	—			34,676			792	752	747	732	756	3779	3898	3751	3691	3003	4967	4107	3347	2315	1295	523
Mean Population, 1891–1900. Females	—			35,962			772	783	731	794	776	3856	3889	3852	3532	3226	5358	4287	3380	2383	1509	690
Deaths from All Causes, 1891–1900. Persons	17·62			12,449			2842	609	216	125	101	3893	264	191	292	313	676	849	975	1322	1730	1944
Deaths from All Causes, 1891–1900. Males	18·53			6,427			1616	312	103	60	62	2153	123	89	135	162	319	428	524	722	858	914
Deaths from All Causes, 1891–1900. Females	16·75			6,022			1226	297	113	65	39	1740	141	102	157	151	357	421	451	600	872	1030
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·19	0·20	0·18	133	68	65	25	52	26	8	10	121	11	—	1	—	—	—	—	—	—	—
Scarlet Fever	0·06	0·07	0·06	45	23	22	2	7	1	4	5	19	18	3	2	2	—	1	—	—	—	—
Diphtheria	0·10	0·08	0·11	70	29	41	7	5	4	10	5	31	20	9	6	2	1	—	—	1	—	—
Whooping-cough	0·31	0·29	0·32	216	102	114	108	66	20	8	4	206	10	—	—	—	—	—	—	—	—	—
Typhus	0·00	—	0·01	2	—	2	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
Enteric Fever	0·14	0·16	0·13	102	54	48	—	—	—	1	—	1	3	10	10	11	28	12	10	10	7	—
Simple Continued Fever	0·00	0·01	0·00	3	2	1	—	1	—	—	—	1	—	—	—	—	—	—	—	1	—	1
Diarrhœa & Dysentery	0·62	0·73	0·51	436	252	184	341	25	1	1	—	368	3	—	—	1	1	3	5	7	24	24
Cholera	0·02	0·03	0·01	13	10	3	9	—	—	—	—	9	—	—	—	—	—	2	—	1	—	1
Cancer	0·84	0·63	1·04	592	217	375	—	—	—	1	—	1	—	1	3	3	15	63	137	144	153	72
Tabes Mesenterica	0·35	0·35	0·35	247	121	126	166	28	4	2	1	201	12	15	6	5	3	2	1	1	1	—
Phthisis	1·37	1·44	1·31	970	500	470	14	6	1	2	2	25	15	36	104	127	254	197	122	66	23	1
Other Tub. & Scrof. Dis.	0·31	0·29	0·34	222	99	123	46	31	18	14	9	118	31	15	15	13	11	11	5	2	1	—
Diseases of Nervous System	2·66	2·95	2·37	1875	1022	853	444	74	22	15	10	565	34	27	19	21	65	159	191	238	296	260
Diseases of Circulatory "	1·95	1·86	2·03	1374	646	728	6	1	3	—	—	10	7	10	21	20	62	94	154	298	409	289
Diseases of Respiratory "	2·66	2·98	2·35	1878	1034	844	486	202	69	39	26	822	30	7	19	19	48	72	107	208	257	289
Diseases of Digestive "	0·98	0·98	0·98	692	340	352	185	48	10	7	1	251	20	13	14	13	22	45	72	82	95	65
Diseases of Urinary "	0·44	0·62	0·26	311	216	95	8	2	2	1	1	14	5	4	5	6	22	27	38	64	69	57
Diseases of Generative "	0·06	0·01	0·11	41	3	38	2	1	—	—	—	3	—	—	2	2	3	10	6	11	3	1
Puerperal Fever	0·05	—	0·09	33	—	33	—	—	—	—	—	—	—	1	3	7	13	8	1	—	—	—
Childbirth	0·08	—	0·16	56	—	56	—	—	—	—	—	—	—	—	1	9	26	20	—	—	—	—
Violence	0·50	0·71	0·30	353	245	108	16	10	16	7	20	69	24	22	24	24	30	31	28	43	28	30
Other Causes	3·93	4·14	3·73	2785	1444	1341	977	50	19	5	7	1058	21	18	36	27	72	92	98	145	364	854

Marriages 5,799

Births .. { Males .. 9,609 / Females 9,264 } 18,873

Annual Rate per 1000 living { Persons Married .. 16·42 / Births .. .. .. 26·72 }

Annual Births to 1000 Females aged 15—45 years = 115.

Deaths from Childbirth and Puerperal Fever .. .. } 4·72 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

421.—HORNCASTLE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.	12·70		*106	—	—	—	—	31·79	3·76	2·01	3·93	5·80	5·07	6·38	8·98	20·53	54·50	150·55
Annual Death-Rate per 1000. Males	—				12·80		*121	—	—	—	—	34·24	3·49	1·73	2·74	5·81	4·33	6·83	9·88	23·01	57·82	155·06
Annual Death-Rate per 1000. Females	—				12·61		* 91	—	—	—	—	29·33	4·04	2·28	5·22	5·79	5·74	5·96	8·14	18·09	51·29	146·21
Mean Population, 1891–1900. Persons	—			19,441			398	419	440	438	441	2136	2209	2094	1960	1482	2484	2068	1859	1539	1066	544
Mean Population, 1891–1900. Males	—			9,568			209	206	231	210	213	1069	1119	1041	1022	688	1177	995	901	765	524	267
Mean Population, 1891–1900. Females	—			9,873			189	213	209	228	228	1067	1090	1053	938	794	1307	1073	958	774	542	277
Deaths from All Causes, 1891–1900. Persons	15·99			3,108			501	95	37	30	16	679	83	42	77	86	126	132	167	316	581	819
Deaths from All Causes, 1891–1900. Males	16·64			1,592			284	44	15	16	7	366	39	18	28	40	51	68	89	176	303	414
Deaths from All Causes, 1891–1900. Females	15·36			1,516			217	51	22	14	9	313	44	24	49	46	75	64	78	140	278	405
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·08	0·05	0·11	16	5	11	5	3	3	—	—	11	4	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·08	0·03	0·13	16	3	13	1	—	1	2	2	6	6	1	—	1	2	—	—	—	—	—
Diphtheria	0·23	0·22	0·24	45	21	24	—	3	1	6	2	12	20	5	3	—	2	1	1	1	—	—
Whooping-cough	0·25	0·23	0·26	48	22	26	30	10	5	1	1	47	—	1	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·06	0·07	0·05	12	7	5	—	—	—	—	—	—	2	2	1	2	3	2	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·19	0·23	0·14	36	22	14	17	2	—	1	—	20	—	—	—	—	—	—	—	—	5	11
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	1·16	1·13	1·19	225	108	117	—	—	—	—	—	—	1	2	—	1	3	9	24	59	80	46
Tabes Mesenterica	0·06	0·05	0·07	12	5	7	1	1	1	2	—	5	1	—	1	3	1	—	—	1	—	—
Phthisis	1·08	1·01	1·13	209	97	112	3	4	3	1	1	12	5	7	36	36	44	31	19	10	8	1
Other Tub. & Scrof. Dis.	0·25	0·23	0·27	49	22	27	8	3	3	1	—	15	10	4	5	6	3	4	—	1	1	—
Diseases of Nervous System	2·13	2·17	2·10	415	208	207	85	10	5	2	3	105	5	3	5	4	8	13	18	42	93	119
Diseases of Circulatory „	2·23	2·38	2·08	433	228	205	5	—	1	1	—	7	—	3	3	6	9	14	31	79	148	133
Diseases of Respiratory „	2·08	2·20	1·97	404	210	194	83	29	7	7	5	131	15	2	2	3	3	7	18	39	78	106
Diseases of Digestive „	1·10	1·19	1·01	214	114	100	47	14	1	2	—	64	4	4	8	2	11	16	14	23	37	31
Diseases of Urinary „	0·49	0·65	0·34	96	62	34	2	2	1	—	—	5	2	—	—	3	1	5	10	13	36	21
Diseases of Generative „	0·06	—	0·12	12	—	12	—	—	—	—	—	—	—	—	—	—	2	—	4	1	4	1
Puerperal Fever	0·07	—	0·13	13	—	13	—	—	—	—	—	—	—	—	1	3	6	1	2	—	—	—
Childbirth	0·05	—	0·09	9	—	9	—	—	—	—	—	—	—	—	—	1	4	4	—	—	—	—
Violence	0·52	0·67	0·37	101	64	37	9	5	3	4	1	22	5	4	4	8	7	10	7	11	13	10
Other Causes	3·82	4·13	3·56	743	394	349	205	9	2	—	1	217	3	3	8	7	17	15	19	36	78	340

Marriages 1,359

Births .. { Males .. 2,346 / Females 2,378 } 4,724

Annual Rate per 1000 living { Persons Married .. 13·98 / Births .. .. 24·30 }

Annual Births to 1000 Females aged 15—45 years = 115.

Deaths from Childbirth and Puerperal Fever .. .. } 4·66 per 1000 Births

* The death-rates under one year of age are per 1000 Births.

422.—SPILSBY

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 12·66	*114	—	—	—	—	32·11	3·09	2·11	4·20	5·67	5·61	8·12	10·15	19·89	46·89	140·92
Annual Death-Rate per 1000. Males	—	13·28	*128	—	—	—	—	35·82	3·01	1·69	4·63	5·66	6·50	8·73	9·85	22·99	47·62	148·97
Annual Death-Rate per 1000. Females	—	12·07	*100	—	—	—	—	28·28	3·17	2·53	3·77	5·68	4·80	7·54	10·44	16·97	46·19	134·09
Mean Population, 1891–1900. Persons	—	25,610	540	512	553	534	555	2694	2787	2842	2547	1921	3245	2772	2452	2102	1510	738
Mean Population, 1891–1900. Males	—	12,512	284	243	281	267	293	1368	1397	1421	1273	883	1538	1352	1188	1018	735	339
Mean Population, 1891–1900. Females	—	13,098	256	269	272	267	262	1326	1390	1421	1274	1038	1707	1420	1264	1084	775	399
Deaths from All Causes, 1891–1900. Persons	15·81	4,049	664	113	44	20	24	865	86	60	107	109	182	225	249	418	708	1040
Deaths from All Causes, 1891–1900. Males	16·70	2,089	381	59	23	12	15	490	42	24	59	50	100	118	117	234	350	505
Deaths from All Causes, 1891–1900. Females	14·96	1,960	283	54	21	8	9	375	44	36	48	59	82	107	132	184	358	535

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·07	0·06	0·09	19	7	12	8	7	—	1	1	17	—	1	—	—	—	—	1	—	—	—
Scarlet Fever	0·07	0·06	0·08	17	7	10	1	—	4	1	2	8	6	2	—	—	1	—	—	—	—	—
Diphtheria	0·09	0·08	0·09	22	10	12	—	1	1	2	2	6	11	1	3	1	—	—	—	—	—	—
Whooping-cough	0·14	0·11	0·17	36	14	22	18	9	6	2	—	35	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·09	0·07	0·11	24	9	15	—	—	—	—	—	—	2	3	4	2	5	—	6	2	—	—
Simple Continued Fever	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Diarrhœa & Dysentery	0·21	0·24	0·18	54	30	24	28	4	2	—	—	34	3	1	1	1	1	—	1	3	6	3
Cholera	0·01	0·02	—	3	3	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1
Cancer	0·95	0·90	1·00	243	112	131	—	—	—	—	—	—	—	—	3	—	2	14	35	69	75	45
Tabes Mesenterica	0·11	0·10	0·13	29	12	17	12	5	—	1	—	18	3	1	—	1	1	3	1	1	—	—
Phthisis	1·28	1·19	1·37	328	149	179	1	—	1	1	—	3	9	17	46	51	75	57	35	23	12	—
Other Tub. & Scrof. Dis.	0·30	0·35	0·24	76	44	32	11	8	4	2	5	30	9	8	4	7	4	7	1	5	—	1
Diseases of: Nervous System	2·47	2·42	2·51	632	303	329	164	24	4	—	6	198	12	3	6	3	9	23	26	66	130	156
Diseases of: Circulatory	1·97	2·05	1·89	504	256	248	1	—	—	—	—	1	1	2	5	3	9	30	44	93	169	147
Diseases of: Respiratory	1·96	2·08	1·84	501	260	241	119	31	12	7	2	171	8	3	5	4	13	20	20	45	91	121
Diseases of: Digestive	0·82	0·90	0·74	209	112	97	35	4	—	1	1	41	6	4	4	6	9	11	22	29	43	34
Diseases of: Urinary	0·54	0·74	0·34	137	93	44	3	1	1	—	2	7	1	2	2	4	5	10	15	18	41	32
Diseases of: Generative	0·02	—	0·05	6	—	6	—	—	—	—	—	—	—	—	—	—	—	2	—	—	2	2
Puerperal Fever	0·03	—	0·05	7	—	7	—	—	—	—	—	—	—	—	1	2	3	1	—	—	—	—
Childbirth	0·04	—	0·07	9	—	9	—	—	—	—	—	—	—	—	—	—	4	4	1	—	—	—
Violence	0·60	0·93	0·29	154	116	38	4	3	5	1	1	14	6	4	12	10	29	17	11	18	23	10
OTHER CAUSES	4·04	4·39	3·72	1038	551	487	259	16	4	1	2	282	7	7	11	14	12	26	29	46	116	488

Marriages 1,762

Births .. { Males .. 2,981 / Females 2,843 } 5,824

Annual Rate per 1000 living { Persons Married .. 13·76 / Births .. .. .. 22·74

Annual Births to 1000 Females aged 15—45 years = 107.

Deaths from Childbirth and Puerperal Fever .. .. } 2·75 per 1000 Births

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

423.—LOUTH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.	13·20		*123	—	—	—	—	36·17	2·84	2·14	4·20	4·16	5·64	7·56	10·06	22·96	51·15	138·02
Annual Death-Rate per 1000. Males ..	—				13·54		*136	—	—	—	—	40·36	2·19	2·05	3·41	4·39	5·48	7·28	10·69	25·22	52·01	149·08
Annual Death-Rate per 1000. Females	—				12·87		*110	—	—	—	—	31·95	3·48	2·25	5·00	3·97	5·78	7·82	9·47	20·87	50·35	128·91
Mean Population, 1891-1900. Persons	—			30,294			628	636	685	638	659	3246	3311	3311	2977	2355	3939	3360	2913	2391	1652	839
Mean Population, 1891-1900. Males ..	—			14,762			308	334	342	325	319	1628	1644	1708	1496	1094	1844	1608	1413	1150	798	379
Mean Population, 1891-1900. Females	—			15,532			320	302	343	313	340	1618	1667	1603	1481	1261	2095	1752	1500	1241	854	460
Deaths from All Causes, 1891-1900. Persons	16·12			4,883			894	165	61	29	25	1174	94	71	125	98	222	254	293	549	845	1158
Deaths from All Causes, 1891-1900. Males ..	16·71			2,466			507	95	32	13	10	657	36	35	51	48	101	117	151	290	415	565
Deaths from All Causes, 1891-1900. Females	15·56			2,417			387	70	29	16	15	517	58	36	74	50	121	137	142	259	430	593
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles ..	0·11	0·11	0·12	34	16	18	10	8	8	1	3	30	1	1	2	—	—	—	—	—	—	—
Scarlet Fever ..	0·06	0·04	0·08	19	6	13	—	1	2	—	2	5	7	1	4	—	—	2	—	—	—	—
Diphtheria ..	0·15	0·15	0·15	46	22	24	2	2	5	4	2	15	18	5	3	—	1	2	—	2	—	—
Whooping-cough ..	0·22	0·24	0·21	67	35	32	39	20	4	3	—	66	—	1	—	—	—	—	—	—	—	—
Typhus ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever ..	0·14	0·10	0·17	42	15	27	1	—	—	—	1	2	5	3	6	3	7	7	5	4	—	—
Simple Continued Fever	0·01	0·01	0·01	3	2	1	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—
Diarrhœa & Dysentery	0·33	0·35	0·32	101	51	50	58	5	1	1	1	66	2	1	—	—	—	—	3	5	8	16
Cholera ..	0·03	0·03	0·03	8	4	4	1	—	—	—	1	2	—	—	—	—	1	—	2	1	2	—
Cancer ..	0·88	0·70	1·05	267	104	163	2	—	—	—	—	2	—	—	1	—	3	17	42	82	85	35
Tabes Mesenterica ..	0·18	0·16	0·19	54	24	30	19	6	4	1	—	30	2	4	1	5	4	5	1	2	—	—
Phthisis ..	1·23	1·22	1·24	372	180	192	13	4	1	2	1	21	6	16	45	45	97	55	36	31	20	—
Other Tub. & Scrof. Dis.	0·36	0·32	0·39	108	47	61	23	8	8	1	5	45	11	6	14	6	8	8	3	7	—	—
Diseases of Nervous System ..	2·31	2·55	2·08	699	376	323	122	16	1	5	—	144	10	4	10	4	13	21	38	87	177	191
Diseases of Circulatory „ ..	1·90	2·03	1·76	574	300	274	4	—	1	—	—	5	3	2	9	3	14	37	39	103	189	170
Diseases of Respiratory „ ..	2·27	2·41	2·14	688	355	333	149	58	15	5	2	229	9	4	2	5	13	13	23	61	131	198
Diseases of Digestive „ ..	1·27	1·33	1·22	386	196	190	140	20	5	1	1	167	7	7	6	—	6	23	30	40	52	48
Diseases of Urinary „ ..	0·54	0·69	0·41	165	102	63	—	1	—	—	—	1	2	4	3	2	8	9	15	35	40	46
Diseases of Generative „ ..	0·03	0·01	0·06	10	1	9	—	—	—	—	—	—	—	—	—	—	1	2	2	2	3	—
Puerperal Fever ..	0·05	—	0·10	15	—	15	—	—	—	—	—	—	—	—	2	3	7	3	—	—	—	—
Childbirth ..	0·08	—	0·15	23	—	23	—	—	—	—	—	—	—	—	2	3	7	11	—	—	—	—
Violence ..	0·56	0·73	0·41	170	107	63	10	8	3	4	4	29	7	6	7	10	10	17	17	24	17	26
Other Causes ..	3·41	3·53	3·27	1032	523	509	301	8	3	1	2	315	4	6	8	9	22	20	36	63	121	428

Marriages 2,276

Births .. { Males .. 3,734 / Females 3,509 } 7,243

Annual Rate per 1000 living { Persons Married .. 15·03 / Births .. .. .. 23·91

Annual Births to 1000 Females aged 15—45 years = 110.

Deaths from Childbirth and Puerperal Fever .. .. } 5·25 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

424A.—GRIMSBY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		18·24	*185	—	—	—	—	66·67	4·72	2·49	4·23	4·86	5·80	9·34	13·64	26·94	58·90	143·53
Annual Death-Rate per 1000. Males	—					19·15	*198	—	—	—	—	72·61	4·44	2·47	4·53	4·74	5·48	9·67	14·99	26·33	67·25	151·31
Annual Death-Rate per 1000. Females	—					17·39	*172	—	—	—	—	60·73	5·00	2·51	3·94	4·96	6·11	9·01	12·28	27·52	51·67	137·44
Mean Population, 1891–1900. Persons	—			70,576			1906	1722	1746	1747	1728	8349	8368	7716	7136	6816	11562	8509	5674	3408	1842	696
Mean Population, 1891–1900. Males	—			34,857			967	867	865	860	869	4428	4148	3846	3511	3311	5641	4302	2849	1660	855	306
Mean Population, 1891–1900. Females	—			35,719			939	855	881	887	859	4421	4220	3870	3625	3505	5921	4207	2825	1748	987	390
Deaths from All Causes, 1891–1900. Persons	17·52			12,362			4315	927	312	194	152	5900	395	192	302	331	671	795	774	918	1085	999
Deaths from All Causes, 1891–1900. Males	18·47			6,437			2363	497	177	89	89	3215	184	95	159	157	309	416	427	437	575	463
Deaths from All Causes, 1891–1900. Females	16·59			5,925			1952	430	135	105	63	2685	211	97	143	174	362	379	347	481	510	536
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	0·01	6	2	4	—	1	—	—	—	1	1	1	—	1	—	—	1	1	—	—
Measles	0·29	0·31	0·26	202	108	94	52	76	31	13	11	183	17	—	1	—	1	—	—	—	—	—
Scarlet Fever	0·08	0·07	0·09	58	25	33	3	8	9	7	4	31	21	3	1	2	—	—	—	—	—	—
Diphtheria	0·35	0·37	0·34	249	129	120	16	10	27	31	46	130	88	16	4	2	3	3	2	—	1	—
Whooping-cough	0·30	0·25	0·35	213	88	125	100	65	24	11	7	207	5	1	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·41	0·45	0·37	289	157	132	3	8	1	2	6	20	32	33	34	37	43	49	23	11	4	3
Simple Continued Fever	0·00	0·00	0·00	2	1	1	—	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	1·33	1·44	1·24	942	500	442	758	98	14	6	1	877	8	3	4	1	1	2	8	7	13	18
Cholera	0·21	0·23	0·18	146	81	65	78	25	1	—	—	104	—	4	1	1	5	9	14	4	2	2
Cancer	0·63	0·50	0·75	444	175	269	—	1	—	1	2	4	—	1	3	1	15	47	94	136	109	34
Tabes Mesenterica	0·20	0·22	0·19	144	76	68	68	17	13	4	2	104	7	5	8	6	2	8	2	1	1	—
Phthisis	1·05	0·95	1·15	740	330	410	14	11	3	4	3	35	13	28	86	92	178	161	72	51	23	1
Other Tub. & Scrof. Dis.	0·44	0·51	0·38	313	179	134	102	58	25	16	10	211	33	16	13	7	14	7	6	4	2	—
Diseases of Nervous System	2·34	2·53	2·16	1654	882	772	777	76	34	13	10	910	25	16	26	14	58	54	98	142	182	129
Diseases of Circulatory "	1·29	1·44	1·15	913	501	412	5	1	3	—	—	9	14	11	18	23	71	98	141	165	227	136
Diseases of Respiratory "	3·02	3·20	2·86	2133	1114	1019	653	317	89	50	34	1143	56	15	12	16	51	91	110	179	251	209
Diseases of Digestive "	1·41	1·52	1·30	993	529	464	489	33	12	9	2	595	20	7	23	20	35	50	60	76	64	43
Diseases of Urinary "	0·33	0·43	0·23	232	149	83	10	3	—	—	1	14	4	1	2	11	22	30	24	39	53	32
Diseases of Generative "	0·02	0·01	0·04	17	4	13	4	1	—	—	—	5	—	—	—	1	1	4	4	1	—	1
Puerperal Fever	0·09	—	0·17	60	—	60	—	—	—	—	—	—	—	—	1	12	32	14	1	—	—	—
Childbirth	0·08	—	0·16	58	—	58	—	—	—	—	—	—	—	—	3	8	24	23	—	—	—	—
Violence	0·61	0·93	0·30	431	323	108	33	17	9	15	9	83	29	17	38	44	63	60	45	26	14	12
Other Causes	3·03	3·10	2·91	2123	1084	1039	1150	51	16	12	4	1233	21	14	24	32	52	85	69	75	139	379

Marriages .. .. .. 7,322†
Births .. { Males .. 11,907 / Females 11,366 } 23,273

Annual Rate per 1000 living { Persons Married .. 16·87† / Births .. .. .. 32·98 }
Annual Births to 1000 Females aged 15–45 years = 135.

Deaths from Childbirth and Puerperal Fever .. .. } 5·07 per 1000 Births.

* The death-rates under one year of age are per 1000 Births. † The Marriages and the marriage-rate refer to the combined districts of Grimsby and Caistor (424B).

NOTE.—On 1st April, 1897, Grimsby Poor Law Union was constituted a separate registration district named GRIMSBY (424A). Except for the marriages and the marriage-rate the figures are shown as if the change had taken place at the beginning of the decennium.

424B.—CAISTOR.

CAUSES OF DEATH.		CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000.	Persons	—			In Standard Population.		13·36	*125	—	—	—	—	37·93	2·95	2·33	3·22	5·08	5·53	7·22	10·64	20·11	52·50	143·81
	Males ..	—					13·59	*136	—	—	—	—	42·26	2·38	1·94	2·03	5·63	5·54	5·69	11·83	21·45	52·48	158·69
	Females	—					13·14	*113	—	—	—	—	33·63	3·54	2·71	4·49	4·58	5·52	8·68	9·43	18·78	52·51	129·60
Mean Population, 1891-1900.	Persons	—			16,249			380	348	360	352	371	1811	1828	1849	1616	1259	2024	1760	1522	1243	901	436
	Males ..	—			8,078			187	171	184	173	189	904	925	926	837	604	956	861	769	620	463	213
	Females	—			8,171			193	177	176	179	182	907	903	923	779	655	1068	899	753	623	438	223
Deaths from All Causes, 1891-1900.	Persons	16·31			2,651			518	85	36	23	25	687	54	43	52	64	112	127	162	250	473	627
	Males ..	17·08			1,380			288	51	19	12	12	382	22	18	17	34	53	49	91	133	243	338
	Females	15·56			1,271			230	34	17	11	13	305	32	25	35	30	59	78	71	117	230	289
		Persons.	Males.	Females	Persons.	Males.	Females.	PERSONS.															
Small-pox..		0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Measles		0·07	0·07	0·07	12	6	6	3	4	1	1	—	9	—	2	1	—	—	—	—	—	—	—
Scarlet-Fever		0·09	0·11	0·06	14	9	5	2	—	—	1	2	5	8	1	—	—	—	—	—	—	—	—
Diphtheria		0·11	0·10	0·12	18	8	10	1	1	—	1	3	6	6	2	—	—	—	—	2	1	1	—
Whooping-cough ..		0·26	0·25	0·27	42	20	22	19	10	5	4	2	40	2	—	—	—	—	—	—	—	—	—
Typhus		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever		0·18	0·12	0·23	29	10	19	—	—	—	2	—	2	2	4	3	4	3	4	2	4	1	—
Simple Continued Fever		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery		0·30	0·38	0·21	48	31	17	31	3	—	1	—	35	—	—	1	—	—	—	—	1	3	8
Cholera		0·02	0·02	0·01	3	2	1	1	1	—	—	—	2	—	—	—	—	—	—	—	1	—	—
Cancer		0·99	0·76	1·22	161	61	100	—	—	—	—	1	1	—	—	—	—	1	11	26	36	57	29
Tabes Mesenterica ..		0·12	0·16	0·07	19	13	6	11	1	1	—	—	13	1	1	—	1	1	2	—	—	—	—
Phthisis		1·08	0·90	1·25	175	73	102	3	2	—	—	—	5	2	11	17	25	47	33	18	10	5	2
Other Tub. & Scrof. Dis.		0·36	0·35	0·37	58	28	30	14	6	8	3	3	34	5	4	5	3	3	1	2	1	—	—
Diseases of	Nervous System ..	2·58	2·72	2·45	420	220	200	86	10	4	3	1	104	7	5	7	5	10	10	20	46	95	111
	Circulatory " ..	1·98	1·97	1·98	321	159	162	1	—	—	—	—	1	1	2	2	6	7	18	32	53	128	71
	Respiratory " ..	1·68	1·73	1·63	273	140	133	60	29	7	1	7	104	4	3	1	3	8	11	12	22	54	51
	Digestive " ..	0·92	1·13	0·72	150	91	59	54	9	2	—	2	67	2	3	4	2	3	4	10	23	16	16
	Urinary " ..	0·47	0·67	0·28	77	54	23	1	—	—	—	—	1	4	1	1	2	1	5	3	12	30	17
	Generative " ..	0·04	—	0·07	6	—	6	—	—	—	—	—	—	—	—	—	—	—	1	1	1	1	2
Puerperal Fever ..		0·06	—	0·11	9	—	9	—	—	—	—	—	—	—	—	1	2	3	3	—	—	—	—
Childbirth		0·08	—	0·16	13	—	13	—	—	—	—	—	—	—	—	—	2	7	4	—	—	—	—
Violence		0·40	0·62	0·18	65	50	15	6	1	5	3	2	17	5	—	1	3	5	5	8	7	11	3
OTHER CAUSES ..		4·51	5·01	4·10	737	404	333	225	8	3	3	2	241	5	4	7	6	13	15	26	32	71	317

Marriages .. .. .. 7,322†

Births .. { Males .. 2,111 / Females 2,043 } 4,154

Annual Rate per 1000 living { Persons Married .. 16·87† / Births .. .. .. 25·56

Annual Births to 1000 Females aged 15—45 years = 122.

Deaths from Childbirth and Puerperal Fever .. .. } 5·30 per 1000 Births.

* The death-rates under one year of age are per 1000 Births. † The Marriages and the marriage-rate refer to the combined districts of Caistor and Grimsby (424A).

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

425.—GLANFORD BRIGG.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 14·23			*140	—	—	—	—	45·75	3·35	2·14	3·52	5·08	5·25	6·61	10·48	19·17	51·32	150·37
Annual Death-Rate per 1000. Males	—						*156	—	—	—	—	50·87	3·47	2·09	2·72	4·74	4·58	6·29	10·75	20·55	52·14	159·47
Annual Death-Rate per 1000. Females	—						*124	—	—	—	—	40·64	3·24	2·18	4·37	5·41	5·92	6·94	10·21	17·83	50·50	142·56
Mean Population, 1891–1900. Persons	—			42,633			1130	1097	1051	1078	1049	5405	5309	4869	4039	3403	5748	4733	3720	2812	1783	812
Mean Population, 1891–1900. Males	—			21,271			571	558	534	522	518	2703	2623	2440	2092	1667	2841	2383	1879	1382	886	375
Mean Population, 1891–1900. Females	—			21,362			559	539	517	556	531	2702	2686	2429	1947	1736	2907	2350	1841	1430	897	437
Deaths from All Causes, 1891–1900. Persons	15·83			6,750			1852	344	147	70	60	2473	178	104	142	173	302	313	390	539	915	1221
Deaths from All Causes, 1891–1900. Males	16·36			3,479			1050	179	82	31	33	1375	91	51	57	79	130	150	202	284	462	598
Deaths from All Causes, 1891–1900. Females	15·31			3,271			802	165	65	39	27	1098	87	53	85	94	172	163	188	255	453	623
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·02	0·01	7	5	2	1	1	1	—	—	3	—	—	—	—	—	—	1	1	2	—
Measles	0·24	0·24	0·24	104	52	52	28	39	17	7	4	95	7	—	1	—	—	1	—	—	—	—
Scarlet Fever	0·19	0·20	0·18	81	43	38	8	12	14	11	8	53	22	2	2	1	—	1	—	—	—	—
Diphtheria	0·11	0·14	0·08	48	30	18	2	2	5	6	6	21	15	7	1	—	3	—	—	1	—	—
Whooping-cough	0·24	0·19	0·29	104	41	63	54	29	17	4	—	104	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·09	0·11	0·07	38	24	14	—	—	1	—	—	1	4	3	8	3	8	4	4	2	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·55	0·62	0·49	235	131	104	172	21	2	—	—	195	1	—	—	—	3	3	1	3	10	19
Cholera	0·03	0·03	0·02	12	7	5	6	—	2	—	—	8	—	1	—	—	—	—	1	2	—	—
Cancer	0·69	0·56	0·81	293	120	173	—	—	1	—	—	1	—	—	2	1	3	24	65	74	83	40
Tabes Mesenterica	0·15	0·15	0·14	62	32	30	30	5	2	—	—	37	8	4	2	1	3	4	3	—	—	—
Phthisis	1·00	0·83	1·17	425	176	249	5	6	3	3	2	19	11	24	54	80	92	65	51	21	8	—
Other Tub. & Scrof. Dis.	0·36	0·37	0·36	154	78	76	56	16	10	4	7	93	24	10	7	8	8	2	2	—	—	—
Diseases of: Nervous System	2·00	2·07	1·94	854	440	414	306	41	13	3	6	369	19	6	7	7	14	25	53	62	154	138
Diseases of: Circulatory "	1·40	1·34	1·47	598	285	313	5	—	1	1	1	8	2	10	8	12	19	33	63	118	184	141
Diseases of: Respiratory "	2·56	2·75	2·37	1091	584	507	368	117	37	16	14	552	27	7	7	7	28	34	31	82	136	180
Diseases of: Digestive "	0·79	0·80	0·79	338	170	168	118	16	6	1	5	146	6	4	8	5	15	12	21	42	47	32
Diseases of: Urinary "	0·36	0·52	0·21	154	110	44	7	2	—	—	—	9	2	1	—	4	7	8	14	26	43	40
Diseases of: Generative "	0·05	0·02	0·08	23	5	18	2	—	—	—	—	2	—	—	—	1	3	3	4	4	5	1
Puerperal Fever	0·05	—	0·10	21	—	21	—	—	—	—	—	—	—	—	1	4	13	3	—	—	—	—
Childbirth	0·09	—	0·19	40	—	40	—	—	—	—	—	—	—	—	5	2	15	18	—	—	—	—
Violence	0·57	0·87	0·29	245	184	61	17	6	6	10	4	43	10	12	16	20	29	27	27	23	21	17
Other Causes	4·29	4·53	4·01	1823	962	861	667	31	9	4	3	714	20	13	13	17	39	46	49	78	221	613

Marriages 3,033

Births .. { Males .. 6,734 / Females 6,463 } 13,197

Annual Rate per 1000 living { Persons Married .. 14·23 / Births .. .. .. 30·95 }

Annual Births to 1000 Females aged 15—45 years = 148.

Deaths from Childbirth and Puerperal Fever .. .. } 4·62 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

426.—GAINSBOROUGH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		14·89	*148	—	—	—	—	49·34	2·91	2·15	3·66	4·54	5·33	7·66	11·07	22·82	52·53	141·99
Annual Death-Rate per 1000. Males	—					15·44	*161	—	—	—	—	54·47	3·19	2·22	3·51	4·03	4·56	8·09	12·10	24·54	54·78	143·83
Annual Death-Rate per 1000. Females	—					14·38	*133	—	—	—	—	44·12	2·62	2·07	3·82	5·08	6·14	7·21	10·01	21·18	50·42	140·40
Mean Population, 1891–1900. Persons	—			34,385			848	816	819	792	829	4104	4051	3771	3445	2953	4969	3931	3007	2108	1384	662
Mean Population, 1891–1900. Males	—			17,450			435	418	408	387	423	2071	2067	1888	1821	1537	2543	1989	1529	1027	670	308
Mean Population, 1891–1900. Females	—			16,935			413	398	411	405	406	2033	1984	1883	1624	1416	2426	1942	1478	1081	714	354
Deaths from All Causes, 1891–1900. Persons	16·09			5,531			1506	324	98	57	40	2025	118	81	126	134	265	301	333	481	727	940
Deaths from All Causes, 1891–1900. Males	16·54			2,886			857	170	51	31	19	1128	66	42	64	62	116	161	185	252	367	443
Deaths from All Causes, 1891–1900. Females	15·62			2,645			649	154	47	26	21	897	52	39	62	72	149	140	148	229	360	497
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	0·01	3	2	1	1	—	—	—	1	2	—	—	—	—	1	—	—	—	—	—
Measles	0·16	0·17	0·14	54	30	24	13	22	11	—	2	48	5	—	—	—	1	—	—	—	—	—
Scarlet Fever	0·08	0·11	0·06	29	19	10	2	—	4	4	1	11	10	5	—	1	1	1	—	—	—	—
Diphtheria	0·10	0·10	0·10	34	17	17	2	3	3	7	5	20	10	2	1	1	—	—	—	—	—	—
Whooping-cough	0·30	0·30	0·30	103	52	51	65	24	6	3	2	100	3	—	—	—	—	—	—	—	—	—
Typhus	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Enteric Fever	0·23	0·24	0·22	80	42	38	—	1	—	3	2	6	6	5	22	13	19	3	4	2	—	—
Simple Continued Fever	0·02	0·02	0·02	8	4	4	1	—	—	3	—	4	1	—	1	—	—	—	1	—	1	—
Diarrhœa & Dysentery	0·62	0·66	0·57	212	116	96	145	22	1	—	—	168	2	—	—	—	—	1	3	6	11	21
Cholera	0·07	0·10	0·04	23	17	6	13	—	—	—	—	13	—	—	—	—	—	—	—	5	4	1
Cancer	0·58	0·44	0·73	199	76	123	—	—	—	—	—	—	—	1	1	1	7	13	29	54	66	27
Tabes Mesenterica	0·17	0·18	0·17	60	32	28	34	7	2	—	1	44	2	3	4	1	2	—	3	—	1	—
Phthisis	0·98	0·92	1·04	336	160	176	2	2	3	—	2	9	5	13	28	44	88	68	42	26	13	—
Other Tub. & Scrof. Dis.	0·38	0·41	0·36	132	71	61	33	28	6	10	1	78	11	8	8	6	10	8	1	—	—	2
Diseases of Nervous System	2·38	2·47	2·28	819	432	387	254	26	14	3	9	306	13	5	7	5	12	24	35	75	151	186
Diseases of Circulatory	1·48	1·51	1·44	508	264	244	6	—	—	1	—	7	3	3	10	7	18	37	61	90	162	110
Diseases of Respiratory	2·47	2·64	2·29	848	461	387	234	112	27	11	8	392	15	4	7	9	7	33	54	74	107	146
Diseases of Digestive	1·01	1·08	0·95	349	188	161	118	30	5	1	1	155	6	8	4	9	16	18	21	35	46	31
Diseases of Urinary	0·31	0·46	0·16	108	81	27	2	—	—	1	—	3	1	—	1	4	5	10	9	21	26	28
Diseases of Generative	0·05	0·01	0·10	18	1	17	—	—	—	—	—	—	—	—	1	1	3	2	1	4	1	5
Puerperal Fever	0·03	—	0·06	11	—	11	—	—	—	—	—	—	—	—	—	3	5	3	—	—	—	—
Childbirth	0·10	—	0·21	35	—	35	—	—	—	—	—	—	—	—	1	5	14	12	3	—	—	—
Violence	0·55	0·75	0·34	189	131	58	10	7	11	3	4	35	19	11	16	6	15	21	16	18	13	19
Other Causes	4·01	3·95	4·03	1372	689	683	571	40	5	7	1	624	6	13	14	17	41	47	50	71	125	364

Marriages 2,543

Births .. { Males .. 5,308 / Females 4,896 } 10,204

Annual Rate per 1000 living { Persons Married .. 14·79 / Births .. .. .. 29·68 }

Annual Births to 1000 Females aged 15—45 years = 138.

Deaths from Childbirth and Puerperal Fever .. .. } 4·51 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

427.—EAST RETFORD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 13·34	*126	—	—	—	—	38·97	2·79	2·51	2·85	3·81	5·38	6·34	10·68	20·32	55·98	143·66
Annual Death-Rate per 1000. Males	—	13·74	*140	—	—	—	—	43·19	2·58	2·66	2·86	3·92	5·17	5·95	11·01	22·18	58·12	149·26
Annual Death-Rate per 1000. Females	—	12·96	*111	—	—	—	—	34·72	3·01	2·34	2·85	3·72	5·56	6·73	10·37	18·58	53·87	138·59
Mean Population, 1891-1900. Persons	—	24,561	591	555	570	563	572	2851	2865	2714	2452	1993	3326	2664	2182	1742	1204	568
Mean Population, 1891-1900. Males	—	12,064	294	282	290	284	281	1431	1436	1391	1257	918	1547	1311	1063	843	597	270
Mean Population, 1891-1900. Females	—	12,497	297	273	280	279	291	1420	1429	1323	1195	1075	1779	1353	1119	899	607	298
Deaths from All Causes, 1891-1900. Persons	15·59	3,830	846	154	58	27	26	1111	80	68	70	76	179	169	233	354	674	816
Deaths from All Causes, 1891-1900. Males	16·38	1,976	481	83	33	8	13	618	37	37	36	36	80	78	117	187	347	403
Deaths from All Causes, 1891-1900. Females	14·84	1,854	365	71	25	19	13	493	43	31	34	40	99	91	116	167	327	413

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Measles	0·11	0·12	0·10	26	14	12	5	12	3	1	2	23	3	—	—	—	—	—	—
Scarlet Fever	0·07	0·05	0·09	17	6	11	1	2	1	1	1	6	5	3	—	—	—	—	—
Diphtheria	0·12	0·12	0·12	29	14	15	1	3	2	3	4	13	10	1	—	—	2	2	—	—	1	—
Whooping-cough	0·22	0·17	0·26	53	20	33	33	13	3	3	1	53	—	—	—	—	—	—	—	—	—	—
Typhus	0·00	—	0·01	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Enteric Fever	0·12	0·12	0·13	30	14	16	—	—	—	—	—	—	3	2	5	5	8	3	2	1	1	—
Simple Continued Fever	0·01	0·01	0·02	3	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1
Diarrhœa & Dysentery	0·51	0·50	0·52	125	60	65	95	8	—	—	—	103	1	—	—	1	—	—	1	5	5	9
Cholera	0·01	0·02	0·01	3	2	1	1	—	—	—	—	1	—	—	—	—	—	—	1	1	—	—
Cancer	0·79	0·65	0·94	195	78	117	—	—	1	—	1	2	1	—	—	—	6	13	18	48	71	36
Tabes Mesenterica	0·12	0·12	0·12	30	15	15	14	3	1	1	1	20	3	3	2	—	1	—	1	—	—	—
Phthisis	0·83	0·85	0·81	204	103	101	2	2	2	—	—	6	3	10	24	27	57	29	25	12	8	3
Other Tub. & Scrof. Dis.	0·24	0·27	0·22	60	32	28	10	4	2	6	2	24	7	7	7	3	5	2	2	2	1	—
Diseases of: Nervous System	2·32	2·57	2·07	569	310	259	155	22	11	1	4	193	8	10	7	4	12	15	33	50	122	115
Diseases of: Circulatory	1·89	1·92	1·87	465	231	234	3	—	1	—	—	4	5	4	6	7	12	22	47	93	162	103
Diseases of: Respiratory	2·36	2·64	2·08	579	319	260	129	56	14	10	4	213	10	4	1	2	12	18	28	46	112	133
Diseases of: Digestive	0·94	1·08	0·81	231	130	101	69	8	7	—	1	85	1	5	2	2	11	14	20	27	44	20
Diseases of: Urinary	0·37	0·48	0·26	91	58	33	—	—	—	—	—	—	1	—	1	2	3	5	10	19	32	18
Diseases of: Generative	0·04	0·01	0·07	10	1	9	—	—	—	—	—	—	—	—	—	—	1	4	4	—	1	—
Puerperal Fever	0·06	—	0·11	14	—	14	—	—	—	—	—	—	—	—	—	4	7	3	—	—	—	—
Childbirth	0·10	—	0·20	25	—	25	—	—	—	—	—	—	—	—	1	3	13	8	—	—	—	—
Violence	0·58	0·79	0·38	142	95	47	11	5	5	1	2	24	14	13	6	7	13	15	10	12	14	14
OTHER CAUSES	3·78	3·88	3·64	927	472	455	317	16	5	—	3	341	4	6	8	9	16	15	29	37	98	364

Marriages 1,659

Births .. { Males .. 3,430 / Females 3,299 } 6,729

Annual Rate per 1000 living { Persons Married .. 13·51 / Births .. .. .. 27·40

Annual Births to 1000 Females aged 15—45 years = 125.

Deaths from Childbirth and Puerperal Fever .. .. } 5·80 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

428.—WORKSOP.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 16·35			*153	—	—	—	—	52·46	3·32	1·96	3·07	3·77	5·29	7·66	14·62	27·22	64·10	158·53
Annual Death-Rate per 1000. Males	—			16·54			*170	—	—	—	—	58·00	3·47	1·72	3·15	3·39	4·22	6·74	14·74	29·96	66·24	157·81
Annual Death-Rate per 1000. Females	—			16·17			*135	—	—	—	—	46·90	3·17	2·21	2·98	4·19	6·44	8·71	14·48	25·19	61·97	159·13
Mean Population, 1891–1900. Persons	—			34,738			1042	927	912	911	962	4754	4424	4077	3385	3023	5006	3840	2819	1896	1092	422
Mean Population, 1891–1900. Males	--			17,992			518	473	455	468	467	2381	2246	2088	1907	1591	2584	2002	1465	991	545	192
Mean Population, 1891–1900. Females	--			16,746			524	454	457	443	495	2373	2178	1989	1478	1432	2422	1838	1354	905	547	230
Deaths from All Causes, 1891–1900. Persons	16·68			5,795			1846	394	116	82	56	2494	147	80	104	114	265	294	412	516	700	669
Deaths from All Causes, 1891–1900. Males	16·79			3,021			1050	204	57	42	28	1381	78	36	60	54	109	135	216	288	361	303
Deaths from All Causes, 1891–1900. Females	16·57			2,774			796	190	59	40	28	1113	69	44	44	60	156	159	196	228	339	366
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	0·01	2	1	1	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—
Measles	0·35	0·32	0·37	120	58	62	23	55	17	6	10	111	8	—	1	—	—	—	—	—	—	—
Scarlet Fever	0·17	0·19	0·14	58	35	23	4	8	2	10	7	31	16	6	2	1	1	1	—	—	—	—
Diphtheria	0·12	0·11	0·12	40	20	20	—	7	6	—	6	19	18	1	—	—	1	—	—	1	—	—
Whooping-cough	0·29	0·26	0·33	102	46	56	50	35	8	6	2	101	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·18	0·19	0·16	61	34	27	—	—	—	1	—	1	2	9	10	5	14	7	5	4	3	1
Simple Continued Fever	—	--	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·54	0·52	0·57	189	93	96	136	23	2	1	—	162	2	—	—	1	2	1	2	5	9	5
Cholera	0·06	0·06	0·05	20	11	9	12	4	—	—	—	16	1	—	—	—	—	—	1	1	—	1
Cancer	0·61	0·43	0·80	211	77	134	1	—	—	—	—	1	3	1	—	1	6	20	47	68	50	14
Tabes Mesenterica	0·16	0·18	0·14	56	32	24	30	4	3	2	1	40	5	4	3	1	1	1	—	1	—	—
Phthisis	0·90	0·90	0·90	312	162	150	8	4	2	1	4	19	7	10	31	35	78	58	40	24	8	2
Other Tub. & Scrof. Dis.	0·28	0·30	0·27	99	54	45	38	22	10	5	3	78	3	3	5	—	5	2	2	—	1	—
Diseases of Nervous System	2·21	2·19	2·24	769	394	375	271	47	21	7	1	347	20	5	6	11	18	21	56	80	109	96
Diseases of Circulatory „	1·26	1·14	1·39	438	205	233	6	—	1	—	—	7	4	8	6	7	27	41	63	85	137	53
Diseases of Respiratory „	3·42	3·55	3·28	1187	638	549	396	124	30	22	12	584	21	8	9	9	23	33	48	128	163	161
Diseases of Digestive „	1·51	1·51	1·51	523	271	252	212	37	2	6	1	288	12	2	3	7	15	23	50	44	52	27
Diseases of Urinary „	0·30	0·36	0·24	105	64	41	2	4	1	—	—	7	1	1	2	3	5	9	19	16	32	10
Diseases of Generative „	0·01	—	0·03	5	—	5	—	—	—	—	—	—	—	—	1	—	2	1	—	—	—	1
Puerperal Fever	0·06	—	0·12	20	—	20	—	—	—	—	—	—	—	—	—	4	9	7	—	—	—	—
Childbirth	0·10	—	0·21	35	—	35	—	—	—	—	—	—	—	—	1	3	17	14	—	—	—	—
Violence	0·57	0·85	0·27	198	152	46	15	5	6	9	5	40	15	10	16	12	21	21	23	17	9	14
OTHER CAUSES	3·57	3·72	3·42	1245	674	571	611	15	5	6	4	641	8	12	8	14	19	34	56	42	127	284

Marriages 2,707

Births .. { Males .. 6,185 / Females 5,878 } 12,063

Annual Rate per 1000 living { Persons Married .. 15·59 / Births .. .. .. 34·73

Annual Births to 1000 Females aged 15—45 years = 168.

Deaths from Childbirth and Puerperal Fever .. .. } 4·56 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

429.—MANSFIELD.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		17·43	*161	—	—	—	—	60·81	3·18	2·13	3·19	4·23	4·93	8·15	13·55	27·84	65·82	161·94
Annual Death-Rate per 1000. Males	—					18·12	*177	—	—	—	—	66·74	3·10	2·28	3·05	3·67	4·87	8·43	14·13	29·21	72·15	161·51
Annual Death-Rate per 1000. Females	—					16·78	*146	—	—	—	—	55·06	3·25	1·99	3·35	4·87	5·01	7·83	12·91	26·40	60·04	162·32
Mean Population, 1891–1900. Persons	—			67,271			2142	1936	1915	1917	1859	9769	8749	7510	6859	6143	10238	7252	4981	3280	1820	670
Mean Population, 1891–1900. Males	—			34,628			1036	962	953	941	924	4816	4381	3733	3668	3266	5405	3880	2619	1674	869	317
Mean Population, 1891–1900. Females	—			32,643			1106	974	962	976	935	4953	4368	3777	3191	2877	4833	3372	2362	1606	951	353
Deaths from All Causes, 1891–1900. Persons	17·58			11,825			4229	1076	316	181	139	5941	278	160	219	260	505	591	675	913	1198	1085
Deaths from All Causes, 1891–1900. Males	18·06			6,255			2343	566	159	83	63	3214	136	85	112	120	263	327	370	489	627	512
Deaths from All Causes, 1891–1900. Females	17·06			5,570			1886	510	157	98	76	2727	142	75	107	140	242	264	305	424	571	573
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·02	0·02	0·01	11	7	4	2	1	—	—	—	3	1	—	—	1	1	2	2	—	1	—
Measles	0·64	0·66	0·62	432	230	202	96	189	61	33	29	408	23	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·12	0·12	0·12	81	41	40	2	12	11	16	9	50	21	5	2	1	2	—	—	—	—	—
Diphtheria	0·10	0·10	0·10	69	36	33	2	12	12	10	15	51	14	1	—	1	2	—	—	—	—	—
Whooping-cough	0·36	0·32	0·40	244	112	132	124	73	24	13	5	239	5	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·25	0·27	0·23	167	93	74	5	—	1	1	2	9	18	12	23	25	43	22	6	8	1	—
Simple Continued Fever	0·00	0·00	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Diarrhœa & Dysentery	0·73	0·73	0·73	491	252	239	373	63	7	3	1	447	1	—	1	—	—	—	2	8	14	18
Cholera	0·02	0·02	0·02	14	8	6	6	2	—	1	—	9	1	—	—	—	—	1	2	1	—	—
Cancer	0·53	0·42	0·64	355	146	209	—	1	1	—	—	2	1	2	—	1	12	32	84	121	80	23
Tabes Mesenterica	0·33	0·33	0·33	224	115	109	146	43	12	2	1	204	8	3	5	2	1	—	—	—	1	—
Phthisis	0·93	0·88	0·98	623	303	320	15	14	8	4	4	45	16	30	71	90	131	120	69	39	10	2
Other Tub. & Scrof. Dis.	0·37	0·36	0·39	252	125	127	74	53	20	10	7	164	34	14	12	6	9	2	8	2	1	—
Diseases of Nervous System	2·14	2·12	2·15	1436	735	701	675	118	28	20	12	853	25	16	13	13	30	42	74	103	174	93
Diseases of Circulatory "	1·39	1·33	1·45	934	460	474	5	2	—	1	—	8	7	16	15	17	51	95	125	225	277	98
Diseases of Respiratory "	2·99	3·16	2·81	2012	1094	918	702	308	80	45	36	1171	33	17	12	15	47	74	107	177	214	145
Diseases of Digestive "	1·20	1·28	1·11	806	443	363	391	89	16	4	3	503	16	8	13	9	23	35	46	62	68	23
Diseases of Urinary "	0·27	0·29	0·26	183	99	84	4	4	2	6	3	19	5	4	—	7	14	18	25	32	41	18
Diseases of Generative "	0·04	0·01	0·08	30	4	26	4	1	—	—	—	5	—	—	—	1	2	6	4	6	3	3
Puerperal Fever	0·06	—	0·13	41	—	41	—	—	—	—	—	—	—	—	2	11	18	10	—	—	—	—
Childbirth	0·08	—	0·17	57	—	57	—	—	—	—	—	—	—	—	2	11	19	22	3	—	—	—
Violence	0·69	1·05	0·31	463	362	101	35	15	20	9	8	87	37	18	30	25	54	60	59	45	28	20
OTHER CAUSES	4·32	4·59	4·02	2899	1589	1310	1568	76	13	3	4	1664	12	13	18	24	46	50	61	84	285	642

Marriages 5,514

Births .. { Males .. 13,249 / Females 12,940 } 26,189

Annual Rate per 1000 living { Persons Married .. 16·39 / Births .. .. .. 38·93

Annual Births to 1000 Females aged 15–45 years = 183.

Deaths from Childbirth and Puerperal Fever .. .. } 3·74 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

430.—BASFORD.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 17·05			*162	—	—	—	—	59·00	3·76	2·48	3·52	4·46	5·35	7·41	12·07	27·13	62·02	161·56
Annual Death-Rate per 1000. Males ..	—			16·61			*182	—	—	—	—	65·74	3·63	2·37	3·59	3·99	4·97	6·95	12·38	28·40	63·29	168·50
Annual Death-Rate per 1000. Females	—			16·52			*142	—	—	—	—	52·40	3·88	2·58	3·46	4·91	5·73	7·90	11·75	25·86	60·80	155·18
Mean Population, 1891–1900. Persons	—			162,991			4844	4477	4452	4455	4369	22597	21261	18659	16938	14730	24321	18196	12408	7810	4479	1592
Mean Population, 1891–1900. Males ..	—			81,337			2406	2219	2207	2182	2166	11180	10442	9294	8506	7187	12150	9365	6349	3901	2201	762
Mean Population, 1891–1900. Females	—			81,654			2438	2258	2245	2273	2203	11417	10819	9365	8432	7543	12171	8831	6059	3909	2278	830
Deaths from All Causes, 1891–1900. Persons	16·85			27,465			9411	2253	792	509	367	13332	799	462	597	657	1302	1349	1498	2119	2778	2572
Deaths from All Causes, 1891–1900. Males ..	17·66			14,367			5372	1162	393	248	175	7350	379	220	305	287	604	651	786	1108	1393	1284
Deaths from All Causes, 1891–1900. Females	16·04			13,098			4039	1091	399	261	192	5982	420	242	292	370	698	698	712	1011	1385	1288
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·01	0·00	0·01	10	4	6	1	—	1	—	—	2	2	—	—	2	1	2	1	—	—	—
Measles	0·47	0·51	0·43	764	412	352	180	299	130	74	42	725	37	—	—	—	1	1	—	—	—	—
Scarlet Fever	0·33	0·31	0·36	542	251	291	21	77	78	84	65	325	160	32	10	9	5	1	—	—	—	—
Diphtheria	0·12	0·13	0·12	200	104	96	14	22	23	27	38	124	60	6	1	—	5	1	2	1	—	—
Whooping-cough	0·40	0·36	0·44	652	291	361	303	211	67	38	12	631	21	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·31	0·34	0·29	511	274	237	—	6	8	13	9	36	49	43	77	86	103	61	37	13	6	—
Simple Continued Fever	0·00	0·00	0·00	5	2	3	1	—	2	—	—	3	1	—	—	—	—	1	—	—	—	—
Diarrhœa & Dysentery	0·79	0·87	0·71	1284	706	578	996	128	18	4	6	1152	4	1	2	—	3	3	7	19	43	50
Cholera	0·05	0·05	0·04	77	44	33	50	8	—	1	—	59	2	—	—	1	3	1	1	5	2	3
Cancer	0·57	0·40	0·74	931	328	603	3	—	1	—	1	5	3	1	1	7	30	99	176	288	250	71
Tabes Mesenterica	0·25	0·29	0·22	410	234	176	219	91	24	9	6	349	19	20	4	6	5	5	—	2	—	—
Phthisis	0·94	0·92	0·96	1531	747	784	23	14	10	15	12	74	28	73	177	209	413	276	144	106	26	5
Other Tub. & Scrof. Dis.	0·35	0·37	0·34	575	299	276	170	102	52	33	17	374	62	39	28	16	24	11	8	7	4	2
Diseases of Nervous System	1·92	2·06	1·78	3126	1673	1453	1238	153	55	30	15	1491	71	38	33	34	86	125	190	284	449	325
Diseases of Circulatory „	1·28	1·21	1·35	2080	980	1100	21	6	4	—	3	34	27	33	33	42	94	155	280	445	621	316
Diseases of Respiratory „	3·16	3·52	2·79	5145	2865	2280	1743	736	225	111	80	2895	112	24	39	41	103	143	214	422	592	560
Diseases of Digestive „	1·33	1·39	1·28	2171	1130	1041	1164	220	23	9	14	1430	36	28	29	24	41	83	114	125	165	96
Diseases of Urinary „	0·33	0·41	0·25	541	333	208	13	5	6	5	7	36	14	9	9	10	33	57	59	93	133	88
Diseases of Generative „	0·03	0·00	0·06	51	3	48	2	—	1	—	—	3	—	—	—	1	7	11	11	8	6	4
Puerperal Fever	0·10	—	0·20	161	—	161	—	—	—	—	—	—	—	—	11	41	74	33	2	—	—	—
Childbirth	0·10	—	0·20	160	—	160	—	—	—	—	—	—	—	—	3	32	53	68	4	—	—	—
Violence	0·56	0·81	0·31	910	661	249	82	33	29	33	23	200	46	50	67	42	108	88	90	89	68	62
OTHER CAUSES	3·45	3·71	3·16	5628	3026	2602	3167	142	35	23	17	3384	45	65	73	54	110	124	158	212	413	990

Marriages 12,649

Births .. { Males .. 29,490 / Females 28,522 } 58,012

Annual Rate per 1000 living { Persons Married .. 15·52 / Births .. .. .. 35·59 }

Annual Births to 1000 Females aged 15—45 years = 157.

Deaths from Childbirth and Puerperal Fever .. .. } 5·53 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

431.—NOTTINGHAM.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 20·48			*186	—	—	—	—	69·99	3·84	2·61	3·87	4·66	6·55	11·52	18·22	34·15	71·16	167·53
Annual Death-Rate per 1000. Males ..	—			21·83			*203	—	—	—	—	76·43	3·76	2·68	4·24	4·94	6·81	12·77	20·26	37·80	78·33	174·38
Annual Death-Rate per 1000. Females	—			19·22			*168	—	—	—	—	63·72	3·92	2·54	3·56	4·46	6·34	10·45	16·46	31·20	65·52	162·68
Mean Population, 1891–1900. Persons	—			193,512			4423	4085	4086	4205	4124	20923	20855	20003	20253	18739	31397	24408	17560	11203	6043	2128
Mean Population, 1891–1900. Males ..	—			89,228			2185	2028	2001	2087	2020	10321	10302	9659	9088	7935	13969	11272	8129	5013	2658	882
Mean Population, 1891–1900. Females	—			104,284			2238	2057	2085	2118	2104	10602	10553	10344	11165	10804	17428	13136	9431	6190	3385	1246
Deaths from All Causes, 1891–1900. Persons	19·32			37,382			10380	2410	895	574	385	14644	801	522	783	874	2056	2812	3199	3826	4300	3565
Deaths from All Causes, 1891–1900. Males ..	21·14			18,863			5788	1206	450	274	170	7888	387	259	385	392	951	1439	1647	1895	2082	1538
Deaths from All Causes, 1891–1900. Females	17·76			18,519			4592	1204	445	300	215	6756	414	263	398	482	1105	1373	1552	1931	2218	2027
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·40	0·41	0·39	773	366	407	182	285	111	91	55	724	46	2	—	—	1	—	—	—	—	—
Scarlet Fever	0·11	0·11	0·12	219	99	120	10	21	37	29	24	121	66	14	7	5	3	1	2	—	—	—
Diphtheria	0·09	0·08	0·09	169	73	96	9	25	14	27	28	103	43	8	3	1	2	3	2	3	1	—
Whooping-cough	0·40	0·34	0·46	781	305	476	317	226	118	74	27	762	19	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·30	0·36	0·26	589	319	270	2	6	10	13	4	35	45	59	102	71	121	82	36	27	8	3
Simple Continued Fever	0·00	0·00	0·00	7	3	4	1	1	—	—	—	2	1	—	—	2	—	1	—	—	—	1
Diarrhœa & Dysentery	1·20	1·38	1·05	2329	1228	1101	1836	263	32	12	3	2146	6	2	5	1	5	7	9	28	59	61
Cholera	0·02	0·04	0·01	47	33	14	35	2	—	—	—	37	—	1	—	1	3	1	1	2	1	—
Cancer	0·92	0·73	1·06	1773	650	1123	3	—	2	2	2	9	3	5	9	10	53	225	408	521	393	137
Tabes Mesenterica	0·25	0·30	0·20	478	265	213	274	61	27	15	10	387	31	8	14	10	11	6	6	3	1	1
Phthisis	1·45	1·73	1·21	2810	1547	1263	21	16	16	8	4	65	41	62	247	335	705	659	447	185	58	6
Other Tub. & Scrof. Dis.	0·41	0·47	0·36	790	419	371	206	127	62	50	37	482	104	48	28	28	41	28	9	15	5	2
Diseases of Nervous System	2·17	2·41	1·97	4207	2151	2056	1142	186	81	44	25	1478	70	38	38	43	141	301	399	520	735	444
Diseases of Circulatory "	1·68	1·71	1·64	3246	1531	1715	24	6	6	5	2	43	27	59	49	52	165	358	500	774	816	403
Diseases of Respiratory "	3·50	3·88	3·17	6766	3457	3309	1648	784	226	129	88	2875	109	33	53	73	159	335	492	844	1050	743
Diseases of Digestive "	1·12	1·23	1·02	2162	1100	1062	814	140	28	11	18	1011	34	36	42	43	109	161	245	216	179	86
Diseases of Urinary "	0·54	0·71	0·40	1042	630	412	17	15	7	6	6	51	15	23	19	19	78	102	164	213	242	116
Diseases of Generative "	0·09	0·01	0·16	175	7	168	5	—	—	—	1	6	—	—	5	18	36	41	34	19	12	4
Puerperal Fever	0·09	—	0·16	165	—	165	—	—	—	—	—	—	—	—	12	31	84	35	3	—	—	—
Childbirth	0·08	—	0·15	154	—	154	—	—	—	—	—	—	—	—	7	24	57	65	1	—	—	—
Violence	0·71	0·96	0·50	1375	853	522	248	49	60	36	31	424	80	47	47	41	105	150	159	133	98	91
Other Causes..	3·79	4·28	3·38	7325	3827	3498	3586	197	58	22	20	3883	61	77	96	66	177	251	282	323	642	1467

Marriages 17,975

Births .. { Males .. 28,483 / Females 27,325 } 55,808

Annual Rate per 1000 living { Persons Married .. 18·58 / Births .. .. .. 28·84 }

Annual Births to 1000 Females aged 15—45 years = 106.

Deaths from Childbirth and Puerperal Fever .. .. } 5·72 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

432.—SOUTHWELL.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·27			*109	—	—	—	—	36·68	2·78	2·22	3·03	4·55	5·21	7·29	10·58	21·55	52·84	149·74
Annual Death-Rate per 1000. Males	—			13·76			*124	—	—	—	—	40·61	3·21	2·10	2·49	5·41	5·35	7·75	10·08	23·88	53·38	158·65
Annual Death-Rate per 1000. Females	—			12·81			* 93	—	—	—	—	32·96	2·35	2·34	3·57	3·83	5·08	6·88	11·05	19·28	52·35	141·97
Mean Population, 1891-1900. Persons	—			19,228			410	386	424	430	430	2080	2125	2025	1847	1474	2476	2155	1787	1545	1143	571
Mean Population, 1891-1900. Males	—			9,272			205	179	205	211	212	1012	1060	1000	923	665	1158	1006	873	762	547	266
Mean Population, 1891-1900. Females	—			9,956			205	207	219	219	218	1068	1065	1025	924	809	1318	1149	914	783	596	305
Deaths from All Causes, 1891-1900. Persons	16·94			3,257			526	133	57	28	19	763	59	45	56	67	129	157	189	333	604	855
Deaths from All Causes, 1891-1900. Males	17·78			1,649			303	58	24	18	8	411	34	21	23	36	62	78	88	182	292	422
Deaths from All Causes, 1891-1900. Females	16·15			1,608			223	75	33	10	11	352	25	24	33	31	67	79	101	151	312	433
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·15	0·11	0·18	28	10	18	9	8	6	—	1	24	3	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·12	0·13	0·12	24	12	12	2	—	4	3	3	12	9	2	1	—	—	—	—	—	—	—
Diphtheria	0·12	0·13	0·11	23	12	11	1	—	4	6	3	14	6	2	1	—	—	—	—	—	—	—
Whooping-cough	0·27	0·26	0·28	52	24	28	23	19	4	3	2	51	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·07	0·10	0·04	13	9	4	—	1	1	—	—	2	—	—	1	3	2	1	—	1	2	1
Simple Continued Fever	0·01	—	0·01	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Diarrhœa & Dysentery	0·35	0·42	0·29	68	39	29	36	9	—	—	1	46	1	—	—	—	1	—	—	3	4	13
Cholera	0·03	0·04	0·01	5	4	1	3	—	—	—	—	3	—	—	—	—	—	—	—	—	2	—
Cancer	0·97	0·87	1·05	186	81	105	—	—	—	—	—	—	—	—	—	—	3	6	22	55	55	45
Tabes Mesenterica	0·11	0·09	0·13	21	8	13	8	4	2	1	—	15	1	1	1	—	1	2	—	—	—	—
Phthisis	1·03	1·00	1·05	198	93	105	2	3	2	—	—	7	3	8	15	35	39	34	29	17	9	2
Other Tub. & Scrof. Dis.	0·21	0·22	0·21	41	20	21	13	6	1	1	1	22	3	1	2	2	7	1	1	1	1	—
Diseases of Nervous System	2·18	2·16	2·21	420	200	220	89	16	6	3	1	115	6	8	3	3	5	10	24	38	97	111
Diseases of Circulatory	2·42	2·21	2·62	463	205	261	1	—	—	—	—	1	3	3	4	5	12	23	27	78	157	153
Diseases of Respiratory	2·88	3·10	2·67	553	287	266	105	46	17	5	3	176	6	3	9	3	6	16	18	42	98	176
Diseases of Digestive	1·05	1·13	0·97	202	105	97	33	6	5	3	1	48	3	7	2	3	6	11	17	27	49	29
Diseases of Urinary	0·57	0·88	0·27	109	82	27	2	2	—	—	—	4	1	2	1	—	7	6	3	16	23	46
Diseases of Generative	0·03	—	0·06	6	—	6	—	—	—	—	—	—	—	—	—	—	1	—	1	1	2	1
Puerperal Fever	0·05	—	0·09	9	—	9	—	—	—	—	—	—	—	—	—	2	4	3	—	—	—	—
Childbirth	0·06	—	0·12	12	—	12	—	—	—	—	—	—	—	—	1	1	7	3	—	—	—	—
Violence	0·63	0·99	0·30	122	92	30	10	4	2	1	1	18	5	5	4	6	11	8	13	20	15	17
OTHER CAUSES	3·63	3·94	3·36	698	366	332	189	9	3	2	2	205	8	2	11	4	17	33	34	34	89	261

Marriages 1,206

Births .. { Males .. 2,445 / Females 2,388 } 4,833

Annual Rate per 1000 living { Persons Married .. 13·48 / Births .. .. .. 25·14 }

Annual Births to 1000 Females aged 15—45 years = 115.

Deaths from Childbirth and Puerperal Fever .. .. } 4·35 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

433.—NEWARK.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 14·48			*130	—	—	—	—	42·50	3·55	2·45	4·21	4·11	5·79	7·52	11·15	24·54	53·88	148·17
Annual Death-Rate per 1000. Males ..	—			15·39			*151	—	—	—	—	49·15	3·81	2·06	3·58	4·64	4·91	7·27	12·99	26·18	60·65	159·42
Annual Death-Rate per 1000. Females	—			13·63			*109	—	—	—	—	35·82	3·30	2·82	4·87	3·65	6·59	7·75	9·43	23·02	47·97	139·35
Mean Population, 1891–1900. Persons	—			30,718			692	674	681	685	661	3393	3491	3353	3085	2508	4282	3486	2726	2160	1522	712
Mean Population, 1891–1900. Males ..	—			14,915			328	345	337	349	342	1701	1731	1652	1565	1165	2035	1693	1316	1035	709	313
Mean Population, 1891–1900. Females	—			15,803			364	329	344	336	319	1692	1760	1701	1520	1343	2247	1793	1410	1125	813	399
Deaths from All Causes, 1891–1900. Persons	16·60			5,100			1030	223	77	62	50	1442	124	82	130	103	248	262	304	530	820	1055
Deaths from All Causes, 1891–1900. Males ..	17·70			2,640			602	121	48	39	26	836	66	34	56	54	100	123	171	271	430	499
Deaths from All Causes, 1891–1900. Females	15·57			2,460			428	102	29	23	24	606	58	48	74	49	148	139	133	259	390	556
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	0·00	0·01	—	1	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Measles	0·20	0·18	0·21	60	27	33	12	22	8	7	1	50	8	—	—	—	1	1	—	—	—	—
Scarlet Fever	0·14	0·17	0·12	44	25	19	2	6	6	8	2	24	15	1	2	—	1	1	—	—	—	—
Diphtheria	0·13	0·13	0·13	40	19	21	1	4	1	4	7	17	14	5	—	—	3	—	—	—	—	1
Whooping-cough ..	0·25	0·21	0·29	78	32	46	39	25	10	3	1	78	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·20	0·18	0·22	61	27	34	1	—	—	—	2	3	8	10	7	8	9	9	2	4	1	—
Simple Continued Fever	0·01	0·01	0·01	2	1	1	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—
Diarrhœa & Dysentery	0·41	0·39	0·43	126	58	68	79	12	—	1	—	92	—	—	1	—	1	—	1	—	8	23
Cholera	0·01	0·01	—	2	2	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	1	—
Cancer	0·79	0·72	0·86	244	108	136	—	—	—	—	1	1	1	—	—	—	5	25	28	66	73	45
Tabes Mesenterica ..	0·19	0·24	0·15	59	36	23	37	8	1	2	1	49	4	1	1	1	—	—	—	2	1	—
Phthisis	1·28	1·23	1·32	393	184	209	1	1	2	—	1	5	5	12	49	42	87	68	49	39	24	13
Other Tub. & Scrof. Dis.	0·37	0·40	0·34	114	60	54	27	15	6	6	5	59	16	8	10	4	8	3	3	1	2	—
Diseases of Nervous System ..	2·05	2·13	1·97	629	317	312	137	15	9	6	3	170	7	3	5	4	16	16	36	91	131	150
Diseases of Circulatory „ ..	1·92	1·85	1·99	590	276	314	5	1	—	—	2	8	2	6	11	8	14	40	52	113	195	141
Diseases of Respiratory „ ..	2·69	3·27	2·13	825	488	337	197	77	19	14	15	322	14	2	5	3	17	32	45	85	139	161
Diseases of Digestive „ ..	1·09	1·20	0·99	336	179	157	100	17	2	2	2	123	7	10	7	8	10	9	22	45	51	44
Diseases of Urinary „ ..	0·30	0·48	0·13	91	71	20	2	—	—	—	—	2	3	2	—	2	10	6	9	8	29	20
Diseases of Generative „ ..	0·05	0·01	0·09	15	1	14	—	—	—	—	—	—	—	—	—	—	1	3	6	1	3	1
Puerperal Fever ..	0·05	—	0·09	14	—	14	—	—	—	—	—	—	—	—	—	4	7	3	—	—	—	—
Childbirth	0·05	—	0·10	16	—	16	—	—	—	—	—	—	—	—	1	1	9	5	—	—	—	—
Violence	0·53	0·74	0·34	164	110	54	9	2	6	6	3	26	9	11	10	4	14	15	13	21	21	20
OTHER CAUSES ..	3·89	4·14	3·66	1196	618	578	380	17	7	3	4	411	11	11	20	14	34	26	38	54	141	436

Marriages 2,290

Births .. { Males .. 3,991 / Females 3,917 } 7,908

Annual Rate per 1000 living { Persons Married .. 14·91 / Births .. .. .. 25·74

Annual Births to 1000 Females aged 15—45 years=115.

Deaths from Childbirth and Puerperal Fever .. .. } 3·79 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

434.—BINGHAM.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·62			*100	—	—	—	—	32·08	3·09	1·99	4·21	3·90	6·24	6·20	10·36	20·66	51·65	140·93
Annual Death-Rate per 1000. Males	—			12·88			*118	—	—	—	—	38·03	3·83	1·79	2·41	4·49	6·85	6·08	9·95	18·76	49·88	147·69
Annual Death-Rate per 1000. Females	—			12·37			* 80	—	—	—	—	26·29	2·34	2·21	6·15	3·41	5·74	6·30	10·73	22·48	53·45	134·74
Mean Population, 1891–1900. Persons	—			13,884			309	308	298	313	340	1568	1553	1508	1283	1025	1794	1565	1274	1089	817	408
Mean Population, 1891–1900. Males	—			6,773			155	150	153	160	155	773	784	783	665	468	818	740	603	533	411	195
Mean Population, 1891–1900. Females	—			7,111			154	158	145	153	185	795	769	725	618	557	976	825	671	556	406	213
Deaths from All Causes, 1891–1900. Persons	16·12			2,238			345	90	31	21	16	503	48	30	54	40	112	97	132	225	422	575
Deaths from All Causes, 1891–1900. Males	16·67			1,129			209	51	18	9	7	294	30	14	16	21	56	45	60	100	205	288
Deaths from All Causes, 1891–1900. Females	15·60			1,109			136	39	13	12	9	209	18	16	38	19	56	52	72	125	217	287
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·09	0·13	0·04	12	9	3	3	3	2	—	1	9	1	1	1	—	—	—	—	—	—	—
Scarlet Fever	0·18	0·21	0·15	25	14	11	—	5	4	3	1	13	7	3	—	—	—	2	—	—	—	—
Diphtheria	0·12	0·09	0·14	16	6	10	3	3	1	3	—	10	5	1	—	—	—	—	—	—	—	—
Whooping-cough	0·20	0·24	0·17	28	16	12	14	9	3	—	—	26	2	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·11	0·12	0·10	15	8	7	1	—	—	—	1	2	1	2	3	1	3	1	1	—	1	—
Simple Continued Fever	0·01	—	0·01	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Diarrhœa & Dysentery	0·30	0·34	0·27	42	23	19	21	3	—	—	—	24	1	—	—	—	—	—	—	—	5	12
Cholera	0·01	0·01	0·01	2	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—
Cancer	1·02	0·78	1·25	142	53	89	—	—	—	—	—	—	—	—	—	1	4	6	18	33	53	27
Tabes Mesenterica	0·15	0·16	0·14	21	11	10	9	6	—	—	—	15	—	3	2	—	—	1	—	—	—	—
Phthisis	0·88	0·74	1·01	122	50	72	—	1	—	—	—	1	1	3	22	13	31	17	15	9	9	1
Other Tub. & Scrof. Dis.	0·24	0·28	0·20	33	19	14	7	5	1	—	3	16	4	5	1	—	3	2	—	—	2	—
Diseases of Nervous System	2·14	2·27	2·01	297	154	143	59	10	1	2	1	73	4	4	2	2	4	8	18	34	69	79
Diseases of Circulatory	1·94	1·88	2·00	269	127	142	1	—	—	—	—	1	1	2	2	1	4	9	16	48	95	90
Diseases of Respiratory	2·30	2·54	2·07	319	172	147	69	28	12	7	6	122	6	—	2	—	13	4	12	29	58	73
Diseases of Digestive	1·04	1·12	0·96	144	76	68	42	8	—	1	1	52	2	1	4	2	5	10	10	12	17	29
Diseases of Urinary	0·43	0·66	0·21	60	45	15	—	—	—	1	—	1	2	—	1	—	1	6	7	7	17	18
Diseases of Generative	0·03	—	0·06	4	—	4	—	—	—	—	—	—	—	—	—	1	2	—	1	—	—	—
Puerperal Fever	0·06	—	0·13	9	—	9	—	—	—	—	—	—	—	—	—	2	3	3	1	—	—	—
Childbirth	0·08	—	0·15	11	—	11	—	—	—	—	—	—	—	—	—	1	3	6	1	—	—	—
Violence	0·81	1·18	0·46	113	80	33	4	4	5	2	—	15	3	3	6	6	16	6	13	14	20	11
OTHER CAUSES	3·98	3·92	4·06	553	265	288	112	5	2	2	2	123	8	2	8	10	20	15	19	37	76	235

Marriages 880

Births .. { Males .. 1,766 / Females 1,690 } 3,456

Annual Rate per 1000 living { Persons Married .. 12·68 / Births .. .. .. 24·89

Annual Births to 1000 Females aged 15—45 years=116.

Deaths from Childbirth and Puerperal Fever .. .. } 5·79 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

435.—SHARDLOW.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		14·77	*127	—	—	—	—	43·79	3·48	2·02	3·28	4·77	5·38	7·13	11·60	24·31	58·64	156·54
Annual Death-Rate per 1000. Males	—					14·88	*144	—	—	—	—	48·72	3·62	1·76	3·11	4·60	4·57	7·17	11·38	24·24	59·61	157·76
Annual Death-Rate per 1000. Females	—					14·66	*109	—	—	—	—	38·86	3·35	2·28	3·46	4·93	6·16	7·08	11·82	24·37	57·80	155·58
Mean Population, 1891–1900. Persons	—			57,638			1600	1467	1524	1439	1488	7518	7120	6440	5827	5120	8926	6539	4473	3024	1864	787
Mean Population, 1891–1900. Males	—			28,624			783	743	773	721	736	3756	3568	3237	3025	2522	4396	3263	2205	1440	864	348
Mean Population, 1891–1900. Females	—			29,014			817	724	751	718	752	3762	3552	3203	2802	2598	4530	3276	2268	1584	1000	439
Deaths from All Causes, 1891–1900. Persons	14·97			8,630			2298	564	207	124	99	3292	248	130	191	244	480	466	519	735	1093	1232
Deaths from All Causes, 1891–1900. Males	15·11			4,325			1336	271	109	59	55	1830	129	57	94	116	201	234	251	349	515	549
Deaths from All Causes, 1891–1900. Females	14·84			4,305			962	293	98	65	44	1462	119	73	97	128	279	232	268	386	578	683
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·00	0·00	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Measles	0·31	0·34	0·28	177	97	80	39	80	24	4	12	159	14	1	1	1	1	—	—	—	—	—
Scarlet Fever	0·13	0·12	0·14	77	35	42	3	6	8	11	14	42	23	6	3	2	1	—	—	—	—	—
Diphtheria	0·16	0·16	0·17	94	46	48	3	16	14	15	13	61	29	1	—	2	—	1	—	—	—	—
Whooping-cough	0·27	0·25	0·29	154	71	83	85	41	18	4	3	151	3	—	—	—	—	—	—	—	—	—
Typhus	0·00	—	0·00	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Enteric Fever	0·14	0·16	0·12	82	46	36	—	1	—	3	—	4	5	10	19	8	18	12	3	2	—	1
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·46	0·50	0·42	266	143	123	191	26	2	2	2	223	3	—	—	—	2	—	1	3	10	24
Cholera	0·01	0·01	0·01	6	4	2	5	—	—	—	—	5	—	—	—	—	—	—	—	—	—	1
Cancer	0·60	0·41	0·78	344	117	227	—	—	—	1	1	2	1	1	1	2	5	24	66	86	115	41
Tabes Mesenterica	0·20	0·23	0·17	114	66	48	66	16	6	1	2	91	6	2	3	4	6	—	1	1	—	—
Phthisis	1·06	1·04	1·08	609	297	312	6	11	6	2	—	25	10	24	69	89	174	103	69	32	11	3
Other Tub. & Scrof. Dis.	0·35	0·36	0·33	199	104	95	54	30	16	11	6	117	25	11	9	10	9	9	2	4	2	1
Diseases of Nervous System	1·95	1·98	1·92	1125	567	558	390	68	27	16	6	507	23	11	13	6	22	38	51	118	172	164
Diseases of Circulatory "	1·53	1·33	1·72	881	381	500	13	1	—	3	—	17	10	15	15	26	40	58	89	192	256	163
Diseases of Respiratory "	2·26	2·28	2·24	1302	653	649	374	176	59	29	20	658	46	8	13	10	32	39	52	96	175	173
Diseases of Digestive "	0·96	0·99	0·93	553	284	269	187	42	10	4	5	248	9	14	4	10	28	35	56	57	56	36
Diseases of Urinary "	0·33	0·44	0·22	191	126	65	3	3	2	—	—	8	2	—	2	6	14	20	24	32	53	30
Diseases of Generative "	0·03	0·00	0·06	18	1	17	—	—	—	—	—	—	—	1	—	—	1	5	5	—	5	1
Puerperal Fever	0·07	—	0·13	39	—	39	—	—	—	—	—	—	—	—	1	8	19	10	1	—	—	—
Childbirth	0·09	—	0·18	52	—	52	—	—	—	—	—	—	—	—	—	10	28	14	—	—	—	—
Violence	0·55	0·84	0·27	318	240	78	27	5	8	10	12	62	20	10	17	29	29	33	31	31	36	20
OTHER CAUSES	3·51	3·67	3·38	2027	1046	981	852	42	7	8	3	912	19	15	21	21	51	64	68	80	202	574

Marriages 3,712

Births .. { Males .. 9,292 / Females 8,814 } 18,106

Annual Rate per 1000 living { Persons Married .. 12·88 / Births .. .. .. 31·41 }

Annual Births to 1000 Females aged 15—45 years=137.

Deaths from Childbirth and Puerperal Fever .. .. } 5·03 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

436.—DERBY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 1898			*159	—	—	—	—	59·42	3·95	2·39	3·49	4·56	6·33	11·00	16·87	35·90	72·37	162·88
Annual Death-Rate per 1000. Males	—			1899			*172	—	—	—	—	63·83	4·15	2·62	3·37	4·68	6·44	11·31	18·94	40·47	79·36	163·80
Annual Death-Rate per 1000. Females	—			1900			*145	—	—	—	—	55·00	3·75	2·17	3·61	4·45	6·22	10·68	14·83	31·80	67·15	162·22
Mean Population, 1891-1900. Persons	—			100,424			2419	2242	2259	2247	2223	11390	11349	11048	10333	9804	16105	12394	8947	5365	2765	924
Mean Population, 1891-1900. Males	—			49,015			1220	1126	1159	1107	1089	5701	5613	5420	4986	4700	7844	6215	4435	2535	1182	384
Mean Population, 1891-1900. Females	—			51,409			1199	1116	1100	1140	1134	5689	5736	5628	5347	5104	8261	6179	4512	2830	1583	540
Deaths from All Causes, 1891-1900. Persons	17·54			17,611			4670	1168	427	287	216	6768	448	264	361	447	1019	1363	1509	1926	2001	1505
Deaths from All Causes, 1891-1900. Males	18·45			9,043			2567	607	216	151	98	3639	233	142	168	220	505	703	840	1026	938	628
Deaths from All Causes, 1891-1900. Females	16·67			8,568			2103	561	211	136	118	3129	215	122	193	227	514	660	669	900	1063	876
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·02	0·01	15	8	7	3	—	—	—	1	4	2	1	—	1	1	1	2	2	1	—
Measles	0·36	0·39	0·33	357	189	168	86	139	56	43	18	342	13	—	—	—	—	1	1	—	—	—
Scarlet Fever	0·14	0·16	0·13	145	77	68	7	14	26	21	19	87	45	5	3	2	3	—	—	—	—	—
Diphtheria	0·10	0·09	0·11	104	45	59	—	6	12	20	13	51	40	7	2	—	2	1	1	—	—	—
Whooping-cough	0·35	0·28	0·41	347	136	211	147	109	37	27	19	339	7	1	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·20	0·25	0·15	199	121	78	—	—	—	1	1	2	17	21	30	35	56	27	8	2	1	—
Simple Continued Fever	0·00	—	0·00	1	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·74	0·81	0·67	743	398	345	540	98	5	4	1	648	4	—	3	—	2	5	7	16	30	28
Cholera	0·01	0·02	0·01	13	10	3	9	2	—	—	—	11	—	—	—	—	—	—	—	1	—	1
Cancer	0·75	0·57	0·91	751	281	470	1	—	—	1	1	3	—	2	4	5	32	88	193	215	163	41
Tabes Mesenterica	0·30	0·32	0·27	300	159	141	162	52	12	6	6	238	13	14	6	8	8	8	4	1	—	—
Phthisis	1·26	1·55	0·99	1269	760	509	11	10	4	6	2	33	15	43	105	141	297	304	196	110	25	—
Other Tub. & Scrof. Dis.	0·34	0·39	0·29	338	191	147	88	59	31	19	14	211	45	17	19	14	17	7	5	3	—	—
Diseases of Nervous System	2·54	2·75	2·33	2547	1349	1198	916	137	60	25	19	1157	54	22	21	25	64	151	199	306	346	202
Diseases of Circulatory "	1·65	1·52	1·78	1661	744	917	16	4	—	—	4	24	15	40	45	40	111	210	236	407	373	160
Diseases of Respiratory "	2·83	3·07	2·61	2846	1506	1340	638	348	118	61	42	1207	60	11	26	28	81	154	231	367	406	275
Diseases of Digestive "	1·19	1·24	1·14	1195	609	586	362	91	16	10	14	493	30	31	23	23	49	95	129	160	118	44
Diseases of Urinary "	0·42	0·51	0·33	420	249	171	6	3	3	1	3	16	5	4	8	11	33	55	62	89	92	45
Diseases of Generative "	0·07	0·01	0·12	71	7	64	3	—	1	—	—	4	—	—	1	6	9	21	14	7	7	2
Puerperal Fever	0·08	—	0·15	76	—	76	—	—	—	—	—	—	—	—	4	20	38	13	1	—	—	—
Childbirth	0·08	—	0·15	76	—	76	—	—	—	—	—	—	—	—	—	10	39	26	—	1	—	—
Violence	0·62	0·85	0·40	622	418	204	69	16	23	22	20	150	45	21	17	34	63	64	75	59	51	43
Other Causes	3·50	3·65	3·38	3515	1786	1729	1606	79	23	20	19	1747	38	24	44	44	114	132	145	180	383	664

Marriages 9,174

Births .. { Males .. 14,958 / Females 14,505 } 29,463

Annual Rate per 1000 living { Persons Married .. 18·27 / Births .. .. .. 29·34 }

Annual Births to 1000 Females aged 15—45 years=118.

Deaths from Childbirth and Puerperal Fever .. .. } 5·16 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

437.—BELPER.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 16·25			*141	—	—	—	—	52·03	3·38	1·90	3·35	4·14	5·22	8·16	12·13	27·40	64·50	161·26
Males ..	—			16·10			*153	—	—	—	—	55·38	3·78	1·71	3·20	3·09	4·05	7·24	13·05	26·58	66·34	167·18
Females	—			16·40			*129	—	—	—	—	48·69	2·98	2·09	3·51	5·23	6·38	9·09	11·21	28·21	62·67	155·89
Mean Population, 1891–1900. Persons	—			63,670			1761	1681	1690	1637	1659	8428	7788	7168	6602	5727	9144	6755	5103	3839	2290	826
Males ..	—			32,041			894	837	846	795	835	4207	3862	3625	3469	2915	4569	3412	2551	1900	1138	393
Females	—			31,629			867	844	844	842	824	4221	3926	3543	3133	2812	4575	3343	2552	1939	1152	433
Deaths from All Causes, 1891–1900. Persons	16·88			10,750			3038	782	260	181	124	4385	263	136	221	237	477	551	619	1052	1477	1332
Males ..	16·92			5,421			1658	370	137	96	69	2330	146	62	111	90	185	247	333	505	755	657
Females	16·85			5,329			1380	412	123	85	55	2055	117	74	110	147	292	304	286	547	722	675
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	0·01	0·01	0·01	6	3	3	—	1	—	—	—	1	—	—	—	—	1	3	—	1	—	—
Measles	0·51	0·47	0·55	327	152	175	91	119	49	26	18	303	24	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·17	0·16	0·19	109	50	59	6	13	16	17	16	68	27	10	1	1	—	1	1	—	—	—
Diphtheria	0·09	0·11	0·08	59	34	25	7	11	10	8	7	43	9	5	—	—	1	—	—	1	—	—
Whooping-cough	0·26	0·24	0·29	168	77	91	86	44	20	10	3	163	5	—	—	—	—	—	—	—	—	—
Typhus	0·00	0·00	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Enteric Fever	0·11	0·10	0·12	70	31	39	1	2	1	2	2	8	6	3	18	4	15	10	4	1	1	—
Simple Continued Fever	0·00	0·01	—	2	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—
Diarrhœa & Dysentery	0·49	0·50	0·49	315	161	154	228	36	7	3	—	274	—	—	—	—	3	—	3	8	19	8
Cholera	0·01	0·02	0·01	8	5	3	6	—	—	—	—	6	—	—	—	—	1	—	—	1	—	—
Cancer	0·63	0·45	0·80	399	145	254	2	—	—	—	—	2	—	—	2	4	6	48	71	122	106	38
Tabes Mesenterica	0·26	0·30	0·22	164	96	68	103	24	9	3	1	140	9	2	3	2	4	—	2	2	—	—
Phthisis	1·02	1·00	1·03	647	320	327	19	8	3	9	4	43	19	28	66	88	152	123	53	47	27	1
Other Tub. & Scrof. Dis.	0·34	0·33	0·35	216	105	111	55	42	13	8	10	128	22	4	14	4	14	8	11	8	2	1
Diseases of Nervous System	2·37	2·49	2·23	1505	799	706	612	87	27	28	14	768	38	13	16	16	24	43	68	146	225	148
Circulatory „	1·61	1·52	1·70	1026	487	539	5	1	—	1	1	8	11	20	18	19	38	70	117	246	339	140
Respiratory „	3·17	3·32	3·00	2012	1063	949	581	260	74	41	31	987	37	11	15	15	39	69	92	200	325	222
Digestive „	1·21	1·21	1·22	772	387	385	281	63	11	6	3	364	12	10	16	10	29	30	69	97	89	46
Urinary „	0·31	0·39	0·22	195	125	70	7	6	—	3	4	20	9	2	2	5	16	14	13	35	48	31
Generative „	0·04	—	0·09	27	—	27	—	—	—	—	—	—	—	—	—	1	4	5	7	8	2	—
Puerperal Fever	0·12	—	0·25	79	—	79	—	—	—	—	—	—	—	—	4	23	33	18	1	—	—	—
Childbirth	0·11	—	0·22	71	—	71	—	—	—	—	—	—	—	—	2	14	27	27	1	—	—	—
Violence	0·54	0·76	0·32	344	244	100	25	18	12	9	6	70	22	15	20	14	33	35	39	38	30	28
Other Causes	3·50	3·53	3·46	2228	1134	1094	923	47	8	7	4	989	13	13	24	17	36	46	67	91	263	669

Persons.

Marriages 5,247

Births .. { Males .. 10,812 / Females 10,738 } 21,550

Annual Rate per 1000 living { Persons Married .. 16·48 / Births .. .. .. 33·85 }

Annual Births to 1000 Females aged 15—45 years=155.

Deaths from Childbirth and Puerperal Fever .. .. } 6·96 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

438.—ASHBOURNE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·98			*101	—	—	—	—	33·90	3·20	2·86	3·03	4·66	6·65	8·28	11·82	26·38	56·18	154·72
Males ..	—			14·35			*116	—	—	—	—	38·19	2·60	3·48	2·67	4·51	6·75	8·76	12·86	27·37	58·89	152·40
Females	—			13·64			* 87	—	—	—	—	29·75	3·81	2·23	3·38	4·78	6·56	7·84	10·86	25·43	53·69	156·94
Mean Population, 1891–1900. Persons	—			19,915			489	463	474	465	469	2360	2309	2165	2010	1697	2767	2162	1726	1357	938	424
Males ..	—			9,652			235	218	212	229	236	1160	1155	1091	974	798	1288	1039	824	665	450	208
Females	—			10,263			254	245	232	236	233	1200	1154	1074	1036	899	1479	1123	902	692	488	216
Deaths from All Causes, 1891–1900. Persons	15·99			3,184			568	119	53	25	35	800	74	62	61	79	184	179	204	358	527	656
Males ..	16·79			1,621			324	56	26	16	21	443	30	38	26	36	87	91	106	182	265	317
Females	15·23			1,563			244	63	27	9	14	357	44	24	35	43	97	88	98	176	262	339
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Measles	0·15	0·18	0·13	30	17	13	6	10	5	2	3	26	3	—	1	—	—	—	—	—	—	—
Scarlet Fever	0·08	0·09	0·06	15	9	6	1	1	4	—	1	7	1	4	—	1	2	—	—	—	—	—
Diphtheria	0·07	0·08	0·06	14	8	6	—	1	1	2	4	8	3	2	1	—	—	—	—	—	—	—
Whooping-cough ..	0·24	0·18	0·30	48	17	31	25	10	6	2	3	46	2	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·08	0·09	0·07	16	9	7	—	—	—	1	—	1	2	—	1	1	5	4	2	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·28	0·30	0·26	56	29	27	34	5	2	1	—	42	1	—	—	—	—	1	2	2	1	7
Cholera	0·04	0·05	0·02	7	5	2	—	—	—	—	—	—	2	—	—	—	—	—	3	1	—	1
Cancer	0·70	0·62	0·78	140	60	80	—	—	—	1	—	1	—	—	1	—	2	6	17	48	41	24
Tabes Mesenterica ..	0·10	0·08	0·12	20	8	12	8	3	2	1	1	15	—	3	—	—	2	—	—	—	—	—
Phthisis	1·18	1·15	1·21	235	111	124	1	—	—	—	—	1	5	12	20	33	58	49	27	21	7	2
Other Tub. & Scrof. Dis.	0·22	0·25	0·19	43	24	19	11	3	2	1	3	20	5	4	2	2	3	1	1	2	3	—
Diseases of Nervous System ..	2·15	2·11	2·18	428	204	224	111	16	4	1	4	136	8	4	4	8	8	21	18	48	87	86
Circulatory " ..	2·01	1·99	2·03	400	192	208	—	—	—	—	—	—	2	2	5	7	15	16	36	77	130	110
Respiratory " ..	2·53	2·82	2·25	503	272	231	116	41	12	7	7	183	14	3	3	2	15	14	23	52	85	109
Digestive " ..	1·12	1·16	1·08	223	112	111	45	12	6	4	2	69	10	9	1	4	14	12	18	34	28	24
Urinary " ..	0·45	0·57	0·33	89	55	34	2	1	—	—	2	5	2	2	—	1	10	6	9	16	23	15
Generative " ..	0·03	0·01	0·05	6	1	5	—	—	—	—	—	—	—	—	—	—	1	2	2	—	1	—
Puerperal Fever ..	0·06	—	0·12	12	—	12	—	—	—	—	—	—	—	—	1	2	8	1	—	—	—	—
Childbirth	0·09	—	0·18	18	—	18	—	—	—	—	—	—	—	—	3	1	5	9	—	—	—	—
Violence	0·53	0·79	0·29	106	76	30	5	6	3	2	3	19	2	4	7	5	12	14	14	16	6	7
Other Causes ..	3·87	4·26	3·52	774	411	363	203	10	6	—	2	221	12	13	11	12	23	23	32	41	115	271

Marriages 1,436

Births .. { Males .. 2,792 / Females 2,820 } 5,612

Annual Rate per 1000 living { Persons Married .. 14·42 / Births .. .. .. 28·18 }

Annual Births to 1000 Females aged 15—45 years=124.

Deaths from Childbirth and Puerperal Fever .. .. } 5·35 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

439.—CHESTERFIELD.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		18·93	*165	—	—	—	—	63·62	3·71	2·31	3·95	5·06	5·55	8·85	15·28	30·55	74·88	171·96
Annual Death-Rate per 1000. Males	—					19·36	*178	—	—	—	—	68·94	3·49	2·45	3·58	4·61	4·87	8·80	16·33	31·90	78·09	178·62
Annual Death-Rate per 1000. Females	—					18·52	*151	—	—	—	—	58·45	3·94	2·16	4·43	5·61	6·37	8·90	14·06	29·08	71·64	165·80
Mean Population, 1891–1900. Persons	—			120,020			3753	3384	3269	3203	3133	16742	15270	13789	12062	11062	18076	13281	9455	6092	3228	963
Mean Population, 1891–1900. Males	—			63,018			1848	1685	1618	1566	1539	8256	7688	6978	6690	6075	9797	7193	5082	3176	1620	463
Mean Population, 1891–1900. Females	—			57,002			1905	1699	1651	1637	1594	8486	7582	6811	5372	4987	8279	6088	4373	2916	1608	500
Deaths from All Causes, 1891–1900. Persons	18·44			22,131			7530	1885	602	380	255	10652	567	318	476	560	1004	1175	1445	1861	2417	1656
Deaths from All Causes, 1891–1900. Males	18·56			11,694			4131	963	294	182	122	5692	268	171	238	280	477	633	830	1013	1285	827
Deaths from All Causes, 1891–1900. Females	18·31			10,437			3399	922	308	198	133	4960	299	147	238	280	527	542	615	848	1152	829
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·06	0·06	0·06	72	39	33	22	3	1	2	2	30	4	—	—	6	18	6	1	4	2	1
Measles	0·65	0·61	0·70	784	384	400	176	353	108	64	44	745	37	—	—	1	1	—	—	—	—	—
Scarlet Fever	0·23	0·22	0·24	272	136	136	23	36	53	44	20	176	67	12	5	4	6	1	1	—	—	—
Diphtheria	0·13	0·11	0·14	152	70	82	12	20	21	30	20	103	36	4	3	2	1	1	2	—	—	—
Whooping-cough	0·36	0·31	0·42	434	193	241	221	119	47	24	11	422	12	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·16	0·16	0·16	192	102	90	1	—	4	3	4	12	14	22	33	34	36	18	16	4	3	—
Simple Continued Fever	0·00	0·00	0·01	5	2	3	2	—	1	—	1	4	—	—	—	—	—	—	—	—	1	—
Diarrhœa & Dysentery	0·95	0·91	0·99	1143	576	567	861	145	16	3	2	1027	6	3	1	—	2	6	5	16	35	42
Cholera	0·02	0·02	0·01	19	12	7	7	3	—	—	—	10	2	1	1	—	1	1	—	3	—	—
Cancer	0·50	0·37	0·65	604	232	372	—	—	3	1	1	5	1	1	3	1	14	53	153	169	163	41
Tabes Mesenterica	0·29	0·30	0·29	353	186	167	188	84	17	13	7	309	17	6	9	3	6	3	—	—	—	—
Phthisis	0·95	0·86	1·04	1134	540	594	17	23	3	5	4	52	26	55	125	170	240	222	149	74	18	3
Other Tub. & Scrof. Dis.	0·42	0·40	0·44	499	251	248	200	94	32	15	18	359	46	19	23	10	14	14	11	2	1	—
Diseases of Nervous System	2·28	2·27	2·30	2739	1427	1312	1299	114	54	31	20	1518	53	27	35	23	45	85	133	227	370	223
Diseases of Circulatory	1·50	1·40	1·61	1800	884	916	10	2	2	2	4	20	24	28	36	43	88	154	261	422	518	206
Diseases of Respiratory	3·70	3·97	3·41	4444	2498	1946	1494	608	167	82	51	2402	91	18	32	42	94	153	243	405	594	370
Diseases of Digestive	1·28	1·33	1·22	1537	841	696	697	155	16	18	10	896	28	26	18	22	60	78	114	140	114	41
Diseases of Urinary	0·34	0·40	0·28	410	253	157	6	5	6	1	3	21	15	12	6	17	35	39	59	82	77	47
Diseases of Generative	0·03	0·01	0·06	39	6	33	1	1	—	—	—	2	—	—	4	3	6	6	5	8	4	1
Puerperal Fever	0·07	—	0·16	89	—	89	—	—	—	—	—	—	—	—	9	29	36	14	1	—	—	—
Childbirth	0·13	—	0·27	154	—	154	—	—	—	—	—	—	—	—	13	28	67	42	4	—	—	—
Violence	0·71	1·04	0·35	858	657	201	62	22	21	27	19	151	42	43	49	61	107	107	115	82	62	36
OTHER CAUSES	3·68	3·81	3·50	4398	2105	1993	2231	98	30	15	14	2388	46	41	71	58	127	172	172	223	455	645

Marriages 9,720

Births .. Males .. 23,239 / Females 22,440 } 45,679

Annual Rate per 1000 living { Persons Married .. 16·20 / Births .. .. .. 38·06

Annual Births to 1000 Females aged 15—45 years=185.

Deaths from Childbirth and Puerperal Fever .. .. } 5·32 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

440.—BAKEWELL.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 15·23			*108	—	—	—	—	37·91	3·65	2·67	3·94	4·99	5·75	9·39	14·57	26·90	66·18	157·90
Annual Death-Rate per 1000. Males	—			16·15			*125	—	—	—	—	42·20	3·95	2·30	3·84	5·08	6·03	10·73	17·31	28·62	70·68	166·67
Annual Death-Rate per 1000. Females	—			14·37			* 91	—	—	—	—	33·63	3·34	3·05	4·04	4·92	5·51	8·16	12·05	25·31	62·27	150·17
Mean Population, 1891-1900. Persons	—			32,841			711	713	756	717	709	3606	3562	3442	3221	2944	4885	3854	3013	2305	1446	563
Mean Population, 1891-1900. Males	—			15,915			370	349	376	362	344	1801	1798	1739	1561	1399	2288	1845	1444	1104	672	264
Mean Population, 1891-1900. Females	—			16,926			341	364	380	355	365	1805	1764	1703	1660	1545	2597	2009	1569	1201	774	299
Deaths from All Causes, 1891-1900. Persons	16·48			5,411			928	226	92	68	53	1367	130	92	127	147	281	362	439	620	957	889
Deaths from All Causes, 1891-1900. Males	17·71			2,819			544	114	41	37	24	760	71	40	60	71	138	198	250	316	475	440
Deaths from All Causes, 1891-1900. Females	15·31			2,592			384	112	51	31	29	607	59	52	67	76	143	164	189	304	482	449
	Persons.	Males.	Females	Persons.	Males.	Females.	Persons.															
Small-pox	0·05	0·07	0·02	15	11	4	5	—	—	1	1	7	—	1	1	1	1	2	1	—	1	—
Measles	0·17	0·18	0·17	57	28	29	15	17	6	7	2	47	9	—	1	—	—	—	—	—	—	—
Scarlet Fever	0·21	0·22	0·20	68	35	33	3	8	11	8	12	42	18	4	1	1	1	1	—	—	—	—
Diphtheria	0·17	0·18	0·15	55	29	26	2	4	5	11	4	26	19	5	3	1	1	—	—	—	—	—
Whooping-cough	0·23	0·23	0·24	77	36	41	37	20	11	5	2	75	2	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·09	0·09	0·08	28	14	14	—	—	—	—	—	—	3	6	4	2	2	4	6	1	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·21	0·20	0·21	68	32	36	52	2	—	—	—	54	1	—	—	—	—	—	3	3	4	3
Cholera	0·01	0·01	0·01	2	1	1	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—	—
Cancer	0·65	0·52	0·77	213	82	131	—	—	—	—	—	—	2	—	1	1	3	20	37	65	61	23
Tabes Mesenterica	0·16	0·19	0·13	52	30	22	19	8	1	1	3	32	2	5	1	2	6	2	1	1	—	—
Phthisis	1·24	1·38	1·10	406	220	186	5	1	—	—	—	6	4	11	44	48	98	93	61	27	13	1
Other Tub. & Scrof. Dis.	0·39	0·39	0·38	127	62	65	24	16	8	9	6	63	19	11	6	8	10	4	4	1	1	—
Diseases of Nervous System	1·96	2·07	1·86	644	330	314	120	25	15	4	7	171	11	9	13	5	21	23	56	82	150	103
Diseases of Circulatory "	1·82	1·80	1·84	598	286	312	2	—	—	—	—	2	4	7	8	12	23	45	68	135	214	80
Diseases of Respiratory "	2·77	3·09	2·48	910	491	419	191	65	24	19	7	306	10	3	6	14	20	41	61	99	188	162
Diseases of Digestive "	1·26	1·29	1·23	415	206	209	87	31	5	—	1	124	13	8	12	8	18	27	41	62	69	33
Diseases of Urinary "	0·50	0·74	0·28	165	117	48	—	1	1	1	—	3	3	5	3	4	10	16	16	31	51	23
Diseases of Generative "	0·02	0·01	0·04	7	1	6	—	—	—	—	—	—	—	—	1	—	1	2	2	—	1	—
Puerperal Fever	0·08	—	0·15	25	—	25	—	—	—	—	—	—	—	—	—	8	10	6	1	—	—	—
Childbirth	0·06	—	0·12	21	—	21	—	—	—	—	—	—	—	—	—	5	9	5	2	—	—	—
Violence	0·63	0·88	0·40	207	140	67	25	8	4	2	4	43	2	4	9	17	23	31	22	29	16	11
OTHER CAUSES	3·80	4·17	3·45	1251	668	583	341	19	1	—	4	365	8	13	13	10	24	40	56	84	188	450

Marriages 2,244

Births .. { Males .. 4,342 / Females 4,211 } 8,553

Annual Rate per 1000 living { Persons Married .. 13·67 / Births .. .. .. 26·04

Annual Births to 1000 Females aged 15—45 years = 109.

Deaths from Childbirth and Puerperal Fever .. .. } 5·38 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

441.—CHAPEL EN LE FRITH.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		16·33	*112	—	—	—	—	39·97	3·77	2·60	3·38	4·75	6·22	10·19	16·17	30·58	73·75	169·12
Males	—					17·27	*126	—	—	—	—	45·29	3·25	2·75	2·51	4·94	6·57	11·75	17·77	33·20	78·01	184·21
Females	—					15·44	* 96	—	—	—	—	34·62	4·29	2·45	4·19	4·59	5·90	8·67	14·64	28·06	70·18	158·23
Mean population, 1891–1900. Persons	—			24,941			595	559	572	546	545	2817	2650	2462	2486	2462	4195	3051	2220	1488	838	272
Males	—			12,130			293	288	286	275	271	1413	1322	1238	1197	1133	2010	1506	1086	729	382	114
Females	—			12,811			302	271	286	271	274	1404	1328	1224	1289	1329	2185	1545	1134	759	456	158
Deaths from All Causes, 1891–1900. Persons	15·86			3,955			752	206	77	52	39	1126	100	64	84	117	261	311	359	455	618	460
Males	16·94			2,055			446	111	31	29	23	640	43	34	30	56	132	177	193	242	298	210
Females	14·83			1,900			306	95	46	23	16	486	57	30	54	61	129	134	166	213	320	250
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Measles	0·28	0·27	0·29	70	33	37	22	27	7	3	2	61	5	2	—	—	2	—	—	—	—	—
Scarlet Fever	0·14	0·16	0·12	36	20	16	—	1	8	9	4	22	8	2	—	2	1	1	—	—	—	—
Diphtheria	0·15	0·12	0·18	37	14	23	—	6	3	6	5	20	10	4	1	2	—	—	—	—	—	—
Whooping-cough	0·18	0·24	0·13	46	29	17	22	17	6	—	1	46	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·06	0·08	0·03	14	10	4	—	—	—	—	—	—	—	—	4	3	2	2	1	2	—	—
Simple Continued Fever	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·26	0·26	0·26	64	31	33	35	8	3	—	—	46	—	1	—	—	—	—	1	4	7	5
Cholera	0·00	—	0·01	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Cancer	0·78	0·63	0·93	195	76	119	—	—	1	—	—	1	—	1	1	3	3	11	40	50	60	25
Tabes Mesenterica	0·14	0·16	0·12	35	20	15	15	8	—	—	—	23	2	2	2	1	2	2	1	—	—	—
Phthisis	1·07	1·20	0·96	268	145	123	1	1	1	—	1	4	5	4	14	30	77	67	32	28	4	3
Other Tub. & Scrof. Dis.	0·54	0·64	0·44	135	78	57	27	29	8	6	3	73	8	8	8	12	8	6	4	5	2	1
Diseases of Nervous System	2·30	2·46	2·15	573	298	275	164	26	12	4	4	210	7	8	5	3	27	34	35	61	105	78
Circulatory	1·88	1·93	1·83	469	234	235	—	1	—	1	1	3	4	4	16	7	22	35	66	101	153	58
Respiratory	2·62	2·89	2·27	654	363	291	158	57	19	14	10	258	10	5	6	9	24	33	59	61	111	78
Digestive	1·12	1·21	1·03	279	147	132	53	16	1	5	2	77	16	5	4	8	8	26	42	37	40	16
Urinary	0·43	0·47	0·38	106	57	49	1	—	—	—	—	1	—	1	3	1	7	15	20	19	25	14
Generative	0·02	—	0·04	5	—	5	—	—	—	—	—	—	—	—	—	—	2	—	2	1	—	—
Puerperal Fever	0·08	—	0·16	20	—	20	—	—	—	—	—	—	—	—	1	3	10	6	—	—	—	—
Childbirth	0·11	—	0·21	27	—	27	—	—	—	—	—	—	—	—	—	6	14	7	—	—	—	—
Violence	0·68	1·01	0·37	170	122	48	14	3	5	2	2	26	11	6	8	14	22	23	22	16	14	8
OTHER CAUSES	3·02	3·09	2·92	749	376	373	240	6	3	2	4	255	14	10	11	13	30	43	34	68	97	174

Marriages 1,742

Births .. Males .. 3,538 / Females 3,195 } 6,733

Annual Rate per 1000 living { Persons Married .. 13·97 / Births .. .. .. 27·00

Annual Births to 1000 Females aged 15—45 years = 106.

Deaths from Childbirth and Puerperal Fever .. .. } 6·98 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

442A.—GLOSSOP.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 20·60			*163	—	—	—	—	60·50	4·70	2·67	4·52	5·25	7·04	11·89	18·10	39·99	85·65	171·71
Annual Death-Rate per 1000. Males ..	—			In Standard Population. 21·83			*182	—	—	—	—	66·95	4·67	2·18	4·38	5·32	7·43	13·26	21·66	44·15	88·21	184·11
Annual Death-Rate per 1000. Females	—			In Standard Population. 19·45			*144	—	—	—	—	54·16	4·73	3·11	4·64	5·21	6·74	10·81	15·44	36·87	83·67	162·50
Mean Population, 1891–1900. Persons	—			26,290			605	541	526	577	561	2810	2703	2731	2744	2589	4232	3180	2425	1733	892	251
Mean Population, 1891–1900. Males ..	—			11,891			302	267	266	274	283	1392	1329	1286	1257	1110	1843	1395	1039	743	390	107
Mean Population, 1891–1900. Females	—			14,399			303	274	260	303	278	1418	1374	1445	1487	1479	2389	1785	1386	990	502	144
Deaths from All Causes, 1891–1900. Persons	19·64			5,163			1143	324	111	75	47	1700	127	73	124	136	298	378	439	693	764	431
Deaths from All Causes, 1891–1900. Males ..	21·46			2,552			643	175	54	44	16	932	62	28	55	59	137	185	225	328	344	197
Deaths from All Causes, 1891–1900. Females	18·13			2,611			500	149	57	31	31	768	65	45	69	77	161	193	214	365	420	234
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	0·01	—	0·02	3	—	3	1	—	—	—	—	1	—	—	—	—	—	2	—	—	—	—
Measles	0·47	0·54	0·42	124	64	60	38	48	17	11	4	118	5	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·14	0·09	0·19	38	11	27	4	—	8	10	5	27	9	1	—	1	—	—	—	—	—	—
Diphtheria	0·19	0·17	0·20	49	20	29	4	9	6	5	9	33	9	3	1	—	3	—	—	—	—	—
Whooping-cough ..	0·32	0·33	0·31	83	39	44	42	26	8	4	1	81	2	—	—	—	—	—	—	—	—	—
Typhus	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Enteric Fever	0·33	0·37	0·29	86	44	42	—	—	3	2	2	7	6	9	8	12	13	13	11	5	2	—
Simple Continued Fever	0·01	0·01	0·01	3	1	2	—	1	—	2	—	3	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·65	0·74	0·58	171	88	83	124	11	1	1	4	141	—	1	—	—	—	1	1	4	13	10
Cholera	0·04	0·04	0·03	10	5	5	6	—	—	—	—	6	—	—	—	—	1	1	—	1	1	—
Cancer	0·81	0·55	1·03	213	65	148	—	—	—	1	—	1	—	—	1	2	7	16	51	75	49	11
Tabes Mesenterica ..	0·25	0·29	0·22	65	34	31	26	16	7	2	1	52	3	3	4	1	—	1	—	1	—	—
Phthisis	1·70	2·04	1·42	446	242	204	2	2	2	1	—	7	13	17	39	46	109	89	62	43	19	2
Other Tub. & Scrof. Dis.	0·37	0·48	0·28	97	57	40	32	16	6	3	4	61	12	3	9	4	3	2	3	—	—	—
Diseases of Nervous System ..	2·40	2·67	2·17	630	317	313	180	35	9	6	6	236	15	7	11	6	14	24	38	99	122	58
Diseases of Circulatory „ ..	2·19	2·02	2·33	576	240	336	1	—	1	—	—	2	8	5	19	12	31	52	82	149	154	62
Diseases of Respiratory „ ..	3·90	4·68	3·26	1026	556	470	267	105	26	16	9	423	18	4	2	14	26	49	80	155	171	84
Diseases of Digestive „ ..	1·43	1·63	1·26	376	194	182	121	30	4	3	1	159	9	6	8	16	14	26	25	42	47	24
Diseases of Urinary „ ..	0·51	0·60	0·44	134	71	63	2	1	1	—	—	4	3	1	—	2	7	22	18	25	37	15
Diseases of Generative „ ..	0·06	0·04	0·08	16	5	11	2	—	—	—	—	2	—	—	—	—	4	2	3	4	1	—
Puerperal Fever ..	0·10	—	0·19	27	—	27	—	—	—	—	—	—	—	—	2	4	14	7	—	—	—	—
Childbirth	0·10	—	0·17	25	—	25	—	—	—	—	—	—	—	—	—	5	7	12	1	—	—	—
Violence	0·60	0·88	0·38	159	105	54	9	4	7	4	1	25	10	3	8	6	16	23	22	20	17	9
OTHER CAUSES ..	3·06	3·28	2·85	805	393	412	282	20	5	4	—	311	5	9	12	5	28	36	42	70	131	156

Marriages .. .. .. 2,744†

Births .. { Males .. 3,527 / Females 3,470 } 6,997

Annual Rate per 1000 living { Persons Married .. 13·76† / Births .. .. .. 26·61

Annual Births to 1000 Females aged 15—45 years = 98.

Deaths from Childbirth and Puerperal Fever .. .. } 7·43 per 1000 Births.

* The death-rates under one year of age are per 1000 Births. † The Marriages and the marriage-rate refer to the combined districts of Glossop and Hayfield (442B).

NOTE.—On 1st April, 1898, Glossop Poor Law Union was constituted a separate registration district named Glossop (442A). Except for the Marriages and the marriage-rate the figures are shown as if the change had taken place at the beginning of the decennium.

442B.—HAYFIELD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 17·42			*131	—	—	—	—	45·99	4·11	2·56	4·02	4·45	5·59	9·26	14·13	33·72	76·39	201·38
Males ..	—			18·18			*148	—	—	—	—	51·30	3·04	3·04	4·08	3·90	4·58	9·24	17·58	36·64	86·19	207·69
Females	—			16·69			*112	—	—	—	—	40·59	5·22	2·10	3·96	4·94	6·52	9·28	10·89	30·94	67·55	196·25
Mean Population, 1891–1900. Persons	—			13,584			289	281	302	279	295	1446	1412	1406	1343	1304	2182	1727	1246	869	504	145
Males ..	—			6,656			151	135	151	137	155	729	723	691	687	616	1047	833	603	423	239	65
Females	—			6,928			138	146	151	142	140	717	689	715	656	688	1135	894	643	446	265	80
Deaths from All Causes, 1891–1900. Persons	16·92			2,299			448	120	50	32	15	665	58	36	54	58	122	160	176	293	385	292
Males ..	17·97			1,196			262	60	26	19	7	374	22	21	28	24	48	77	106	155	206	135
Females	15·92			1,103			186	60	24	13	8	291	36	15	26	34	74	83	70	138	179	157
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·02	—	1	1	—	—	—	..	—	—	—	—	—	—	—	—	1	—	—	—	—
Measles	0·18	0·12	0·23	24	8	16	11	7	2	2	1	23	1	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·15	0·17	0·14	21	11	10	—	2	3	4	1	10	6	2	—	—	3	—	—	—	—	—
Diphtheria	0·30	0·35	0·26	41	23	18	4	2	9	7	3	25	10	5	—	—	—	—	1	—	—	—
Whooping-cough ..	0·40	0·45	0·35	54	30	24	28	17	2	5	1	53	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·05	0·09	0·01	7	6	1	—	—	—	—	—	—	—	—	2	2	2	—	—	1	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·43	0·48	0·38	58	32	26	33	7	1	—	—	41	1	—	—	—	1	—	1	5	6	3
Cholera	0·01	0·02	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Cancer	0·63	0·42	0·84	86	28	58	—	—	—	—	—	—	1	—	—	—	4	7	16	28	18	12
Tabes Mesenterica ..	0·16	0·14	0·19	22	9	13	10	7	1	1	—	19	1	1	—	—	1	—	—	—	—	—
Phthisis	1·13	1·16	1·10	153	77	76	1	2	—	—	—	3	2	4	16	22	34	35	19	10	8	—
Other Tub. & Scrof. Dis.	0·35	0·45	0·25	47	30	17	15	7	3	—	1	26	3	2	3	1	6	3	2	1	—	—
Diseases of Nervous System ..	2·00	2·13	1·88	272	142	130	61	11	7	4	1	84	7	5	4	3	6	12	18	46	59	28
Circulatory " ..	2·01	2·14	1·88	273	143	130	2	—	—	—	—	2	2	5	6	1	12	17	35	66	89	38
Respiratory " ..	3·21	3·54	2·89	436	236	200	104	39	14	7	6	170	8	1	3	7	9	14	31	60	84	49
Digestive " ..	1·10	1·13	1·08	150	75	75	36	15	4	1	1	57	8	1	4	2	6	17	14	12	20	9
Urinary " ..	0·47	0·59	0·36	64	39	25	1	—	—	—	—	1	1	1	2	1	6	5	6	15	16	10
Generative " ..	0·03	—	0·06	4	—	4	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	1
Puerperal Fever ..	0·10	—	0·20	14	—	14	—	—	—	—	—	—	—	—	1	3	7	3	—	—	—	—
Childbirth	0·11	—	0·22	15	—	15	—	—	—	—	—	—	—	—	—	2	6	7	—	—	—	—
Violence	0·56	0·80	0·33	76	53	23	4	3	1	1	—	9	3	1	3	7	4	23	5	11	6	4
Other Causes ..	3·53	3·77	3·27	480	252	228	138	1	3	—	—	142	3	8	10	7	13	15	28	37	79	138

Marriages .. .. .. 2,744†

Births .. { Males .. 1,775 / Females 1,656 } 3,431

Annual Rate per 1000 living { Persons Married .. 13·76† / Births .. .. .. 25·26

Annual Births to 1000 Females aged 15—45 years = 102.

Deaths from Childbirth and Puerperal Fever .. .. } 8·45 per 1000 Births.

* The death-rates under one year of age are per 1000 Births. † The Marriages and the marriage-rate refer to the combined districts of Hayfield and Glossop (442A).

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

443.—STOCKPORT.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		22·26	*194	—	—	—	—	75·44	4·84	2·52	3·93	4·96	7·11	11·79	19·92	39·52	82·26	169·38
Annual Death-Rate per 1000. Males	—					23·88	*215	—	—	—	—	83·40	5·16	2·45	3·83	5·39	7·31	13·47	21·49	44·66	86·96	186·75
Annual Death-Rate per 1000. Females	—					20·75	*172	—	—	—	—	67·74	4·54	2·59	4·03	4·62	6·95	10·34	18·61	35·60	78·80	157·10
Mean Population, 1891-1900. Persons	—			144,854			3425	3074	3055	3108	3141	15803	15213	15427	14792	14059	23944	18459	13201	8431	4323	1202
Mean Population, 1891-1900. Males	—			67,184			1683	1500	1501	1535	1550	7769	7483	7742	6821	6136	10735	8539	5983	3645	1833	498
Mean Population, 1891-1900. Females	—			77,670			1742	1574	1554	1573	1591	8034	7730	7685	7971	7923	13209	9920	7218	4786	2490	704
Deaths from All Causes, 1891-1900. Persons	20·54			29,758			8084	2187	793	506	351	11921	737	389	582	697	1703	2176	2629	3332	3556	2036
Deaths from All Causes, 1891-1900. Males	22·36			15,020			4542	1113	394	247	183	6479	386	190	261	331	785	1150	1286	1628	1594	930
Deaths from All Causes, 1891-1900. Females	18·98			14,738			3542	1074	399	259	168	5442	351	199	321	366	918	1026	1343	1704	1962	1106
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·02	0·00	15	12	3	—	1	—	—	—	1	—	—	—	2	3	5	4	—	—	—
Measles	0·57	0·65	0·49	821	440	381	209	330	123	70	50	782	36	2	1	—	—	—	—	—	—	—
Scarlet Fever	0·17	0·19	0·14	239	130	109	9	22	31	47	31	140	75	14	5	1	4	—	—	—	—	—
Diphtheria	0·22	0·22	0·22	316	147	169	19	40	47	58	33	197	100	4	4	2	2	2	1	2	1	1
Whooping-cough	0·40	0·36	0·43	580	243	337	263	170	75	39	20	567	12	1	—	—	—	—	—	—	—	—
Typhus	0·00	0·00	0·00	2	1	1	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—
Enteric Fever	0·23	0·29	0·17	328	196	132	2	1	—	1	6	10	25	21	43	48	76	53	33	16	3	—
Simple Continued Fever	0·00	0·00	0·01	7	3	4	—	2	1	1	—	4	1	1	—	—	—	—	—	1	—	—
Diarrhœa & Dysentery	1·05	1·21	0·91	1522	813	709	1176	169	26	10	7	1388	3	—	—	1	6	6	12	29	43	34
Cholera	0·03	0·03	0·02	38	22	16	22	4	—	3	—	29	1	—	—	—	1	4	2	1	—	—
Cancer	0·76	0·60	0·91	1105	401	704	1	—	—	1	1	3	3	1	2	5	31	136	270	323	255	76
Tabes Mesenterica	0·24	0·27	0·22	353	182	171	168	57	33	13	9	280	26	7	11	8	9	4	4	3	1	—
Phthisis	1·50	1·70	1·32	2166	1142	1024	15	20	10	7	11	63	28	58	168	271	560	522	305	153	36	2
Other Tub. & Scrof. Dis.	0·59	0·68	0·51	854	460	394	228	158	92	50	35	563	84	37	26	19	38	31	25	26	5	—
Diseases of: Nervous System	2·43	2·73	2·18	3525	1833	1692	1055	198	64	51	25	1393	50	30	42	30	94	196	360	477	594	259
Diseases of: Circulatory	1·92	1·89	1·93	2774	1272	1502	18	3	—	2	—	23	26	55	68	55	144	327	441	705	710	220
Diseases of: Respiratory	4·13	4·63	3·68	5975	3113	2862	1511	628	189	108	81	2517	99	43	60	55	188	304	546	830	921	412
Diseases of: Digestive	1·36	1·45	1·27	1966	976	990	764	215	42	10	8	1039	51	27	36	32	58	121	183	202	164	53
Diseases of: Urinary	0·44	0·55	0·34	638	372	266	15	6	5	2	7	35	12	11	8	21	57	109	116	137	108	24
Diseases of: Generative	0·04	0·01	0·07	60	5	55	2	1	—	—	—	3	—	—	2	1	14	11	12	10	4	3
Puerperal Fever	0·09	—	0·17	132	—	132	—	—	—	—	—	—	—	—	3	21	88	20	—	—	—	—
Childbirth	0·11	—	0·20	159	—	159	—	—	—	—	—	—	—	—	3	24	82	50	—	—	—	—
Violence	0·59	0·84	0·38	854	562	292	69	20	23	17	13	142	63	23	33	46	102	111	107	115	78	34
Other Causes	3·66	4·04	3·41	5329	2695	2634	2538	142	32	16	14	2742	42	54	67	55	146	163	207	302	633	918

Marriages 11,647

Births .. { Males .. 21,090 / Females 20,547 } 41,637

Annual Rate per 1000 living { Persons Married .. 16·08 / Births .. .. .. 28·74 }

Annual Births to 1000 Females aged 15—45 years = 107.

Deaths from Childbirth and Puerperal Fever .. .. } 6·99 per 1000 Births.

* The death-rates under one year of age are per 1000 Births

444.—MACCLESFIELD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 1904			*145	—	—	—	—	53·30	4·46	2·02	3·31	5·14	6·73	11·23	18·88	35·63	81·26	172·50
Males ..	—			1872			*160	—	—	—	—	57·29	4·50	1·60	3·14	4·88	6·76	13·15	21·52	38·33	87·41	167·43
Females	—			1841			*131	—	—	—	—	49·25	4·41	2·45	3·45	5·33	6·70	9·74	16·83	33·48	75·84	177·67
Mean Population, 1891–1900. Persons	—			59,885			1332	1207	1224	1263	1271	6297	6305	6278	6200	5405	8963	7131	5658	4218	2561	869
Males ..	—			27,538			665	593	610	650	650	3168	3110	3134	2896	2255	3875	3118	2468	1876	1199	439
Females	—			32,347			667	614	614	613	621	3129	3195	3144	3304	3150	5088	4013	3190	2342	1362	430
Deaths from All Causes, 1891–1900. Persons	19·71			11,802			2267	592	242	147	108	3356	281	127	205	278	603	801	1068	1503	2081	1499
Males ..	21·46			5,911			1264	304	112	85	50	1815	140	50	91	110	262	410	531	719	1048	735
Females	18·21			5,891			1003	288	130	62	58	1541	141	77	114	168	341	391	537	784	1033	764
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·37	0·40	0·35	224	111	113	51	97	28	25	7	208	16	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·12	0·12	0·12	72	33	39	4	7	10	8	8	37	23	5	2	2	3	—	—	—	—	—
Diphtheria	0·26	0·30	0·22	154	83	71	2	11	25	18	25	81	56	8	4	1	—	2	—	1	1	—
Whooping-cough ..	0·29	0·27	0·31	174	74	100	86	49	21	10	5	171	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·11	0·14	0·08	64	38	26	—	—	—	—	1	1	4	5	6	6	17	13	6	3	2	1
Simple Continued Fever	0·01	0·01	0·01	6	2	4	—	—	—	—	—	—	—	—	—	—	2	3	—	—	1	—
Diarrhœa & Dysentery	0·46	0·50	0·43	275	137	138	209	16	6	—	2	233	1	1	—	1	1	1	3	5	23	6
Cholera	0·01	0·01	0·01	4	2	2	2	—	—	—	—	2	—	1	—	—	—	—	—	—	1	—
Cancer	0·90	0·84	0·95	538	230	308	1	1	1	—	1	4	—	—	3	4	10	44	108	156	158	51
Tabes Mesenterica ..	0·20	0·22	0·18	120	61	59	60	18	10	—	2	90	6	4	6	2	4	4	1	1	2	—
Phthisis	1·66	1·69	1·62	991	466	525	6	11	1	2	2	22	12	23	66	104	222	184	183	115	51	9
Other Tub. & Scrof. Dis.	0·53	0·65	0·43	320	180	140	107	45	22	20	11	205	30	16	8	12	12	16	11	7	2	1
Diseases of: Nervous System ..	2·65	3·04	2·31	1584	838	746	372	72	23	11	11	489	23	8	14	19	41	110	117	237	353	173
Circulatory „ ..	2·35	2·31	2·39	1410	637	773	3	1	—	—	2	6	11	16	18	19	48	93	192	353	472	182
Respiratory „ ..	3·34	3·88	2·88	2000	1068	932	411	177	70	31	22	711	36	7	14	25	66	80	154	280	400	227
Digestive „ ..	1·03	1·08	0·99	617	296	321	174	32	4	5	1	216	11	6	12	11	18	53	80	81	93	36
Urinary „ ..	0·66	0·84	0·50	395	232	163	2	3	2	5	1	13	2	4	5	8	20	46	59	77	115	46
Generative „ ..	0·05	0·01	0·09	31	2	29	1	—	—	—	—	1	—	—	1	—	—	5	8	8	8	—
Puerperal Fever ..	0·06	—	0·09	36	—	36	—	—	—	—	—	—	—	—	—	9	17	10	—	—	—	—
Childbirth	0·11	—	0·20	64	—	64	—	—	—	—	—	—	—	—	1	9	34	20	—	—	—	—
Violence	0·55	0·81	0·34	332	222	110	33	13	11	11	3	71	21	9	18	19	19	36	42	36	39	22
OTHER CAUSES ..	3·99	4·34	3·71	2391	1199	1192	743	39	8	1	4	795	26	14	27	27	69	81	104	143	360	745

Marriages 4527

Births .. { Males .. 7,919 / Females 7,668 } 15,587

Annual Rate per 1000 living { Persons Married .. 15·12 / Births .. .. .. 26·03

Annual Births to 1000 Females aged 15—45 years = 100.

Deaths from Childbirth and Puerperal Fever .. .. } 6·42 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

445.—BUCKLOW.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		15·95	*138	—	—	—	—	46·16	3·34	2·03	2·66	3·93	5·18	8·41	14·19	30·63	66·48	160·56
Annual Death-Rate per 1000. Males	—			In Standard Population.		17·04	*155	—	—	—	—	52·55	3·69	2·09	2·74	4·78	5·50	9·00	16·34	31·91	70·24	168·17
Annual Death-Rate per 1000. Females	—			In Standard Population.		14·92	*120	—	—	—	—	39·94	3·00	1·97	2·58	3·29	4·93	7·92	12·32	29·57	63·46	154·64
Mean Population, 1891–1900. Persons	—			72,128			1627	1435	1566	1530	1520	7678	7504	7248	7193	7297	12190	8917	6385	4342	2512	862
Mean Population, 1891–1900. Males	—			33,357			796	718	761	756	756	3787	3765	3491	3397	3158	5256	4068	2968	1971	1119	377
Mean Population, 1891–1900. Females	—			38,771			831	717	805	774	764	3891	3739	3757	3796	4139	6934	4849	3417	2371	1393	485
Deaths from All Causes, 1891–1900. Persons	15·38			11,091			2478	604	224	135	103	3544	251	147	191	287	631	750	906	1330	1670	1384
Deaths from All Causes, 1891–1900. Males	16·89			5,635			1420	334	114	69	53	1990	139	73	93	151	289	366	485	629	786	634
Deaths from All Causes, 1891–1900. Females	14·07			5,456			1058	270	110	66	50	1054	112	74	98	136	342	384	421	701	884	750
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·02	0·00	8	7	1	2	—	—	—	—	2	—	—	—	1	1	1	—	1	2	—
Measles	0·19	0·24	0·15	140	80	60	26	62	21	12	3	124	10	3	1	—	2	—	—	—	—	—
Scarlet Fever	0·12	0·13	0·12	90	43	47	1	11	16	15	7	50	21	11	1	2	4	1	—	—	—	—
Diphtheria	0·14	0·17	0·12	104	56	48	—	15	7	20	14	56	34	7	2	1	2	2	—	—	—	—
Whooping-cough	0·21	0·21	0·22	154	70	84	81	41	17	7	3	149	5	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·10	0·14	0·07	75	46	29	—	—	1	—	1	2	1	9	10	10	14	11	7	8	3	—
Simple Continued Fever	0·01	0·01	0·00	6	5	1	—	—	—	—	—	—	1	—	1	1	—	—	2	1	—	—
Diarrhœa & Dysentery	0·62	0·67	0·58	449	223	226	326	36	7	3	1	373	3	—	1	1	2	2	6	15	25	21
Cholera	0·01	0·01	0·01	8	5	3	2	1	—	—	—	3	—	—	—	1	—	2	—	2	—	—
Cancer	0·67	0·55	0·78	484	183	301	—	1	1	1	—	3	2	2	1	2	9	39	108	142	133	43
Tabes Mesenterica	0·11	0·13	0·09	79	44	35	41	13	4	1	—	59	6	2	3	3	3	2	—	1	—	—
Phthisis	1·09	1·25	0·95	786	418	368	4	5	1	2	5	17	12	12	49	103	222	173	112	63	19	4
Other Tub. & Scrof. Dis.	0·25	0·32	0·20	182	106	76	58	32	19	9	7	125	14	7	7	8	9	5	2	1	2	2
Diseases of Nervous System	2·03	2·24	1·85	1466	747	719	394	82	23	15	14	528	25	17	18	13	31	49	113	207	289	176
Diseases of Circulatory "	1·52	1·51	1·53	1097	503	594	14	2	1	—	2	19	14	15	16	14	43	79	136	275	311	175
Diseases of Respiratory "	2·79	3·33	2·33	2016	1112	904	450	190	68	26	22	756	36	11	7	33	65	93	136	239	352	288
Diseases of Digestive "	1·12	1·19	1·05	805	397	408	213	63	5	9	14	304	13	14	13	18	35	56	90	111	91	60
Diseases of Urinary "	0·40	0·51	0·30	286	171	115	8	2	3	2	1	16	5	5	3	8	17	33	32	68	68	31
Diseases of Generative "	0·03	0·01	0·06	24	2	22	1	1	—	—	—	2	—	—	—	—	4	3	7	3	3	2
Puerperal Fever	0·06	—	0·11	41	—	41	—	—	—	—	—	—	—	—	—	7	18	16	—	—	—	—
Childbirth	0·09	—	0·17	66	—	66	—	—	—	—	—	—	—	—	—	4	34	28	—	—	—	—
Violence	0·49	0·73	0·29	357	245	112	31	6	12	5	5	59	23	8	25	25	42	49	40	33	34	19
Other Causes	3·32	3·52	3·09	2368	1172	1196	826	41	18	8	4	897	26	24	33	32	74	106	115	160	338	563

Marriages 4,670

Births .. { Males .. 9,158 / Females 8,832 } 17,990

Annual Rate per 1000 living { Persons Married .. 12·95 / Births .. .. .. 24·94

Annual Births to 1000 Females aged 15—45 years = 91.

Deaths from Childbirth and Puerperal Fever .. .. } 5·95 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

446.—RUNCORN.

CAUSES OF DEATH.		CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000.	Persons	—			In Standard Population. 18·43			*151	—	—	—	—	58·00	4·73	2·42	3·99	4·60	6·48	10·11	15·94	33·33	70·69	151·97
	Males ..	—						*165	—	—	—	—	63·11	4·18	2·77	3·88	4·56	6·05	10·67	17·52	37·62	76·19	172·57
	Females	—						*138	—	—	—	—	52·97	5·31	2·05	4·11	4·64	6·97	9·45	14·16	29·04	65·75	137·89
Mean Population, 1891-1900.	Persons	—			41,477			1158	1016	1019	1073	1025	5291	4943	4511	4140	3872	6452	4849	3445	2301	1242	431
	Males ..	—			21,577			572	511	495	544	505	2627	2512	2312	2244	2104	3438	2605	1821	1151	588	175
	Females	—			19,900			586	505	524	529	520	2664	2431	2199	1896	1768	3014	2244	1624	1150	654	256
Deaths from All Causes, 1891-1900.	Persons	18·11			7,512			2013	623	211	136	86	3069	234	109	165	178	418	490	549	767	878	655
	Males ..	18·53			3,998			1115	328	103	76	36	1658	105	64	87	96	208	278	319	433	448	302
	Females	17·66			3,514			898	295	108	60	50	1411	129	45	78	82	210	212	230	334	430	353
		Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox		0·06	0·08	0·04	25	18	7	1	—	—	—	—	1	2	1	1	2	11	1	5	—	1	—
Measles		0·47	0·44	0·49	194	96	98	40	89	31	17	8	185	9	—	—	—	—	—	—	—	—	—
Scarlet Fever		0·19	0·19	0·20	80	41	39	8	9	20	11	7	55	15	4	2	3	1	—	—	—	—	—
Diphtheria		0·43	0·40	0·45	177	87	90	34	27	24	15	17	117	44	4	4	2	3	2	—	1	—	—
Whooping-cough ..		0·36	0·31	0·41	148	66	82	67	57	10	9	3	146	2	—	—	—	—	—	—	—	—	—
Typhus		0·01	0·01	0·02	6	2	4	—	—	—	1	—	1	—	1	—	—	2	1	1	—	—	—
Enteric Fever		0·31	0·32	0·29	127	69	58	3	6	2	2	1	14	5	11	17	17	31	16	8	6	2	—
Simple Continued Fever		0·04	0·03	0·05	15	6	9	—	1	—	1	—	2	1	—	1	3	3	1	3	—	1	—
Diarrhœa & Dysentery		0·88	0·95	0·81	367	206	161	264	58	5	1	—	328	3	—	1	—	3	3	3	5	11	10
Cholera		0·09	0·08	0·10	36	17	19	13	7	3	1	1	25	2	1	—	—	—	—	1	2	5	—
Cancer		0·67	0·57	0·78	278	122	156	1	—	—	—	—	1	1	—	—	1	14	23	53	92	67	26
Tabes Mesenterica ..		0·44	0·38	0·50	183	83	100	122	31	6	3	1	163	8	6	—	1	2	2	—	1	—	—
Phthisis		0·89	0·96	0·81	369	208	161	5	10	4	3	2	24	8	10	27	39	80	87	54	32	7	1
Other Tub. & Scrof. Dis.		0·34	0·32	0·36	142	70	72	35	31	19	10	4	99	17	2	8	4	8	3	—	1	—	—
Diseases of	Nervous System ..	1·97	1·94	2·00	816	418	398	263	52	15	18	9	357	18	8	7	9	26	25	59	82	151	74
	Circulatory „ ..	1·63	1·59	1·68	678	343	335	8	2	1	—	—	11	10	8	17	13	30	45	82	168	196	98
	Respiratory „ ..	3·26	3·56	2·92	1350	769	581	356	161	42	17	15	591	24	10	19	19	36	90	92	164	199	106
	Digestive „ ..	1·02	1·09	0·94	422	235	187	131	38	7	4	1	181	14	9	8	3	12	36	49	51	41	18
	Urinary „ ..	0·40	0·39	0·40	164	84	80	7	3	—	—	—	10	2	2	5	6	17	24	38	22	27	11
	Generative „ ..	0·03	0·00	0·06	12	1	11	1	—	—	—	—	1	—	—	—	2	2	2	1	4	—	—
Puerperal Fever ..		0·08	—	0·18	35	—	35	—	—	—	—	—	—	—	—	2	6	15	12	—	—	—	—
Childbirth		0·07	—	0·16	31	—	31	—	—	—	—	—	—	—	—	1	3	16	9	2	—	—	—
Violence		1·01	1·50	0·49	420	323	97	23	12	13	17	13	78	33	23	27	28	55	64	47	36	16	13
OTHER CAUSES		3·46	3·42	3·52	1437	734	703	631	29	9	6	4	679	16	9	18	17	51	44	51	100	154	298

Marriages 2,896

Births .. { Males .. 6,775 / Females 6,519 } 13,294

Annual Rate per 1000 living { Persons Married .. 13·96 / Births .. .. .. 32·05 }

Annual Births to 1000 Females aged 15—45 years = 149.

Deaths from Childbirth and Puerperal Fever .. .. } 4·96 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

447.—NORTHWICH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 18·54	*158	—	—	—	—	61·20	4·15	2·49	3·48	4·46	6·41	9·03	14·25	31·36	67·83	174·96
Annual Death-Rate per 1000. Males ..	—	18·44	*166	—	—	—	—	63·71	4·52	2·53	3·37	3·85	5·53	8·10	15·93	31·68	70·27	174·55
Annual Death-Rate per 1000. Females	—	18·62	*150	—	—	—	—	58·65	3·78	2·44	3·62	5·13	7·35	10·02	12·57	31·04	65·38	175·35
Mean Population, 1891-1900. Persons	—	52,308	1507	1385	1428	1379	1453	7152	6741	5995	5080	4616	7798	5761	4132	2860	1610	563
Mean Population, 1891-1900. Males ..	—	26,800	766	699	709	714	714	3602	3407	3046	2732	2414	4029	2987	2071	1433	804	275
Mean Population, 1891-1900. Females	—	25,508	741	686	719	665	739	3550	3334	2949	2348	2202	3769	2774	2061	1427	806	288
Deaths from All Causes, 1891-1900. Persons	18·68	9,772	3082	747	265	154	129	4377	280	149	177	206	500	520	589	897	1092	985
Deaths from All Causes, 1891-1900. Males ..	18·68	5,005	1651	369	134	80	61	2295	154	77	92	93	223	242	330	454	565	480
Deaths from All Causes, 1891-1900. Females	18·69	4,767	1431	378	131	74	68	2082	126	72	85	113	277	278	259	443	527	505

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox..	0·01	0·01	0·01	4	2	2	—	—	—	—	—	—	—	—	—	—	3	1	—	—
Measles	0·40	0·38	0·41	207	103	104	48	83	38	14	9	192	14	1	—	—	—	—	—	—
Scarlet Fever	0·28	0·28	0·28	148	76	72	9	33	28	26	22	118	24	1	—	1	1	1	—	2
Diphtheria	0·10	0·09	0·11	54	25	29	4	4	7	11	7	33	17	2	—	—	1	—	—	—
Whooping-cough ..	0·50	0·42	0·59	262	112	150	125	87	25	12	7	256	5	—	1	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·12	0·17	0·07	63	46	17	—	—	1	—	1	2	5	3	13	11	10	13	4	—
Simple Continued Fever	0·00	0·01	—	2	2	—	1	—	1	—	—	2	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·68	0·72	0·64	356	194	162	259	40	9	3	3	314	7	1	2	—	3	1	2	6
Cholera	0·00	0·01	—	2	2	—	1	1	—	—	—	2	—	—	—	—	—	—	—	—
Cancer	0·54	0·44	0·65	282	117	165	—	1	—	—	1	2	—	1	1	5	8	22	55	80
Tabes Mesenterica ..	0·28	0·29	0·27	145	77	68	90	26	7	1	4	128	4	4	4	—	3	1	—	—
Phthisis	0·97	0·88	1·05	505	236	269	13	5	5	2	4	29	14	34	48	56	135	81	55	42
Other Tub. & Scrof. Dis.	0·37	0·40	0·33	192	108	84	63	27	14	4	5	113	29	15	5	7	12	3	6	2
Diseases of Nervous System ..	2·16	2·11	2·20	1127	566	561	520	56	32	15	14	637	25	5	15	12	20	37	53	121
Diseases of Circulatory " ..	1·69	1·68	1·71	886	449	437	4	—	—	1	—	5	11	15	15	22	51	70	124	202
Diseases of Respiratory " ..	3·38	3·54	3·21	1768	950	818	592	240	55	33	29	949	46	8	14	13	53	69	96	167
Diseases of Digestive " ..	1·63	1·66	1·61	855	445	410	366	93	13	12	7	491	18	14	15	7	27	45	65	84
Diseases of Urinary " ..	0·44	0·51	0·36	229	137	92	9	2	6	—	—	17	5	3	1	14	18	28	32	37
Diseases of Generative " ..	0·03	0·01	0·05	18	4	14	2	—	—	—	—	2	—	1	—	2	1	4	1	1
Puerperal Fever ..	0·10	—	0·20	51	—	51	—	—	—	—	—	—	—	—	2	12	23	13	1	—
Childbirth	0·14	—	0·29	74	—	74	—	—	—	—	—	—	—	—	—	11	35	28	—	—
Violence	0·76	1·04	0·46	396	278	118	35	12	14	9	8	78	43	27	20	14	45	42	40	40
Other Causes	4·10	4·03	4·19	2146	1076	1070	941	37	10	11	8	1007	13	14	21	19	51	61	55	113

	5—	15—	25—	35—	45—	55—	65—	75 and upwds.
Small-pox..	—	—	3	1	—	—	—	—
Measles	14	—	—	—	—	—	—	—
Scarlet Fever	24	—	1	1	—	2	—	—
Diphtheria	17	—	1	—	—	—	1	—
Whooping-cough ..	5	1	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—
Enteric Fever	5	13	10	13	4	—	2	—
Simple Continued Fever	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	7	2	3	1	2	6	12	8
Cholera	—	—	—	—	—	—	—	—
Cancer	—	1	8	22	55	80	76	32
Tabes Mesenterica ..	4	4	3	1	—	—	1	—
Phthisis	14	48	135	81	55	42	9	2
Other Tub. & Scrof. Dis.	29	5	12	3	6	2	—	—
Diseases of Nervous System ..	25	15	20	37	53	121	132	70
Diseases of Circulatory " ..	11	15	51	70	124	202	247	124
Diseases of Respiratory " ..	46	14	53	69	96	167	215	138
Diseases of Digestive " ..	18	15	27	45	65	84	67	22
Diseases of Urinary " ..	5	1	18	28	32	37	47	27
Diseases of Generative " ..	—	—	1	4	1	1	5	1
Puerperal Fever ..	—	2	23	13	1	—	—	—
Childbirth	—	—	35	28	—	—	—	—
Violence	27	20	45	42	40	40	28	19
Other Causes	14	21	51	61	55	113	250	542

Marriages 3,696

Births .. { Males .. 9,943 / Females 9,543 } 19,486

Annual Rate per 1000 living { Persons Married .. 14·13 / Births .. .. .. 37·25 }

Annual Births to 1000 Females aged 15—45 years = 176.

Deaths from Childbirth and Puerperal Fever .. .. } 6·41 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

448.—CONGLETON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 16·31			*132	—	—	—	—	47·03	3·84	2·32	2·75	4·61	6·07	7·94	13·37	31·85	69·56	157·09
Annual Death-Rate per 1000. Males ..	—			16·39			*141	—	—	—	—	50·35	3·69	2·28	2·50	4·23	5·54	7·46	14·91	34·73	67·50	160·47
Annual Death-Rate per 1000. Females	—			16·23			*122	—	—	—	—	43·68	3·99	2·36	3·00	4·95	6·52	8·37	11·92	29·18	71·55	153·90
Mean Population, 1891–1900. Persons	—			33,517			840	754	803	788	772	3957	3777	3665	3564	2906	4830	3665	2962	2286	1383	522
Mean Population, 1891–1900. Males ..	—			16,317			415	396	386	414	375	1986	1897	1889	1763	1349	2239	1729	1435	1097	680	253
Mean Population, 1891–1900. Females	—			17,200			425	358	417	374	397	1971	1880	1776	1801	1557	2591	1936	1527	1189	703	269
Deaths from All Causes, 1891–1900. Persons	17·34			5,813			1300	306	121	83	51	1861	145	85	98	134	293	291	396	728	962	820
Deaths from All Causes, 1891–1900. Males ..	17·94			2,927			707	159	62	49	23	1000	70	43	44	57	124	129	214	381	459	406
Deaths from All Causes, 1891–1900. Females	16·78			2 886			593	147	59	34	28	861	75	42	54	77	169	162	182	347	503	414
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Measles	0·18	0·14	0·22	61	23	38	15	22	4	6	3	50	10	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·18	0·16	0·19	59	26	33	3	12	6	9	5	35	15	5	1	3	—	—	—	—	—	—
Diphtheria	0·13	0·15	0·12	45	24	21	—	8	3	6	8	25	15	2	—	1	1	1	—	—	—	—
Whooping-cough ..	0·36	0·28	0·42	119	46	73	70	30	12	5	1	118	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·11	0·10	0·11	36	17	19	—	1	—	1	1	3	3	2	4	10	7	3	3	—	1	—
Simple Continued Fever	0·01	0·01	0·01	2	1	1	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·26	0·26	0·26	87	43	44	53	9	2	3	1	68	1	—	1	—	1	1	1	3	5	6
Cholera	0·01	0·02	—	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—
Cancer	0·82	0·61	1·02	275	100	175	1	—	—	1	—	2	1	—	—	3	3	23	52	88	78	25
Tabes Mesenterica ..	0·19	0·20	0·17	63	33	30	36	12	3	1	1	53	4	2	1	1	1	—	1	—	—	—
Phthisis	0·94	0·85	1·02	314	138	176	7	3	2	3	1	16	5	11	34	35	88	55	38	25	7	—
Other Tub. & Scrof. Dis.	0·59	0·63	0·55	197	103	94	59	42	12	7	5	125	21	6	8	13	10	6	5	2	1	—
Diseases of Nervous System ..	2·11	2·32	1·91	707	378	329	212	26	18	7	5	268	9	11	5	5	17	21	44	89	167	71
Diseases of Circulatory „	1·62	1·62	1·62	543	265	278	2	1	—	—	1	4	7	12	6	6	14	34	54	146	187	73
Diseases of Respiratory „ ..	3·16	3·47	2·86	1058	566	492	240	84	36	19	11	390	19	3	5	5	36	36	71	155	193	145
Diseases of Digestive „ ..	1·28	1·33	1·23	429	217	212	99	32	7	2	4	144	10	11	7	12	18	22	42	74	65	24
Diseases of Urinary „ ..	0·38	0·52	0·24	126	85	41	2	—	—	—	1	3	1	3	1	5	10	7	14	23	33	26
Diseases of Generative „ ..	0·04	0·01	0·08	14	1	13	1	—	—	—	—	1	—	—	—	2	3	3	1	4	—	—
Puerperal Fever ..	0·11	—	0·22	37	—	37	—	—	—	—	—	—	—	—	1	4	21	11	—	—	—	—
Childbirth	0·12	—	0·23	40	—	40	—	—	—	—	—	—	—	—	2	7	12	17	2	—	—	—
Violence	0·57	0·81	0·34	191	132	59	18	6	9	7	1	41	10	7	10	9	24	18	15	25	20	12
OTHER CAUSES.. ..	4·17	4·44	3·96	1406	725	681	482	18	7	5	2	514	13	8	12	13	27	33	53	91	204	438

Marriages 2,554

Births .. { Males .. 5,005 / Females 4,880 } 9,885

Annual Rate per 1000 living { Persons Married .. 15·24 / Births .. .. .. 29·49

Annual Births to 1000 Females aged 15—45 years = 125.

Deaths from Childbirth and Puerperal Fever .. .. } 7·79 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

449.—NANTWICH.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 17·50			*142	—	—	—	—	52·97	4·23	2·37	3·23	4·22	5·91	9·03	15·51	30·87	71·47	167·75
Annual Death-Rate per 1000. Males	—			18·00			*155	—	—	—	—	57·75	3·95	2·10	2·51	3·83	5·64	9·21	16·34	33·71	77·24	172·02
Annual Death-Rate per 1000. Females	—			17·02			*129	—	—	—	—	48·07	4·52	2·66	4·02	4·63	6·19	8·84	14·68	28·06	65·88	163·97
Mean Population, 1891–1900. Persons	—			65,775			1782	1657	1706	1591	1669	8405	7722	7289	6598	6144	10165	7411	5428	3755	2089	769
Mean Population, 1891–1900. Males	—			33,212			883	850	876	810	832	4251	3871	3722	3463	3161	5074	3691	2724	1866	1028	361
Mean Population, 1891–1900. Females	—			32,563			899	807	830	781	837	4154	3851	3567	3135	2983	5091	3720	2704	1889	1061	408
Deaths from All Causes, 1891–1900. Persons	17·45			11,478			3079	783	280	177	133	4452	327	173	213	259	601	669	842	1159	1493	1290
Deaths from All Causes, 1891–1900. Males	18·09			6,009			1718	436	139	89	73	2455	153	78	87	121	286	340	445	629	794	621
Deaths from All Causes, 1891–1900. Females	16·80			5,469			1361	347	141	88	60	1997	174	95	126	138	315	329	397	530	699	669
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·00	0·00	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Measles	0·33	0·39	0·27	218	130	88	54	92	23	21	9	199	14	3	—	—	2	—	—	—	—	—
Scarlet Fever	0·23	0·22	0·23	149	73	76	7	18	28	21	20	94	37	8	4	—	2	4	—	—	—	—
Diphtheria	0·22	0·20	0·24	143	66	77	5	11	20	21	25	82	48	6	2	—	4	—	1	—	—	—
Whooping-cough	0·42	0·38	0·45	273	126	147	142	77	29	9	9	266	7	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·14	0·16	0·12	91	52	39	—	1	—	1	1	3	7	6	9	12	24	11	13	6	—	—
Simple Continued Fever	0·02	0·02	0·01	11	7	4	1	1	—	—	2	4	—	1	—	—	—	—	—	2	3	1
Diarrhœa & Dysentery	0·78	0·79	0·77	513	262	251	399	47	6	2	6	460	3	—	1	—	3	2	4	7	18	15
Cholera	0·02	0·03	0·01	14	10	4	6	4	—	—	—	10	1	—	—	—	—	—	—	2	—	1
Cancer	0·69	0·60	0·79	456	200	256	—	—	—	1	—	1	1	—	—	3	6	38	89	147	123	48
Tabes Mesenterica	0·33	0·36	0·31	220	120	100	146	31	9	3	1	190	9	4	4	2	5	3	1	2	—	—
Phthisis	0·92	0·98	0·86	608	327	281	8	5	2	—	3	18	10	22	54	88	154	130	77	43	12	—
Other Tub. & Scrof. Dis.	0·30	0·29	0·31	195	95	100	43	25	12	13	7	100	23	10	14	13	15	12	4	3	1	—
Diseases of Nervous System	1·92	1·88	1·96	1264	625	639	366	76	14	15	9	480	35	17	10	9	28	52	94	173	232	134
Diseases of Circulatory	1·96	1·92	1·99	1288	639	649	7	3	3	1	—	14	7	24	24	20	54	82	186	292	386	199
Diseases of Respiratory	3·32	3·73	2·91	2186	1239	947	661	271	89	36	18	1075	51	14	26	31	72	84	132	186	293	222
Diseases of Digestive	1·01	1·07	0·95	664	355	309	175	40	13	8	4	240	17	14	15	18	37	49	64	91	84	35
Diseases of Urinary	0·29	0·36	0·22	190	120	70	5	—	3	1	—	9	3	2	4	5	25	15	18	39	51	19
Diseases of Generative	0·04	0·01	0·06	25	4	21	—	2	—	—	—	2	2	—	—	1	2	6	3	7	1	1
Puerperal Fever	0·10	—	0·20	65	—	65	—	—	—	—	—	—	—	—	6	14	35	10	—	—	—	—
Childbirth	0·11	—	0·22	73	—	73	—	—	—	—	—	—	—	—	3	7	33	30	—	—	—	—
Violence	0·63	0·80	0·46	414	265	149	57	15	16	13	8	109	33	14	11	14	37	51	47	44	24	30
OTHER CAUSES	3·67	3·90	3·46	2417	1293	1124	997	64	13	11	11	1096	19	28	26	22	63	90	109	115	264	585

Marriages 5,509
Births .. { Males .. 11,102 / Females 10,529 } 21,631

Annual Rate per 1000 living { Persons Married .. 16·75 / Births .. .. .. 32·89 }
Annual Births to 1000 Females aged 15—45 years = 145.

Deaths from Childbirth and Puerperal Fever .. .. } 6·38 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

450.—CHESTER.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		17·52	*132	—	—	—	—	46·20	3·93	2·60	3·40	5·29	7·46	11·85	18·85	32·98	68·14	153·95
Males ..	—					18·39	*144	—	—	—	—	48·97	3·77	2·76	3·40	5·74	7·93	12·79	21·23	37·61	74·70	155·25
Females	—					16·71	*120	—	—	—	—	43·39	4·10	2·44	3·40	4·87	7·03	10·94	16·58	28·91	62·94	152·98
Mean Population, 1891–1900. Persons	—			87,046			2054	1946	1951	2025	1961	9937	9666	9301	8906	8305	13318	9984	7672	5494	3173	1290
Males ..	—			42,634			1012	970	994	1029	998	5003	4886	4675	4498	3990	6407	4904	3745	2571	1403	552
Females	—			44,412			1042	976	957	996	963	4934	4780	4626	4408	4315	6911	5080	3927	2923	1770	738
Deaths from All Causes, 1891–1900. Persons	17·85			15,538			3141	795	294	223	138	4591	380	242	303	439	994	1183	1446	1812	2162	1986
Males ..	18·64			7,947			1743	394	145	102	66	2450	184	129	153	229	508	627	795	967	1048	857
Females	17·09			7,591			1398	401	149	121	72	2141	196	113	150	210	486	556	651	845	1114	1129
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	0·00	0·00	0·00	3	2	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	2	—
Measles	0·19	0·20	0·18	166	84	82	34	67	24	19	6	150	13	1	1	1	—	—	—	—	—	—
Scarlet Fever	0·14	0·13	0·14	119	56	63	5	16	18	24	14	77	26	7	3	1	3	2	—	—	—	—
Diphtheria	0·25	0·23	0·27	218	99	119	14	32	27	31	31	135	58	12	2	2	5	1	—	1	—	2
Whooping-cough ..	0·30	0·26	0·34	263	111	152	124	86	30	12	7	259	4	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·18	0·21	0·15	156	88	68	—	1	—	—	2	3	7	14	24	31	28	22	14	8	5	—
Simple Continued Fever	0·00	0·00	0·00	4	2	2	—	—	1	1	1	3	1	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·35	0·37	0·34	309	159	150	218	22	5	—	—	245	3	1	1	—	4	2	6	9	19	19
Cholera	0·03	0·03	0·02	25	14	11	20	2	—	—	—	22	—	—	—	—	—	—	1	2	—	—
Cancer	0·88	0·72	1·03	765	306	459	1	—	—	1	—	2	—	2	4	6	19	67	165	217	197	86
Tabes Mesenterica ..	0·14	0·15	0·13	119	62	57	37	23	9	4	2	75	8	7	4	5	5	8	4	2	1	—
Phthisis	1·44	1·58	1·31	1254	673	581	18	10	5	5	3	41	25	30	81	133	331	283	206	90	32	2
Other Tub. & Scrof. Dis.	0·41	0·46	0·36	357	198	159	76	53	28	13	12	182	45	26	21	17	23	14	14	9	5	1
Diseases of Nervous System ..	2·38	2·58	2·19	2071	1099	972	515	74	30	22	13	654	29	26	24	29	73	162	201	262	372	239
Circulatory " ..	1·93	1·94	1·92	1680	826	854	6	3	—	4	—	13	15	20	21	25	84	108	231	396	485	282
Respiratory " ..	3·07	3·33	2·82	2671	1419	1252	614	254	63	51	21	1003	42	15	15	40	96	142	218	324	410	366
Digestive " ..	1·37	1·40	1·35	1194	595	599	486	76	13	12	6	593	24	14	22	33	49	62	96	124	103	74
Urinary " ..	0·61	0·73	0·50	533	311	222	10	7	1	1	2	21	12	10	7	7	33	59	74	128	116	66
Generative " ..	0·05	0·01	0·08	41	4	37	2	2	—	1	—	5	—	1	1	—	4	6	8	7	5	4
Puerperal Fever ..	0·08	—	0·16	72	—	72	—	—	—	—	—	—	—	—	—	19	37	16	—	—	—	—
Childbirth	0·10	—	0·20	87	—	87	—	—	—	—	—	—	—	—	2	13	33	39	—	—	—	—
Violence	0·72	1·07	0·39	627	454	173	53	24	20	16	11	124	41	27	31	43	76	72	73	68	39	33
OTHER CAUSES.. ..	3·23	3·24	3·21	2804	1385	1419	908	43	20	6	7	984	27	29	39	34	91	117	135	165	371	812

Marriages 7,085

Births .. { Males .. 12,112 / Females 11,625 } 23,737

Annual Rate per 1000 living { Persons Married .. 16·28 / Births .. .. .. 27·27 }

Annual Births to 1000 Females aged 15—45 years = 115.

Deaths from Childbirth and Puerperal Fever .. .. } 6·70 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

451.—WIRRAL.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 14·79			*119	—	—	—	—	41·00	3·75	2·26	2·99	3·42	6·01	8·58	14·42	27·54	57·26	143·09
Males ..	—			15·84			*128	—	—	—	—	44·31	3·91	2·50	3·42	3·55	6·51	9·53	17·00	30·02	62·25	155·56
Females	—			13·81			*109	—	—	—	—	37·60	3·59	2·01	2·56	3·29	5·55	7·67	12·02	25·33	53·03	133·33
Mean Population, 1891-1900. Persons	—			42,296			1000	923	965	925	916	4729	4533	4372	4677	4507	7040	5024	3524	2179	1219	492
Males ..	—			20,796			500	466	485	483	465	2399	2304	2284	2368	2138	3364	2444	1694	1026	559	216
Females	—			21,500			500	457	480	442	451	2330	2229	2088	2309	2369	3676	2580	1830	1153	660	276
Deaths from All Causes, 1891-1900. Persons	13·87			5,866			1314	339	145	62	79	1939	170	99	140	154	423	431	508	600	698	704
Males ..	14·90			3,099			736	184	75	30	38	1063	90	57	81	76	219	233	288	308	348	336
Females	12·87			2,767			578	155	70	32	41	876	80	42	59	78	204	198	220	292	350	368
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·00	0·01	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—
Measles	0·25	0·25	0·24	104	53	51	29	38	16	8	4	95	8	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·19	0·16	0·21	79	34	45	2	9	17	10	10	48	23	2	—	1	2	2	1	—	—	—
Diphtheria	0·11	0·10	0·13	48	21	27	4	2	9	6	7	28	15	4	1	—	—	—	—	—	—	—
Whooping-cough ..	0·30	0·32	0·28	127	67	60	64	32	15	7	4	122	4	—	—	—	1	—	—	—	—	—
Typhus	0·00	0·00	0·00	2	1	1	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
Enteric Fever.. ..	0·19	0·23	0·16	81	47	34	—	—	—	2	1	3	8	4	10	9	18	11	13	4	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·58	0·68	0·47	244	142	102	178	26	6	2	1	213	3	—	—	—	1	1	1	3	10	12
Cholera	0·00	0·00	0·00	2	1	1	—	—	1	—	—	1	—	—	—	—	—	—	—	1	—	—
Cancer	0·65	0·52	0·77	274	108	166	1	1	1	—	—	3	2	1	—	2	7	20	57	80	71	31
Tabes Mesenterica ..	0·10	0·13	0·07	43	27	16	13	9	4	1	2	29	7	2	3	2	—	—	—	—	—	—
Phthisis	1·28	1·43	1·13	541	298	243	3	3	2	—	—	8	6	12	38	63	158	145	71	31	9	—
Other Tub. & Scrof. Dis.	0·29	0·36	0·23	124	74	50	31	17	8	6	9	71	14	9	4	7	16	—	2	—	1	—
Diseases of Nervous System ..	1·58	1·69	1·47	669	352	317	203	37	11	4	11	266	19	11	10	5	10	24	59	82	93	90
Circulatory „ ..	1·27	1·28	1·27	538	266	272	4	2	1	1	—	8	4	12	10	6	31	33	60	123	157	94
Respiratory „ ..	2·33	2·61	2·06	985	542	443	215	90	28	9	18	360	23	7	17	13	36	55	81	111	132	150
Digestive „ ..	0·96	0·92	0·99	404	191	213	134	32	6	2	5	179	5	7	7	9	16	28	39	40	43	31
Urinary „ ..	0·41	0·55	0·28	175	114	61	9	—	1	1	2	13	6	3	—	3	15	17	33	35	27	23
Generative „ ..	0·03	0·00	0·05	11	1	10	1	—	—	—	—	1	—	—	—	—	3	2	2	1	1	1
Puerperal Fever ..	0·07	—	0·14	30	—	30	—	—	—	—	—	—	—	—	1	6	12	11	—	—	—	—
Childbirth	0·09	—	0·17	37	—	37	—	—	—	—	—	—	—	—	3	5	20	9	—	—	—	—
Violence	0·53	0·85	0·21	223	177	46	18	7	10	2	1	38	13	9	18	15	35	21	31	19	15	9
OTHER CAUSES	2·66	2·81	2·54	1123	581	542	405	34	9	1	4	453	9	15	18	8	42	51	56	70	138	263

Marriages 1,903

Births .. Males .. 5,734 / Females 5,314 } 11,048

Annual Rate per 1000 living { Persons Married .. 9·00 / Births .. .. .. 26·12

Annual Births to 1000 Females aged 15—45 years = 101.

Deaths from Childbirth and Puerperal Fever .. .. } 6·06 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

452.—BIRKENHEAD.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 20·02			*165	—	—	—	—	63·59	4·26	2·46	3·57	4·70	7·19	12·16	19·39	36·46	73·19	153·96
Males ..	—						*178	—	—	—	—	68·25	4·24	2·52	3·98	5·51	7·44	13·40	21·82	40·07	82·63	164·61
Females	—			21·35			*151	—	—	—	—	58·97	4·28	2·41	3·21	4·03	6·98	11·03	17·12	33·37	66·26	147·57
				18·78																		
Mean Population, 1891-1900. Persons	—			145,788			3909	3433	3507	3420	3428	17697	16282	15458	14719	14605	24309	17835	12367	7550	3715	1251
Males ..	—			69,474			1939	1719	1729	1706	1717	8810	8201	7657	6963	6592	11243	8510	5971	3486	1572	469
Females	—			76,314			1970	1714	1778	1714	1711	8887	8081	7801	7756	8013	13066	9325	6396	4064	2143	782
Deaths from All Causes, 1891-1900. Persons	18·69			27,255			7538	2140	770	494	312	11254	694	381	526	686	1749	2169	2398	2753	2719	1926
Males ..	20·07			13,942			4159	1088	366	240	160	6013	348	193	277	363	837	1140	1303	1397	1299	772
Females	17·45			13,313			3379	1052	404	254	152	5241	346	188	249	323	912	1029	1095	1356	1420	1154
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	0·00	0·00	0·00	3	2	1	1	—	—	—	—	1	—	—	—	—	—	1	1	—	—	—
Measles	0·41	0·46	0·37	602	320	282	156	241	86	65	24	572	26	1	—	—	1	—	1	1	—	—
Scarlet Fever	0·15	0·15	0·14	212	106	106	7	21	34	37	36	135	48	9	7	3	8	1	—	1	—	—
Diphtheria	0·22	0·21	0·23	321	147	174	20	44	58	52	43	217	80	13	4	1	2	1	—	2	1	—
Whooping-cough ..	0·42	0·41	0·43	617	288	329	249	192	77	57	17	592	23	2	—	—	—	—	—	—	—	—
Typhus	0·02	0·02	0·01	23	12	11	—	—	—	—	—	—	2	1	3	—	5	8	4	—	—	—
Enteric Fever	0·30	0·35	0·26	437	240	197	—	2	6	2	3	13	42	41	47	70	98	69	31	18	6	2
Simple Continued Fever	0·00	—	0·01	5	—	5	2	—	1	—	1	4	—	1	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·76	0·84	0·69	1114	586	528	849	155	20	2	1	1027	—	1	3	2	7	2	8	18	25	21
Cholera	0·04	0·04	0·03	55	29	26	37	5	2	—	—	44	—	1	1	—	—	1	1	4	3	—
Cancer	0·70	0·61	0·78	1021	426	595	1	2	3	1	1	8	2	1	4	2	26	108	234	325	229	82
Tabes Mesenterica ..	0·22	0·25	0·19	316	171	145	162	58	18	13	10	261	19	7	7	6	8	2	1	5	—	—
Phthisis	1·45	1·62	1·29	2109	1122	987	14	26	15	10	8	73	35	60	137	227	572	518	300	152	31	4
Other Tub. & Scrof. Dis.	0·38	0·41	0·36	560	283	277	139	112	49	47	25	372	62	27	24	21	33	9	6	4	1	1
Diseases of Nervous System ..	2·22	2·41	2·05	3241	1675	1566	1149	205	76	39	25	1494	59	42	39	21	96	159	281	386	423	241
Circulatory „ ..	1·52	1·57	1·47	2210	1092	1118	26	3	—	3	4	36	30	35	43	57	143	266	367	507	474	252
Respiratory „ ..	3·57	3·94	3·25	5213	2735	2478	1218	671	207	105	61	2262	101	39	52	79	201	350	482	650	621	376
Digestive „ ..	1·54	1·63	1·46	2251	1135	1116	1089	197	41	14	17	1358	47	26	32	24	90	136	177	177	134	50
Urinary „ ..	0·43	0·51	0·37	634	352	282	24	9	6	6	4	49	17	7	10	16	53	83	112	125	105	57
Generative „ ..	0·03	0·00	0·06	45	2	43	3	—	—	—	1	4	—	—	—	1	8	12	9	6	4	1
Puerperal Fever ..	0·09	—	0·17	126	—	126	—	—	—	—	—	—	—	—	5	27	66	27	1	—	—	—
Childbirth	0·09	—	0·16	124	—	124	—	—	—	—	—	—	—	—	2	15	64	43	—	—	—	—
Violence	0·77	1·06	0·50	1124	739	385	174	37	32	22	22	287	51	34	47	64	138	170	146	95	66	26
OTHER CAUSES.. ..	3·36	3·58	3·17	4892	2480	2412	2218	160	39	19	9	2445	50	33	59	50	130	203	236	277	596	813

Marriages 9,715

Births .. { Males .. 23,391 / Females 22,404 } 45,795

Annual Rate per 1000 living { Persons Married .. 13·33 / Births .. .. .. 31·41

Annual Births to 1000 Females aged 15—45 years = 120.

Deaths from Childbirth and Puerperal Fever .. .. } 5·46 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

453.—LIVERPOOL.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.	35·38		*223	—	—	—	—	114·57	8·91	4·40	6·19	8·14	14·81	26·84	41·86	65·53	107·08	178·18
Annual Death-Rate per 1000. Males ..	—				37·87		*237	—	—	—	—	121·49	9·42	4·64	7·43	9·78	16·63	28·89	44·95	71·00	116·52	199·47
Annual Death-Rate per 1000. Females	—				33·05		*209	—	—	—	—	107·67	8·40	4·16	5·04	6·73	13·05	24·73	38·70	60·20	99·11	166·02
Mean Population, 1891-1900. Persons	—			152,633			3801	3151	3251	3187	3163	16553	15417	15150	15170	15362	25733	20245	15144	8859	3955	1045
Mean Population, 1891-1900. Males ..	—			75,020			1909	1590	1621	1568	1573	8261	7640	7550	7278	7105	12683	10265	7676	4372	1810	380
Mean Population, 1891-1900. Females	—			77,613			1892	1561	1630	1619	1590	8292	7777	7600	7892	8257	13050	9980	7468	4487	2145	665
Deaths from All Causes, 1891-1900. Persons	33·20			50,681			11409	4385	1654	901	615	18964	1373	666	939	1251	3812	5434	6340	5805	4235	1862
Deaths from All Causes, 1891-1900. Males ..	35·77			26,838			6201	2216	852	463	304	10036	720	350	541	695	2109	2966	3450	3104	2109	758
Deaths from All Causes, 1891-1900. Females	30·72			23,843			5208	2169	802	438	311	8928	653	316	398	556	1703	2468	2890	2701	2126	1104
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·67	0·71	0·62	1019	535	484	219	416	190	101	42	968	49	1	—	—	—	1	—	—	—	—
Scarlet Fever	0·11	0·12	0·11	172	89	83	12	29	40	22	23	126	38	4	1	1	1	—	1	—	—	—
Diphtheria	0·15	0·16	0·14	230	118	112	33	64	46	25	19	187	31	2	2	1	5	1	—	—	1	—
Whooping-cough ..	0·74	0·66	0·81	1122	496	626	394	374	175	85	49	1077	44	1	—	—	—	—	—	—	—	—
Typhus	0·02	0·02	0·01	23	14	9	1	—	—	3	—	4	2	1	2	2	7	2	2	1	—	—
Enteric Fever	0·24	0·28	0·20	368	209	159	—	1	6	6	5	18	35	38	38	49	103	45	23	11	7	1
Simple Continued Fever	0·01	0·00	0·01	11	3	8	1	3	1	1	—	6	1	—	—	2	1	—	—	1	—	—
Diarrhœa & Dysentery	1·55	1·53	1·57	2370	1148	1222	1342	546	108	33	10	2039	23	6	3	8	9	19	49	78	87	49
Cholera	0·04	0·05	0·03	58	34	24	27	9	—	—	—	36	2	—	—	—	1	4	8	6	1	—
Cancer	0·96	0·90	1·02	1467	675	792	1	2	4	6	1	14	6	2	7	22	96	253	432	400	181	54
Tabes Mesenterica ..	0·30	0·36	0·24	455	267	188	161	111	40	24	11	347	42	19	8	6	5	12	8	7	—	1
Phthisis	3·07	3·71	2·45	4683	2784	1899	33	36	27	21	22	139	100	116	281	429	1241	1270	769	253	80	5
Other Tub. & Scrof. Dis.	0·63	0·72	0·55	966	543	423	175	156	95	58	55	539	148	61	31	36	57	53	26	11	4	—
Diseases of Nervous System ..	3·03	3·21	2·85	4619	2409	2210	1511	284	88	70	42	1995	122	56	53	38	169	322	497	660	508	199
Diseases of Circulatory „ ..	2·82	2·85	2·79	4301	2136	2165	21	8	6	3	7	45	63	73	120	106	363	731	954	946	661	239
Diseases of Respiratory „ ..	8·21	8·69	7·75	12531	6518	6013	2161	1343	517	255	177	4453	242	70	111	147	532	1068	1801	1989	1561	557
Diseases of Digestive „ ..	2·44	2·56	2·32	3721	1917	1804	1209	595	117	73	42	2036	77	50	53	85	168	289	393	293	215	62
Diseases of Urinary „ ..	0·89	1·14	0·64	1354	858	496	16	8	11	13	16	64	24	15	23	33	140	248	332	281	146	48
Diseases of Generative „ ..	0·08	0·01	0·15	124	8	116	2	7	1	1	—	11	2	—	2	8	29	31	23	11	6	1
Puerperal Fever ..	0·07	—	0·13	103	—	103	—	—	—	—	—	—	—	—	9	29	44	21	—	—	—	—
Childbirth	0·09	—	0·17	134	—	134	—	—	—	—	—	—	—	—	5	28	64	37	—	—	—	—
Violence	2·17	2·80	1·56	3311	2099	1212	816	83	67	65	61	1092	196	85	108	119	329	405	414	323	174	66
Other Causes ..	4·91	5·29	4·60	7539	3978	3561	3274	310	115	36	33	3768	126	66	82	102	448	622	608	534	603	580

Persons.

Marriages 24,295

Births .. { Males .. 26,204 / Females 24,960 } 51,164

Annual Rate per 1000 living { Persons Married .. 31·83 / Births .. .. .. 33·52 }

Annual Births to 1000 Females aged 15—45 years = 131.

Deaths from Childbirth and Puerperal Fever .. .. } 4·63 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

454.—TOXTETH PARK.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 23·58			*180	—	—	—	—	77·19	7·18	3·36	4·63	5·43	8·25	14·58	23·81	42·13	77·49	154·33
Males ..	—			24·91			*192	—	—	—	—	82·18	7·23	3·41	5·30	6·30	8·90	15·97	26·55	46·50	84·59	151·06
Females	—			22·34			*167	—	—	—	—	72·31	7·14	3·30	4·04	4·76	7·74	13·37	21·43	38·65	72·88	156·18
Mean Population, 1891–1900. Persons	—			131,960			3545	3078	3102	3034	3087	15846	14364	13738	12989	12846	22205	16363	11709	7142	3580	1178
Males ..	—			61,183			1730	1543	1495	1543	1524	7835	7148	6713	6035	5572	9816	7621	5442	3168	1408	425
Females	—			70,777			1815	1535	1607	1491	1563	8011	7216	7025	6954	7274	12389	8742	6267	3974	2172	753
Deaths from All Causes, 1891–1900. Persons	22·45			29,631			7540	2567	1022	625	478	12232	1032	461	601	697	1833	2386	2788	3009	2774	1818
Males ..	24·02			14,698			4093	1285	514	317	230	6439	517	229	320	351	874	1217	1445	1473	1191	642
Females	21·10			14,933			3447	1282	508	308	248	5793	515	232	281	346	959	1169	1343	1536	1583	1176
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·05	0·06	0·05	68	35	33	6	2	3	3	4	18	5	2	6	5	17	9	3	3	—	—
Measles	0·40	0·42	0·38	522	255	267	105	226	70	42	33	476	43	—	1	1	—	—	1	—	—	—
Scarlet Fever	0·52	0·55	0·50	689	334	355	32	100	128	119	98	477	176	26	1	1	4	2	2	—	—	—
Diphtheria	0·34	0·40	0·29	448	242	206	31	92	63	64	57	307	119	13	1	—	3	2	3	—	—	—
Whooping-cough ..	0·50	0·47	0·53	665	287	378	246	237	87	42	36	648	16	1	—	—	—	—	—	—	—	—
Typhus	0·05	0·05	0·04	61	33	28	—	—	—	1	1	2	2	5	2	3	13	13	13	5	2	1
Enteric Fever	0·36	0·46	0·28	479	283	196	—	2	4	6	7	19	44	56	54	73	130	64	23	13	2	1
Simple Continued Fever	0·02	0·01	0·02	21	7	14	3	—	2	4	4	13	3	1	1	2	—	—	1	—	—	—
Diarrhœa & Dysentery	0·95	1·06	0·85	1253	650	603	880	207	32	7	6	1132	5	3	1	4	12	15	17	16	24	24
Cholera	0·03	0·03	0·02	36	19	17	18	5	—	2	—	25	1	—	—	1	2	3	2	—	2	—
Cancer	0·81	0·64	0·95	1063	394	669	—	—	—	2	1	3	3	3	2	11	27	150	268	300	217	79
Tabes Mesenterica ..	0·20	0·23	0·17	258	139	119	107	53	18	11	5	194	17	11	8	7	10	10	—	1	—	—
Phthisis	1·61	1·85	1·40	2124	1130	994	32	25	22	16	13	108	46	52	159	225	539	505	313	128	43	6
Other Tub. & Scrof. Dis.	0·41	0·49	0·34	540	300	240	153	112	32	27	23	347	58	24	26	23	17	19	15	6	3	2
Diseases of Nervous System ..	2·85	3·10	2·64	3767	1896	1871	1403	281	117	55	41	1897	101	33	40	35	81	188	298	420	428	246
Circulatory „ ..	1·78	1·73	1·81	2344	1061	1283	24	3	2	3	2	34	23	41	73	43	153	259	416	543	530	229
Respiratory „ ..	4·93	5·29	4·61	6500	3235	3265	1336	749	278	117	79	2559	157	53	76	89	269	419	628	846	860	544
Digestive „ ..	1·85	1·92	1·79	2442	1176	1266	969	309	71	32	17	1398	60	38	23	34	91	167	214	207	144	66
Urinary „ ..	0·55	0·65	0·46	724	400	324	11	9	1	3	8	32	15	12	17	21	52	121	150	152	101	51
Generative „ ..	0·07	0·01	0·13	95	6	89	2	3	—	—	—	5	—	—	—	6	22	16	25	12	9	—
Puerperal Fever ..	0·07	—	0·12	86	—	86	—	—	—	—	—	—	—	—	10	9	54	13	—	—	—	—
Childbirth	0·07	—	0·13	92	—	92	—	—	—	—	—	—	—	—	—	12	47	31	2	—	—	—
Violence	0·99	1·34	0·70	1311	818	493	294	33	45	41	24	437	88	39	45	37	116	148	167	121	70	43
OTHER CAUSES	3·04	3·26	2·89	4043	1998	2045	1888	119	47	28	19	2101	50	48	55	55	174	232	227	236	339	526

Marriages 10,322

Births .. { Males .. 21,337 / Females 20,609 } 41,946

Annual Rate per 1000 living { Persons Married .. 15·64 / Births .. .. .. 31·79 }

Annual Births to 1000 Females aged 15—45 years = 119.

Deaths from Childbirth and Puerperal Fever .. .. } 4·24 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

455.—WEST DERBY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 21·70			*174	—	—	—	—	69·64	5·04	2·90	3·62	4·61	7·04	13·48	22·15	40·15	79·48	157·43
Annual Death-Rate per 1000. Males	—			22·46			*188	—	—	—	—	74·19	5·03	3·00	3·76	4·95	7·03	13·64	23·70	43·02	83·45	163·71
Annual Death-Rate per 1000. Females	—			20·98			*160	—	—	—	—	65·09	5·02	2·81	3·49	4·31	7·06	13·32	20·67	37·66	76·55	153·67
Mean Population, 1891–1900. Persons	—			483,211			13793	12230	12218	12212	11895	62348	56822	52588	48327	45963	78858	58482	41177	24032	11191	3423
Mean Population, 1891–1900. Males	—			233,764			6976	6068	6099	6038	5974	31155	28358	26400	23507	21402	37247	28420	20087	11144	4760	1284
Mean Population, 1891–1900. Females	—			249,447			6817	6162	6119	6174	5921	31193	28464	26188	24820	24561	41611	30062	21090	12888	6431	2139
Deaths from All Causes, 1891–1900. Persons	20·32			98,165			28196	8824	3242	1867	1289	43418	2865	1526	1750	2118	5555	7882	9119	9648	8895	5389
Deaths from All Causes, 1891–1900. Males	21·14			49,407			15457	4476	1635	893	653	23114	1436	791	883	1059	2619	3877	4760	4794	3972	2102
Deaths from All Causes, 1891–1900. Females	19·55			48,758			12739	4348	1607	974	636	20304	1429	735	867	1059	2936	4005	4359	4854	4923	3287
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	0·01	29	14	15	3	—	1	—	—	4	3	—	2	4	10	1	3	2	—	—
Measles	0·44	0·46	0·42	2118	1074	1044	439	858	393	178	121	1989	121	3	2	3	—	—	—	—	—	—
Scarlet Fever	0·27	0·29	0·26	1324	683	641	83	214	223	217	174	911	38	51	22	15	12	5	—	—	—	—
Diphtheria	0·17	0·18	0·16	832	428	404	72	175	129	115	90	581	190	32	7	6	6	1	3	3	2	1
Whooping-cough	0·50	0·44	0·55	2397	1036	1361	956	752	319	181	98	2306	90	1	—	—	—	—	—	—	—	—
Typhus	0·05	0·05	0·04	219	112	107	—	3	1	1	—	5	2	13	9	15	57	68	36	12	1	1
Enteric Fever	0·27	0·30	0·24	1296	695	601	5	16	18	26	18	83	138	129	176	167	272	179	98	43	11	—
Simple Continued Fever	0·01	0·00	0·01	27	11	16	1	2	1	1	2	7	5	4	2	1	1	3	—	—	1	3
Diarrhœa & Dysentery	1·17	1·28	1·06	5629	2979	2650	4109	939	123	36	28	5235	37	11	3	6	16	29	38	72	99	83
Cholera	0·07	0·07	0·06	315	171	144	194	56	5	2	1	258	6	2	2	1	3	8	15	11	8	1
Cancer	0·64	0·48	0·79	3081	1113	1968	1	5	3	2	2	13	8	5	10	12	107	462	824	876	605	159
Tabes Mesenterica	0·25	0·27	0·23	1194	631	563	564	244	96	55	24	983	79	45	19	19	16	16	11	6	—	—
Phthisis	1·56	1·80	1·34	7555	4204	3351	74	78	46	29	24	251	172	234	492	746	1841	2043	1203	451	112	10
Other Tub. & Scrof. Dis.	0·41	0·45	0·37	1964	1046	918	485	372	186	110	75	1228	253	137	76	58	90	62	32	18	9	1
Diseases of Nervous System	2·46	2·60	2·32	11881	6084	5797	4400	924	364	192	139	6019	318	167	124	107	279	562	933	1355	1334	683
Diseases of Circulatory „	1·39	1·31	1·47	6716	3053	3663	83	11	12	12	10	128	112	159	159	164	446	833	1258	1606	1340	511
Diseases of Respiratory „	4·48	4·79	4·20	21659	11190	10469	5030	2717	916	432	269	9364	434	142	211	242	781	1458	2278	2821	2656	1272
Diseases of Digestive „	1·47	1·46	1·47	7083	3411	3672	3036	847	160	82	59	4184	158	89	88	99	259	460	593	597	400	156
Diseases of Urinary „	0·46	0·52	0·41	2239	1208	1031	48	33	17	18	11	127	41	32	50	54	167	327	502	485	337	117
Diseases of Generative „	0·05	0·00	0·09	236	11	225	5	3	3	—	—	11	—	3	4	8	43	55	64	30	14	4
Puerperal Fever	0·07	—	0·14	348	—	348	—	—	—	—	—	—	—	—	9	71	186	82	—	—	—	—
Childbirth	0·07	—	0·14	361	—	361	—	—	—	—	—	—	—	—	6	55	163	123	4	—	—	—
Violence	0·71	0·91	0·52	3433	2124	1309	836	134	106	111	93	1280	205	111	102	120	309	358	365	298	189	96
OTHER CAUSES	3·34	3·47	3·25	16229	8129	8100	7772	441	120	67	51	8451	185	156	175	145	491	737	859	962	1777	2291

Marriages 35,180

Births .. { Males .. 82,051 / Females 79,627 } 161,678

Annual Rate per 1000 living { Persons Married .. 14·56 / Births .. .. .. 33·46

Annual Births to 1000 Females aged 15—45 years = 134.

Deaths from Childbirth and Puerperal Fever .. .. } 4·39 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

456.—PRESCOT.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 23·17	*169	—	—	—	—	70·52	4·77	2·97	4·31	6·07	9·00	15·11	24·18	45·85	84·60	164·39
Annual Death-Rate per 1000. Males ..	—	24·62	*182	—	—	—	—	75·90	4·93	3·16	4·49	5·80	9·37	16·42	28·27	50·51	90·21	170·60
Annual Death-Rate per 1000. Females	—	21·80	*156	—	—	—	—	65·12	4·60	2·78	4·11	6·36	8·59	13·59	19·69	41·23	79·75	159·46
Mean Population, 1891–1900. Persons	—	146,720	4403	4000	4058	3939	3836	20236	18340	16736	14845	13700	23010	17086	11762	6872	3195	938
Mean Population, 1891–1900. Males ..	—	75,813	2191	2045	2027	1974	1907	10144	9190	8423	7927	7272	12237	9148	6155	3421	1481	415
Mean Population, 1891–1900. Females	—	70,907	2212	1955	2031	1965	1929	10092	9150	8313	6918	6428	10773	7938	5607	3451	1714	523
Deaths from All Causes, 1891–1900. Persons	21·81	32,006	9119	3078	1046	621	407	14271	874	497	640	831	2072	2581	2844	3151	2703	1542
Deaths from All Causes, 1891–1900. Males ..	22·89	17,357	5015	1594	567	308	215	7699	453	266	356	422	1147	1502	1740	1728	1336	708
Deaths from All Causes, 1891–1900. Females	20·66	14,649	4104	1434	479	313	192	6572	421	231	284	409	925	1079	1104	1423	1367	834

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·01	0·01	0·01	11	7	4	—	—	1	—	—	1	1	2	1	—	3	2	1	—	—	—
Measles	0·60	0·60	0·59	874	458	416	195	378	158	62	49	842	29	2	—	—	1	—	—	—	—	—
Scarlet Fever	0·27	0·27	0·28	402	202	200	30	66	80	73	36	285	90	15	6	4	2	—	—	—	—	—
Diphtheria	0·17	0·17	0·16	243	129	114	19	63	38	42	27	189	40	1	2	1	4	4	1	1	—	—
Whooping-cough ..	0·49	0·40	0·58	712	302	410	299	251	69	49	24	692	19	—	—	—	1	—	—	—	—	—
Typhus	0·00	0·00	0·00	2	1	1	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
Enteric Fever	0·45	0·54	0·37	666	407	259	4	12	12	6	11	45	74	54	79	94	144	107	37	25	6	1
Simple Continued Fever	0·02	0·02	0·02	31	15	16	7	3	1	1	3	15	4	1	—	—	1	3	1	1	4	1
Diarrhœa & Dysentery	1·16	1·20	1·12	1708	911	797	1154	308	50	16	8	1536	8	1	2	1	8	16	22	33	45	36
Cholera	0·06	0·06	0·06	89	46	43	48	16	—	1	2	67	2	1	—	2	2	2	6	6	1	—
Cancer	0·60	0·48	0·72	876	363	513	1	1	2	2	1	7	4	1	5	5	32	100	232	257	182	51
Tabes Mesenterica ..	0·33	0·33	0·32	477	249	228	244	99	31	15	4	393	28	14	4	6	16	3	8	5	—	—
Phthisis	1·51	1·62	1·39	2210	1225	985	18	21	8	10	8	65	38	69	162	253	592	551	316	137	22	5
Other Tub. & Scrof. Dis.	0·44	0·50	0·38	644	377	267	184	133	57	40	30	444	63	34	21	21	32	14	12	2	1	—
Diseases of Nervous System ..	2·81	3·15	2·44	4118	2385	1733	1255	249	104	58	26	1692	83	46	45	58	220	431	441	495	424	183
Diseases of Circulatory „ ..	1·24	1·20	1·28	1814	906	908	27	6	1	3	3	40	20	39	58	44	111	207	349	447	370	129
Diseases of Respiratory „ ..	4·80	5·36	4·20	7043	4063	2980	1657	896	278	138	94	3063	159	57	51	95	255	487	766	943	796	371
Diseases of Digestive „ ..	1·71	1·67	1·75	2504	1263	1241	1066	322	49	38	23	1498	64	41	39	47	86	133	194	232	130	40
Diseases of Urinary „ ..	0·40	0·42	0·37	585	320	265	17	12	5	3	3	40	14	10	7	17	69	81	116	111	84	36
Diseases of Generative „ ..	0·03	0·01	0·06	48	4	44	3	1	1	—	—	5	1	—	5	2	8	8	9	7	3	—
Puerperal Fever ..	0·11	—	0·24	168	—	168	—	—	—	—	—	—	—	—	10	31	81	45	1	—	—	—
Childbirth	0·13	—	0·27	194	—	194	—	—	—	—	—	—	—	—	5	24	90	75	—	—	—	—
Violence	0·74	1·08	0·38	1092	820	272	56	40	48	37	31	212	72	54	79	67	161	144	121	107	49	26
Other Causes ..	3·73	3·80	3·67	5495	2904	2591	2835	201	53	27	24	3140	61	55	59	59	151	168	211	342	586	663

Marriages 10,568

Births .. { Males .. 27,597 / Females 26,359 } 53,956

Annual Rate per 1000 living { Persons Married .. 14·41 / Births .. .. .. 36·77

Annual Births to 1000 Females aged 15—45 years = 168.

Deaths from Childbirth and Puerperal Fever .. .. } 6·71 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

457.—ORMSKIRK.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		17·84	*142	—	—	—	—	51·94	4·12	2·43	3·68	4·68	6·65	10·56	16·82	31·54	67·29	161·47
Males	—					19·44	*157	—	—	—	—	57·00	4·44	2·29	3·68	5·50	7·97	12·24	19·97	37·26	75·23	172·58
Females	—					16·34	*126	—	—	—	—	46·99	3·81	2·56	3·69	4·13	5·71	9·21	14·36	27·50	61·76	154·01
Mean Population, 1891–1900. Persons	—			103,481			2301	2128	2158	2215	2129	10931	10866	10735	10753	10127	16213	12560	9312	6635	3932	1417
Males	—			46,277			1141	1045	1054	1115	1054	5409	5427	5237	4786	4091	6740	5571	4081	2751	1615	569
Females	—			57,204			1160	1083	1104	1100	1075	5522	5439	5498	5967	6036	9473	6989	5231	3884	2317	848
Deaths from All Causes, 1891–1900. Persons	17·64			18,254			3885	976	386	250	181	5678	448	261	396	474	1078	1326	1566	2093	2646	2288
Males	19·67			9,101			2183	488	192	125	95	3083	241	120	176	225	537	682	815	1025	1215	982
Females	16·00			9,153			1702	488	194	125	86	2595	207	141	220	249	541	644	751	1068	1431	1306
	Persons.	Males.	Females	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·00	0·00	2	1	1	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
Measles	0·19	0·21	0·17	194	95	99	52	69	31	15	8	175	16	2	—	—	—	1	—	—	—	—
Scarlet Fever	0·21	0·22	0·20	217	102	115	10	19	28	42	32	131	57	15	5	3	4	—	1	1	—	—
Diphtheria	0·16	0·16	0·15	162	76	86	6	14	28	25	20	93	44	15	2	2	4	1	1	—	—	—
Whooping-cough	0·23	0·23	0·23	239	106	133	142	51	21	11	3	228	8	—	—	—	1	1	—	—	—	1
Typhus	0·00	0·00	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Enteric Fever	0·16	0·19	0·14	170	90	80	—	1	1	2	2	6	11	10	18	26	33	35	17	11	3	—
Simple Continued Fever	0·01	0·01	0·01	7	4	3	—	—	—	2	—	2	—	—	—	1	—	1	—	3	—	—
Diarrhœa & Dysentery	0·44	0·56	0·34	454	257	197	323	55	5	1	2	386	4	—	—	2	2	2	6	12	19	21
Cholera	0·02	0·04	0·01	24	17	7	7	2	1	—	—	10	—	—	1	1	—	3	3	4	1	1
Cancer	0·68	0·54	0·79	705	252	453	—	—	—	1	—	1	1	—	3	—	20	67	140	199	200	74
Tabes Mesenterica	0·19	0·22	0·16	198	104	94	72	43	17	7	5	144	14	9	6	3	10	5	3	2	2	—
Phthisis	1·41	1·70	1·17	1454	785	669	21	12	10	4	3	50	21	48	126	183	372	316	190	110	33	5
Other Tub. & Scrof. Dis.	0·28	0·33	0·24	293	154	139	75	45	32	11	11	174	37	18	13	4	15	15	10	2	5	—
Diseases of Nervous System	2·35	2·59	2·16	2435	1198	1237	616	113	45	28	18	820	62	25	46	32	72	117	206	320	453	282
Circulatory	1·85	1·89	1·82	1913	875	1038	6	3	—	1	5	15	11	27	35	30	90	152	245	440	539	329
Respiratory	3·24	3·77	2·81	3352	1745	1607	751	338	107	51	36	1283	62	26	35	45	104	170	237	395	572	423
Digestive	1·44	1·55	1·35	1492	718	774	487	123	16	15	6	647	31	21	22	21	53	85	154	175	191	92
Urinary	0·55	0·74	0·40	573	343	230	10	9	5	3	2	29	7	3	12	15	35	69	65	113	134	91
Generative	0·04	0·01	0·07	46	4	42	—	—	—	—	—	—	—	—	—	1	6	16	14	4	5	—
Puerperal Fever	0·08	—	0·15	85	—	85	—	—	—	—	—	—	—	—	2	13	50	20	—	—	—	—
Childbirth	0·10	—	0·18	102	—	102	—	—	—	—	—	—	—	—	3	13	43	43	—	—	—	—
Violence	0·59	0·96	0·30	615	443	172	32	26	23	16	18	115	34	24	27	32	64	71	86	74	50	38
Other Causes	3·42	3·75	3·15	3521	1731	1790	1275	53	16	15	10	1369	28	18	40	46	99	135	188	228	439	931

Marriages 7,341

Births .. { Males .. 13,886 / Females 13,465 } 27,351

Annual Rate per 1000 living { Persons Married .. 14·19 / Births .. .. .. 26·43 }

Annual Births to 1000 Females aged 15—45 years = 96.

Deaths from Childbirth and Puerperal Fever .. .. } 6·84 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

458.—WIGAN.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 23·17			*179	—	—	—	—	79·02	5·32	2·75	4·06	5·77	6·81	12·04	20·24	41·56	86·14	179·44
Males ..	—			24·07			*196	—	—	—	—	84·84	5·48	2·81	4·07	5·57	6·29	11·99	22·54	43·48	91·76	191·37
Females	—			22·33			*161	—	—	—	—	73·24	5·17	2·69	4·05	5·99	7·36	12·10	17·79	39·72	81·24	170·33
Mean Population, 1891-1900. Persons	—			177,903			5735	5095	4990	4789	4772	25381	22573	20201	18879	17170	27588	19821	13662	7935	3730	963
Males ..	—			89,894			2890	2533	2483	2370	2379	12655	11135	10099	9552	8840	14163	10373	7042	3882	1736	417
Females	—			88,009			2845	2562	2507	2419	2393	12726	11438	10102	9327	8330	13425	9448	6620	4053	1994	546
Deaths from All Causes, 1891-1900. Persons	21·83			38,842			12594	4280	1657	925	601	20057	1201	556	767	991	1879	2387	2765	3298	3213	1728
Males ..	22·60			20,312			6993	2176	850	413	304	10736	610	284	389	492	891	1244	1587	1688	1593	798
Females	21·05			18,530			5601	2104	807	512	297	9321	591	272	378	499	988	1143	1178	1610	1620	930
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·02	0·01	19	14	5	2	1	2	—	—	5	1	—	—	—	5	5	3	—	—	—
Measles	0·75	0·74	0·77	1340	661	679	268	570	262	123	56	1279	58	2	1	—	—	—	—	—	—	—
Scarlet Fever	0·43	0·42	0·44	771	381	390	43	146	147	143	97	576	161	19	7	—	5	2	1	—	—	—
Diphtheria	0·13	0·13	0·13	239	121	118	27	47	42	31	20	167	60	3	1	2	2	2	1	1	—	—
Whooping-cough ..	0·61	0·56	0·66	1083	500	583	473	342	134	68	42	1059	24	—	—	—	—	—	—	—	—	—
Typhus	0·02	0·02	0·02	41	20	21	—	1	1	4	2	8	11	3	6	3	5	3	2	—	—	—
Enteric Fever	0·36	0·39	0·33	637	347	290	2	10	14	17	12	55	61	64	80	93	130	72	51	23	7	1
Simple Continued Fever	0·02	0·01	0·02	28	11	17	1	2	1	2	3	9	7	2	1	1	1	2	—	3	2	—
Diarrhœa & Dysentery	1·06	1·08	1·04	1889	973	916	1317	370	37	10	7	1741	11	2	1	1	5	10	18	29	44	27
Cholera	0·05	0·04	0·05	84	37	47	41	10	2	—	—	53	7	—	—	2	2	4	2	8	4	2
Cancer	0·43	0·34	0·53	773	310	463	1	2	1	1	1	6	1	1	6	6	23	87	185	232	179	47
Tabes Mesenterica ..	0·42	0·43	0·41	743	383	360	378	215	52	23	13	681	25	11	2	5	10	6	2	—	1	—
Phthisis	0·99	0·96	1·01	1752	865	887	27	27	22	15	15	106	38	60	167	221	402	392	238	100	27	1
Other Tub. & Scrof. Dis.	0·61	0·67	0·55	1082	601	481	434	261	103	38	32	868	80	38	23	12	26	14	8	10	3	—
Diseases of: Nervous System ..	2·47	2·58	2·36	4403	2322	2081	1846	391	160	89	57	2543	129	55	41	37	74	182	261	469	430	182
Circulatory " ..	1·36	1·28	1·45	2425	1149	1276	23	6	2	1	3	35	36	56	82	82	170	271	437	603	505	148
Respiratory " ..	5·11	5·60	4·61	9093	5032	4061	2483	1152	438	238	149	4460	244	58	83	160	308	533	793	1033	1017	404
Digestive " ..	1·75	1·75	1·76	3121	1570	1551	1479	451	92	34	29	2085	53	38	44	41	88	134	201	238	161	38
Urinary " ..	0·38	0·42	0·34	677	375	302	20	21	10	11	11	73	31	16	18	26	43	97	127	120	98	28
Generative " ..	0·04	0·01	0·07	67	8	59	2	4	1	1	—	8	—	—	3	6	16	12	9	7	3	3
Puerperal Fever ..	0·12	—	0·25	222	—	222	—	—	—	—	—	—	—	—	2	47	112	59	2	—	—	—
Childbirth	0·16	—	0·32	280	—	280	—	—	—	—	—	—	—	—	9	46	107	115	3	—	—	—
Violence	0·93	1·44	0·41	1651	1289	362	87	58	69	50	35	299	95	78	117	107	187	239	217	164	108	40
OTHER CAUSES ..	3·62	3·71	3·51	6422	3343	3079	3640	193	65	26	17	3941	68	50	73	93	158	146	204	258	624	807

Marriages 14,491

Births .. { Males .. 35,713 / Females 34,799 } 70,512

Annual Rate per 1000 living { Persons Married .. 16·29 / Births .. .. .. 39·64 }

Annual Births to 1000 Females aged 15—45 years = 174.

Deaths from Childbirth and Puerperal Fever .. .. } 7·12 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

459.—WARRINGTON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 21·16			*163	—	—	—	—	68·71	4·78	2·41	3·48	4·34	6·68	12·29	20·11	40·22	80·19	163·25
Annual Death-Rate per 1000. Males	—			22·09			*175	—	—	—	—	73·66	4·82	2·77	3·42	4·16	6·58	12·63	22·12	41·43	87·34	176·79
Annual Death-Rate per 1000. Females	—			20·28			*151	—	—	—	—	63·78	4·73	2·06	3·55	4·55	6·79	11·91	17·93	39·01	73·89	153·53
Mean Population, 1891–1900. Persons	—			91,566			2802	2513	2483	2469	2387	12654	11409	10443	9648	8939	14426	10234	7046	4232	1989	536
Mean Population, 1891–1900. Males	—			47,103			1404	1262	1238	1209	1194	6307	5721	5243	5111	4716	7650	5415	3667	2117	932	224
Mean Population, 1891–1900. Females	—			44,463			1398	1251	1245	1260	1193	6347	5688	5200	4537	4223	6786	4819	3379	2115	1057	312
Deaths from All Causes, 1891–1900. Persons	19·69			18,026			5532	1843	693	368	258	8694	545	252	336	388	964	1258	1417	1702	1595	875
Deaths from All Causes, 1891–1900. Males	20·22			9,523			3017	950	355	184	140	4646	276	145	175	196	503	684	811	877	814	396
Deaths from All Causes, 1891–1900. Females	19·12			8,503			2515	893	338	184	118	4048	269	107	161	192	461	574	606	825	781	479
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·08	0·11	0·06	76	51	25	9	1	—	1	1	12	3	2	3	8	18	21	4	5	—	—
Measles	0·72	0·69	0·75	658	325	333	136	283	122	61	30	632	24	2	—	—	—	—	—	—	—	—
Scarlet Fever	0·32	0·34	0·30	291	159	132	13	46	62	45	40	206	72	7	2	2	1	1	—	—	—	—
Diphtheria	0·17	0·18	0·17	160	86	74	19	29	25	26	22	121	24	3	2	3	1	1	3	2	—	—
Whooping-cough	0·46	0·38	0·55	424	179	245	188	146	44	24	10	412	12	—	—	—	—	—	—	—	—	—
Typhus	0·00	0·01	—	4	4	—	—	—	—	—	—	—	—	—	2	—	2	—	—	—	—	—
Enteric Fever	0·20	0·25	0·15	182	116	66	—	1	4	4	—	9	13	15	37	25	39	22	13	8	1	—
Simple Continued Fever	0·01	0·01	0·00	5	4	1	—	—	—	—	—	—	2	—	—	—	—	2	—	1	—	—
Diarrhœa & Dysentery	1·37	1·44	1·30	1256	677	579	867	234	37	12	5	1155	7	3	—	—	5	7	5	31	20	23
Cholera	0·07	0·07	0·07	66	33	33	34	11	—	1	1	47	—	—	—	—	4	2	3	7	2	1
Cancer	0·50	0·38	0·63	460	181	279	1	—	1	1	—	3	—	2	3	2	19	57	111	145	92	26
Tabes Mesenterica	0·35	0·38	0·32	322	178	144	165	68	29	11	11	284	18	5	2	3	4	1	5	—	—	—
Phthisis	1·25	1·27	1·23	1146	598	548	18	17	14	2	8	59	22	26	105	111	265	288	176	71	23	—
Other Tub. & Scrof. Dis.	0·37	0·41	0·34	343	192	151	114	66	27	16	13	236	39	17	10	8	14	8	5	6	—	—
Diseases of Nervous System	2·61	2·66	2·55	2387	1254	1133	1048	205	76	42	26	1397	61	21	15	15	57	95	176	230	226	94
Diseases of Circulatory "	1·28	1·25	1·32	1174	588	586	4	3	2	—	1	10	16	21	24	31	61	119	225	313	265	89
Diseases of Respiratory "	3·70	3·89	3·48	3383	1837	1546	947	479	167	74	47	1714	75	21	25	39	1[illegible]6	200	267	392	370	174
Diseases of Digestive "	1·32	1·33	1·30	1203	624	579	491	146	29	8	11	685	31	16	9	19	34	71	97	125	92	24
Diseases of Urinary "	0·37	0·41	0·33	339	194	145	7	11	6	2	4	30	16	9	7	6	32	48	60	55	52	24
Diseases of Generative "	0·04	0·01	0·08	38	4	34	1	3	1	—	1	6	—	—	4	—	4	5	5	7	6	1
Puerperal Fever	0·10	—	0·20	87	—	87	—	—	—	—	—	—	—	—	4	25	42	16	—	—	—	—
Childbirth	0·11	—	0·22	99	—	99	—	—	—	—	—	—	—	—	2	12	49	35	1	—	—	—
Violence	0·80	1·17	0·40	731	553	178	22	20	24	21	19	106	72	34	43	34	89	108	91	76	47	31
OTHER CAUSES	3·49	3·58	3·37	3192	1686	1506	1448	74	23	17	8	1570	38	48	37	45	118	151	170	228	399	388

Marriages 6,983

Births .. { Males .. 17,238 / Females 16,656 } 33,894

Annual Rate per 1000 living { Persons Married .. 15·25 / Births .. .. .. 37·02 }

Annual Births to 1000 Females aged 15—45 years = 166.

Deaths from Childbirth and Puerperal Fever .. .. } 5·49 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

460.—LEIGH.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 21·69			*178	—	—	—	—	74·98	4·76	2·32	3·78	5·33	6·06	10·79	17·91	37·83	84·06	171·49
Males ..	—			22·16			*194	—	—	—	—	80·36	4·59	2·11	3·93	5·00	5·14	10·39	18·42	41·61	88·86	174·78
Females	—			21·24			*161	—	—	—	—	69·65	4·94	2·52	3·64	5·66	7·00	11·21	17·41	34·59	30·23	168·82
Mean Population, 1891-1900. Persons	—			77,815			2414	2080	2047	2026	1966	10533	9571	8754	8142	7484	12424	8895	6097	3653	1757	505
Males ..	—			38,725			1186	1037	1031	1004	987	5245	4789	4306	4075	3723	6298	4560	3035	1687	781	226
Females	—			39,090			1228	1043	1016	1022	979	5288	4782	4448	4067	3761	6126	4335	3062	1966	976	279
Deaths from All Causes, 1891-1900. Persons	20·30			15,794			5085	1621	611	345	236	7898	456	203	308	399	753	960	1092	1382	1477	866
Males ..	20·71			8,020			2830	805	303	169	108	4215	220	91	160	186	324	474	559	702	694	395
Females	19·89			7,774			2255	816	308	176	128	3683	236	112	148	213	429	486	533	680	783	471
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox ..	0·00	0·00	0·01	3	1	2	1	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—
Measles	0·98	0·99	0·96	759	382	377	190	319	135	51	35	730	27	1	1	—	—	—	—	—	—	—
Scarlet Fever	0·35	0·32	0·38	272	124	148	19	39	49	49	32	188	75	5	1	1	1	1	—	—	—	—
Diphtheria	0·18	0·17	0·18	138	67	71	9	33	22	28	20	112	19	5	—	—	2	—	—	—	—	—
Whooping-cough	0·46	0·36	0·55	354	141	213	147	109	50	27	13	346	8	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·33	0·37	0·28	255	144	111	1	—	2	2	6	11	19	22	36	43	55	37	22	7	2	1
Simple Continued Fever	0·03	0·02	0·03	20	9	11	2	2	2	—	1	7	2	—	—	—	1	2	2	5	—	1
Diarrhœa & Dysentery	1·51	1·61	1·41	1177	625	552	927	137	12	9	1	1086	2	—	—	—	1	4	10	8	30	36
Cholera	0·04	0·05	0·04	33	18	15	8	—	—	2	—	10	3	—	1	1	2	3	4	7	2	—
Cancer	0·44	0·36	0·52	345	140	205	—	2	—	—	—	2	1	—	1	4	4	46	77	108	80	22
Tabes Mesenterica	0·32	0·34	0·30	247	130	117	131	63	12	6	6	218	5	5	4	4	5	3	2	1	—	—
Phthisis	1·17	1·02	1·32	911	394	517	18	18	9	7	4	56	19	27	96	120	223	188	117	47	18	—
Other Tub. & Scrof. Dis.	0·39	0·41	0·37	301	158	143	97	50	30	14	10	201	29	18	12	13	14	9	2	3	—	—
Diseases of Nervous System	2·09	2·15	2·03	1625	833	792	576	109	57	28	22	792	52	15	21	20	27	53	107	192	235	111
Circulatory "	1·41	1·23	1·59	1100	478	622	15	4	5	—	3	27	15	23	25	23	55	117	185	261	283	86
Respiratory "	4·65	5·04	4·28	3621	1950	1671	1100	514	147	84	51	1896	84	23	31	38	85	161	240	389	450	224
Digestive "	1·47	1·52	1·41	1140	588	552	508	132	27	10	3	680	27	12	16	19	30	55	102	92	76	31
Urinary "	0·38	0·46	0·30	295	177	118	11	12	4	5	4	36	9	2	5	10	19	41	37	64	50	22
Generative "	0·03	0·01	0·05	23	2	21	—	1	—	—	—	1	—	—	—	2	4	3	3	5	2	3
Puerperal Fever	0·10	—	0·19	74	—	74	—	—	—	—	—	—	—	—	2	16	35	21	—	—	—	—
Childbirth	0·17	—	0·34	133	—	133	—	—	—	—	—	—	—	—	2	16	58	55	2	—	—	—
Violence	0·66	1·00	0·32	515	388	127	32	18	23	15	16	104	33	19	25	34	51	69	70	57	34	19
OTHER CAUSES ..	3·14	3·28	3·03	2453	1271	1182	1293	59	25	8	9	1394	26	26	29	35	80	92	110	136	215	310

Marriages 6,156

Births .. { Males .. 14,625 / Females 13,969 } 28,594

Annual Rate per 1000 living { Persons Married .. 15·82 / Births .. .. .. 36·75 }

Annual Births to 1000 Females aged 15—45 years = 156.

Deaths from Childbirth and Puerperal Fever .. .. } 7·24 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

461.—BOLTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 22·06			*176	—	—	—	—	70·03	4·70	2·53	4·32	5·24	6·78	11·88	20·53	41·96	86·90	176·02
Annual Death-Rate per 1000. Males ..	—			23·66			*193	—	—	—	—	77·24	4·98	2·46	4·27	5·42	7·04	13·13	23·06	46·14	96·66	191·99
Annual Death-Rate per 1000. Females	—			20·56			*158	—	—	—	—	63·00	4 43	2·60	4·37	5·08	6·54	10·72	18·28	38·52	79·64	165·88
Mean Population, 1891-1900. Persons	—			240,813			6323	5711	5809	5595	5623	29061	27081	26608	25272	23700	39452	29470	20708	12329	5685	1447
Mean Population, 1891-1900. Males ..	—			115,204			3086	2784	2922	2765	2778	14335	13384	13075	12239	10984	18699	14176	9760	5566	2424	562
Mean Population, 1891-1900. Females	—			125,609			3237	2927	2887	2830	2845	14726	13697	13533	13033	12716	20753	15294	10948	6763	3261	885
Deaths from All Causes, 1891-1900. Persons	19·81			47,716			13483	3989	1444	854	580	26350	1273	673	1092	1241	2673	3502	4252	5173	4940	2547
Deaths from All Causes, 1891-1900. Males ..	21·35			24,596			7524	2096	732	416	304	11072	666	321	523	595	1316	1862	2251	2568	2343	1079
Deaths from All Causes, 1891-1900. Females	18·41			23,120			5959	1893	712	438	276	9278	607	352	569	646	1357	1640	2001	2605	2597	1468
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·01	0·00	12	8	4	1	—	1	—	—	2	—	—	—	—	4	3	2	1	—	—
Measles	0·56	0·63	0·51	1356	720	636	353	548	229	113	48	1291	59	1	2	—	3	—	—	—	—	—
Scarlet Fever	0·21	0·22	0·20	510	258	252	20	69	76	84	76	325	136	17	17	7	6	1	1	—	—	—
Diphtheria	0·13	0·13	0·13	312	155	157	18	43	56	48	41	206	81	5	4	2	6	4	1	3	—	—
Whooping-cough ..	0·46	0·43	0·49	1104	492	612	471	347	144	65	46	1073	29	2	—	—	—	—	—	—	—	—
Typhus	0·00	0·00	0·00	7	1	6	—	—	—	—	—	—	1	1	1	1	1	—	—	2	—	—
Enteric Fever	0·31	0·37	0·25	746	427	319	2	6	5	7	15	35	56	65	117	111	159	113	51	27	10	2
Simple Continued Fever	0·01	0·01	0·01	25	10	15	3	—	3	1	—	7	3	2	2	2	3	—	5	—	—	1
Diarrhœa & Dysentery	1·20	1·33	1·08	2885	1532	1353	2175	386	38	13	14	2626	21	2	5	5	14	14	26	53	77	42
Cholera	0·05	0·06	0·04	130	74	56	65	18	2	—	1	86	6	3	1	1	4	3	4	14	6	2
Cancer	0·56	0·40	0·71	1355	461	894	2	—	3	1	2	8	3	3	6	9	40	163	372	415	274	62
Tabes Mesenterica ..	0·34	0·39	0·28	807	452	355	483	158	40	20	11	712	28	14	14	10	11	9	6	3	—	—
Phthisis	1·28	1·44	1·12	3074	1662	1412	29	19	15	13	10	86	53	89	295	378	752	700	497	179	43	2
Other Tub. & Scrof. Dis.	0·32	0·38	0·28	781	432	349	218	125	80	45	33	501	72	34	41	33	38	33	17	11	1	—
Diseases of Nervous System ..	2·40	2·58	2·24	5774	2966	2808	2124	404	157	82	59	2826	158	64	58	54	138	305	455	755	701	230
Diseases of Circulatory „ ..	1·38	1·33	1·43	3321	1531	1790	43	3	8	1	4	59	54	81	82	90	234	389	612	891	684	145
Diseases of Respiratory „ ..	4·57	5·13	4·05	10990	5908	5082	2557	1275	387	237	140	4596	240	58	120	157	387	732	1100	1549	1450	601
Diseases of Digestive „ ..	1·35	1·43	1·27	3242	1646	1596	1208	303	52	29	13	1605	81	49	75	70	148	204	310	318	282	100
Diseases of Urinary „ ..	0·44	0·54	0·34	1049	624	425	26	21	11	8	4	70	23	18	28	32	86	142	192	214	188	56
Diseases of Generative „ ..	0·04	0·01	0·07	94	11	83	2	1	3	—	—	6	1	1	1	2	10	24	13	16	16	4
Puerperal Fever ..	0·10	—	0·19	243	—	243	—	—	—	—	—	—	—	—	4	57	120	62	—	—	—	—
Childbirth	0·10	—	0·20	248	—	248	—	—	—	—	—	—	—	—	7	33	112	93	3	—	—	—
Violence	0·63	0·95	0·33	1512	1098	414	78	74	75	56	35	318	73	69	83	71	173	190	202	168	109	56
OTHER CAUSES.. ..	3·37	3·58	3·19	8139	4128	4011	3605	189	59	31	28	3912	95	95	129	116	224	318	383	554	1099	1214

Marriages 19,016

Births .. Males .. 38,903 / Females 37,640 } 76,543

Annual Rate per 1000 living { Persons Married .. 15·79 / Births .. .. .. 31·79

Annual Births to 1000 Females aged 15—45 years = 124.

Deaths from Childbirth and Puerperal Fever .. .. } 6·41 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

462.—BURY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		21·89	*172	—	—	—	—	66·06	5·10	2·70	4·24	5·19	7·33	12·16	20·81	41·82	88·38	178·16
Annual Death-Rate per 1000. Males ..	—					23·48	*189	—	—	—	—	72·15	5·16	2·45	4·28	5·16	7·25	14·31	24·71	46·82	99·28	192·81
Annual Death-Rate per 1000. Females	—					20·39	*154	—	—	—	—	60·05	5·04	2·95	4·20	5·20	7·39	10·29	17·60	37·95	80·67	168·77
Mean Population, 1891–1900. Persons	—			141,508			3159	2933	2972	3047	2908	15019	14577	15010	15030	14232	23332	17866	13049	8280	4046	1067
Mean Population, 1891–1900. Males ..	—			66,409			1546	1445	1511	1506	1451	7459	7242	7374	7212	6468	10767	8286	5889	3618	1677	417
Mean Population, 1891–1900. Females	—			75,099			1613	1488	1461	1541	1457	7560	7335	7636	7818	7764	12565	9580	7160	4662	2369	650
Deaths from All Causes, 1891–1900. Persons	19·78			27,984			6410	1938	749	501	324	9922	744	406	637	738	1710	2172	2715	3463	3576	1901
Deaths from All Causes, 1891–1900. Males ..	21·33			14,165			3587	1012	382	239	162	5382	374	181	309	334	781	1186	1455	1694	1665	804
Deaths from All Causes, 1891–1900. Females	18·40			13,819			2823	926	367	262	162	4540	370	225	328	404	929	986	1260	1769	1911	1097
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	0·01	14	8	6	—	1	—	—	—	1	—	—	2	1	4	1	3	1	1	—
Measles	0·53	0·59	0·48	755	394	361	193	310	112	65	29	709	40	1	1	1	1	—	1	—	1	—
Scarlet Fever	0·24	0·25	0·24	346	163	183	20	36	63	64	36	219	92	20	8	—	7	—	—	—	—	—
Diphtheria	0·24	0·26	0·22	338	170	168	23	51	48	64	59	245	78	7	2	1	1	1	1	1	1	—
Whooping-cough ..	0·30	0·28	0·31	420	187	233	193	122	47	25	16	403	15	1	1	—	—	—	—	—	—	—
Typhus	0·01	0·01	0·01	12	8	4	—	—	—	—	—	—	1	—	1	2	2	5	—	1	—	—
Enteric Fever	0·21	0·21	0·21	296	138	158	3	4	6	4	2	19	21	26	42	30	72	36	26	17	5	2
Simple Continued Fever	0·02	0·03	0·01	32	23	9	—	1	2	1	1	5	5	3	2	1	2	7	4	2	1	—
Diarrhœa & Dysentery	0·95	1·04	0·87	1346	691	655	924	149	21	8	2	1104	14	2	4	2	10	5	26	54	71	54
Cholera	0·04	0·06	0·02	55	40	15	27	7	—	1	1	36	1	—	—	—	4	3	3	5	2	1
Cancer	0·61	0·44	0·75	857	293	564	—	—	—	—	—	—	2	1	2	2	26	103	222	283	176	40
Tabes Mesenterica ..	0·22	0·26	0·18	305	171	134	150	53	20	12	7	242	16	11	10	7	9	5	2	3	—	—
Phthisis	1·40	1·57	1·26	1986	1043	943	8	15	9	6	5	43	27	59	196	255	485	483	286	119	30	3
Other Tub. & Scrof. Dis.	0·34	0·39	0·30	485	257	228	138	87	40	17	27	309	56	28	26	18	22	16	6	3	—	1
Diseases of Nervous System ..	2·49	2·73	2·27	3519	1813	1706	1022	231	83	46	27	1409	73	31	47	36	95	190	323	502	591	222
Diseases of Circulatory „ ..	1·95	1·85	2·04	2757	1227	1530	19	1	2	4	3	29	27	46	56	60	143	268	475	736	708	209
Diseases of Respiratory „ ..	4·38	4·93	3·89	6198	3274	2924	1259	617	188	134	73	2271	124	43	53	100	256	411	628	897	965	450
Diseases of Digestive „ ..	1·25	1·34	1·17	1771	893	878	550	126	36	10	12	734	39	25	48	46	82	138	220	217	171	51
Diseases of Urinary „ ..	0·36	0·48	0·25	508	322	186	5	3	3	2	3	16	17	10	12	21	48	85	97	91	81	30
Diseases of Generative „ ..	0·04	0·01	0·08	62	4	58	2	—	1	—	—	3	—	—	3	1	12	12	15	9	7	—
Puerperal Fever ..	0·10	—	0·20	148	—	148	—	—	—	—	—	—	—	—	1	23	85	35	4	—	—	—
Childbirth	0·11	—	0·21	159	—	159	—	—	—	—	—	—	—	—	1	23	84	51	—	—	—	—
Violence	0·67	1·03	0·35	951	686	265	53	31	34	29	17	164	55	36	50	50	91	124	143	125	75	38
Other Causes	3·31	3·56	3·07	4664	2360	2304	1821	93	34	9	4	1961	41	56	69	58	169	193	230	397	690	800

Marriages 11,591

Births .. { Males .. 18,931 / Females 18,377 } 37,308

Annual Rate per 1000 living { Persons Married .. 16·38 / Births .. .. .. 26·36 }

Annual Births to 1000 Females aged 15—45 years = 99.

Deaths from Childbirth and Puerperal Fever .. .. } 8·23 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

463.—BARTON UPON IRWELL.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 18·28			*156	—	—	—	—	57·45	4·25	2·57	3·10	3·76	5·51	9·34	16·21	33·69	73·05	165·33
Annual Death-Rate per 1000. Males ..	—			19·39			*171	—	—	—	—	63·33	4·26	2·56	3·18	4·00	5·56	10·02	18·83	37·68	79·46	167·79
Annual Death-Rate per 1000. Females	—			17·23			*140	—	—	—	—	51·73	4·24	2·58	3·01	3·55	5·47	8·71	13·88	30·43	68·47	163·73
Mean Population, 1891-1900. Persons	—			103,162			2456	2203	2267	2294	2267	11487	11249	11004	10630	10569	17579	12785	8924	5379	2731	825
Mean Population, 1891-1900. Males ..	—			48,991			1225	1078	1104	1141	1114	5662	5586	5425	5087	4849	8130	6158	4211	2418	1139	326
Mean Population, 1891-1900. Females	—			54,171			1231	1125	1163	1153	1153	5825	5663	5579	5543	5720	9449	6627	4713	2961	1592	499
Deaths from All Causes, 1891-1900. Persons	16·35			16,867			4361	1314	439	277	208	6599	478	283	329	397	969	1194	1447	1812	1995	1364
Deaths from All Causes, 1891-1900. Males ..	17·44			8,544			2442	655	241	138	110	3586	238	139	162	194	452	617	793	911	905	547
Deaths from All Causes, 1891-1900. Females	15·36			8,323			1919	659	198	139	98	3013	240	144	167	203	517	577	654	901	1090	817
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·41	0·46	0·37	426	225	201	93	180	66	26	26	391	31	1	1	1	1	—	—	—	—	—
Scarlet Fever	0·16	0·15	0·16	160	73	87	5	22	27	23	22	99	44	10	3	2	1	1	—	—	—	—
Diphtheria	0·20	0·20	0·21	209	96	113	5	25	26	29	31	116	66	15	1	2	3	3	1	—	2	—
Whooping-cough ..	0·39	0·35	0·42	403	173	230	172	134	40	24	18	388	15	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·20	0·25	0·16	208	123	85	—	1	4	5	2	12	9	19	27	30	47	34	17	10	3	—
Simple Continued Fever	0·00	0·00	0·00	2	1	1	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—
Diarrhœa & Dysentery	0·78	0·87	0·70	804	425	379	605	94	14	9	2	724	4	2	1	—	3	6	7	15	19	23
Cholera	0·03	0·04	0·02	34	21	13	20	2	2	—	—	24	1	—	—	1	1	2	2	2	1	—
Cancer	0·64	0·50	0·77	664	247	417	—	1	—	1	—	2	1	—	3	3	24	80	151	181	163	56
Tabes Mesenterica ..	0·26	0·29	0·23	267	140	127	127	62	19	6	4	218	9	9	8	4	6	3	8	—	2	—
Phthisis	1·13	1·25	1·02	1165	610	555	10	10	8	5	5	38	20	31	79	140	301	263	171	85	34	3
Other Tub. & Scrof. Dis.	0·51	0·58	0·44	521	282	239	187	98	31	27	13	356	53	23	23	11	21	15	11	6	2	—
Diseases of Nervous System ..	1·98	2·13	1·84	2040	1042	998	633	135	42	28	13	851	28	23	30	12	56	95	164	271	323	187
Diseases of Circulatory " ..	1·31	1·28	1·34	1355	628	727	19	1	1	3	2	26	16	43	23	23	67	113	225	319	354	146
Diseases of Respiratory " ..	3·15	3·49	2·85	3250	1707	1543	775	354	99	52	37	1317	77	26	29	32	90	165	246	436	484	348
Diseases of Digestive " ..	1·12	1·17	1·07	1151	573	578	424	105	12	14	9	564	28	17	25	19	56	74	111	109	95	53
Diseases of Urinary " ..	0·48	0·54	0·42	491	266	225	20	7	9	3	3	42	10	8	8	13	25	54	68	113	110	40
Diseases of Generative " ..	0·04	0·00	0·06	37	2	35	—	1	1	—	—	2	—	—	—	2	7	12	7	4	3	—
Puerperal Fever ..	0·07	—	0·13	68	—	68	—	—	—	—	—	—	—	—	1	13	41	12	1	—	—	—
Childbirth	0·09	—	0·18	96	—	96	—	—	—	—	—	—	—	—	2	17	41	35	1	—	—	—
Violence	0·64	1·00	0·31	656	490	166	63	18	16	13	13	123	31	25	29	37	75	108	91	63	49	25
OTHER CAUSES	2·76	2·89	2·66	2860	1420	1440	1203	64	22	9	8	1306	35	31	36	35	103	117	165	198	351	483

Marriages 6,852

Births .. Males .. 14,313; Females 13,701 — 28,014

Annual Rate per 1000 living: Persons Married .. 13·28; Births .. .. .. 27·16

Annual Births to 1000 Females aged 15—45 years = 102.

Deaths from Childbirth and Puerperal Fever .. .. 5·85 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The boundary of this district was altered during the decennium; the parts transferred contained no population.

464.—CHORLTON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds
Annual Death-Rate per 1000. Persons	—			In Standard Population. 22·07			*180	—	—	—	—	72·26	4·20	2·25	3·50	4·24	6·50	12·95	21·56	41·45	83·92	171·38
Annual Death-Rate per 1000. Males ..	—			In Standard Population. 23·45			*193	—	—	—	—	77·76	4·20	2·19	3·78	4·55	6·82	14·21	24·36	45·28	92·38	187·94
Annual Death-Rate per 1000. Females	—			In Standard Population. 20·77			*166	—	—	—	—	66·83	4·20	2·31	3·25	3·97	6·23	11·81	19·11	38·44	78·30	162·18
Mean Population, 1891–1900. Persons	—			319,336			7906	7234	7125	7024	7002	36291	33067	32675	32338	33439	56314	40793	28121	16471	7619	2208
Mean Population, 1891–1900. Males ..	—			150,898			3924	3580	3508	3506	3508	18026	16452	16290	15354	15222	26030	19329	13110	7253	3044	788
Mean Population, 1891–1900. Females	—			168,438			3982	3654	3617	3518	3494	18265	16615	16385	16984	18217	30284	21464	15011	9218	4575	1420
Deaths from All Causes, 1891–1900. Persons	19·70			62,907			17397	5279	1809	1039	700	26224	1388	734	1133	1417	3661	5282	6063	6827	6394	3784
Deaths from All Causes, 1891–1900. Males ..	20·96			31,630			9462	2786	914	500	355	14017	691	356	581	693	1774	2747	3194	3284	2812	1481
Deaths from All Causes, 1891–1900. Females	18·57			31,277			7935	2493	895	539	345	12207	697	378	552	724	1887	2535	2869	3543	3582	2303
	Persons.	Males.	Females	Persons.	Males.	Females.	PERSONS.															
Small-pox..	0·00	0·00	—	1	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Measles	0·56	0·61	0·52	1781	913	868	410	733	306	159	80	1648	89	3	—	—	—	1	—	—	—	—
Scarlet Fever	0·08	0·08	0·08	262	126	136	23	43	36	34	27	163	60	18	6	9	3	3	—	—	—	—
Diphtheria	0·13	0·15	0·12	428	221	207	33	65	65	65	66	294	94	16	7	7	4	3	2	1	—	—
Whooping-cough ..	0·51	0·49	0·53	1643	742	901	667	528	213	114	62	1584	59	—	—	—	—	—	—	—	—	—
Typhus	0·00	0·00	0·00	2	1	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Enteric Fever	0·14	0·17	0·11	433	249	184	2	2	3	7	7	21	34	38	52	56	92	80	32	21	6	1
Simple Continued Fever	0·00	0·00	0·00	15	7	8	2	1	2	1	1	7	2	1	—	—	2	—	1	—	—	2
Diarrhœa & Dysentery	1·09	1·20	0·99	3479	1805	1674	2638	503	49	21	9	3220	16	2	1	3	10	11	23	51	90	52
Cholera	0·06	0·07	0·06	204	104	100	115	28	8	2	1	154	6	—	1	3	3	7	9	11	9	1
Cancer	0·75	0·54	0·94	2395	812	1583	5	2	1	3	2	13	5	10	7	12	95	295	630	725	471	132
Tabes Mesenterica ..	0·33	0·38	0·28	1045	575	470	545	236	79	30	23	913	37	23	14	11	19	14	4	5	5	—
Phthisis	1·73	2·15	1·36	5537	3241	2296	54	54	26	27	17	178	83	126	413	544	1319	1461	890	394	117	12
Other Tub. & Scrof. Dis.	0·56	0·66	0·46	1780	1013	767	627	354	166	86	71	1304	175	80	52	30	49	43	26	15	5	1
Diseases of Nervous System ..	2·12	2·22	2·03	6775	3357	3418	2035	343	148	80	66	2672	130	65	58	70	194	394	612	963	1056	561
Diseases of Circulatory „ ..	1·54	1·47	1·60	4912	2317	2595	46	3	3	5	8	65	61	83	102	96	282	599	886	1233	1056	449
Diseases of Respiratory „ ..	4·30	4·73	3·91	13712	7135	6577	3023	1566	486	277	164	5516	245	78	169	202	542	988	1367	1834	1805	966
Diseases of Digestive „ ..	1·13	1·14	1·12	3606	1719	1887	1184	300	55	33	30	1602	82	50	64	78	167	305	443	412	301	102
Diseases of Urinary „ ..	0·45	0·55	0·36	1436	829	607	21	22	8	11	13	75	33	18	19	31	116	206	282	312	253	91
Diseases of Generative „ ..	0·06	0·00	0·11	194	7	187	4	—	1	—	—	5	—	1	5	12	43	63	25	17	18	5
Puerperal Fever.. ..	0·07	—	0·12	209	—	209	—	—	—	—	—	—	—	—	3	44	120	40	2	—	—	—
Childbirth..	0·08	—	0·15	258	—	258	—	—	—	—	—	—	—	—	8	41	122	85	2	—	—	—
Violence	0·46	0·60	0·34	1477	900	577	486	50	42	33	15	626	63	22	25	44	103	135	154	131	118	56
OTHER CAUSES	3·55	3·75	3·38	11323	5656	5667	5476	446	112	51	38	6123	114	100	127	124	375	548	673	702	1084	1353

Marriages 28,575

Births .. { Males .. 48,947 / Females 47,767 } 96,714

Annual Rate per 1000 living { Persons Married .. 17·90 / Births .. .. .. 30·29 }

Annual Births to 1000 Females aged 15—45 years = 111.

Deaths from Childbirth and Puerperal Fever .. .. } 4·83 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

465.—SALFORD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 26·29			*206	—	—	—	—	91·93	6·62	3·38	4·33	5·83	7·84	15·13	26·00	49·01	90·26	155·22
Annual Death-Rate per 1000. Males ..	—			27·79			*222	—	—	—	—	97·97	6·45	3·25	4·89	6·98	8·28	16·26	28·91	54·23	94·10	165·42
Annual Death-Rate per 1000. Females	—			24·88			*189	—	—	—	—	85·95	6·80	3·51	3·79	4·81	7·43	14·07	23·32	44·69	87·59	149·72
Mean Population, 1891–1900. Persons	—			215,869			6059	5224	5365	5201	5167	27016	24628	23468	22217	21476	35830	26636	18319	10230	4671	1378
Mean Population, 1891–1900. Males ..	—			104,277			3045	2626	2622	2571	2571	13435	12297	11673	10802	10097	17215	12943	8778	4638	1916	483
Mean Population, 1891–1900. Females	—			111,592			3014	2598	2743	2630	2596	13581	12331	11795	11415	11379	18615	13693	9541	5592	2755	895
Deaths from All Causes, 1891–1900. Persons	24·29			52,443			15558	5136	2071	1199	871	24835	1631	793	961	1252	2809	4030	4763	5014	4216	2139
Deaths from All Causes, 1891–1900. Males ..	25·65			26,752			8499	2597	1069	595	411	13162	793	379	528	705	1426	2104	2538	2515	1803	799
Deaths from All Causes, 1891–1900. Females	23·02			25,691			7068	2539	1002	604	460	11673	838	414	433	547	1383	1926	2225	2499	2413	1340
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·02	0·01	26	18	8	5	1	—	2	—	8	—	1	1	3	6	3	3	1	—	—
Measles	0·96	1·02	0·91	2077	1066	1011	446	855	362	194	131	1988	86	2	—	1	—	—	—	—	—	—
Scarlet Fever	0·42	0·42	0·42	905	435	470	35	143	178	152	130	638	200	36	10	9	10	—	2	—	—	—
Diphtheria	0·33	0·33	0·33	713	349	364	51	106	116	118	89	480	173	30	6	5	5	5	5	2	2	—
Whooping-cough ..	0·69	0·63	0·74	1488	658	830	562	474	230	103	65	1434	52	1	—	—	—	1	—	—	—	—
Typhus	0·00	0·00	0·01	9	3	6	—	—	—	—	—	—	1	—	1	2	3	2	—	—	—	—
Enteric Fever	0·39	0·47	0·31	835	494	341	6	9	10	9	10	44	69	94	126	150	183	108	45	14	2	—
Simple Continued Fever	0·01	0·00	0·01	11	4	7	1	2	—	—	1	4	2	1	1	—	2	1	—	—	—	—
Diarrhœa & Dysentery	1·56	1·64	1·49	3374	1709	1665	2544	542	53	16	13	3168	12	1	3	4	10	7	18	33	71	47
Cholera	0·05	0·06	0·04	106	59	47	54	17	2	3	2	78	4	—	1	2	3	2	8	6	1	1
Cancer	0·62	0·47	0·76	1336	490	846	4	—	3	2	2	11	3	8	6	12	54	194	373	393	233	49
Tabes Mesenterica ..	0·36	0·39	0·33	772	407	365	424	142	53	20	16	655	45	25	10	6	10	10	8	2	1	—
Phthisis	1·93	2·29	1·60	4171	2383	1788	52	47	34	23	23	179	95	108	271	459	940	1060	686	290	76	7
Other Tub. & Scrof. Dis.	0·76	0·87	0·66	1643	903	740	553	378	170	97	63	1261	166	68	28	24	40	25	18	7	6	—
Diseases of Nervous System ..	2·47	2·60	2·35	5333	2708	2625	1936	333	146	73	55	2543	134	65	52	44	122	304	497	697	625	250
Diseases of Circulatory „ ..	1·71	1·65	1·78	3700	1716	1984	57	7	5	4	10	83	59	92	98	92	274	500	763	839	674	226
Diseases of Respiratory „ ..	5·17	5·67	4·69	11151	5916	5235	2686	1327	488	235	146	4882	203	64	107	136	404	747	1235	1555	1287	531
Diseases of Digestive „ ..	1·46	1·52	1·40	3146	1584	1562	1450	367	62	26	23	1933	65	34	54	44	107	164	261	269	167	48
Diseases of Urinary „ ..	0·44	0·50	0·38	951	525	426	32	21	4	8	10	75	32	19	17	27	64	152	193	191	133	48
Diseases of Generative „ ..	0·04	0·01	0·07	87	9	78	7	4	3	—	—	14	—	1	1	4	8	22	15	12	7	3
Puerperal Fever	0·09	—	0·18	202	—	202	—	—	—	—	—	—	—	—	10	41	107	42	2	—	—	—
Childbirth	0·03	—	0·16	182	—	182	—	—	—	—	—	—	—	—	5	28	75	67	7	—	—	—
Violence	0·80	1·02	0·59	1725	1062	663	363	68	72	63	44	610	127	60	55	69	147	191	175	167	83	41
OTHER CAUSES	3·94	4·07	3·80	8500	4254	4246	4290	293	80	51	33	4747	103	83	98	90	235	423	449	536	848	888

Marriages 18,465

Births .. { Males .. 38,202 / Females 37,353 } 75,555

Annual Rate per 1000 living { Persons Married .. 17·11 / Births .. .. .. 35·00 }

Annual Births to 1000 Females aged 15–45 years = 137.

Deaths from Childbirth and Puerperal Fever .. .. } 5·08 per 1000 Births

* The death-rates under one year of age are per 1000 Births.

NOTE.—The boundary of this district was altered during the decennium; the parts transferred contained no population.

466.—MANCHESTER.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 28·29	*211	—	—	—	—	99·47	6·78	3·85	5·53	6·75	10·39	19·03	30·80	50·98	79·36	143·25
Annual Death-Rate per 1000. Males ..	—	30·35	*227	—	—	—	—	106·30	6·44	4·47	6·38	7·54	11·20	20·43	35·55	56·33	86·54	148·60
Annual Death-Rate per 1000. Females	—	26·35	*193	—	—	—	—	92·88	7·10	3·24	4·73	6·03	9·58	17·60	26·19	46·29	73·75	140·11
Mean Population, 1891-1900. Persons	—	139,294	3781	3329	3348	3307	3276	17041	15094	14634	14345	13807	22839	18079	12932	7101	2844	578
Mean Population, 1891-1900. Males ..	—	68,247	1881	1661	1638	1579	1602	8361	7464	7226	6923	6580	11373	9169	6371	3318	1248	214
Mean Population, 1891-1900. Females	—	71,047	1900	1668	1710	1728	1674	8680	7630	7408	7422	7227	11466	8910	6561	3783	1596	364
Deaths from All Causes, 1891-1900. Persons	26·39	36,763	10474	3775	1362	822	517	16950	1023	563	793	932	2373	3441	3983	3620	2257	828
Deaths from All Causes, 1891-1900. Males .	28·29	19,309	5718	1873	652	400	245	8888	481	323	442	496	1274	1873	2265	1869	1080	318
Deaths from All Causes, 1891-1900. Females	24·57	17,454	4756	1902	710	422	272	8062	542	240	351	436	1099	1568	1718	1751	1177	510

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							Persons.															
Small-pox..	0·00	0·00	0·00	2	1	1	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
Measles	1·08	1·09	1·07	1501	742	759	313	648	263	139	73	1436	57	5	—	2	1	—	—	—	—	—
Scarlet Fever	0·06	0·08	0·04	78	52	26	7	8	16	15	6	52	18	3	2	—	2	1	—	—	—	—
Diphtheria	0·16	0·14	0·17	216	98	118	26	59	45	33	20	183	27	—	3	1	1	1	—	—	—	—
Whooping-cough ..	0·73	0·64	0·81	1015	438	577	377	304	152	95	44	972	41	1	—	—	1	—	—	—	—	—
Typhus	0·00	0·00	0·01	6	1	5	—	—	1	—	1	2	1	—	1	—	—	—	—	1	1	—
Enteric Fever	0·12	0·13	0·11	171	91	80	2	5	—	3	2	12	11	17	29	20	27	26	20	8	1	—
Simple Continued Fever	0·01	0·01	0·01	10	5	5	1	—	—	1	—	2	5	1	2	—	—	—	—	—	—	—
Diarrhœa & Dysentery	1·66	1·74	1·59	2317	1188	1129	1599	489	64	21	10	2183	15	1	2	1	7	17	32	26	18	15
Cholera	0·03	0·04	0·03	47	25	22	17	7	1	—	—	25	1	—	2	1	4	4	3	4	2	1
Cancer	0·85	0·76	0·94	1183	516	667	—	2	1	—	1	4	4	6	11	28	60	227	376	308	141	18
Tabes Mesenterica ..	0·31	0·31	0·31	436	214	222	187	108	29	12	11	347	23	23	10	10	12	8	2	1	—	—
Phthisis	1·74	2·06	1·42	2417	1408	1009	15	17	11	11	17	71	55	78	184	225	597	623	407	157	20	—
Other Tub. & Scrof. Dis.	0·63	0·72	0·54	875	491	384	250	183	79	47	37	596	104	35	35	22	37	21	15	10	—	—
Diseases of Nervous System ..	2·33	2·51	2·15	3241	1716	1525	1332	265	100	65	31	1793	93	37	36	28	86	200	272	360	263	73
Diseases of Circulatory „ ..	1·86	1·90	1·82	2587	1295	1292	22	5	2	2	6	37	31	65	92	95	257	437	583	563	340	87
Diseases of Respiratory „ ..	5·94	6·33	5·55	8267	4322	3945	1881	1126	371	228	127	3733	227	79	108	134	388	649	951	1079	678	241
Diseases of Digestive „ ..	1·56	1·63	1·49	2168	1113	1055	761	214	40	22	13	1050	44	34	46	51	117	185	271	228	114	28
Diseases of Urinary „ ..	0·65	0·84	0·46	901	571	330	8	18	12	3	6	47	12	14	21	38	108	155	208	180	101	17
Diseases of Generative „ ..	0·14	0·00	0·28	199	1	198	—	1	1	—	—	2	—	2	7	13	58	52	43	12	10	—
Puerperal Fever ..	0·08	—	0·17	118	—	118	—	—	—	—	—	—	—	—	5	31	57	23	2	—	—	—
Childbirth..	0·11	—	0·21	153	—	153	—	—	—	—	—	—	—	—	5	19	81	47	1	—	—	—
Violence	1·94	2·47	1·44	2706	1684	1022	502	67	112	97	87	865	191	98	111	116	247	319	319	239	153	48
OTHER CAUSES	4·40	4·89	3·95	6149	3337	2812	3174	219	62	28	25	3538	62	64	81	97	225	446	477	444	415	300

Marriages 13,533

Births .. { Males .. 25,135 / Females 24,587 } 49,722

Annual Rate per 1000 living { Persons Married .. 19·43 / Births .. .. .. 35·70 }

Annual Births to 1000 Females aged 15—45 years = 142.

Deaths from Childbirth and Puerperal Fever .. .. } 5·45 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

467.—PRESTWICH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		26·97	*171	—	—	—	—	72·96	6·27	2·99	5·09	6·46	10·39	20·19	32·12	56·16	103·62	190·93
Annual Death-Rate per 1000. Males	—					29·48	*186	—	—	—	—	78·65	6·29	2·93	5·56	7·45	11·27	24·19	38·43	65·58	116·58	202·89
Annual Death-Rate per 1000. Females	—					24·61	*155	—	—	—	—	67·25	6·26	3·05	4·63	5·60	9·58	16·39	26·36	48·33	93·92	182·87
Mean Population, 1891-1900. Persons	—			170,920			4487	4083	4078	4088	4017	20753	18897	17985	17460	17169	29028	21127	14416	8600	4283	1202
Mean Population, 1891-1900. Males	—			82,528			2268	2048	2055	2039	1989	10399	9354	8963	8483	7961	13972	10298	6875	3905	1834	484
Mean Population, 1891-1900. Females	—			88,392			2219	2035	2023	2049	2028	10354	9543	9022	8977	9208	15056	10829	7541	4695	2449	718
Deaths from All Causes, 1891-1900. Persons	24·77			42,338			9177	3231	1283	850	601	15142	1185	538	888	1109	3017	4266	4630	4830	4438	2295
Deaths from All Causes, 1891-1900. Males	27·24			22,484			5114	1682	644	430	309	8179	588	263	472	593	1575	2491	2642	2561	2138	982
Deaths from All Causes, 1891-1900. Females	22·46			19,854			4063	1549	639	420	292	6963	597	275	416	516	1442	1775	1988	2269	2300	1313
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·04	0·06	0·03	76	51	25	5	4	—	—	2	11	5	4	4	6	15	20	10	—	1	—
Measles	0·67	0·70	0·66	1153	574	579	258	455	196	125	52	1086	64	1	—	1	1	—	—	—	—	—
Scarlet Fever	0·58	0·63	0·54	997	516	481	36	126	185	195	154	696	228	37	18	7	8	3	—	—	—	—
Diphtheria	0·32	0·33	0·30	545	276	269	33	96	81	87	83	380	130	15	7	2	6	2	2	1	—	—
Whooping-cough	0·46	0·42	0·49	780	347	433	324	240	100	52	36	752	27	—	—	—	1	—	—	—	—	—
Typhus	0·00	0·00	0·01	7	2	5	—	—	—	—	—	—	—	—	—	1	3	1	2	—	—	—
Enteric Fever	0·42	0·54	0·32	723	444	279	—	4	5	9	10	28	39	58	141	117	188	96	37	15	4	—
Simple Continued Fever	0·00	0·00	0·00	6	2	4	2	1	—	—	—	3	1	—	—	—	—	1	—	1	—	—
Diarrhœa & Dysentery	1·05	1·12	1·00	1801	920	881	1266	292	29	9	3	1599	9	1	3	2	2	20	22	36	68	39
Cholera	0·02	0·03	0·01	38	25	13	16	3	1	—	1	21	2	—	—	—	2	1	6	4	2	—
Cancer	0·78	0·64	0·90	1325	529	796	1	2	1	4	2	10	5	4	3	7	57	193	334	386	254	72
Tabes Mesenterica	0·27	0·30	0·24	456	247	209	191	110	27	21	14	333	31	12	9	4	17	6	7	5	2	—
Phthisis	2·85	3·66	2·09	4866	3022	1844	31	25	20	14	10	100	56	57	256	398	1171	1325	925	400	163	15
Other Tub. & Scrof. Dis.	0·50	0·57	0·44	862	473	389	208	183	88	47	28	554	83	55	37	30	39	30	14	7	12	1
Diseases of Nervous System	2·74	3·06	2·45	4688	2524	2164	979	233	89	59	34	1394	97	46	48	58	246	500	602	724	703	270
Diseases of Circulatory "	2·03	1·98	2·07	3464	1633	1831	32	7	6	8	4	57	37	55	78	90	225	408	647	844	743	280
Diseases of Respiratory "	5·32	6·12	4·56	9082	5049	4033	1779	933	311	141	102	3266	167	53	96	132	388	739	1022	1362	1256	601
Diseases of Digestive "	1·25	1·31	1·19	2133	1083	1050	801	193	43	22	12	1071	54	28	40	45	80	161	207	219	167	61
Diseases of Urinary "	0·61	0·72	0·50	1037	598	439	11	16	7	5	5	44	23	16	12	29	81	166	213	217	173	63
Diseases of Generative "	0·05	0·02	0·08	89	14	75	7	2	—	—	—	9	—	—	3	6	11	23	18	8	6	5
Puerperal Fever	0·11	—	0·22	195	—	195	—	—	—	—	—	—	—	—	11	50	85	49	—	—	—	—
Childbirth	0·10	—	0·19	167	—	167	—	—	—	—	—	—	—	—	7	16	80	62	2	—	—	—
Violence	0·57	0·77	0·38	970	635	335	210	34	34	17	22	317	43	26	36	27	78	116	125	85	65	52
Other Causes	4·03	4·26	3·79	6878	3520	3358	2987	272	60	35	27	3381	84	70	79	81	233	344	435	516	819	836

Marriages 13,370

Births .. { Males .. 27,500 / Females 26,137 } 53,637

Annual Rate per 1000 living { Persons Married .. 15·64 / Births .. .. .. 31·38 }

Annual Births to 1000 Females aged 15—45 years = 122.

Deaths from Childbirth and Puerperal Fever .. .. } 6·75 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

Note.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

468.—ASHTON UNDER LYNE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 22·90			*188	—	—	—	—	74·39	5·21	2·71	3·88	5·34	7·05	12·40	20·70	41·57	89·12	182·95
Annual Death-Rate per 1000. Males	—			24·43			*205	—	—	—	—	80·67	5·13	2·79	4·12	5·50	7·24	14·39	23·57	46·31	96·02	200·00
Annual Death-Rate per 1000. Females	—			21·47			*170	—	—	—	—	68·19	5·29	2·63	3·67	5·21	6·88	10·64	18·35	38·00	84·04	171·98
Mean Population, 1891-1900. Persons	—			170,109			4131	3709	3689	3760	3716	19005	18150	18142	18035	16529	27716	20995	15557	9817	4855	1308
Mean Population, 1891-1900. Males	—			80,066			2041	1867	1826	1845	1858	9437	8881	8891	8651	7635	12897	9853	7027	4222	2060	512
Mean Population, 1891-1900. Females	—			90,043			2090	1842	1863	1915	1858	9568	9269	9251	9384	8894	14819	11142	8530	5595	2795	796
Deaths from All Causes, 1891-1900. Persons	21·01			35,736			9277	2716	998	663	483	14137	946	491	700	883	1954	2603	3221	4081	4327	2393
Deaths from All Causes, 1891-1900. Males	22·55			18,058			5132	1413	501	320	247	7613	456	248	356	420	934	1418	1656	1955	1978	1024
Deaths from All Causes, 1891-1900. Females	19·63			17,678			4145	1303	497	343	236	6524	490	243	344	463	1020	1185	1565	2126	2349	1369
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·00	0·00	7	4	3	—	—	—	—	—	—	—	—	—	2	2	2	1	—	—	—
Measles	0·56	0·58	0·54	948	462	486	240	393	143	76	51	903	42	1	—	—	1	—	1	—	—	—
Scarlet Fever	0·22	0·23	0·21	370	182	188	20	48	62	60	60	250	98	12	5	1	1	3	—	—	—	—
Diphtheria	0·17	0·18	0·16	293	147	146	21	39	47	50	50	207	69	4	6	4	2	1	—	—	—	—
Whooping-cough	0·46	0·45	0·47	781	357	424	351	233	92	52	30	758	22	—	—	—	—	—	—	1	—	—
Typhus	0·00	0·00	—	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Enteric Fever	0·23	0·27	0·20	396	219	177	2	7	7	7	6	29	33	26	43	53	79	55	47	24	7	—
Simple Continued Fever	0·01	0·01	0·02	19	5	14	3	1	5	1	—	10	1	1	1	—	—	4	1	1	—	—
Diarrhœa & Dysentery	0·94	0·99	0·89	1594	790	804	1175	191	29	13	5	1413	5	7	—	4	7	8	21	24	56	49
Cholera	0·03	0·04	0·03	58	33	25	31	9	—	—	—	40	—	1	—	2	1	—	1	9	3	1
Cancer	0·68	0·47	0·88	1163	375	788	1	1	2	1	1	6	—	—	5	5	39	140	269	357	279	63
Tabes Mesenterica	0·27	0·29	0·25	455	232	223	217	84	31	14	12	358	29	10	9	11	15	9	10	3	1	—
Phthisis	1·61	1·92	1·32	2729	1537	1192	33	32	17	10	10	102	42	68	231	318	670	636	407	193	57	5
Other Tub. & Scrof. Dis.	0·43	0·53	0·35	737	425	312	214	129	63	41	26	473	86	37	24	23	33	26	9	16	8	2
Diseases of Nervous System	2·71	2·99	2·46	4616	2397	2219	1433	312	116	80	59	2000	122	43	46	39	102	231	377	616	755	285
Diseases of Circulatory	1·93	1·79	2·05	3286	1436	1850	24	6	1	7	4	42	41	75	73	82	171	344	586	869	769	234
Diseases of Respiratory	4·42	4·93	3·97	7524	3949	3575	1733	800	264	163	101	3061	171	43	74	94	254	455	724	1074	1102	472
Diseases of Digestive	1·25	1·35	1·16	2125	1079	1046	735	220	38	18	22	1033	45	27	38	37	79	127	222	240	207	70
Diseases of Urinary	0·42	0·54	0·32	714	429	285	15	11	7	10	6	49	14	15	13	17	55	100	127	143	132	49
Diseases of Generative	0·05	0·00	0·09	84	4	80	3	2	—	—	—	5	—	1	2	2	13	15	20	15	10	1
Puerperal Fever	0·11	—	0·21	191	—	191	—	—	—	—	—	—	—	—	5	39	104	43	—	—	—	—
Childbirth	0·09	—	0·17	155	—	155	—	—	—	—	—	—	—	—	3	22	68	57	5	—	—	—
Violence	0·65	0·94	0·40	1107	751	356	106	28	34	33	23	224	60	55	40	67	120	141	159	112	92	37
OTHER CAUSES	3·77	4·05	3·48	6383	3244	3139	2920	170	40	27	17	3174	66	65	81	61	138	206	234	384	849	1125

Marriages 13,700

Births .. Males .. 25,059 / Females 24,351 } 49,410

Annual Rate per 1000 living { Persons Married .. 16·11 / Births .. .. .. 29·05

Annual Births to 1000 Females aged 15—45 years = 112.

Deaths from Childbirth and Puerperal Fever .. .. } 7·00 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

469.—OLDHAM.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 23·72			*178	—	—	—	—	74·17	6·19	3·36	4·89	5·75	7·79	13·52	23·02	44·23	91·54	170·68
Males	—			25·73			*196	—	—	—	—	81·47	6·56	3·24	4·93	5·79	8·20	16·08	27·63	49·30	102·34	184·20
Females	—			21·82			*160	—	—	—	—	67·13	5·84	3·47	4·86	5·71	7·41	11·14	18·99	40·20	83·73	161·54
Mean Population, 1891–1900. Persons	—			207,806			4991	4507	4627	4539	4538	23202	22105	22227	21597	20663	34871	26663	18789	11213	5190	1286
Males	—			99,271			2452	2220	2273	2225	2214	11384	10827	10877	10411	9769	16733	12828	8768	4976	2179	519
Females	—			108,535			2539	2287	2354	2314	2324	11818	11278	11350	11186	10894	18138	13835	10021	6237	3011	767
Deaths from All Causes, 1891–1900. Persons	21·23			44,121			10602	3681	1429	874	623	17209	1369	746	1057	1188	2716	3604	4326	4960	4751	2195
Males	23·08			22,913			5888	1913	707	445	322	9275	710	352	513	566	1372	2063	2423	2453	2230	956
Females	19·54			21,208			4714	1768	722	429	301	7934	659	394	544	622	1344	1541	1903	2507	2521	1239
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·06	0·07	0·05	118	67	51	9	6	6	4	6	31	15	3	3	7	23	23	8	4	—	1
Measles	0·67	0·74	0·60	1387	737	650	356	559	220	122	61	1318	64	1	4	—	—	—	—	—	—	—
Scarlet Fever	0·23	0·24	0·22	478	242	236	17	58	72	72	72	291	132	29	16	3	4	2	1	—	—	—
Diphtheria	0·17	0·17	0·17	353	169	184	25	67	47	52	51	242	88	11	3	2	2	3	1	1	—	—
Whooping-cough	0·46	0·40	0·51	950	397	553	403	289	127	66	30	915	34	1	—	—	—	—	—	—	—	—
Typhus	0·00	0·00	0·00	5	2	3	—	—	—	—	—	—	1	1	—	—	1	1	—	1	—	—
Enteric Fever	0·15	0·17	0·12	305	172	133	1	3	2	2	7	15	24	35	44	50	58	42	26	10	1	—
Simple Continued Fever	0·01	0·01	0·01	14	7	7	6	1	3	—	1	11	1	—	1	—	—	—	—	1	—	—
Diarrhœa & Dysentery	0·65	0·71	0·60	1357	702	655	914	194	26	13	2	1149	12	4	3	4	6	9	25	44	60	41
Cholera	0·03	0·04	0·02	61	35	26	20	12	1	—	—	33	3	1	—	1	5	5	4	8	1	—
Cancer	0·67	0·44	0·88	1398	439	959	2	2	1	—	1	6	5	2	3	5	50	178	358	402	317	72
Tabes Mesenterica	0·21	0·23	0·18	429	233	196	171	84	36	16	15	322	33	14	19	9	17	4	7	3	1	—
Phthisis	1·81	2·24	1·42	3755	2220	1535	39	49	28	14	17	147	68	115	326	397	806	909	618	283	74	12
Other Tub. & Scrof. Dis.	0·49	0·54	0·44	1008	534	474	262	179	89	45	37	612	133	60	48	41	48	33	18	9	6	—
Diseases of Nervous System	2·69	3·00	2·39	5580	2981	2599	1676	404	180	106	60	2426	194	82	78	67	136	289	481	725	807	295
Circulatory	2·01	1·91	2·11	4183	1892	2291	24	7	6	3	1	41	54	89	102	89	277	416	717	1012	1049	337
Respiratory	4·94	5·70	4·25	10262	5656	4606	2569	1230	405	241	165	4610	267	62	98	125	393	666	974	1303	1204	560
Digestive	1·26	1·38	1·15	2621	1371	1250	870	290	58	22	19	1259	62	40	69	53	97	196	268	301	215	61
Urinary	0·50	0·60	0·41	1041	591	450	13	12	14	12	15	66	28	26	33	36	87	126	166	225	196	52
Generative	0·05	0·01	0·09	101	5	96	3	1	—	—	—	4	—	—	2	3	24	25	19	15	8	1
Puerperal Fever	0·13	—	0·24	262	—	262	—	—	—	—	—	—	—	—	10	63	133	55	1	—	—	—
Childbirth	0·12	—	0·22	244	—	244	—	—	—	—	—	—	—	—	2	49	123	69	1	—	—	—
Violence	0·63	0·89	0·38	1304	888	416	187	37	50	39	30	343	56	38	56	59	136	173	175	127	103	38
OTHER CAUSES	3·29	3·59	3·08	6905	3573	3332	3035	197	58	45	33	3368	95	132	137	125	290	380	458	486	709	725

Marriages 17,255

Births .. { Males .. 30,083 / Females 29,390 } 59,473

Annual Rate per 1000 living { Persons Married .. 16·61 / Births .. .. .. 28·62 }

Annual Births to 1000 Females aged 15—45 years = 110.

Deaths from Childbirth and Puerperal Fever .. .. } 8·51 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

470.—ROCHDALE.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 21·21			*151	—	—	—	—	58·54	5·18	2·97	4·40	5·31	6·78	12·55	20·78	41·22	89·92	190·98
Annual Death-Rate per 1000. Males	—			22·80			*166	—	—	—	—	63·83	5·62	3·15	4·49	6·01	6·87	14·61	25·00	46·43	100·39	201·12
Annual Death-Rate per 1000. Females	—			19·72			*135	—	—	—	—	53·34	4·77	2·79	4·32	4·71	6·71	10·81	17·33	37·18	82·47	184·81
Mean Population, 1891-1900. Persons	—			121,297			2546	2332	2412	2378	2442	12110	11864	12126	12335	11941	20550	16110	11879	7701	3739	942
Mean Population, 1891-1900. Males	—			56,868			1269	1152	1199	1182	1200	6002	5841	6058	5941	5506	9523	7376	5351	3360	1554	356
Mean Population, 1891-1900. Females	—			64,429			1277	1180	1213	1196	1242	6108	6023	6068	6394	6435	11027	8734	6528	4341	2185	586
Deaths from All Causes, 1891-1900. Persons	19·34			23,461			4462	1450	560	342	275	7089	615	360	543	634	1394	2022	2469	3174	3362	1799
Deaths from All Causes, 1891-1900. Males	20·84			11,854			2482	774	279	158	138	3831	328	191	267	331	654	1078	1338	1560	1560	716
Deaths from All Causes, 1891-1900. Females	18·02			11,607			1980	676	281	184	137	3258	287	169	276	303	740	944	1131	1614	1802	1083
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·01	0·01	0·01	16	8	8	4	—	—	1	1	6	1	1	1	—	4	1	—	1	1	—
Measles	0·41	0·45	0·38	499	255	244	143	191	70	31	23	467	31	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·21	0·23	0·19	255	131	124	11	31	36	38	32	148	73	20	4	6	3	1	—	—	—	—
Diphtheria	0·19	0·18	0·20	230	104	126	18	34	36	48	37	173	44	6	1	—	2	2	1	1	—	—
Whooping-cough	0·33	0·34	0·33	405	191	214	177	130	46	26	11	390	15	—	—	—	—	—	—	—	—	—
Typhus	0·00	0·00	—	1	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Enteric Fever	0·16	0·19	0·14	197	106	91	1	1	—	1	3	6	11	16	25	33	38	34	16	13	5	—
Simple Continued Fever	0·01	0·01	0·01	12	6	6	—	1	—	—	—	1	1	2	2	1	—	4	1	—	—	—
Diarrhœa & Dysentery	0·43	0·46	0·40	518	260	258	334	57	12	2	2	407	3	1	—	—	2	6	10	18	40	31
Cholera	0·01	0·02	0·01	18	12	6	3	1	—	—	—	4	—	—	1	—	1	1	4	6	1	—
Cancer	0·65	0·44	0·84	792	251	541	1	—	1	—	—	2	—	3	4	3	19	107	199	242	170	43
Tabes Mesenterica	0·16	0·18	0·14	195	102	93	64	28	18	5	6	121	24	9	10	6	6	8	5	2	3	1
Phthisis	1·66	1·99	1·36	2010	1132	878	16	12	8	11	7	54	35	50	190	244	426	438	332	182	56	3
Other Tub. & Scrof. Dis.	0·39	0·45	0·34	472	255	217	114	91	41	25	20	291	56	33	21	25	16	14	6	6	4	—
Diseases of Nervous System	2·57	2·94	2·25	3120	1673	1447	796	139	52	23	22	1032	59	35	28	36	103	198	314	531	553	231
Diseases of Circulatory	2·28	2·21	2·34	2767	1257	1510	20	5	—	3	4	32	39	49	51	53	129	290	412	690	762	260
Diseases of Respiratory	4·21	4·73	3·75	5104	2690	2414	1025	523	163	84	73	1868	110	27	45	65	165	309	521	746	843	405
Diseases of Digestive	1·16	1·24	1·10	1411	705	706	362	103	24	12	6	507	26	23	30	27	83	113	165	200	155	72
Diseases of Urinary	0·58	0·70	0·48	707	397	310	8	9	2	3	2	24	10	13	12	20	48	124	128	138	144	46
Diseases of Generative	0·04	0·00	0·08	51	2	49	1	—	—	—	—	1	—	—	1	1	11	16	6	10	3	2
Puerperal Fever	0·09	—	0·17	110	—	110	—	—	—	—	—	—	—	—	1	14	67	28	—	—	—	—
Childbirth	0·10	—	0·20	129	—	129	—	—	—	—	—	—	—	—	5	15	59	48	2	—	—	—
Violence	0·58	0·86	0·33	701	491	210	43	23	18	21	15	120	34	29	28	27	72	88	101	101	55	36
OTHER CAUSES	3·11	3·21	2·97	3741	1825	1916	1321	71	24	8	11	1435	43	42	73	57	140	192	246	287	557	669

Marriages 9,819

Births .. { Males .. 14,913 / Females 14,617 } 29,530

Annual Rate per 1000 living { Persons Married .. 16·19 / Births .. .. .. 24·35

Annual Births to 1000 Females aged 15—45 years = 91.

Deaths from Childbirth and Puerperal Fever .. .. } 8·09 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

471.—HASLINGDEN.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 20·30			*163	—	—	—	—	61·61	4·77	2·72	4·04	4·86	6·92	9·96	18·25	39·58	86·66	173·87
Annual Death-Rate per 1000. Males ..	—			21·52			*180	—	—	—	—	68·55	4·85	2·78	4·09	4·60	5·72	10·80	20·02	44·29	94·37	184·54
Annual Death-Rate per 1000. Females	—			19·15			*146	—	—	—	—	54·93	4·70	2·67	3·99	5·09	6·27	9·22	16·73	35·71	80·84	166·19
Mean Population, 1891–1900. Persons	—			109,415			2530	2333	2297	2290	2343	11793	11345	11575	11366	10989	18167	14008	10204	6266	2975	727
Mean Population, 1891–1900. Males ..	—			51,709			1246	1137	1123	1125	1156	5787	5531	5647	5425	5132	8491	6586	4705	2822	1279	304
Mean Population, 1891–1900. Females	—			57,706			1284	1196	1174	1165	1187	6006	5814	5928	5941	5857	9676	7422	5499	3444	1696	423
Deaths from All Causes, 1891–1900. Persons	18·08			19,787			4760	1389	533	328	256	7266	541	315	459	534	1093	1395	1862	2480	2578	1264
Deaths from All Causes, 1891–1900. Males ..	19·35			10,007			2658	733	272	159	145	3967	268	157	222	236	486	711	942	1250	1207	561
Deaths from All Causes, 1891–1900. Females	16·95			9,780			2102	656	261	169	111	3299	273	158	237	298	607	684	920	1230	1371	703
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·02	0·01	13	10	3	—	—	1	1	—	2	1	—	—	1	1	4	3	1	—	—
Measles	0·40	0·44	0·36	433	228	205	142	173	49	34	20	418	12	1	1	—	—	1	—	—	—	—
Scarlet Fever	0·23	0·26	0·21	253	132	121	13	37	42	35	37	164	62	17	3	4	2	1	—	—	—	—
Diphtheria	0·25	0·26	0·24	273	132	141	21	42	42	53	45	203	57	6	1	—	1	2	2	—	1	—
Whooping-cough ..	0·36	0·34	0·38	392	175	217	186	118	45	20	11	380	12	—	—	—	—	—	—	—	—	—
Typhus	0·00	0·00	0·00	2	1	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
Enteric Fever	0·21	0·24	0·19	235	125	110	1	3	4	1	6	15	16	16	35	28	44	31	30	12	7	1
Simple Continued Fever	0·01	0·02	0·01	11	8	3	4	—	1	—	—	5	1	—	—	—	1	—	—	1	3	—
Diarrhœa & Dysentery	0·62	0·69	0·56	681	357	324	464	72	14	3	2	555	5	2	2	—	4	5	13	25	39	31
Cholera	0·05	0·06	0·05	56	29	27	32	8	—	—	1	41	—	—	—	1	2	2	3	5	2	—
Cancer	0·57	0·39	0·73	626	204	422	1	—	1	1	—	3	1	—	3	3	13	63	155	191	153	41
Tabes Mesenterica ..	0·17	0·20	0·13	181	104	77	85	32	12	2	2	133	11	9	8	4	8	6	2	—	—	—
Phthisis	1·14	1·24	1·05	1246	639	607	9	9	8	4	2	32	15	31	148	170	264	244	191	106	45	—
Other Tub. & Scrof. Dis.	0·38	0·47	0·29	415	245	170	140	73	38	14	15	280	42	31	16	12	12	16	2	2	2	—
Diseases of: Nervous System ..	2·24	2·39	2·10	2451	1238	1213	668	143	44	25	20	900	56	26	30	29	85	100	214	372	462	177
Diseases of: Circulatory „ ..	1·77	1·67	1·87	1941	864	1077	16	1	2	1	—	20	25	43	43	36	95	163	318	515	504	179
Diseases of: Respiratory „ ..	4·05	4·66	3·50	4429	2408	2021	1012	468	164	88	68	1800	107	34	51	66	160	272	430	614	632	263
Diseases of: Digestive „ ..	1·31	1·41	1·23	1436	728	708	520	126	20	11	4	681	30	24	21	30	56	96	119	173	153	53
Diseases of: Urinary „ ..	0·50	0·61	0·40	545	316	229	10	2	4	3	2	21	13	8	11	17	49	66	86	118	113	43
Diseases of: Generative „ ..	0·04	0·01	0·08	48	4	44	2	—	1	—	—	3	—	—	1	3	6	17	8	6	3	1
Puerperal Fever ..	0·10	—	0·19	112	—	112	—	—	—	—	—	—	—	—	2	19	62	29	—	—	—	—
Childbirth	0·12	—	0·23	130	—	130	—	—	—	—	—	—	—	—	3	22	56	48	1	—	—	—
Violence	0·50	0·72	0·30	545	370	175	46	26	20	20	9	121	31	25	26	21	50	56	82	77	39	17
OTHER CAUSES	3·05	3·25	2·84	3333	1690	1643	1388	56	21	12	12	1489	44	41	54	68	121	173	203	262	420	458

Marriages 9,208

Births .. Males 14,781, Females 14,357 } 29,138

Annual Rate per 1000 living: Persons Married .. 16·83; Births .. .. .. 26·63

Annual Births to 1000 Females aged 15–45 years = 101.

Deaths from Childbirth and Puerperal Fever .. .. } 8·31 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

472.—BURNLEY.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 22·23			*186	—	—	—	—	77·25	5·41	2·66	4·03	4·76	6·05	10·05	18·32	38·34	89·03	174·90
Annual Death-Rate per 1000. Males ..	—			23·46			*203	—	—	—	—	84·70	5·02	2·86	4·35	4·72	5·86	10·36	20·19	40·65	96·23	190·45
Annual Death-Rate per 1000. Females	—			21·07			*169	—	—	—	—	70·05	5·79	2·47	3·74	4·80	6·23	9·76	16·64	36·35	83·39	163·10
Mean Population, 1891-1900. Persons	—			179,496			4655	4203	4164	4209	4136	21367	20116	19475	18639	17620	30012	22707	15495	9060	3985	1020
Mean Population, 1891-1900. Males ..	—			85,438			2285	2032	2016	2086	2074	10493	9883	9471	8782	8053	14141	10898	7322	4204	1751	440
Mean Population, 1891-1900. Females	—			94,058			2370	2171	2148	2123	2062	10874	10233	10004	9857	9567	15871	11809	8173	4856	2234	580
Deaths from All Causes, 1891-1900. Persons	19·75			35,445			10765	3354	1122	733	531	16505	1089	518	751	839	1817	2282	2838	3474	3548	1784
Deaths from All Causes, 1891-1900. Males ..	21·17			18,085			5957	1741	576	378	236	8888	496	271	382	380	829	1129	1478	1709	1685	838
Deaths from All Causes, 1891-1900. Females	18·46			17,360			4808	1613	546	355	295	7617	593	247	369	459	988	1153	1360	1765	1863	946
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	0·01	0·01	0·00	12	9	3	1	—	—	—	—	1	1	—	—	4	—	3	3	—	—	—
Measles	0·58	0·62	0·54	1034	527	507	302	414	143	75	44	978	50	3	2	1	—	—	—	—	—	—
Scarlet Fever	0·28	0·27	0·29	499	228	271	22	83	95	89	57	346	130	8	7	2	3	3	—	—	—	—
Diphtheria	0·28	0·27	0·30	510	229	281	43	48	70	78	92	331	146	17	4	2	4	4	1	1	—	—
Whooping-cough ..	0·42	0·41	0·43	751	346	405	368	220	81	42	24	735	15	—	—	1	—	—	—	—	—	—
Typhus	0·00	—	0·00	2	—	2	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—
Enteric Fever	0·21	0·23	0·19	382	200	182	2	7	5	13	17	44	39	33	36	44	75	59	32	17	3	—
Simple Continued Fever	0·01	0·00	0·01	9	4	5	2	—	—	—	—	2	2	—	—	—	3	—	1	—	1	—
Diarrhœa & Dysentery	0·96	1·01	0·92	1729	866	863	1300	213	28	8	4	1553	11	1	3	1	14	9	23	33	43	38
Cholera	0·10	0·11	0·09	173	92	81	113	27	5	2	1	148	1	—	—	1	—	3	5	6	7	2
Cancer	0·52	0·41	0·62	937	351	586	1	1	2	1	4	9	3	3	5	7	37	122	246	281	184	40
Tabes Mesenterica ..	0·27	0·31	0·23	480	268	212	237	112	25	17	16	407	19	11	6	3	13	6	9	5	1	—
Phthisis	1·25	1·35	1·17	2246	1150	1096	43	40	15	14	6	118	44	76	233	287	515	434	327	167	40	5
Other Tub. & Scrof. Dis.	0·34	0·41	0·28	610	348	262	172	119	43	32	15	381	61	34	35	17	26	20	18	10	8	—
Diseases of Nervous System ..	2·16	2·42	1·93	3880	2064	1816	1357	292	114	71	50	1884	113	58	41	34	74	178	284	476	532	206
Diseases of Circulatory „ ..	1·67	1·63	1·71	2999	1389	1610	24	4	2	4	5	39	31	51	79	65	160	295	561	767	747	204
Diseases of Respiratory „ ..	4·57	5·11	4·07	8197	4366	3831	2303	1210	329	192	106	4140	205	43	90	107	278	458	618	936	923	399
Diseases of Digestive „ ..	1·60	1·75	1·46	2868	1497	1371	1329	342	65	27	32	1795	68	48	57	49	105	123	187	202	184	50
Diseases of Urinary „ ..	0·41	0·48	0·34	727	407	320	34	28	11	7	13	93	21	12	20	34	60	83	114	115	133	42
Diseases of Generative „ ..	0·03	0·00	0·05	53	3	50	1	1	—	—	—	2	—	—	—	1	6	12	16	8	5	3
Puerperal Fever.. ..	0·10	—	0·18	173	—	173	—	—	—	—	—	—	—	—	8	46	66	52	1	—	—	—
Childbirth..	0·12	—	0·24	223	—	223	—	—	—	—	—	—	—	—	7	38	97	77	4	—	—	—
Violence	0·60	0·84	0·38	1073	714	359	112	42	49	43	35	281	73	54	41	38	99	139	115	117	80	36
OTHER CAUSES	3·26	3·53	3·03	5878	3027	2851	2999	151	49	18	10	3218	56	66	77	57	181	202	273	332	657	759

Marriages 15,527

Births .. { Males .. 29,310 / Females 28,486 } 57,796

Annual Rate per 1000 living { Persons Married .. 17·30 / Births .. .. .. 32·20 }

Annual Births to 1000 Females aged 15—45 years = 123.

Deaths from Childbirth and Puerperal Fever .. .. } 6·85 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

473.—CLITHEROE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 16·22			*120	—	—	—	—	45·61	3·37	1·49	3·60	4·27	5·87	9·13	14·27	31·96	67·97	156·09
Annual Death-Rate per 1000. Males ..	—			16·58			*133	—	—	—	—	50·62	3·27	1·29	3·28	4·39	5·13	9·90	15·95	36·08	65·64	149·72
Annual Death-Rate per 1000. Females	—			15·89			*106	—	—	—	—	40·70	3·47	1·71	3·94	4·16	6·56	8·45	12·78	28·08	70·24	162·64
Mean Population, 1891–1900. Persons	—			23,286			526	482	470	466	503	2447	2434	2545	2417	2179	3559	2815	2089	1527	921	353
Mean Population, 1891–1900. Males ..	—			11,418			260	241	227	229	254	1211	1225	1318	1250	1026	1714	1323	978	740	454	179
Mean Population, 1891–1900. Females	—			11,868			266	241	243	237	249	1236	1209	1227	1167	1153	1845	1492	1111	787	467	174
Deaths from All Causes, 1891–1900. Persons	16·51			3,845			705	231	80	58	42	1116	82	38	87	93	209	257	298	488	626	551
Deaths from All Causes, 1891–1900. Males ..	17·20			1,964			402	124	39	30	18	613	40	17	41	45	88	131	156	267	298	268
Deaths from All Causes, 1891–1900. Females	15·85			1,881			303	107	41	28	24	503	42	21	46	48	121	126	142	221	328	283
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·35	0·31	0·40	82	35	47	28	28	13	7	1	77	4	—	—	1	—	—	—	—	—	—
Scarlet Fever	0·19	0·21	0·17	44	24	20	7	5	7	8	4	31	8	3	2	—	—	—	—	—	—	—
Diphtheria	0·05	0·04	0·05	11	5	6	1	1	2	1	3	8	2	—	—	—	—	—	1	—	—	—
Whooping-cough ..	0·36	0·31	0·40	83	35	48	39	29	8	3	2	81	2	—	—	—	—	—	—	—	—	—
Typhus	0·00	0·01	—	1	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·08	0·08	0·08	19	9	10	—	—	—	—	—	—	—	4	3	4	5	3	—	—	—	—
Simple Continued Fever	0·14	0·13	0·14	32	15	17	10	6	2	1	—	19	3	3	1	—	2	—	1	1	2	—
Diarrhœa & Dysentery	0·24	0·29	0·20	57	33	24	35	6	—	1	—	42	—	—	—	—	—	—	1	2	6	6
Cholera	0·01	0·01	0·01	2	1	1	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
Cancer	0·63	0·50	0·75	146	57	89	—	—	—	—	—	—	—	—	—	2	2	13	35	41	35	18
Tabes Mesenterica ..	0·16	0·18	0·15	38	20	18	14	8	3	—	1	26	3	—	1	2	2	2	2	—	—	—
Phthisis	0·95	0·98	0·94	222	112	110	3	1	—	—	2	6	3	3	15	27	63	47	24	25	7	2
Other Tub. & Scrof. Dis.	0·26	0·25	0·27	61	29	32	24	8	1	4	2	39	8	1	3	2	4	1	1	2	—	—
Diseases of: Nervous System ..	2·02	2·05	1·99	470	234	236	106	24	13	7	6	156	8	4	5	8	9	18	44	65	87	66
Diseases of: Circulatory „ ..	1·55	1·61	1·49	361	184	177	—	—	—	—	—	—	1	2	9	7	22	26	32	92	119	51
Diseases of: Respiratory „ ..	3·23	3·57	2·90	751	407	344	143	75	14	20	7	259	18	2	11	10	27	33	63	96	144	88
Diseases of: Digestive „ ..	1·31	1·44	1·17	303	164	139	72	20	5	1	6	104	14	3	12	5	11	16	23	38	44	33
Diseases of: Urinary „ ..	0·43	0·62	0·24	100	71	29	2	—	2	-	2	6	—	1	—	1	5	12	13	28	21	13
Diseases of: Generative „ ..	0·06	—	0·13	15	—	15	—	—	—	—	—	—	—	—	—	2	2	5	2	2	2	—
Puerperal Fever ..	0·07	—	0·13	16	—	16	—	—	—	—	—	—	—	—	—	1	8	7	—	—	—	—
Childbirth..	0·10	—	0·20	24	—	24	—	—	—	—	—	—	—	—	—	4	9	10	1	—	—	—
Violence	0·56	0·82	0·31	131	94	37	8	2	4	1	5	20	5	4	10	7	7	20	12	23	13	10
OTHER CAUSES	3·76	3·79	3·73	876	434	442	212	18	5	4	1	240	2	8	15	10	31	44	43	73	146	264

Marriages 1,582

Births .. { Males .. 3,016 / Females 2,864 } 5,880

Annual Rate per 1000 living { Persons Married .. 13·59 / Births .. .. .. 25·25 }

Annual Births to 1000 Females aged 15—45 years = 104.

Deaths from Childbirth and Puerperal Fever .. .. } 6·80 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

474.—BLACKBURN.

CAUSES OF DEATH.		CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000.	Persons	—	In Standard Population. 22·46	*186	—	—	—	—	73·59	5·05	2·71	4·03	5·07	6·36	11·74	20·26	42·68	88·79	173·20
	Males ..	—	23·93	*206	—	—	—	—	81·44	4·90	2·85	4·34	4·92	6·20	12·72	23·52	46·23	95·65	185·64
	Females	—	21·09	*166	—	—	—	—	65·98	5·19	2·58	3·76	5·19	6·50	10·89	17·57	39·82	83·62	164·36
Mean Population, 1891-1900.	Persons	—	213,380	5389	4863	4968	4785	4744	24749	23670	23385	22546	20827	35138	26692	18681	11142	5192	1358
	Males ..	—	99,865	2650	2400	2425	2340	2367	12182	11712	11383	10610	9322	16039	12398	8457	4967	2231	564
	Females	—	113,515	2739	2463	2543	2445	2377	12567	11958	12002	11936	11505	19099	14294	10224	6175	2961	794
Deaths from All Causes, 1891-1900.	Persons	20·69	42,878	11922	3680	1286	773	552	18213	1195	634	909	1056	2236	3133	3785	4755	4610	2352
	Males ..	21·81	21,776	6701	1905	652	370	293	9921	574	324	460	459	995	1577	1989	2296	2134	1047
	Females	18·59	21,102	5221	1775	634	403	259	8292	621	310	449	597	1241	1556	1796	2459	2476	1305

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	0·00	0·00	0·00	2	1	1	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
Measles	0·71	0·81	0·62	1508	806	702	382	603	259	122	60	1426	77	4	1	—	—	—	—	—	—	—
Scarlet Fever	0·17	0·17	0·16	353	168	185	18	42	53	61	52	226	101	17	6	1	2	—	—	—	—	—
Diphtheria	0·19	0·18	0·19	399	183	216	25	70	58	65	58	276	86	19	8	3	5	1	1	—	—	—
Whooping-cough ..	0·41	0·41	0·42	883	408	475	433	258	103	41	31	866	17	—	—	—	—	—	—	—	—	—
Typhus	0·00	0·00	0·00	5	1	4	—	—	—	—	1	1	—	1	—	—	1	1	—	1	—	—
Enteric Fever	0·27	0·31	0·23	566	306	260	2	5	7	6	10	30	43	62	91	78	119	71	43	24	4	1
Simple Continued Fever	0·02	0·01	0·02	32	11	21	3	7	7	3	1	21	3	1	1	1	—	1	2	2	—	—
Diarrhœa & Dysentery	1·05	1·18	0·93	2232	1182	1050	1617	300	37	8	3	1965	11	4	1	1	11	20	19	58	85	57
Cholera	0·03	0·03	0·03	62	25	37	30	8	2	1	—	41	—	1	—	—	5	8	3	2	1	1
Cancer	0·58	0·43	0·72	1245	428	817	2	—	—	—	1	3	4	3	4	13	33	154	324	405	233	69
Tabes Mesenterica ..	0·36	0·40	0·33	772	396	376	415	167	47	19	14	662	35	9	13	7	16	19	5	5	1	—
Phthisis	1·15	1·31	1·01	2458	1311	1147	55	30	11	11	13	120	46	67	204	297	608	571	340	161	38	6
Other Tub. & Scrof. Dis.	0·35	0·41	0·31	754	406	348	209	147	62	32	32	482	81	45	36	25	30	21	19	13	2	—
Diseases of: Nervous System ..	2·47	2·74	2·23	5267	2738	2529	1579	353	129	78	60	2199	143	59	65	61	107	252	480	749	852	300
Circulatory " ..	1·59	1·51	1·65	3384	1510	1874	38	5	4	6	6	59	46	81	95	98	209	402	605	834	734	221
Respiratory " ..	4·57	5·20	4·01	9740	5192	4548	2352	1148	323	208	130	4161	241	53	113	124	318	610	960	1330	1264	536
Digestive " ..	1·60	1·75	1·47	3414	1744	1670	1403	338	57	23	16	1837	74	43	80	80	127	210	276	357	255	75
Urinary " ..	0·46	0·53	0·39	978	534	444	30	12	5	5	17	69	19	24	28	27	90	144	154	183	169	71
Generative " ..	0·04	0·01	0·06	79	6	73	3	—	—	—	—	3	—	—	2	6	11	18	19	12	5	3
Puerperal Fever.. ..	0·11	—	0·21	239	—	239	—	—	—	—	—	—	—	—	9	66	112	50	2	—	—	—
Childbirth..	0·12	—	0·22	246	—	246	—	—	—	—	—	—	—	—	2	38	107	97	2	—	—	—
Violence	0·65	0·92	0·41	1385	914	471	135	52	83	53	33	356	105	65	56	43	121	157	189	141	117	35
OTHER CAUSES	3·19	3·50	2·97	6875	3506	3369	3191	135	39	31	14	3410	63	76	94	86	203	296	342	478	850	977

Marriages 18,001

Births .. { Males .. 32,489 / Females 31,484 } 63,973

Annual Rate per 1000 living { Persons Married .. 15·87 / Births .. .. .. 29·98 }

Annual Births to 1000 Females aged 15—45 years = 113.

Deaths from Childbirth and Puerperal Fever .. .. } 7·58 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

475.—CHORLEY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		20·08	*166	—	—	—	—	63·05	4·35	2·65	3·78	4·66	6·85	10·73	18·56	35·09	81·27	168·92
Annual Death-Rate per 1000. Males ..	—					21·07	*185	—	—	—	—	70 62	4·47	2·59	3·49	3·58	7·49	10·98	21·37	38·32	84·99	161·57
Annual Death-Rate per 1000. Females	—					19·16	*146	—	—	—	—	55·60	4·23	2·72	4·03	5·57	6·29	10·51	16·06	32·31	78·08	175·00
Mean Population, 1891-1900. Persons	—			58,673			1475	1429	1371	1386	1379	7040	6877	6592	6331	5728	9105	6839	4832	3106	1660	563
Mean Population, 1891-1900. Males ..	—			27,997			741	719	681	659	695	3495	3422	3207	2984	2623	4286	3242	2279	1438	766	255
Mean Population, 1891-1900. Females	—			30,676			734	710	690	727	684	3545	3455	3385	3347	3105	4819	3597	2553	1668	894	308
Deaths from All Causes, 1891-1900. Persons	18·86			11,064			3044	806	302	162	125	4439	299	175	239	267	624	734	897	1090	1349	951
Deaths from All Causes, 1891-1900. Males ..	20·29			5,680			1749	404	160	86	69	2468	153	83	104	94	321	356	487	551	651	412
Deaths from All Causes, 1891-1900. Females	17·55			5,384			1295	402	142	76	56	1971	146	92	135	173	303	378	410	539	698	539
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	0·03	0·03	0·02	16	9	7	1	1	—	—	—	2	—	—	—	—	4	4	6	—	—	—
Measles	0·35	0·33	0·38	207	91	116	55	90	35	8	6	194	10	1	1	1	—	—	—	—	—	—
Scarlet Fever	0·19	0·24	0·14	111	68	43	5	27	19	15	11	77	23	5	1	4	—	1	—	—	—	—
Diphtheria	0·18	0·18	0·18	106	51	55	4	19	21	16	18	78	21	3	1	—	—	1	—	2	—	—
Whooping-cough ..	0·35	0·35	0·36	206	97	109	99	69	19	8	6	201	5	—	—	—	—	—	—	—	—	—
Typhus	0·00	—	0·00	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Enteric Fever	0·33	0·38	0·29	195	107	88	—	1	5	3	3	12	15	18	21	26	45	32	17	8	1	—
Simple Continued Fever	0·01	0·01	0·00	4	3	1	—	—	1	1	—	2	1	1	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·60	0·65	0·56	354	183	171	227	54	6	4	—	291	3	—	—	1	2	3	4	9	20	21
Cholera	0·02	0·02	0·01	9	5	4	4	—	—	—	—	4	—	—	—	—	1	1	—	—	3	—
Cancer	0·56	0·38	0·72	326	105	221	1	—	—	—	—	1	1	1	—	—	6	32	61	91	110	23
Tabes Mesenterica ..	0·26	0·36	0·17	155	102	53	79	30	14	3	1	127	7	7	5	2	2	2	1	2	—	—
Phthisis	1·11	1·09	1·13	652	304	348	18	14	3	2	3	40	14	22	56	88	155	125	97	34	20	1
Other Tub. & Scrof. Dis.	0·40	0·50	0·31	235	140	95	64	48	20	11	12	155	24	15	10	6	6	6	8	5	—	—
Diseases of: Nervous System ..	2·25	2·37	2·14	1318	663	655	456	75	24	18	11	584	34	15	15	5	35	59	91	168	203	109
Diseases of: Circulatory " ..	1·82	1·74	1·90	1068	486	582	7	3	3	1	2	16	12	22	21	27	55	92	171	240	298	114
Diseases of: Respiratory " ..	3·90	4·54	3·32	2287	1269	1018	635	235	80	49	27	1026	52	11	25	21	84	132	175	239	303	219
Diseases of: Digestive " ..	1·51	1·74	1·31	887	486	401	352	79	15	7	7	460	20	12	18	16	28	49	74	87	81	42
Diseases of: Urinary " ..	0·40	0·46	0·35	237	129	108	16	4	2	4	2	28	9	4	6	6	17	27	33	36	50	21
Diseases of: Generative " ..	0·03	0·01	0·05	20	4	16	1	1	—	—	—	2	—	—	—	1	2	3	3	3	5	1
Puerperal Fever ..	0·10	—	0·20	61	—	61	—	—	—	—	—	—	—	—	1	14	31	14	1	—	—	—
Childbirth	0·10	—	0·20	61	—	61	—	—	—	—	—	—	—	—	—	5	24	32	—	—	—	—
Violence	0·59	0·90	0·30	345	253	92	23	12	12	5	8	60	22	13	22	13	36	33	57	45	25	19
OTHER CAUSES	3·77	4·01	3·51	2203	1125	1078	997	44	23	7	8	1079	25	25	36	31	91	86	98	121	230	381

Marriages 4,507

Births .. { Males .. 9,471 / Females 8,891 } 18,362

Annual Rate per 1000 living { Persons Married .. 15·36 / Births .. .. .. 31·30 }

Annual Births to 1000 Females aged 15—45 years = 124.

Deaths from Childbirth and Puerperal Fever .. .. } 6·64 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

476.—PRESTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		24·67	*220	—	—	—	—	84·47	4·32	2·66	4·27	5·57	8·33	15·60	22·73	44·64	83·94	173·12
Annual Death-Rate per 1000. Males	—					26·08	*238	—	—	—	—	91·66	3·95	2·64	4·56	5·82	8·80	16·98	26·20	47·96	88·88	177·42
Annual Death-Rate per 1000. Females	—					23·35	*201	—	—	—	—	77·39	4·68	2·69	4·01	5·37	7·94	14·44	19·91	42·11	80·29	169·71
Mean Population, 1891-1900. Persons	—			147,500			3746	3372	3268	3316	3283	16979	16156	15580	15226	14128	23612	17951	13292	8771	4451	1354
Mean Population, 1891-1900. Males	—			68,593			1877	1659	1608	1640	1642	8426	7950	7650	7236	6215	10663	8214	5959	3793	1889	598
Mean Population, 1891-1900. Females	—			78,907			1863	1713	1660	1676	1641	8553	8206	7930	7990	7913	12949	9737	7333	4978	2562	756
Deaths from All Causes, 1891-1900. Persons	23·51			34,675			10207	2359	909	514	353	14342	698	415	650	787	1966	2801	3021	3915	3736	2344
Deaths from All Causes, 1891-1900. Males	25·34			17,384			5628	1215	451	254	175	7723	314	202	330	362	938	1395	1561	1819	1679	1061
Deaths from All Causes, 1891-1900. Females	21·91			17,291			4579	1144	458	260	178	6619	384	213	320	425	1028	1406	1460	2096	2057	1283
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·00	0·00	3	2	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—	1	—
Measles	0·68	0·73	0·64	1006	503	503	261	405	176	70	41	953	48	—	1	1	1	1	1	—	—	—
Scarlet Fever	0·17	0·17	0·16	246	117	129	14	36	52	32	40	174	58	2	3	3	4	2	—	—	—	—
Diphtheria	0·14	0·13	0·16	213	90	123	15	30	45	46	23	159	43	3	2	1	2	1	2	—	—	—
Whooping-cough	0·43	0·44	0·41	627	304	323	323	181	62	34	12	612	14	1	—	—	—	—	—	—	—	—
Typhus	0·00	0·00	0·00	3	2	1	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	1
Enteric Fever	0·29	0·31	0·26	421	216	205	2	11	2	8	5	28	51	29	64	50	76	61	33	23	5	1
Simple Continued Fever	0·02	0·02	0·01	24	13	11	8	2	2	2	—	14	4	1	—	—	2	1	—	1	1	—
Diarrhœa & Dysentery	1·66	1·92	1·43	2445	1315	1130	1904	261	35	11	2	2213	2	2	2	1	15	17	31	56	64	42
Cholera	0·07	0·08	0·05	99	56	43	64	9	3	1	1	78	1	2	1	—	1	2	3	4	7	—
Cancer	0·66	0·50	0·80	977	342	635	2	—	—	1	1	4	3	2	3	6	28	112	233	334	187	65
Tabes Mesenterica	0·30	0·35	0·26	444	238	206	243	72	16	9	6	346	12	14	16	11	13	6	9	10	7	—
Phthisis	1·81	1·91	1·72	2667	1311	1356	37	34	12	10	7	100	34	57	195	280	630	651	411	221	77	11
Other Tub. & Scrof. Dis.	0·48	0·58	0·40	710	397	313	215	103	67	39	22	446	68	40	18	25	37	35	19	17	5	—
Diseases of: Nervous System	2·83	3·19	2·52	4177	2186	1991	1336	174	67	53	31	1661	60	33	38	48	149	337	379	574	571	327
Diseases of: Circulatory	2·05	2·04	2·06	3026	1403	1623	34	2	3	1	5	45	31	57	53	55	162	336	451	751	778	307
Diseases of: Respiratory	4·78	5·24	4·39	7056	3592	3464	1711	671	236	121	88	2827	113	37	68	77	249	468	665	975	985	592
Diseases of: Digestive	1·62	1·72	1·53	2389	1180	1209	958	196	35	15	16	1220	45	38	40	38	102	161	224	245	185	91
Diseases of: Urinary	0·61	0·70	0·52	894	480	414	44	8	9	5	7	73	11	4	12	22	66	114	137	202	175	78
Diseases of: Generative	0·05	0·01	0·09	75	5	70	3	—	—	—	—	3	—	—	2	5	13	16	17	11	6	2
Puerperal Fever	0·11	—	0·20	160	—	160	—	—	—	—	—	—	—	—	6	38	76	40	—	—	—	—
Childbirth	0·11	—	0·21	163	—	163	—	—	—	—	—	—	—	—	3	24	63	69	4	—	—	—
Violence	0·58	0·87	0·34	861	596	265	67	30	40	30	19	186	46	33	42	44	93	105	114	94	76	28
Other Causes	4·06	4·43	3·75	5989	3036	2953	2965	134	47	26	27	3200	54	60	80	57	183	265	288	397	606	799

Marriages 11,612

Births .. { Males .. 23,634 / Females 22,802 } 46,436

Annual Rate per 1000 living { Persons Married .. 15·75 / Births .. .. .. 31·48

Annual Births to 1000 Females aged 15—45 years = 120.

Deaths from Childbirth and Puerperal Fever .. .. } 6·96 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

477.—FYLDE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 18·79	*161	—	—	—	—	57·75	4·66	2·55	3·52	5·27	6·88	11·00	17·52	31·49	72·28	152·85
Annual Death-Rate per 1000. Males ..	—	20·35	*177	—	—	—	—	64·21	4·67	2·48	3·75	5·42	7·56	13·60	19·85	35·75	81·39	155·06
Annual Death-Rate per 1000. Females	—	17·33	*144	—	—	—	—	51·44	4·64	2·61	3·31	5·17	6·34	8·90	15·67	28·26	65·59	151·15
Mean Population, 1891–1900. Persons	—	73,320	1662	1591	1588	1556	1555	7952	7367	7259	7217	7167	12228	9431	7014	4604	2309	772
Mean Population, 1891–1900. Males ..	—	33,568	816	781	798	765	766	3926	3661	3547	3415	3025	5381	4207	3103	1989	978	336
Mean Population, 1891–1900. Females	—	39,752	846	810	790	791	789	4026	3706	3712	3802	4142	6847	5224	3911	2615	1331	436
Deaths from All Causes, 1891–1900. Persons	17·94	13,158	3243	734	289	190	136	4592	343	185	254	378	841	1037	1229	1450	1669	1180
Deaths from All Causes, 1891–1900. Males ..	19·94	6,695	1811	405	139	93	73	2521	171	88	128	164	407	572	616	711	796	521
Deaths from All Causes, 1891–1900. Females	16·26	6,463	1432	329	150	97	63	2071	172	97	126	214	434	465	613	739	873	659

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							Persons.															
Small-pox..	0·01	0·01	0·01	8	5	3	2	1	—	—	—	3	—	—	—	—	1	2	1	1	—	—
Measles	0·27	0·33	0·22	201	113	88	55	85	25	16	9	190	8	1	1	—	1	—	—	—	—	—
Scarlet Fever	0·16	0·17	0·15	117	56	61	3	9	15	21	13	61	38	11	—	3	2	1	1	—	—	—
Diphtheria	0·17	0·18	0·16	123	59	64	4	12	24	17	11	68	40	7	2	1	—	3	—	2	—	—
Whooping-cough ..	0·28	0·24	0·30	203	82	121	120	45	18	7	10	200	3	—	—	—	—	—	—	—	—	—
Typhus	0·00	0·00	0·00	2	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—
Enteric Fever	0·24	0·25	0·23	174	83	91	—	1	1	—	1	3	11	16	16	25	47	27	16	8	5	—
Simple Continued Fever	0·01	0·01	0·01	10	5	5	—	1	1	1	1	4	1	1	—	1	—	—	1	1	1	—
Diarrhœa & Dysentery	0·78	0·93	0·65	570	312	258	457	55	4	6	3	525	3	1	1	—	—	2	4	8	13	13
Cholera	0·02	0·03	0·02	18	10	8	2	4	—	1	1	8	—	—	—	—	1	—	4	1	3	1
Cancer	0·72	0·57	0·85	531	192	339	1	1	—	—	—	2	1	2	2	2	16	49	123	149	134	51
Tabes Mesenterica ..	0·17	0·20	0·15	125	66	59	50	29	8	4	—	91	8	1	8	3	6	4	3	1	—	—
Phthisis	1·20	1·35	1·07	876	452	424	11	10	5	4	3	33	7	21	76	114	220	202	129	49	25	—
Other Tub. & Scrof. Dis.	0·31	0·37	0·25	225	124	101	61	44	16	11	14	146	26	17	7	8	8	7	2	2	2	—
Diseases of Nervous System ..	2·06	2·36	1·80	1508	792	716	408	86	33	27	15	569	32	9	16	18	37	88	123	205	253	158
Diseases of Circulatory „ ..	1·79	1·78	1·79	1310	599	711	14	3	—	2	3	22	20	16	19	26	76	123	187	310	362	149
Diseases of Respiratory „ ..	3·21	3·66	2·82	2351	1229	1122	564	217	80	45	27	933	60	11	16	40	84	161	216	245	354	231
Diseases of Digestive „ ..	1·45	1·56	1·36	1061	522	539	360	61	20	6	10	457	30	23	18	28	56	70	112	132	106	29
Diseases of Urinary „ ..	0·50	0·62	0·40	369	209	160	9	6	3	—	1	19	4	1	5	4	25	42	67	84	83	35
Diseases of Generative „ ..	0·06	0·01	0·10	41	2	39	1	—	—	—	—	1	—	1	—	2	8	7	10	7	—	5
Puerperal Fever.. ..	0·10	—	0·18	72	—	72	—	—	—	—	—	—	—	—	1	11	43	17	—	—	—	—
Childbirth	0·10	—	0·19	75	—	75	—	—	—	—	—	—	—	—	1	11	39	23	1	—	—	—
Violence	0·68	1·12	0·31	500	375	125	34	13	11	14	6	78	26	18	34	38	74	78	62	41	30	21
OTHER CAUSES	3·65	4·19	3·24	2688	1407	1281	1087	51	25	8	8	1179	25	28	30	43	97	131	167	204	297	487

Marriages 6,274

Births .. { Males .. 10,245 / Females 9,928 } 20,173

Annual Rate per 1000 living { Persons Married .. 17·11 / Births .. .. .. 27·51 }

Annual Births to 1000 Females aged 15—45 years = 101.

Deaths from Childbirth and Puerperal Fever .. .. } 7·29 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

478.—GARSTANG.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 13·41	*102	—	—	—	—	33·03	3·06	1·98	2·43	4·92	4·64	7·12	11·66	25·61	61·70	154·55
Annual Death-Rate per 1000. Males	—	13·40	*107	—	—	—	—	34·48	3·77	1·88	2·72	5·16	4·23	7·78	11·99	27·81	60·89	150·00
Annual Death-Rate per 1000. Females	—	13·42	* 95	—	—	—	—	31·61	2·34	2·10	2·09	4·66	5·06	6·45	11·30	23·38	62·60	160·19
Mean Population, 1891–1900. Persons	—	12,020	264	266	261	255	253	1299	1306	1312	1274	1037	1768	1418	1081	777	517	231
Mean Population, 1891–1900. Males	—	6,207	132	134	131	125	119	641	664	692	699	543	898	720	559	392	271	128
Mean Population, 1891–1900. Females	—	5,813	132	132	130	130	134	658	642	620	575	494	870	698	522	385	246	103
Deaths from All Causes, 1891–1900. Persons	14·65	1,761	290	67	28	27	17	429	40	26	31	51	82	101	126	199	319	357
Deaths from All Causes, 1891–1900. Males	15·03	933	158	25	13	15	10	221	25	13	19	28	38	56	67	109	165	192
Deaths from All Causes, 1891–1900. Females	14·24	828	132	42	15	12	7	208	15	13	12	23	44	45	59	90	154	165

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							Persons.															
Small-pox	0·02	0·03	0·02	3	2	1	—	—	—	—	—	—	—	—	—	—	1	1	—	1	—	—
Measles	0·14	0·23	0·05	17	14	3	6	4	2	2	1	15	2	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·13	0·15	0·12	16	9	7	2	—	1	—	3	6	6	2	—	1	1	—	—	—	—	—
Diphtheria	0·21	0·19	0·22	25	12	13	4	1	2	7	5	19	5	1	—	—	—	—	—	—	—	—
Whooping-cough	0·17	0·08	0·26	20	5	15	12	4	2	2	—	20	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·16	0·13	0·19	19	8	11	—	1	—	—	—	1	1	1	1	6	4	2	2	1	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·17	0·15	0·19	20	9	11	9	—	—	—	—	9	—	1	—	—	—	—	—	1	5	4
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·55	0·53	0·57	66	33	33	—	—	1	—	—	1	—	—	—	1	—	3	18	22	16	5
Tabes Mesenterica	0·10	0·08	0·12	12	5	7	3	2	2	1	—	8	—	1	—	1	—	2	—	—	—	—
Phthisis	0·81	0·82	0·79	97	51	46	—	—	—	—	—	—	1	4	9	14	24	18	12	12	2	1
Other Tub. & Scrof. Dis.	0·16	0·15	0·17	19	9	10	4	3	2	—	1	10	3	2	1	—	2	—	—	—	—	1
Diseases of Nervous System	1·53	1·40	1·67	184	87	97	41	14	3	1	2	61	7	—	3	4	6	4	9	18	49	23
Diseases of Circulatory "	1·77	1·76	1·79	213	109	104	—	2	—	—	—	2	1	2	4	2	1	11	14	49	72	55
Diseases of Respiratory "	2·76	2·69	2·84	332	167	165	66	24	6	6	3	105	5	2	1	4	10	15	28	36	64	62
Diseases of Digestive "	1·10	1·11	1·08	132	69	63	18	6	4	2	1	31	3	5	1	4	7	8	14	15	23	21
Diseases of Urinary "	0·47	0·58	0·36	57	36	21	—	—	—	1	—	1	1	—	—	1	4	3	6	8	22	11
Diseases of Generative "	0·04	—	0·09	5	—	5	—	—	—	—	—	—	—	—	—	1	—	1	1	1	1	—
Puerperal Fever	0·02	—	0·03	2	—	2	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Childbirth	0·05	—	0·10	6	—	6	—	—	—	—	—	—	—	—	—	—	4	2	—	—	—	—
Violence	0·60	0·98	0·19	72	61	11	5	3	3	4	1	16	1	2	6	3	7	13	5	6	10	3
Other Causes	3·69	3·97	3·39	444	247	197	120	3	—	1	—	124	4	3	5	9	10	17	17	29	55	171

Marriages 759

Births .. { Males .. 1,470 / Females 1,387 } 2,857

Annual Rate per 1000 living { Persons Married .. 12·63 / Births .. .. .. 23·77

Annual Births to 1000 Females aged 15—45 years = 108.

Deaths from Childbirth and Puerperal Fever .. .. } 2·80 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

479.—LANCASTER.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 20·25	*153	—	—	—	—	56·71	4·61	3·30	4·88	5·77	8·31	13·39	20·99	36·90	77·67	158·50
Annual Death-Rate per 1000. Males	—	21·05	*167	—	—	—	—	60·89	4·86	3·64	4·61	5·21	7·96	14·96	22·71	39·02	78·94	181·59
Annual Death-Rate per 1000. Females	—	19·49	*139	—	—	—	—	52·53	4·35	2·95	5·15	6·30	8·65	11·89	19·43	35·16	76·58	142·72
Mean Population, 1891-1900. Persons	—	59,047	1394	1268	1273	1269	1290	6494	6209	6061	5842	5757	9731	7425	5387	3547	1912	682
Mean Population, 1891-1900. Males	—	28,851	710	635	634	633	640	3252	3105	3047	2928	2804	4760	3624	2572	1599	883	277
Mean Population, 1891-1900. Females	—	30,196	684	633	639	636	650	3242	3104	3014	2914	2953	4971	3801	2815	1948	1029	405
Deaths from All Causes, 1891-1900. Persons	19·64	11,595	2509	660	249	157	108	3683	286	200	285	332	809	994	1131	1309	1485	1081
Deaths from All Causes, 1891-1900. Males	20·28	5,852	1386	313	128	90	63	1980	151	111	135	146	379	542	584	624	697	503
Deaths from All Causes, 1891-1900. Females	19·02	5,743	1123	347	121	67	45	1703	135	89	150	186	430	452	547	685	788	578

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·00	0·01	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·37	0·36	0·38	221	105	116	57	93	35	12	11	208	7	4	1	—	1	—	—	—	—	—
Scarlet Fever	0·13	0·11	0·16	79	32	47	5	14	10	14	7	50	19	4	2	4	—	—	—	—	—	—
Diphtheria	0·19	0·19	0·19	113	56	57	4	13	19	16	13	65	39	5	—	1	1	1	—	1	—	—
Whooping-cough	0·27	0·24	0·30	162	70	92	86	46	17	6	3	158	3	1	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·25	0·29	0·21	147	83	64	1	1	2	2	2	8	3	12	23	20	38	13	14	11	5	—
Simple Continued Fever	0·01	0·01	—	4	4	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	1	1
Diarrhœa & Dysentery	0·84	0·88	0·79	493	254	239	341	67	3	6	—	417	2	—	—	3	7	6	6	11	25	16
Cholera	0·09	0·10	0·08	51	28	23	41	4	—	—	—	45	1	—	—	—	—	1	2	1	1	—
Cancer	0·64	0·47	0·79	375	137	238	1	2	1	—	1	5	—	—	—	1	11	26	88	108	103	33
Tabes Mesenterica	0·16	0·17	0·16	95	48	47	34	18	7	3	—	62	6	7	9	—	5	3	1	1	1	—
Phthisis	1·65	1·56	1·73	972	451	521	1	4	2	4	1	12	13	28	90	128	230	233	135	78	25	—
Other Tub. & Scrof. Dis.	0·44	0·47	0·40	258	137	121	68	29	15	10	10	132	26	28	20	11	16	7	11	7	—	—
Diseases of Nervous System	2·86	3·22	2·51	1687	929	758	417	71	26	17	14	545	35	26	36	27	96	170	202	179	235	136
Diseases of Circulatory	1·84	1·63	2·04	1085	469	616	1	2	—	2	3	8	11	16	14	18	49	109	164	270	285	141
Diseases of Respiratory	3·65	4·04	3·29	2157	1164	993	434	213	82	35	20	784	39	12	22	25	95	166	206	262	328	218
Diseases of Digestive	1·28	1·26	1·31	757	363	394	210	41	7	9	6	273	21	9	16	22	37	44	87	109	105	34
Diseases of Urinary	0·50	0·60	0·40	294	173	121	8	3	1	2	1	15	10	4	3	5	19	34	56	57	65	26
Diseases of Generative	0·04	0·01	0·07	24	3	21	2	1	—	—	—	3	—	—	1	—	2	3	6	5	3	1
Puerperal Fever	0·07	—	0·14	43	—	43	—	—	—	—	—	—	—	—	2	4	27	10	—	—	—	—
Childbirth	0·11	—	0·22	66	—	66	—	—	—	—	—	—	—	—	1	5	32	27	1	—	—	—
Violence	0·64	0·95	0·34	277	275	102	19	8	5	12	8	52	30	25	22	26	55	56	40	39	24	8
Other Causes	3·61	3·71	3·51	2133	1069	1064	779	30	17	7	8	841	21	19	23	31	88	85	110	169	279	467

Marriages 4,581

Births .. { Males .. 8,295 / Females 8,091 } 16,386

Annual Rate per 1000 living { Persons Married .. 15·52 / Births .. .. .. 27·75 }

Annual Births to 1000 Females aged 15—45 years = 112.

Deaths from Childbirth and Puerperal Fever .. .. } 6·65 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

480.—LUNESDALE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·59			*100	—	—	—	—	30·49	3·68	1·37	2·93	4·72	4·45	6·95	12·12	21·74	58·10	145·16
Annual Death-Rate per 1000. Males	—			12·26			*111	—	—	—	—	32·95	3·50	1·12	3·20	3·36	4·22	6·12	8·48	21·14	59·30	167·69
Annual Death-Rate per 1000. Females	—			12·90			* 88	—	—	—	—	27·91	3·88	1·62	2·64	6·17	4·66	7·77	15·43	22·36	56·77	120·34
Mean Population, 1891-1900. Persons	—			7,131			163	170	168	169	173	843	787	728	785	635	1034	791	594	483	327	124
Mean Population, 1891-1900. Males	—			3,578			82	85	85	84	95	431	400	358	406	327	498	392	283	246	172	65
Mean Population, 1891-1900. Females	—			3,553			81	85	83	85	78	412	387	370	379	308	536	399	311	237	155	59
Deaths from All Causes, 1891-1900. Persons	13·98			997			181	37	21	11	7	257	29	10	23	30	46	55	72	105	190	180
Deaths from All Causes, 1891-1900. Males	14·42			516			102	16	13	8	3	142	14	4	13	11	21	24	24	52	102	109
Deaths from All Causes, 1891-1900. Females	13·54			481			79	21	8	3	4	115	15	6	10	19	25	31	48	53	88	71
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·11	0·08	0·14	8	3	5	2	3	1	1	—	7	1	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·13	0·08	0·17	9	3	6	—	2	2	1	1	6	1	1	—	1	—	—	—	—	—	—
Diphtheria	0·15	0·22	0·08	11	8	3	—	—	3	2	—	5	5	—	1	—	—	—	—	—	—	—
Whooping-cough	0·22	0·28	0·17	16	10	6	9	4	3	—	—	16	—	—	—	—	—	—	—	—	—	—
Typhus	0·01	0·03	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Enteric Fever	0·13	0·11	0·14	9	4	5	—	—	—	—	—	—	—	—	—	2	1	3	2	1	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·15	0·17	0·14	11	6	5	4	1	—	—	—	5	—	—	—	—	—	—	—	2	2	2
Cholera	0·04	0·03	0·06	3	1	2	2	—	—	—	—	2	—	—	—	—	—	—	—	—	1	—
Cancer	0·59	0·39	0·79	42	14	28	—	—	—	—	—	—	—	—	—	—	—	3	10	8	15	6
Tabes Mesenterica	0·07	0·06	0·08	5	2	3	1	2	1	—	—	4	1	—	—	—	—	—	—	—	—	—
Phthisis	0·94	0·92	0·96	67	33	34	1	—	—	—	1	2	4	—	5	11	17	17	4	5	2	—
Other Tub. & Scrof. Dis.	0·29	0·36	0·23	21	13	8	1	3	1	1	—	6	2	1	3	3	2	2	—	2	—	—
Diseases of Nervous System	1·81	1·65	1·97	129	59	70	34	6	3	—	—	43	2	3	3	—	4	5	10	14	27	18
Diseases of Circulatory "	1·37	1·37	1·38	98	49	49	—	—	—	—	—	—	1	—	2	—	2	1	13	23	36	20
Diseases of Respiratory "	1·96	2·29	1·63	140	82	58	38	11	3	—	2	54	2	—	3	1	4	5	13	14	24	20
Diseases of Digestive "	0·87	0·67	1·07	62	24	38	10	1	1	1	2	15	6	2	1	2	3	6	6	7	12	2
Diseases of Urinary "	0·31	0·56	0·06	22	20	2	1	1	1	—	—	3	1	—	—	—	—	1	2	5	6	4
Diseases of Generative "	0·03	—	0·06	2	—	2	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—
Puerperal Fever	0·07	—	0·14	5	—	5	—	—	—	—	—	—	—	—	—	2	3	—	—	—	—	—
Childbirth	0·07	—	0·14	5	—	5	—	—	—	—	—	—	—	—	—	1	3	1	—	—	—	—
Violence	0·41	0·59	0·23	29	21	8	—	2	1	3	—	6	1	1	3	2	1	3	4	6	1	1
Other Causes	4·25	4·56	3·90	302	163	139	78	1	1	2	1	83	2	2	2	5	6	7	8	17	63	107

Marriages 428

Births .. Males .. 920 } 1,813
Births .. Females 893 }

Annual Rate per 1000 living { Persons Married .. 12·00
Births .. .. .. 25·42 }

Annual Births to 1000 Females aged 15—45 years = 112.

Deaths from Childbirth and Puerperal Fever .. .. } 5·52 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

481.—ULVERSTON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 14·58	*116	—	—	—	—	35·91	3·24	2·03	3·91	4·44	5·60	8·37	14·09	27·52	62·23	161·87
Annual Death-Rate per 1000. Males	—	15·22	*124	—	—	—	—	38·42	3·45	2·21	4·19	4·77	5·84	8·60	16·01	30·24	64·12	175·50
Annual Death-Rate per 1000. Females	—	13·98	*108	—	—	—	—	33·32	3·03	1·86	3·62	4·12	5·38	8·15	12·23	24·95	60·49	150·42
Mean Population, 1891-1900. Persons	—	43,356	1128	1019	1047	1057	1088	5339	5368	5111	4142	3492	5984	4971	3946	2711	1639	653
Mean Population, 1891-1900. Males	—	21,300	587	530	534	517	539	2707	2696	2533	2124	1697	2807	2394	1942	1316	786	298
Mean Population, 1891-1900. Females	—	22,056	541	489	513	540	549	2632	2672	2578	2018	1795	3177	2577	2004	1395	853	355
Deaths from All Causes, 1891-1900. Persons	15·32	6,642	1336	308	121	86	66	1917	174	104	162	155	335	416	556	746	1020	1057
Deaths from All Causes, 1891-1900. Males	16·27	3,465	727	176	57	44	36	1040	93	56	89	81	164	206	311	398	504	523
Deaths from All Causes, 1891-1900. Females	14·40	3,177	609	132	64	42	30	877	81	48	73	74	171	210	245	348	516	534

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.													
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·26	0·31	0·21	113	66	47	32	40	17	13	3	105	8	—	—	—	—	—	—	—
Scarlet Fever	0·08	0·07	0·09	34	15	19	1	2	7	3	6	19	8	3	1	1	1	1	—	—
Diphtheria	0·09	0·09	0·10	40	19	21	1	4	2	4	9	20	14	3	2	—	—	—	1	—
Whooping-cough	0·23	0·18	0·27	99	39	60	60	21	6	10	2	99	—	—	—	—	—	—	—	—
Typhus	0·00	—	0·00	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Enteric Fever	0·15	0·18	0·11	63	39	24	—	—	1	1	1	3	4	7	9	5	9	12	8	3
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·41	0·46	0·36	177	98	79	120	20	4	2	—	146	1	—	—	1	1	2	2	5
Cholera	0·01	0·02	0·01	6	4	2	3	—	—	—	—	3	—	—	—	—	—	—	1	1
Cancer	0·69	0·56	0·82	301	120	181	—	—	—	—	—	—	—	—	2	1	7	20	55	98
Tabes Mesenterica	0·11	0·14	0·08	48	30	18	24	7	3	—	2	36	1	3	2	2	2	1	1	—
Phthisis	1·12	1·15	1·09	486	245	241	7	4	3	1	1	16	8	21	51	61	113	90	62	37
Other Tub. & Scrof. Dis.	0·31	0·34	0·29	136	72	64	34	21	6	4	5	70	25	6	9	5	12	3	4	—
Diseases of Nervous System	2·07	2·07	2·08	898	440	458	215	44	20	10	10	299	29	13	8	9	18	33	71	106
Diseases of Circulatory "	1·43	1·34	1·51	618	285	333	5	—	—	—	2	7	5	10	11	9	22	36	78	125
Diseases of Respiratory "	2·66	3·11	2·22	1151	662	489	272	108	38	16	18	452	10	5	13	11	29	48	86	111
Diseases of Digestive "	0·97	1·00	0·94	419	212	207	98	19	3	4	3	127	14	10	5	8	16	25	41	65
Diseases of Urinary "	0·44	0·56	0·32	190	119	71	3	1	1	2	—	7	6	3	5	3	10	13	24	46
Diseases of Generative "	0·03	0·00	0·05	12	1	11	1	—	—	—	—	1	—	—	—	—	—	4	3	1
Puerperal Fever	0·03	—	0·07	15	—	15	—	—	—	—	—	—	—	—	1	3	5	6	—	—
Childbirth	0·11	—	0·22	48	—	48	—	—	—	—	—	—	—	—	—	2	19	26	1	—
Violence	0·64	1·03	0·26	278	220	58	5	3	7	8	—	23	21	11	20	15	29	39	41	37
OTHER CAUSES	3·48	3·66	3·30	1509	779	730	455	14	3	8	4	484	19	9	23	19	42	57	77	111

Marriages 2,960

Births .. { Males .. 5,859 / Females 5,649 } 11,508

Annual Rate per 1000 living { Persons Married .. 13·65 / Births .. .. .. 26·54 }

Annual Births to 1000 Females aged 15—45 years = 120.

Deaths from Childbirth and Puerperal Fever .. .. } 5·47 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

482.—BARROW IN FURNESS.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 17·71			*152	—	—	—	—	54·61	4·21	2·26	3·44	4·23	5·30	9·08	15·97	32·63	71·92	158·30
Annual Death-Rate per 1000. Males ..	—			17·57			*165	—	—	—	—	59·43	3·69	2·00	3·67	4·06	4·75	8·48	16·34	30·97	75·22	146·85
Annual Death-Rate per 1000. Females	—			17·84			*139	—	—	—	—	49·73	4·73	2·52	3·18	4·46	6·04	9·81	15·52	34·54	68·72	167·65
Mean Population, 1891-1900. Persons	—			54,386			1593	1359	1370	1313	1338	6973	6437	6012	5520	5916	9105	6302	4521	2427	926	247
Mean Population, 1891-1900. Males ..	—			29,194			792	703	711	665	639	3510	3223	3002	2942	3495	5180	3489	2491	1295	456	111
Mean Population, 1891-1900. Females	—			25,192			801	656	659	648	699	3463	3214	3010	2578	2421	3925	2813	2030	1132	470	136
Deaths from All Causes, 1891-1900. Persons	15·23			8,281			2543	695	297	166	107	3808	271	136	190	250	483	572	722	792	666	391
Deaths from All Causes, 1891-1900. Males ..	14·97			4,371			1411	377	155	85	58	2086	119	60	108	142	246	296	407	401	343	163
Deaths from All Causes, 1891-1900. Females	15·52			3,910			1132	318	142	81	49	1722	152	76	82	108	237	276	315	391	323	228
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	0·00	0·00	—	1	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Measles	0·42	0·40	0·44	226	116	110	64	100	29	14	8	215	11	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·14	0·15	0·13	76	43	33	6	11	14	12	12	55	18	1	1	—	—	1	—	—	—	—
Diphtheria	0·19	0·15	0·24	105	44	61	9	15	21	23	11	79	21	1	1	1	1	—	1	—	—	—
Whooping-cough ..	0·39	0·38	0·41	213	110	103	103	57	28	10	7	205	8	—	—	—	—	—	—	—	—	—
Typhus	0·01	0·01	0·01	5	3	2	—	—	—	—	—	—	—	—	1	—	1	2	—	1	—	—
Enteric Fever	0·20	0·21	0·19	108	60	48	1	3	5	2	3	14	16	9	10	18	19	8	8	3	3	—
Simple Continued Fever	0·04	0·04	0·05	23	11	12	1	2	4	1	—	8	3	2	2	—	1	3	3	1	—	—
Diarrhœa & Dysentery	0·51	0·49	0·54	279	144	135	199	36	7	4	1	247	—	2	—	1	2	1	5	7	5	9
Cholera	0·01	0·01	—	3	3	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	1
Cancer	0·45	0·29	0·64	245	85	160	1	1	1	—	—	3	1	2	1	3	10	25	59	71	57	13
Tabes Mesenterica ..	0·24	0·28	0·20	133	83	50	69	27	11	5	2	114	7	2	1	2	1	3	1	1	1	—
Phthisis	1·00	0·98	1·02	543	285	258	14	9	4	7	3	37	19	17	50	75	141	105	55	37	6	1
Other Tub. & Scrof. Dis.	0·34	0·33	0·35	184	97	87	49	33	17	6	4	109	23	9	11	5	9	9	4	4	1	—
Diseases of Nervous System ..	1·82	1·81	1·83	988	527	461	340	62	45	19	9	475	33	16	14	11	34	35	92	106	119	53
Diseases of Circulatory „ ..	1·06	1·01	1·11	574	294	280	8	—	—	—	3	11	8	21	15	17	31	52	113	156	105	45
Diseases of Respiratory „ ..	3·13	3·30	2·94	1704	963	741	510	231	79	40	28	888	35	14	20	23	60	121	168	169	144	62
Diseases of Digestive „ ..	1·27	1·16	1·40	692	339	353	286	62	16	10	7	381	18	11	16	16	25	46	68	62	35	14
Diseases of Urinary „ ..	0·29	0·29	0·28	155	84	71	7	5	2	1	—	15	5	4	1	11	16	21	21	35	21	5
Diseases of Generative „ ..	0·03	0·00	0·05	14	1	13	1	—	—	—	—	1	—	—	—	—	3	2	—	3	4	1
Puerperal Fever ..	0·05	—	0·12	29	—	29	—	—	—	—	—	—	—	—	2	5	17	5	—	—	—	—
Childbirth	0·10	—	0·22	55	—	55	—	—	—	—	—	—	—	—	1	10	15	27	2	—	—	—
Violence	0·59	0·83	0·31	321	242	79	30	10	5	7	2	54	20	15	23	24	48	36	46	37	12	6
Other Causes ..	2·95	2·85	3·04	1605	836	769	845	31	9	5	6	896	25	10	20	28	48	70	75	99	153	181

Marriages 3,743

Births .. { Males .. 8,543 / Females 8,133 } 16,676

Annual Rate per 1000 living { Persons Married .. 13·76 / Births .. .. .. 30·66 }

Annual Births to 1000 Females aged 15—45 years = 142.

Deaths from Childbirth and Puerperal Fever .. .. } 5·04 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

483.—SEDBERGH.

Causes of Death	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 12·72	*84	—	—	—	—	27·69	3·02	2·46	2·90	5·67	3·81	9·57	10·38	23·05	56·85	156·76
Annual Death-Rate per 1000. Males ..	—	12·44	*96	—	—	—	—	31·84	4·00	1·76	2·07	4·07	2·64	9·33	10·88	25·95	55·67	144·83
Annual Death-Rate per 1000. Females	—	12·98	*71	—	—	—	—	23·28	1·94	3·45	4·15	6·78	4·78	9·79	9·83	20·29	58·00	169·81
Mean Population, 1891–1900. Persons	—	3,993	69	89	83	68	81	390	431	487	483	300	499	460	366	269	197	111
Mean Population, 1891–1900. Males ..	—	2,054	33	40	47	35	46	201	225	284	290	123	227	225	193	131	97	58
Mean Population, 1891–1900. Females	—	1,939	36	49	36	33	35	189	206	203	193	177	272	235	173	138	100	53
Deaths from All Causes, 1891–1900. Persons	15·35	613	77	18	7	4	2	108	13	12	14	17	19	44	38	62	112	174
Deaths from All Causes, 1891–1900. Males ..	15·04	309	47	11	4	—	2	64	9	5	6	5	6	21	21	34	54	84
Deaths from All Causes, 1891–1900. Females	15·68	304	30	7	3	4	—	44	4	7	8	12	13	23	17	28	58	90

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							PERSONS.															
Small-pox	0·03	0·05	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Measles	0·05	—	0·10	2	—	2	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·05	0·05	0·05	2	1	1	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—
Diphtheria	0·03	0·05	—	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Whooping-cough ..	0·15	0·05	0·26	6	1	5	2	3	—	1	—	6	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·18	0·24	0·10	7	5	2	—	—	—	—	—	—	1	—	1	—	2	1	1	1	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·10	0·10	0·10	4	2	2	1	1	—	—	—	2	1	—	—	—	1	—	—	—	—	—
Cholera	0·05	0·05	0·05	2	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—
Cancer	0·98	0·49	1·50	39	10	29	—	—	—	—	—	—	—	—	1	—	—	4	4	7	15	8
Tabes Mesenterica ..	0·13	0·10	0·15	5	2	3	1	—	—	—	—	1	1	1	—	—	—	1	1	—	—	—
Phthisis	1·05	0·78	1·34	42	16	26	—	1	—	—	—	1	—	2	4	6	7	13	6	3	—	—
Other Tub. & Scrof. Dis.	0·25	0·24	0·26	10	5	5	1	2	1	—	—	4	1	1	2	—	1	—	1	—	—	—
Diseases of Nervous System ..	1·68	1·75	1·60	67	36	31	8	2	1	—	—	11	—	—	1	1	2	—	2	8	17	25
Diseases of Circulatory " ..	2·23	2·24	2·22	89	46	43	3	—	—	—	—	3	—	—	1	1	—	4	6	17	25	32
Diseases of Respiratory " ..	2·28	2·19	2·37	91	45	46	11	7	—	2	1	21	1	1	1	1	—	5	1	8	22	30
Diseases of Digestive " ..	0·83	1·12	0·52	33	23	10	3	—	2	—	—	5	1	1	1	1	2	2	6	4	8	2
Diseases of Urinary " ..	0·31	0·54	0·05	12	11	1	—	—	—	—	—	—	—	—	1	—	—	2	1	1	2	5
Diseases of Generative " ..	0·03	—	0·05	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Puerperal Fever ..	0·03	—	0·05	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Childbirth	0·18	—	0·36	7	—	7	—	—	—	—	—	—	—	—	1	—	3	3	—	—	—	—
Violence	0·38	0·49	0·26	15	10	5	1	—	1	—	1	3	—	1	—	1	1	1	2	4	—	2
OTHER CAUSES.. ..	4·36	4·51	4·29	176	93	83	44	2	2	1	—	49	5	4	—	5	—	6	6	9	22	70

Marriages 214

Births .. { Males .. 488, Females 425 } 913

Annual Rate per 1000 living { Persons Married .. 12·22; Births .. .. .. 22·87 }

Annual Births to 1000 Females aged 15—45 years = 104.

Deaths from Childbirth and Puerperal Fever .. .. } 8·76 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

484.—SETTLE.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·66			*114	—	—	—	—	34·61	3·08	1·97	3·20	3·56	5·22	7·08	11·82	23·72	65·10	156·16
Annual Death-Rate per 1000. Males ..	—			13·93			*130	—	—	—	—	38·66	3·18	1·87	1·99	3·74	4·51	7·46	13·71	26·03	68·06	151·47
Annual Death-Rate per 1000. Females	—			13·41			* 97	—	—	—	—	30·58	2·98	2·07	4·41	3·40	5·87	6·76	10·05	21·67	61·89	160·71
Mean Population, 1891-1900. Persons	—			14,185			330	309	322	325	332	1618	1559	1573	1501	1237	2049	1681	1218	877	596	276
Mean Population, 1891-1900. Males ..	—			6,938			168	158	151	166	164	807	786	801	753	589	976	778	591	411	310	136
Mean Population, 1891-1900. Females	—			7,247			162	151	171	159	168	811	773	772	748	648	1073	903	627	466	286	140
Deaths from All Causes, 1891-1900. Persons	15·00			2,128			407	85	41	16	11	560	48	31	48	44	107	119	144	208	388	431
Deaths from All Causes, 1891-1900. Males ..	15·80			1,096			239	42	22	5	4	312	25	15	15	22	44	58	81	107	211	206
Deaths from All Causes, 1891-1900. Females	14·24			1,032			168	43	19	11	7	248	23	16	33	22	63	61	63	101	177	225
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·01	0·03	—	2	2	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—
Measles	0·10	0·10	0·10	14	7	7	2	8	3	1	—	14	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·11	0·13	0·08	15	9	6	1	2	4	1	1	9	3	1	1	—	1	—	—	—	—	—
Diphtheria	0·09	0·01	0·17	13	1	12	—	1	—	2	1	4	7	1	1	—	—	—	—	—	—	—
Whooping-cough ..	0·13	0·16	0·10	18	11	7	10	6	2	—	—	18	—	—	—	—	—	—	—	—	—	—
Typhus	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Enteric Fever	0·12	0·16	0·08	17	11	6	—	—	—	—	—	—	3	—	1	1	3	1	4	3	1	—
Simple Continued Fever	0·01	0·03	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
Diarrhœa & Dysentery	0·18	0·19	0·17	25	13	12	15	1	—	—	—	16	—	—	1	—	1	—	—	—	3	4
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·61	0·49	0·72	86	34	52	—	—	—	—	—	—	—	—	—	1	2	10	13	18	29	13
Tabes Mesenterica ..	0·11	0·12	0·10	15	8	7	6	4	2	—	1	13	—	—	—	1	—	—	1	—	—	—
Phthisis	0·81	0·79	0·83	115	55	60	—	1	—	1	—	2	1	4	13	8	23	30	19	11	4	—
Other Tub. & Scrof. Dis.	0·33	0·30	0·36	47	21	26	17	7	2	1	1	28	5	3	3	1	3	—	1	2	1	—
Diseases of Nervous System ..	2·16	2·05	2·26	306	142	164	87	8	7	2	2	106	6	4	3	6	8	6	13	33	61	60
Diseases of Circulatory " ..	2·28	2·41	2·17	324	167	157	3	—	—	1	—	4	2	3	—	4	8	16	27	57	110	93
Diseases of Respiratory " ..	2·55	2·80	2·32	362	194	168	84	36	14	2	4	140	9	6	5	4	11	9	19	31	58	70
Diseases of Digestive " ..	0·84	0·82	0·86	119	57	62	19	3	1	1	—	24	3	3	4	5	7	10	13	12	20	18
Diseases of Urinary " ..	0·32	0·46	0·19	46	32	14	1	—	2	—	—	3	2	1	1	—	4	3	5	6	11	10
Diseases of Generative " ..	0·04	—	0·07	5	—	5	—	—	—	—	—	—	—	—	1	1	—	—	1	2	—	—
Puerperal Fever ..	0·08	—	0·15	11	—	11	—	—	—	—	—	—	—	—	2	1	6	2	—	—	—	—
Childbirth	0·07	—	0·14	10	—	10	—	—	—	—	—	—	—	—	2	—	4	4	—	—	—	—
Violence	0·45	0·79	0·12	64	55	9	2	—	2	1	—	5	4	3	4	5	10	7	9	6	8	3
OTHER CAUSES ..	3·59	3·95	3·25	511	274	237	159	8	2	3	1	173	3	2	6	6	16	20	18	27	82	158

Marriages 911

Births .. { Males .. 1,845 / Females 1,730 } 3,575

Annual Rate per 1000 living { Persons Married .. 12·84 / Births .. .. .. 25·20

Annual Births to 1000 Females aged 15—45 years = 106.

Deaths from Childbirth and Puerperal Fever .. .. } 5·87 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

485.—SKIPTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 16·72			*127	—	—	—	—	47·33	3·96	2·37	4·07	5·19	5·04	8·72	14·27	31·41	72·10	164·17
Annual Death-Rate per 1000. Males	—			16·84			*137	—	—	—	—	51·19	3·90	2·28	4·03	4·71	4·59	8·26	15·46	32·31	73·58	166·53
Annual Death-Rate per 1000. Females	—			16·60			*116	—	—	—	—	43·49	4·01	2·46	4·10	5·61	5·44	9·14	13·17	30·59	70·69	161·79
Mean Population, 1891–1900. Persons	—			41,818			967	922	1006	926	910	4731	4423	4347	4225	4005	6683	5044	3790	2560	1516	494
Mean Population, 1891–1900. Males	—			20,016			472	472	495	476	441	2356	2178	2148	1983	1848	3097	2386	1824	1210	738	248
Mean Population, 1891–1900. Females	—			21,802			495	450	511	450	469	2375	2245	2199	2242	2157	3586	2658	1966	1350	778	246
Deaths from All Causes, 1891–1900. Persons	16·56			6,923			1476	450	146	105	62	2239	175	103	172	208	337	440	541	804	1093	811
Deaths from All Causes, 1891–1900. Males	17·36			3,475			806	245	78	51	26	1206	85	49	80	87	142	197	282	391	543	413
Deaths from All Causes, 1891–1900. Females	15·82			3,448			670	205	68	54	36	1033	90	54	92	121	195	243	259	413	550	398
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·01	—	2	2	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—	—
Measles	0·31	0·37	0·26	131	75	56	47	49	14	8	4	122	7	2	—	—	—	—	—	—	—	—
Scarlet Fever	0·18	0·14	0·21	74	28	46	5	15	9	13	8	50	19	2	—	1	1	1	—	—	—	—
Diphtheria	0·14	0·15	0·13	59	30	29	3	9	6	12	8	38	16	2	—	—	2	1	—	—	—	—
Whooping-cough	0·35	0·32	0·37	145	65	80	74	43	15	5	3	140	5	—	—	—	—	—	—	—	—	—
Typhus	0·00	0·00	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Enteric Fever	0·17	0·19	0·15	72	39	33	—	—	2	1	2	5	6	6	7	10	15	6	7	5	1	4
Simple Continued Fever	0·01	0·00	0·01	3	1	2	—	1	—	—	—	1	—	1	—	—	1	—	—	—	—	—
Diarrhœa & Dysentery	0·33	0·38	0·28	137	76	61	95	14	2	—	—	111	1	1	—	—	—	—	5	3	4	12
Cholera	0·02	0·02	0·01	8	5	3	5	—	—	—	1	6	—	—	—	—	—	—	1	—	1	—
Cancer	0·66	0·51	0·80	277	103	174	—	—	—	—	—	—	—	2	3	2	6	22	58	72	72	40
Tabes Mesenterica	0·17	0·16	0·18	71	32	39	33	12	3	3	2	53	5	3	3	2	2	2	1	—	—	—
Phthisis	1·21	1·20	1·22	506	240	266	2	13	1	1	2	19	2	15	63	97	105	83	60	46	13	3
Other Tub. & Scrof. Dis.	0·35	0·39	0·32	148	79	69	29	33	7	4	3	76	18	9	7	6	5	11	5	6	4	1
Diseases of: Nervous System	2·01	2·13	1·89	839	427	412	253	31	15	7	7	313	22	8	8	11	9	33	60	107	153	115
Diseases of: Circulatory „	1·87	1·82	1·92	783	365	418	10	1	—	1	—	12	6	11	13	9	32	70	102	156	253	119
Diseases of: Respiratory „	3·17	3·43	2·92	1324	687	637	323	159	42	28	11	563	21	12	14	9	32	59	60	172	232	150
Diseases of: Digestive „	1·07	1·05	1·09	448	210	238	120	35	5	5	4	169	12	7	10	6	14	27	54	52	63	34
Diseases of: Urinary „	0·47	0·59	0·35	195	119	76	3	1	2	2	2	10	6	4	3	4	14	13	22	34	53	32
Diseases of: Generative „	0·05	0·01	0·08	19	2	17	1	1	—	—	—	2	—	—	—	1	1	4	4	4	2	1
Puerperal Fever	0·05	—	0·10	22	—	22	—	—	—	—	—	—	—	—	1	3	12	6	—	—	—	—
Childbirth	0·12	—	0·23	51	—	51	—	—	—	—	—	—	—	—	—	11	24	15	1	—	—	—
Violence	0·46	0·71	0·23	193	143	50	12	4	10	6	1	33	15	5	12	11	20	26	21	29	13	8
Other Causes	3·39	3·78	3·07	1415	746	669	461	29	12	9	4	515	14	13	28	25	42	61	78	118	229	292

Marriages 3,309

Births .. Males .. 5,875 / Females 5,767 } 11,642

Annual Rate per 1000 living { Persons Married .. 15·83 / Births .. .. .. 27·84

Annual Births to 1000 Females aged 15—45 years = 109.

Deaths from Childbirth and Puerperal Fever .. .. } 6·27 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The boundaries of this district were altered during the decennium; the parts transferred contained no population.

486.—PATELEY BRIDGE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		16·55	*102	—	—	—	—	37·22	4·09	3·35	4·47	5·64	8·09	10·75	13·56	33·70	66·67	186·82
Annual Death-Rate per 1000. Males	—					16·72	*100	—	—	—	—	38·65	4·42	1·96	3·21	4·81	6·87	12·34	14·89	35·27	78·53	197·10
Annual Death-Rate per 1000. Females	—					16·39	*105	—	—	—	—	35·82	3·77	4·67	5·92	6·44	9·29	9·19	12·30	32·12	53·49	175·00
Mean Population, 1891-1900. Persons	—			7.888			177	171	198	170	184	900	904	836	760	638	1149	930	730	549	363	129
Mean Population, 1891-1900. Males	—			3,944			89	80	98	86	92	445	453	408	405	312	568	462	356	275	191	69
Mean Population, 1891-1900. Females	—			3,944			88	91	100	84	92	455	451	428	355	326	581	468	374	274	172	60
Deaths from All Causes, 1891-1900. Persons	18·13			1,430			225	58	20	19	13	335	37	28	34	36	93	100	99	185	242	241
Deaths from All Causes, 1891-1900. Males	19·27			760			114	31	9	10	8	172	20	8	13	15	39	57	53	97	150	136
Deaths from All Causes, 1891-1900. Females	16·99			670			111	27	11	9	5	163	17	20	21	21	54	43	46	88	92	105
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·03	0·03	0·03	2	1	1	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
Measles	0·07	0·05	0·10	6	2	4	3	—	—	—	—	3	—	—	1	1	1	—	—	—	—	—
Scarlet Fever	0·13	0·20	0·05	10	8	2	—	—	1	3	2	6	3	1	—	—	—	—	—	—	—	—
Diphtheria	0·11	0·05	0·18	9	2	7	1	—	—	3	1	5	1	3	—	—	—	—	—	—	—	—
Whooping-cough	0·05	0·03	0·08	4	1	3	3	—	1	—	—	4	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·06	0·05	0·08	5	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	0·01	—	0·03	1	—	1	—	—	—	—	—	—	—	1	—	—	2	1	1	—	—	—
Diarrhœa & Dysentery	0·08	0·05	0·10	6	2	4	2	—	1	—	—	3	1	—	—	—	—	—	—	—	—	—
Cholera	0·01	0·03	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	1
Cancer	0·71	0·58	0·84	56	23	33	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Tabes Mesenterica	0·15	0·15	0·15	12	6	6	3	2	1	—	—	6	1	2	1	1	2	5	7	21	15	6
Phthisis	1·20	1·37	1·04	95	54	41	—	—	—	—	1	1	4	2	14	9	22	20	11	9	3	—
Other Tub. & Scrof. Dis.	0·22	0·36	0·08	17	14	3	3	4	—	—	—	7	4	1	—	1	—	1	—	2	—	1
Diseases of Nervous System	2·78	2·54	3·02	219	100	119	61	15	3	3	2	84	9	5	4	5	6	11	14	29	26	26
Diseases of Circulatory	2·17	2·26	2·08	171	89	82	—	—	—	1	—	1	—	4	1	1	10	12	15	33	54	40
Diseases of Respiratory	3·40	3·98	2·81	268	157	111	37	25	7	4	3	76	7	1	5	3	15	11	16	45	54	35
Diseases of Digestive	1·42	1·34	1·50	112	53	59	19	5	1	1	2	28	3	3	1	4	6	6	14	18	20	9
Diseases of Urinary	0·44	0·61	0·28	35	24	11	1	—	—	—	—	1	—	—	1	1	4	5	3	8	7	5
Diseases of Generative	0·03	—	0·05	2	—	2	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—
Puerperal Fever	0·06	—	0·13	5	—	5	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—
Childbirth	0·15	—	0·30	12	—	12	—	—	—	—	—	—	—	—	—	2	5	5	—	—	—	—
Violence	0·68	1·19	0·18	54	47	7	2	2	2	2	1	9	3	1	1	3	8	5	6	9	5	4
Other Causes	4·17	4·40	3·88	328	174	154	90	5	3	2	1	101	1	4	4	4	7	16	10	10	57	114

Marriages 570

Births .. Males .. 1,142 } 2,202
Females 1,060 }

Annual Rate per 1000 living { Persons Married .. 14·45
Births .. .. .. 27·92

Annual Births to 1000 Females aged 15—45 years = 127.

Deaths from Childbirth and Puerperal Fever .. .. } 7·72 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

487.—RIPON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 14·40			*117	—	—	—	—	38·36	4·01	2·34	3·09	3·25	5·66	7·17	13·32	25·48	63·29	149·30
Annual Death-Rate per 1000. Males ..	—			15·30			*139	—	—	—	—	46·33	3·61	1·54	2·56	4·47	5·56	8·03	14·14	27·42	65·24	154·82
Annual Death-Rate per 1000. Females	—			13·56			* 94	—	—	—	—	30·89	4·42	3·14	3·60	2·33	5·73	6·45	12·61	23·63	61·54	144·50
Mean Population, 1891-1900. Persons	—			15,780			341	336	332	343	340	1692	1645	1670	1536	1355	2175	1867	1501	1142	790	357
Mean Population, 1891-1900. Males ..	—			7,465			160	166	165	165	162	818	831	843	780	582	954	859	700	558	374	166
Mean Population, 1891-1900. Females	—			8,315			181	170	167	178	178	874	814	827	806	773	1221	1008	801	584	416	191
Deaths from All Causes, 1891-1900. Persons	16·65			2,628			450	115	37	22	25	649	66	39	49	44	123	134	200	291	500	533
Deaths from All Causes, 1891-1900. Males ..	17·99			1,343			276	59	20	12	12	379	30	13	20	26	53	69	99	153	244	257
Deaths from All Causes, 1891-1900. Females	15·45			1,285			174	56	17	10	13	270	36	26	29	18	70	65	101	138	256	276
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Measles	0·23	0·25	0·20	36	19	17	6	16	2	2	2	28	4	3	—	—	1	—	—	—	—	—
Scarlet Fever	0·05	0·07	0·04	8	5	3	—	1	1	1	2	5	2	—	—	—	1	—	—	—	—	—
Diphtheria	0·08	0·13	0·02	12	10	2	—	—	—	2	3	5	5	—	—	—	—	1	1	—	—	—
Whooping-cough ..	0·19	0·16	0·22	30	12	18	17	9	1	2	1	30	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·10	0·05	0·14	16	4	12	—	—	—	—	—	—	3	3	3	—	4	3	—	—	—	—
Simple Continued Fever	0·01	0·01	—	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·26	0·35	0·18	41	26	15	26	5	—	—	1	32	3	—	—	—	—	—	—	1	1	4
Cholera	0·01	0·03	—	2	2	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—
Cancer	0·91	0·78	1·02	143	58	85	—	—	—	—	—	—	—	—	—	—	—	8	24	43	49	19
Tabes Mesenterica ..	0·08	0·09	0·06	12	7	5	8	1	1	—	—	10	—	—	1	—	1	—	—	—	—	—
Phthisis	1·31	1·42	1·21	207	106	101	8	4	1	1	—	9	7	12	19	20	47	28	34	18	12	1
Other Tub. & Scrof. Dis.	0·38	0·43	0·34	60	32	28	15	8	7	3	4	37	3	6	5	2	6	—	—	—	—	1
Diseases of: Nervous System ..	2·65	2·97	2·36	418	222	196	139	20	3	1	1	164	6	2	4	3	6	11	22	42	87	71
Diseases of: Circulatory „ ..	1·89	1·96	1·83	298	146	152	1	—	—	—	—	1	—	3	3	6	8	11	59	58	110	59
Diseases of: Respiratory „ ..	2·73	3·05	2·44	431	228	203	70	23	15	6	7	123	12	—	1	2	4	14	17	43	94	118
Diseases of: Digestive „ ..	0·86	0·82	0·89	135	61	74	21	8	2	1	1	33	5	—	3	2	9	10	13	17	23	20
Diseases of: Urinary „ ..	0·43	0·64	0·24	68	48	20	1	1	—	1	—	3	1	2	2	—	3	8	9	13	15	12
Diseases of: Generative „ ..	0·02	—	0·04	3	—	3	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—
Puerperal Fever ..	0·03	—	0·05	4	—	4	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—
Childbirth	0·11	—	0·20	17	—	17	—	—	—	—	—	—	—	—	1	1	8	7	—	—	—	—
Violence	0·43	0·64	0·24	68	48	20	4	1	1	—	1	7	6	4	1	4	8	9	8	5	9	7
OTHER CAUSES ..	3·88	4·13	3·73	617	307	310	138	13	3	2	2	158	8	4	6	3	15	21	31	51	99	221

Marriages 1,069

Births .. Males .. 1,980 / Females 1,861 } 3,841

Annual Rate per 1000 living { Persons Married .. 13·55 / Births .. .. .. 24·34

Annual Births to 1000 Females aged 15—45 years = 101.

Deaths from Childbirth and Puerperal Fever .. .. } 5·47 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

488.—GREAT OUSEBURN.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		13·05	*118	—	—	—	—	37·05	3·49	2·64	2·47	3·58	4·16	7·38	10·17	19·02	54·60	153·62
Annual Death-Rate per 1000. Males ..	—					13·36	*125	—	—	—	—	40·61	3·73	2·46	1·86	3·19	3·24	7·64	11·98	19·07	59·22	161·26
Annual Death-Rate per 1000. Females	—					12·76	*112	—	—	—	—	33·59	3·25	2·82	3·17	3·93	5·00	7·12	8·45	18·97	50·00	146·77
Mean Population, 1891-1900. Persons	—			10,664			257	236	257	252	253	1255	1233	1137	1011	866	1489	1247	944	736	511	235
Mean Population, 1891-1900. Males ..	—			5,266			129	108	125	130	126	618	617	569	538	408	709	615	459	367	255	111
Mean Population, 1891-1900. Females	—			5,398			128	128	132	122	127	637	616	568	473	458	780	632	485	369	256	124
Deaths from All Causes, 1891-1900. Persons	15·23			1,624			346	57	35	12	15	465	43	30	25	31	62	92	96	140	279	361
Deaths from All Causes, 1891-1900. Males ..	15·88			836			183	32	18	7	11	251	23	14	10	13	23	47	55	70	151	179
Deaths from All Causes, 1891-1900. Females	14·60			788			163	25	17	5	4	214	20	16	15	18	39	45	41	70	128	182
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	—	0·02	1	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Measles	0·12	0·19	0·06	13	10	3	4	2	4	1	—	11	1	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·10	0·06	0·15	11	3	8	—	2	3	1	1	7	4	—	—	—	—	—	—	—	—	—
Diphtheria	0·09	0·11	0·07	10	6	4	—	—	1	1	2	4	5	1	—	—	—	—	—	—	—	—
Whooping-cough ..	0·24	0·27	0·22	26	14	12	15	8	—	—	1	24	2	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·07	0·08	0·06	7	4	3	—	—	—	—	—	—	—	—	—	3	1	1	1	1	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·51	0·40	0·61	54	21	33	38	4	1	—	—	43	—	—	—	—	—	—	—	1	5	5
Cholera	0·01	0·02	—	1	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	0·67	0·55	0·78	71	29	42	—	—	—	—	—	—	1	1	—	—	3	4	8	16	24	14
Tabes Mesenterica ..	0·16	0·13	0·19	17	7	10	6	2	2	—	—	10	2	1	1	—	1	2	—	—	—	—
Phthisis	0·92	0·87	0·96	98	46	52	2	—	—	—	—	2	—	5	12	14	16	20	14	10	5	—
Other Tub. & Scrof. Dis.	0·23	0·23	0·24	25	12	13	4	1	2	1	1	9	4	4	1	—	3	1	2	—	—	1
Diseases of Nervous System ..	2·19	2·37	2·02	234	125	109	60	9	6	4	2	81	1	6	5	—	7	6	10	20	48	50
Diseases of Circulatory " ..	1·83	1·98	1·69	195	104	91	2	—	—	—	—	2	—	1	—	—	5	12	25	30	62	58
Diseases of Respiratory " ..	2·26	2·36	2·17	241	124	117	42	18	10	2	1	73	10	1	1	2	3	8	12	18	55	58
Diseases of Digestive " ..	1·09	1·20	0·98	116	63	53	32	3	1	—	1	37	3	1	2	3	3	7	5	18	18	19
Diseases of Urinary " ..	0·38	0·49	0·26	40	26	14	—	—	2	—	2	4	1	2	—	—	2	6	3	3	9	10
Diseases of Generative " ..	0·03	—	0·06	3	—	3	—	—	—	—	—	—	—	—	—	—	1	1	—	1	—	—
Puerperal Fever ..	0·08	—	0·17	9	—	9	—	—	—	—	—	—	—	—	—	3	4	2	—	—	—	—
Childbirth	0·08	—	0·15	8	—	8	—	—	—	—	—	—	—	—	—	2	2	4	—	—	—	—
Violence	0·57	0·87	0·28	61	46	15	4	2	—	1	—	7	7	4	—	3	5	6	4	7	9	9
Other Causes ..	3·59	3·70	3·46	383	195	188	135	6	3	1	4	149	2	2	3	1	6	12	12	15	44	137

Marriages 605

Births .. { Males .. 1,468 / Females 1,459 } 2,927

Annual Rate per 1000 living { Persons Married .. 11·35 / Births .. .. .. 27·45 }

Annual Births to 1000 Females aged 15—45 years = 125.

Deaths from Childbirth and Puerperal Fever .. .. } 5·81 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

489.—KNARESBOROUGH.

CAUSES OF DEATH.		CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000.	Persons	—	In Standard Population. 16·44	*144	—	—	—	—	48·59	4·01	2·25	2·83	4·07	5·19	8·88	14·93	27·21	68·59	159·72
	Males ..	—	17·76	*159	—	—	—	—	53·17	4·60	1·70	2·93	6·38	6·58	11·26	17·46	29·62	75·34	156·68
	Females	—	15·20	*130	—	—	—	—	44·26	3·43	2·83	2·75	2·58	4·21	7·05	12·97	25·36	63·21	162·06
Mean Population, 1891–1900.	Persons	—	33,229	733	668	639	652	650	3342	3120	3239	3398	3369	5589	4033	3075	2231	1334	499
	Males ..	—	14,784	354	316	311	321	323	1625	1545	1651	1469	1317	2310	1749	1340	969	592	217
	Females	—	18,445	379	352	328	331	327	1717	1575	1588	1929	2052	3279	2284	1735	1262	742	282
Deaths from All Causes, 1891–1900.	Persons	16·49	5,481	1181	241	90	69	43	1624	125	73	96	137	290	358	459	607	915	797
	Males ..	18·57	2,746	650	114	41	38	21	864	71	28	43	84	152	197	234	287	446	340
	Females	14·83	2,735	531	127	49	31	22	760	54	45	53	53	138	161	225	320	469	457

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.													
Small-pox..	0·01	0·01	0·01	2	1	1	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
Measles	0·17	0·20	0·14	56	30	26	16	21	8	4	1	50	3	—	—	1	1	1	—	—	—	—
Scarlet Fever	0·06	0·08	0·04	19	12	7	1	—	3	1	1	6	9	1	1	—	1	1	—	—	—	—
Diphtheria	0·29	0·35	0·24	96	52	44	5	9	9	15	13	51	33	6	—	2	1	1	1	1	—	—
Whooping-cough ..	0·20	0·16	0·23	66	24	42	37	15	6	7	1	66	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·07	0·08	0·05	22	12	10	—	—	—	1	—	1	—	1	2	4	8	5	—	1	—	—
Simple Continued Fever	0·00	—	0·01	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·49	0·58	0·42	164	86	78	132	13	1	—	—	146	1	—	—	—	—	—	1	4	7	5
Cholera	0·01	0·01	0·01	4	2	2	2	—	—	—	—	2	—	—	—	—	—	1	—	—	1	—
Cancer	0·80	0·68	0·90	267	101	166	—	—	—	—	—	—	—	1	—	1	7	28	57	78	68	27
Tabes Mesenterica ..	0·18	0·16	0·20	60	23	37	29	10	5	3	—	47	2	—	2	3	2	2	2	—	—	—
Phthisis	1·22	1·43	1·05	405	211	194	4	2	1	—	1	8	7	15	40	47	105	74	57	38	12	2
Other Tub. & Scrof. Dis.	0·35	0·35	0·35	117	52	65	17	19	8	8	2	54	10	10	9	9	11	6	4	4	—	—
Diseases of: Nervous System ..	2·27	2·58	2·02	754	382	372	204	33	12	11	3	263	14	3	4	3	13	52	65	95	149	93
Circulatory „ ..	1·88	1·98	1·80	625	293	332	4	1	—	1	—	6	4	7	5	10	20	31	80	118	232	112
Respiratory „ ..	2·49	2·98	2·10	827	440	387	177	66	16	11	11	281	12	5	2	11	28	45	53	87	169	134
Digestive „ ..	1·19	1·39	1·04	396	205	191	93	22	5	3	3	126	7	8	12	9	10	24	31	52	73	44
Urinary „ ..	0·42	0·59	0·28	139	87	52	2	1	1	2	—	6	1	1	—	5	12	14	24	23	31	22
Generative „ ..	0·06	0·01	0·10	20	1	19	1	—	—	—	—	1	—	—	—	—	3	3	3	3	6	1
Puerperal Fever ..	0·04	—	0·07	12	—	12	—	—	—	—	—	—	—	—	—	3	6	3	—	—	—	—
Childbirth	0·08	—	0·15	27	—	27	—	—	—	—	—	—	—	—	—	1	12	13	—	—	—	—
Violence	0·61	0·95	0·33	202	141	61	22	7	4	2	5	40	7	7	7	17	22	23	24	18	18	19
OTHER CAUSES.. ..	3·60	4·00	3·29	1200	591	609	435	22	11	—	2	470	15	7	12	11	25	31	57	85	149	338

Marriages 2,574

Births .. { Males .. 4,094 / Females 4,083 } 8,177

Annual Rate per 1000 living { Persons Married .. 15·49 / Births .. .. .. 24·61

Annual Births to 1000 Females aged 15—45 years = 86.

Deaths from Childbirth and Puerperal Fever .. .. } 4·77 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

490.—WETHERBY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 14·64			*114	—	—	—	—	39·37	3·63	2·26	4·18	4·49	4·87	7·98	12·44	28·20	55·05	163·21
Males ..	—			14·84			*122	—	—	—	—	43·26	3·32	2·35	4·30	3·80	4·63	8·51	12·54	29·33	55·91	167·33
Females	—			14·45			*105	—	—	—	—	35·74	3·94	2·15	4·07	5·05	5·08	7·49	12·35	27·20	54·19	159·52
Mean Population, 1891-1900. Persons	—			15,149			314	294	320	302	322	1552	1681	1773	1459	1292	2155	1680	1359	1117	763	318
Males ..	—			7,274			151	145	163	141	149	749	843	936	697	579	993	799	622	525	381	150
Females	—			7,875			163	149	157	161	173	803	838	837	762	713	1162	881	737	592	382	168
Deaths from All Causes, 1891-1900. Persons	16·46			2,493			415	110	44	16	26	611	61	40	61	58	105	134	169	315	420	519
Males ..	16·99			1,236			224	64	17	8	11	324	28	22	30	22	46	68	78	154	213	251
Females	15·96			1,257			191	46	27	8	15	287	33	18	31	36	59	66	91	161	207	268
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·13	0·18	0·09	20	13	7	5	6	1	2	1	15	4	—	—	—	1	—	—	—	—	—
Scarlet Fever	0·12	0·07	0·17	18	5	13	—	1	5	1	5	12	1	2	1	1	1	—	—	—	—	—
Diphtheria	0·13	0·16	0·09	19	12	7	—	1	2	2	1	6	8	3	2	—	—	—	—	—	—	—
Whooping-cough ..	0·16	0·08	0·23	24	6	18	15	6	—	1	—	22	—	1	—	—	—	1	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·09	0·10	0·08	13	7	6	—	—	—	—	—	—	1	1	3	2	1	2	2	—	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·23	0·29	0·18	35	21	14	19	4	—	—	1	24	1	1	—	—	1	1	—	—	5	2
Cholera	0·01	—	0·01	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Cancer	0·86	0·71	1·00	131	52	79	—	—	—	—	—	—	1	—	—	1	2	6	23	38	41	19
Tabes Mesenterica ..	0·22	0·16	0·28	34	12	22	13	10	3	1	—	27	1	2	1	1	—	1	1	—	—	—
Phthisis	1·18	1·13	1·22	179	82	97	—	—	1	—	—	1	5	4	14	25	48	34	19	22	6	1
Other Tub. & Scrof. Dis.	0·34	0·32	0·36	51	23	28	8	7	4	2	1	22	6	2	4	4	5	3	2	3	—	—
Diseases of Nervous System ..	2·21	2·31	2·12	335	168	167	68	12	5	—	4	89	10	5	8	7	7	11	18	45	64	71
Circulatory " ..	1·98	1·87	2·08	300	136	164	2	1	—	—	1	4	1	1	2	3	5	17	38	64	104	61
Respiratory " ..	2·80	2·91	2·69	424	212	212	76	30	17	4	4	131	10	1	3	2	6	12	29	47	84	99
Digestive " ..	0·93	0·93	0·93	141	68	73	42	12	—	1	4	59	3	3	3	1	4	9	6	22	18	13
Urinary " ..	0·51	0·73	0·32	78	53	25	—	1	—	—	1	2	—	1	1	1	1	3	7	20	20	22
Generative " ..	0·03	—	0·05	4	—	4	—	—	—	—	—	—	—	—	—	1	—	2	—	1	—	—
Puerperal Fever ..	0·03	—	0·05	4	—	4	—	—	—	—	—	—	—	—	—	1	2	1	—	—	—	—
Childbirth	0·07	—	0·13	10	—	10	—	—	—	—	—	—	—	—	1	2	1	6	—	—	—	—
Violence	0·57	0·81	0·36	87	59	28	10	3	3	—	2	18	5	6	10	2	9	7	7	14	4	5
OTHER CAUSES ..	3·86	4·23	3·51	585	307	278	157	16	3	2	1	179	4	7	8	3	11	18	17	39	73	226

Marriages 934

Births .. { Males .. 1,836 / Females 1,818 } 3,654

Annual Rate per 1000 living { Persons Married .. 12·33 / Births .. .. .. 24·12 }

Annual Births to 1000 Females aged 15—45 years = 104.

Deaths from Childbirth and Puerperal Fever .. .. } 3·83 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

491.—WHARFEDALE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 18·37			*121	—	—	—	—	43·55	3·87	2·23	4·27	5·14	7·28	13·73	19·80	35·44	80·51	175·08
Annual Death-Rate per 1000. Males	—			19·39			*138	—	—	—	—	48·99	3·70	2·26	4·13	5·70	7·36	16·19	21·06	38·42	86·28	179·37
Annual Death-Rate per 1000. Females	—			17·42			*104	—	—	—	—	38·25	4·03	2·21	4·40	4·70	7·23	11·59	18·63	32·82	75·67	171·20
Mean Population, 1891–1900. Persons	—			54,088			1206	1142	1135	1173	1135	5791	5480	5553	5503	5388	8868	6649	4955	3431	1868	602
Mean Population, 1891–1900. Males	—			25,580			604	554	551	587	564	2860	2728	2787	2641	2385	3955	3095	2384	1606	853	286
Mean Population, 1891–1900. Females	—			28,508			602	588	584	586	571	2931	2752	2766	2862	3003	4913	3554	2571	1825	1015	316
Deaths from All Causes, 1891–1900. Persons	17·90			9684			1679	490	158	123	72	2522	212	124	235	277	646	913	981	1216	1504	1054
Deaths from All Causes, 1891–1900. Males	19·43			4970			963	267	80	51	40	1401	101	63	109	136	291	501	502	617	736	513
Deaths from All Causes, 1891–1900. Females	16·54			4714			716	223	78	72	32	1121	111	61	126	141	355	412	479	599	768	541
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·20	0·23	0·17	107	59	48	26	50	13	3	5	97	9	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·09	0·08	0·10	49	21	28	2	9	7	3	4	25	17	2	1	1	2	1	—	—	—	—
Diphtheria	0·16	0·16	0·17	88	40	48	3	9	16	18	9	55	28	3	—	—	—	—	1	1	—	—
Whooping-cough	0·26	0·25	0·26	139	64	75	68	39	13	10	5	135	4	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·12	0·14	0·11	66	35	31	—	—	—	2	—	2	5	2	8	10	13	12	6	4	3	1
Simple Continued Fever	0·01	—	0·02	5	—	5	—	—	—	1	—	1	—	1	—	—	—	—	1	2	—	—
Diarrhœa & Dysentery	0·32	0·33	0·31	171	84	87	111	22	2	1	1	137	—	—	1	1	—	3	—	3	14	12
Cholera	0·01	0·01	0·01	5	3	2	2	—	—	—	—	2	—	—	—	1	—	1	—	—	1	—
Cancer	0·82	0·62	1·00	444	159	285	1	—	—	—	—	1	—	1	2	3	10	33	90	129	131	44
Tabes Mesenterica	0·16	0·20	0·13	89	52	37	31	14	5	3	1	54	9	3	6	2	5	1	5	3	1	—
Phthisis	1·53	1·49	1·55	825	382	443	4	4	3	2	—	13	14	22	79	116	185	183	122	74	13	4
Other Tub. & Scrof. Dis.	0·37	0·39	0·35	200	100	100	31	32	6	15	7	91	24	9	18	15	17	9	8	6	2	1
Diseases of: Nervous System	3·04	3·60	2·53	1642	922	720	272	69	18	12	9	380	28	15	18	19	116	255	216	200	254	141
Diseases of: Circulatory „	2·15	2·23	2·08	1164	570	594	7	2	—	—	—	9	4	15	14	8	47	105	201	263	353	145
Diseases of: Respiratory „	2·94	3·39	2·53	1588	866	722	320	159	45	32	14	570	34	9	21	22	56	96	98	214	297	171
Diseases of: Digestive „	1·08	1·24	0·93	584	318	266	156	32	7	2	5	202	12	4	17	22	36	44	57	76	78	36
Diseases of: Urinary „	0·59	0·71	0·49	320	181	139	2	2	—	3	3	10	3	1	6	3	19	42	56	84	63	33
Diseases of: Generative „	0·01	—	0·03	8	—	8	—	—	—	—	—	—	—	—	—	—	—	2	3	1	2	—
Puerperal Fever	0·06	—	0·11	30	—	30	—	—	—	—	—	—	—	—	2	4	21	3	—	—	—	—
Childbirth	0·08	—	0·15	42	—	42	—	—	—	—	—	—	—	—	2	2	29	9	—	—	—	—
Violence	0·47	0·67	0·29	255	172	83	27	4	9	7	5	52	9	16	13	18	32	29	28	24	21	13
OTHER CAUSES	3·43	3·69	3·22	1863	942	921	616	43	14	9	4	686	12	20	27	30	58	85	89	132	271	453

Marriages 3,673

Births .. { Males .. 6,972 / Females 6,874 } 13,846

Annual Rate per 1000 living { Persons Married .. 13·58 / Births .. .. .. 25·60

Annual Births to 1000 Females aged 15—45 years = 97.

Deaths from Childbirth and Puerperal Fever .. .. } 5·20 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

492.—KEIGHLEY.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		19·53	*147	—	—	—	—	58·38	4·53	3·40	4·87	5·46	6·08	9·95	16·75	35·67	82·36	170·87
Annual Death-Rate per 1000. Males	—					20·33	*160	—	—	—	—	63·03	4·26	3·39	4·24	5·33	5·81	10·97	19·92	39·79	85·14	176·95
Annual Death-Rate per 1000. Females	—					18·78	*133	—	—	—	—	53·67	4·80	3·41	5·44	5·56	6·30	9·08	14·03	32·25	79·98	165·71
Mean Population, 1891-1900. Persons	—			72,983			1598	1569	1485	1536	1534	7722	7327	7529	7641	7442	12030	9098	6903	4449	2200	642
Mean Population, 1891-1900. Males	—			34,431			818	790	747	780	747	3882	3660	3721	3655	3357	5459	4186	3182	2018	1016	295
Mean Population, 1891-1900. Females	—			38,552			780	779	738	756	787	3840	3667	3808	3986	4085	6571	4912	3721	2431	1184	347
Deaths from All Causes, 1891-1900. Persons	18·03			13,162			2808	956	357	213	174	4508	332	256	372	406	731	905	1156	1587	1812	1097
Deaths from All Causes, 1891-1900. Males	19·35			6,663			1548	511	181	110	97	2447	156	126	155	179	317	459	634	803	865	522
Deaths from All Causes, 1891-1900. Females	16·86			6,499			1260	445	176	103	77	2061	176	130	217	227	414	446	522	784	947	575
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·02	0·03	0·01	14	9	5	—	—	—	—	1	1	5	2	1	2	2	1	—	—	—	—
Measles	0·39	0·44	0·34	284	153	131	67	121	40	20	11	259	21	3	—	—	—	1	—	—	—	—
Scarlet Fever	0·19	0·24	0·15	142	83	59	5	13	27	22	23	90	33	13	2	2	1	1	—	—	—	—
Diphtheria	0·27	0·29	0·25	196	100	96	8	38	30	31	33	140	43	9	—	1	—	2	1	—	—	—
Whooping-cough	0·33	0·29	0·36	238	101	137	107	74	33	10	6	230	8	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·25	0·27	0·24	186	92	94	—	—	1	3	1	5	9	19	38	24	38	27	15	7	3	1
Simple Continued Fever	0·01	0·01	0·01	6	4	2	—	1	—	—	1	2	—	1	—	1	1	—	1	—	—	—
Diarrhœa & Dysentery	0·35	0·36	0·33	253	124	129	174	29	4	1	—	208	1	—	—	—	2	1	3	8	19	11
Cholera	0·04	0·05	0·03	29	17	12	13	2	—	—	—	15	2	—	—	—	2	1	3	4	2	—
Cancer	0·76	0·58	0·92	556	200	356	—	—	1	1	—	2	—	1	4	3	14	61	109	167	156	39
Tabes Mesenterica	0·18	0·18	0·18	133	62	71	48	14	9	4	3	78	15	8	12	4	9	1	6	—	—	—
Phthisis	1·58	1·63	1·53	1152	561	591	5	8	4	8	7	32	16	48	145	170	235	203	136	115	48	4
Other Tub. & Scrof. Dis.	0·39	0·43	0·35	282	147	135	52	34	22	15	19	142	36	30	17	6	15	8	14	11	3	—
Diseases of Nervous System	2·27	2·35	2·19	1654	810	844	474	101	26	17	11	629	28	14	22	14	32	69	132	229	319	166
Diseases of Circulatory "	2·08	2·11	2·05	1517	726	791	5	2	1	3	—	11	10	35	31	31	53	106	226	383	463	168
Diseases of Respiratory "	3·73	4·37	3·16	2723	1506	1217	724	380	110	47	39	1300	39	11	29	31	71	134	213	332	349	214
Diseases of Digestive "	1·12	1·23	1·02	817	424	393	258	77	8	8	5	356	15	12	17	28	44	49	77	108	72	39
Diseases of Urinary "	0·51	0·62	0·41	372	215	157	4	4	3	3	2	16	9	9	9	15	39	48	57	54	69	47
Diseases of Generative "	0·03	0·01	0·04	19	3	16	1	—	—	—	—	1	—	—	—	—	2	7	3	5	1	—
Puerperal Fever	0·07	—	0·14	54	—	54	—	—	—	—	—	—	—	—	—	12	34	8	—	—	—	—
Childbirth	0·09	—	0·17	67	—	67	—	—	—	—	—	—	—	—	—	13	27	25	2	—	—	—
Violence	0·42	0·64	0·23	310	220	90	28	11	15	14	4	72	15	15	8	18	31	32	43	30	35	11
OTHER CAUSES	2·95	3·22	2·75	2158	1106	1052	835	47	23	6	8	919	27	26	37	31	79	120	115	134	273	397

Marriages 6,044

Births .. { Males .. 9,679 / Females 9,444 } 19,123

Annual Rate per 1000 living { Persons Married .. 16·56 / Births .. .. 26·20 }

Annual Births to 1000 Females aged 15—45 years = 98.

Deaths from Childbirth and Puerperal Fever .. .. } 6·33 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The boundaries of this district were altered during the decennium; the parts transferred contained no population.

493.—TODMORDEN.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 18·12			*136	—	—	—	—	47·94	4·80	1·93	3·46	4·20	5·58	8·68	16·78	35·74	83·69	197·57
Annual Death-Rate per 1000. Males	—			19·39			*155	—	—	—	—	54·00	4·71	1·45	3·57	4·31	5·84	10·44	20·43	40·95	89·66	202·63
Annual Death-Rate per 1000. Females	—			16·93			*117	—	—	—	—	42·01	4·89	2·41	3·36	4·10	5·34	7·13	13·62	31·53	79·08	194·04
Mean Population, 1891-1900. Persons	—			39,947			788	823	788	778	770	3947	3792	3885	3873	3786	6610	5506	4154	2669	1355	370
Mean Population, 1891-1900. Males	—			19,022			383	405	391	388	385	1952	1849	1937	1879	1786	3167	2587	1929	1194	590	152
Mean Population, 1891-1900. Females	—			20,925			405	418	397	390	385	1995	1943	1948	1994	2000	3443	2919	2225	1475	765	218
Deaths from All Causes, 1891-1900. Persons	17·04			6,805			1261	370	134	71	56	1892	182	75	134	159	369	478	697	954	1134	731
Deaths from All Causes, 1891-1900. Males	18·34			3,488			728	199	57	41	29	1054	87	28	67	77	185	270	394	489	529	308
Deaths from All Causes, 1891-1900. Females	15·85			3,317			533	171	77	30	27	838	95	47	67	82	184	208	303	465	605	423
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—
Measles	0·36	0·39	0·33	145	75	70	34	65	16	8	5	128	16	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·13	0·12	0·13	50	22	28	1	9	13	7	4	34	11	1	—	1	2	1	—	—	—	—
Diphtheria	0·14	0·16	0·12	56	30	26	3	6	6	9	11	35	19	—	1	—	—	—	—	1	—	—
Whooping-cough	0·36	0·39	0·33	143	75	68	75	48	10	5	2	140	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·30	0·33	0·27	119	63	56	—	—	—	—	1	1	9	5	14	10	32	23	16	8	1	—
Simple Continued Fever	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Diarrhœa & Dysentery	0·25	0·29	0·21	100	56	44	53	15	1	1	—	70	—	—	—	—	—	—	3	4	11	12
Cholera	0·03	0·04	0·02	12	7	5	3	1	1	—	—	5	—	—	—	2	—	—	1	2	2	—
Cancer	0·75	0·59	0·90	301	113	188	—	—	—	—	1	1	—	—	—	—	5	24	71	96	77	27
Tabes Mesenterica	0·12	0·11	0·12	46	21	25	11	12	1	1	1	26	4	3	4	1	1	2	2	3	—	—
Phthisis	1·20	1·47	0·97	481	279	202	11	5	2	2	2	22	13	4	36	60	89	90	78	67	20	2
Other Tub. & Scrof. Dis.	0·30	0·31	0·28	118	59	59	31	18	10	5	6	70	17	7	5	5	5	5	3	1	—	—
Diseases of Nervous System	2·30	2·44	2·17	918	465	453	209	19	12	5	2	247	16	7	6	5	16	28	72	164	223	134
Diseases of Circulatory „	1·98	1·98	1·99	792	376	416	2	—	1	—	1	4	13	14	15	10	29	55	113	193	246	100
Diseases of Respiratory „	3·44	3·92	3·01	1374	745	629	322	122	39	13	10	506	24	8	8	17	43	77	121	187	220	163
Diseases of Digestive „	1·13	1·16	1·10	450	220	230	129	32	9	3	4	177	12	11	11	9	20	24	38	48	71	29
Diseases of Urinary „	0·60	0·75	0·46	238	142	96	3	1	—	—	1	5	—	3	4	4	11	40	37	51	52	31
Diseases of Generative „	0·03	—	0·06	12	—	12	2	—	—	—	—	2	—	—	—	1	1	1	4	1	2	—
Puerperal Fever	0·08	—	0·16	33	—	33	—	—	—	—	—	—	—	—	1	4	23	5	—	—	—	—
Childbirth	0·08	—	0·15	31	—	31	—	—	—	—	—	—	—	—	—	7	14	9	1	—	—	—
Violence	0·52	0·77	0·29	207	147	60	10	3	7	6	1	27	13	2	6	8	35	26	36	23	21	10
OTHER CAUSES	2·93	3·10	2·78	1176	590	586	362	14	6	6	4	392	12	9	23	15	42	68	99	105	188	223

Marriages 2,517

Births .. { Males .. 4,705 / Females 4,565 } 9,270

Annual Rate per 1000 living { Persons Married .. 12·60 / Births .. .. .. 23·21

Annual Births to 1000 Females aged 15—45 years = 90.

Deaths from Childbirth and Puerperal Fever .. .. } 6·90 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

494.—SADDLEWORTH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 17·98			*122	—	—	—	—	47·77	4·39	2·24	3·85	5·58	6·72	9·37	16·43	39·83	77·39	158·94
Annual Death-Rate per 1000. Males	—			19·58			*135	—	—	—	—	51·65	4·94	2·28	3·92	5·77	6·64	10·73	22·20	46·94	85·94	172·94
Annual Death-Rate per 1000. Females	—			16·48			*109	—	—	—	—	43·86	3·82	2·21	3·77	5·41	6·78	8·12	11·41	34·05	70·29	149·18
Mean Population, 1891–1900. Persons	—			19,575			440	411	425	411	425	2112	2026	2007	2002	1882	3172	2402	1802	1273	690	207
Mean Population, 1891–1900. Males	—			9,426			218	202	233	199	209	1061	1032	967	994	884	1535	1146	838	571	313	85
Mean Population, 1891–1900. Females	—			10,149			222	209	192	212	216	1051	994	1040	1008	998	1637	1256	964	702	377	122
Deaths from All Causes, 1891–1900. Persons	17·52			3,429			615	213	80	53	48	1009	89	45	77	105	213	225	296	507	534	329
Deaths from All Causes, 1891–1900. Males	19·16			1,806			344	111	45	28	20	548	51	22	39	51	102	123	186	268	269	147
Deaths from All Causes, 1891–1900. Females	15·99			1,623			271	102	35	25	28	461	38	23	38	54	111	102	110	239	265	182
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·15	0·17	0·14	30	16	14	7	2	—	2	3	14	2	—	—	2	5	4	3	—	—	—
Measles	0·30	0·31	0·30	59	29	30	21	27	7	1	2	58	1	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·16	0·16	0·16	31	15	16	2	6	6	1	6	21	9	1	—	—	—	—	—	—	—	—
Diphtheria	0·24	0·28	0·20	46	26	20	4	10	8	8	6	36	8	—	1	1	—	—	—	—	—	—
Whooping-cough	0·25	0·18	0·31	48	17	31	30	12	3	2	1	48	—	—	—	—	—	—	—	—	—	—
Typhus	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Enteric Fever	0·12	0·16	0·09	24	15	9	—	1	—	—	1	2	2	3	5	1	4	4	1	2	—	—
Simple Continued Fever	0·01	—	0·02	2	—	2	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·31	0·34	0·28	60	32	28	26	8	1	1	1	37	1	—	1	—	—	—	—	5	7	9
Cholera	0·02	0·03	—	3	3	—	—	1	—	—	—	1	—	—	—	—	—	1	1	—	—	—
Cancer	0·75	0·55	0·94	147	52	95	—	—	1	—	—	1	—	—	2	—	4	13	25	53	39	10
Tabes Mesenterica	0·13	0·16	0·10	25	15	10	6	6	3	1	—	16	3	1	1	—	2	1	—	—	1	—
Phthisis	1·62	1·78	1·48	318	168	150	6	8	2	—	—	16	3	9	27	49	72	54	38	34	14	2
Other Tub. & Serof. Dis.	0·53	0·62	0·44	103	58	45	22	21	5	6	4	58	16	5	4	4	7	3	3	3	—	—
Diseases of: Nervous System	2·12	2·18	2·07	415	205	210	96	31	10	8	7	152	9	6	5	4	8	13	31	63	76	48
Diseases of: Circulatory "	2·31	2·33	2·28	452	220	232	—	—	1	—	—	1	5	3	5	12	18	20	52	113	163	60
Diseases of: Respiratory "	3·12	4·11	2·21	611	387	224	139	47	17	11	10	224	9	2	6	8	22	32	58	89	105	56
Diseases of: Digestive "	0·97	0·97	0·97	189	91	98	39	18	3	1	2	63	3	3	6	4	12	14	15	37	21	11
Diseases of: Urinary "	0·50	0·66	0·35	98	62	36	4	2	2	—	2	10	2	—	3	1	4	7	15	26	15	15
Diseases of: Generative "	0·04	—	0·08	8	—	8	—	—	—	—	—	—	—	—	—	—	1	2	2	3	—	—
Puerperal Fever	0·13	—	0·26	26	—	26	—	—	—	—	—	—	—	—	—	8	13	5	—	—	—	—
Childbirth	0·06	—	0·12	12	—	12	—	—	—	—	—	—	—	—	—	1	4	7	—	—	—	—
Violence	0·73	1·09	0·38	142	103	39	13	5	6	4	2	30	5	4	3	6	12	21	24	20	14	3
Other Causes	2·94	3·07	2·81	579	291	288	200	7	5	7	1	220	11	8	7	4	25	24	27	59	79	115

Marriages 1,263
Births .. Males .. 2,547, Females 2,490 } 5,037

Annual Rate per 1000 living { Persons Married .. 12·90; Births .. .. .. 25·73
Annual Births to 1000 Females aged 15—45 years = 103.

Deaths from Childbirth and Puerperal Fever .. .. } 7·54 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

495.—HUDDERSFIELD.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 19·12			*145	—	—	—	—	53·49	4·88	2·85	4·59	5·19	6·47	10·94	17·07	36·41	78·03	177·44
Annual Death-Rate per 1000. Males ..	—			20·95			*164	—	—	—	—	60·73	4·90	2·74	4·46	5·03	6·76	13·36	20·74	42·50	89·41	187·11
Annual Death-Rate per 1000. Females	—			17·41			*124	—	—	—	—	46·36	4·87	2·96	4·71	5·32	6·21	8·80	13·97	31·46	69·51	170·81
Mean Population. 1891-1900. Persons	—			167,610			3530	3306	3293	3470	3294	16893	16200	16773	17575	17066	28468	21492	15650	10341	5512	1640
Mean Population. 1891-1900. Males ..	—			78,749			1807	1614	1648	1706	1608	8383	7906	8283	8281	7829	13156	10066	7180	4638	2360	667
Mean Population. 1891-1900. Females	—			88,861			1723	1692	1645	1764	1686	8510	8294	8490	9294	9237	15312	11426	8470	5703	3152	973
Deaths from All Causes, 1891-1900. Persons	17·80			29,837			5801	1816	642	450	327	9036	791	478	807	885	1841	2351	2672	3765	4301	2910
Deaths from All Causes, 1891-1900. Males ..	19·71			15,521			3359	1003	322	240	167	5091	387	227	369	394	890	1345	1489	1971	2110	1248
Deaths from All Causes, 1891-1900. Females	16·11			14,316			2442	813	320	210	160	3945	404	251	438	491	951	1006	1183	1794	2191	1662
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·01	0·01	0·01	11	6	5	1	1	—	—	—	2	—	—	1	1	1	4	1	—	1	—
Measles	0·32	0·37	0·27	531	289	242	131	216	74	46	28	495	31	3	1	—	—	1	—	—	—	—
Scarlet Fever	0·16	0·17	0·15	271	136	135	9	29	36	46	44	164	75	17	6	3	5	—	1	—	—	—
Diphtheria	0·14	0·16	0·13	243	125	118	19	18	34	54	39	164	65	5	3	1	—	2	—	2	1	—
Whooping-cough ..	0·34	0·32	0·35	561	252	309	270	170	63	23	20	546	14	1	—	—	—	—	—	—	—	—
Typhus	0·00	—	0·00	2	—	2	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—
Enteric Fever	0·15	0·17	0·14	254	134	120	—	1	1	—	3	5	11	22	35	38	55	45	24	12	6	1
Simple Continued Fever	0·01	0·00	0·01	10	1	9	—	1	—	—	1	2	2	—	—	1	—	1	3	—	—	1
Diarrhœa & Dysentery	0·38	0·41	0·36	643	319	324	409	62	6	4	4	485	4	4	1	—	3	8	9	24	61	44
Cholera	0·03	0·03	0·02	45	25	20	14	2	—	1	—	17	1	1	1	—	3	3	5	8	4	2
Cancer	0·82	0·59	1·02	1376	466	910	1	—	—	—	3	4	3	2	4	6	35	126	281	434	387	94
Tabes Mesenterica ..	0·12	0·14	0·11	206	108	98	58	20	16	4	5	103	21	11	15	11	17	9	12	1	6	—
Phthisis	1·73	2·06	1·44	2895	1619	1276	15	18	10	11	9	63	30	81	307	405	643	624	418	244	70	10
Other Tub. & Scrof. Dis.	0·42	0·46	0·38	696	359	337	126	88	48	35	23	320	79	61	55	28	48	42	33	22	8	—
Diseases of Nervous System ..	2·19	2·51	1·91	3674	1974	1700	962	233	84	55	39	1373	114	59	45	41	78	149	271	481	662	401
Diseases of Circulatory " ..	1·90	1·85	1·94	3180	1453	1727	14	3	1	1	3	22	29	46	80	45	156	294	454	795	926	333
Diseases of Respiratory " ..	3·58	4·23	3·00	5993	3327	2666	1425	611	149	120	67	2372	135	31	42	53	193	320	437	779	953	678
Diseases of Digestive " ..	1·11	1·28	0·95	1860	1020	840	435	180	42	9	5	671	50	26	40	47	98	151	189	283	197	108
Diseases of Urinary " ..	0·52	0·67	0·38	871	529	342	11	6	6	3	6	32	15	10	20	30	75	112	135	166	200	76
Diseases of Generative " ..	0·05	0·02	0·07	77	12	65	3	—	—	—	—	3	—	—	2	4	12	24	14	7	9	2
Puerperal Fever ..	0·08	—	0·14	126	—	126	—	—	—	—	—	—	—	—	3	27	73	23	—	—	—	—
Childbirth	0·09	—	0·18	157	—	157	—	—	—	—	—	—	—	—	3	23	72	59	—	—	—	—
Violence	0·55	0·88	0·25	916	689	227	52	26	33	13	12	136	38	30	46	41	112	130	142	117	87	37
OTHER CAUSES ..	3·10	3·38	2·90	5239	2678	2561	1846	131	39	25	16	2057	74	68	96	80	161	224	243	390	723	1123

Marriages 13,352

Births .. { Males .. 20,437 / Females 19,655 } 40,092

Annual Rate per 1000 living { Persons Married .. 15·93 / Births .. .. .. 23·92 }

Annual Births to 1000 Females aged 15—45 years = 89.

Deaths from Childbirth and Puerperal Fever .. .. } 7·06 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

496.—HALIFAX.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 19·26			*145	—	—	—	—	54·80	4·39	2·75	4·26	4·55	5·87	10·31	17·36	37·34	80·34	185·77
Annual Death-Rate per 1000. Males	—			21·05			*165	—	—	—	—	60·52	4·45	2·59	4·05	4·65	6·22	11·83	22·38	45·36	91·83	200·75
Annual Death-Rate per 1000. Females	—			17·58			*125	—	—	—	—	49·16	4·32	2·91	4·45	4·47	5·56	8·99	13·25	31·17	72·42	176·13
Mean Population. 1891–1900. Persons	—			189,693			4073	3735	3803	3844	3716	19171	18849	19556	19767	18736	31629	24462	18026	11727	6062	1708
Mean Population. 1891–1900. Males	—			88,843			2033	1868	1940	1879	1802	9522	9271	9688	9379	8556	14651	11411	8125	5099	2472	669
Mean Population. 1891–1900. Females	—			100,850			2040	1867	1863	1965	1914	9649	9578	9868	10388	10180	16978	13051	9901	6628	3590	1039
Deaths from All Causes, 1891–1900. Persons	17·66			33,497			6667	2178	770	502	389	10506	827	538	842	853	1856	2523	3130	4379	4870	3173
Deaths from All Causes, 1891–1900. Males	19·37			17,211			3835	1130	391	233	174	5763	413	251	380	398	912	1350	1818	2313	2270	1343
Deaths from All Causes, 1891–1900. Females	16·15			16,286			2832	1048	379	269	215	4743	414	287	462	455	944	1173	1312	2066	2600	1830
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·06	0·06	0·05	106	53	53	14	8	9	7	4	42	4	—	3	3	17	23	8	5	—	1
Measles	0·35	0·39	0·31	658	346	312	174	273	90	49	29	615	38	3	—	1	1	—	—	—	—	—
Scarlet Fever	0·17	0·19	0·15	319	166	153	24	30	39	53	37	183	92	25	11	1	6	—	1	—	—	—
Diphtheria	0·14	0·14	0·14	267	123	144	12	31	35	55	48	181	63	12	2	3	1	4	—	1	—	—
Whooping-cough	0·27	0·27	0·28	519	239	280	243	181	52	23	12	511	8	—	—	—	—	—	—	—	—	—
Typhus	0·00	—	0·00	2	—	2	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
Enteric Fever	0·18	0·22	0·16	350	193	157	2	5	5	3	3	18	28	25	45	39	73	69	31	17	5	—
Simple Continued Fever	0·01	0·01	0·01	19	8	11	2	1	2	2	—	7	2	1	1	3	2	—	1	1	—	1
Diarrhœa & Dysentery	0·34	0·35	0·33	644	310	334	416	78	13	5	3	515	6	4	1	2	4	5	9	24	42	32
Cholera	0·03	0·04	0·02	50	33	17	20	5	1	2	—	28	—	—	—	—	—	5	7	7	2	1
Cancer	0·73	0·54	0·90	1391	484	907	—	—	—	2	1	3	5	4	4	6	46	175	322	436	309	81
Tabes Mesenterica	0·17	0·20	0·14	316	176	140	105	58	19	10	7	199	25	21	23	5	12	11	11	4	5	—
Phthisis	1·54	1·85	1·27	2916	1640	1276	25	18	12	9	5	69	36	92	310	345	605	603	477	286	82	11
Other Tub. & Scrof. Dis.	0·40	0·46	0·35	763	409	354	155	118	56	30	29	388	78	58	55	38	40	60	29	10	5	2
Diseases of Nervous System	2·44	2·70	2·21	4621	2395	2226	1339	250	108	63	48	1808	82	62	47	48	75	173	350	655	885	436
Diseases of Circulatory "	1·81	1·75	1·85	3426	1558	1868	27	7	3	4	4	45	48	60	80	76	175	303	496	878	939	326
Diseases of Respiratory "	3·75	4·46	3·13	7114	3958	3156	1410	743	222	127	104	2606	120	45	68	71	236	409	616	1047	1265	631
Diseases of Digestive "	1·07	1·18	0·98	2037	1045	992	543	198	33	13	10	797	54	37	41	42	78	141	185	276	274	112
Diseases of Urinary "	0·44	0·56	0·33	830	495	335	11	5	7	6	8	37	22	10	17	15	41	90	135	208	177	78
Diseases of Generative "	0·04	0·01	0·06	69	6	63	1	1	1	—	—	3	—	—	—	—	13	13	10	14	11	5
Puerperal Fever	0·06	—	0·11	113	—	113	—	—	—	—	—	—	—	—	2	17	65	28	1	—	—	—
Childbirth	0·08	—	0·16	159	—	159	—	—	—	—	—	—	—	—	3	13	82	58	3	—	—	—
Violence	0·51	0·77	0·28	964	686	278	45	35	26	11	21	138	55	22	53	50	104	135	153	114	83	57
OTHER CAUSES	3·07	3·22	2·93	5844	2888	2956	2099	133	37	28	16	2313	61	57	76	74	179	218	285	396	786	1399

Marriages 15,524

Births .. { Males .. 23,298 / Females 22,566 } 45,864

Annual Rate per 1000 living { Persons Married .. 16·37 / Births .. .. .. 24·18 }

Annual Births to 1000 Females aged 15—45 years = 91.

Deaths from Childbirth and Puerperal Fever .. .. } 5·93 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

497A.—BRADFORD.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		21·54	*174	—	—	—	—	68·56	4·72	2·95	4·69	5·29	6·71	11·64	19·28	39·94	82·96	171·29
Annual Death-Rate per 1000. Males ..	—					23·01	*187	—	—	—	—	74·51	4·73	2·91	4·81	5·38	6·69	12·99	22·43	46·35	92·13	180·53
Annual Death-Rate per 1000. Females	—					20·15	*159	—	—	—	—	62·70	4·71	3·00	4·58	5·22	6·73	10·49	16·63	34·88	76·66	165·17
Mean Population, 1891-1900. Persons	—			211,295			4755	4251	4224	4253	4198	21681	21466	21697	22260	21683	35726	27189	20034	12327	5710	1522
Mean Population, 1891-1900. Males ..	—			98,063			2392	2073	2107	2113	2077	10762	10686	10564	10394	9488	16127	12525	9154	5432	2325	606
Mean Population, 1891-1900. Females	—			113,232			2363	2178	2117	2140	2121	10919	10780	11133	11866	12195	19599	14664	10880	6895	3385	916
Deaths from All Causes, 1891-1900. Persons	19·12			40,401			9659	3001	1079	666	460	14865	1013	641	1044	1146	2398	3165	3862	4923	4737	2607
Deaths from All Causes, 1891-1900. Males ..	20·76			20,354			5323	1570	538	336	252	8019	505	307	500	510	1079	1627	2053	2518	2142	1094
Deaths from All Causes, 1891-1900. Females	17·70			20,047			4336	1431	541	330	208	6846	508	334	544	636	1319	1538	1809	2405	2595	1513
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	0·07	0·08	0·06	147	81	66	13	4	7	3	4	31	7	7	7	11	36	28	11	5	4	—
Measles	0·37	0·40	0·34	783	397	386	177	313	145	72	35	742	38	3	—	—	—	—	—	—	—	—
Scarlet Fever	0·27	0·30	0·24	568	298	270	22	62	69	86	74	313	183	36	17	6	7	5	—	—	—	1
Diphtheria	0·10	0·11	0·09	206	105	101	15	25	31	28	36	135	43	8	4	4	7	3	—	1	—	1
Whooping-cough ..	0·38	0·36	0·40	805	352	453	364	246	108	51	19	788	16	—	—	—	—	—	—	—	—	1
Typhus	0·00	—	0·00	3	—	3	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—
Enteric Fever	0·18	0·23	0·13	373	229	144	—	2	—	3	6	11	22	37	61	60	72	59	39	12	—	—
Simple Continued Fever	0·01	0·01	0·01	15	7	8	4	—	1	3	1	9	2	—	—	—	1	1	1	1	—	—
Diarrhœa & Dysentery	0·90	0·98	0·83	1901	964	937	1341	270	24	9	6	1650	6	1	3	2	7	17	26	52	71	66
Cholera	0·03	0·04	0·02	58	35	23	23	6	—	2	2	33	—	1	1	1	1	3	8	6	4	—
Cancer	0·85	0·59	1·07	1788	581	1207	1	2	—	3	1	7	2	3	5	10	72	246	454	533	351	105
Tabes Mesenterica ..	0·22	0·26	0·19	464	253	211	168	87	42	9	15	321	31	25	22	20	15	15	6	7	—	2
Phthisis	1·71	1·96	1·50	3613	1917	1696	32	30	14	19	13	108	52	111	406	460	852	788	521	246	64	5
Other Tub. & Scrof Dis.	0·41	0·48	0·36	876	473	403	190	181	83	50	41	545	101	60	43	27	32	25	26	13	3	1
Diseases of Nervous System ..	2·39	2·65	2·17	5051	2597	2454	1560	312	114	74	44	2104	130	64	68	53	116	239	423	704	795	355
Diseases of Circulatory " ..	1·78	1·71	1·84	3763	1676	2087	33	1	3	3	7	47	43	70	97	84	221	435	698	963	855	250
Diseases of Respiratory " ..	3·92	4·49	3·43	8284	4398	3886	1855	953	294	154	86	3342	144	44	71	93	245	419	783	1290	1226	627
Diseases of Digestive " ..	1·21	1·31	1·12	2547	1283	1264	833	260	35	19	16	1163	50	48	47	68	123	170	253	299	244	82
Diseases of Urinary " ..	0·45	0·60	0·33	961	591	370	9	5	11	14	6	45	17	9	18	27	85	136	159	215	190	60
Diseases of Generative " ..	0·06	0·01	0·11	137	9	128	2	1	—	—	—	3	—	—	5	7	35	31	25	16	15	—
Puerperal Fever ..	0·09	—	0·16	181	—	181	—	—	—	—	—	—	—	—	4	36	89	51	1	—	—	—
Childbirth..	0·09	—	0·17	198	—	198	—	—	—	—	—	—	—	—	4	35	92	65	2	—	—	—
Violence	0·53	0·77	0·33	1123	753	370	136	42	28	30	24	260	62	52	55	44	91	142	141	149	85	42
OTHER CAUSES ..	3·10	3·42	2·80	6556	3355	3201	2881	199	70	34	24	3208	64	62	106	98	199	285	284	411	830	1009

Marriages .. .. .. 28,460†

Births .. { Males .. 28,407 / Females 27,248 } 55,655

Annual Rate per 1000 living { Persons Married .. 16·31† / Births .. .. .. 26·34

Annual Births to 1000 Females aged 15—45 years = 95.

Deaths from Childbirth and Puerperal Fever .. .. } 6·81 per 1000 Births.

* The death-rates under one year of age are per 1000 Births. † The Marriages and Marriage-rate refer to the combined districts of Bradford and North Bierley (497B).

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

497B.—NORTH BIERLEY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 18·35			*148	—	—	—	—	55·66	4·08	2·50	4·25	4·45	5·53	8·76	16·03	34·37	77·92	167·20
Males ..	—			19·34			*167	—	—	—	—	61·00	4·08	2·49	3·88	4·44	5·15	9·66	18·21	38·39	86·60	171·43
Females	—			17·43			*129	—	—	—	—	50·32	4·08	2·51	4·58	4·45	5·84	7·98	14·18	31·15	71·18	163·87
Mean Population, 1891–1900. Persons	—			137,627			3031	2813	2772	2806	2849	14271	14080	14098	14353	13604	22678	17244	12787	8686	4506	1320
Males ..	—			64,782			1541	1390	1384	1392	1422	7129	6942	6997	6798	6213	10405	8013	5876	3858	1970	581
Females	—			72,845			1490	1423	1388	1414	1427	7142	7138	7101	7555	7391	12273	9231	6911	4828	2536	739
Deaths from All Causes, 1891–1900. Persons	17·15			23,601			5239	1581	571	324	228	7943	574	352	610	605	1253	1511	2050	2985	3511	2207
Males ..	18·38			11,909			2983	828	281	157	100	4349	283	174	264	276	536	774	1070	1481	1706	996
Females	16·05			11,692			2256	753	290	167	128	3594	291	178	346	329	717	737	980	1504	1805	1211
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	0·01	0·01	0·01	13	8	5	—	1	2	—	1	4	1	1	1	2	3	1	—	—	—	—
Measles	0·30	0·30	0·31	418	193	225	128	159	54	32	19	392	24	—	—	1	1	—	—	—	—	—
Scarlet Fever	0·21	0·21	0·20	283	138	145	12	38	39	50	28	167	83	22	5	1	4	—	1	—	—	—
Diphtheria	0·10	0·10	0·10	142	67	75	8	19	21	24	26	98	36	4	—	1	—	1	1	—	—	1
Whooping-cough	0·26	0·25	0·27	358	163	195	164	117	36	27	8	352	6	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·18	0·20	0·17	249	127	122	—	—	1	1	1	3	16	29	33	35	51	38	27	15	1	1
Simple Continued Fever	0·01	0·01	0·01	18	9	9	3	3	1	—	1	8	1	1	2	2	1	2	1	—	—	—
Diarrhœa & Dysentery	0·47	0·49	0·45	645	315	330	416	88	14	1	4	523	4	2	1	—	1	6	13	29	33	33
Cholera	0·04	0·04	0·03	49	24	25	14	6	—	—	—	20	—	1	1	1	—	4	6	6	9	1
Cancer	0·74	0·53	0·92	1015	342	673	1	1	3	1	1	7	1	3	5	1	18	102	219	328	254	77
Tabes Mesenterica	0·14	0·15	0·13	192	94	98	52	46	15	12	4	129	12	5	9	9	14	5	4	4	1	—
Phthisis	1·33	1·41	1·26	1830	912	918	18	16	12	6	3	55	35	51	236	230	394	364	241	189	52	3
Other Tub. & Scrof. Dis.	0·36	0·43	0·29	494	280	214	131	83	42	20	11	287	47	26	27	32	26	14	18	8	9	—
Diseases of Nervous System	2·35	2·62	2·10	3233	1700	1533	953	174	76	27	20	1250	77	29	43	34	55	107	257	436	629	316
Circulatory „	1·87	1·81	1·91	2567	1173	1394	16	4	1	1	2	24	29	43	65	32	155	221	390	664	693	251
Respiratory „	3·47	4·04	2·97	4777	2616	2161	1104	566	172	78	66	1986	92	23	41	44	133	217	360	624	799	458
Digestive „	1·10	1·16	1·04	1508	750	758	385	143	26	14	9	577	37	23	38	34	45	114	139	213	202	86
Urinary „	0·42	0·53	0·33	584	341	243	5	3	3	5	1	17	9	8	17	20	37	64	97	103	152	60
Generative „	0·02	0·00	0·04	34	2	32	1	—	—	—	—	1	—	2	1	—	4	7	9	5	3	2
Puerperal Fever	0·08	—	0·15	107	—	107	—	—	—	—	—	—	—	—	2	16	69	20	—	—	—	—
Childbirth..	0·10	—	0·18	134	—	134	—	—	—	—	—	—	—	—	5	22	71	34	2	—	—	—
Violence	0·50	0·73	0·29	683	475	208	124	17	17	14	13	185	32	30	26	29	62	59	85	73	73	29
Other Causes	3·09	3·36	2·89	4268	2180	2088	1704	97	36	11	10	1858	32	49	52	59	109	131	180	308	601	889

Marriages .. .. .. 28,460†

Births .. { Males .. 17,875 / Females 17,506 } 35,381

Annual Rate per 1000 living { Persons Married .. 16·31† / Births .. .. .. 25·71

Annual Births to 1000 Females aged 15—45 years = 97.

Deaths from Childbirth and Puerperal Fever .. .. } 6·81 per 1000 Births.

* The death-rates under one year of age are per 1000 Births. † The Marriages and Marriage-rate refer to the combined districts of North Bierley and Bradford (497A).

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

498.—HUNSLET.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 20·42			*179	—	—	—	—	71·26	4·37	2·01	3·85	4·33	5·08	8·67	15·85	34·75	80·75	186·62
Annual Death-Rate per 1000. Males ..	—			21·65			*197	—	—	—	—	78·07	4·26	1·81	3·71	3·77	5·21	8·77	17·25	38·02	92·30	204·71
Annual Death-Rate per 1000. Females	—			19·27			*160	—	—	—	—	64·57	4·48	2·21	4·00	4·90	4·95	8·58	14·45	31·80	71·97	175·87
Mean Population, 1891–1900. Persons	—			76,298			2349	2012	1956	1938	1876	10131	9103	8408	7680	7293	12334	9006	6360	3813	1714	456
Mean Population, 1891–1900. Males ..	—			37,629			1179	1001	955	942	943	5020	4438	4152	3778	3638	6147	4563	3176	1807	740	170
Mean Population, 1891–1900. Females	—			38,669			1170	1011	1001	996	933	5111	4665	4256	3902	3655	6187	4443	3184	2006	974	286
Deaths from All Causes, 1891–1900. Persons	18·84			14,373			4767	1443	486	322	201	7219	398	169	296	316	626	781	1008	1325	1384	851
Deaths from All Causes, 1891–1900. Males ..	19·79			7,446			2668	759	244	153	95	3919	189	75	140	137	320	400	548	687	683	348
Deaths from All Causes, 1891–1900. Females	17·91			6,927			2099	684	242	169	106	3300	209	94	156	179	306	381	460	638	701	503
	Persons.	Males.	Females.	Persons.	Males.	Females	PERSONS.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·62	0·64	0·61	475	241	234	115	195	75	54	22	461	13	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·16	0·15	0·17	123	58	65	13	17	15	28	19	92	22	6	1	1	—	1	—	—	—	—
Diphtheria	0·28	0·26	0·31	215	97	118	5	25	34	45	24	133	70	10	1	—	1	—	—	—	—	—
Whooping-cough ..	0·43	0·41	0·45	328	153	175	143	112	36	18	11	320	7	1	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·16	0·19	0·14	125	71	54	2	—	1	—	—	3	8	9	28	28	25	12	7	4	1	—
Simple Continued Fever	0·01	0·01	0·01	4	2	2	1	—	—	—	1	2	—	—	1	—	1	—	—	—	—	—
Diarrhœa & Dysentery	1·24	1·28	1·20	944	480	464	745	126	10	2	2	885	3	4	1	2	3	2	6	11	17	10
Cholera	0·02	0·03	0·01	13	10	3	6	1	—	—	—	7	—	—	1	—	1	1	—	1	2	—
Cancer	0·52	0·37	0·67	396	138	258	1	1	1	1	1	5	1	—	1	2	13	70	83	118	77	26
Tabes Mesenterica ..	0·42	0·45	0·38	319	171	148	176	70	19	7	3	275	15	7	7	4	5	2	3	1	—	—
Phthisis	1·13	1·22	1·04	861	459	402	6	13	7	6	2	34	22	23	105	117	208	170	120	47	14	1
Other Tub. & Scrof. Dis.	0·38	0·42	0·35	293	158	135	93	58	29	21	16	217	31	12	7	7	10	2	1	3	3	—
Diseases of Nervous System ..	2·62	2·86	2·39	1999	1074	925	795	152	59	35	19	1060	43	20	21	9	33	61	123	246	262	121
Diseases of Circulatory „ ..	1·19	1·20	1·19	910	451	459	8	—	1	1	—	10	17	27	22	26	46	106	153	235	197	71
Diseases of Respiratory „ ..	4·18	4·59	3·78	3187	1727	1460	865	475	150	72	61	1623	68	13	28	25	97	138	249	367	383	186
Diseases of Digestive „ ..	1·13	1·22	1·05	865	459	406	362	109	22	10	5	508	25	9	22	8	22	36	74	97	51	13
Diseases of Urinary „ ..	0·37	0·43	0·30	279	163	116	3	8	1	1	1	14	13	4	4	11	17	31	51	54	65	15
Diseases of Generative „ ..	0·02	0·01	0·03	15	2	13	—	—	—	—	—	—	—	—	1	1	—	2	4	2	4	1
Puerperal Fever ..	0·09	—	0·17	67	—	67	—	—	—	—	—	—	—	—	3	14	30	19	1	—	—	—
Childbirth	0·09	—	0·18	71	—	71	—	—	—	—	—	—	—	—	3	11	36	21	—	—	—	—
Violence	0·50	0·72	0·23	380	270	110	59	10	7	12	9	97	14	9	13	23	39	40	48	47	35	15
OTHER CAUSES ..	3·28	3·33	3·20	2504	1262	1242	1369	71	19	9	5	1473	26	14	26	17	39	67	85	92	273	392

Marriages 5,884

Births .. { Males .. 13,545 / Females 13,110 } 26,655

Annual Rate per 1000 living { Persons Married .. 15·42 / Births .. .. .. 34·94 }

Annual Births to 1000 Females aged 15—45 years = 147.

Deaths from Childbirth and Puerperal Fever .. .. } 5·18 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

499.—HOLBECK.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population 21·71			*189	—	—	—	—	77·42	5·39	2·41	3·50	4·17	4·94	9·71	17·18	36·82	85·45	182·23
Annual Death-Rate per 1000. Males	—			In Standard Population 22·72			*209	—	—	—	—	84·08	5·40	2·27	3·06	3·63	4·64	9·25	18·07	40·95	101·59	182·72
Annual Death-Rate per 1000. Females	—			In Standard Population 20·77			*169	—	—	—	—	70·92	5·38	2·55	3·94	4·68	5·23	10·16	16·33	33·13	74·34	181·90
Mean Population, 1891–1900. Persons	—			29,338			876	769	728	727	678	3778	3284	3069	3002	2901	4754	3481	2543	1559	770	197
Mean Population, 1891–1900. Males	—			14,319			437	368	350	367	344	1866	1629	1500	1504	1404	2326	1709	1251	735	314	81
Mean Population, 1891–1900. Females	—			15,019			439	401	378	360	334	1912	1655	1569	1498	1497	2428	1772	1292	824	456	116
Deaths from All Causes, 1891–1900. Persons	20·46			6,003			1886	609	210	131	89	2925	177	74	105	121	235	338	437	574	658	359
Deaths from All Causes, 1891–1900. Males	21·29			3,048			1048	297	112	64	48	1569	88	34	46	51	108	158	226	301	319	148
Deaths from All Causes, 1891–1900. Females	19·68			2,955			838	312	98	67	41	1356	89	40	59	70	127	180	211	273	339	211
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·46	0·50	0·43	135	71	64	22	63	27	11	5	128	7	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·08	0·10	0·07	24	14	10	1	2	—	8	2	13	9	2	—	—	—	—	—	—	—	—
Diphtheria	0·44	0·47	0·42	130	67	63	2	19	21	21	19	82	44	3	—	1	—	—	—	—	—	—
Whooping-cough	0·45	0·41	0·50	133	58	75	60	41	16	7	4	128	5	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·17	0·19	0·15	50	27	23	—	—	4	—	2	6	5	7	8	8	7	6	1	1	1	—
Simple Continued Fever	0·01	0·01	0·02	4	1	3	2	—	1	—	—	3	—	—	—	—	—	—	—	1	—	—
Diarrhœa & Dysentery	1·23	1·32	1·14	360	189	171	287	60	2	2	1	352	—	—	—	—	—	—	—	3	3	2
Cholera	0·03	0·03	0·03	9	4	5	5	—	—	—	—	5	—	—	1	—	1	1	—	—	1	—
Cancer	0·50	0·34	0·67	148	48	100	—	—	—	—	—	—	—	1	2	2	2	9	35	56	31	10
Tabes Mesenterica	0·31	0·36	0·27	92	51	41	38	30	8	2	3	81	5	4	1	—	—	1	—	—	—	—
Phthisis	1·33	1·52	1·15	389	217	172	7	6	3	3	2	21	11	14	43	54	81	85	46	29	5	—
Other Tub. & Scrof. Dis.	0·46	0·50	0·42	135	72	63	39	27	9	8	5	88	18	6	7	3	4	4	4	1	—	—
Diseases of Nervous System	2·51	2·77	2·26	735	396	339	297	34	20	9	6	366	10	3	2	1	14	31	66	91	107	44
Diseases of Circulatory „	1·31	1·20	1·42	385	172	213	1	—	1	—	—	2	4	6	9	3	18	53	75	105	92	18
Diseases of Respiratory „	4·52	4·89	4·18	1327	700	627	340	210	70	45	32	697	29	9	11	12	34	58	114	163	155	45
Diseases of Digestive „	1·46	1·40	1·51	427	200	227	203	71	11	4	2	291	5	2	6	8	12	17	25	28	26	7
Diseases of Urinary „	0·42	0·44	0·39	122	63	59	3	4	2	3	1	13	5	1	1	5	5	21	23	22	21	5
Diseases of Generative „	0·02	—	0·03	5	—	5	—	—	—	—	—	—	—	—	1	—	1	3	—	—	—	—
Puerperal Fever	0·05	—	0·09	14	—	14	—	—	—	—	—	—	—	—	2	4	7	1	—	—	—	—
Child-birth	0·14	—	0·27	41	—	41	—	—	—	—	—	—	—	—	1	10	15	15	—	—	—	—
Violence	0·45	0·60	0·31	133	86	47	27	3	6	3	2	41	9	2	4	6	14	9	16	14	12	6
OTHER CAUSES	4·11	4·24	3·95	1205	612	593	552	39	9	5	3	608	11	14	6	4	20	24	32	60	204	222

Marriages 2,399

Births .. { Males .. 5,024 / Females 4,970 } 9,994

Annual Rate per 1000 living { Persons Married .. 16·35 / Births .. .. .. 34·07

Annual Births to 1000 Females aged 15—45 years = 139.

Deaths from Childbirth and Puerperal Fever .. .. } 5·50 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

500.—BRAMLEY.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		19·81	*169	—	—	—	—	67·99	5·20	2·74	4·23	4·06	5·51	7·91	14·54	34·22	77·02	179·75
Annual Death-Rate per 1000. Males	—					20·73	*189	—	—	—	—	75·61	4·93	2·47	4·29	3·92	5·44	7·96	15·80	35·99	82·28	185·25
Annual Death-Rate per 1000. Females	—					18·95	*149	—	—	—	—	60·57	5·46	3·00	4·17	4·19	5·58	7·86	13·36	32·66	72·87	175·37
Mean Population, 1891-1900. Persons	—			72,997			1963	1760	1741	1750	1681	8895	8045	7708	7307	7090	12249	9017	6286	4018	1893	489
Mean Population, 1891-1900. Males	—			35,546			981	886	857	852	815	4391	3995	3809	3615	3389	5940	4436	3038	1881	835	217
Mean Population, 1891-1900. Females	—			37,451			982	874	884	898	866	4504	4050	3899	3692	3701	6309	4581	3248	2137	1058	272
Deaths from All Causes, 1891-1900. Persons	18·20			13,288			3868	1284	430	272	194	6048	418	211	309	288	675	713	914	1375	1458	879
Deaths from All Causes, 1891-1900. Males	19·19			6,821			2195	690	205	141	89	3320	197	94	155	133	323	353	480	677	687	402
Deaths from All Causes, 1891-1900. Females	17·27			6,467			1673	594	225	131	105	2728	221	117	154	155	352	360	434	698	771	477
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·42	0·45	0·41	313	160	153	65	125	56	28	20	294	17	1	1	—	—	—	—	—	—	—
Scarlet Fever	0·17	0·17	0·17	122	60	62	8	18	18	24	16	84	31	3	1	1	1	1	—	—	—	—
Diphtheria	0·41	0·39	0·42	297	140	157	8	37	37	50	36	168	104	16	—	1	4	2	2	—	—	—
Whooping cough	0·38	0·35	0·40	274	124	150	121	97	31	13	9	271	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·17	0·20	0·14	123	72	51	—	1	4	2	1	8	9	12	19	18	24	9	13	11	—	—
Simple Continued Fever	0·02	0·02	0·01	12	7	5	2	—	1	1	3	7	1	—	1	1	1	—	—	1	—	—
Diarrhœa & Dysentery	0·91	1·01	0·82	666	360	306	471	110	10	5	4	600	3	2	—	1	4	4	8	13	20	11
Cholera	0·03	0·02	0·03	19	8	11	9	1	—	1	1	12	1	—	—	—	—	3	—	2	1	—
Cancer	0·62	0·39	0·83	449	140	309	1	1	—	—	—	2	1	—	1	1	12	45	107	135	105	40
Tabes Mesenterica	0·23	0·28	0·18	167	98	69	88	27	7	6	2	130	15	4	5	3	5	2	2	1	—	—
Phthisis	1·31	1·42	1·20	955	506	449	9	14	8	1	4	36	20	40	130	125	229	166	112	72	23	2
Other Tub. & Scrof. Dis.	0·38	0·39	0·37	279	140	139	68	62	29	13	8	180	38	21	10	1	9	9	5	1	5	—
Diseases of: Nervous System	2·46	2·71	2·23	1796	962	834	656	144	46	25	20	891	39	24	15	8	30	50	103	236	294	106
Diseases of: Circulatory „	1·56	1·42	1·68	1136	505	631	3	—	—	3	1	7	10	18	27	20	66	107	193	295	283	110
Diseases of: Respiratory „	3·75	4·17	3·37	2743	1480	1263	769	428	134	75	47	1453	55	13	24	33	71	102	170	316	329	177
Diseases of: Digestive „	1·18	1·29	1·07	860	458	402	357	139	18	10	7	531	13	16	14	15	27	39	42	70	69	24
Diseases of: Urinary „	0·41	0·50	0·32	297	178	119	7	3	1	—	3	14	12	6	10	3	17	25	46	75	59	30
Diseases of: Generative „	0·03	0·00	0·06	25	1	24	2	—	—	—	—	2	1	—	1	—	2	1	2	6	6	4
Puerperal Fever	0·08	—	0·15	55	—	55	—	—	—	—	—	—	—	—	1	9	33	12	—	—	—	—
Childbirth	0·10	—	0·20	75	—	75	—	—	—	—	—	—	—	—	2	11	39	23	—	—	—	—
Violence	0·48	0·69	0·28	352	247	105	35	8	4	8	4	59	21	6	16	14	47	48	52	35	35	19
OTHER CAUSES	3·10	3·32	2·93	2273	1175	1098	1189	69	26	7	8	1299	24	29	31	23	54	65	57	106	229	356

Marriages 4,538
Births .. { Males .. 11,612 / Females 11,222 } 22,834

Annual Rate per 1000 living { Persons Married .. 12·43 / Births .. .. .. 31·28 }
Annual Births to 1000 Females aged 15—45 years = 125.

Deaths from Childbirth and Puerperal Fever .. .. } 5·69 per 1000 Births

* The death-rates under one year of age are per 1000 Births.

501.—LEEDS.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 22·93			*179	—	—	—	—	74·84	5·79	3·05	4·79	5·23	7·47	12·65	21·59	41·93	82·62	171·04
Annual Death-Rate per 1000. Males ..	—			24·73			*195	—	—	—	—	81·18	5·63	2·99	5·52	5·85	8·37	13·95	24·11	47·60	93·78	184·27
Annual Death-Rate per 1000. Females	—			21·23			*163	—	—	—	—	68·65	5·95	3·11	4·15	4·72	6·68	11·43	19·20	36·93	74·39	163·14
Mean Population, 1891–1900. Persons	—			237,439			6180	5429	5433	5273	5280	27595	25276	24549	24566	24612	39844	29491	21033	12687	6018	1768
Mean Population, 1891–1900. Males ..	—			112,822			3048	2663	2684	2619	2608	13622	12453	12004	11401	11107	18609	14241	10221	5948	2555	661
Mean Population, 1891–1900. Females	—			124,617			3132	2766	2749	2654	2672	13973	12823	12545	13165	13505	21235	15250	10812	6739	3463	1107
Deaths from All Causes, 1891–1900. Persons	21·01			49,890			13246	4217	1572	964	652	20651	1464	749	1176	1288	2976	3730	4540	5320	4972	3024
Deaths from All Causes, 1891–1900. Males ..	22·91			25,852			7275	2156	816	482	330	11059	701	359	629	650	1558	1987	2464	2831	2396	1218
Deaths from All Causes, 1891–1900. Females	19·29			24,038			5971	2061	756	482	322	9592	763	390	547	638	1418	1743	2076	2489	2576	1806
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	0·02	0·03	0·01	48	32	16	9	—	—	—	1	10	2	—	—	6	16	7	5	1	—	1
Measles	0·53	0·57	0·50	1257	640	617	274	492	223	122	80	1191	59	2	4	—	—	1	—	—	—	—
Scarlet Fever	0·19	0·20	0·18	449	221	228	23	35	65	82	65	270	129	27	10	3	7	1	1	1	—	—
Diphtheria	0·26	0·27	0·25	613	299	314	28	69	84	92	83	356	203	24	9	5	5	5	2	3	1	—
Whooping-cough ..	0·38	0·33	0·43	898	368	530	346	292	122	71	37	868	29	—	—	1	—	—	—	—	—	—
Typhus	0·00	0·01	0·00	11	6	5	—	—	—	—	—	—	—	1	—	1	3	2	2	—	1	1
Enteric Fever	0·21	0·27	0·16	503	299	204	—	—	5	3	5	13	29	58	89	76	116	54	40	21	6	1
Simple Continued Fever	0·00	0·00	0·00	7	5	2	1	—	—	1	2	4	1	—	1	—	—	—	—	1	—	—
Diarrhœa & Dysentery	1·06	1·11	1·01	2518	1256	1262	1948	351	41	12	5	2357	12	4	3	3	9	6	14	23	47	40
Cholera	0·02	0·02	0·02	55	27	28	36	5	1	—	—	42	—	—	—	—	—	3	3	5	2	—
Cancer	0·88	0·76	0·99	2093	855	1238	—	5	2	7	2	16	10	6	20	18	97	227	546	592	356	105
Tabes Mesenterica ..	0·34	0·40	0·29	814	455	359	394	159	41	24	18	636	49	28	25	14	17	20	13	8	3	1
Phthisis	1·79	2·24	1·37	4239	2528	1711	31	39	23	14	15	122	89	116	368	441	979	908	636	384	167	29
Other Tub. & Scrof. Dis.	0·52	0·61	0·43	1230	689	541	265	242	134	63	57	761	163	66	52	41	53	34	28	19	11	2
Diseases of Nervous System ..	2·63	2·88	2·40	6237	3248	2989	2378	363	122	63	34	2965	90	66	64	42	132	247	494	753	889	495
Diseases of Circulatory „ ..	1·67	1·70	1·64	3971	1922	2049	32	7	6	3	1	49	59	94	108	109	300	453	717	921	816	345
Diseases of Respiratory „ ..	4·25	4·70	3·83	10081	5306	4775	2481	1379	452	246	152	4710	203	46	101	119	328	528	864	1240	1273	669
Diseases of Digestive „ ..	1·27	1·36	1·19	3013	1536	1477	954	332	62	22	10	1380	60	40	70	80	137	212	338	347	240	109
Diseases of Urinary „ ..	0·60	0·73	0·47	1414	826	588	8	16	11	13	8	56	27	18	22	39	94	177	235	332	297	117
Diseases of Generative „ ..	0·10	0·01	0·19	247	12	235	4	2	1	1	—	8	—	—	4	8	55	87	41	20	19	5
Puerperal Fever ..	0·07	—	0·13	167	—	167	—	—	—	—	—	—	—	—	5	52	77	32	1	—	—	—
Childbirth	0·08	—	0·16	194	—	194	—	—	—	—	—	—	—	—	7	27	81	79	—	—	—	—
Violence	0·81	1·14	0·52	1928	1282	646	135	73	88	77	52	425	148	68	98	92	198	233	235	199	141	91
OTHER CAUSES ..	3·33	3·57	3·12	7903	4040	3863	3899	356	89	43	25	4412	102	85	116	111	272	314	325	450	703	1013

Marriages 22,433

Births .. { Males .. 37,352 / Females 36,732 } 74,084

Annual Rate per 1000 living { Persons Married .. 18·90 / Births .. .. .. 31·20

Annual Births to 1000 Females aged 15—45 years = 117.

Deaths from Childbirth and Puerperal Fever .. .. } 4·87 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

502.—DEWSBURY.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 21·47			*177	—	—	—	—	70·85	5·55	3·36	4·81	5·29	6·68	10·40	17·10	36·66	81·42	179·09
Males ..	—			23·25			*199	—	—	—	—	79·19	5·34	3·39	4·72	5·29	6·40	11·37	19·32	41·92	92·16	207·31
Females	—			19·80			*154	—	—	—	—	62·79	5·75	3·34	4·88	5·28	6·91	9·54	15·12	32·22	73·26	162·04
Mean Population, 1891–1900. Persons	—			164,828			3933	3530	3534	3474	3483	17954	16789	17418	17583	16338	27167	20535	15316	9790	4666	1272
Males ..	—			78,116			1939	1764	1724	1716	1688	8831	8253	8581	8409	7555	12602	9684	7227	4480	2015	479
Females	—			86,712			1994	1766	1810	1758	1795	9123	8536	8837	9174	8783	14565	10851	8089	5310	2651	793
Deaths from All Causes, 1891–1900. Persons	19·53			32,183			8107	2732	931	542	469	12721	932	586	845	864	1814	2136	2619	3589	3799	2278
Males ..	21·19			16,554			4618	1429	468	274	204	6993	441	291	397	400	807	1101	1396	1878	1857	993
Females	18·02			15,629			3489	1303	463	268	205	5728	491	295	448	464	1007	1035	1223	1711	1942	1285
	Persons.	Males.	Females.	Persons.	Males.	Females	PERSONS.															
Small-pox..	0·09	0·10	0·07	143	78	65	22	10	7	9	3	51	19	3	14	12	20	13	8	3	—	—
Measles	0·56	0·60	0·52	927	472	455	227	359	153	86	43	868	57	1	—	—	—	1	—	—	—	—
Scarlet Fever	0·24	0·24	0·24	400	188	212	16	43	54	57	53	223	135	22	11	2	4	3	—	—	—	—
Diphtheria	0·20	0·22	0·19	330	169	161	16	40	41	62	53	212	101	9	1	2	3	1	—	—	1	—
Whooping-cough ..	0·36	0·35	0·36	587	272	315	266	207	62	24	19	578	9	—	—	—	—	—	—	—	—	—
Typhus	0·00	—	0·00	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Enteric Fever	0·29	0·31	0·27	482	246	236	3	10	7	8	5	33	30	61	69	56	108	58	41	21	5	—
Simple Continued Fever	0·02	0·02	0·02	29	12	17	4	3	4	—	1	12	5	1	2	2	3	2	—	1	1	—
Diarrhœa & Dysentery	0·66	0·73	0·60	1090	567	523	737	132	15	4	4	892	4	3	1	—	—	14	16	28	67	65
Cholera	0·06	0·07	0·05	100	54	46	61	13	2	1	—	77	—	—	1	—	4	4	6	7	1	—
Cancer	0·68	0·47	0·87	1124	367	757	2	2	1	—	—	5	3	2	4	4	34	143	264	369	235	61
Tabes Mesenterica ..	0·19	0·20	0·19	316	155	161	105	66	28	14	8	221	23	16	12	10	11	15	6	1	1	—
Phthisis	1·48	1·60	1·36	2433	1253	1180	20	31	12	9	12	84	47	83	282	345	593	470	290	191	41	7
Other Tub. & Scrof. Dis.	0·46	0·56	0·37	754	434	320	185	162	69	44	38	498	85	46	36	25	29	16	9	7	2	1
Diseases of Nervous System ..	2·47	2·84	2·14	4079	2220	1859	1335	279	97	44	37	1792	93	67	51	35	86	155	283	525	705	287
Circulatory „ ..	1·71	1·70	1·71	2813	1330	1483	29	6	4	4	1	44	33	63	73	67	144	263	464	731	697	234
Respiratory „ ..	4·13	4·75	3·58	6815	3712	3103	1817	884	250	121	83	3155	146	40	62	71	194	326	528	849	966	478
Digestive „ ..	1·20	1·29	1·12	1979	1008	971	625	253	34	16	16	944	40	34	25	39	73	125	171	210	242	76
Urinary „ ..	0·46	0·54	0·38	755	422	333	14	13	6	1	8	42	18	7	16	21	65	104	136	176	129	41
Generative „ ..	0·04	0·01	0·07	70	7	63	1	—	—	—	—	1	—	1	2	—	15	14	17	14	4	2
Puerperal Fever ..	0·09	—	0·17	151	—	151	—	—	—	—	—	—	—	—	5	34	83	28	1	—	—	—
Childbirth..	0·11	—	0·21	179	—	179	—	—	—	—	—	—	—	—	4	28	76	69	2	—	—	—
Violence	0·62	0·94	0·32	1016	738	278	161	27	21	17	14	240	33	56	80	39	120	123	119	100	71	35
OTHER CAUSES ..	3·41	3·65	3·21	5610	2850	2760	2461	192	64	21	11	2749	51	71	94	72	149	189	257	356	631	991

Marriages 15,600

Births .. { Males .. 23,223 / Females 22,618 } 45,841

Annual Rate per 1000 living { Persons Married .. 18·93 / Births .. .. .. 27·81

Annual Births to 1000 Females aged 15—45 years = 106.

Deaths from Childbirth and Puerperal Fever .. .. } 7·20 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

503.—WAKEFIELD.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 20·50			*168	—	—	—	—	64·71	4·19	2·59	4·34	4·94	7·39	11·67	18·92	37·42	74·79	173·06
Annual Death-Rate per 1000. Males	—			21·55			*184	—	—	—	—	71·10	4·18	2·69	3·96	4·77	7·13	12·60	20·92	41·11	79·84	178·07
Annual Death-Rate per 1000. Females	—			19·52			*151	—	—	—	—	58·50	4·19	2·50	4·76	5·12	7·66	10·65	16·82	33·79	70·41	163·95
Mean Population. 1891-1900. Persons	—			105,540			2937	2728	2701	2641	2576	13583	12417	11602	10670	9943	16626	12734	9041	5369	2705	850
Mean Population. 1891-1900. Males	—			53,624			1431	1368	1316	1293	1278	6686	6194	5770	5606	5159	8622	6641	4647	2661	1255	383
Mean Population. 1891-1900. Females	—			51,916			1506	1360	1385	1348	1298	6897	6223	5832	5064	4784	8004	6093	4394	2708	1450	467
Deaths from All Causes, 1891-1900. Persons	19·42			20,492			5925	1717	570	342	235	8789	520	301	463	491	1228	1486	1711	2009	2023	1471
Deaths from All Causes, 1891-1900. Males	20·21			10,838			3300	884	281	175	114	4754	259	155	222	246	615	837	972	1094	1002	682
Deaths from All Causes, 1891-1900. Females	18·60			9,654			2625	833	289	167	121	4035	261	146	241	245	613	649	739	915	1021	789
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·05	0·05	0·06	57	26	31	13	2	2	1	1	19	6	—	2	5	9	10	4	—	2	—
Measles	0·40	0·40	0·40	426	217	209	100	174	64	46	20	404	20	2	—	—	—	—	—	—	—	—
Scarlet Fever	0·24	0·21	0·26	249	112	137	10	28	41	35	23	137	73	23	5	3	5	3	—	—	—	—
Diphtheria	0·15	0·15	0·15	163	83	80	8	13	23	33	30	107	45	7	2	1	—	—	1	—	—	—
Whooping-cough	0·36	0·32	0·40	381	174	207	177	125	45	20	9	376	5	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·25	0·23	0·26	260	125	135	2	5	5	3	2	17	24	12	29	35	61	43	21	10	8	—
Simple Continued Fever	0·00	0·01	—	3	3	—	1	—	—	—	—	1	—	—	—	—	—	—	1	1	—	—
Diarrhœa & Dysentery	0·88	0·91	0·84	926	488	438	673	147	19	3	4	846	3	—	1	—	2	2	10	16	25	21
Cholera	0·01	0·02	0·01	14	10	4	7	2	1	—	—	10	3	—	1	—	—	—		—	—	—
Cancer	0·62	0·44	0·82	658	234	424	1	—	—	—	—	1	1	—	1	7	22	80	159	200	138	49
Tabes Mesenterica	0·33	0·36	0·29	344	193	151	168	88	19	5	7	287	11	6	13	12	7	5	1	2	—	—
Phthisis	1·39	1·46	1·31	1464	784	680	18	20	12	10	5	65	33	49	148	169	373	291	199	103	28	6
Other Tub. & Scrof. Dis.	0·43	0·45	0·40	450	243	207	121	100	39	23	20	303	42	29	19	14	20	9	5	7	2	—
Diseases of Nervous System	2·58	2·81	2·34	2717	1504	1213	775	170	60	32	19	1056	51	41	35	33	122	242	272	359	340	166
Diseases of Circulatory "	1·63	1·60	1·66	1719	858	861	6	2	3	1	2	14	13	29	29	29	90	173	297	409	451	185
Diseases of Respiratory "	4·05	4·40	3·69	4276	2362	1914	1273	584	165	83	64	2169	78	25	39	35	140	216	313	444	465	352
Diseases of Digestive "	1·24	1·23	1·25	1312	662	650	519	134	24	10	8	695	29	15	21	21	55	86	124	128	98	40
Diseases of Urinary "	0·43	0·49	0·36	453	264	189	10	14	9	4	3	40	11	4	8	7	33	34	72	107	86	51
Diseases of Generative "	0·02	0·01	0·03	21	3	18	1	—	1	—	—	2	—	—	2	—	3	4	6	2	2	—
Puerperal Fever	0·09	—	0·18	91	—	91	—	—	—	—	—	—	—	—	4	24	46	17	—	—	—	—
Childbirth	0·10	—	0·21	110	—	110	—	—	—	—	—	—	—	—	4	18	44	42	2	—	—	—
Violence	0·83	1·19	0·47	879	636	243	160	19	20	23	13	235	41	24	55	43	101	114	111	76	44	35
OTHER CAUSES	3·34	3·47	3·21	3519	1857	1662	1882	90	18	10	5	2005	31	35	45	35	95	115	113	145	334	566

Marriages 8,653

Births .. { Males .. 17,979 / Females 17,390 } 35,369

Annual Rate per 1000 living { Persons Married .. 16·40 / Births .. .. .. 33·51

Annual Births to 1000 Females aged 15—45 years = 148.

Deaths from Childbirth and Puerperal Fever .. .. } 5·68 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

504.—PONTEFRACT.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 19·06			*175	—	—	—	—	68·89	4·47	2·47	3·73	4·51	5·44	8·92	14·94	30·10	67·82	155·89
Annual Death-Rate per 1000. Males	—			19·96			*193	—	—	—	—	76·34	4·84	2·13	3·31	4·29	5·39	8·54	15·60	32·84	73·30	156·40
Annual Death-Rate per 1000. Females	—			18·21			*156	—	—	—	—	61·59	4·09	2·83	4·26	4·78	5·50	9·37	14·16	27·22	62·80	155·49
Mean Population, 1891-1900. Persons	—			62,821			2046	1778	1767	1787	1726	9104	8129	7235	6172	5587	9222	7223	5028	3017	1535	569
Mean Population, 1891-1900. Males	—			32,831			1002	884	889	876	855	4506	4049	3701	3447	3054	4912	3936	2698	1544	734	250
Mean Population, 1891-1900. Females	—			29,990			1044	894	878	911	871	4598	4080	3534	2725	2533	4310	3287	2330	1473	801	319
Deaths from All Causes, 1891-1900. Persons	19·15			12,029			4248	1240	417	233	134	6272	363	179	230	252	502	644	751	908	1041	887
Deaths from All Causes, 1891-1900. Males	19·55			6,418			2393	660	215	102	70	3440	196	79	114	131	265	336	421	507	538	391
Deaths from All Causes, 1891-1900. Females	18·71			5,611			1855	580	202	131	64	2832	167	100	116	121	237	308	330	401	503	496
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·01	0·01	0·01	6	4	2	2	—	—	—	—	2	—	—	—	—	1	1	2	—	—	—
Measles	0·53	0·55	0·51	334	182	152	56	153	60	35	10	314	19	—	—	1	—	—	—	—	—	—
Scarlet Fever	0·19	0·17	0·20	117	57	60	11	16	18	26	16	87	24	4	—	—	1	—	1	—	—	—
Diphtheria	0·16	0·13	0·18	98	44	54	4	13	14	15	12	58	29	4	4	1	—	2	—	—	—	—
Whooping-cough	0·33	0·29	0·38	208	95	113	96	59	33	7	7	202	5	1	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·17	0·21	0·13	108	68	40	1	—	—	3	—	4	12	10	15	13	19	13	13	6	2	1
Simple Continued Fever	0·00	0·01	—	2	2	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	1·00	1·01	0·98	625	331	294	450	106	11	3	—	570	2	—	—	—	—	6	3	4	18	22
Cholera	0·00	0·01	—	2	2	—	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Cancer	0·56	0·36	0·77	349	119	230	—	—	—	—	—	—	1	2	1	4	11	41	83	104	75	27
Tabes Mesenterica	0·20	0·23	0·17	128	77	51	52	26	3	2	5	88	18	4	4	2	7	4	1	—	—	—
Phthisis	1·16	1·10	1·22	726	361	365	6	9	6	8	1	30	26	42	79	103	159	132	94	45	16	—
Other Tub. & Scrof. Dis.	0·39	0·37	0·40	243	123	120	48	52	17	12	7	136	33	17	10	3	19	16	8	1	—	—
Diseases of Nervous System	2·45	2·45	2·45	1538	803	735	713	107	41	26	24	911	48	21	16	11	26	43	73	120	178	91
Diseases of Circulatory "	1·25	1·25	1·25	786	411	375	—	3	2	2	1	8	10	13	17	15	30	94	145	203	174	77
Diseases of Respiratory "	3·81	4·15	3·43	2391	1361	1030	785	426	149	59	27	1446	44	12	11	15	45	78	121	196	252	171
Diseases of Digestive "	1·33	1·39	1·25	833	457	376	397	126	16	5	9	553	16	8	10	8	21	35	55	56	47	24
Diseases of Urinary "	0·37	0·41	0·32	230	133	97	3	9	4	6	4	26	14	4	4	4	16	26	28	49	39	20
Diseases of Generative "	0·02	0·00	0·04	14	1	13	1	1	—	—	—	2	—	—	—	2	1	2	4	2	1	—
Puerperal Fever	0·06	—	0·12	37	—	37	—	—	—	—	—	—	—	—	3	10	15	8	1	—	—	—
Childbirth	0·11	—	0·23	69	—	69	—	—	—	—	—	—	—	—	2	9	26	28	4	—	—	—
Violence	0·80	1·19	0·38	503	390	113	58	12	17	16	11	114	42	25	28	33	61	63	58	37	25	17
OTHER CAUSES	4·25	4·26	4·29	2682	1397	1285	1563	122	26	8	—	1719	18	12	26	18	44	52	57	85	214	437

Marriages 4,945

Births .. { Males .. 12,394 / Females 11,878 } 24,272

Annual Rate per 1000 living { Persons Married .. 15·74 / Births .. .. .. 38·64 }

Annual Births to 1000 Females aged 15—45 years = 189.

Deaths from Childbirth and Puerperal Fever .. .. } 4·37 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

505.—HEMSWORTH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		16·87	*155	—	—	—	—	59·60	4·81	2·55	4·69	5·24	4·75	6·45	12·36	24·86	59·45	150·65
Males ..	—					17·08	*164	—	—	—	—	61·48	4·92	2·24	4·10	5·60	4·54	6·13	12·38	28·42	62·24	155·88
Females	—					16·66	*146	—	—	—	—	57·64	4·70	2·89	5·51	4·73	5·02	6·84	12·35	20·81	56·60	146·51
Mean Population, 1891–1900. Persons	—			18,610			587	517	531	524	519	2678	2412	2197	1684	1585	2903	2156	1472	893	476	154
Males ..	—			10,024			303	259	267	271	263	1363	1199	1159	976	929	1607	1191	816	475	241	68
Females	—			8,586			284	258	264	253	256	1315	1213	1038	708	656	1296	965	656	418	235	86
Deaths from All Causes, 1891–1900. Persons	16·80			3,126			1090	318	106	50	32	1596	116	56	79	83	138	139	182	222	283	232
Males ..	16·49			1,653			584	155	56	27	16	838	59	26	40	52	73	73	101	135	150	106
Females	17·16			1,473			506	163	50	23	16	758	57	30	39	31	65	66	81	87	133	126
	Persons.	Males.	Females	Persons.	Males.	Females	Persons.															
Small-pox..	0·02	0·02	0·01	3	2	1	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—
Measles	0·48	0·45	0·52	90	45	45	21	42	13	5	2	83	6	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·23	0·19	0·28	43	19	24	1	3	7	4	5	20	15	4	1	2	1	—	—	—	—	—
Diphtheria	0·14	0·17	0·10	26	17	9	—	2	7	4	3	16	7	2	—	—	—	1	—	—	—	—
Whooping-cough ..	0·33	0·31	0·36	62	31	31	34	16	3	4	2	59	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·32	0·39	0·24	60	39	21	1	1	3	1	—	6	6	3	13	10	8	6	7	1	—	—
Simple Continued Fever	0·02	0·03	—	3	3	—	2	—	—	—	—	2	—	—	—	1	—	—	—	—	—	—
Diarrhœa & Dysentery	0·88	0·80	0·97	163	80	83	106	42	2	4	—	154	—	—	1	1	—	1	1	—	3	2
Cholera	0·01	0·02	—	2	2	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—
Cancer	0·53	0·43	0·64	98	43	55	—	—	—	—	—	—	1	—	—	—	3	8	23	25	25	13
Tabes Mesenterica ..	0·40	0·37	0·44	75	37	38	44	21	3	2	—	70	2	2	—	—	1	—	—	—	—	—
Phthisis	0·79	0·78	0·80	147	78	69	6	—	—	—	—	6	4	7	19	26	31	26	21	5	2	—
Other Tub. & Scrof. Dis.	0·39	0·42	0·35	72	42	30	25	14	6	3	2	50	10	2	5	1	2	—	1	1	—	—
Diseases of Nervous System ..	2·13	2·04	2·25	397	204	193	153	16	10	6	8	193	13	9	7	5	9	15	16	36	56	38
Circulatory „ ..	1·20	1·22	1·19	224	122	102	2	—	1	—	—	3	3	4	5	9	14	17	35	51	57	26
Respiratory „ ..	3·52	3·68	3·33	655	369	286	240	94	37	14	7	392	23	2	1	3	13	17	40	42	63	59
Digestive „ ..	1·64	1·57	1·74	306	157	149	163	49	5	1	1	219	8	2	3	3	7	8	6	20	26	4
Urinary „ ..	0·33	0·39	0·27	62	39	23	3	8	—	—	—	11	1	2	1	2	2	3	4	13	12	11
Generative „ ..	0·01	—	0·02	2	—	2	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—
Puerperal Fever ..	0·08	—	0·16	14	—	14	—	—	—	—	—	—	—	—	1	6	4	3	—	—	—	—
Childbirth	0·10	—	0·21	18	—	18	—	—	—	—	—	—	—	—	—	1	8	9	—	—	—	—
Violence	0·70	1·00	0·36	131	100	31	19	2	5	2	1	29	6	13	10	10	19	8	17	12	5	2
Other Causes ..	2·55	2·21	2·92	473	224	249	269	8	4	—	1	282	8	3	11	3	14	16	11	15	33	77

Marriages 1,152

Births .. { Males .. 3,564 / Females 3,462 } 7,026

Annual Rate per 1000 living { Persons Married .. 12·38 / Births .. .. .. 37·75 }

Annual Births to 1000 Females aged 15—45 years = 194.

Deaths from Childbirth and Puerperal Fever .. . . } 4·55 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

506.—BARNSLEY.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.	20·86		*177	—	—	—	—	74·00	4·68	2·52	4·07	5·18	5·67	9·72	16·19	33·49	76·90	180·24
Annual Death-Rate per 1000. Males ..	—				21·45		*194	—	—	—	—	79·89	4·77	2·57	3·68	5·03	5·37	9·09	16·80	36·28	79·80	186·05
Annual Death-Rate per 1000. Females	—				20·32		*160	—	—	—	—	68·16	4·60	2·48	4·58	5·37	6·02	10·47	15·48	30·56	74·20	175·41
Mean Population, 1891–1900. Persons	—			103,781			3471	3047	2961	2927	2827	15233	13325	11647	10117	9613	16183	11796	8139	4762	2303	663
Mean Population, 1891–1900. Males ..	—			54,602			1742	1491	1496	1468	1382	7579	6689	5879	5683	5312	8778	6438	4392	2442	1109	301
Mean Population, 1891–1900. Females	—			49,179			1729	1556	1465	1459	1445	7654	6636	5768	4434	4301	7405	5358	3747	2320	1194	362
Deaths from All Causes, 1891–1900. Persons	20·28			21,042			7516	2294	746	447	269	11272	624	294	412	498	917	1146	1318	1595	1771	1195
Deaths from All Causes, 1891–1900. Males ..	20·38			11,126			4165	1180	363	219	128	6055	319	151	209	267	471	585	738	886	885	560
Deaths from All Causes, 1891–1900. Females	20·16			9,916			3351	1114	383	228	141	5217	305	143	203	231	446	561	580	709	886	635
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	0·01	0·02	0·01	12	9	3	1	—	—	—	—	1	—	—	2	2	2	5	—	—	—	—
Measles	0·79	0·78	0·80	820	426	394	171	351	137	72	42	773	43	1	1	1	—	—	1	—	—	—
Scarlet Fever	0·32	0·30	0·33	328	165	163	24	56	70	58	28	236	75	12	3	—	1	—	1	—	—	—
Diphtheria	0·18	0·19	0·18	189	101	88	16	31	27	25	25	124	48	8	3	1	2	1	1	—	1	—
Whooping-cough ..	0·46	0·36	0·57	475	194	281	246	141	51	22	8	468	7	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·33	0·36	0·30	344	198	146	4	12	5	6	7	34	24	32	32	57	70	49	23	12	9	2
Simple Continued Fever	0·00	0·00	0·00	2	1	1	—	—	—	1	1	2	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	1·25	1·22	1·27	1293	668	625	920	232	22	6	4	1184	3	1	—	—	2	11	3	14	38	37
Cholera	0·14	0·12	0·15	143	68	75	91	25	4	—	1	121	4	—	—	—	—	3	2	4	6	3
Cancer	0·53	0·32	0·77	552	174	378	—	—	3	—	1	4	1	2	3	4	20	62	148	158	115	35
Tabes Mesenterica ..	0·27	0·25	0·28	276	137	139	133	64	22	7	3	229	19	9	2	4	11	1	—	—	1	—
Phthisis	1·09	1·08	1·10	1134	592	542	24	24	13	12	3	76	31	44	94	160	233	219	170	84	23	—
Other Tub. & Scrof. Dis,	0·59	0·60	0·59	616	326	290	229	130	56	27	19	461	66	25	21	7	14	8	9	2	1	2
Diseases of Nervous System ..	2·62	2·67	2·56	2716	1459	1257	1264	218	63	41	26	1612	49	27	34	24	36	75	116	254	307	182
Diseases of Circulatory „ ..	1·45	1·35	1·55	1501	737	764	12	2	1	1	1	17	21	30	33	31	74	162	246	327	375	185
Diseases of Respiratory „ ..	4·15	4·35	3·92	4303	2375	1928	1627	720	187	127	56	2717	106	21	19	37	103	163	198	301	394	244
Diseases of Digestive „ ..	1·20	1·25	1·14	1244	683	561	551	146	21	9	9	736	23	10	33	21	35	62	92	95	101	36
Diseases of Urinary „ ..	0·41	0·45	0·36	423	246	177	11	16	13	3	6	49	8	5	12	14	24	39	67	98	71	36
Diseases of Generative „ ..	0·02	—	0·05	24	—	24	—	—	—	—	—	—	—	—	2	—	3	4	8	5	2	—
Puerperal Fever ..	0·08	—	0·17	82	—	82	—	—	—	—	—	—	—	—	3	18	43	17	1	—	—	—
Childbirth	0·12	—	0·25	122	—	122	—	—	—	—	—	—	—	—	9	16	48	49	—	—	—	—
Violence	0·89	1·29	0·44	921	706	215	149	21	26	20	20	236	61	39	56	61	99	102	109	90	42	26
OTHER CAUSES ..	3·38	3·42	3·37	3522	1861	1661	2043	105	25	10	9	2192	35	28	50	40	97	114	123	151	285	407

Marriages 8,517

Births .. { Males .. 21,482 / Females 20,951 } 42,433

Annual Rate per 1000 living { Persons Married .. 16·41 / Births .. .. .. 40·89

Annual Births to 1000 Females aged 15—45 years = 197.

Deaths from Childbirth and Puerperal Fever .. .. } 4·81 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

507.—WORTLEY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 19·62			*136	—	—	—	—	50·43	4·87	2·57	3·98	5·29	7·74	14·62	20·36	36·38	79·83	181·12
Males ..	—			20·51			*151	—	—	—	—	55·76	4 78	2·94	4·08	4·56	7·67	16·69	22·06	38·89	83·58	184·92
Females	—			18·79			*122	—	—	—	—	45·26	4·95	2·17	3·85	6·16	7 83	12·31	18·54	33·85	76·50	177·96
Mean Population, 1891–1900. Persons	—			64,043			1808	1647	1598	1574	1608	8235	7601	7095	6238	6016	9956	7442	5403	3612	1889	556
Males ..	—			33,148			877	836	782	758	804	4057	3806	3639	3433	3288	5254	3924	2793	1813	889	252
Females	—			30,895			931	811	816	816	804	4178	3795	3456	2805	2728	4702	3518	2610	1799	1000	304
Deaths from All Causes, 1891–1900. Persons	18·83			12,059			2812	751	269	180	141	4153	370	182	248	318	771	1088	1100	1314	1508	1007
Males ..	19·39			6,429			1574	403	131	90	64	2262	182	107	140	150	403	655	616	705	743	466
Females	18·22			5,630			1238	348	138	90	77	1891	188	75	108	168	368	433	484	609	765	541
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·02	0·00	6	5	1	—	—	—	—	—	—	—	—	1	1	1	1	1	—	1	—
Measles	0·32	0·32	0·32	206	107	99	50	81	28	16	7	182	23	—	—	—	1	—	—	—	—	—
Scarlet Fever	0·16	0·13	0·19	102	43	59	2	12	20	14	11	59	28	9	3	2	—	—	1	—	—	—
Diphtheria	0·39	0·40	0·38	252	134	118	3	25	36	32	32	128	99	9	3	2	5	1	2	2	1	—
Whooping-cough ..	0·27	0·25	0·30	176	82	94	88	52	16	11	6	173	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·14	0·16	0·12	88	52	36	1	1	2	4	1	9	5	9	10	12	17	13	6	5	1	1
Simple Continued Fever	0·00	0·00	—	1	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·60	0·63	0·57	384	208	176	266	43	8	2	2	321	5	—	—	1	3	7	9	8	13	17
Cholera	0·01	0·02	0·01	7	5	2	3	1	—	—	1	5	—	—	—	—	—	—	1	1	—	—
Cancer	0·63	0·48	0·78	401	159	242	—	1	—	—	—	1	—	2	—	5	10	38	83	121	101	40
Tabes Mesenterica ..	0·22	0·21	0·23	140	69	71	81	26	5	1	2	115	6	2	3	3	1	5	—	4	1	—
Phthisis	1·50	1·67	1·32	962	554	408	5	3	—	2	2	12	14	25	63	97	257	227	138	89	28	12
Other Tub. & Scrof. Dis.	0·34	0·34	0·34	217	112	105	77	37	13	11	9	147	21	14	7	7	11	4	3	2	1	—
Diseases of Nervous System ..	3·49	3·75	3·21	2237	1244	993	507	77	42	20	9	655	36	24	38	39	108	262	260	279	352	184
Circulatory „ ..	1·76	1·50	2·04	1128	498	630	7	2	—	—	—	9	15	21	24	24	48	94	165	242	320	166
Respiratory „ ..	3·98	4·38	3·55	2547	1451	1096	615	278	67	49	40	1049	55	16	29	30	110	199	200	307	344	208
Digestive „ ..	1·11	1·18	1·03	709	392	317	225	54	11	7	8	305	26	13	13	14	27	47	71	81	83	29
Urinary „ ..	0·35	0·43	0·27	226	143	83	1	4	1	1	—	7	2	5	2	3	10	29	45	51	51	21
Generative „ ..	0·03	0·00	0·07	22	1	21	—	—	1	—	—	1	—	—	1	3	5	3	4	2	1	2
Puerperal Fever ..	0·09	—	0·18	57	—	57	—	—	—	—	—	—	—	—	2	13	32	10	—	—	—	—
Childbirth	0·11	—	0·22	69	—	69	—	—	—	—	—	—	—	—	2	10	28	29	—	—	—	—
Violence	0·55	0·79	0·29	353	262	91	33	17	5	4	6	68	14	7	24	25	44	57	35	34	30	15
OTHER CAUSES ..	2·77	2·73	2·80	1769	907	862	847	37	11	6	5	906	18	26	23	27	53	62	76	86	180	312

Marriages 4,618

Births .. { Males .. 10,443 / Females 10,158 } 20,601

Annual Rate per 1000 living { Persons Married .. 14·42 / Births .. .. .. 32·17 }

Annual Births to 1000 Females aged 15—45 years = 150.

Deaths from Childbirth and Puerperal Fever .. .. } 6·12 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

508.—ECCLESALL BIERLOW.

Causes of Death.	Crude Death-Rate per 1000.			All Ages			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 18·80			*163	—	—	—	—	64·49	4·63	2·01	2·83	3·37	4·67	9·36	16·46	31·01	72·75	169·40
Males ..	—			20·14			*179	—	—	—	—	70·59	4·38	2·02	2·94	3·47	4·76	10·13	19·12	37·24	80·23	173·57
Females	—			17·53			*147	—	—	—	—	58·47	4·88	2·00	2·74	3·28	4·59	8·61	13·96	25·69	67·09	166·76
Mean Population, 1891–1900. Persons	—			156,910			4217	3675	3545	3501	3583	18521	17522	16234	16639	16303	26169	19001	13281	8074	3996	1170
Males ..	—			75,220			2102	1857	1705	1732	1814	9210	8683	7916	7733	7474	12508	9375	6428	3719	1720	454
Females	—			81,690			2115	1818	1840	1769	1769	9311	8839	8318	8906	8829	13661	9626	6853	4355	2276	716
Deaths from All Causes, 1891–1900. Persons	17·01			26,683			7962	2359	825	486	313	11945	811	326	471	549	1223	1779	2186	2504	2907	1982
Males ..	18·42			13,855			4434	1221	450	226	170	6501	380	160	227	259	596	950	1229	1385	1380	788
Females	15·70			12,828			3528	1138	375	260	143	5444	431	166	244	290	627	829	957	1119	1527	1194
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox ..	0·02	0·03	0·01	33	21	12	8	1	4	—	1	14	1	2	—	2	7	5	2	—	—	—
Measles ..	0·43	0·44	0·42	675	333	342	175	282	84	54	29	624	45	4	—	1	1	—	—	—	—	—
Scarlet Fever ..	0·18	0·19	0·18	285	140	145	9	36	37	45	27	154	94	15	5	8	6	2	—	—	1	—
Diphtheria ..	0·39	0·41	0·36	606	312	294	30	95	81	89	76	371	193	22	4	5	5	3	1	1	1	—
Whooping-cough ..	0·38	0·38	0·38	593	286	307	269	184	63	39	15	570	22	1	—	—	—	—	—	—	—	—
Typhus ..	0·00	0·00	0·00	2	1	1	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
Enteric Fever ..	0·14	0·16	0·12	216	117	99	—	4	7	3	4	18	17	25	35	17	45	29	17	7	6	—
Simple Continued Fever	0·00	0·00	0·00	3	1	2	—	—	—	—	—	—	—	—	1	—	—	2	—	—	—	—
Diarrhœa & Dysentery	0·93	1·03	0·84	1460	774	686	1126	199	17	6	2	1350	3	—	—	1	6	7	10	15	42	26
Cholera ..	0·03	0·03	0·02	41	24	17	27	3	1	—	1	32	—	—	—	—	—	2	2	3	1	1
Cancer ..	0·56	0·40	0·71	882	303	579	1	2	1	—	—	4	1	2	3	2	26	92	214	281	195	62
Tabes Mesenterica ..	0·23	0·25	0·21	361	189	172	198	75	24	11	5	313	18	9	4	4	6	4	1	2	—	—
Phthisis ..	1·16	1·61	0·75	1822	1208	614	13	16	15	11	7	62	27	45	135	190	359	469	325	161	40	9
Other Tub. & Scrof. Dis.	0·34	0·41	0·28	541	311	230	156	138	49	21	24	388	53	29	14	10	15	20	8	3	1	—
Diseases of Nervous System ..	2·36	2·58	2·15	3697	1939	1758	1457	228	88	55	26	1854	74	25	33	30	74	145	281	402	530	249
Circulatory " ..	1·33	1·26	1·40	2093	949	1144	22	2	2	1	2	29	36	37	46	48	110	236	390	472	494	195
Respiratory " ..	3·41	3·94	2·92	5354	2965	2389	1346	746	252	96	66	2506	108	26	46	62	161	270	406	591	725	453
Digestive " ..	1·17	1·22	1·12	1836	917	919	749	212	32	18	6	1017	38	26	35	25	62	116	148	161	151	57
Urinary " ..	0·41	0·48	0·35	644	362	282	7	6	11	4	7	35	12	3	13	28	51	94	123	127	103	55
Generative " ..	0·03	0·01	0·06	54	4	50	—	2	1	1	—	4	—	—	3	1	13	12	10	4	6	1
Puerperal Fever ..	0·07	—	0·14	112	—	112	—	—	—	—	—	—	—	—	8	23	51	29	1	—	—	—
Childbirth ..	0·09	—	0·17	141	—	141	—	—	—	—	—	—	—	—	4	29	67	38	3	—	—	—
Violence ..	0·31	0·40	0·22	485	304	181	77	10	21	13	6	127	22	9	18	14	40	52	64	64	45	30
OTHER CAUSES ..	3·04	3·19	2·89	4747	2395	2352	2292	118	35	19	9	2473	47	45	64	49	118	152	179	210	566	844

Marriages 9,985

Births .. Males .. 24,713; Females 23,999 — 48,712

Annual Rate per 1000 living: Persons Married .. 12·73; Births .. .. .. 31·04

Annual Births to 1000 Females aged 15—45 years = 119.

Deaths from Childbirth and Puerperal Fever .. .. 5·19 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

509.—SHEFFIELD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		24·28	*195	—	—	—	—	84·43	5·52	2·88	4·36	5·30	7·42	13·72	23·11	43·44	84·35	170·93
Annual Death-Rate per 1000. Males ..	—					25·76	*210	—	—	—	—	89·89	5·47	2·94	4·41	5·00	7·49	15·07	26·81	48·49	91·56	181·67
Annual Death-Rate per 1000. Females	—					22·88	*179	—	—	—	—	78·98	5·58	2·83	4·32	5·64	7·34	12·21	19·04	38·40	78·18	163·58
Mean Population, 1891–1900. Persons	—			215,956			6496	5634	5466	5329	5309	28234	25577	23202	21513	20681	34833	26135	18597	10892	4964	1328
Mean Population, 1891–1900. Males ..	—			110,314			3249	2813	2712	2666	2658	14098	12661	11559	11029	10864	18255	13838	9735	5447	2288	540
Mean Population, 1891–1900. Females	—			105,642			3247	2821	2754	2663	2651	14136	12916	11643	10484	9817	16578	12297	8862	5445	2676	788
Deaths from All Causes, 1891–1900. Persons	22·97			49,611			15329	4807	1862	1073	766	23837	1413	669	939	1097	2584	3586	4297	4732	4187	2270
Deaths from All Causes, 1891–1900. Males ..	24·03			26,512			8394	2452	933	524	369	12672	692	340	486	543	1367	2085	2610	2641	2095	981
Deaths from All Causes, 1891–1900. Females	21·87			23,099			6935	2355	929	549	397	11165	721	329	453	554	1217	1501	1687	2091	2092	1289
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	0·00	0·00	0·00	6	2	4	1	—	—	—	—	1	—	1	—	—	—	3	—	1	—	—
Measles	0·63	0·63	0·63	1368	698	670	303	584	242	105	80	1314	53	—	—	—	1	—	—	—	—	—
Scarlet Fever	0·24	0·26	0·23	524	283	241	23	62	98	89	64	336	129	25	15	7	8	3	1	—	—	—
Diphtheria	0·43	0·39	0·48	933	431	502	46	126	155	158	135	620	259	26	5	8	9	2	4	—	—	—
Whooping-cough ..	0·57	0·49	0·64	1222	546	676	473	396	156	110	47	1182	38	2	—	—	—	—	—	—	—	—
Typhus	0·00	0·00	—	2	2	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—
Enteric Fever	0·37	0·40	0·34	807	446	361	4	6	10	13	10	43	70	90	129	127	169	99	55	15	8	2
Simple Continued Fever	0·00	0·00	0·00	8	5	3	1	1	2	1	1	6	1	—	—	—	1	—	—	—	—	—
Diarrhœa & Dysentery	1·57	1·56	1·58	3394	1724	1670	2481	532	73	19	7	3142	10	3	1	2	7	14	21	59	74	61
Cholera	0·05	0·05	0·04	99	56	43	63	14	1	—	—	78	2	—	1	1	1	1	4	6	1	4
Cancer	0·68	0·54	0·84	1479	596	883	—	3	2	1	4	10	4	5	6	15	83	205	406	433	250	62
Tabes Mesenterica ..	0·38	0·42	0·34	822	466	356	435	213	60	21	14	743	30	14	7	4	8	8	4	2	2	—
Phthisis	1·50	1·89	1·08	3229	2090	1139	27	33	23	14	19	116	54	74	215	281	674	789	615	321	85	5
Other Tub. & Scrof. Dis.	0·55	0·62	0·47	1182	681	501	395	222	89	71	51	828	107	53	42	35	34	27	29	18	8	1
Diseases of Nervous System ..	2·92	3·07	2·76	6304	3385	2919	2924	432	181	87	57	3681	111	53	50	51	125	215	463	599	678	278
Diseases of Circulatory „ ..	1·57	1·51	1·62	3381	1668	1713	23	6	1	5	5	40	35	77	111	97	259	485	650	778	655	194
Diseases of Respiratory „ ..	4·91	5·34	4·47	10610	5890	4720	2699	1466	550	252	156	5123	223	67	86	104	333	611	929	1325	1245	564
Diseases of Digestive „ ..	1·53	1·52	1·54	3299	1674	1625	1339	351	59	26	27	1802	50	30	61	76	134	257	301	311	200	77
Diseases of Urinary „ ..	0·54	0·64	0·43	1165	710	455	16	23	9	7	10	65	22	18	17	31	109	181	237	245	178	62
Diseases of Generative „ ..	0·06	0·01	0·12	140	14	126	5	4	—	—	—	9	1	—	2	5	17	43	30	17	11	5
Puerperal Fever ..	0·10	—	0·21	223	—	223	—	—	—	—	—	—	—	—	13	58	102	47	3	—	—	—
Childbirth	0·11	—	0·22	236	—	236	—	—	—	—	—	—	—	—	10	37	102	85	2	—	—	—
Violence	0·80	1·09	0·50	1727	1200	527	162	62	83	61	57	425	142	64	75	71	182	210	208	184	118	48
Other Causes.. ..	3·46	3·60	3·33	7451	3945	3506	3909	241	68	33	22	4273	72	67	92	87	226	300	335	418	674	907

Marriages 23,948

Births .. { Males .. 40,035 / Females 38,758 } 78,793

Annual Rate per 1000 living { Persons Married .. 22·18 / Births .. .. .. 36·49 }

Annual Births to 1000 Females aged 15—45 years = 160.

Deaths from Childbirth and Puerperal Fever .. .. } 5·83 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

510.—ROTHERHAM.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 18·64			*163	—	—	—	—	63·55	4·09	2·41	3·82	4·70	5·37	9·02	15·35	31·15	69·51	161·82
Males ..	—			19·39			*180	—	—	—	—	69·84	4·32	2·38	3·52	4·37	4·83	8·75	17·03	34·23	71·26	169·25
Females	—			17·93			*145	—	—	—	—	57·37	3·86	2·43	4·18	5·11	5·99	9·34	13·47	27·95	67·84	156·04
Mean Population, 1891-1900. Persons	—			100.479			3183	2853	2714	2770	2714	14234	12915	11600	9978	9118	15221	11447	8053	4793	2384	736
Males ..	—			52,096			1596	1410	1342	1362	1349	7059	6418	5831	5405	5006	8078	6114	4259	2442	1162	322
Females	—			48,383			1587	1443	1372	1408	1365	7175	6497	5769	4573	4112	7143	5333	3794	2351	1222	414
Deaths from All Causes, 1891-1900. Persons	18·00			18,091			6104	1746	589	362	245	9046	528	279	381	429	818	1033	1236	1493	1657	1191
Males ..	18·45			9,614			3439	878	307	176	130	4930	277	139	190	219	390	535	725	836	828	545
Females	17·52			8,477			2665	868	282	186	115	4116	251	140	191	210	428	498	511	657	829	646
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	0·00	0·01	0·00	5	3	2	—	1	—	—	—	1	1	—	—	—	—	1	—	2	—	—
Measles	0·63	0·62	0·64	632	321	311	135	252	119	53	28	587	44	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·28	0·30	0·27	285	154	131	24	47	42	57	30	200	56	13	6	3	4	3	—	—	—	—
Diphtheria	0·15	0·16	0·14	148	82	66	13	21	13	25	18	90	36	13	2	1	2	2	1	—	1	—
Whooping-cough ..	0·42	0·35	0·50	425	183	242	230	115	44	16	15	420	5	—	—	—	—	—	—	—	—	—
Typhus	0·00	0·00	—	2	2	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—
Enteric Fever	0·26	0·29	0·23	263	151	112	2	2	4	4	5	17	26	28	39	42	45	31	21	13	1	—
Simple Continued Fever	0·00	0·00	0·00	2	1	1	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	1·09	1·17	1·01	1098	607	491	814	182	16	11	2	1025	2	—	1	2	—	5	8	7	29	19
Cholera	0·02	0·03	0·01	21	17	4	7	2	—	—	—	9	1	—	—	—	1	4	3	2	1	—
Cancer	0·54	0·40	0·69	540	206	334	—	—	1	1	—	2	2	1	5	6	17	72	112	159	128	36
Tabes Mesenterica ..	0·27	0·26	0·29	274	135	139	156	51	16	13	1	237	9	6	2	8	7	3	—	2	—	—
Phthisis	1·01	1·02	1·01	1018	531	487	11	22	6	5	1	45	26	38	104	130	205	205	157	82	22	4
Other Tub. & Scrof. Dis.	0·38	0·39	0·36	377	202	175	110	67	32	11	9	229	49	23	21	6	15	15	8	8	3	—
Diseases of Nervous System ..	1·98	2·05	1·90	1987	1066	921	883	135	47	29	24	1118	48	15	13	24	23	61	119	187	229	150
Circulatory „ ..	1·17	1·06	1·30	1178	551	627	6	5	—	1	4	16	14	23	27	32	65	132	202	260	290	117
Respiratory „ ..	3·72	4·01	3·39	3739	2098	1641	1248	538	166	87	66	2105	73	29	34	30	86	127	231	343	420	261
Digestive „ ..	1·19	1·16	1·21	1191	605	586	549	153	21	7	7	737	29	11	20	18	28	59	75	95	73	46
Urinary „ ..	0·36	0·40	0·32	361	206	155	14	12	4	2	3	35	8	5	1	4	31	37	61	76	66	37
Generative „ ..	0·03	0·01	0·06	34	4	30	—	1	2	—	—	3	—	1	—	1	4	5	10	7	3	—
Puerperal Fever ..	0·08	—	0·17	83	—	83	—	—	—	—	—	—	—	—	5	20	40	18	—	—	—	—
Childbirth	0·12	—	0·24	117	—	117	—	—	—	—	—	—	—	—	5	22	55	34	1	—	—	—
Violence	0·78	1·19	0·35	786	618	168	37	20	25	24	23	129	63	41	51	53	109	107	96	77	41	19
OTHER CAUSES ..	3·52	3·57	3·43	3525	1871	1654	1864	120	31	16	9	2040	35	31	44	27	80	112	131	173	350	502

Marriages 8,400

Births .. { Males .. 19,071 / Females 18,419 } 37,490

Annual Rate per 1000 living { Persons Married .. 16·72 / Births .. .. .. 37·31 }

Annual Births to 1000 Females aged 15—45 years = 177.

Deaths from Childbirth and Puerperal Fever .. .. } 5·33 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

511.—DONCASTER.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 18·11			*172	—	—	—	—	65·52	4·11	2·53	3·40	4·24	5·46	8·45	13·37	29·04	62·71	154·14
Males ..	—			19·08			*188	—	—	—	—	71·85	4·20	2·49	3·31	4·31	5·27	8·66	14·07	32·68	67·06	159·38
Females	—			17·20			*156	—	—	—	—	59·31	4·02	2·57	3·49	4·17	5·66	8·24	12·62	25·47	58·81	150·00
Mean Population, 1891–1900. Persons	—			72.740			1932	1847	1849	1836	1799	9263	8683	7835	7097	6553	11169	8540	6225	4105	2328	942
Males ..	—			36.972			943	920	901	923	902	4589	4331	3976	3749	3412	5766	4400	3199	2032	1102	416
Females	—			35,768			989	927	948	913	897	4674	4352	3859	3348	3141	5403	4140	3026	2073	1226	526
Deaths from All Causes, 1891–1900. Persons	18·44			13.411			4247	1081	386	188	167	6069	357	198	241	278	610	722	832	1192	1460	1452
Males ..	19·07			7,050			2335	567	209	95	91	3297	182	99	124	147	304	381	450	664	739	663
Females	17·78			6,361			1912	514	177	93	76	2772	175	99	117	131	306	341	382	528	721	789
	Persons.	Males.	Females.	Persons.	Males.	Females	PERSONS.															
Small-pox	0·03	0·04	0·03	24	15	9	—	3	1	—	—	4	1	—	1	3	5	6	1	2	1	—
Measles	0·52	0·51	0·52	375	188	187	75	150	79	32	16	352	20	1	1	—	—	1	—	—	—	—
Scarlet Fever	0·27	0·25	0·29	198	93	105	4	25	33	21	32	115	63	12	3	2	3	—	—	—	—	—
Diphtheria	0·19	0·19	0·19	137	70	67	3	21	21	19	15	83	40	12	2	—	—	—	—	—	—	—
Whooping-cough ..	0·31	0·29	0·32	223	109	114	119	68	20	7	6	220	3	—	—	—	—	—	—	—	—	—
Typhus	0·00	—	0·00	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Enteric Fever	0·21	0·25	0·18	155	91	64	1	3	2	2	2	10	7	11	19	22	38	30	13	5	—	—
Simple Continued Fever	0·00	0·01	0·00	3	2	1	1	—	—	—	1	2	—	—	—	—	—	1	—	—	—	—
Diarrhœa & Dysentery	0·94	0·96	0·93	687	355	332	524	100	5	3	—	632	4	—	—	—	—	—	6	10	17	18
Cholera	0·04	0·05	0·03	26	17	9	12	2	—	—	—	14	1	—	—	—	1	2	2	3	2	1
Cancer	0·70	0·51	0·89	508	188	320	1	—	1	—	—	2	2	1	2	1	10	50	110	141	125	64
Tabes Mesenterica ..	0·29	0·30	0·28	210	110	100	134	35	12	2	3	186	9	5	1	3	3	2	1	—	—	—
Phthisis	1·02	1·13	0·91	742	417	325	7	13	8	3	1	32	15	24	58	87	186	143	89	71	31	6
Other Tub. & Scrof. Dis.	0·43	0·48	0·37	312	178	134	106	62	19	9	6	202	26	20	17	13	19	3	7	4	1	—
Diseases of Nervous System ..	2·37	2·44	2·28	1721	904	817	749	91	26	12	13	891	26	13	9	13	39	48	100	173	245	164
Circulatory " ..	1·58	1·53	1·63	1149	565	584	7	3	2	—	2	14	7	20	13	9	45	101	158	250	317	215
Respiratory " ..	3·21	3·38	3·03	2332	1249	1083	692	299	101	51	42	1185	38	11	17	21	52	94	137	216	293	268
Digestive " ..	1·56	1·58	1·53	1133	585	548	548	129	20	7	3	707	27	13	16	18	32	44	62	91	74	49
Urinary " ..	0·40	0·50	0·30	292	185	107	6	8	2	4	2	22	5	3	2	12	13	30	25	56	73	51
Generative " ..	0·04	0·00	0·08	31	1	30	1	—	—	—	—	1	—	—	1	1	3	5	3	9	6	2
Puerperal Fever ..	0·06	—	0·12	42	—	42	—	—	—	—	—	—	—	—	5	13	15	8	1	—	—	—
Childbirth	0·08	—	0·17	60	—	60	—	—	—	—	—	—	—	—	3	6	24	26	1	—	—	—
Violence	0·69	1·01	0·37	505	374	131	33	12	13	10	12	80	37	27	47	33	63	51	58	48	34	27
OTHER CAUSES ..	3·50	3·66	3·33	2545	1354	1191	1224	57	21	6	7	1315	26	25	24	21	59	76	58	113	241	587

Marriages 5,765

Births .. { Males .. 12,412 / Females 12,268 } 24,680

Annual Rate per 1000 living { Persons Married .. 15·85 / Births .. .. .. 33·93 }

Annual Births to 1000 Females aged 15—45 years = 154.

Deaths from Childbirth and Puerperal Fever .. .. } 4·13 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

512.—THORNE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		13·83	*122	—	—	—	—	42·17	3·71	2·19	4·00	5·07	6·31	7·34	8·75	20·60	48·77	137·61
Annual Death-Rate per 1000. Males	—					14·18	*139	—	—	—	—	48·52	3·04	1·82	2·89	5·02	6·14	6·18	8·70	21·94	55·43	135·64
Annual Death-Rate per 1000. Females	—					13·51	*103	—	—	—	—	35·99	4 40	2·58	5·12	5·12	6·48	8·48	8·80	19·28	42·59	139·32
Mean Population, 1891-1900. Persons	—			15,272			349	351	353	324	335	1712	1696	1641	1450	1144	1949	1595	1440	1272	937	436
Mean Population, 1891-1900. Males	—			7,560			172	169	177	164	163	845	855	826	727	558	961	793	713	629	451	202
Mean Population, 1891-1900. Females	—			7,712			177	182	176	160	172	867	841	815	723	586	988	802	727	643	486	234
Deaths from All Causes, 1891-1900. Persons	17·17			2,622			521	116	38	24	23	722	63	36	58	58	123	117	126	262	457	600
Deaths from All Causes, 1891-1900. Males	17·62			1,332			309	57	26	9	9	410	26	15	21	28	59	49	62	138	250	274
Deaths from All Causes, 1891-1900. Females	16·73			1,290			212	59	12	15	14	312	37	21	37	30	64	68	64	124	207	326
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Measles	0·13	0·07	0·19	20	5	15	3	9	1	2	1	16	4	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·10	0·08	0·13	16	6	10	—	1	2	1	3	7	5	2	1	—	1	—	—	—	—	—
Diphtheria	0·13	0·11	0·16	20	8	12	2	1	—	4	2	9	6	1	2	1	1	—	—	—	—	—
Whooping-cough	0·31	0·28	0·35	48	21	27	24	13	4	2	2	45	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·08	0·11	0·05	12	8	4	—	—	—	—	1	1	—	3	—	3	3	1	1	—	—	—
Simple Continued Fever	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Diarrhœa & Dysentery	0·45	0·41	0·48	68	31	37	39	3	1	1	1	45	1	—	—	—	—	1	—	—	3	18
Cholera	0·01	—	0·01	1	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	0·68	0·50	0·86	104	38	66	—	—	—	—	—	—	—	—	—	—	4	7	14	33	30	16
Tabes Mesenterica	0 20	0·19	0·21	30	14	16	11	4	1	—	1	17	2	—	2	2	3	2	1	1	—	—
Phthisis	1·30	1 16	1·43	198	88	110	1	2	2	2	—	7	7	8	23	30	42	28	16	21	14	2
Other Tub. & Scrof. Dis.	0·31	0·26	0·35	47	20	27	17	8	1	—	—	26	6	4	6	1	1	1	—	1	1	—
Diseases of Nervous System	2·08	2·37	1·79	317	179	138	80	17	7	2	5	111	3	2	3	4	7	6	14	38	72	57
Diseases of Circulatory	1 92	2·00	1·85	294	151	143	—	—	—	—	—	—	2	3	3	2	11	12	22	62	92	85
Diseases of Respiratory	2·61	2·72	2·50	399	206	193	99	39	7	8	1	154	6	2	3	2	11	11	16	31	61	102
Diseases of Digestive	1·20	1 44	0·97	184	109	75	59	10	3	2	3	77	3	5	3	2	4	9	7	22	33	19
Diseases of Urinary	0·39	0·58	0·21	60	44	16	1	—	—	—	—	1	2	1	1	1	3	2	5	8	24	12
Diseases of Generative	0·05	0·01	0·09	8	1	7	1	—	—	—	—	1	—	—	1	—	—	1	2	—	3	—
Puerperal Fever	0·08	—	0·16	12	—	12	—	—	—	—	—	—	—	—	—	1	5	5	1	—	—	—
Childbirth	0·12	—	0·23	18	—	18	—	—	—	—	—	—	—	—	1	4	7	6	—	—	—	—
Violence	0·60	0·89	0·31	91	67	24	5	1	4	—	3	13	8	1	5	3	9	14	6	7	16	9
Other Causes	4·40	4·42	4·40	673	334	339	178	8	5	—	—	191	5	4	4	2	11	11	21	36	108	280

Marriages 1,142

Births .. { Males .. 2,227 / Females 2,056 } 4,283

Annual Rate per 1000 living { Persons Married .. 14·96 / Births .. .. .. 28·04

Annual Births to 1000 Females aged 15—45 years = 138.

Deaths from Childbirth and Puerperal Fever .. .. } 7·00 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

513.—GOOLE.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 17·56			*156	—	—	—	—	58·74	4·80	2·52	3·81	5·00	6·16	8·99	14·13	28·54	60·09	146·88
Annual Death-Rate per 1000. Males	—			18·27			*177	—	—	—	—	66·69	4·76	2·47	3·79	4·61	5·82	8·68	15·18	29·92	59·40	149·67
Annual Death-Rate per 1000. Females	—			16·89			*135	—	—	—	—	51·24	4·83	2·57	3·82	5·38	6·49	9·31	13·07	27·16	60·71	144·62
Mean Population, 1891–1900. Persons	—			24,891			698	703	644	681	643	3369	3125	2778	2391	2159	3655	2759	2031	1440	847	337
Mean Population, 1891–1900. Males	—			12,333			347	361	298	319	311	1636	1553	1376	1187	1062	1820	1406	1021	722	399	151
Mean Population, 1891–1900. Females	—			12,558			351	342	346	362	332	1733	1572	1402	1204	1097	1835	1353	1010	718	448	186
Deaths from All Causes, 1891–1900. Persons	18·37			4,573			1386	294	123	104	72	1979	150	70	91	108	225	248	287	411	509	495
Deaths from All Causes, 1891–1900. Males	19·10			2,355			791	150	62	50	38	1091	74	34	45	49	106	122	155	216	237	226
Deaths from All Causes, 1891–1900. Females	17·66			2,218			595	144	61	54	34	888	76	36	46	59	119	126	132	195	272	269
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·02	0·02	0·02	5	3	2	1	1	—	1	—	3	—	—	—	—	—	—	—	—	2	—
Measles	0·31	0·28	0·34	77	34	43	11	26	12	8	14	71	5	—	—	1	—	—	—	—	—	—
Scarlet Fever	0·13	0·15	0·11	33	19	14	—	7	5	7	4	23	7	1	1	—	—	1	—	—	—	—
Diphtheria	0·32	0·26	0·38	80	32	48	3	9	11	17	6	46	23	3	3	—	2	1	1	—	1	—
Whooping-cough	0·47	0·49	0·45	117	60	57	48	31	15	8	7	109	8	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·14	0·12	0·16	35	15	20	—	—	—	1	3	4	2	2	7	6	6	2	3	2	1	—
Simple Continued Fever	0·00	—	0·01	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Diarrhœa & Dysentery	0·90	0·96	0·85	225	118	107	181	25	1	—	1	208	—	—	—	—	—	—	3	2	6	6
Cholera	0·00	—	0·01	1	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	0·76	0·49	1·02	189	61	128	—	—	—	—	—	—	2	1	—	4	1	17	35	57	53	19
Tabes Mesenterica	0·36	0·32	0·40	89	39	50	56	15	5	4	1	81	5	—	1	—	1	1	—	—	—	—
Phthisis	1·11	1·01	1·20	276	125	151	10	8	3	1	—	22	4	11	21	33	68	60	34	13	10	—
Other Tub. & Scrof. Dis.	0·58	0·62	0·53	144	77	67	35	17	17	11	9	89	18	10	5	5	9	6	1	—	1	—
Diseases of Nervous System	2·47	2·78	2·16	614	343	271	227	21	13	12	6	279	20	10	5	12	10	20	27	61	107	63
Diseases of Circulatory	1·67	1·53	1·81	416	189	227	3	—	—	1	2	6	2	6	6	3	15	32	50	95	120	81
Diseases of Respiratory	3·15	3·39	2·91	784	418	366	258	86	27	19	10	400	17	6	8	3	20	17	40	77	83	113
Diseases of Digestive	1·15	1·22	1·08	286	151	135	112	25	—	2	—	139	5	2	6	9	12	11	32	25	30	15
Diseases of Urinary	0·37	0·51	0·24	93	63	30	2	—	2	—	2	6	3	2	1	3	6	14	9	14	22	13
Diseases of Generative	0·05	0·02	0·08	13	3	10	—	—	—	—	1	1	—	—	1	—	1	4	—	3	2	1
Puerperal Fever	0·08	—	0·16	20	—	20	—	—	—	—	—	—	—	—	1	5	11	3	—	—	—	—
Childbirth	0·10	—	0·21	26	—	26	—	—	—	—	—	—	—	—	—	2	10	13	1	—	—	—
Violence	0·96	1·51	0·41	238	186	52	15	5	8	9	4	41	22	10	15	19	35	29	26	21	9	11
OTHER CAUSES	3·27	3·42	3·12	811	419	392	423	18	4	3	2	450	7	6	10	3	17	17	25	41	62	173

Marriages 1,945

Births .. Males .. 4,463; Females 4,395 } 8,858

Annual Rate per 1000 living: Persons Married .. 15·63; Births .. .. .. 35·59

Annual Births to 1000 Females aged 15—45 years = 161.

Deaths from Childbirth and Puerperal Fever .. .. } 5·19 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

514.—SELBY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 15·06			*138	—	—	—	—	45·55	2·67	2·06	3·11	5·80	5·93	7·08	12·04	24·34	58·89	155·49
Annual Death-Rate per 1000. Males	—			15·18			*151	—	—	—	—	49·43	2·11	2·27	2·92	5·78	5·50	7·32	12·48	24·06	57·91	162·66
Annual Death-Rate per 1000. Females	—			14·94			*126	—	—	—	—	41·62	3·17	1·85	3·31	5·81	6·34	6·85	11·60	24·61	59·84	148·45
Mean Population, 1891-1900. Persons	—			15,933			396	384	369	367	396	1912	1801	1749	1544	1311	2193	1795	1445	1105	759	319
Mean Population, 1891-1900. Males	—			7,864			200	191	183	180	209	963	855	883	788	657	1073	861	721	532	373	158
Mean Population, 1891-1900. Females	—			8,069			196	193	186	187	187	949	946	866	756	654	1120	934	724	573	386	161
Deaths from All Causes, 1891-1900. Persons	17·08			2,722			626	124	56	36	29	871	48	36	48	76	130	127	174	269	447	496
Deaths from All Causes, 1891-1900. Males	17·65			1,388			342	66	26	21	21	476	18	20	23	38	59	63	90	128	216	257
Deaths from All Causes, 1891-1900. Females	16·53			1,334			284	58	30	15	8	395	30	16	25	38	71	64	84	141	231	239
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·18	0·17	0·19	28	13	15	9	5	7	2	3	26	2	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·08	0·08	0·07	12	6	6	1	3	—	3	—	7	3	1	—	—	1	—	—	—	—	—
Diphtheria	0·17	0·19	0·15	27	15	12	2	2	3	5	2	14	9	1	—	1	2	—	—	—	—	—
Whooping-cough	0·29	0·31	0·29	47	24	23	26	14	3	3	1	47	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·17	0·15	0·19	27	12	15	—	—	—	1	1	2	1	2	3	5	7	2	3	2	—	—
Simple Continued Fever	0·01	—	0·01	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·64	0·72	0·56	102	57	45	76	15	2	1	—	94	—	—	—	—	1	—	—	1	1	5
Cholera	0·01	0·03	—	2	2	—	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Cancer	0·72	0·70	0·73	114	55	59	—	—	—	1	—	1	—	—	—	—	—	5	14	27	46	21
Tabes Mesenterica	0·17	0·14	0·20	27	11	16	12	7	2	3	—	24	—	1	—	—	1	—	1	—	—	—
Phthisis	1·07	0·99	1·15	171	78	93	2	—	—	—	2	4	6	6	15	33	36	30	23	12	5	1
Other Tub. & Scrof. Dis.	0·34	0·39	0·29	54	31	23	16	4	7	2	4	33	7	3	1	3	3	1	—	3	—	—
Diseases of Nervous System	2·36	2·24	2·49	377	176	201	100	12	9	7	3	131	5	5	4	4	8	19	24	40	77	60
Diseases of Circulatory „	1·70	1·63	1·77	271	128	143	3	—	—	—	1	4	—	—	3	1	14	13	23	53	96	64
Diseases of Respiratory „	2·39	2·73	2·06	381	215	166	90	33	16	4	8	151	2	2	4	8	11	13	22	43	71	54
Diseases of Digestive „	1·04	0·92	1·15	165	72	93	39	18	—	1	—	58	2	2	2	2	6	7	18	19	39	10
Diseases of Urinary „	0·34	0·53	0·15	54	42	12	2	1	2	—	—	5	—	1	—	1	2	—	2	9	21	13
Diseases of Generative „	0·04	0·01	0·06	6	1	5	—	—	—	—	—	—	—	—	1	—	1	—	1	1	1	1
Puerperal Fever	0·06	—	0·12	10	—	10	—	—	—	—	—	—	—	—	—	3	4	3	—	—	—	—
Childbirth	0·08	—	0·15	12	—	12	—	—	—	—	—	—	—	—	—	2	8	2	—	—	—	—
Violence	0·80	1·17	0·43	127	92	35	19	1	3	2	2	27	6	2	7	8	11	16	14	21	9	6
OTHER CAUSES	4·42	4·55	4·32	707	358	349	227	9	2	1	2	241	4	10	8	5	14	16	29	38	81	261

Marriages 1,012

Births .. { Males .. 2,270 / Females 2,253 } 4,523

Annual Rate per 1000 living { Persons Married .. 12·70 / Births .. .. .. 28·39

Annual Births to 1000 Females aged 15—45 years = 131.

Deaths from Childbirth and Puerperal Fever .. .. } 4·86 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The boundary of this district was altered during the decennium; the part transferred contained no population.

515.—TADCASTER.

CAUSES OF DEATH.		CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000.	Persons	—			In Standard Population.		16·78	*139	—	—	—	—	50·74	3·89	2·77	4·51	5·26	5·73	8·36	12·98	27·94	68 60	161·31
	Males ..	—					18·00	*160	—	—	—	—	58·62	4·19	2·49	4·05	5·14	6·23	9·22	14·73	29·51	70·25	176·16
	Females	—					15·64	*118	—	—	—	—	43·24	3·60	3·05	5·05	5·41	5·20	7·45	11·10	26·36	66·94	148·21
Mean Population, 1891–1900.	Persons	—			27,584			794	722	756	712	713	3697	3392	3036	2595	2394	4172	3109	2258	1596	968	367
	Males ..	—			14,077			403	338	353	342	367	1803	1672	1526	1407	1285	2151	1606	1168	803	484	172
	Females	—			13,507			391	384	403	370	346	1894	1720	1510	1188	1109	2021	1503	1090	793	484	195
Deaths from All Causes, 1891–1900.	Persons	17·51			4,829			1296	354	112	66	48	1876	132	84	117	126	239	260	293	446	664	592
	Males ..	18·63			2,622			752	187	62	30	26	1057	70	38	57	66	134	148	172	237	340	303
	Females	16·34			2,207			544	167	50	36	22	819	62	46	60	60	105	112	121	209	324	289
		Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles		0·35	0·37	0·33	96	52	44	27	41	13	8	5	94	1	1	—	—	—	—	—	—	—	—
Scarlet Fever		0·16	0·13	0·20	45	18	27	2	6	5	7	6	26	16	1	—	—	2	—	—	—	—	—
Diphtheria		0·12	0·09	0·16	33	12	21	—	5	9	3	6	23	8	2	—	—	—	—	—	—	—	—
Whooping-cough ..		0·28	0·26	0·31	78	36	42	35	26	9	3	1	74	3	—	1	—	—	—	—	—	—	—
Typhus		0·00	—	0·01	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Enteric Fever		0·17	0·20	0·14	47	28	19	—	1	—	—	—	1	3	3	9	5	8	8	1	6	3	—
Simple Continued Fever		0·00	—	0·01	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Diarrhœa & Dysentery		0·75	0·90	0·60	207	126	81	132	35	5	4	—	176	1	1	—	—	2	1	4	3	8	11
Cholera		0·02	0·01	0·03	6	2	4	—	2	—	—	—	2	—	—	—	—	—	—	1	1	2	—
Cancer		0·58	0·50	0·66	159	70	89	1	—	—	—	—	1	1	—	—	—	5	11	28	41	52	20
Tabes Mesenterica ..		0·21	0·24	0·19	59	34	25	35	11	3	2	—	51	5	2	—	—	—	1	—	—	—	—
Phthisis		1·00	0·92	1·08	275	129	146	1	1	—	2	—	4	8	16	30	48	60	51	36	14	6	2
Other Tub. & Scrof. Dis.		0·41	0·40	0·41	112	56	56	25	19	3	5	4	56	14	10	9	6	6	5	3	2	1	—
Diseases of	Nervous System ..	2·38	2·59	2·16	657	364	293	242	47	18	8	5	320	17	8	6	3	7	21	28	64	102	81
	Circulatory „ ..	1·44	1·29	1·58	396	182	214	5	1	1	1	—	8	7	10	7	9	19	29	41	81	114	71
	Respiratory „ ..	2·91	3·13	2·66	800	440	360	204	93	23	14	9	343	20	5	7	16	21	27	31	84	149	97
	Digestive „ ..	1·21	1·29	1·12	334	183	151	111	32	7	1	1	152	3	1	5	5	11	12	27	48	50	20
	Urinary „ ..	0·50	0·59	0·40	137	83	54	5	4	3	1	1	14	4	1	4	2	10	11	20	19	35	17
	Generative „ ..	0·03	—	0·07	9	—	9	1	—	—	—	—	1	—	—	—	—	1	3	—	2	1	1
Puerperal Fever ..		0·07	—	0·15	20	—	20	—	—	—	—	—	—	—	—	1	5	9	5	—	—	—	—
Childbirth		0·08	—	0·16	21	—	21	—	—	—	—	—	—	—	—	1	4	5	11	—	—	—	—
Violence		0·98	1·58	0·36	271	223	48	20	4	3	3	5	35	13	7	21	16	52	35	36	30	21	5
OTHER CAUSES ..		3·86	4·14	3·55	1065	584	481	450	26	10	4	5	495	8	16	16	7	21	29	37	51	119	266

Marriages 1,875

Births .. { Males .. 4,695 / Females 4,613 } 9,308

Annual Rate per 1000 living { Persons Married .. 13·59 / Births .. .. .. 33·74

Annual Births to 1000 Females aged 15—45 years = 160.

Deaths from Childbirth and Puerperal Fever .. .. } 4·40 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

516.—YORK.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 19·10			*167	—	—	—	—	58·23	4·02	2·57	3·96	5·18	6·68	12·17	16·85	34·43	71·29	164·87
Annual Death-Rate per 1000. Males	—			In Standard Population. 20·34			*186	—	—	—	—	63·54	4·19	2·28	3·89	5·16	7·00	13·44	18·86	37·84	78·01	183·51
Annual Death-Rate per 1000. Females	—			In Standard Population. 17·93			*147	—	—	—	—	52·93	3·86	2·88	4·05	5·21	6·39	10·96	14·97	31·40	65·82	152·61
Mean Population, 1891–1900. Persons	—			86,287			2076	1973	1967	1989	1871	9876	9102	8974	9004	8393	13780	10168	7634	5150	2999	1207
Mean Population, 1891–1900. Males	—			42,372			1050	939	989	1017	937	4932	4537	4558	4606	4225	6640	4942	3686	2421	1346	479
Mean Population, 1891–1900. Females	—			43,915			1026	1034	978	972	934	4944	4565	4416	4398	4168	7140	5226	3948	2729	1653	728
Deaths from All Causes, 1891–1900. Persons	19·10			16,485			4171	905	302	225	148	5751	366	231	357	435	921	1237	1286	1773	2138	1990
Deaths from All Causes, 1891–1900. Males	20·05			8,494			2367	424	153	110	80	3134	190	104	179	218	465	664	695	916	1050	879
Deaths from All Causes, 1891–1900. Females	18·20			7,991			1804	481	149	115	68	2617	176	127	178	217	456	573	591	857	1088	1111
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	0·01	8	5	3	—	—	—	—	1	1	—	—	—	—	2	3	1	1	—	—
Measles	0·30	0·31	0·29	258	131	127	63	90	37	18	19	227	25	4	1	—	1	—	—	—	—	—
Scarlet Fever	0·05	0·06	0·04	45	27	18	2	6	6	6	7	27	14	1	2	1	—	—	—	—	—	—
Diphtheria	0·10	0·10	0·09	84	43	41	3	7	13	10	18	51	27	—	2	—	—	1	2	1	—	—
Whooping-cough	0·33	0·28	0·39	289	118	171	146	85	24	17	8	280	7	2	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·29	0·33	0·25	249	138	111	1	3	2	2	5	13	17	17	30	37	64	39	19	8	4	1
Simple Continued Fever	0·01	0·00	0·01	5	2	3	—	1	1	—	1	3	1	—	—	—	—	—	—	1	—	—
Diarrhœa & Dysentery	1·14	1·24	1·04	985	527	458	770	93	4	7	6	880	2	—	1	2	4	5	8	20	32	31
Cholera	0·06	0·06	0·05	49	27	22	37	4	1	—	—	42	—	—	—	1	1	—	3	1	1	—
Cancer	0·91	0·68	1·13	785	290	495	—	1	2	—	1	4	3	3	4	3	22	80	164	238	176	88
Tabes Mesenterica	0·17	0·18	0·16	149	77	72	51	25	12	6	4	98	16	10	8	11	—	4	1	1	—	—
Phthisis	1·56	1·70	1·42	1345	722	623	10	6	3	5	5	29	24	50	127	174	310	292	187	103	42	7
Other Tub. & Scrof. Dis.	0·48	0·52	0·44	414	219	195	76	65	35	33	19	228	62	24	24	13	21	25	7	6	3	1
Diseases of Nervous System	2·87	3·26	2·51	2479	1379	1100	672	88	28	26	7	821	25	21	21	23	91	202	226	315	425	309
Diseases of Circulatory „	1·77	1·74	1·80	1527	736	791	13	2	2	—	1	18	13	21	23	27	75	128	203	343	398	278
Diseases of Respiratory „	2·83	2·93	2·73	2438	1239	1199	562	257	75	52	26	972	35	13	18	19	62	126	156	276	396	365
Diseases of Digestive „	1·33	1·44	1·23	1149	611	538	454	93	10	6	3	566	11	13	15	26	39	68	83	136	125	67
Diseases of Urinary „	0·48	0·64	0·33	416	273	143	6	4	5	2	—	17	7	6	8	10	27	45	51	74	112	59
Diseases of Generative „	0·05	0·02	0·08	42	7	35	2	—	1	—	—	3	—	—	—	1	5	10	8	8	4	3
Puerperal Fever	0·06	—	0·12	52	—	52	—	—	—	—	—	—	—	—	6	10	19	17	—	—	—	—
Childbirth	0·09	—	0·18	79	—	79	—	—	—	—	—	—	—	—	7	13	32	26	1	—	—	—
Violence	0·64	0·89	0·39	549	378	171	62	17	25	17	8	129	47	22	33	28	60	56	59	52	33	30
Other Causes	3·57	3·66	3·51	3089	1545	1544	1241	58	16	18	9	1342	30	24	27	36	86	110	107	189	387	751

Marriages 7,017

Births .. { Males .. 12,723 / Females 12,298 } 25,021

Annual Rate per 1000 living { Persons Married .. 16·26 / Births .. .. .. 29·00 }

Annual Births to 1000 Females aged 15—45 years = 120.

Deaths from Childbirth and Puerperal Fever .. .. } 5·24 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for change of boundary, details of which will be found at the end of these tables.

517.—POCKLINGTON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.	13·43		*124	—	—	—	—	38·51	2·61	1·66	2·64	5·45	6·13	7·21	10·93	18·27	51·78	149·23
Annual Death-Rate per 1000. Males ..	—				13·44		*135	—	—	—	—	44·10	2·56	1·98	2·02	3·96	4·83	6·79	11·39	19·47	52·14	149·43
Annual Death-Rate per 1000. Females	—				13·42		*113	—	—	—	—	33·21	2·67	1·33	3·45	7·04	7·51	7·63	10·45	17·03	51·39	148·99
Mean Population, 1891–1900. Persons	—			14,184			319	319	315	309	340	1602	1531	1562	1588	1174	1859	1511	1235	1040	757	325
Mean Population, 1891–1900. Males ..	—			7,305			155	155	161	147	162	780	781	808	892	606	953	751	632	529	397	176
Mean Population, 1891–1900. Females	—			6,879			164	164	154	162	178	822	750	754	696	568	906	760	603	511	360	149
Deaths from All Causes, 1891–1900. Persons	15·61			2,214			473	81	31	21	11	617	40	26	42	64	114	109	135	190	392	485
Deaths from All Causes, 1891–1900. Males ..	15·93			1,164			264	50	12	11	7	344	20	16	18	24	46	51	72	103	207	263
Deaths from All Causes, 1891–1900. Females	15·26			1,050			209	31	19	10	4	273	20	10	24	40	68	58	63	87	185	222
	Persons.	Males.	Females.	Persons.	Males.	Females	PERSONS.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·04	0·04	0·04	6	3	3	—	2	2	—	—	4	2	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·06	0·04	0·09	9	3	6	—	—	3	3	1	7	1	—	1	—	—	—	—	—	—	—
Diphtheria	0·09	0·12	0·06	13	9	4	1	1	1	2	4	9	3	—	—	1	—	—	—	—	—	—
Whooping-cough	0·13	0·12	0·13	18	9	9	14	4	—	—	—	18	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·34	0·38	0·29	48	28	20	—	1	—	—	—	1	3	3	5	11	10	6	6	2	1	—
Simple Continued Fever	0·03	0·03	0·03	4	2	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	2
Diarrhœa & Dysentery	0·41	0·41	0·41	58	30	28	35	7	—	—	1	43	—	—	—	—	—	2	2	1	2	8
Cholera	0·02	0·04	—	3	3	—	2	—	—	—	—	2	—	—	—	—	—	—	—	1	—	—
Cancer	0·80	0·67	0·93	113	49	64	—	—	—	—	—	—	—	—	—	—	—	7	14	40	35	17
Tabes Mesenterica	0·16	0·12	0·20	23	9	14	8	—	1	—	—	9	4	1	—	3	3	—	2	—	1	—
Phthisis	0·93	0·86	1·00	132	63	69	—	—	—	—	—	—	4	5	16	22	40	27	10	3	4	1
Other Tub. & Scrof. Dis.	0·25	0·22	0·29	36	16	20	8	—	1	4	—	13	3	3	3	5	4	3	2	—	—	—
Diseases of Nervous System	2·06	1·88	2·25	292	137	155	80	16	3	3	2	104	3	2	1	1	6	13	17	24	51	70
Diseases of Circulatory „	1·97	1·93	2·02	280	141	139	1	—	—	—	—	1	2	1	3	4	7	10	24	42	109	77
Diseases of Respiratory „	2·62	2·94	2·27	371	215	156	93	38	6	4	1	142	3	1	3	2	8	12	15	27	63	95
Diseases of Digestive „	1·31	1·53	1·08	186	112	74	64	7	2	1	—	74	3	2	4	2	9	7	9	17	36	23
Diseases of Urinary „	0·33	0·41	0·25	47	30	17	1	—	1	—	—	2	1	1	—	1	—	4	5	3	15	15
Diseases of Generative „	0·02	—	0·04	3	—	3	—	—	—	—	—	—	—	—	—	—	—	1	—	—	2	—
Puerperal Fever	0·05	—	0·10	7	—	7	—	—	—	—	—	—	—	—	—	4	2	1	—	—	—	—
Childbirth	0·08	—	0·17	12	—	12	—	—	—	—	—	—	—	—	1	1	6	3	1	—	—	—
Violence	0·47	0·67	0·26	67	49	18	5	1	6	2	—	14	4	4	2	1	8	7	6	5	7	9
OTHER CAUSES	3·44	3·52	3·35	486	256	230	161	4	5	2	2	174	4	3	3	6	11	5	22	25	65	168

Marriages 936

Births .. Males .. 1,954 / Females 1,855 } 3,809

Annual Rate per 1000 living: Persons Married .. 13·20; Births .. .. .. 26·85

Annual Births to 1000 Females aged 15—45 years = 130.

Deaths from Childbirth and Puerperal Fever .. .. 4·99 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

518.—HOWDEN.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.	14·62		*143	—	—	—	—	46·04	4·09	3·39	4·80	4·95	5·32	8·40	10·66	21·75	47·41	135·40
Annual Death-Rate per 1000. Males ..	—				15·32		*153	—	—	—	—	50·75	3·89	3·40	6·09	5·79	5·07	8·19	10·78	23·42	50·42	136·77
Annual Death-Rate per 1000. Females	—				13·97		*131	—	—	—	—	41·36	4·29	3·37	3·21	4·12	5·56	8·62	10·55	20·09	44·28	134·13
Mean Population, 1891-1900. Persons	—			12.572			287	299	295	285	298	1464	1442	1447	1313	970	1578	1334	1116	892	694	322
Mean Population, 1891-1900. Males ..	—			6.371			148	150	146	142	143	729	720	764	722	484	750	684	566	444	353	155
Mean Population, 1891-1900. Females	—			6.201			139	149	149	143	155	735	722	683	591	486	828	650	550	448	341	167
Deaths from All Causes, 1891-1900. Persons	17·24			2.167			502	89	35	24	24	674	59	49	63	48	84	112	119	194	329	436
Deaths from All Causes, 1891-1900. Males ..	17·97			1,145			281	41	19	13	16	370	28	26	44	28	38	56	61	104	178	212
Deaths from All Causes, 1891-1900. Females	16·48			1,022			221	48	16	11	8	304	31	23	19	20	46	56	58	90	151	224
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·10	0·13	0·06	12	8	4	2	3	2	—	2	9	2	—	1	—	—	—	—	—	—	—
Scarlet Fever	0·10	0·06	0·15	13	4	9	—	—	5	1	2	8	4	—	1	—	—	—	—	—	—	—
Diphtheria	0·28	0·27	0·29	35	17	18	4	2	—	6	5	17	12	4	1	—	1	—	—	—	—	—
Whooping-cough ..	0·18	0·14	0·23	23	9	14	15	4	1	2	—	22	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever .. .	0·14	0·16	0·11	17	10	7	—	—	—	—	—	—	2	1	3	3	1	2	2	1	2	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·49	0·35	0·63	61	22	39	38	7	—	—	—	45	2	—	—	—	—	1	—	1	7	5
Cholera	0·02	0·02	0·02	2	1	1	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—
Cancer	0·68	0·44	0·94	86	28	58	—	—	—	—	—	—	—	—	—	—	1	6	17	28	24	10
Tabes Mesenterica ..	0·16	0·24	0·08	20	15	5	8	5	1	—	—	14	1	3	1	—	—	1	—	—	—	—
Phthisis	1·18	1·22	1·13	148	78	70	1	—	—	—	—	1	1	3	27	24	29	30	18	7	8	—
Other Tub. & Scrof. Dis.	0·40	0·44	0·35	50	28	22	19	5	2	—	1	27	1	8	4	2	3	2	1	1	—	1
Diseases of Nervous System ..	2·29	2·46	2·11	288	157	131	90	9	7	2	2	110	5	3	1	4	4	6	14	23	63	55
Diseases of Circulatory " ..	1·77	1·73	1·82	223	110	113	1	—	—	—	—	1	1	5	—	1	10	11	23	46	65	60
Diseases of Respiratory " ..	2·63	2·72	2·53	330	173	157	75	30	11	7	6	129	11	7	3	2	7	10	18	30	50	63
Diseases of Digestive " ..	1·10	1·16	1·03	138	74	64	38	11	3	—	1	53	3	3	3	1	8	12	9	14	20	12
Diseases of Urinary " ..	0·31	0·49	0·13	39	31	8	1	—	—	—	—	1	—	—	—	2	2	1	1	9	12	11
Diseases of Generative " ..	0·06	—	0·11	7	—	7	—	—	—	—	—	—	—	—	—	—	1	1	—	1	2	2
Puerperal Fever ..	0·04	—	0·08	5	—	5	—	—	—	—	—	—	—	—	—	—	4	1	—	—	—	—
Childbirth..	0·05	—	0·10	6	—	6	—	—	—	—	—	—	—	—	—	—	2	4	—	—	—	—
Violence	0·85	1·18	0·52	107	75	32	12	5	2	4	4	27	7	6	8	7	4	13	5	13	7	10
OTHER CAUSES ..	4·41	4·76	4·06	557	305	252	197	8	1	2	1	209	6	6	10	2	6	11	11	20	69	207

Marriages 915

Births .. { Males .. 1,832 / Females 1,690 } 3,522

Annual Rate per 1000 living { Persons Married .. 14·56 / Births .. .. .. 28·01

Annual Births to 1000 Females aged 15—45 years = 138.

Deaths from Childbirth and Puerperal Fever .. .. } 3·12 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The boundary of this district was altered during the decennium; the part transferred contained no population.

519.—BEVERLEY.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 16·30			*145	—	—	—	—	49·33	3·98	2·01	4·60	5·23	6·31	8·77	14·11	25·25	59·23	159·96
Annual Death-Rate per 1000. Males	—			16·69			*157	—	—	—	—	54·43	3·86	1·39	4·28	4·64	5·91	8·88	13·75	28·34	60·80	168·98
Annual Death-Rate per 1000. Females	—			15·93			*131	—	—	—	—	44·09	4·09	2·63	4·93	5·73	6·66	8·66	14·45	22·21	57·79	153·02
Mean Population, 1891–1900. Persons	—			24,215			571	556	536	539	579	2781	2741	2592	2434	2047	3361	2748	2197	1723	1094	497
Mean Population, 1891–1900. Males	—			11,878			290	281	280	263	297	1411	1372	1299	1238	948	1590	1351	1076	854	523	216
Mean Population, 1891–1900. Females	—			12,337			281	275	256	276	282	1370	1369	1293	1196	1099	1771	1397	1121	869	571	281
Deaths from All Causes, 1891–1900. Persons	18·14			4,393			1032	187	73	52	28	1372	109	52	112	107	212	241	310	435	648	795
Deaths from All Causes, 1891–1900. Males	18·72			2,223			579	108	43	26	12	768	53	18	53	44	94	120	148	242	318	365
Deaths from All Causes, 1891–1900. Females	17·59			2,170			453	79	30	26	16	604	56	34	59	63	118	121	162	193	330	430
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·01	0·01	0·02	3	1	2	—	—	—	—	—	—	—	—	—	—	—	1	—	1	1	—
Measles	0·15	0·19	0·11	37	23	14	5	16	8	2	3	34	3	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·10	0·09	0·11	25	11	14	4	5	2	5	1	17	6	—	1	—	1	—	—	—	—	—
Diphtheria	0·15	0·13	0·18	37	15	22	—	3	7	6	3	19	12	4	1	1	—	—	—	—	—	—
Whooping-cough	0·20	0·14	0·25	48	17	31	29	11	5	3	—	48	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·24	0·18	0·29	57	21	36	—	—	—	1	1	2	2	4	7	10	14	5	9	2	2	—
Simple Continued Fever	0·01	—	0·02	2	—	2	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
Diarrhœa & Dysentery	0·88	1·06	0·71	214	126	88	153	19	5	1	—	178	1	—	—	—	—	3	3	4	5	20
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·84	0·50	1·18	204	59	145	—	—	—	—	—	—	1	—	1	1	1	14	50	54	59	23
Tabes Mesenterica	0·20	0·19	0·21	49	23	26	21	6	6	1	—	34	7	2	2	1	2	—	1	—	—	—
Phthisis	1·21	1·31	1·12	293	155	138	1	1	2	—	2	6	4	12	39	43	76	46	35	25	7	—
Other Tub. & Scrof. Dis.	0·29	0·33	0·26	71	39	32	12	4	6	7	4	33	10	2	7	1	7	6	2	2	1	—
Diseases of: Nervous System	2·80	3·14	2·46	677	373	304	185	28	8	5	3	229	16	9	7	6	16	47	40	79	122	106
Diseases of: Circulatory	2·04	2·02	2·07	495	240	255	—	—	—	—	—	—	5	8	9	11	14	28	54	103	157	106
Diseases of: Respiratory	2·62	2·74	2·50	634	326	308	170	59	17	10	9	265	21	2	7	5	11	17	34	55	107	110
Diseases of: Digestive	1·05	1·15	0·96	255	137	118	57	16	1	5	—	79	4	3	4	4	13	10	27	39	48	24
Diseases of: Urinary	0·40	0·46	0·35	98	55	43	—	1	—	—	—	1	—	1	3	—	4	13	15	17	27	17
Diseases of: Generative	0·06	0·01	0·11	15	1	14	—	—	—	—	—	—	—	—	—	—	2	2	3	4	—	4
Puerperal Fever	0·07	—	0·15	18	—	18	—	—	—	—	—	—	—	—	1	7	9	1	—	—	—	—
Childbirth	0·10	—	0·19	24	—	24	—	—	—	—	—	—	—	—	—	3	12	9	—	—	—	—
Violence	0·57	0·90	0·24	137	107	30	16	1	5	5	1	28	12	2	13	6	13	16	13	12	10	12
OTHER CAUSES	4·15	4·17	4·10	1000	494	506	379	17	1	1	1	399	4	3	10	8	16	23	24	38	102	373

Marriages 1,686

Births .. { Males .. 3,680 / Females 3,451 } 7,131

Annual Rate per 1000 living { Persons Married .. 13·93 / Births .. .. .. 29·45 }

Annual Births to 1000 Females aged 15—45 years = 131.

Deaths from Childbirth and Puerperal Fever .. .. } 5·89 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

520.—SCULCOATES.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		17·92	*171	—	—	—	—	62·16	3·70	2·37	3·69	4·71	5·58	9·47	15·20	28·39	61·96	149·30
Annual Death-Rate per 1000. Males ..	—					19·01	*188	—	—	—	—	67·34	3·94	2·30	3·93	5·07	5·70	10·10	16·30	31·71	67·71	159·87
Annual Death-Rate per 1000. Females	—					16·89	*154	—	—	—	—	56·99	3·47	2·44	3·46	4·38	5·47	8·86	14·12	25·44	57·46	142·77
Mean Population, 1891–1900. Persons	—			152,834			4349	3921	3970	3909	3822	19971	18255	16944	14961	14152	23964	17991	12839	7849	4275	1633
Mean Population, 1891–1900. Males ..	—			74,353			2151	1978	1997	1940	1902	9968	9080	8528	7192	6661	11450	8895	6393	3686	1877	623
Mean Population, 1891–1900. Females	—			78,481			2198	1943	1973	1969	1920	10003	9175	8416	7769	7491	12514	9096	6446	4163	2398	1010
Deaths from All Causes, 1891–1900. Persons	17·68			27,016			8731	2145	740	466	331	12413	676	401	552	666	1337	1704	1952	2228	2649	2438
Deaths from All Causes, 1891–1900. Males ..	18·72			13,916			4872	1039	380	239	182	6712	358	196	283	338	653	898	1042	1169	1271	996
Deaths from All Causes, 1891–1900. Females	16·69			13,100			3859	1106	360	227	149	5701	318	205	269	328	684	806	910	1059	1378	1442
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	0·11	0·13	0·09	173	99	74	10	8	2	3	3	26	7	9	8	13	38	44	20	5	2	1
Measles	0·49	0·51	0·47	752	381	371	162	282	115	85	60	704	43	1	1	1	—	—	1	1	—	—
Scarlet Fever	0·21	0·21	0·20	316	156	160	18	42	44	52	44	200	83	22	5	2	3	1	—	—	—	—
Diphtheria	0·12	0·13	0·12	188	95	93	14	28	26	32	24	124	51	4	2	3	2	2	—	—	—	—
Whooping-cough ..	0·35	0·32	0·37	531	237	294	227	185	70	25	14	521	9	1	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·26	0·29	0·24	403	215	188	1	1	9	5	9	25	42	41	73	61	72	40	30	11	6	2
Simple Continued Fever	0·01	0·00	0·01	10	3	7	3	1	—	—	—	4	1	1	1	—	—	1	1	1	—	—
Diarrhœa & Dysentery	1·39	1·51	1·28	2128	1121	1007	1707	222	26	9	5	1969	9	1	1	1	6	6	4	22	49	60
Cholera	0·03	0·03	0·02	41	25	16	14	2	1	—	—	17	—	—	1	2	2	4	4	5	6	—
Cancer	0·69	0·49	0·89	1059	364	695	—	—	—	3	—	3	2	3	3	4	42	121	273	295	221	92
Tabes Mesenterica ..	0·28	0·30	0·26	430	223	207	267	61	22	8	1	359	20	15	4	6	10	4	9	—	3	—
Phthisis	1·18	1·32	1·05	1806	984	822	22	20	15	13	9	79	42	79	207	237	415	355	236	108	41	7
Other Tub. & Scrof. Dis.	0·30	0·34	0·27	463	253	210	117	61	34	27	14	253	57	37	17	17	29	18	17	14	3	1
Diseases of: Nervous System ..	2·63	2·91	2·37	4019	2160	1859	1554	262	89	38	37	1980	66	22	27	28	108	243	289	402	519	335
Diseases of: Circulatory " ..	1·37	1·46	1·28	2091	1087	1004	15	4	3	2	2	26	21	32	37	36	119	228	324	443	528	297
Diseases of: Respiratory " ..	2·91	3·09	2·74	4452	2298	2154	1342	644	214	119	61	2380	104	25	32	52	80	175	256	422	503	423
Diseases of: Digestive " ..	0·92	1·00	0·84	1405	743	662	546	158	20	9	12	745	25	16	23	25	58	86	113	126	123	65
Diseases of: Urinary " ..	0·35	0·46	0·25	542	345	197	7	9	5	2	2	25	7	12	10	13	40	62	86	93	115	79
Diseases of: Generative " ..	0·05	0·00	0·10	78	2	76	2	—	—	—	—	2	—	—	2	3	16	21	13	8	8	5
Puerperal Fever ..	0·06	—	0·12	94	—	94	—	—	—	—	—	—	—	—	2	24	45	23	—	—	—	—
Childbirth..	0·08	—	0·16	126	—	126	—	—	—	—	—	—	—	—	1	15	61	45	4	—	—	—
Violence	0·51	0·74	0·30	781	548	233	106	20	17	15	17	175	45	35	47	60	78	86	96	61	60	38
OTHER CAUSES ..	3·38	3·48	3·26	5128	2577	2551	2597	135	28	19	17	2796	42	45	48	63	113	139	176	211	462	1033

Marriages 11,803

Births .. { Males .. 25,978 / Females 24,991 } 50,969

Annual Rate per 1000 living { Persons Married .. 15·45 / Births .. .. .. 33·35 }

Annual Births to 1000 Females aged 15—45 years = 138.

Deaths from Childbirth and Puerperal Fever .. .. } 4·32 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

521.—HULL.

CAUSES OF DEATH.		CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000.	Persons	—			In Standard Population.		22·47	*189	—	—	—	—	74·49	5·41	3·14	4·51	5·79	8·66	14·58	21·86	36·37	74·16	157·33
	Males ..	—					24·81	*209	—	—	—	—	83·06	5·70	2·94	5·52	6·23	9·76	16·00	25·51	41·30	85·62	169·81
	Females	—					20·27	*168	—	—	—	—	66·09	5·13	3·34	3·59	5·40	7·60	13·13	18·13	31·70	64·65	150·00
Mean Population, 1891-1900.	Persons	—			79,906			2193	1905	1910	1863	1868	9739	8773	8272	7849	7755	12665	9637	7291	4639	2454	832
	Males ..	—			39,122			1082	937	972	916	916	4823	4405	4080	3731	3642	6207	4870	3689	2254	1113	308
	Females	—			40,784			1111	968	938	947	952	4916	4368	4192	4118	4113	6458	4767	3602	2385	1341	524
Deaths from All Causes, 1891-1900.	Persons	22·16			17,705			4920	1315	476	314	230	7255	475	260	354	449	1097	1405	1594	1687	1820	1309
	Males ..	24·39			9,543			2794	695	239	153	125	4006	251	120	206	227	606	779	941	931	953	523
	Females	20·01			8,162			2126	620	237	161	105	3249	224	140	148	222	491	626	653	756	867	786
		Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox ..		0·00	0·01	0·00	3	2	1	—	—	—	—	—	—	—	—	—	—	1	—	—	2	—	—
Measles ..		0·49	0·54	0·43	388	212	176	78	153	63	47	20	361	24	—	2	—	1	—	—	—	—	—
Scarlet Fever ..		0·11	0·10	0·12	91	41	50	9	14	14	18	7	62	20	5	—	2	2	—	—	—	—	—
Diphtheria ..		0·14	0·15	0·13	110	57	53	2	15	17	21	23	78	23	4	—	2	1	2	—	—	—	—
Whooping-cough ..		0·41	0·36	0·46	327	141	186	156	88	41	27	5	317	10	—	—	—	—	—	—	—	—	—
Typhus ..		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever ..		0·18	0·20	0·16	145	79	66	—	2	3	3	6	14	13	16	20	22	17	18	13	7	5	—
Simple Continued Fever		0·02	0·02	0·02	13	6	7	4	—	1	1	1	7	3	—	—	1	—	1	—	1	—	—
Diarrhœa & Dysentery		1·46	1·62	1·30	1166	635	531	912	148	14	4	—	1078	1	—	1	—	4	7	10	17	21	27
Cholera ..		0·01	0·02	0·00	8	6	2	3	1	—	—	—	4	2	—	—	—	—	—	1	1	—	—
Cancer ..		0·87	0·71	1·03	697	277	420	—	1	—	3	2	6	5	6	4	8	34	98	172	197	130	37
Tabes Mesenterica ..		0·26	0·29	0·24	209	112	97	115	25	11	3	5	159	10	8	5	8	11	3	5	—	—	—
Phthisis ..		1·65	1·85	1·46	1320	725	595	21	24	13	11	9	78	43	51	117	153	319	320	144	72	21	2
Other Tub. & Scrof. Dis.		0·57	0·73	0·40	452	287	165	78	60	36	20	29	223	57	18	26	11	31	30	28	24	3	1
Diseases of	Nervous System ..	2·53	2·74	2·34	2023	1070	953	661	110	37	20	17	845	47	19	18	25	75	102	182	241	294	175
	Circulatory " ..	1·97	2·17	1·78	1575	849	726	7	4	1	2	2	16	18	31	26	20	138	215	311	330	319	151
	Respiratory " ..	4·41	4·91	3·93	3520	1919	1601	1043	446	144	76	43	1752	43	17	13	34	94	179	264	358	489	277
	Digestive " ..	1·30	1·40	1·21	1040	548	492	345	93	10	9	7	464	23	17	20	29	49	87	121	98	93	39
	Urinary " ..	0·56	0·80	0·33	450	314	136	8	3	6	6	4	27	9	7	8	15	55	67	69	89	78	26
	Generative " ..	0·11	0·02	0·19	86	8	78	2	1	1	—	—	4	—	—	3	5	21	23	15	11	4	—
Puerperal Fever ..		0·07	—	0·13	52	—	52	—	—	—	—	—	—	—	—	—	13	21	18	—	—	—	—
Childbirth ..		0·07	—	0·13	52	—	52	—	—	—	—	—	—	—	—	2	8	23	18	1	—	—	—
Violence ..		1·24	1·83	0·68	993	714	279	86	36	35	27	39	223	91	32	54	49	107	122	132	98	47	38
OTHER CAUSES ..		3·73	3·92	3·54	2985	1541	1444	1380	91	29	16	11	1537	33	29	35	44	93	95	126	141	316	536

Marriages 8,569

Births .. { Males .. 13,367 / Females 12,653 } 26,020

Annual Rate per 1000 living { Persons Married .. 21·45 / Births .. .. .. 32·56 }

Annual Births to 1000 Females aged 15—45 years = 134.

Deaths from Childbirth and Puerperal Fever .. .. } 4·00 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

522.—PATRINGTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·52			*126	—	—	—	—	34·64	2·50	2·61	4·49	4·16	5·46	7·75	10·07	17·43	46·09	137·22
Males ..	—			12·62			*130	—	—	—	—	33·63	2·74	2·23	4·85	3·89	5·90	8·92	10·79	17·00	51·00	143·64
Females	—			12·42			*122	—	—	—	—	35·57	2·27	2·97	4·13	4·45	5·03	6·58	9·33	17·83	40·85	130·97
Mean Population, 1891-1900. Persons	—			8,504			191	175	179	191	211	947	960	920	824	697	1136	942	755	614	486	223
Males	—			4,222			82	84	83	99	107	455	475	449	412	360	559	471	380	300	251	110
Females	—			4,282			109	91	96	92	104	492	485	471	412	337	577	471	375	314	235	113
Deaths from All Causes, 1891-1900. Persons	15·17			1,290			254	40	13	8	13	328	24	24	37	29	62	73	76	107	224	306
Males ..	15·70			663			128	10	6	5	4	153	13	10	20	14	33	42	41	51	128	158
Females	14·64			627			126	30	7	3	9	175	11	14	17	15	29	31	35	56	96	148
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox.. ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·05	0·05	0·05	4	2	2	3	—	—	—	—	3	1	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·09	0·09	0·09	8	4	4	—	—	1	1	1	3	2	2	1	—	—	—	—	—	—	—
Diphtheria	0·14	0·09	0·19	12	4	8	—	—	1	1	2	4	5	2	—	—	1	—	—	—	—	—
Whooping-cough ..	0·18	0·12	0·23	15	5	10	10	5	—	—	—	15	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·12	0·12	0·12	10	5	5	—	—	—	—	—	—	—	—	2	2	3	2	—	—	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·44	0·43	0·44	37	18	19	24	4	—	2	—	30	—	—	—	—	—	2	—	1	—	4
Cholera	0·02	0·02	0·02	2	1	1	—	1	—	—	—	1	—	—	—	—	—	—	—	1	—	—
Cancer	0·85	0·66	1·03	72	28	44	—	—	—	—	—	—	—	—	—	2	—	6	10	21	17	16
Tabes Mesenterica ..	0·14	0·12	0·16	12	5	7	8	3	1	—	—	12	—	—	—	—	—	—	—	—	—	—
Phthisis	0·88	0·92	0·84	75	39	36	—	—	—	—	—	—	3	5	14	10	17	11	7	6	2	—
Other Tub. & Scrof. Dis.	0·28	0·24	0·33	24	10	14	6	2	3	1	1	13	—	5	2	—	—	3	—	—	1	—
Diseases of Nervous System ..	1·83	1·90	1·78	156	80	76	56	3	1	1	1	62	1	2	3	3	5	4	6	12	29	29
Circulatory " ..	2·48	2·30	2·66	211	97	114	1	—	—	—	—	1	—	1	1	2	7	8	17	26	71	77
Respiratory " ..	1·83	1·94	1·73	156	82	74	30	13	5	1	5	54	4	1	—	1	2	6	7	7	26	48
Digestive " ..	0·79	0·81	0·77	67	34	33	17	5	—	—	1	23	2	1	3	1	2	5	7	5	7	11
Urinary " ..	0·40	0·45	0·35	34	19	15	—	—	—	—	—	—	—	—	1	—	1	3	2	5	17	5
Generative " ..	0·06	—	0·12	5	—	5	—	—	—	—	—	—	—	—	—	—	1	—	—	2	2	—
Puerperal Fever ..	0·07	—	0·14	6	—	6	—	—	—	—	—	—	—	—	—	—	3	3	—	—	—	—
Childbirth	0·06	—	0·12	5	—	5	—	—	—	—	—	—	—	—	—	2	1	2	—	—	—	—
Violence	0·88	1·47	0·30	75	62	13	5	—	—	—	1	6	3	2	6	4	9	13	8	7	10	7
OTHER CAUSES ..	3·58	3·97	3·17	304	168	136	94	4	1	1	1	101	3	3	4	2	10	5	12	14	41	109

Marriages 475

Births .. { Males .. 982, Females 1,035 } 2,017

Annual Rate per 1000 living { Persons Married .. 11·17, Births .. .. .. 23·72 }

Annual Births to 1000 Females aged 15—45 years = 112.

Deaths from Childbirth and Puerperal Fever .. .. } 5·45 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

523.—SKIRLAUGH.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·15			*119	—	—	—	—	34·78	2·23	1·24	2·96	3·43	5·26	6·01	10·10	17·95	52·71	132·18
Annual Death-Rate per 1000. Males ..	—			12·52			*137	—	—	—	—	39·51	2·18	1·16	2·30	4·14	6·29	6·46	9·63	17·44	50·23	138·30
Annual Death-Rate per 1000. Females	—			11·80			*101	—	—	—	—	30·08	2·27	1·31	3·66	2·78	4·39	5·58	10·57	18·50	55·39	126·85
Mean Population, 1891-1900. Persons	—			9,326			216	217	210	206	212	1061	1033	1052	1013	758	1217	1031	871	663	425	202
Mean Population, 1891-1900. Males ..	—			4,596			100	107	114	104	104	529	504	518	521	362	556	511	436	344	221	94
Mean Population, 1891-1900. Females	—			4,730			116	110	96	102	108	532	529	534	492	396	661	520	435	319	204	108
Deaths from All Causes, 1891-1900. Persons	13·78			1,285			286	42	14	14	13	369	23	13	30	26	64	62	88	119	224	267
Deaths from All Causes, 1891-1900. Males ..	14·45			664			167	23	11	6	2	209	11	6	12	15	35	33	42	60	111	130
Deaths from All Causes, 1891-1900. Females	13·13			621			119	19	3	8	11	160	12	7	18	11	29	29	46	59	113	137
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·01	0·02	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Measles	0·08	0·02	0·13	7	1	6	1	2	1	1	1	6	—	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·09	0·07	0·11	8	3	5	—	3	—	1	—	4	2	—	—	—	2	—	—	—	—	—
Diphtheria	0·16	0·15	0·17	15	7	8	—	—	1	—	6	7	5	1	—	2	—	—	—	—	—	—
Whooping-cough ..	0·16	0·13	0·19	15	6	9	14	1	—	—	—	15	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·11	0·09	0·13	10	4	6	—	—	—	—	—	—	—	—	2	4	3	—	1	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·45	0·52	0·38	42	24	18	30	5	—	—	—	35	—	—	—	—	—	1	1	1	—	4
Cholera	0·01	—	0·02	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Cancer	0·79	0·57	1·01	74	26	48	—	—	—	—	—	—	1	—	—	—	—	4	10	20	24	15
Tabes Mesenterica ..	0·10	0·13	0·06	9	6	3	3	1	—	—	—	4	1	—	3	—	1	—	—	—	—	—
Phthisis	0·66	0·63	0·70	62	29	33	—	—	1	—	—	1	1	2	10	7	18	8	12	3	—	—
Other Tub. & Scrof. Dis.	0·15	0·15	0·15	14	7	7	2	1	—	—	1	4	—	—	3	1	3	—	2	—	1	—
Diseases of Nervous System ..	1·90	1·94	1·86	177	89	88	51	5	3	2	—	61	1	2	1	1	2	6	12	14	39	38
Diseases of Circulatory „ ..	1·53	1·70	1·37	143	78	65	2	—	—	—	—	2	—	1	—	—	7	3	14	28	53	35
Diseases of Respiratory „ ..	1·81	2·13	1·50	169	98	71	38	14	5	5	1	63	3	—	1	4	3	6	11	14	33	31
Diseases of Digestive „ ..	0·60	0·65	0·55	56	30	26	11	5	1	1	—	18	3	1	1	—	3	3	3	10	11	3
Diseases of Urinary „ ..	0·30	0·33	0·27	28	15	13	1	—	—	—	—	1	—	—	1	—	2	—	3	8	11	2
Diseases of Generative „ ..	0 04	—	0·08	4	—	4	—	—	—	—	—	—	—	—	—	—	1	—	1	—	2	—
Puerperal Fever ..	0·02	—	0·04	2	—	2	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
Childbirth	0·13	—	0·25	12	—	12	—	—	—	—	—	—	—	—	—	1	5	6	—	—	—	—
Violence	0·64	1·11	0·19	60	51	9	5	1	1	2	2	11	1	1	3	4	8	12	9	7	3	1
OTHER CAUSES ..	4·04	4·11	3·97	376	189	187	128	4	1	2	2	137	5	4	5	1	5	13	8	14	46	138

Marriages 594

Births .. { Males .. 1,222 / Females 1,180 } 2,402

Annual Rate per 1000 living { Persons Married .. 12·74 / Births .. .. .. 25·76

Annual Births to 1000 Females aged 15—45 years = 116.

Deaths from Childbirth and Puerperal Fever .. .. } 5·83 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

524.—DRIFFIELD.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·73			*131	—	—	—	—	41·98	3·09	2·61	4·03	4·94	4·61	6·21	9·96	20·67	50·55	151·21
Annual Death-Rate per 1000. Males	—			13·56			*142	—	—	—	—	44·93	3·19	2·45	3·22	2·69	3·81	6·40	10·42	19·23	55·78	155·73
Annual Death-Rate per 1000. Females	—			13·89			*120	—	—	—	—	38·95	2·99	2·78	5·02	7·20	5·38	6·03	9·48	22·17	45·45	147·30
Mean Population, 1891-1900. Persons	—			18,349			418	408	393	420	443	2082	2135	2066	1913	1479	2319	2012	1696	1321	912	414
Mean Population, 1891-1900. Males	—			9,294			217	197	198	212	231	1055	1098	1021	1056	743	1130	1000	873	676	450	192
Mean Population, 1891-1900. Females	—			9,055			201	211	195	208	212	1027	1037	1045	857	736	1189	1012	823	645	462	222
Deaths from All Causes, 1891-1900. Persons	15·83			2,905			659	117	39	28	31	874	66	54	77	73	107	125	169	273	461	626
Deaths from All Causes, 1891-1900. Males	15·77			1,466			362	59	19	18	16	474	35	25	34	20	43	64	91	130	251	299
Deaths from All Causes, 1891-1900. Females	15·89			1,439			297	58	20	10	15	400	31	29	43	53	64	61	78	143	210	327
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Measles	0·09	0·10	0·08	16	9	7	7	5	—	1	—	13	3	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·15	0·15	0·14	27	14	13	1	2	4	3	2	12	10	3	—	1	—	—	1	—	—	—
Diphtheria	0·19	0·23	0·14	34	21	13	1	2	3	7	7	20	8	5	—	1	—	—	—	—	—	—
Whooping-cough	0·21	0·18	0·24	39	17	22	23	9	4	1	1	38	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·15	0·12	0·19	28	11	17	—	—	—	—	—	—	2	2	1	8	7	5	3	—	—	—
Simple Continued Fever	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Diarrhœa & Dysentery	0·52	0·56	0·47	95	52	43	60	9	—	—	1	70	—	—	1	—	—	1	1	4	6	12
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·88	0·60	1·17	162	56	106	1	—	—	—	—	1	—	—	1	1	6	10	19	46	47	31
Tabes Mesenterica	0·14	0·09	0·20	26	8	18	4	1	—	—	2	7	3	4	5	5	—	1	1	—	—	—
Phthisis	0·96	0·87	1·06	177	81	96	2	1	2	—	—	5	5	12	25	27	39	27	18	12	4	3
Other Tub. & Scrof. Dis.	0·20	0·20	0·20	37	19	18	10	3	2	2	—	17	5	5	—	2	1	2	1	2	2	—
Diseases of Nervous System	2·08	2·08	2·08	381	193	188	89	14	6	2	4	115	3	4	4	5	4	8	19	38	74	107
Diseases of Circulatory "	2·07	2·09	2·05	380	194	186	2	—	1	1	—	4	3	3	6	3	6	8	34	57	127	129
Diseases of Respiratory "	2·39	2·47	2·30	438	230	208	119	45	7	6	8	185	11	3	8	2	8	13	21	48	63	76
Diseases of Digestive "	0·97	0·95	0·99	178	88	90	58	9	2	1	1	71	3	4	7	1	6	11	13	17	27	18
Diseases of Urinary "	0·38	0·53	0·23	70	49	21	—	—	—	—	—	—	—	—	1	1	1	5	5	8	27	22
Diseases of Generative "	0·03	—	0·07	6	—	6	—	—	—	—	—	—	—	—	1	—	1	1	—	1	—	2
Puerperal Fever	0·05	—	0·11	10	—	10	—	—	—	—	—	—	—	—	—	3	5	2	—	—	—	—
Childbirth	0·08	—	0·15	14	—	14	—	—	—	—	—	—	—	—	2	2	4	5	1	—	—	—
Violence	0·57	0·83	0·31	105	77	28	10	2	4	3	4	23	5	4	11	6	5	5	15	13	9	9
OTHER CAUSES	3·70	3·70	3·71	680	345	335	272	15	4	1	1	293	4	4	4	5	14	20	17	27	75	217

Marriages 1,300

Births .. { Males .. 2,555 / Females 2,480 } 5,035

Annual Rate per 1000 living { Persons Married .. 14·17 / Births .. .. .. 27·44 }

Annual Births to 1000 Females aged 15—45 years = 133.

Deaths from Childbirth and Puerperal Fever .. .. } 4·77 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

525.—BRIDLINGTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 15·13			*138	—	—	—	—	45·34	3·53	3·02	3·24	4·83	5·20	8·54	11·00	24·44	57·06	158·84
Annual Death-Rate per 1000. Males	—			16·21			*152	—	—	—	—	51·46	2·58	2·71	3·28	5·08	4·89	10·96	13·27	24·50	64·57	168·60
Annual Death-Rate per 1000. Females	—			14·11			*124	—	—	—	—	39·28	4·44	3·32	3·21	4·63	5·46	6·42	9·04	24·39	50·34	150·72
Mean Population, 1891–1900. Persons	—			18,413			415	386	403	383	407	1994	1984	1886	1973	1658	2635	2073	1691	1297	843	379
Mean Population, 1891–1900. Males	—			8,669			203	193	193	195	207	991	970	921	946	729	1187	967	784	604	398	172
Mean Population, 1891–1900. Females	—			9,744			212	193	210	188	200	1003	1014	965	1027	929	1448	1106	907	693	445	207
Deaths from All Causes, 1891–1900. Persons	16·70			3,075			676	116	49	32	31	904	70	57	64	80	137	177	186	317	481	602
Deaths from All Causes, 1891–1900. Males	18·36			1,591			382	60	27	25	16	510	25	25	31	37	58	106	104	148	257	290
Deaths from All Causes, 1891–1900. Females	15·23			1,484			294	56	22	7	15	394	45	32	33	43	79	71	82	169	224	312
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Measles	0·18	0·22	0·15	34	19	15	7	11	10	2	—	30	4	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·18	0·14	0·22	33	12	21	1	6	4	5	5	21	7	4	—	—	1	—	—	—	—	—
Diphtheria	0·12	0·13	0·11	22	11	11	—	2	1	3	4	10	6	3	2	1	—	—	—	—	—	—
Whooping-cough	0·23	0·24	0·22	42	21	21	26	7	4	3	2	42	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·18	0·21	0·16	34	18	16	—	—	1	—	—	1	5	3	6	3	4	7	4	1	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·58	0·67	0·49	106	58	48	72	8	—	2	1	83	—	1	—	—	—	1	1	2	3	15
Cholera	0·02	0·02	0·01	3	2	1	—	—	—	—	—	—	—	—	—	—	—	1	1	—	1	—
Cancer	0·82	0·66	0·96	151	57	94	—	1	1	1	—	3	—	—	—	—	4	10	28	40	44	22
Tabes Mesenterica	0·23	0·22	0·24	42	19	23	21	5	2	1	—	29	4	3	2	1	1	1	—	—	1	—
Phthisis	0·94	0·95	0·93	173	82	91	6	—	1	—	—	7	7	12	14	34	39	27	19	9	3	2
Other Tub. & Scrof. Dis.	0·32	0·30	0·33	58	26	32	12	7	2	5	2	28	9	3	2	5	6	4	1	—	—	—
Diseases of Nervous System	2·12	2·51	1·77	390	218	172	89	16	4	—	8	117	3	4	6	8	4	13	18	47	100	70
Diseases of Circulatory "	1·71	1·87	1·57	315	162	153	1	1	2	—	—	4	1	2	3	1	10	22	37	74	95	66
Diseases of Respiratory "	2·34	2·79	1·93	430	242	188	108	31	14	6	5	164	6	2	7	4	9	24	25	52	64	73
Diseases of Digestive "	1·17	1·05	1·27	215	91	124	57	12	—	2	1	72	4	3	3	7	8	15	22	32	27	22
Diseases of Urinary "	0·37	0·50	0·27	69	43	26	3	1	—	—	—	4	—	1	3	—	11	3	2	16	21	8
Diseases of Generative "	0·02	—	0·04	4	—	4	—	—	—	—	—	—	—	—	—	—	1	—	1	—	1	1
Puerperal Fever	0·07	—	0·12	12	—	12	—	—	—	—	—	—	—	—	1	2	7	2	—	—	—	—
Childbirth	0·07	—	0·12	12	—	12	—	—	—	—	—	—	—	—	—	—	5	7	—	—	—	—
Violence	0·64	1·12	0·22	118	97	21	11	1	1	2	2	17	4	6	6	6	18	18	11	12	8	12
Other Causes	4·38	4·75	4·10	811	412	399	262	7	2	—	1	272	10	10	9	8	9	22	15	32	113	311

Marriages 1,385

Births .. { Males .. 2,514 / Females 2,376 } 4,890

Annual Rate per 1000 living { Persons Married .. 15·04 / Births .. .. .. 26·56

Annual Births to 1000 Females aged 15—45 years = 108.

Deaths from Childbirth and Puerperal Fever .. .. } 4·91 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

526.—SCARBOROUGH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 16·77	*145	—	—	—	—	50·86	3·79	2·59	3·54	4·59	6·26	9·85	15·05	27·68	60·01	154·47
Annual Death-Rate per 1000. Males ..	—	18·04	*161	—	—	—	—	56·64	3·64	1·99	3·81	5·99	6·66	11·18	17·57	31·31	65·08	163·64
Annual Death-Rate per 1000. Females	—	15·59	*128	—	—	—	—	45·24	3·94	3·15	3·31	3·69	5·99	8·87	13·15	24·93	56·25	148·35
Mean Population, 1891-1900. Persons	—	48,354	1020	990	962	1024	994	4990	4933	4984	5004	4505	7295	5683	4517	3363	2173	907
Mean Population, 1891-1900. Males ..	—	21,458	514	499	461	492	495	2461	2447	2413	2256	1771	3001	2425	1946	1450	925	363
Mean Population, 1891-1900. Females	—	26,896	506	491	501	532	499	2529	2486	2571	2748	2734	4294	3258	2571	1913	1248	544
Deaths from All Causes, 1891-1900. Persons	17·73	8,571	1810	418	151	92	67	2538	187	129	177	207	457	560	680	931	1304	1401
Deaths from All Causes, 1891-1900. Males ..	19·51	4,186	1019	223	81	42	29	1394	89	48	86	106	200	271	342	454	602	594
Deaths from All Causes, 1891-1900. Females	16·30	4,385	791	195	70	50	38	1144	98	81	91	101	257	289	338	477	702	807

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							Persons.															
Small-pox..	0·02	0·03	0·01	9	6	3	1	1	—	—	—	2	—	—	1	3	1	1	1	—	—	—
Measles	0·19	0·21	0·17	91	44	47	23	33	11	6	4	77	8	1	1	—	2	1	1	—	—	—
Scarlet Fever	0·08	0·07	0·09	39	16	23	4	2	5	4	5	20	11	2	1	1	2	1	—	1	—	—
Diphtheria .. .	0·12	0·12	0·12	59	26	33	2	5	4	9	12	32	15	7	1	1	1	1	—	—	1	—
Whooping-cough ..	0·20	0·20	0·20	97	43	54	57	27	9	1	—	94	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·19	0·25	0·14	91	53	38	—	1	—	—	—	1	5	11	10	10	28	10	7	6	3	—
Simple Continued Fever	0·00	—	0·00	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Diarrhœa & Dysentery	0·60	0·78	0·45	290	168	122	214	24	2	3	—	243	—	—	—	2	3	1	—	4	11	26
Cholera	0·05	0·07	0·04	25	15	10	16	3	—	—	—	19	—	—	—	—	1	1	1	—	1	2
Cancer	1·06	0·83	1·24	511	178	333	—	—	1	1	2	4	—	1	1	1	20	42	94	136	141	71
Tabes Mesenterica ..	0·23	0·23	0·23	111	50	61	42	25	3	5	—	75	8	6	4	7	5	3	3	—	—	—
Phthisis	1·25	1·35	1·17	603	289	314	10	4	4	1	2	21	11	20	56	80	163	123	69	38	21	1
Other Tub. & Scrof. Dis.	0·39	0·49	0·32	190	105	85	39	36	12	11	5	103	24	14	13	7	11	13	3	1	1	—
Diseases of Nervous System ..	2·62	2·95	2·36	1268	633	635	313	43	15	6	7	384	22	17	14	14	19	62	79	159	245	253
Diseases of Circulatory „ ..	2·21	2·28	2·15	1067	490	577	9	4	—	1	1	15	9	16	7	21	40	62	137	188	317	255
Diseases of Respiratory „ ..	2·34	2·65	2·09	1131	569	562	243	118	53	26	19	459	14	7	9	7	26	44	68	119	186	192
Diseases of Digestive „ ..	1·18	1·30	1·09	572	278	294	180	40	9	6	3	238	9	4	13	10	25	43	47	55	77	51
Diseases of Urinary „ ..	0·74	0·90	0·60	356	194	162	7	6	1	4	3	21	3	4	5	5	12	23	53	69	86	75
Diseases of Generative „ ..	0·06	0·02	0·09	28	5	23	2	1	—	—	—	3	—	1	—	1	2	3	5	5	5	3
Puerperal Fever ..	0·06	—	0·11	29	—	29	—	—	—	—	—	—	—	—	2	3	12	12	—	—	—	—
Childbirth	0·06	—	0·11	30	—	30	—	—	—	—	—	—	—	—	—	4	15	11	—	—	—	—
Violence	0·56	0·86	0·33	272	184	88	24	7	8	5	1	45	19	7	15	17	26	30	31	35	24	23
OTHER CAUSES ..	3·52	3·92	3·19	1701	840	861	624	38	14	3	3	682	26	11	24	13	43	72	81	115	185	449

Marriages 3,934

Births .. Males .. 6,322 / Females 6,202 — 12,524

Annual Rate per 1000 living: Persons Married .. 16·27; Births .. .. .. 25·90

Annual Births to 1000 Females aged 15—45 years = 96.

Deaths from Childbirth and Puerperal Fever .. .. 4·71 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

527.—MALTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 13·65	*125	—	—	—	—	39·23	2·70	2·21	2·99	4·24	4·54	6·20	10·67	23·91	58·10	152·21
Annual Death-Rate per 1000. Males ..	—	13·47	*133	—	—	—	—	41·94	2·62	2·08	2·55	3·82	4·46	5·35	9·63	25·14	57·11	161·26
Annual Death-Rate per 1000. Females	—	13·82	*116	—	—	—	—	36·58	2·80	2·36	3·51	4·65	4·62	7·03	11·73	22·65	59·07	143·48
Mean Population, 1891-1900. Persons	—	21,115	496	445	476	475	484	2376	2477	2350	2243	1768	2840	2321	1874	1426	988	452
Mean Population, 1891-1900. Males ..	—	10,588	240	226	238	241	228	1173	1261	1204	1218	864	1345	1140	945	724	492	222
Mean Population, 1891-1900. Females	—	10,527	256	219	238	234	256	1203	1216	1146	1025	904	1495	1181	929	702	496	230
Deaths from All Causes, 1891-1900. Persons	15·48	3,269	714	127	45	28	18	932	67	52	67	75	129	144	200	341	574	688
Deaths from All Causes, 1891-1900. Males ..	15·56	1,647	396	52	22	14	8	492	33	25	31	33	60	61	91	182	281	358
Deaths from All Causes, 1891-1900. Females	15·41	1,622	318	75	23	14	10	440	34	27	36	42	69	83	109	159	293	330

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							Persons.															
Small-pox	0·01	0·03	—	3	3	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—
Measles	0·10	0·09	0·11	22	10	12	11	5	1	—	—	17	4	—	—	—	—	1	—	—	—	—
Scarlet Fever	0·03	0·01	0·06	7	1	6	—	2	—	—	2	4	2	—	1	—	—	—	—	—	—	—
Diphtheria	0·09	0·07	0·11	19	7	12	—	2	3	3	3	11	7	1	—	—	—	—	—	—	—	—
Whooping-cough ..	0·24	0·22	0·26	50	23	27	26	16	2	4	2	50	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·19	0·15	0·14	31	16	15	—	—	—	—	—	—	1	3	3	4	7	4	2	2	4	1
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·47	0·46	0·48	99	49	50	72	8	—	1	—	81	2	—	—	—	1	—	1	—	5	9
Cholera	0·03	0·02	0·04	6	2	4	3	—	—	—	—	3	—	—	—	—	1	—	—	—	1	1
Cancer	0·77	0·58	0·97	163	61	102	1	—	2	1	—	4	—	—	1	—	2	11	22	33	59	31
Tabes Mesenterica ..	0·12	0·09	0·15	26	10	16	10	5	—	—	—	15	3	—	1	2	1	3	1	—	—	—
Phthisis	0·94	0·90	0·99	199	95	104	—	—	1	1	1	3	2	8	24	32	46	34	21	19	10	—
Other Tub. & Scrof. Dis.	0·32	0·31	0·33	68	33	35	13	9	6	2	2	32	11	5	3	1	4	4	5	1	2	—
Diseases of Nervous System ..	2·00	2·00	2·00	423	212	211	110	13	5	4	1	133	7	7	4	1	2	16	25	57	92	79
Diseases of Circulatory „ ..	1·58	1·55	1·61	333	164	169	3	—	—	—	—	3	4	3	3	3	12	15	31	79	109	71
Diseases of Respiratory „ ..	2·28	2·20	2·38	483	233	250	119	46	18	4	3	190	8	2	2	7	6	9	24	55	85	95
Diseases of Digestive „ ..	1·17	1·13	1·21	247	120	127	80	9	—	3	1	93	2	4	4	4	9	15	18	28	47	23
Diseases of Urinary „ ..	0·46	0·63	0·29	98	67	31	—	—	1	—	1	2	2	—	—	—	5	8	8	19	30	24
Diseases of Generative „ ..	0·02	—	0·04	4	—	4	—	—	—	—	—	—	—	—	—	1	—	—	3	—	—	—
Puerperal Fever ..	0·02	—	0·04	4	—	4	—	—	—	—	—	—	—	—	1	—	3	—	—	—	—	—
Childbirth	0·07	—	0·14	15	—	15	—	—	—	—	—	—	—	—	—	5	6	4	—	—	—	—
Violence	0·58	0·83	0·33	123	88	35	16	1	2	2	2	23	10	10	9	8	8	5	16	8	13	13
OTHER CAUSES ..	3·99	4·29	3·73	846	453	393	250	11	4	3	—	268	2	9	11	7	15	14	22	40	117	341

Marriages 1,407

Births .. { Males .. 2,975 / Females 2,740 } 5,715

Annual Rate per 1000 living { Persons Married .. 13·33 / Births .. .. .. 27·07

Annual Births to 1000 Females aged 15—45 years = 124.

Deaths from Childbirth and Puerperal Fever .. .. } 3·32 per 1000 Births.

* The death-rates under one year of age are per 1000 Births

528.—EASINGWOLD.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·88			*106	—	—	—	—	33·56	2·89	2·86	2·38	4·00	5·34	7·39	11·35	18·93	54·84	149·62
Annual Death-Rate per 1000. Males ..	—			12·62			*113	—	—	—	—	35·53	3·68	3·14	1·63	2·76	5·19	5·82	10·87	19·61	53·03	165·32
Annual Death-Rate per 1000. Females	—			13·14			* 97	—	—	—	—	31·53	2·11	2·58	3·28	5·31	5·50	9·00	11·82	18·23	56·65	135·51
Mean Population, 1891–1900. Persons	—			9,496			193	197	203	215	205	1013	1038	1013	1009	775	1254	1055	837	713	527	262
Mean Population, 1891–1900. Males ..	—			4,824			103	92	105	115	100	515	517	510	551	398	636	533	414	362	264	124
Mean Population, 1891–1900. Females	—			4,672			90	105	98	100	105	498	521	503	458	377	618	522	423	351	263	138
Deaths from All Causes, 1891–1900. Persons	15·90			1,510			245	46	25	10	14	340	30	29	24	31	67	78	95	135	289	392
Deaths from All Causes, 1891–1900. Males ..	15·82			763			139	23	10	6	5	183	19	16	9	11	33	31	45	71	140	205
Deaths from All Causes, 1891–1900. Females	15·99			747			106	23	15	4	9	157	11	13	15	20	34	47	50	64	149	187
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·01	—	0·02	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·08	0·12	0·04	8	6	2	—	1	—	1	—	2	3	2	1	—	—	—	—	—	—	—
Diphtheria	0·20	0·19	0·21	19	9	10	—	1	—	3	6	10	5	3	—	—	1	—	—	—	—	—
Whooping-cough ..	0·16	0·17	0·15	15	8	7	8	5	2	—	—	15	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·13	0·19	0·06	12	9	3	—	—	—	—	—	—	1	2	1	2	2	—	1	2	1	—
Simple Continued Fever	0·01	0·02	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Diarrhœa & Dysentery	0·36	0·31	0·41	34	15	19	22	6	—	—	1	29	—	—	—	—	—	—	—	1	—	4
Cholera	0·02	0·04	—	2	2	—	1	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—
Cancer	1·12	1·02	1·22	106	49	57	1	—	—	—	—	1	1	1	—	—	3	8	14	18	39	21
Tabes Mesenterica ..	0·09	0·06	0·13	9	3	6	4	1	2	—	1	8	1	—	—	—	—	—	—	—	—	—
Phthisis	0·84	0·54	1·16	80	26	54	—	—	—	—	—	—	1	7	6	14	19	13	11	7	2	—
Other Tub. & Scrof. Dis.	0·32	0·31	0·32	30	15	15	6	3	1	1	1	12	4	3	—	1	3	3	1	1	2	—
Diseases of: Nervous System ..	1·87	1·66	2·10	178	80	98	30	4	3	3	1	41	1	2	4	—	3	4	7	13	50	53
Diseases of: Circulatory " ..	2·27	1·91	2·65	216	92	124	2	—	—	—	—	2	2	1	2	3	5	11	18	37	73	62
Diseases of: Respiratory " ..	1·97	2·16	1·78	187	104	83	35	14	12	1	2	64	2	1	2	2	3	11	11	24	27	40
Diseases of: Digestive " ..	0·86	0·87	0·86	82	42	40	19	6	—	1	—	26	2	—	—	1	3	3	5	5	19	18
Diseases of: Urinary " ..	0·54	0·75	0·32	51	36	15	1	—	1	—	—	2	2	1	—	1	3	—	4	3	23	12
Diseases of: Generative " ..	0·04	0·02	0·06	4	1	3	—	—	—	—	—	—	—	—	—	—	1	—	—	—	3	—
Puerperal Fever ..	0·04	—	0·09	4	—	4	—	—	—	—	—	—	—	—	—	—	1	3	—	—	—	—
Childbirth	0·04	—	0·09	4	—	4	—	—	—	—	—	—	—	—	—	1	1	2	—	—	—	—
Violence	0·61	0·97	0·24	58	47	11	3	2	2	—	1	8	1	5	4	—	7	5	4	10	6	8
OTHER CAUSES ..	4·32	4·51	4·08	409	218	191	113	3	2	—	1	119	3	1	4	6	12	15	19	13	43	174

Marriages 629

Births .. { Males .. 1,231 / Females 1,090 } 2,321

Annual Rate per 1000 living { Persons Married .. 13·25 / Births .. .. .. 24·44 }

Annual Births to 1000 Females aged 15—45 years = 118.

Deaths from Childbirth and Puerperal Fever .. .. } 3·45 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

529.—THIRSK.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 14·06			*115	—	—	—	—	35·17	3·22	1·95	3·41	5·24	5·86	9·24	13·36	25·25	50·17	159·86
Annual Death-Rate per 1000. Males ..	—			14·61			*137	—	—	—	—	40·59	3·39	1·99	2·65	5·79	6·94	11·29	12·96	24·89	48·51	156·85
Annual Death-Rate per 1000. Females	—			13·55			* 91	—	—	—	—	29·53	3·05	1·91	4·20	4·74	4·93	7·35	13·74	25·63	51·86	163·04
Mean Population, 1891-1900. Persons	—			12,508			264	271	236	285	290	1396	1429	1439	1261	1011	1622	1417	1168	883	598	284
Mean Population, 1891-1900. Males ..	—			6,148			146	134	143	139	150	712	708	705	642	484	749	682	571	446	303	146
Mean Population, 1891-1900. Females	—			6,360			118	137	143	146	140	684	721	734	619	527	873	735	597	437	295	138
Deaths from All Causes, 1891-1900. Persons	16·15			2,020			365	61	30	20	15	491	46	28	43	53	95	131	156	223	300	454
Deaths from All Causes, 1891-1900. Males ..	17·27			1,062			222	30	12	16	8	289	24	14	17	28	52	77	74	111	147	229
Deaths from All Causes, 1891-1900. Females	15·06			958			142	31	18	4	7	202	22	14	26	25	43	54	82	112	153	225
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Smal pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·17	0·16	0·17	21	10	11	4	7	4	1	—	16	3	—	—	—	1	—	1	—	—	—
Scarlet Fever	0·06	0·07	0·05	7	4	3	—	—	—	1	—	1	3	2	—	—	1	—	—	—	—	—
Diphtheria	0·20	0·15	0·25	25	9	16	—	3	4	—	3	10	9	2	—	1	—	—	1	1	1	—
Whooping-cough	0·22	0·20	0·24	27	12	15	12	7	4	2	1	26	—	1	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·14	0·16	0·11	17	10	7	—	—	—	—	—	—	—	1	2	1	4	8	—	1	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·45	0·59	0·31	56	36	20	32	6	1	—	—	39	1	—	—	1	—	—	1	4	3	7
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·84	0·62	1·05	105	38	67	—	—	—	—	—	—	1	—	—	—	2	4	20	36	29	13
Tabes Mesenterica	0·06	0·07	0·06	8	4	4	2	1	—	1	—	4	—	—	1	—	1	—	1	—	1	—
Phthisis	1·11	1·11	1·12	139	68	71	2	—	—	—	—	2	2	2	15	29	33	28	12	12	3	1
Other Tub. & Scrof. Dis.	0·22	0·21	0·24	28	13	15	5	5	1	—	2	13	4	—	3	3	2	1	2	—	—	—
Diseases of Nervous System	2·15	2·36	1·95	269	145	124	59	2	3	1	2	67	4	6	3	2	6	9	24	31	60	57
Diseases of Circulatory "	2·05	1·90	2·19	256	117	139	2	—	—	—	—	2	1	5	1	2	9	20	22	45	72	77
Diseases of Respiratory "	2·29	2·62	1·97	286	161	125	67	21	8	6	3	105	4	—	—	2	6	16	8	20	42	83
Diseases of Digestive "	0·76	0·83	0·69	95	51	44	13	2	—	1	3	19	4	3	4	—	5	2	10	16	19	13
Diseases of Urinary "	0·33	0·42	0·24	41	26	15	—	—	—	—	—	—	1	—	1	1	4	2	5	7	8	12
Diseases of Generative "	0·05	—	0·09	6	—	6	—	—	—	—	—	—	—	—	—	—	—	2	—	1	1	2
Puerperal Fever	0·02	—	0·05	3	—	3	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—
Childbirth..	0·03	—	0·06	4	—	4	—	—	—	—	—	—	—	—	—	1	2	1	—	—	—	—
Violence	0·66	0·96	0·36	82	59	23	2	—	5	3	—	10	4	3	4	4	7	12	17	8	5	8
OTHER CAUSES	4·34	4·84	3·86	545	299	246	165	7	—	4	1	177	5	3	9	6	11	24	32	41	56	181

Marriages 813

Births .. { Males .. 1,628 / Females 1,555 } 3,183

Annual Rate per 1000 living { Persons Married .. 13·00 / Births .. .. .. 25·45

Annual Births to 1000 Females aged 15—45 years = 116.

Deaths from Childbirth and Puerperal Fever .. .. } 2·20 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

530.—HELMSLEY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·93			* 98	—	—	—	—	32·83	3·60	2·68	3·49	5·45	5·72	7·94	10·03	26·76	56·70	171·73
Annual Death-Rate per 1000. Males ..	—			14·08			*112	—	—	—	—	37·93	3·52	2·54	2·61	4·01	6·43	6·12	12·17	26·26	59·64	176·03
Annual Death-Rate per 1000. Females	—			13·79			* 84	—	—	—	—	27·92	3·69	2·85	4·57	7·13	4·99	9·86	7·71	27·32	53·44	167·24
Mean Population, 1891–1900. Persons	—			10,378			229	225	219	236	215	1124	1082	1156	1116	881	1416	1146	947	751	522	237
Mean Population, 1891–1900. Males ..	—			5,395			106	118	102	114	111	551	540	629	613	474	715	588	493	396	275	121
Mean Population, 1891–1900. Females	—			4,983			123	107	117	122	104	573	542	527	503	407	701	558	454	355	247	116
Deaths from All Causes, 1891–1900. Persons	16·35			1,697			256	59	14	23	17	369	39	31	39	48	81	91	95	201	296	407
Deaths from All Causes, 1891–1900. Males ..	16·72			902			148	34	4	13	10	209	19	16	16	19	46	36	60	104	164	213
Deaths from All Causes, 1891–1900. Females	15·95			795			108	25	10	10	7	160	20	15	23	29	35	55	35	97	132	194
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	0·03	0·06	—	3	3	—	—	1	—	—	—	1	—	—	—	—	—	1	1	—	—	—
Measles	0·09	0·09	0·08	9	5	4	1	2	—	1	—	4	2	1	—	—	2	—	—	—	—	—
Scarlet Fever	0·13	0·13	0·14	14	7	7	—	1	1	4	2	8	5	—	—	—	1	—	—	—	—	—
Diphtheria	0·17	0·15	0·20	18	8	10	1	1	—	1	5	8	8	1	—	—	1	—	—	—	—	—
Whooping-cough ..	0·21	0·19	0·24	22	10	12	13	8	1	—	—	22	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·14	0·15	0·14	15	8	7	—	—	1	—	—	1	—	—	2	4	2	3	1	2	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·19	0·28	0·10	20	15	5	10	3	1	—	1	15	—	—	—	—	—	—	1	—	2	2
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·72	0·50	0·96	75	27	48	—	—	—	—	—	—	—	—	—	—	—	3	9	30	23	10
Tabes Mesenterica ..	0·15	0·13	0·18	16	7	9	1	3	1	1	—	6	2	2	1	1	2	2	—	—	—	—
Phthisis	1·21	1·07	1·36	126	58	68	3	1	2	—	—	6	2	6	14	20	28	23	15	9	2	1
Other Tub. & Scrof. Dis.	0·23	0·28	0·18	24	15	9	3	1	—	1	1	6	2	5	2	2	4	1	1	—	1	—
Diseases of Nervous System ..	2·42	2·50	2·33	251	135	116	41	7	—	3	—	51	5	3	2	3	5	2	16	31	61	72
Diseases of Circulatory " ..	1·85	1·87	1·83	192	101	91	—	—	—	—	—	—	—	3	4	3	7	4	10	32	76	53
Diseases of Respiratory " ..	2·47	2·63	2·29	256	142	114	44	19	4	7	4	78	6	—	6	3	7	11	17	35	42	51
Diseases of Digestive " ..	0·90	1·04	0·74	93	56	37	16	8	—	2	2	28	2	5	3	—	4	8	4	15	15	9
Diseases of Urinary " ..	0·52	0·74	0·28	54	40	14	1	—	—	—	—	1	—	1	—	3	2	6	4	5	15	17
Diseases of Generative " ..	0·01	—	0·02	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Puerperal Fever ..	0·05	—	0·10	5	—	5	—	—	—	—	—	—	—	—	—	1	1	3	—	—	—	—
Childbirth..	0·08	—	0·16	8	—	8	—	—	—	—	—	—	—	—	—	4	3	1	—	—	—	—
Violence	0·59	0·80	0·36	61	43	18	4	3	—	2	2	11	2	2	2	—	3	8	5	14	7	7
Other Causes ..	4·19	4·11	4·26	434	222	212	118	1	3	1	—	123	3	2	3	4	9	15	11	27	52	185

Marriages 624

Births .. { Males .. 1,316 / Females 1,285 } 2,601

Annual Rate per 1000 living { Persons Married .. 12·03 / Births .. .. .. 25·06 }

Annual Births to 1000 Females aged 15—45 years = 120.

Deaths from Childbirth and Puerperal Fever .. .. } 5·00 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

531.—PICKERING.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 15·56			*140	—	—	—	—	45·49	3·62	2·51	4·08	6·03	5·73	7·14	12·32	23·59	57·62	170·79
Annual Death-Rate per 1000. Males ..	—			In Standard Population. 14·74			*156	—	—	—	—	50·32	3·25	2·16	2·92	6·34	4·87	4·76	12·02	22·67	51·29	163·06
Annual Death-Rate per 1000. Females	—			In Standard Population. 16·34			*123	—	—	—	—	40·83	3·98	2·85	5·25	5·77	6·52	9·51	12·63	24·64	64·96	180·22
Mean Population, 1891–1900. Persons	—			10,286			267	251	234	281	242	1275	1244	1117	955	779	1362	1135	966	746	505	202
Mean Population, 1891–1900. Males ..	—			5,141			128	123	118	142	115	626	616	555	479	363	657	567	499	397	271	111
Mean Population, 1891–1900. Females	—			5,145			139	128	116	139	127	649	628	562	476	416	705	568	467	349	234	91
Deaths from All Causes, 1891–1900. Persons	17·78			1,829			431	93	23	18	15	580	45	28	39	47	78	81	119	176	291	345
Deaths from All Causes, 1891–1900. Males ..	17·76			913			244	50	12	3	6	315	20	12	14	23	32	27	60	90	139	181
Deaths from All Causes, 1891–1900. Females	17·80			916			187	43	11	15	9	265	25	16	25	24	46	54	59	86	152	164
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	0·01	—	0·02	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Measles	0·12	0·14	0·10	12	7	5	3	6	—	—	1	10	2	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·17	0·10	0·23	17	5	12	—	2	—	4	2	8	5	2	—	—	1	1	—	—	—	—
Diphtheria	0·18	0·18	0·19	19	9	10	—	1	1	3	3	8	9	—	—	—	—	—	—	2	—	—
Whooping-cough ..	0·41	0·29	0·52	42	15	27	21	15	5	—	1	42	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·11	0·10	0·12	11	5	6	—	—	—	—	—	—	1	2	2	1	—	1	4	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·47	0·60	0·33	48	31	17	35	7	2	—	—	44	1	—	—	—	—	—	—	3	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·70	0·41	0·99	72	21	51	—	—	—	—	1	1	—	—	—	—	1	6	10	24	20	10
Tabes Mesenterica ..	0·17	0·21	0·12	17	11	6	5	1	1	1	—	8	—	2	1	1	1	1	2	1	—	—
Phthisis	1·05	0·90	1·21	108	46	62	1	1	1	—	—	3	1	10	16	21	24	14	12	7	—	—
Other Tub. & Scrof. Dis.	0·41	0·31	0·51	42	16	26	7	7	1	—	—	15	5	4	2	2	3	5	2	3	1	—
Diseases of Nervous System ..	2·30	2·41	2·20	237	124	113	60	9	—	3	—	72	3	1	4	1	6	10	14	21	52	53
Diseases of Circulatory „ ..	2·00	1·81	2·20	206	93	113	—	—	1	—	—	1	2	—	1	—	3	7	23	42	71	56
Diseases of Respiratory „ ..	2·62	3·09	2·14	269	159	110	72	25	5	1	4	107	7	1	3	2	7	7	10	16	53	56
Diseases of Digestive „ ..	1·34	1·36	1·32	138	70	68	39	4	3	—	1	47	3	1	5	1	2	6	7	18	37	11
Diseases of Urinary „ ..	0·42	0·56	0·27	43	29	14	2	—	—	—	—	2	—	—	—	1	3	4	2	10	10	11
Diseases of Generative „ ..	0·03	0·04	0·02	3	2	1	—	—	—	—	—	—	—	—	—	1	—	—	1	—	1	—
Puerperal Fever ..	0·06	—	0·12	6	—	6	—	—	—	—	—	—	—	—	—	4	—	2	—	—	—	—
Childbirth..	0·11	—	0·21	11	—	11	—	—	—	—	—	—	—	—	—	2	2	7	—	—	—	—
Violence	0·63	0·88	0·39	65	45	20	5	4	2	3	2	16	3	1	4	4	7	3	12	5	6	4
Other Causes ..	4·47	4·37	4·59	462	225	237	181	11	1	3	—	196	3	3	1	6	18	7	20	24	40	144

Marriages 769

Births .. { Males .. 1,562 / Females 1,525 } 3,087

Annual Rate per 1000 living { Persons Married .. 14·95 / Births .. .. .. 30·01 }

Annual Births to 1000 Females aged 15—45 years = 143.

Deaths from Childbirth and Puerperal Fever .. .. } 5·51 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

532.—WHITBY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.	14·33		*107	—	—	—	—	37·83	3·67	2·52	3·41	4·26	5·51	7·52	13·63	26·27	59·86	144·51
Annual Death-Rate per 1000. Males	—				14·80		*119	—	—	—	—	41·54	3·11	2·33	3·21	4·71	5·29	8·68	14·49	28·33	66·80	137·72
Annual Death-Rate per 1000. Females	—				13·89		* 95	—	—	—	—	34·04	4·23	2·69	3·59	3·93	5·67	6·51	12·86	24·46	54·07	150·00
Mean Population, 1891–1900. Persons	—			23,194			567	518	540	533	517	2675	2753	2663	2343	1807	2979	2607	2083	1648	1126	510
Mean Population, 1891–1900. Males	—			10,871			296	266	266	258	267	1353	1381	1289	1089	764	1285	1210	987	773	512	228
Mean Population, 1891–1900. Females	—			12,323			271	252	274	275	250	1322	1372	1374	1254	1043	1694	1397	1096	875	614	282
Deaths from All Causes, 1891–1900. Persons	16·49			3,825			640	210	81	45	36	1012	101	67	80	77	164	196	284	433	674	737
Deaths from All Causes, 1891–1900. Males	17·45			1,897			367	113	44	21	17	562	43	30	35	36	68	105	143	219	342	314
Deaths from All Causes, 1891–1900. Females	15·65			1,928			273	97	37	24	19	450	58	37	45	41	96	91	141	214	332	423
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·16	0·13	0·19	37	14	23	4	20	7	2	1	34	2	—	1	—	—	—	—	—	—	—
Scarlet Fever	0·06	0·07	0·06	15	8	7	1	1	5	—	1	8	5	1	—	—	—	—	1	—	—	—
Diphtheria	0·16	0·10	0·20	36	11	25	4	6	4	6	3	23	6	3	3	—	1	—	—	—	—	—
Whooping-cough	0·21	0·25	0·18	49	27	22	28	10	4	4	1	47	2	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·06	0·06	0·05	13	7	6	—	—	—	—	—	—	—	3	—	3	4	2	1	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·36	0·40	0·32	84	44	40	56	9	2	1	1	69	2	—	—	—	—	—	1	1	8	3
Cholera	0·01	0·03	—	3	3	—	1	—	—	—	—	1	—	—	—	—	—	—	1	—	1	—
Cancer	0·97	0·82	1·10	224	89	135	—	—	—	—	—	—	—	—	—	—	1	13	41	58	75	36
Tabes Mesenterica	0·17	0·16	0·18	39	17	22	14	10	3	3	1	31	2	2	—	1	1	2	—	—	—	—
Phthisis	1·21	1·21	1·21	280	131	149	5	3	—	1	—	9	9	11	30	33	65	55	41	22	4	1
Other Tub. & Scrof. Dis.	0·22	0·23	0·21	51	25	26	11	6	6	1	—	24	11	5	3	2	3	1	1	1	—	—
Diseases of Nervous System	2·19	2·29	2·10	508	249	259	107	19	11	2	6	145	14	5	7	2	8	14	27	74	113	99
Diseases of Circulatory "	1·91	2·10	1·74	443	228	215	1	—	1	1	—	3	3	11	8	3	14	29	49	94	138	91
Diseases of Respiratory "	2·57	3·05	2·14	595	331	264	112	72	21	13	13	231	22	4	4	6	14	22	31	65	102	94
Diseases of Digestive "	1·23	1·32	1·16	286	143	143	71	31	3	2	4	111	7	6	3	9	11	7	30	37	39	26
Diseases of Urinary "	0·34	0·40	0·28	78	44	34	—	—	2	2	1	5	—	1	1	2	4	5	10	13	21	16
Diseases of Generative "	0·04	—	0·07	9	—	9	—	—	—	—	—	—	—	—	—	—	—	1	2	4	1	1
Puerperal Fever	0·04	—	0·08	10	—	10	—	—	—	—	—	—	—	—	—	1	7	2	—	—	—	—
Childbirth	0·06	—	0·11	13	—	13	—	—	—	—	—	—	—	—	2	2	6	3	—	—	—	—
Violence	0·71	1·02	0·44	165	111	54	10	5	3	2	4	24	7	3	10	8	13	24	19	14	23	20
Other Causes	3·81	3·81	3·83	887	415	472	215	18	9	5	—	247	9	12	8	5	12	16	29	50	149	350

Marriages 1,572

Births .. Males .. 3,095 } 5,971
Females 2,876 }

Annual Rate per 1000 living { Persons Married .. 13·56
Births .. .. .. 25·74

Annual Births to 1000 Females aged 15—45 years = 111.

Deaths from Childbirth and Puerperal Fever .. .. } 3·85 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

533.—GUISBOROUGH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population 14·95	*138	—	—	—	—	45·12	3·72	1·93	3·66	4·94	5·43	7·75	11·88	23·03	58·52	154·01
Annual Death-Rate per 1000. Males ..	—	In Standard Population 15·35	*151	—	—	—	—	48·96	3·47	1·57	3·72	5·35	5·20	7·65	11·97	24·54	63·96	157·69
Annual Death-Rate per 1000. Females	—	In Standard Population 14·57	*124	—	—	—	—	41·24	3·97	2·28	3·61	4·57	5·64	7·85	11·77	21·45	53·17	150·90
Mean Population, 1891–1900. Persons	—	41,550	1149	1060	1085	1089	1082	5465	5193	4979	4232	3581	5750	4607	3604	2314	1314	511
Mean Population, 1891–1900. Males ..	—	20,706	574	532	552	540	549	2747	2625	2484	2125	1700	2789	2301	1863	1186	652	234
Mean Population, 1891–1900. Females	—	20,844	575	528	533	549	533	2718	2568	2495	2107	1881	2961	2306	1741	1128	662	277
Deaths from All Causes, 1891–1900. Persons	15·10	6,273	1743	416	166	83	58	2466	193	96	155	177	312	357	428	533	769	787
Deaths from All Causes, 1891–1900. Males ..	15·77	3,266	977	212	87	40	29	1345	91	39	79	91	145	176	223	291	417	369
Deaths from All Causes, 1891–1900. Females	14·43	3,007	766	204	79	43	29	1121	102	57	76	86	167	181	205	242	352	418

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							Persons.															
Small-pox	0·00	—	0·00	1	—	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
Measles	0·23	0·25	0·21	95	51	44	23	36	11	7	3	80	12	1	—	1	—	—	—	—	1	—
Scarlet Fever	0·12	0·14	0·11	51	28	23	3	7	12	4	5	31	13	1	2	1	1	1	1	—	—	—
Diphtheria	0·15	0·16	0·14	62	33	29	2	9	11	8	11	41	16	3	—	1	1	—	—	—	—	—
Whooping-cough ..	0·34	0·32	0·36	140	66	74	69	43	15	6	1	134	6	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·13	0·13	0·14	56	27	29	—	—	—	1	2	3	2	6	6	4	13	7	6	4	3	2
Simple Continued Fever	0·01	—	0·01	3	—	3	—	—	1	—	—	1	1	—	—	—	—	—	—	—	—	1
Diarrhœa & Dysentery	0·45	0·50	0·40	187	104	83	131	18	6	—	—	155	—	—	1	—	—	—	1	2	14	14
Cholera	0·02	0·02	0·01	8	5	3	—	—	1	—	—	1	2	—	—	—	—	—	—	4	—	1
Cancer	0·59	0·46	0·72	246	96	150	—	1	—	1	—	2	—	2	1	1	3	26	59	59	61	32
Tabes Mesenterica ..	0·25	0·26	0·24	104	53	51	63	13	9	2	—	87	8	1	2	2	2	2	—	—	—	—
Phthisis	0·94	0·95	0·93	391	197	194	7	6	2	1	1	17	19	22	51	55	92	60	47	20	7	1
Other Tub. & Scrof. Dis.	0·35	0·35	0·34	144	73	71	38	27	10	3	7	85	16	7	7	4	13	4	5	1	1	1
Diseases of Nervous System ..	2·23	2·45	2·02	928	507	421	328	40	26	12	8	414	23	11	13	11	19	29	52	86	131	139
Diseases of Circulatory " ..	1·27	1·26	1·28	527	261	266	—	—	—	1	—	1	4	12	16	11	28	34	60	111	149	101
Diseases of Respiratory " ..	2·69	2·87	2·50	1116	594	522	340	137	36	27	11	551	34	4	5	16	26	49	55	87	148	141
Diseases of Digestive " ..	1·11	1·20	1·03	463	248	215	172	49	9	2	1	233	13	4	9	5	15	28	35	38	45	38
Diseases of Urinary " ..	0·35	0·39	0·31	146	81	65	2	3	3	1	1	10	3	3	2	3	7	14	17	25	36	26
Diseases of Generative " ..	0·05	0·00	0·09	19	1	18	1	1	—	—	—	2	—	—	—	1	2	4	7	1	1	1
Puerperal Fever ..	0·04	—	0·08	17	—	17	—	—	—	—	—	—	—	—	1	5	6	5	—	—	—	—
Childbirth	0·12	—	0·23	48	—	48	—	—	—	—	—	—	—	—	2	7	17	20	2	—	—	—
Violence	0·75	1·18	0·33	313	244	69	15	4	6	5	4	34	8	11	22	28	37	47	39	49	25	13
Other Causes ..	2·91	2·88	2·95	1208	597	611	549	22	7	2	3	583	13	8	15	21	30	27	42	46	147	276

Marriages 2,930

Births .. { Males .. 6,477 / Females 6,165 } 12,642

Annual Rate per 1000 living { Persons Married .. 14·10 / Births .. .. .. 30·43 }

Annual Births to 1000 Females aged 15–45 years = 137.

Deaths from Childbirth and Puerperal Fever .. .. } 5·14 per 1000 Births.

* The death-rates under one year of age are per 1000 Births

534.—MIDDLESBROUGH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 21·88			*177	—	—	—	—	69·90	4·95	2·78	4·96	6·10	8·30	13·09	20·94	40·46	77·44	159·68
Annual Death-Rate per 1000. Males	—			23·10			*191	—	—	—	—	75·19	4·92	2·68	5·49	6·35	8·75	14·14	22·67	43·40	81·80	169·21
Annual Death-Rate per 1000. Females	—			20·74			*161	—	—	—	—	64·68	4·97	2·87	4·37	5·82	7·79	11·83	18·79	36·95	72·91	151·83
Mean Population, 1891-1900. Persons	—			129,661			4002	3487	3477	3457	3451	17874	15993	14868	13431	12499	20526	14958	10503	5843	2469	697
Mean Population, 1891-1900. Males	—			67,626			2012	1764	1703	1728	1666	8873	7970	7375	7071	6601	11009	8159	5815	3180	1258	315
Mean Population, 1891-1900. Females	—			62,035			1990	1723	1774	1729	1785	9001	8023	7493	6360	5898	9517	6799	4688	2663	1211	382
Deaths from All Causes, 1891-1900. Persons	20·34			26,376			8034	2669	891	512	388	12494	791	413	666	762	1704	1958	2199	2364	1912	1113
Deaths from All Causes, 1891-1900. Males	21·36			14,446			4422	1380	433	254	183	6672	392	198	388	419	963	1154	1318	1380	1029	533
Deaths from All Causes, 1891-1900. Females	19·23			11,930			3612	1289	458	258	205	5822	399	215	278	343	741	804	881	984	883	580
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·17	0·19	0·16	226	128	98	5	1	3	3	3	15	25	6	18	25	67	40	24	4	2	—
Measles	0·50	0·49	0·50	643	331	312	123	290	114	45	40	612	30	—	—	1	—	—	—	—	—	—
Scarlet Fever	0·16	0·14	0·19	213	93	120	3	44	24	41	25	137	51	9	4	5	4	2	1	—	—	—
Diphtheria	0·14	0·14	0·15	187	92	95	9	30	30	22	39	130	43	7	—	1	3	3	—	—	—	—
Whooping-cough	0·49	0·41	0·59	640	275	365	279	196	73	47	22	617	23	—	—	—	—	—	—	—	—	—
Typhus	0·01	0·01	0·01	9	5	4	—	—	—	—	—	—	—	—	—	1	—	3	3	2	—	—
Enteric Fever	0·37	0·43	0·31	482	289	193	2	9	7	12	12	42	54	49	68	67	90	51	39	17	5	—
Simple Continued Fever	0·02	0·02	0·03	32	16	16	—	1	4	2	2	9	10	—	1	5	2	1	1	1	1	1
Diarrhœa & Dysentery	0·83	0·87	0·78	1071	587	484	755	171	22	7	5	960	4	4	1	—	5	12	18	14	31	22
Cholera	0·06	0·05	0·06	75	37	38	44	15	—	—	1	60	4	—	—	1	1	3	1	1	3	1
Cancer	0·53	0·43	0·63	682	289	393	1	—	—	1	—	2	2	1	5	—	31	66	199	221	119	36
Tabes Mesenterica	0·50	0·48	0·53	650	324	326	302	172	52	22	20	568	28	17	7	6	15	6	2	1	—	—
Phthisis	1·34	1·37	1·32	1741	925	816	26	47	7	15	13	108	40	63	171	226	395	351	239	108	36	4
Other Tub. & Scrof. Dis.	0·54	0·62	0·45	698	419	279	201	156	46	37	16	456	94	42	29	23	24	14	10	4	2	—
Diseases of Nervous System	2·53	2·66	2·38	3283	1805	1478	1395	319	116	51	41	1922	113	42	36	24	69	125	224	317	289	122
Diseases of Circulatory "	1·32	1·31	1·32	1705	884	821	14	2	2	2	1	21	11	26	36	44	142	204	300	461	329	131
Diseases of Respiratory "	4·77	5·39	4·08	6181	3651	2530	1361	842	284	148	109	2744	134	39	107	132	387	558	667	687	516	210
Diseases of Digestive "	1·13	1·12	1·15	1471	755	716	580	167	37	13	7	804	37	24	29	36	59	119	126	125	81	31
Diseases of Urinary "	0·32	0·39	0·25	415	261	154	6	14	2	3	6	31	12	6	18	13	44	58	67	76	63	27
Diseases of Generative "	0·04	0·01	0·07	50	5	45	2	—	3	1	—	6	—	—	1	6	14	11	5	3	3	1
Puerperal Fever	0·07	—	0·15	91	—	91	—	—	—	—	—	—	—	—	2	20	47	21	1	—	—	—
Childbirth	0·09	—	0·19	119	—	119	—	—	—	—	—	—	—	—	5	21	52	38	3	—	—	—
Violence	0·73	1·07	0·37	951	721	230	116	28	28	28	13	213	35	36	70	65	117	135	114	99	50	17
Other Causes	3·68	3·76	3·56	4761	2554	2207	2810	165	37	12	13	3037	41	42	58	40	136	137	155	223	382	510

Marriages 10,356

Births .. Males .. 23,102 / Females 22,406 } 45,508

Annual Rate per 1000 living { Persons Married .. 15·97 / Births .. .. .. 35·10

Annual Births to 1000 Females aged 15—45 years = 159.

Deaths from Childbirth and Puerperal Fever .. .. } 4·61 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The boundary of this district was altered during the decennium; the transferred part contained only 3 persons in 1891 and 2 in 1901.

535.—STOKESLEY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 14·11			*117	—	—	—	—	39·95	3·30	2·24	4·62	4·65	6·20	8·74	11·39	20·74	53·52	139·15
Annual Death-Rate per 1000. Males ..	—			14·99			*127	—	—	—	—	44·72	3·52	2·64	3·95	4·96	6·35	10·58	12·29	22·87	59·93	133·10
Annual Death-Rate per 1000. Females	—			13·28			*106	—	—	—	—	35·24	3·07	1·82	5·29	4·39	6·08	7·04	10·52	18·38	47·64	145·32
Mean Population, 1891-1900. Persons	—			11,177			251	243	243	241	241	1219	1272	1250	1168	924	1499	1258	957	781	568	281
Mean Population, 1891-1900. Males ..	—			5,503			133	113	121	123	116	606	653	644	582	423	693	605	472	411	272	142
Mean Population, 1891-1900. Females	—			5,674			118	130	122	118	125	613	619	606	586	501	806	653	485	370	296	139
Deaths from All Causes, 1891-1900. Persons	16·31			1,823			343	88	19	15	22	487	42	28	54	43	93	110	109	162	304	391
Deaths from All Causes, 1891-1900. Males ..	17·57			967			189	50	11	4	17	271	23	17	23	21	44	64	58	94	163	189
Deaths from All Causes, 1891-1900. Females	15·09			856			154	38	8	11	5	216	19	11	31	22	49	46	51	68	141	202
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·02	—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Measles	0·16	0·20	0·12	18	11	7	3	9	—	2	2	16	—	2	—	—	—	—	—	—	—	—
Scarlet Fever	0·14	0·16	0·12	16	9	7	—	1	2	3	4	10	4	—	1	—	1	—	—	—	—	—
Diphtheria	0·14	0·20	0·09	16	11	5	—	2	2	—	2	6	5	4	—	—	—	—	1	—	—	—
Whooping-cough ..	0·14	0·11	0·18	16	6	10	6	6	2	—	1	15	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·09	0·09	0·09	10	5	5	—	—	1	—	—	1	—	—	3	1	—	1	1	2	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·24	0·24	0·25	27	13	14	15	1	—	—	—	16	—	—	—	—	—	—	—	3	3	5
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·81	0·65	0·97	91	36	55	—	—	—	—	—	—	—	—	—	—	3	6	14	25	25	18
Tabes Mesenterica ..	0·07	0·05	0·09	8	3	5	1	—	1	1	—	3	—	2	1	—	2	—	—	—	—	—
Phthisis	1·22	1·29	1·14	136	71	65	—	1	—	—	2	3	3	5	19	20	33	26	15	9	3	—
Other Tub. & Scrof. Dis.	0·21	0·31	0·12	24	17	7	9	5	1	—	1	16	1	—	—	1	3	1	1	1	—	—
Diseases of Nervous System ..	2·28	2·53	2·04	255	139	116	78	12	3	2	2	97	3	2	4	1	5	10	13	25	47	48
Diseases of Circulatory " ..	1·98	2·09	1·87	221	115	106	4	2	—	—	1	7	5	3	5	2	7	15	12	29	79	57
Diseases of Respiratory " ..	2·38	2·54	2·22	266	140	126	63	31	4	3	5	106	6	1	1	2	10	6	9	31	42	52
Diseases of Digestive " ..	1·36	1·51	1·22	152	83	69	43	10	2	—	—	55	4	3	1	3	6	9	10	16	26	19
Diseases of Urinary " ..	0·46	0·60	0·32	51	33	18	2	1	—	—	—	3	1	1	1	—	3	4	6	4	18	10
Diseases of Generative " ..	0·05	—	0·11	6	—	6	—	—	—	—	—	—	—	—	—	—	1	1	1	—	3	—
Puerperal Fever ..	0·04	—	0·07	4	—	4	—	—	—	—	—	—	—	—	1	1	1	1	—	—	—	—
Childbirth	0·07	—	0·14	8	—	8	—	—	—	—	—	—	—	—	—	—	3	4	1	—	—	—
Violence	0·60	1·05	0·16	67	58	9	1	2	1	2	1	7	4	1	4	4	6	11	11	5	10	4
OTHER CAUSES ..	3·86	3·93	3·77	430	216	214	118	5	—	2	1	126	5	4	13	8	8	15	14	12	47	178

Marriages 730

Births .. { Males .. 1 483 / Females 1 448 } 2,931

Annual Rate per 1000 living { Persons Married .. 13·06 / Births .. .. .. 26·22

Annual Births to 1000 Females aged 15—45 years = 115.

Deaths from Childbirth and Puerperal Fever .. .. } 4·09 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

536.—NORTHALLERTON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		14·26	*111	—	—	—	—	37·24	3·37	2·23	4·40	5·65	6·07	7·54	11·57	22·69	56·26	164·73
Annual Death-Rate per 1000. Males	—					13·97	*124	—	—	—	—	36·03	3·78	2·12	3·45	5·16	6·20	7·77	11·88	24·81	57·24	173·28
Annual Death-Rate per 1000. Females	—					14·54	* 98	—	—	—	—	38·45	3·00	2·35	5·39	6·10	5·95	7·34	11·30	20·56	55·28	156·80
Mean Population, 1891-1900. Persons	—			11,417			249	235	261	258	259	1262	1275	1253	1183	973	1564	1299	1011	789	567	241
Mean Population, 1891-1900. Males	—			5,605			123	120	135	121	131	630	609	614	608	465	774	631	480	395	283	116
Mean Population, 1891-1900. Females	—			5,812			126	115	126	137	128	632	666	639	575	508	790	668	531	394	284	125
Deaths from All Causes, 1891-1900. Persons	16·23			1,853			330	71	35	20	14	470	43	28	52	55	95	98	117	179	319	397
Deaths from All Causes, 1891-1900. Males	16·47			923			180	25	10	7	5	227	23	13	21	24	48	49	57	98	162	201
Deaths from All Causes, 1891-1900. Females	16·00			930			150	46	25	13	9	243	20	15	31	31	47	49	60	81	157	196
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·03	0·04	0·02	3	2	1	1	—	—	—	—	1	—	—	—	—	—	—	1	—	1	—
Measles	0·06	0·05	0·07	7	3	4	1	3	1	1	—	6	1	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·08	0·04	0·12	9	2	7	1	—	4	—	1	6	1	1	—	1	—	—	—	—	—	—
Diphtheria	0·24	0·27	0·21	27	15	12	1	4	2	4	6	17	6	—	—	1	—	3	—	—	—	—
Whooping-cough	0·26	0·20	0·33	30	11	19	18	5	4	2	1	30	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·21	0·18	0·24	24	10	14	—	1	—	1	1	3	1	1	3	2	3	—	4	6	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·36	0·29	0·43	41	16	25	31	2	—	1	—	34	—	—	—	—	—	—	—	1	4	2
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	1·07	1·00	1·14	122	56	66	—	—	—	—	—	—	—	—	—	1	3	6	20	31	33	28
Tabes Mesenterica	0·19	0·23	0·15	22	13	9	8	—	3	—	—	11	—	3	1	3	3	—	—	—	1	—
Phthisis	1·15	1·02	1·27	131	57	74	—	1	2	—	—	3	3	3	21	22	30	27	13	8	1	—
Other Tub. & Scrof. Dis.	0·37	0·46	0·28	42	26	16	6	4	2	2	2	16	7	4	5	2	1	5	1	—	1	—
Diseases of Nervous System	1·89	1·93	1·86	216	108	108	50	9	—	2	—	61	7	2	4	3	4	6	9	18	58	44
Diseases of Circulatory „	1·79	2·00	1·58	204	112	92	1	—	2	—	—	3	—	2	—	—	8	15	16	40	68	52
Diseases of Respiratory „	2·12	2·11	2·13	242	118	124	55	28	9	3	—	95	4	1	1	1	6	3	15	18	48	50
Diseases of Digestive „	0·96	0·82	1·10	110	46	64	25	8	—	2	—	35	1	2	5	4	8	7	12	17	14	5
Diseases of Urinary „	0·39	0·59	0·19	44	33	11	—	—	1	1	1	3	3	1	1	1	4	1	1	4	12	13
Diseases of Generative „	0·04	—	0·09	5	—	5	—	—	—	—	—	—	—	—	—	1	—	2	1	—	1	—
Puerperal Fever	0·05	—	0·10	6	—	6	—	—	—	—	—	—	—	—	—	—	5	1	—	—	—	—
Childbirth	0·08	—	0·15	9	—	9	—	—	—	—	—	—	—	—	—	2	5	2	—	—	—	—
Violence	0·59	0·80	0·38	67	45	22	5	2	2	1	2	12	5	3	5	2	4	8	10	8	5	5
OTHER CAUSES	4·30	4·44	4·16	492	250	242	127	4	3	—	—	134	4	5	6	9	11	12	14	28	71	198

Marriages 787

Births .. { Males .. 1,447 / Females 1,528 } 2,975

Annual Rate per 1000 living { Persons Married .. 13·79 / Births .. .. .. 26·06

Annual Births to 1000 Females aged 15—45 years = 117.

Deaths from Childbirth and Puerperal Fever .. .. } 5·04 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

537.—BEDALE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds
Annual Death-Rate per 1000. Persons	—			In Standard Population.		11·93	* 96	—	—	—	—	30·18	2·20	1·59	3·75	3·58	5·14	5·71	9·69	24·02	51·40	132·11
Annual Death-Rate per 1000. Males	—					11·84	* 116	—	—	—	—	34·31	2·40	0·88	3·78	1·75	5·64	6·47	8·47	23·10	50·46	130 00
Annual Death-Rate per 1000. Females	—					12·01	* 75	—	—	—	—	25·83	2·00	2·36	3·71	5·21	4·69	5·02	10·82	24·84	52·34	134·13
Mean Population, 1891–1900. Persons	—			8,388			186	172	194	184	195	931	909	880	827	727	1207	911	733	587	430	246
Mean Population, 1891–1900. Males	—			4,126			89	89	103	91	106	478	459	456	423	343	567	433	354	277	216	120
Mean Population, 1891–1900. Females	—			4,262			97	83	91	93	89	453	450	424	404	384	640	478	379	310	214	126
Deaths from All Causes, 1891–1900. Persons	14·83			1,244			206	42	15	8	10	281	20	14	31	26	62	52	71	141	221	325
Deaths from All Causes, 1891–1900. Males	15·03			620			128	20	4	5	7	164	11	4	16	6	32	28	30	64	109	156
Deaths from All Causes, 1891–1900. Females	14·64			624			78	22	11	3	3	117	9	10	15	20	30	24	41	77	112	169
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·13	0·15	0·12	11	6	5	2	3	3	—	—	8	1	1	—	—	1	—	—	—	—	—
Scarlet Fever	0·10	0·10	0·09	8	4	4	—	—	1	1	—	2	4	1	—	—	—	1	—	—	—	—
Diphtheria	0·08	0·10	0·07	7	4	3	—	—	1	2	2	5	2	—	—	—	—	—	—	—	—	—
Whooping-cough	0·18	0·15	0·21	15	6	9	11	4	—	—	—	15	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·07	0·07	0·07	6	3	3	—	—	—	—	—	—	—	—	2	—	1	1	2	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·21	0·22	0·21	18	9	9	8	3	—	—	—	11	—	—	—	—	—	—	—	4	1	2
Cholera	0·01	—	0·02	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Cancer	0·93	0·80	1·06	78	33	45	—	—	—	—	—	—	—	—	—	—	—	1	9	22	29	17
Tabes Mesenterica	0·13	0·07	0·19	11	3	8	1	2	—	—	—	3	1	2	1	2	2	—	—	—	—	—
Phthisis	1·04	1·02	1·06	87	42	45	—	—	—	—	—	—	1	2	12	9	28	12	11	10	1	1
Other Tub. & Scrof. Dis.	0·39	0·41	0·38	33	17	16	1	9	4	2	3	19	5	2	—	1	3	1	2	—	—	—
Diseases of Nervous System	1·81	1·92	1·71	152	79	73	29	4	1	1	1	36	—	1	1	1	3	5	7	19	42	37
Diseases of Circulatory	1·55	1·33	1·76	130	55	75	—	—	—	—	—	—	1	—	2	5	3	6	13	26	40	34
Diseases of Respiratory	1·97	2·04	1·90	165	84	81	30	10	3	2	1	46	1	1	—	3	4	6	5	18	26	55
Diseases of Digestive	0·69	0·48	0·89	58	20	38	17	2	1	—	—	20	—	—	3	1	1	4	2	7	11	9
Diseases of Urinary	0·49	0·63	0·35	41	26	15	—	—	—	—	—	—	—	—	2	—	1	4	2	5	13	14
Diseases of Generative	0·02	—	0·05	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—
Puerperal Fever	0·04	—	0·07	3	—	3	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—
Childbirth	0·06	—	0·12	5	—	5	—	—	—	—	—	—	—	—	—	1	3	1	—	—	—	—
Violence	0·41	0·46	0·35	34	19	15	2	—	—	—	3	5	1	2	3	—	3	4	3	4	3	6
OTHER CAUSES	4·52	5·08	3·96	379	210	169	105	5	1	—	—	111	3	2	5	3	7	5	15	23	55	150

Marriages 526

Births .. { Males .. 1,107 / Females 1,042 } 2,149

Annual Rate per 1000 living { Persons Married .. 12·54 / Births .. .. .. 25·62 }

Annual Births to 1000 Females aged 15—45 years = 113.

Deaths from Childbirth and Puerperal Fever .. .. } 3·72 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

538.—LEYBURN.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 12·60			* 94	—	—	—	—	27·53	2·11	1·53	3·38	3·79	5·04	8·44	8·72	24·66	57·96	168·63
Annual Death-Rate per 1000. Males	—			12·41			*101	—	—	—	—	32·57	2·49	2·05	2·24	2·54	3·49	6·48	11·69	27·94	55·72	159·41
Annual Death-Rate per 1000. Females	—			12·77			* 86	—	—	—	—	23·02	1·68	0·98	4·52	4·92	6·42	10·19	6·07	21·69	60·00	177·67
Mean Population, 1891-1900. Persons	—			7,231			124	159	147	136	175	741	759	850	711	581	973	818	654	519	421	204
Mean Population, 1891-1900. Males	—			3,527			57	78	72	63	80	350	402	440	357	276	459	386	308	247	201	101
Mean Population, 1891-1900. Females	—			3,704			67	81	75	73	95	391	357	410	354	305	514	432	346	272	220	103
Deaths from All Causes, 1891-1900. Persons	16·18			1,170			150	25	14	8	7	204	16	13	24	22	49	69	57	128	244	344
Deaths from All Causes, 1891-1900. Males	16·08			567			81	15	10	4	4	114	10	9	8	7	16	25	36	69	112	161
Deaths from All Causes, 1891-1900. Females	16·28			603			69	10	4	4	3	90	6	4	16	15	33	44	21	59	132	183
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·03	0·03	0·03	2	1	1	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—
Scarlet Fever	0·07	0·06	0·08	5	2	3	1	1	—	1	—	3	2	—	—	—	—	—	—	—	—	—
Diphtheria	0·12	0·14	0·11	9	5	4	1	—	1	1	2	5	2	—	1	—	—	1	—	—	—	—
Whooping-cough	0·11	0·14	0·08	8	5	3	5	3	—	—	—	8	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·03	0·03	0·03	2	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·24	0·31	0·16	17	11	6	6	—	—	—	—	6	1	—	—	1	1	—	—	2	1	5
Cholera	0·01	0·03	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Cancer	0·98	0·74	1·21	71	26	45	—	—	—	—	1	1	—	—	—	—	—	3	6	16	32	13
Tabes Mesenterica	0·11	0·14	0·08	8	5	3	1	1	—	1	—	3	—	—	1	1	—	1	1	1	—	—
Phthisis	1·00	1·05	0·94	72	37	35	—	—	—	—	—	—	—	—	7	5	19	14	5	10	10	2
Other Tub. & Scrof. Dis.	0·25	0·17	0·32	18	6	12	2	—	2	2	—	6	2	—	2	1	4	—	1	1	1	—
Diseases of Nervous System	2·14	2·18	2·11	155	77	78	21	2	1	—	—	24	1	—	2	1	—	7	11	19	39	51
Diseases of Circulatory "	2·06	1·84	2·27	149	65	84	2	—	1	—	—	3	1	2	—	1	2	4	4	27	58	47
Diseases of Respiratory "	1·87	1·98	1·75	135	70	65	23	8	1	2	3	37	2	1	1	1	5	5	6	8	24	45
Diseases of Digestive "	0·79	0·79	0·78	57	28	29	8	2	1	—	—	11	1	4	2	1	4	3	5	7	13	6
Diseases of Urinary "	0·51	0·79	0·24	37	28	9	—	—	—	—	—	—	—	1	—	—	—	6	2	5	9	14
Diseases of Generative "	0·08	—	0·16	6	—	6	—	—	—	—	—	—	—	—	—	1	1	2	—	—	1	1
Puerperal Fever	0·11	—	0·22	8	—	8	—	—	—	—	—	—	—	—	—	—	2	6	—	—	—	—
Childbirth	0·08	—	0·16	6	—	6	—	—	—	—	—	—	—	—	—	1	3	2	—	—	—	—
Violence	0·57	0·74	0·40	41	26	15	1	1	4	—	1	7	—	1	2	1	—	4	4	8	7	7
Other Causes	5·02	4·92	5·15	363	173	190	79	6	3	1	—	89	4	4	5	6	8	11	12	23	48	153

Marriages 421
Births .. Males .. 799 } 1,598
Births .. Females 799 }

Annual Rate per 1000 living { Persons Married .. 11·64
Births .. .. .. 22·10 }
Annual Births to 1000 Females aged 15—45 years = 100.

Deaths from Childbirth and Puerperal Fever .. .. } 8·76 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

539.—AYSGARTH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 13·89	*114	—	—	—	—	35·16	2·40	0·81	4·26	4·93	5·10	9·14	10·27	26·57	60·73	157·72
Annual Death-Rate per 1000. Males ..	—	13·25	*123	—	—	—	—	38·67	0·39	1·16	3·83	2·92	3·08	6·45	11·45	30·72	64·75	149·21
Annual Death-Rate per 1000. Females	—	14·49	*105	—	—	—	—	31·36	4·49	0·43	4·67	6·70	6·87	11·94	9·00	22·83	56·62	166·67
Mean Population, 1891-1900. Persons	—	4,633	103	96	103	96	94	492	500	493	423	365	627	547	438	350	275	123
Mean Population, 1891-1900. Males ..	—	2,316	55	44	55	52	50	256	255	259	209	171	292	279	227	166	139	63
Mean Population, 1891-1900. Females	—	2,317	48	52	48	44	44	236	245	234	214	194	335	268	211	184	136	60
Deaths from All Causes, 1891-1900. Persons	17·40	806	131	24	8	7	3	173	12	4	18	18	32	50	45	93	167	194
Deaths from All Causes, 1891-1900. Males ..	17·44	404	74	15	5	5	—	99	1	3	8	5	9	18	26	51	90	94
Deaths from All Causes, 1891-1900. Females	17·35	402	57	9	3	2	3	74	11	1	10	13	23	32	19	42	77	100

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·06	0·13	—	3	3	—	1	—	2	—	—	3	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·11	0·09	0·13	5	2	3	—	2	1	—	1	4	1	—	—	—	—	—	—	—	—	—
Diphtheria	0·09	0·09	0·09	4	2	2	—	1	1	—	1	3	—	—	—	—	—	—	—	—	—	—
Whooping-cough ..	0·13	0·13	0·13	6	3	3	4	2	—	—	—	6	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·17	0·13	0·22	8	3	5	—	—	—	—	—	—	—	—	1	1	2	2	1	—	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·15	0·17	0·13	7	4	3	2	2	—	1	—	5	—	—	—	—	—	—	—	2	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·78	0·82	0·73	36	19	17	—	—	—	—	—	—	—	—	1	—	—	1	4	9	15	6
Tabes Mesenterica ..	0·15	0·13	0·17	7	3	4	3	—	1	1	—	5	—	—	—	1	1	—	—	—	—	—
Phthisis	1·06	1·04	1·08	49	24	25	—	—	—	—	—	—	1	—	5	4	9	15	7	2	4	2
Other Tub. & Scrof. Dis.	0·28	0·13	0·43	13	3	10	2	—	—	—	—	2	2	2	3	1	1	—	—	1	1	—
Diseases of Nervous System ..	2·35	2·54	2·16	109	59	50	24	5	—	—	—	29	2	1	2	1	2	4	2	13	29	24
Diseases of Circulatory " ..	2·05	1·90	2·20	95	44	51	—	—	—	1	—	1	1	—	—	3	—	—	4	19	38	29
Diseases of Respiratory " ..	2·37	2·63	2·12	110	61	49	16	6	3	3	1	29	2	1	—	2	3	8	8	14	23	20
Diseases of Digestive " ..	0·95	0·99	0·91	44	23	21	9	2	—	—	—	11	1	—	2	—	1	5	5	7	7	5
Diseases of Urinary " ..	0·41	0·48	0·35	19	11	8	—	—	—	—	—	—	—	—	1	1	2	3	1	4	4	3
Diseases of Generative " ..	0·02	—	0·04	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Puerperal Fever ..	0·06	—	0·13	3	—	3	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—
Childbirth	0·17	—	0·35	8	—	8	—	—	—	—	—	—	—	—	—	1	3	4	—	—	—	—
Violence	0·35	0·56	0·13	16	13	3	1	1	—	—	—	2	—	—	1	—	1	3	2	2	3	2
Other Causes ..	5·69	5·48	5·85	263	127	136	69	3	—	1	—	73	1	—	2	2	4	5	11	20	42	103

Marriages 295

Births .. { Males .. 604 / Females 544 } 1,148

Annual Rate per 1000 living { Persons Married .. 12·73 / Births .. .. .. 24·78 }

Annual Births to 1000 Females aged 15—45 years = 114.

Deaths from Childbirth and Puerperal Fever .. .. } 9·58 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

540.—REETH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 14·01			*78	—	—	—	—	23·32	2·31	2·61	2·61	2·62	7·86	10·19	12·01	41·01	61·59	166·67
Annual Death-Rate per 1000. Males	—			14·04			*84	—	—	—	—	25·66	1·94	3·50	2·22	1·74	5·33	9·66	12·67	56·00	59·70	159·26
Annual Death-Rate per 1000. Females	—			13·98			*73	—	—	—	—	21·12	2·70	1·83	3·01	3·51	10·00	10·70	11·39	28·21	63·10	171·11
Mean Population, 1891-1900. Persons	—			2,900			55	60	65	64	69	313	303	307	268	229	369	363	308	217	151	72
Mean Population, 1891-1900. Males	—			1,389			28	25	33	31	35	152	155	143	135	115	169	176	150	100	67	27
Mean Population, 1891-1900. Females	—			1,511			27	35	32	33	34	161	148	164	133	114	200	187	158	117	84	45
Deaths from All Causes, 1891-1900. Persons	17·45			506			51	10	5	5	2	73	7	8	7	6	29	37	37	89	93	120
Deaths from All Causes, 1891-1900. Males	16·99			236			28	6	2	3	—	39	3	5	3	2	9	17	19	56	40	43
Deaths from All Causes, 1891-1900. Females	17·87			270			23	4	3	2	2	34	4	3	4	4	20	20	18	33	53	77
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·07	0·14	—	2	2	—	1	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria	0·07	0·07	0·07	2	1	1	—	1	—	—	1	2	—	—	—	—	—	—	—	—	—	—
Whooping-cough	0·10	0·07	0·13	3	1	2	—	1	—	1	1	3	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·07	0·07	0·07	2	1	1	—	—	—	1	—	1	—	—	—	—	1	—	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·14	0·07	0·20	4	1	3	1	—	—	—	—	1	—	—	—	—	1	—	—	—	1	1
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·45	0·43	0·46	13	6	7	—	—	—	—	—	—	—	—	—	1	—	3	2	3	3	1
Tabes Mesenterica	0·10	—	0·20	3	—	3	2	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—
Phthisis	1·10	1·37	0·86	32	19	13	—	—	—	—	—	—	—	2	3	2	6	7	5	6	1	—
Other Tub. & Scrof. Dis.	0·72	0·72	0·73	21	10	11	—	1	2	2	—	5	2	3	1	1	2	3	1	3	—	—
Diseases of Nervous System	2·00	1·87	2·12	58	26	32	7	3	1	—	—	11	4	3	—	—	1	1	5	8	11	14
Diseases of Circulatory "	1·69	1·44	1·92	49	20	29	—	—	—	—	—	—	—	—	—	—	3	2	3	16	12	13
Diseases of Respiratory "	2·48	3·02	1·99	72	42	30	4	2	1	1	—	8	1	—	—	—	2	5	7	19	21	9
Diseases of Digestive "	0·83	0·65	0·99	24	9	15	—	1	—	—	—	1	—	—	1	—	1	6	2	6	4	3
Diseases of Urinary "	0·79	0·72	0·86	23	10	13	—	—	—	—	—	—	—	—	—	—	1	1	3	6	7	5
Diseases of Generative "	0·07	—	0·13	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	0·24	—	0·46	7	—	7	—	—	—	—	—	—	—	—	1	1	—	1	—	—	—	—
Violence	0·28	0·36	0·20	8	5	3	1	—	1	—	—	2	—	—	—	—	1	2	1	1	1	—
Other Causes	6·25	5·99	6·48	181	83	98	35	—	—	—	—	35	—	—	—	1	6	6	7	21	31	74

Marriages 158

Births .. { Males .. 335, Females 318 } 651

Annual Rate per 1000 living { Persons Married .. 10·90; Births .. .. 22·45 }

Annual Births to 1000 Females aged 15—45 years = 103.

Deaths from Childbirth and Puerperal Fever .. .. } 10·75 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

541.—RICHMOND.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		14·75	*116	—	—	—	—	37·24	2·93	2·20	4·27	5·19	6·24	8·73	13·96	22·57	64·17	164·54
Males ..	—					15·49	*137	—	—	—	—	42·57	3·22	1·99	4·17	5·05	5·91	10·00	13·90	26·37	67·02	168·61
Females	—					14·05	* 92	—	—	—	—	31·38	2·61	2·43	4·40	5 32	6·53	7·56	14·02	18·96	61·38	160·69
Mean Population, 1891–1900. Persons	—			12,222			264	251	272	272	265	1324	1367	1364	1334	1060	1651	1374	1067	824	575	282
Males ..	—			6,135			136	132	143	143	139	693	715	765	720	515	778	660	525	402	285	137
Females	—			6,087			128	119	129	129	126	631	652	659	614	545	873	714	542	422	290	145
Deaths from All Causes, 1891–1900. Persons	16·90			2,066			366	67	32	17	11	493	40	30	57	55	103	120	149	186	369	464
Males ..	17·95			1,101			231	36	14	8	6	295	23	14	30	26	46	66	73	106	191	231
Females	15·85			965			135	31	18	9	5	198	17	16	27	29	57	54	76	80	178	233
	Persons.	Males.	Females	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·09	0·08	0·10	11	5	6	3	4	1	1	1	10	—	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·09	0·08	0·10	11	5	6	1	—	1	2	—	4	5	—	—	—	1	—	1	—	—	—
Diphtheria	0·08	0·07	0·10	10	4	6	—	2	—	1	1	4	4	1	—	—	1	—	—	—	—	—
Whooping-cough ..	0·24	0·23	0·25	29	14	15	11	11	5	—	1	28	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·12	0·10	0·15	15	6	9	—	—	—	1	—	1	—	—	3	1	—	4	4	1	1	—
Simple Continued Fever	0·01	0·02	—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Diarrhœa & Dysentery	0·15	0·13	0·16	18	8	10	17	—	—	—	—	17	—	—	—	—	—	—	—	—	—	1
Cholera	0·05	0·03	0·07	6	2	4	5	—	—	—	—	5	—	—	—	—	—	—	—	—	1	—
Cancer	0·96	0·95	0·97	117	58	59	—	—	—	1	—	1	—	—	—	—	5	8	13	24	39	27
Tabes Mesenterica ..	0·13	0·15	0·12	16	9	7	7	—	1	—	—	8	—	1	1	1	3	—	1	—	—	1
Phthisis	1·34	1·29	1·40	164	79	85	4	1	1	1	—	7	1	6	20	23	27	32	27	11	7	3
Other Tub. & Scrof. Dis.	0·29	0·36	0·23	36	22	14	9	5	3	3	—	20	1	2	4	2	2	1	—	2	1	1
Diseases of Nervous System ..	2·18	2·36	1·99	266	145	121	56	6	2	1	2	67	2	2	4	3	3	7	15	32	64	66
Circulatory " ..	2·20	1·97	2·43	269	121	148	—	—	—	—	—	—	2	3	6	6	7	10	22	45	68	100
Respiratory " ..	2·86	3·37	2·33	349	207	142	59	18	9	1	2	89	6	2	—	2	14	20	15	25	79	97
Digestive " ..	1·15	1·29	1·00	140	79	61	38	10	2	—	1	51	6	2	3	—	4	6	16	8	21	23
Urinary " ..	0·74	1·01	0·46	90	62	28	1	1	1	1	—	4	1	1	1	1	2	6	7	9	23	35
Generative " ..	0·04	—	0·08	5	—	5	—	—	—	—	—	—	—	—	—	—	—	—	2	1	1	1
Puerperal Fever ..	0·07	—	0·13	8	—	8	—	—	—	—	—	—	—	—	—	3	4	1	—	—	—	—
Childbirth	0·08	—	0·16	10	—	10	—	—	—	—	—	—	—	—	—	2	6	2	—	—	—	—
Violence	0·52	0·70	0·33	63	43	20	4	1	3	2	2	12	3	2	7	1	6	8	4	8	6	6
Other Causes ..	3·51	3·76	3·29	432	231	201	151	8	3	2	1	165	8	6	8	10	17	15	22	20	58	103

Marriages 748

Births .. { Males .. 1,692 / Females 1,466 } 3,158

Annual Rate per 1000 living { Persons Married .. 12·24 / Births .. .. .. 25·84 }

Annual Births to 1000 Females aged 15—45 years = 115.

Deaths from Childbirth and Puerperal Fever .. .. } 5·70 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

542.—DARLINGTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		16·05	*139	—	—	—	—	49·51	3·98	2·54	4·18	5·08	5·86	7·68	12·83	28·08	59·24	149·13
Annual Death-Rate per 1000. Males	—					16·94	*155	—	—	—	—	54·91	3·73	2·32	4·48	5·61	5·62	7·44	13·95	29·59	68·17	159·93
Annual Death-Rate per 1000. Females	—					15·21	*123	—	—	—	—	44·18	4·21	2·76	3·91	4·63	6·07	7·91	11·72	26·63	51·78	141·30
Mean Population, 1891–1900. Persons	—			52,561			1265	1209	1217	1242	1213	6146	5988	5749	5642	5074	7976	5846	4645	3155	1705	635
Mean Population, 1891–1900. Males	—			25,471			623	606	600	614	609	3052	2947	2848	2700	2355	3774	2888	2316	1548	776	267
Mean Population, 1891–1900. Females	—			27,090			642	603	617	628	604	3094	3041	2901	2942	2719	4202	2958	2329	1607	929	368
Deaths from All Causes, 1891–1900. Persons	15·75			8,276			2087	536	218	112	90	3043	238	146	236	258	467	449	596	886	1010	947
Deaths from All Causes, 1891–1900. Males	16·76			4,269			1188	285	102	53	48	1676	110	66	121	132	212	215	323	458	529	427
Deaths from All Causes, 1891–1900. Females	14·79			4,007			899	251	116	59	42	1367	128	80	115	126	255	234	273	428	481	520
	Persons.	Males.	Females.	Persons.	Males.	Females	Persons.															
Small-pox	0·00	0·00	—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Measles	0·32	0·34	0·31	170	86	84	31	85	26	11	6	159	10	—	—	—	1	—	—	—	—	—
Scarlet Fever	0·12	0·10	0·14	63	25	38	1	5	17	11	7	41	11	6	1	1	2	1	—	—	—	—
Diphtheria	0·15	0·15	0·14	77	39	38	2	6	11	12	11	42	29	4	1	—	—	—	—	1	—	—
Whooping-cough	0·27	0·25	0·28	140	64	76	68	47	10	8	2	135	4	—	—	—	1	—	—	—	—	—
Typhus	0·00	—	0·00	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Enteric Fever	0·18	0·20	0·17	97	51	46	—	—	1	2	2	5	7	13	16	13	17	5	10	10	1	—
Simple Continued Fever	0·01	0·00	0·01	5	1	4	—	—	—	—	—	—	1	1	—	—	—	1	1	1	—	—
Diarrhœa & Dysentery	0·63	0·68	0·59	333	173	160	244	46	7	1	—	298	—	—	1	—	—	1	4	6	7	16
Cholera	0·01	0·01	0·01	5	3	2	2	2	—	—	—	4	—	—	—	—	1	—	—	—	—	—
Cancer	0·72	0·56	0·87	377	142	235	—	—	1	—	—	1	—	—	2	4	13	37	75	103	96	46
Tabes Mesenterica	0·22	0·23	0·21	114	58	56	41	22	9	5	2	79	10	8	4	5	6	1	1	—	—	—
Phthisis	1·16	1·23	1·10	612	314	298	8	2	2	1	2	15	9	14	76	113	156	107	65	42	14	1
Other Tub. & Scrof. Dis.	0·51	0·51	0·52	269	129	140	55	43	31	15	10	154	36	21	24	8	13	6	6	—	1	—
Diseases of Nervous System	2·04	2·22	1·88	1074	566	508	340	57	12	10	6	425	27	9	11	12	20	36	65	146	195	128
Diseases of Circulatory "	1·60	1·59	1·61	841	406	435	7	—	—	2	2	11	3	19	24	20	40	56	114	183	224	147
Diseases of Respiratory "	2·39	2·74	2·06	1255	698	557	336	145	59	18	20	578	36	10	10	12	26	47	77	156	168	155
Diseases of Digestive "	1·26	1·31	1·22	663	333	330	242	36	10	3	5	296	12	15	13	15	32	36	53	88	63	40
Diseases of Urinary "	0·45	0·53	0·37	235	135	100	3	3	3	2	2	13	10	3	7	11	20	15	26	42	52	36
Diseases of Generative "	0·02	—	0·04	10	—	10	—	—	—	—	—	—	—	—	2	—	4	—	—	4	—	—
Puerperal Fever	0·07	—	0·13	36	—	36	—	—	—	—	—	—	—	—	2	5	19	10	—	—	—	—
Childbirth	0·10	—	0·18	50	—	50	—	—	—	—	—	—	—	—	4	6	23	16	1	—	—	—
Violence	0·51	0·78	0·27	270	198	72	17	7	7	7	8	46	17	12	18	12	29	23	35	31	26	21
Other Causes	3·01	3·33	2·68	1578	847	731	690	30	12	4	5	741	16	10	20	21	43	51	63	93	163	357

Marriages 4,056

Births .. { Males .. 7,656 / Females 7,327 } 14,983

Annual Rate per 1000 living { Persons Married .. 15·43 / Births .. .. .. 28·51 }

Annual Births to 1000 Females aged 15—45 years = 117.

Deaths from Childbirth and Puerperal Fever .. .. } 5·74 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

543A.—STOCKTON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 18·79			*158	—	—	—	—	59·77	4·58	2·86	4·28	5·34	6·35	10·37	17·30	34·01	35·40	153·09
Annual Death-Rate per 1000. Males	—			19·25			*171	—	—	—	—	63·94	4·48	2·62	4 45	4·68	6·04	10·73	18·83	34·06	68·25	163·23
Annual Death-Rate per 1000. Females	—			18·35			*146	—	—	—	—	55·71	4·68	3·09	4·11	6·05	6·69	9·96	15·44	33·95	62·61	145·42
Mean Population, 1891-1900. Persons	—			63,790			1826	1695	1636	1676	1579	8412	7664	6988	6683	6181	10061	7413	5221	3117	1532	518
Mean Population, 1891-1900. Males	—			32,622			905	830	799	830	787	4151	3821	3432	3327	3207	5261	3979	2812	1650	759	223
Mean Population, 1891-1900. Females	—			31,168			921	865	837	846	792	4261	3843	3556	3356	2974	4800	3434	2409	1467	773	295
Deaths from All Causes, 1891-1900. Persons	17·81			11,361			3320	991	365	193	159	5028	351	200	286	330	639	769	903	1060	1002	793
Deaths from All Causes, 1891-1900. Males	18·19			5,933			1794	504	183	96	77	2654	171	90	148	150	318	427	531	562	518	364
Deaths from All Causes, 1891-1900. Females	17·42			5,428			1526	487	182	97	82	2374	180	110	138	180	321	342	372	498	484	429
	Persons.	Males.	Females	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·01	0·01	0·01	6	2	4	—	—	—	—	—	—	1	—	1	1	1	1	1	—	—	—
Measles	0·44	0·45	0·42	278	147	131	52	135	50	18	9	264	12	1	—	—	—	1	—	—	—	—
Scarlet Fever	0·15	0·14	0·16	98	47	51	1	9	23	10	15	58	28	8	3	1	—	—	—	—	—	—
Diphtheria	0·19	0·19	0·19	121	61	60	11	21	18	17	14	81	33	1	2	—	1	—	2	1	—	—
Whooping-cough	0·38	0·31	0·46	244	100	144	100	75	28	21	11	235	7	1	—	—	1	—	—	—	—	—
Typhus	0·00	0·00	0·01	3	1	2	—	—	—	—	—	—	1	—	1	—	—	—	1	—	—	—
Enteric Fever	0·29	0·32	0·26	185	104	81	—	—	3	5	7	15	15	20	42	27	33	14	14	3	2	—
Simple Continued Fever	0·02	0·02	0·02	12	6	6	1	2	2	—	1	6	3	—	2	—	—	—	—	1	—	—
Diarrhœa & Dysentery	0·87	0·81	0·92	552	265	287	370	106	13	1	3	493	5	1	1	—	—	5	5	10	16	16
Cholera	0·01	0·01	0·01	4	2	2	1	—	—	—	—	1	—	—	—	1	1	—	1	—	—	—
Cancer	0·62	0·43	0·83	397	139	258	2	—	1	—	—	3	—	—	1	5	14	42	90	128	73	41
Tabes Mesenterica	0·34	0·36	0·32	216	116	100	120	44	16	5	3	188	12	8	1	1	3	—	2	1	—	—
Phthisis	1·25	1·31	1·19	799	427	372	15	12	4	6	1	38	22	33	82	110	204	158	106	39	6	1
Other Tub. & Scrof. Dis.	0·59	0·62	0·57	384	207	177	112	65	35	13	8	233	39	22	24	17	20	16	7	3	3	—
Diseases of Nervous System	2·35	2·36	2·34	1501	771	730	651	107	46	22	23	849	40	18	16	9	29	46	94	151	143	106
Diseases of Circulatory "	1·49	1·47	1·52	953	479	474	9	4	—	1	6	20	11	16	13	18	50	107	166	213	231	108
Diseases of Respiratory "	2·96	3·24	2·67	1891	1058	833	504	256	76	41	24	901	41	15	27	43	76	109	155	216	196	112
Diseases of Digestive "	1·11	1·10	1·12	709	360	349	236	75	14	6	3	334	12	12	16	19	31	53	67	79	61	25
Diseases of Urinary "	0·32	0·35	0·28	202	114	88	3	8	5	1	2	19	9	7	5	2	21	26	31	40	30	12
Diseases of Generative "	0·03	—	0·06	20	—	20	—	—	—	1	—	1	—	—	—	—	5	2	8	1	3	—
Puerperal Fever	0·05	—	0·11	35	—	35	—	—	—	—	—	—	—	—	1	8	14	10	2	—	—	—
Childbirth	0·09	—	0·19	60	—	60	—	—	—	—	—	—	—	—	1	14	26	18	1	—	—	—
Violence	0·71	1·01	0·40	454	330	124	42	7	15	14	16	94	40	17	21	24	49	66	59	44	25	15
OTHER CAUSES	3·54	3·68	3·36	2237	1197	1040	1090	65	16	11	13	1195	20	20	26	30	60	95	91	130	213	357

Marriages .. .. .. 6,140†

Births .. { Males .. 10,515 / Females 10,461 } 20,976

Annual Rate per 1000 living { Persons Married .. 14·58† / Births .. .. .. 32·88

Annual Births to 1000 Females aged 15—45 years = 144.

Deaths from Childbirth and Puerperal Fever .. .. } 4·53 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

† The marriages and marriage rate refer to the combined districts of Stockton and Sedgefield (543B).

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

543B.—SEDGEFIELD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 25·54			*170	—	—	—	—	65·53	3·57	2·53	6·69	8·47	13·90	23·37	32·96	44·23	84·64	192·86
Annual Death-Rate per 1000. Males ..	—			27·93			*185	—	—	—	—	71·44	3·41	2·07	6·87	8·47	14·90	27·08	38·90	50 00	98·71	204·04
Annual Death-Rate per 1000. Females	—			23·30			*154	—	—	—	—	59·69	3·74	2·98	6·49	8·47	12·82	19·06	26·37	37·78	71·34	182·88
Mean Population, 1891–1900. Persons	—			20,457			640	540	549	531	551	2811	2436	2251	2032	1794	3044	2349	1766	1126	638	210
Mean Population, 1891–1900. Males ..	—			10,463			324	268	281	265	259	1397	1233	1110	1062	897	1570	1263	928	594	310	99
Mean Population, 1891–1900. Females	—			9,994			316	272	268	266	292	1414	1203	1141	970	897	1474	1086	838	532	328	111
Deaths from All Causes, 1891–1900. Persons	25·77			5,271			1287	338	117	66	34	1842	87	57	136	152	423	549	582	498	540	405
Deaths from All Causes, 1891–1900. Males ..	28·23			2,954			715	190	51	29	13	998	42	23	73	76	234	342	361	297	306	202
Deaths from All Causes, 1891–1900. Females	23·18			2,317			572	148	66	37	21	844	45	34	63	76	189	207	221	201	234	203
	Persons.	Males.	Females	Persons.	Males.	Females.	PERSONS.															
Small-pox..	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Measles	0·42	0·41	0·43	86	43	43	17	39	16	6	4	82	3	—	—	—	1	—	—	—	—	—
Scarlet Fever	0·20	0·16	0·24	41	17	24	4	5	10	7	4	30	8	1	1	—	1	—	—	—	—	—
Diphtheria	0·09	0·07	0·11	18	7	11	—	1	4	6	2	13	4	1	—	—	—	—	—	—	—	—
Whooping-cough ..	0·29	0·25	0·33	59	26	33	31	18	5	2	1	57	1	1	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·33	0·37	0·28	67	39	28	—	—	4	1	1	6	6	7	22	8	9	3	4	2	—	—
Simple Continued Fever	0·03	0·02	0·05	7	2	5	—	1	—	1	—	2	1	—	—	1	2	—	—	—	1	—
Diarrhœa & Dysentery	0·60	0·60	0·59	122	63	59	67	32	4	1	—	104	1	—	—	—	1	—	3	—	6	7
Cholera	0·01	0·01	0·01	2	1	1	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Cancer	0·55	0·44	0·66	112	46	66	—	—	—	—	—	—	—	1	—	—	1	11	27	31	28	13
Tabes Mesenterica ..	0·60	0·52	0·69	123	54	69	53	35	8	4	1	101	5	1	1	2	4	4	3	2	—	—
Phthisis	2·72	2·60	2·85	557	272	285	4	6	4	1	—	15	5	14	52	58	154	130	78	40	9	2
Other Tub. & Scrof. Dis.	0·62	0·64	0·60	127	67	60	38	16	3	5	4	66	11	3	7	6	15	5	5	6	3	—
Diseases of Nervous System ..	4·92	6·25	3·53	1007	654	353	247	48	18	5	5	323	5	7	11	17	93	161	162	99	90	39
Diseases of Circulatory „ ..	2·57	2·63	2·50	525	275	250	3	—	—	—	1	4	2	3	8	6	20	52	82	123	151	74
Diseases of Respiratory „ ..	4·65	5·49	3·76	951	575	376	180	92	31	19	6	328	11	3	11	21	60	109	125	115	112	56
Diseases of Digestive „ ..	1·35	1·41	1·29	277	148	129	86	33	5	3	2	129	8	3	7	7	15	17	22	26	29	14
Diseases of Urinary „ ..	0·36	0·37	0·35	74	39	35	2	—	—	—	1	3	2	1	1	2	1	9	11	18	17	9
Diseases of Generative „ ..	0·02	—	0·04	4	—	4	—	—	—	—	—	—	—	—	—	—	—	—	3	1	—	—
Puerperal Fever ..	0·08	—	0·16	16	—	16	—	—	—	—	—	—	—	—	—	5	6	5	—	—	—	—
Childbirth	0·11	—	0·23	23	—	23	—	—	—	—	—	—	—	—	—	4	11	6	2	—	—	—
Violence	0·59	0·94	0·22	120	98	22	7	5	2	3	1	18	11	6	9	6	12	14	25	9	6	4
OTHER CAUSES ..	4·66	5·04	4·26	952	527	425	546	7	3	2	1	559	3	5	6	9	17	23	29	26	88	187

Marriages .. .. .. 6,140†

Births .. { Males .. 3,855 / Females 3,722 } 7,577

Annual Rate per 1000 living { Persons Married .. 14·58† / Births .. .. .. 37·04

Annual Births to 1000 Females aged 15—45 years = 171.

Deaths from Childbirth and Puerperal Fever .. .. } 5·15 per 1000 Births.

* The death-rates under one year of age are per 1000 Births. † The marriages and marriage-rate refer to the combined districts of Sedgefield and Stockton (543A).

NOTE. On 1st January 1896, Sedgefield Poor Law Union was constituted a separate registration district, named SEDGEFIELD (543B). Except for the marriages and the marriage-rate, the figures are shown as if the change had taken place at the beginning of the decennium.

544.—HARTLEPOOL.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 18·42			*149	—	—	—	—	57·91	4·38	2·31	3·92	4·70	6·00	10·24	16·56	32·37	72·26	157·81
Annual Death-Rate per 1000. Males	—			19·18			*164	—	—	—	—	62·36	4·15	2·21	4·29	4·71	5·58	9·90	17·68	35·57	79·47	168·51
Annual Death-Rate per 1000. Females	—			17·71			*134	—	—	—	—	53·45	4·62	2·40	3·55	4·70	6·45	10·64	15·26	28·91	65·34	149·50
Mean Population, 1891–1900. Persons	—			76,463			2385	2154	2091	2024	1991	10645	9313	8320	8003	7570	12385	8688	5886	3435	1680	538
Mean Population, 1891–1900. Males	—			39,299			1220	1080	1033	1014	972	5319	4679	4199	4055	3930	6428	4667	3179	1785	823	235
Mean Population, 1891–1900. Females	—			37,164			1165	1074	1058	1010	1019	5326	4634	4121	3948	3640	5957	4021	2707	1650	857	303
Deaths from All Causes, 1891–1900. Persons	17·29			13,217			4018	1276	459	241	170	6164	408	192	314	356	743	890	975	1112	1214	849
Deaths from All Causes, 1891–1900. Males	17·89			7,031			2248	648	218	125	78	3317	194	93	174	185	359	462	562	635	654	396
Deaths from All Causes, 1891–1900. Females	16·65			6,186			1770	628	241	116	92	2847	214	99	140	171	384	428	413	477	560	453
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	0·01	7	2	5	—	1	—	—	2	3	—	—	2	—	—	1	1	—	—	—
Measles	0·38	0·36	0·40	289	140	149	46	129	51	22	11	259	28	1	—	—	1	—	—	—	—	—
Scarlet Fever	0·08	0·08	0·09	64	32	32	2	12	7	11	14	46	12	2	4	—	—	—	—	—	—	—
Diphtheria	0·16	0·15	0·16	120	60	60	7	14	16	15	18	70	42	5	1	—	1	1	—	—	—	—
Whooping-cough	0·43	0·35	0·52	328	136	192	156	96	36	20	11	319	9	—	—	—	—	—	—	—	—	—
Typhus	0·00	—	0·00	1	—	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·15	0·15	0·14	111	58	53	—	—	2	1	4	7	9	11	20	9	22	11	13	7	1	1
Simple Continued Fever	0·01	0·00	0·01	4	1	3	—	1	1	—	—	2	1	—	—	—	—	1	—	—	—	—
Diarrhœa & Dysentery	0·84	0·90	0·77	641	355	286	438	121	14	6	3	582	4	1	—	1	4	3	7	10	10	19
Cholera	0·02	0·01	0·02	12	5	7	6	—	—	—	—	6	2	—	1	1	—	—	—	2	—	—
Cancer	0·62	0·51	0·73	472	200	272	1	—	2	—	1	4	4	1	3	4	16	57	117	126	94	46
Tabes Mesenterica	0·36	0·38	0·33	273	150	123	100	71	26	7	3	207	19	13	7	8	3	9	2	3	2	—
Phthisis	1·32	1·34	1·30	1010	528	482	5	9	7	4	5	30	28	36	95	144	250	206	134	57	27	3
Other Tub. & Scrof. Dis.	0·57	0·54	0·60	435	211	224	113	86	45	17	19	280	39	22	24	11	16	15	15	11	2	—
Diseases of Nervous System	2·22	2·32	2·11	1696	913	783	663	135	44	32	17	891	36	23	21	4	38	73	107	185	224	94
Diseases of Circulatory "	1·33	1·42	1·24	1018	559	459	2	—	1	2	1	6	19	17	21	19	67	119	159	215	261	115
Diseases of Respiratory "	3·06	3·33	2·78	2341	1310	1031	661	367	126	48	31	1233	65	10	25	36	89	117	158	199	251	158
Diseases of Digestive "	1·26	1·21	1·31	962	476	486	408	115	27	14	9	573	30	12	18	16	37	46	69	75	61	25
Diseases of Urinary "	0·30	0·32	0·29	232	126	106	3	5	4	3	—	15	3	2	8	7	13	28	43	47	43	23
Diseases of Generative "	0·03	0·00	0·07	26	1	25	—	1	—	—	—	1	—	—	1	3	6	8	3	—	2	2
Puerperal Fever	0·05	—	0·11	41	—	41	—	—	—	—	—	—	—	—	—	9	17	14	1	—	—	—
Childbirth	0·11	—	0·22	81	—	81	—	—	—	—	—	—	—	—	2	24	37	17	1	—	—	—
Violence	0·64	0·95	0·31	488	374	114	35	17	17	24	12	105	24	13	38	29	54	66	58	49	38	14
OTHER CAUSES	3·34	3·56	3·13	2565	1394	1171	1372	96	32	15	9	1524	34	23	23	31	72	98	87	126	198	349

Marriages 5,934

Births .. { Males .. 13,703 / Females 13,190 } 26,893

Annual Rate per 1000 living { Persons Married .. 15·52 / Births .. 35·17

Annual Births to 1000 Females aged 15—45 years = 153.

Deaths from Childbirth and Puerperal Fever .. .. } 4·54 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

545.—AUCKLAND.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.	18·95		*174	—	—	—	—	64·28	4·33	2·60	4·94	6·08	6·42	8·50	13·39	31·13	69·93	156·30
Annual Death-Rate per 1000. Males	—				18·75		*186	—	—	—	—	70·30	4·05	2·33	4·88	5·52	5·47	7·04	12·64	30·98	70·31	151·43
Annual Death-Rate per 1000. Females	—				19·13		*162	—	—	—	—	58·38	4·61	2·87	5·01	6·66	7·45	10·11	14·26	31·29	69·53	161·07
Mean Population, 1891–1900. Persons	—			91,524			2861	2496	2494	2497	2452	12800	11751	10502	9594	8509	13539	9896	7117	4610	2428	778
Mean Population, 1891–1900. Males	—			46,864			1404	1260	1222	1253	1195	6334	5870	5242	4943	4351	7039	5186	3814	2437	1263	385
Mean Population, 1891–1900. Females	—			44,660			1457	1236	1272	1244	1257	6466	5881	5260	4651	4158	6500	4710	3303	2173	1165	393
Deaths from All Causes, 1891–1900. Persons	18·59			17,013			5780	1491	491	276	190	8228	509	273	474	517	869	841	953	1435	1698	1216
Deaths from All Causes, 1891–1900. Males	18·68			8,752			3152	815	253	137	96	4453	238	122	241	240	385	365	482	755	888	583
Deaths from All Causes, 1891–1900. Females	18·50			8,261			2628	676	238	139	94	3775	271	151	233	277	484	476	471	680	810	633
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·00	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Measles	0·50	0·50	0·50	456	235	221	134	186	71	30	14	435	21	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·18	0·16	0·19	163	77	86	15	26	24	26	19	110	43	8	1	—	—	—	1	—	—	—
Diphtheria	0·15	0·14	0·16	136	65	71	6	14	14	29	18	81	40	10	2	—	—	1	1	1	—	—
Whooping-cough	0·35	0·33	0·38	324	155	169	165	99	34	13	3	314	10	—	—	—	—	—	—	—	—	—
Typhus	0·00	0·00	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Enteric Fever	0·46	0·46	0·47	424	215	209	1	2	4	9	8	24	41	32	85	69	89	39	27	13	5	—
Simple Continued Fever	0·01	0·01	0·00	7	5	2	1	—	3	1	—	5	2	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·72	0·73	0·71	661	343	318	432	110	13	4	3	562	7	1	1	1	10	2	6	22	24	25
Cholera	0·02	0·01	0·02	15	7	8	6	2	—	—	—	8	1	—	—	—	—	1	—	3	2	—
Cancer	0·54	0·43	0·65	490	201	289	1	1	—	—	—	2	—	3	4	3	18	54	119	142	108	37
Tabes Mesenterica	0·29	0·31	0·28	269	143	126	117	63	13	11	5	209	10	8	6	6	13	12	3	2	—	—
Phthisis	1·16	1·05	1·28	1064	492	572	5	8	3	2	6	24	31	50	143	175	271	195	107	54	13	1
Other Tub. & Scrof. Dis.	0·41	0·41	0·41	372	191	181	88	53	34	14	19	208	48	34	14	22	17	10	8	6	5	—
Diseases of Nervous System	2·50	2·60	2·40	2290	1217	1073	1071	143	51	22	20	1307	60	14	25	30	45	61	103	220	277	148
Diseases of Circulatory	1·39	1·33	1·45	1269	621	648	20	5	1	2	1	29	18	31	31	33	84	116	171	299	324	133
Diseases of Respiratory	3·24	3·41	3·05	2961	1598	1363	1063	494	151	72	49	1829	77	15	16	29	48	60	124	256	325	182
Diseases of Digestive	1·55	1·53	1·57	1419	718	701	662	188	32	16	7	905	23	15	11	29	43	58	78	121	107	29
Diseases of Urinary	0·25	0·29	0·22	232	136	96	4	10	1	3	2	20	10	5	8	11	10	20	26	47	49	26
Diseases of Generative	0·03	0·00	0·05	25	2	23	1	—	1	—	—	2	—	—	—	1	5	6	5	3	2	1
Puerperal Fever	0·09	—	0·19	83	—	83	—	—	—	—	—	—	—	—	8	20	32	23	—	—	—	—
Childbirth	0·12	—	0·24	106	—	106	—	—	—	—	—	—	—	—	8	19	40	38	1	—	—	—
Violence	0·60	0·92	0·26	549	432	117	28	18	15	8	7	76	34	19	61	26	69	58	66	68	43	29
Other Causes	4·03	4·06	4·02	3696	1897	1799	1960	69	26	14	9	2078	33	28	50	43	75	86	107	177	414	605

Marriages 7,355

Births .. { Males .. 16,933 / Females 16,269 } 33,202

Annual Rate per 1000 living { Persons Married .. 16·07 / Births .. .. .. 36·28 }

Annual Births to 1000 Females aged 15—45 years = 166.

Deaths from Childbirth and Puerperal Fever .. .. } 5·69 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

546.—TEESDALE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 15·47			*129	—	—	—	—	42·60	3·63	1·55	4·48	5·23	6·29	9·51	13·17	29·25	60·29	145·65
Males	—			16·42			*148	—	—	—	—	47·96	3·57	1·71	3·78	5·48	6·16	9·49	15·43	31·82	64·63	162·13
Females	—			14·57			*111	—	—	—	—	37·38	3·68	1·38	5·15	5·02	6·40	9·52	10·93	26·61	56·16	131·66
Mean Population, 1891–1900. Persons	—			20,686			475	469	480	468	486	2378	2234	2316	2145	1816	3006	2324	1807	1388	904	368
Males	—			10,256			237	236	225	237	239	1174	1147	1231	1057	840	1444	1148	901	704	441	169
Females	—			10,430			238	233	255	231	247	1204	1087	1085	1088	976	1562	1176	906	684	463	199
Deaths from All Causes, 1891–1900. Persons	16·71			3,456			758	153	50	35	17	1013	81	36	96	95	189	221	238	406	545	536
Males	17·85			1,831			435	87	25	11	5	563	41	21	40	46	89	109	139	224	285	274
Females	15·58			1,625			323	66	25	24	12	450	40	15	56	49	100	112	99	182	260	262
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·02	—	2	2	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—
Measles	0·14	0·12	0·15	28	12	16	6	9	4	2	1	22	5	—	—	—	—	—	—	—	1	—
Scarlet Fever	0·09	0·09	0·09	18	9	9	1	1	2	4	1	9	8	—	—	—	1	—	—	—	—	—
Diphtheria	0·09	0·04	0·14	19	4	15	2	2	1	6	2	13	6	—	—	—	—	—	—	—	—	—
Whooping-cough	0·26	0·20	0·32	53	20	33	40	7	5	1	—	53	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·12	0·15	0·09	24	15	9	—	—	—	—	—	—	1	1	8	1	8	1	1	2	1	—
Simple Continued Fever	0·01	0·01	0·01	2	1	1	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
Diarrhœa & Dysentery	0·20	0·20	0·20	42	21	21	24	5	1	1	—	31	—	—	—	—	—	—	—	1	5	5
Cholera	0·01	0·02	—	2	2	—	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Cancer	0·70	0·54	0·86	145	55	90	—	—	—	—	—	—	—	—	—	—	2	15	25	39	49	15
Tabes Mesenterica	0·14	0·12	0·15	28	12	16	15	2	3	—	—	20	2	1	1	—	3	—	1	—	—	—
Phthisis	1·18	1·08	1·27	243	111	132	2	1	—	1	1	5	5	5	34	28	51	58	30	21	6	—
Other Tub. & Scrof. Dis.	0·47	0·60	0·35	98	62	36	21	20	4	1	2	48	16	8	5	6	7	2	1	1	4	—
Diseases of: Nervous System	2·17	2·31	2·03	449	237	212	120	26	5	3	1	155	11	3	6	9	9	16	24	53	77	86
Circulatory "	2·34	2·46	2·22	483	252	231	4	1	—	—	—	5	2	2	6	5	7	23	41	113	157	122
Respiratory "	2·39	2·90	1·90	495	297	198	116	39	14	6	5	180	9	1	9	7	20	16	33	58	80	82
Digestive "	1·29	1·36	1·23	267	139	128	67	17	5	2	3	94	3	5	6	6	17	20	21	31	43	21
Urinary "	0·40	0·43	0·37	83	44	39	—	—	—	1	—	1	—	1	1	4	9	9	8	13	19	18
Generative "	0·03	0·03	0·04	7	3	4	—	1	—	—	—	1	—	—	—	—	1	2	1	2	—	—
Puerperal Fever	0·06	—	0·12	12	—	12	—	—	—	—	—	—	—	—	1	2	5	4	—	—	—	—
Childbirth	0·11	—	0·21	22	—	22	—	—	—	—	—	—	—	—	1	3	10	8	—	—	—	—
Violence	0·63	1·03	0·24	131	106	25	5	4	4	6	—	19	5	4	6	14	13	15	16	17	15	7
Other Causes	3·87	4·14	3·59	803	427	376	333	18	2	1	1	355	8	5	12	9	25	31	35	55	88	180

Marriages 1,619

Births .. { Males .. 2,944 / Females 2,914 } 5,858

Annual Rate per 1000 living { Persons Married .. 15·65 / Births .. .. 28·32 }

Annual Births to 1000 Females aged 15–45 years = 122.

Deaths from Childbirth and Puerperal Fever .. .. } 5·80 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

547.—WEARDALE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		16·95	*125	—	—	—	—	42·08	4·10	2·94	5·13	6·58	6·98	9·36	12·92	30·89	80·22	166·50
Annual Death-Rate per 1000. Males	—					16·76	*139	—	—	—	—	46·13	4·50	2·53	4·95	4·91	4·73	8·38	13·95	34·00	85·82	161·80
Annual Death-Rate per 1000. Females	—					17·13	*110	—	—	—	—	38·00	3·72	3·35	5·30	8·15	9·15	10·45	11·81	27·81	75·00	170·37
Mean Population, 1891–1900. Persons	—			15,983			401	379	386	352	388	1906	1854	1733	1638	1384	2365	1892	1463	1010	541	197
Mean Population, 1891–1900. Males	—			7,994			204	185	202	183	182	956	912	868	808	672	1163	1002	760	503	261	89
Mean Population, 1891–1900. Females	—			7,989			197	194	184	169	206	950	942	865	830	712	1202	890	703	507	280	108
Deaths from All Causes, 1891–1900. Persons	16·95			2,709			585	114	45	30	28	802	76	51	84	91	165	177	189	312	434	328
Deaths from All Causes, 1891–1900. Males	17·03			1,361			337	58	20	17	9	441	41	22	40	33	55	84	106	171	224	144
Deaths from All Causes, 1891–1900. Females	16·87			1,348			248	56	25	13	19	361	35	29	44	58	110	93	83	141	210	184
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·16	0·16	0·16	26	13	13	7	6	6	1	—	20	3	2	1	—	—	—	—	—	—	—
Scarlet Fever	0·07	0·06	0·08	11	5	6	—	3	1	1	—	5	2	2	—	1	1	—	—	—	—	—
Diphtheria	0·16	0·14	0·19	26	11	15	1	4	2	5	4	16	8	1	—	1	—	—	—	—	—	—
Whooping-cough	0·27	0·21	0·33	43	17	26	25	12	1	1	1	40	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·16	0·18	0·15	26	14	12	—	—	1	2	—	3	3	3	3	4	3	3	2	2	—	—
Simple Continued Fever	0·01	0·01	—	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·21	0·25	0·18	34	20	14	15	2	—	—	—	17	—	—	—	—	1	3	2	2	2	7
Cholera	0·04	0·06	0·01	6	5	1	5	—	—	1	—	6	—	—	—	—	—	—	—	—	—	—
Cancer	0·68	0·60	0·75	108	48	60	—	—	—	1	—	1	—	—	1	1	3	10	11	34	36	11
Tabes Mesenterica	0·30	0·20	0·40	48	16	32	23	5	3	—	3	34	3	2	4	1	3	—	1	—	—	—
Phthisis	1·58	1·40	1·75	252	112	140	3	—	—	1	—	4	2	7	25	31	64	36	36	35	11	1
Other Tub. & Scrof. Dis.	0·44	0·40	0·48	70	32	38	7	10	4	2	3	26	14	6	8	5	6	3	1	—	1	—
Diseases of Nervous System	2·20	2·14	2·25	351	171	180	96	11	7	5	5	124	2	4	3	5	14	18	22	49	66	44
Diseases of Circulatory „	2·03	2·04	2·02	324	163	161	—	—	—	—	2	2	3	5	6	4	13	25	30	71	111	54
Diseases of Respiratory „	2·95	3·28	2·63	472	262	210	129	44	12	2	8	195	16	3	2	5	9	14	24	48	82	74
Diseases of Digestive „	1·11	1·14	1·09	178	91	87	34	8	—	2	—	44	4	3	9	9	4	10	18	26	34	17
Diseases of Urinary „	0·46	0·56	0·35	73	45	28	—	1	1	1	1	4	1	1	2	2	4	6	6	13	23	11
Diseases of Generative „	0·03	—	0·05	4	—	4	—	—	—	—	—	—	—	—	—	—	—	2	1	1	—	—
Puerperal Fever	0·06	—	0·11	9	—	9	—	—	—	—	—	—	—	—	—	1	5	3	—	—	—	—
Childbirth	0·14	—	0·29	23	—	23	—	—	—	—	—	—	—	—	1	3	8	10	1	—	—	—
Violence	0·62	0·90	0·34	99	72	27	4	1	3	2	—	10	6	4	8	7	5	13	16	8	9	13
OTHER CAUSES	3·27	3·30	3·26	525	263	262	236	7	4	3	1	251	5	8	11	11	22	21	18	23	59	96

Marriages 1,185

Births .. { Males .. 2,419 / Females 2,262 } 4,681

Annual Rate per 1000 living { Persons Married .. 14·83 / Births .. .. 29·29

Annual Births to 1000 Females aged 15—45 years = 129.

Deaths from Childbirth and Puerperal Fever .. .. } 6·84 per 1000 Births.

* The death-rates under one year of age are per 1000 Births

548.—LANCHESTER.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 1923			*168	—	—	—	—	63·31	4·71	2·94	4·73	6·31	6·52	8·90	14·73	31·16	72·58	158·37
Annual Death-Rate per 1000. Males	—			In Standard Population. 1903			*182	—	—	—	—	68·20	4·76	3·09	4·58	5·82	5·58	7·93	13·59	31·46	73·67	154·05
Annual Death-Rate per 1000. Females	—			In Standard Population. 1901			*153	—	—	—	—	58·45	4·66	2·78	4·89	6·91	7·67	10·08	16·18	30·80	71·36	162·75
Mean Population, 1891–1900. Persons	—			73,551			2285	1973	1988	1986	1898	10130	9016	8444	8041	7285	11237	7911	5736	3556	1681	514
Mean Population, 1891–1900. Males	—			38,701			1157	957	1012	965	956	5047	4450	4278	4195	3971	6151	4340	3202	1923	885	259
Mean Population, 1891–1900. Females	—			34,850			1128	1016	976	1021	942	5083	4566	4166	3846	3314	5086	3571	2534	1633	796	255
Deaths from All Causes, 1891–1900. Persons	18·15			13,350			4475	1149	396	230	163	6413	425	248	380	460	733	704	845	1108	1220	814
Deaths from All Causes, 1891–1900. Males	18·05			6,987			2467	599	183	114	79	3442	212	132	192	231	343	344	435	605	652	399
Deaths from All Causes, 1891–1900. Females	18·26			6,363			2008	550	213	116	84	2971	213	116	188	229	390	360	410	503	568	415
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·01	0·01	0·01	10	5	5	—	—	1	—	—	1	—	—	—	2	4	2	—	1	—	—
Measles	0·42	0·46	0·39	312	177	135	86	124	42	29	13	294	15	1	—	1	1	—	—	—	—	—
Scarlet Fever	0·27	0·24	0·30	200	94	106	19	34	34	29	21	137	44	10	5	2	1	—	1	—	—	—
Diphtheria	0·18	0·17	0·19	134	67	67	8	24	28	20	12	92	37	3	2	—	—	—	—	—	—	—
Whooping-cough	0·36	0·32	0·41	268	125	143	146	71	31	13	3	264	4	—	—	—	—	—	—	—	—	—
Typhus	0·00	—	0·01	2	—	2	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	—
Enteric Fever	0·24	0·24	0·24	176	92	84	—	2	3	4	—	9	9	16	29	30	39	18	15	8	2	1
Simple Continued Fever	0·01	0·01	0·01	6	4	2	1	—	—	—	—	1	—	—	—	—	—	1	2	1	1	—
Diarrhœa & Dysentery	0·54	0·49	0·60	400	191	209	280	64	4	1	—	349	3	—	—	—	2	2	2	7	16	19
Cholera	0·02	0·04	0·01	18	14	4	7	—	—	—	1	8	1	1	—	—	—	1	2	3	2	—
Cancer	0·45	0·33	0·58	330	127	203	—	—	1	1	—	2	1	—	2	6	5	41	77	109	66	21
Tabes Mesenterica	0·35	0·32	0·38	255	124	131	134	58	10	7	5	214	7	7	11	1	9	4	1	—	1	—
Phthisis	1·34	1·24	1·44	984	481	503	11	15	7	9	5	47	38	45	147	174	242	153	94	37	7	—
Other Tub. & Scrof. Dis.	0·62	0·60	0·64	455	232	223	126	72	37	23	23	281	58	33	24	23	16	10	5	3	2	—
Diseases of: Nervous System	2·11	2·09	2·14	1551	807	744	620	110	39	16	18	803	55	23	13	11	36	55	91	164	201	99
Diseases of: Circulatory	1·34	1·29	1·39	986	500	486	14	2	2	1	—	19	25	25	18	21	59	95	161	234	241	88
Diseases of: Respiratory	3·39	3·66	3·08	2489	1417	1072	873	354	110	48	35	1420	71	13	23	32	56	82	142	250	264	136
Diseases of: Digestive	1·61	1·51	1·72	1187	586	601	553	140	24	12	9	738	16	18	20	22	45	61	92	80	72	23
Diseases of: Urinary	0·32	0·35	0·28	232	136	96	3	18	2	4	4	31	8	4	7	11	22	27	22	37	47	16
Diseases of: Generative	0·04	0·00	0·08	28	1	27	1	—	—	—	—	1	—	—	—	1	5	4	5	6	5	1
Puerperal Fever	0·12	—	0·25	88	—	88	—	—	—	—	—	—	—	—	4	26	44	14	—	—	—	—
Childbirth	0·11	—	0·22	78	—	78	—	—	—	—	—	—	—	—	6	18	28	23	3	—	—	—
Violence	0·64	1·01	0·23	470	390	80	17	1	10	9	8	55	8	31	43	46	63	61	57	58	35	13
OTHER CAUSES	3·66	3·67	3·66	2691	1417	1274	1576	50	11	4	5	1646	25	18	26	32	56	50	73	110	258	397

Marriages 5,739

Births .. { Males .. 13,569 / Females 13,111 } 26,680

Annual Rate per 1000 living { Persons Married .. 15·61 / Births .. .. 36·27

Annual Births to 1000 Females aged 15–45 years = 169.

Deaths from Childbirth and Puerperal Fever .. .. } 6·22 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

549.—DURHAM.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		19·65	*178	—	—	—	—	66·67	4·67	2·80	4·55	6·34	6·90	9·10	15·30	30·68	74·32	157·12
Annual Death-Rate per 1000. Males	—					20·21	*195	—	—	—	—	72·60	4·46	2·80	4·78	6·57	5·86	8·20	15·62	31·52	78·83	172·12
Annual Death-Rate per 1000. Females	—					19·12	*161	—	—	—	—	60·79	4·88	2·80	4·31	6·10	7·97	10·06	14·94	29·78	69·83	144·68
Mean Population, 1891–1900. Persons	—			71,716			2160	1836	1859	1883	1889	9627	8907	8492	7868	6563	10282	7879	5751	3700	1959	688
Mean Population, 1891–1900. Males	—			36,419			1089	934	904	913	949	4789	4457	4247	4040	3332	5237	4083	3034	1910	978	312
Mean Population, 1891–1900. Females	—			35,297			1071	902	955	970	940	4838	4450	4245	3828	3231	5045	3796	2717	1790	981	376
Deaths from All Causes, 1891–1900. Persons		19·28		13,824			4432	1169	390	250	177	6418	416	238	358	416	709	717	880	1135	1456	1081
Deaths from All Causes, 1891–1900. Males		19·86		7,233			2471	602	195	113	96	3477	199	119	193	219	307	335	474	602	771	537
Deaths from All Causes, 1891–1900. Females		18·67		6,591			1961	567	195	137	81	2941	217	119	165	197	402	382	406	533	685	544
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	0·01	6	3	3	—	1	—	—	—	1	—	—	—	—	3	—	—	1	—	1
Measles	0·44	0·42	0·46	318	154	164	72	126	44	30	17	289	27	2	—	—	—	—	—	—	—	—
Scarlet Fever	0·21	0·21	0·22	154	75	79	9	19	22	33	26	109	31	9	1	—	4	—	—	—	—	—
Diphtheria	0·13	0·11	0·14	90	41	49	12	11	19	6	12	60	23	3	1	—	1	—	—	—	1	1
Whooping-cough	0·35	0·30	0·40	250	110	140	134	71	24	14	5	248	2	—	—	—	—	—	—	—	—	—
Typhus	0·00	0·01	—	2	2	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
Enteric Fever	0·21	0·23	0·18	149	85	64	—	1	2	1	4	8	15	10	34	24	27	11	14	6	—	—
Simple Continued Fever	0·01	0·00	0·01	4	1	3	1	1	—	—	1	3	—	—	—	—	—	—	—	—	1	—
Diarrhœa & Dysentery	0·49	0·49	0·50	354	179	175	215	72	5	2	—	294	2	—	2	—	1	3	3	8	24	17
Cholera	0·02	0·02	0·01	11	6	5	6	1	—	—	—	7	—	—	2	—	—	1	1	—	—	—
Cancer	0·51	0·37	0·66	366	133	233	—	1	—	—	—	1	2	—	1	1	9	43	93	97	90	29
Tabes Mesenterica	0·46	0·45	0·47	330	163	167	169	93	21	6	4	293	15	4	6	6	3	1	2	—	—	—
Phthisis	1·21	1·17	1·25	866	426	440	9	13	6	1	6	35	31	45	101	154	211	142	96	40	10	1
Other Tub. & Scrof. Dis.	0·38	0·41	0·35	273	149	124	69	47	10	12	8	146	45	20	15	18	13	6	5	3	1	1
Diseases of Nervous System	2·42	2·49	2·35	1737	906	831	723	96	40	29	17	905	51	24	24	15	39	43	107	189	219	121
Diseases of Circulatory	1·36	1·30	1·43	978	472	506	13	1	2	3	3	22	6	19	32	25	58	101	160	227	224	104
Diseases of Respiratory	4·05	4·35	3·77	2913	1584	1329	975	427	145	88	51	1686	83	22	24	32	76	77	126	229	345	213
Diseases of Digestive	1·66	1·68	1·64	1190	612	578	530	138	22	11	6	707	20	17	21	21	42	54	84	104	92	28
Diseases of Urinary	0·33	0·42	0·24	236	152	84	4	1	4	2	1	12	9	6	5	10	23	30	30	41	54	16
Diseases of Generative	0·05	0·01	0·09	34	3	31	2	1	1	—	—	4	1	—	—	2	2	8	10	5	2	—
Puerperal Fever	0·11	—	0·22	77	—	77	—	—	—	—	—	—	—	—	10	13	37	17	—	—	—	—
Childbirth	0·13	—	0·26	90	—	90	—	—	—	—	—	—	—	—	4	15	42	29	—	—	—	—
Violence	0·76	1·20	0·30	544	437	107	47	6	12	7	12	84	26	34	43	44	61	71	73	53	38	17
OTHER CAUSES	3·98	4·21	3·71	2852	1540	1312	1442	42	11	5	4	1504	27	23	32	35	56	80	76	132	355	532

Marriages 6,079
Births .. { Males .. 12,691 / Females 12,203 } 24,894

Annual Rate per 1000 living { Persons Married .. 16·95 / Births .. .. .. 34·71 }
Annual Births to 1000 Females aged 15—45 years = 157.

Deaths from Childbirth and Puerperal Fever .. .. } 6·71 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

550.—EASINGTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 20·46			*176	—	—	—	—	71·41	6·08	3·34	5·26	6·26	6·96	8·89	16·75	33·48	65·53	156·23
Annual Death-Rate per 1000. Males	—			20·95			*191	—	—	—	—	76·54	5·93	3·07	5·81	6·19	5·72	7·79	16·60	35·54	73·46	164 80
Annual Death-Rate per 1000. Females	—			19·99			*161	—	—	—	—	66·21	6·24	3·61	4·64	6·33	8·34	10·19	16·93	31·25	57·52	149·07
Mean Population, 1891-1900. Persons	—			48,056			1692	1416	1446	1384	1405	7343	6245	5741	4980	4284	6826	5093	3624	2297	1230	393
Mean Population, 1891-1900. Males	—			24,830			872	705	719	692	712	3700	3138	2862	2632	2215	3587	2748	1958	1193	618	179
Mean Population, 1891-1900. Females	—			23,226			820	711	727	692	693	3643	3107	2879	2348	2069	3239	2345	1666	1104	612	214
Deaths from All Causes, 1891-1900. Persons	20·95			10,070			3445	1055	357	220	167	5244	380	192	262	268	475	453	607	769	806	614
Deaths from All Causes, 1891-1900. Males	21·40			5,313			1925	539	186	107	75	2832	186	88	153	137	205	214	325	424	454	295
Deaths from All Causes, 1891-1900. Females	20·48			4,757			1520	516	171	113	92	2412	194	104	109	131	270	239	282	345	352	319
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·00	—	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Measles	0·57	0·54	0·60	273	133	140	57	107	38	27	19	248	22	2	—	1	—	—	—	—	—	—
Scarlet Fever	0·29	0·26	0·31	137	64	73	5	20	34	22	22	103	26	5	1	1	1	—	—	—	—	—
Diphtheria	0·24	0·20	0·29	117	49	68	7	15	10	20	16	68	41	6	1	—	—	—	—	—	1	—
Whooping-cough	0·29	0·26	0·33	141	65	76	65	42	16	9	4	136	5	—	—	—	—	—	—	—	—	—
Typhus	0·02	0·02	0·02	9	5	4	—	—	—	—	—	—	—	—	2	2	2	2	1	—	—	—
Enteric Fever	0·44	0·48	0·40	212	120	92	—	2	3	9	1	15	13	16	40	32	35	28	13	6	4	—
Simple Continued Fever	0·08	0·06	0·09	37	15	22	3	4	6	2	3	18	7	1	2	—	3	2	1	2	—	1
Diarrhœa & Dysentery	0·90	0·92	0·87	431	228	203	284	94	8	5	—	391	7	1	1	—	2	2	5	3	13	6
Cholera	0·06	0·06	0·06	27	14	13	13	7	—	1	—	21	—	—	—	—	—	—	2	3	—	1
Cancer	0·47	0·34	0·62	228	84	144	—	—	1	—	—	1	3	—	3	3	6	28	44	81	48	11
Tabes Mesenterica	0·50	0·47	0·53	240	116	124	104	77	22	5	4	212	8	5	3	4	2	3	—	3	—	—
Phthisis	1·40	1·22	1·59	672	302	370	32	13	8	5	4	62	34	39	96	111	157	90	61	21	1	—
Other Tub. & Scrof. Dis.	0·53	0·58	0·48	257	145	112	81	55	26	8	12	182	25	11	11	7	12	1	4	2	2	—
Diseases of Nervous System	2·90	3·00	2·79	1392	744	648	624	106	41	21	15	807	39	24	11	8	20	38	91	130	145	79
Diseases of Circulatory "	1·24	1·22	1·25	594	303	291	7	3	2	2	—	14	11	16	12	12	44	47	106	152	117	63
Diseases of Respiratory "	3·50	3·79	3·19	1681	940	741	567	280	94	49	42	1032	55	14	8	18	27	48	91	140	163	85
Diseases of Digestive "	1·57	1·57	1·58	756	389	367	286	151	19	10	6	472	24	13	15	5	16	25	53	73	41	19
Diseases of Urinary "	0·39	0·43	0·35	188	106	82	7	8	8	3	1	27	9	7	2	4	8	14	22	38	44	13
Diseases of Generative "	0·06	0·01	0·11	27	2	25	1	—	1	1	—	3	—	—	1	2	3	3	7	5	2	1
Puerperal Fever	0·11	—	0·22	52	—	52	—	—	—	—	—	—	—	—	2	12	24	14	—	—	—	—
Childbirth	0·14	—	0·28	66	—	66	—	—	—	—	—	—	—	—	3	9	30	23	1	—	—	—
Violence	0·74	1·17	0·28	355	291	64	23	7	7	11	8	56	24	14	30	25	43	45	45	40	22	11
Other Causes	4·51	4·80	4·24	2177	1197	980	1279	64	13	10	10	1376	26	8	18	12	40	40	60	70	203	324

Marriages 3,846

Births .. { Males .. 10,082 / Females 9,440 } 19,522

Annual Rate per 1000 living { Persons Married .. 16·01 / Births .. .. . 40·62

Annual Births to 1000 Females aged 15—45 years = 195.

Deaths from Childbirth and Puerperal Fever .. .. } 6·04 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

551.—HOUGHTON LE SPRING.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.	18·79		*172	—	—	—	—	66·58	4·66	2·71	5·03	5·58	5·91	8·18	13·75	28·26	70·60	144·71
Annual Death-Rate per 1000. Males	—				19·05		*188	—	—	—	—	71·83	4·38	2·62	5·01	5·92	5·13	6·88	13·39	29·32	74·85	146·89
Annual Death-Rate per 1000. Females	—				18·55		*155	—	—	—	—	61·30	4·93	2·80	5·06	5·21	6·75	9·65	14·16	27·14	66·54	142·79
Mean Population, 1891–1900. Persons	—			39,254			1326	1152	1124	1140	1119	5861	5112	4647	4094	3515	5636	4083	2924	1953	1051	378
Mean Population, 1891–1900. Males	—			20,106			658	582	558	573	565	2936	2555	2365	2096	1808	2924	2165	1561	1006	513	177
Mean Population, 1891–1900. Females	—			19,148			668	570	566	567	554	2925	2557	2282	1998	1707	2712	1918	1363	947	538	201
Deaths from All Causes, 1891–1900. Persons	19·31			7,578			2693	693	250	145	121	3902	238	126	206	196	333	334	402	552	742	547
Deaths from All Causes, 1891–1900. Males	19·61			3,942			1509	345	132	71	52	2109	112	62	105	107	150	149	209	295	384	260
Deaths from All Causes, 1891–1900. Females	18·99			3,636			1184	348	118	74	69	1793	126	64	101	89	183	185	193	257	358	287
	Persons.	Males.	Females.	Persons.	Males.	Females	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·48	0·47	0·49	188	94	94	45	71	38	9	11	174	13	—	—	1	—	—	—	—	—	—
Scarlet Fever	0·26	0·22	0·30	102	45	57	8	18	18	15	17	76	21	2	1	—	1	—	—	1	—	—
Diphtheria	0·20	0·23	0·18	80	46	34	4	19	7	13	10	53	23	2	1	—	—	—	1	—	—	—
Whooping-cough	0·40	0·33	0·47	156	66	90	78	49	15	9	2	153	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·47	0·57	0·37	184	114	70	—	3	1	6	6	16	12	24	31	31	36	15	15	4	—	—
Simple Continued Fever	0·01	0·01	0·01	4	2	2	1	1	1	—	—	3	—	—	1	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·66	0·65	0·67	258	130	128	170	36	10	2	2	220	3	—	—	—	1	1	2	6	16	9
Cholera	0·03	0·02	0·03	11	5	6	1	—	1	—	—	2	—	—	—	—	—	1	3	3	1	1
Cancer	0·63	0·46	0·80	247	93	154	—	2	—	—	—	2	1	—	—	3	9	27	54	69	67	15
Tabes Mesenterica	0·34	0·33	0·35	133	66	67	69	29	11	4	—	113	7	1	3	5	—	1	2	—	1	—
Phthisis	1·15	1·09	1·22	452	219	233	15	5	—	4	5	29	19	26	58	63	111	74	37	28	7	—
Other Tub. & Scrof. Dis.	0·47	0·53	0·41	186	107	79	53	32	18	7	15	125	29	9	10	5	3	2	1	2	—	—
Diseases of Nervous System	2·13	2·17	2·08	836	437	399	381	59	25	9	8	482	15	6	13	4	14	15	52	92	102	41
Diseases of Circulatory „	1·28	1·30	1·25	501	262	239	5	1	—	2	2	10	13	12	13	14	25	37	72	113	133	59
Diseases of Respiratory „	3·32	3·53	3·10	1303	709	594	424	217	67	51	28	787	32	8	16	17	22	36	48	97	147	93
Diseases of Digestive „	1·62	1·57	1·67	635	316	319	330	89	17	4	3	443	11	6	4	9	21	26	21	37	38	19
Diseases of Urinary „	0·35	0·31	0·40	139	63	76	3	7	4	1	3	18	5	2	8	6	9	20	15	17	23	16
Diseases of Generative „	0·04	0·00	0·07	14	1	13	1	—	—	—	—	1	—	—	—	1	2	4	4	2	—	—
Puerperal Fever	0·09	—	0·18	34	—	34	—	—	—	—	—	—	—	—	2	5	19	8	—	—	—	—
Childbirth	0·10	—	0·20	39	—	39	—	—	—	—	—	—	—	—	2	10	11	14	2	—	—	—
Violence	0·73	1·11	0·34	288	223	65	23	8	7	5	6	49	17	20	30	12	19	28	39	35	29	10
OTHER CAUSES	4·55	4·71	4·40	1788	944	844	1082	47	10	4	3	1146	14	8	13	10	30	25	34	46	178	284

Marriages 3,190

Births .. { Males .. 8,009 / Females 7,616 } 15,625

Annual Rate per 1000 living { Persons Married .. 16·25 / Births .. .. .. 39·80 }

Annual Births to 1000 Females aged 15—45 years = 187.

Deaths from Childbirth and Puerperal Fever .. .. } 4·67 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

552.—CHESTER LE STREET.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 1891		19·25	*176	—	—	—	—	68·28	4·08	3·35	4·87	6·09	6·56	8·61	12·60	30·57	63·10	165·17
Annual Death-Rate per 1000. Males	—			In Standard Population. 1901		19·41	*190	—	—	—	—	73·60	3·95	3·64	5·22	5·10	5·58	7·44	11·86	33·78	62·91	168·89
Annual Death-Rate per 1000. Females	—			In Standard Population. 1910		19·10	*161	—	—	—	—	62·95	4·20	3·04	4·49	7·17	7·66	9·97	13·47	27·04	63·30	161·73
Mean Population, 1891-1900. Persons	—			55,254			1776	1623	1513	1621	1497	8030	7065	6486	5729	4945	8206	5946	4245	2722	1412	468
Mean Population, 1891-1900. Males	—			28,639			910	808	740	805	756	4019	3515	3325	2987	2588	4357	3197	2293	1424	709	225
Mean Population, 1891-1900. Females	—			26,615			866	815	773	816	741	4011	3550	3161	2742	2357	3849	2749	1952	1298	703	243
Deaths from All Causes, 1891-1900. Persons	19·27			10,649			3837	1023	305	186	132	5483	288	217	279	301	538	512	535	832	891	773
Deaths from All Causes, 1891-1900. Males	19·44			5,566			2114	540	164	80	60	2958	139	121	156	132	243	238	272	481	446	380
Deaths from All Causes, 1891-1900. Females	19·10			5,083			1723	483	141	106	72	2525	149	96	123	169	295	274	263	351	445	393
	Persons.	Males.	Females.	Persons.	Males.	Females	Persons.															
Small-pox	0·01	0·01	0·01	6	4	2	1	1	—	—	—	2	—	—	—	1	—	1	2	—	—	—
Measles	0·51	0·54	0·48	284	155	129	66	127	36	26	14	269	15	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·23	0·19	0·27	127	55	72	10	14	21	26	20	91	28	5	2	1	—	—	—	—	—	—
Diphtheria	0·12	0·09	0·15	67	27	40	4	12	9	9	10	44	19	3	1	—	—	—	—	—	—	—
Whooping-cough	0·36	0·28	0·44	198	80	118	90	68	23	9	3	193	5	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·26	0·28	0·23	142	80	62	1	1	1	2	—	5	11	17	25	30	26	11	7	7	2	1
Simple Continued Fever	0·01	0·01	0·00	3	2	1	—	—	—	—	2	2	—	—	—	1	—	—	—	—	—	—
Diarrhœa & Dysentery	0·87	0·94	0·79	480	269	211	356	63	14	—	2	435	3	—	1	—	1	1	6	12	8	13
Cholera	0·02	0·02	0·02	11	5	6	5	1	—	—	—	6	—	—	—	—	—	1	4	—	—	—
Cancer	0·52	0·37	0·69	289	106	183	—	—	1	—	—	1	1	—	—	1	5	25	68	92	65	31
Tabes Mesenterica	0·38	0·38	0·38	211	110	101	103	53	17	6	3	182	5	4	3	3	6	4	4	—	—	—
Phthisis	1·21	1·09	1·33	666	312	354	7	14	5	2	3	31	22	39	89	109	167	113	52	34	9	1
Other Tub. & Scrof. Dis.	0·69	0·75	0·63	381	214	167	119	72	28	19	14	252	39	29	21	10	14	8	4	3	1	—
Diseases of: Nervous System	2·12	2·26	1·97	1172	648	524	417	52	30	13	10	522	23	18	14	11	21	28	66	151	173	145
Diseases of: Circulatory „	1·36	1·27	1·45	749	364	385	5	2	—	2	1	10	14	25	14	20	44	73	94	169	173	113
Diseases of: Respiratory „	3·35	3·54	3·13	1848	1014	834	661	296	74	43	29	1103	44	10	15	18	50	65	71	143	207	122
Diseases of: Digestive „	1·78	1·76	1·80	982	504	478	510	153	20	10	4	697	18	11	12	8	23	35	38	59	58	2[illegible]
Diseases of: Urinary „	0·39	0·44	0·34	216	125	91	9	19	5	1	5	39	5	4	6	6	12	25	20	35	34	30
Diseases of: Generative „	0·04	0·00	0·09	24	1	23	1	—	—	—	—	1	—	1	3	2	4	6	1	1	3	2
Puerperal Fever	0·12	—	0·25	66	—	66	—	—	—	—	—	—	—	—	3	20	34	9	—	—	—	—
Childbirth	0·12	—	0·25	67	—	67	—	—	—	—	—	—	—	—	5	16	22	24	—	—	—	—
Violence	0·77	1·17	0·33	425	336	89	37	18	8	12	7	82	18	26	36	25	63	37	46	51	31	10
OTHER CAUSES	4·03	4·05	4·07	2235	1155	1080	1435	57	13	6	5	1516	18	25	29	19	46	46	52	75	127	282

Marriages 4,252

Births .. { Males .. 11,108 / Females 10,706 } 21,814

Annual Rate per 1000 living { Persons Married .. 15·39 / Births .. .. .. 39·48 }

Annual Births to 1000 Females aged 15—45 years = 186.

Deaths from Childbirth and Puerperal Fever .. .. } 6·10 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

553.—SUNDERLAND.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 22·06			*176	—	—	—	—	72·76	5·82	3·53	4·98	6·32	7·90	12·66	19·23	37·68	73·44	166·81
Annual Death-Rate per 1000. Males	—			22·71			*187	—	—	—	—	76·24	5·62	3·43	4·97	6·98	7·64	13·01	20·21	39·79	79·35	178·22
Annual Death-Rate per 1000. Females	—			21·46			*164	—	—	—	—	69·23	6·02	3·63	4·99	5·71	8·14	12·30	18·21	36·65	68·55	159·61
Mean Population, 1891–1900. Persons	—			169,131			5249	4705	4586	4466	4339	23335	20579	18906	17774	15686	25721	19055	13769	8476	4405	1425
Mean Population, 1891–1900. Males	—			83,656			2615	2386	2283	2268	2183	11735	10274	9394	8795	7505	12585	9622	7046	4154	1995	551
Mean Population, 1891–1900. Females	—			85,475			2634	2319	2303	2198	2146	11600	10305	9512	8979	8181	13136	9433	6723	4322	2410	874
Deaths from All Causes, 1891–1900. Persons	21·65			36,615			10857	3485	1364	731	541	6978	1197	667	885	991	2031	2412	2648	3194	3235	2377
Deaths from All Causes, 1891–1900. Males	22·31			18,663			5900	1758	683	351	255	8947	577	322	437	524	962	1252	1424	1653	1583	982
Deaths from All Causes, 1891–1900. Females	21·00			17,952			4957	1727	681	380	286	8031	620	345	448	467	1069	1160	1224	1541	1652	1395
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·01	0·00	7	6	1	1	—	—	—	—	1	—	—	—	1	2	1	2	—	—	—
Measles	0·65	0·66	0·65	1103	548	555	199	423	224	99	72	1017	79	2	2	3	—	—	—	—	—	—
Scarlet Fever	0·20	0·18	0·22	338	153	185	30	29	44	56	40	199	100	26	6	1	5	1	—	—	—	—
Diphtheria	0·07	0·07	0·07	120	59	61	11	19	15	18	21	84	27	5	3	—	—	1	—	—	—	—
Whooping-cough	0·44	0·36	0·51	743	305	438	302	247	92	55	25	721	21	1	—	—	—	—	—	—	—	—
Typhus	0·03	0·03	0·03	48	22	26	1	—	—	1	1	3	4	3	7	5	8	7	8	2	—	1
Enteric Fever	0·49	0·60	0·38	827	498	329	6	8	15	14	11	54	62	95	126	132	179	110	48	17	3	1
Simple Continued Fever	0·04	0·04	0·04	62	32	30	1	1	4	4	2	12	10	12	6	2	7	5	5	1	2	—
Diarrhœa & Dysentery	1·24	1·27	1·21	2094	1059	1035	1452	415	52	15	9	1943	13	3	5	3	4	14	8	27	41	33
Cholera	0·03	0·04	0·02	45	31	14	16	9	1	1	2	29	3	—	—	1	1	4	3	2	2	—
Cancer	0·72	0·54	0·89	1216	453	763	1	1	2	3	1	8	4	2	4	7	49	156	295	379	247	65
Tabes Mesenterica	0·37	0·39	0·35	627	329	298	204	163	68	32	19	486	49	32	19	11	14	10	5	1	—	—
Phthisis	1·67	1·79	1·55	2824	1497	1327	46	38	23	17	22	146	107	127	292	370	659	563	343	167	47	3
Other Tub. & Scrof. Dis.	0·58	0·60	0·55	974	501	473	234	197	98	59	50	638	129	52	43	27	40	22	15	5	3	—
Diseases of Nervous System	2·53	2·63	2·43	4283	2202	2081	1369	263	135	73	61	1901	133	51	47	37	98	174	333	564	646	299
Diseases of Circulatory "	1·58	1·57	1·59	2675	1313	1362	25	5	2	3	5	40	41	56	66	58	194	374	454	618	549	225
Diseases of Respiratory "	4·13	4·30	3·96	6976	3594	3382	1940	1074	388	185	113	3700	179	38	59	70	186	354	475	710	757	448
Diseases of Digestive "	1·43	1·44	1·42	2412	1202	1210	1000	307	63	17	21	1408	54	41	45	63	83	130	168	209	149	62
Diseases of Urinary "	0·44	0·47	0·40	738	394	344	16	28	16	11	15	86	33	11	17	22	72	86	124	130	109	48
Diseases of Generative "	0·04	0·00	0·08	69	1	68	—	2	1	—	—	3	1	—	2	4	26	14	7	4	6	2
Puerperal Fever	0·06	—	0·12	101	—	101	—	—	—	—	—	—	—	—	10	16	53	22	—	—	—	—
Childbirth	0·11	—	0·23	193	—	193	—	—	—	—	—	—	—	—	13	38	75	66	—	1	—	—
Violence	0·77	1·13	0·42	1308	948	360	148	40	45	36	38	307	79	51	71	66	146	145	183	137	77	46
OTHER CAUSES	4·03	4·19	3·88	6832	3516	3316	3855	216	76	32	13	4192	69	59	42	54	130	153	172	220	597	1144

Marriages 14,804

Births .. { Males .. 31,543 / Females 30,296 } 61,839

Annual Rate per 1000 living { Persons Married .. 17·51 / Births .. .. .. 36·56

Annual Births to 1000 Females aged 15—45 years = 156.

Deaths from Childbirth and Puerperal Fever .. .. } 4·75 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

554.—SOUTH SHIELDS.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 20·80			*162	—	—	—	—	65·17	5·55	3·66	5·02	6·29	7·41	11·64	18·92	35·56	75·72	161·98
Annual Death-Rate per 1000. Males	—			21·57			*176	—	—	—	—	69·56	5·61	3·62	5·48	6·41	7·28	11·08	19·60	38·46	79·73	182·43
Annual Death-Rate per 1000. Females	—			20·07			*148	—	—	—	—	60·68	5·49	3·71	4·56	6·16	7·54	12·25	18·14	32·52	72·04	148·18
Mean Population, 1891–1900. Persons	—			153,039			4795	4187	4204	4203	4117	21506	18966	17604	15802	14368	23393	17427	12523	7286	3246	918
Mean Population, 1891–1900. Males	—			78,099			2481	2106	2132	2088	2060	10867	9471	8879	8031	7393	12004	9136	6663	3731	1554	370
Mean Population, 1891–1900. Females	—			74,940			2314	2081	2072	2115	2057	10639	9495	8725	7771	6975	11389	8291	5860	3555	1692	548
Deaths from All Causes, 1891–1900. Persons	19·65			30,076			8913	2941	1099	603	459	14015	1052	645	794	904	1733	2028	2269	2591	2458	1487
Deaths from All Causes, 1891–1900. Males	20·32			15,866			4936	1522	577	299	225	7559	531	321	440	474	874	1012	1306	1435	1239	675
Deaths from All Causes, 1891–1900. Females	18·96			14,210			3977	1419	522	304	234	6456	521	324	354	430	859	1016	1063	1156	1219	812
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·01	0·01	0·00	10	7	3	2	—	—	—	—	2	—	—	—	1	3	1	1	2	—	—
Measles	0·59	0·61	0·57	904	476	428	164	358	179	79	64	844	56	1	2	—	—	1	—	—	—	—
Scarlet Fever	0·21	0·20	0·21	315	159	156	21	39	51	46	34	191	89	20	7	2	4	2	—	—	—	—
Diphtheria	0·11	0·11	0·10	163	85	78	11	28	27	28	25	119	28	3	6	2	2	2	—	1	—	—
Whooping-cough	0·55	0·48	0·62	835	371	464	330	289	93	67	31	810	25	—	—	—	—	—	—	—	—	—
Typhus	0·00	0·01	0·00	6	5	1	—	—	—	—	—	—	—	1	2	1	—	2	—	—	—	—
Enteric Fever	0·28	0·34	0·21	423	265	158	—	4	4	3	9	20	48	36	58	75	88	51	27	17	3	—
Simple Continued Fever	0·01	0·01	0·01	16	9	7	3	2	2	—	—	7	3	—	1	—	2	—	—	—	2	1
Diarrhœa & Dysentery	0·88	0·90	0·85	1342	706	636	882	281	43	7	6	1219	11	4	2	6	5	2	16	27	33	17
Cholera	0·08	0·08	0·07	116	60	56	73	15	3	2	—	93	—	—	—	—	1	4	10	3	5	—
Cancer	0·58	0·40	0·75	881	316	565	—	—	—	—	—	—	1	3	—	4	29	127	229	266	175	47
Tabes Mesenterica	0·35	0·35	0·35	535	275	260	160	141	50	31	24	406	48	20	19	13	13	8	7	1	—	—
Phthisis	1·63	1·72	1·53	2489	1340	1149	35	43	18	14	14	124	97	156	287	361	567	462	286	127	19	3
Other Tub. & Scrof. Dis.	0·55	0·59	0·51	843	461	382	173	167	80	49	44	513	128	68	45	26	20	20	13	9	1	—
Diseases of Nervous System	2·42	2·45	2·39	3704	1916	1788	1372	280	119	69	53	1893	129	58	47	34	83	191	264	408	424	173
Diseases of Circulatory „	1·54	1·50	1·60	2365	1171	1194	15	2	2	5	4	28	32	59	47	56	147	289	481	575	471	180
Diseases of Respiratory „	3·69	4·05	3·33	5649	3159	2490	1666	851	295	125	90	3027	142	51	59	66	207	260	446	551	557	283
Diseases of Digestive „	1·11	1·12	1·10	1703	877	826	665	205	37	20	17	944	49	28	32	41	78	103	154	144	97	33
Diseases of Urinary „	0·37	0·39	0·35	572	306	266	22	26	9	11	8	76	19	17	13	14	43	78	96	103	81	32
Diseases of Generative „	0·03	—	0·06	48	—	48	3	1	3	—	—	7	—	—	1	1	12	13	5	5	4	—
Puerperal Fever	0·08	—	0·15	115	—	115	—	—	—	—	—	—	—	—	6	28	55	26	—	—	—	—
Childbirth	0·09	—	0·19	142	—	142	—	—	—	—	—	—	—	—	8	32	58	42	2	—	—	—
Violence	0·86	1·25	0·46	1323	975	348	149	47	36	29	19	280	82	60	82	86	175	158	158	117	88	37
OTHER CAUSES	3·63	3·75	3·55	5577	2927	2650	3167	162	48	18	17	3412	65	60	70	55	141	186	174	235	498	681

Marriages 12,727

Births .. { Males .. 28,116 / Females 26,847 } 54,963

Annual Rate per 1000 living { Persons Married .. 16·63 / Births .. .. .. 35·91 }

Annual Births to 1000 Females aged 15—45 years = 160.

Deaths from Childbirth and Puerperal Fever .. .. } 4·68 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

555.—GATESHEAD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 20·02			*174	—	—	—	—	67·03	4·81	2·74	4·46	5·38	6·55	10·26	16·87	33·24	71·77	166·70
Annual Death-Rate per 1000. Males	—			20·39			*185	—	—	—	—	70·49	4·67	2·79	4·42	5·02	6·24	9·83	17·72	35·29	77·16	171·86
Annual Death-Rate per 1000. Females	—			19·67			*163	—	—	—	—	63·49	4·96	2·70	4·51	5·76	6·86	10·74	15·93	31·16	67·04	162·82
Mean Population, 1891-1900. Persons	—			150,373			4676	4181	4167	4075	4074	21173	18930	17312	15395	13724	23003	17130	11975	7114	3524	1093
Mean Population, 1891-1900. Males	—			76,607			2363	2119	2094	2058	2064	10698	9637	8685	7967	7017	11644	8972	6282	3590	1646	469
Mean Population, 1891-1900. Females	—			73,766			2313	2062	2073	2017	2010	10475	9293	8627	7428	6707	11359	8158	5693	3524	1878	624
Deaths from All Causes, 1891-1900. Persons	19·29			29,003			9586	2702	951	551	402	14192	911	475	687	738	1506	1758	2020	2365	2529	1822
Deaths from All Causes, 1891-1900. Males	19·58			15,002			5214	1372	481	279	195	7541	450	242	352	352	727	882	1113	1267	1270	806
Deaths from All Causes, 1891-1900. Females	18·98			14,001			4372	1330	470	272	207	6651	461	233	335	386	779	876	907	1098	1259	1016
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·01	0·02	0·01	21	16	5	3	—	—	—	2	5	2	—	—	1	5	3	3	1	1	—
Measles	0·50	0·51	0·50	758	387	371	162	301	141	57	51	712	44	1	—	—	1	—	—	—	—	—
Scarlet Fever	0·17	0·16	0·18	253	120	133	20	43	32	36	34	165	71	14	1	—	1	1	—	—	—	—
Diphtheria	0·13	0·14	0·12	199	109	90	14	38	29	34	20	135	51	7	1	2	1	1	—	—	1	—
Whooping-cough	0·52	0·43	0·60	776	333	443	358	211	96	52	30	747	26	2	—	—	1	—	—	—	—	—
Typhus	0·00	0·00	—	3	3	—	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—
Enteric Fever	0·19	0·22	0·15	283	169	114	—	3	—	5	5	13	28	51	35	39	54	32	21	5	5	—
Simple Continued Fever	0·01	0·01	0·01	17	9	8	2	2	2	4	—	10	2	1	1	2	—	—	—	—	1	—
Diarrhœa & Dysentery	0·95	0·96	0·95	1434	737	697	1010	271	29	13	3	1326	9	3	—	—	4	6	11	19	29	27
Cholera	0·05	0·05	0·04	73	40	33	38	12	3	3	1	57	—	—	—	1	5	—	3	4	2	1
Cancer	0·51	0·37	0·65	763	286	477	1	2	—	—	—	3	2	1	9	3	27	86	199	217	154	62
Tabes Mesenterica	0·37	0·39	0·36	559	296	263	235	131	47	21	16	450	34	28	14	7	11	6	3	3	2	1
Phthisis	1·48	1·56	1·40	2225	1193	1032	10	25	11	11	18	75	71	93	265	301	589	426	252	108	42	3
Other Tub. & Scrof. Dis.	0·47	0·49	0·44	699	374	325	132	104	66	41	39	382	105	54	43	19	35	26	24	8	1	2
Diseases of Nervous System	2·62	2·71	2·54	3943	2073	1870	1688	290	90	57	40	2165	124	41	45	40	59	148	254	395	439	233
Diseases of Circulatory "	1·55	1·56	1·54	2327	1194	1133	14	3	2	4	4	27	25	28	41	50	104	256	410	545	589	252
Diseases of Respiratory "	3·45	3·66	3·22	5179	2805	2374	1547	785	259	136	90	2817	146	34	63	78	167	276	362	463	488	285
Diseases of Digestive "	1·37	1·32	1·42	2057	1008	1049	962	239	40	20	8	1269	40	27	39	31	60	105	119	195	118	54
Diseases of Urinary "	0·31	0·32	0·30	470	247	223	12	21	7	14	12	56	23	14	14	12	36	51	71	77	71	35
Diseases of Generative "	0·03	0·01	0·07	52	4	48	—	2	2	—	—	4	1	1	—	3	9	11	15	2	5	1
Puerperal Fever	0·07	—	0·15	108	—	108	—	—	—	—	—	—	—	—	3	30	44	31	—	—	—	—
Childbirth	0·11	—	0·22	163	—	163	—	—	—	—	—	—	—	—	8	37	70	47	1	—	—	—
Violence	0·64	0·86	0·40	958	662	296	180	21	36	29	20	286	50	39	48	39	110	92	112	89	55	38
OTHER CAUSES	3·78	3·83	3·71	5683	2937	2746	3198	198	59	14	9	3478	55	36	57	42	113	154	160	234	526	828

Marriages 11,978
Births .. { Males .. 28,209 / Females 26,756 } 54,965

Annual Rate per 1000 living { Persons Married .. 15·93 / Births .. .. .. 36·55
Annual Births to 1000 Females aged 15—45 years = 163.

Deaths from Childbirth and Puerperal Fever .. .. } 4·93 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

556.—NEWCASTLE UPON TYNE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 21·96	*173	—	—	—	—	69·07	5·13	3·27	4·65	5·74	8·00	13·55	22·24	38·79	76·55	165·73
Annual Death-Rate per 1000. Males	—	23·36	*190	—	—	—	—	74·76	5·29	3·35	4·92	6·29	8·22	14·45	24·71	43·73	82·87	175·87
Annual Death-Rate per 1000. Females	—	20·64	*155	—	—	—	—	63·44	4·97	3·20	4·38	5·23	7·77	12·62	19·66	34·21	71·58	159·43
Mean Population, 1891-1900. Persons	—	213,576	6060	5439	5364	5297	5212	27372	23966	22472	21955	22116	35846	25122	17643	10392	5049	1643
Mean Population, 1891-1900. Males	—	105,884	3031	2705	2635	2658	2572	13601	11986	11178	10825	10699	17856	12869	9017	4999	2224	630
Mean Population, 1891-1900. Females	—	107,692	3029	2734	2729	2639	2640	13771	11980	11294	11130	11417	17990	12253	8626	5393	2825	1013
Deaths from All Causes, 1891-1900. Persons	20·59	43,975	12532	3589	1382	816	586	18905	1230	735	1021	1270	2866	3405	3924	4031	3865	2723
Deaths from All Causes, 1891-1900. Males	21·79	23,074	7031	1783	726	365	263	10168	634	374	533	673	1468	1859	2228	2186	1843	1108
Deaths from All Causes, 1891-1900. Females	19·41	20,901	5501	1806	656	451	323	8737	596	361	488	597	1398	1546	1696	1845	2022	1615

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							Persons.															
Small-pox	0·00	0·00	0·00	4	2	2	—	—	—	—	—	—	1	—	—	—	—	2	—	1	—	—
Measles	0·61	0·62	0·60	1303	658	645	277	513	225	138	74	1227	70	3	—	—	3	—	—	—	—	—
Scarlet Fever	0·10	0·10	0·10	209	106	103	10	20	34	38	32	134	47	14	4	—	5	3	—	1	1	—
Diphtheria	0·16	0·17	0·14	332	176	156	36	54	59	53	37	239	69	6	5	1	6	2	3	—	—	1
Whooping-cough	0·51	0·46	0·56	1094	489	605	479	327	132	77	35	1050	42	1	—	—	—	—	—	—	1	—
Typhus	0·00	0·00	—	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Enteric Fever	0·09	0·11	0·08	199	114	85	3	3	2	4	5	17	22	20	27	27	36	26	15	6	2	1
Simple Continued Fever	0·00	0·00	0·00	7	3	4	—	—	2	—	1	3	3	—	—	—	—	—	1	—	—	—
Diarrhœa & Dysentery	0·70	0·75	0·64	1488	798	690	1103	247	27	7	6	1390	3	1	1	2	2	4	6	15	33	31
Cholera	0·03	0·03	0·03	66	34	32	40	4	2	—	1	47	—	—	—	—	2	4	5	3	1	4
Cancer	0·83	0·69	0·96	1767	731	1036	3	2	5	4	1	15	6	6	10	8	90	256	486	487	303	100
Tabes Mesenterica	0·35	0·38	0·33	757	400	357	314	149	62	24	21	570	65	42	13	19	22	12	6	6	2	—
Phthisis	2·02	2·42	1·63	4321	2566	1755	46	59	46	16	22	189	126	172	394	490	1030	919	638	293	63	7
Other Tub. & Scrof. Dis.	0·56	0·60	0·51	1185	635	550	234	181	117	78	70	680	193	72	67	54	63	24	17	9	6	—
Diseases of Nervous System	2·48	2·62	2·34	5296	2775	2521	1962	319	122	70	51	2524	134	61	64	48	123	266	437	600	679	360
Diseases of Circulatory	1·80	1·85	1·74	3835	1957	1878	46	2	6	2	5	61	43	59	74	108	284	523	715	857	755	356
Diseases of Respiratory	3·37	3·67	3·08	7197	3881	3316	2116	1001	326	191	114	3748	145	45	69	103	241	351	517	701	756	521
Diseases of Digestive	1·76	1·81	1·71	3766	1920	1846	1602	426	78	31	28	2165	62	59	63	88	147	228	341	294	221	98
Diseases of Urinary	0·50	0·57	0·43	1068	604	464	22	23	14	15	8	82	15	15	18	40	120	144	180	215	175	64
Diseases of Generative	0·09	0·09	0·17	190	4	186	3	2	1	—	—	6	—	—	7	16	45	50	40	13	7	6
Puerperal Fever	0·06	—	0·12	133	—	133	—	—	—	—	—	—	—	—	7	32	63	31	—	—	—	—
Childbirth	0·10	—	0·20	213	—	213	—	—	—	—	—	—	—	—	13	33	101	66	—	—	—	—
Violence	0·97	1·34	0·61	2081	1420	661	412	52	53	47	49	613	102	72	103	112	215	237	236	195	111	55
Other Causes	3·50	3·60	3·43	7463	3800	3663	3824	205	69	21	26	4145	82	86	82	89	238	257	281	335	749	1119

Marriages 20,649

Births .. { Males .. 36,938 / Females 35,410 } 72,348

Annual Rate per 1000 living { Persons Married .. 19·34 / Births .. .. .. 33·87

Annual Births to 1000 Females aged 15—45 years = 137.

Deaths from Childbirth and Puerperal Fever .. .. } 4·78 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

557.—TYNEMOUTH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.	19·48		*164	—	—	—	—	62·51	5·32	3·31	4·91	5·90	7·18	10·38	15·84	31·66	69·77	161·87
Annual Death-Rate per 1000. Males	—				19·99		*180	—	—	—	—	66·81	5·12	3·25	5·15	6·11	6·92	10·28	16·87	33·45	72·32	166·85
Annual Death-Rate per 1000. Females	—				19·01		*148	—	—	—	—	58·13	5·52	3·38	4·65	5·69	7·46	10·49	14·70	29·88	67·50	158·19
Mean Population, 1891-1900. Persons	—			149,328			4464	4054	3819	3845	3758	19940	18097	16797	15510	14095	23202	16599	12123	7687	3993	1285
Mean Population, 1891-1900. Males	—			76,133			2262	2018	1930	1957	1890	10057	9108	8502	7942	7149	12015	8736	6354	3842	1882	546
Mean Population, 1891-1900. Females	—			73,195			2202	2036	1889	1888	1868	9883	8989	8295	7568	6946	11187	7863	5769	3845	2111	739
Deaths from All Causes, 1891-1900. Persons	18·87			28,183			8510	2243	848	503	360	12464	962	556	761	832	1665	1723	1920	2434	2786	2080
Deaths from All Causes, 1891-1900. Males	19·26			14,665			4747	1139	407	260	186	6719	466	276	409	437	831	898	1072	1285	1361	911
Deaths from All Causes, 1891-1900. Females	18·47			13,518			3763	1104	441	243	194	5745	496	280	352	395	834	825	848	1149	1425	1169
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·00	0·01	5	1	4	1	—	—	—	—	1	1	—	—	2	1	—	—	—	—	—
Measles	0·41	0·39	0·43	614	298	316	133	251	85	60	42	571	39	2	—	2	—	—	—	—	—	—
Scarlet Fever	0·24	0·23	0·24	354	178	176	24	58	63	41	42	228	87	23	3	4	5	4	—	—	—	—
Diphtheria	0·20	0·21	0·19	299	162	137	22	47	40	48	49	206	75	8	4	2	2	1	1	—	—	—
Whooping-cough	0·38	0·34	0·43	573	257	316	277	165	71	33	13	559	14	—	—	—	—	—	—	—	—	—
Typhus	0·01	0·01	—	8	8	—	—	—	—	—	—	—	—	—	1	1	3	1	1	1	—	—
Enteric Fever	0·35	0·41	0·30	526	310	216	2	8	9	3	9	31	58	73	81	79	116	53	22	8	2	3
Simple Continued Fever	0·02	0·02	0·02	26	13	13	—	1	2	5	1	9	7	2	1	1	1	1	2	—	1	1
Diarrhœa & Dysentery	0·78	0·77	0·80	1167	585	582	879	152	17	6	3	1057	7	1	—	1	5	2	13	15	35	31
Cholera	0·01	0·01	0·01	15	8	7	4	—	—	—	—	4	—	—	1	—	1	2	3	3	1	—
Cancer	0·57	0·43	0·72	851	325	526	1	1	1	—	1	4	1	1	3	4	26	80	188	259	226	59
Tabes Mesenterica	0·38	0·36	0·40	563	273	290	216	144	54	16	6	436	54	16	15	11	13	8	7	3	—	—
Phthisis	1·50	1·51	1·49	2234	1146	1088	19	28	22	8	9	86	63	124	296	325	543	412	223	128	30	4
Other Tub. & Scrof. Dis.	0·48	0·53	0·44	720	400	320	179	151	67	44	28	469	102	51	31	24	23	9	5	5	1	—
Diseases of: Nervous System	2·34	2·38	2·31	3498	1810	1688	1328	224	98	67	31	1748	108	39	39	29	77	123	228	369	491	247
Diseases of: Circulatory	1·63	1·61	1·64	2426	1228	1198	22	3	1	1	4	31	34	36	38	39	142	263	365	607	600	271
Diseases of: Respiratory	2·99	3·15	2·82	4462	2398	2064	1385	616	208	104	72	2385	142	34	50	48	129	199	266	409	492	308
Diseases of: Digestive	1·47	1·51	1·43	2197	1147	1050	947	237	41	18	14	1257	48	29	36	39	73	111	174	207	154	69
Diseases of: Urinary	0·33	0·37	0·29	493	283	210	13	22	8	6	3	52	18	15	15	20	45	59	61	85	75	48
Diseases of: Generative	0·04	0·00	0·07	55	3	52	2	1	2	—	—	5	—	1	1	2	9	13	9	6	8	1
Puerperal Fever	0·08	—	0·17	124	—	124	—	—	—	—	—	—	—	—	9	34	59	21	1	—	—	—
Childbirth	0·13	—	0·26	190	—	190	—	—	—	—	—	—	—	—	4	35	89	59	3	—	—	—
Violence	0·79	1·22	0·34	1178	928	250	77	34	28	28	15	182	44	45	71	84	163	168	182	124	76	39
Other Causes	3·74	3·80	3·66	5605	2904	2701	2979	100	31	15	18	3143	60	56	62	46	140	134	166	205	594	999

Marriages 11,558

Births .. { Males .. 26,418 / Females 25,450 } 51,868

Annual Rate per 1000 living { Persons Married .. 15·48 / Births .. .. .. 34·73 }

Annual Births to 1000 Females aged 15—45 years = 155.

Deaths from Childbirth and Puerperal Fever .. .. } 6·05 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

558.—CASTLE WARD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		16·73	*148	—	—	—	—	46·36	3·97	3·30	3·81	5·35	6·57	12·17	14·81	27·63	62·38	158·65
Males ..	—					17·50	*161	—	—	—	—	50·21	3·59	2·90	3·53	6·38	6·55	13·14	17·24	29·79	67·41	161·87
Females	—					16·01	*134	—	—	—	—	42·55	4·35	3·72	4·12	4·36	6·59	11·19	12·17	25·44	57·67	156·07
Mean Population, 1891–1900. Persons	—			27,995			715	683	648	648	654	3348	3126	3247	3046	2709	4339	3171	2356	1509	832	312
Males ..	—			14,199			364	340	319	317	323	1663	1586	1689	1613	1333	2184	1598	1230	762	402	139
Females	—			13,796			351	343	329	331	331	1685	1540	1558	1433	1376	2155	1573	1126	747	430	173
Deaths from All Causes, 1891–1900. Persons	16·06			4,495			1160	214	85	53	40	1552	124	107	116	145	285	386	349	417	519	495
Males ..	16·70			2,371			650	108	37	22	18	835	57	49	57	85	143	210	212	227	271	225
Females	15·40			2,124			510	106	48	31	22	717	67	58	59	60	142	176	137	190	248	270
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	0·01	0·01	0·01	3	2	1	—	—	—	—	—	—	—	—	1	—	—	1	1	—	—	—
Measles	0·20	0·21	0·19	56	30	26	11	24	7	4	7	53	1	2	—	—	—	—	—	—	—	—
Scarlet Fever	0·13	0·12	0·13	35	17	18	2	2	9	2	8	23	7	3	—	1	1	—	—	—	—	—
Diphtheria	0·13	0·13	0·12	35	18	17	1	8	5	5	3	22	7	4	1	—	—	—	—	—	—	1
Whooping-cough ..	0·18	0·15	0·20	50	22	28	30	9	5	4	1	49	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·26	0·27	0·24	72	39	33	2	—	1	3	1	7	11	8	6	17	11	7	4	1	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·68	0·69	0·67	190	98	92	135	23	3	1	1	163	2	—	—	—	1	4	—	—	7	13
Cholera	0·01	0·02	—	3	3	—	—	1	—	—	—	1	—	—	—	—	—	—	2	—	—	—
Cancer	0·53	0·40	0·67	149	57	92	—	—	—	—	—	—	1	1	1	1	6	16	23	45	40	15
Tabes Mesenterica ..	0·30	0·32	0·28	83	45	38	50	11	3	3	1	68	1	3	2	2	4	3	—	—	—	—
Phthisis	1·54	1·55	1·52	430	220	210	4	—	2	1	—	7	8	32	45	58	112	97	46	22	2	1
Other Tub. & Scrof. Dis.	0·51	0·49	0·54	144	70	74	30	24	8	6	1	69	27	12	14	5	4	4	6	2	1	—
Diseases of: Nervous System ..	2·61	2·95	2·25	730	419	311	158	18	13	2	3	194	11	9	6	11	43	100	90	86	112	68
Circulatory „ ..	1·63	1·58	1·68	456	224	232	5	1	1	—	2	9	3	4	5	8	13	36	59	99	129	91
Respiratory „ ..	2·44	2·65	2·22	682	376	306	204	65	16	18	10	313	22	6	9	8	8	37	45	67	79	88
Digestive „ ..	1·01	0·90	1·12	282	128	154	111	11	7	—	1	130	3	4	6	4	13	15	22	27	34	24
Urinary „ ..	0·28	0·38	0·17	77	54	23	1	—	—	—	—	1	—	2	—	2	4	10	9	14	20	15
Generative „ ..	0·04	0·01	0·07	10	1	9	—	—	—	—	—	—	—	—	—	—	—	3	—	2	4	1
Puerperal Fever ..	0·05	—	0·11	15	—	15	—	—	—	—	—	—	—	—	1	2	7	5	—	—	—	—
Childbirth	0·08	—	0·16	22	—	22	—	—	—	—	—	—	—	—	—	3	12	7	—	—	—	—
Violence	0·53	0·87	0·17	148	124	24	9	5	3	1	1	19	8	6	13	17	15	14	22	13	14	7
Other Causes ..	2·91	3·00	2·88	823	424	399	407	12	2	3	—	424	11	11	6	6	31	27	20	39	77	171

Marriages 1,568

Births .. { Males .. 4,035, Females 3,820 } 7,855

Annual Rate per 1000 living { Persons Married .. 11·20, Births .. .. .. 28·06 }

Annual Births to 1000 Females aged 15—45 years=120.

Deaths from Childbirth and Puerperal Fever .. .. } 4·71 per 1000 Births.

* The death-rates under one year of age are per 1000 Births

559.—HEXHAM.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 15·95			*135	—	—	—	—	43·00	4·33	2·95	4·46	6·09	5·95	8·38	13·52	27·78	64·83	160·83
Annual Death-Rate per 1000. Males	—			16·19			*152	—	—	—	—	47·82	4·06	2·66	4·06	6·14	4·41	8·36	14·27	30·03	65·37	172·43
Annual Death-Rate per 1000. Females	—			15·72			*117	—	—	—	—	38·28	4·58	3·22	4·82	6·04	7·31	8·40	12·77	25·47	64·33	151·04
Mean Population, 1891–1900. Persons	—			33,750			797	752	735	744	767	3795	3676	3565	3499	3188	5109	3844	3047	2171	1325	531
Mean Population, 1891–1900. Males	—			16,400			384	383	370	365	378	1880	1799	1765	1675	1465	2402	1903	1528	1099	641	243
Mean Population, 1891–1900. Females	—			17,350			413	369	365	379	389	1915	1877	1800	1824	1723	2707	1941	1519	1072	684	288
Deaths from All Causes, 1891–1900. Persons	16·59			5,600			1229	212	83	57	51	1632	159	105	156	194	304	322	412	603	859	854
Deaths from All Causes, 1891–1900. Males	17·24			2,828			700	111	43	22	23	899	73	47	68	90	106	159	218	330	419	419
Deaths from All Causes, 1891–1900. Females	15·98			2,772			529	101	40	35	28	733	86	58	88	104	198	163	194	273	440	435
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Measles	0·17	0·19	0·16	58	31	27	24	15	8	1	3	51	3	3	1	—	—	—	—	—	—	—
Scarlet Fever	0·13	0·18	0·09	44	29	15	4	6	5	4	3	22	13	7	1	—	1	—	—	—	—	—
Diphtheria	0·18	0·20	0·16	60	33	27	1	2	4	7	9	23	22	7	1	1	1	1	1	1	1	1
Whooping-cough	0·28	0·27	0·28	93	44	49	55	26	8	3	1	93	—	—	—	—	—	—	—	—	—	—
Typhus	0·01	0·01	0·01	4	2	2	—	—	—	—	—	—	—	—	—	—	—	—	3	—	1	—
Enteric Fever	0·10	0·12	0·09	34	19	15	—	—	—	—	—	—	2	4	4	4	8	2	7	3	—	—
Simple Continued Fever	0·01	0·02	0·01	4	3	1	—	—	—	—	2	2	2	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·49	0·60	0·39	167	99	68	134	13	1	2	2	152	2	—	—	—	—	—	1	2	3	7
Cholera	0·01	0·01	0·01	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—
Cancer	0·67	0·52	0·82	227	85	142	—	—	1	1	1	3	3	—	—	2	2	21	45	69	54	28
Tabes Mesenterica	0·50	0·52	0·48	170	86	84	109	19	6	5	3	142	4	6	2	4	3	4	3	1	1	—
Phthisis	1·42	1·44	1·41	480	236	244	1	1	2	1	1	6	10	19	57	80	117	75	51	42	22	1
Other Tub. & Scrof. Dis.	0·37	0·38	0·37	126	62	64	23	14	5	4	9	55	21	11	7	6	9	10	2	2	1	2
Diseases of Nervous System	2·02	2·07	1·97	682	340	342	145	35	7	8	5	200	13	14	8	13	18	25	37	81	145	128
Diseases of Circulatory	2·19	2·17	2·20	738	356	382	1	1	—	—	—	2	5	5	12	9	25	36	81	168	225	170
Diseases of Respiratory	2·26	2·43	2·09	762	399	363	184	55	15	11	8	273	21	6	11	7	20	30	47	86	142	119
Diseases of Digestive	1·20	1·24	1·16	405	204	201	86	8	8	3	1	106	12	5	14	13	11	40	43	55	70	36
Diseases of Urinary	0·45	0·63	0·28	152	104	48	1	—	—	1	1	3	2	2	2	5	17	9	18	28	42	24
Diseases of Generative	0·07	—	0·14	24	—	24	1	—	1	—	—	2	—	—	—	2	3	4	7	3	1	2
Puerperal Fever	0·10	—	0·20	34	—	34	—	—	—	—	—	—	—	—	3	9	19	3	—	—	—	—
Childbirth	0·08	—	0·16	27	—	27	—	—	—	—	—	—	—	—	—	5	13	9	—	—	—	—
Violence	0·57	0·85	0·31	193	140	53	12	4	8	6	1	31	12	6	15	12	17	21	24	21	21	13
Other Causes	3·31	3·38	3·19	1113	554	559	448	13	4	—	1	466	12	10	18	21	20	32	41	40	130	323

Marriages 2,215

Births .. { Males .. 4,592 / Females 4,527 } 9,119

Annual Rate per 1000 living { Persons Married .. 13·13 / Births .. .. .. 27·02

Annual Births to 1000 Females aged 15—45 years=111.

Deaths from Childbirth and Puerperal Fever .. .. } 6·69 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

560.—HALTWHISTLE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·94			*87	—	—	—	—	30·33	3·12	2·85	3·75	6·21	4·74	7·66	10·70	27·08	68·20	172·17
Males ..	—			13·25			*81	—	—	—	—	28·42	2·89	3·18	3·93	5·97	3·40	7·96	10·60	23·97	72·79	186·44
Females	—			14·58			*94	—	—	—	—	32·16	3·34	2·51	3·57	6·43	6·08	7·35	10·80	30·54	63·24	157·14
Mean Population, 1891-1900. Persons	—			8,090			192	190	188	191	182	943	963	878	853	725	1181	914	729	506	283	115
Males ..	—			4,065			97	88	91	99	86	461	484	440	433	352	589	465	368	267	147	59
Females	—			4,025			95	102	97	92	96	482	479	438	420	373	592	449	361	239	136	56
Deaths from All Causes, 1891-1900. Persons	14·22			1,150			193	43	21	16	13	286	30	25	32	45	56	70	78	137	193	198
Males ..	14·12			574			88	16	10	10	7	131	14	14	17	21	20	37	39	64	107	110
Females	14·31			576			105	27	11	6	6	155	16	11	15	24	36	33	39	73	86	88
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·19	0·15	0·22	15	6	9	3	3	2	1	—	9	2	1	—	—	2	—	1	—	—	—
Scarlet Fever	0·15	0·17	0·12	12	7	5	—	3	1	2	—	6	4	1	1	—	—	—	—	—	—	—
Diphtheria	0·06	0·12	—	5	5	—	1	1	1	—	—	3	1	1	—	—	—	—	—	—	—	—
Whooping-cough ..	0·30	0·20	0·40	24	8	16	9	9	3	—	2	23	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·15	0·10	0·20	12	4	8	—	—	—	—	1	1	3	—	—	4	—	1	1	1	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·21	0·25	0·17	17	10	7	7	1	1	—	—	9	—	1	—	—	1	—	—	—	3	3
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·51	0·32	0·70	41	13	28	—	—	—	—	—	—	—	—	—	—	—	1	8	7	15	10
Tabes Mesenterica ..	0·31	0·34	0·27	25	14	11	8	3	1	2	—	14	1	1	2	—	2	3	—	—	1	1
Phthisis	1·21	1·08	1·34	98	44	54	—	—	—	—	—	—	1	4	12	16	20	19	14	8	4	—
Other Tub. & Scrof. Dis.	0·40	0·25	0·55	32	10	22	8	3	3	3	3	20	7	—	2	2	—	1	—	—	—	—
Diseases of Nervous System ..	1·73	1·82	1·64	140	74	66	15	4	3	1	3	26	2	5	3	1	1	6	8	22	33	33
Circulatory „ ..	2·20	2·09	2·31	178	85	93	2	—	—	—	—	2	2	1	1	3	5	9	13	44	56	42
Respiratory „ ..	2·01	2·26	1·76	163	92	71	35	10	3	4	2	54	3	2	1	2	5	7	8	17	23	41
Digestive „ ..	0·80	0·74	0·87	65	30	35	12	3	1	—	—	16	—	1	2	4	2	3	4	10	16	7
Urinary „ ..	0·42	0·47	0·37	34	19	15	—	—	—	1	—	1	—	—	—	1	1	1	4	5	13	8
Generative „ ..	0·02	—	0·05	2	—	2	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
Puerperal Fever ..	0·07	—	0·15	6	—	6	—	—	—	—	—	—	—	—	—	2	3	1	—	—	—	—
Childbirth	0·11	—	0·22	9	—	9	—	—	—	—	—	—	—	—	—	2	5	2	—	—	—	—
Violence	0·46	0·66	0·25	37	27	10	3	—	2	1	—	6	—	1	4	5	2	5	7	3	4	—
Other Causes ..	2·91	3·10	2·72	235	126	109	90	3	—	1	2	96	3	6	4	2	7	10	10	20	24	53

Marriages 556

Births .. { Males .. 1,093 / Females 1,113 } 2,206

Annual Rate per 1000 living { Persons Married .. 13·75 / Births .. .. .. 27·27 }

Annual Births to 1000 Females aged 15—45 years=120.

Deaths from Childbirth and Puerperal Fever .. .. } 6·80 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

561.—BELLINGHAM.

CAUSES OF DEATH.		CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000.	Persons	—			In Standard Population.		14·18	* 97	—	—	—	—	29·45	3·29	1·92	3·07	6·93	8·22	8·96	14·97	21·95	61·54	165·94
	Males ..	—					14·57	*104	—	—	—	—	32·41	3·32	1·09	2·81	7·27	7·47	8·31	18·25	23·98	66·89	174·65
	Females	—					13·82	* 89	—	—	—	—	26·53	3·26	2·68	3·31	6·60	8·98	9·67	11·59	19·51	56·29	156·72
Mean Population, 1891-1900.	Persons	—			5851			108	120	116	114	126	584	577	572	587	563	827	692	561	451	299	138
	Males ..	—			2951			55	52	59	60	64	290	301	274	285	275	415	361	285	246	148	71
	Females	—			2900			53	68	57	54	62	294	276	298	302	288	412	331	276	205	151	67
Deaths from All Causes, 1891-1900.	Persons	16·83			985			131	33	4	3	1	172	19	11	18	39	68	62	84	99	184	229
	Males ..	17·96			530			76	14	3	—	1	94	10	3	8	20	31	30	52	59	99	124
	Females	15·69			455			55	19	1	3	—	78	9	8	10	19	37	32	32	40	85	105
		Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles		0·05	0·07	0·03	3	2	1	2	1	—	—	—	3	—	—	—	—	—	—	—	—	—	—
Scarlet Fever		0·05	0·07	0·03	3	2	1	—	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—
Diphtheria		0·07	0·07	0·07	4	2	2	—	—	—	1	—	1	2	—	—	—	—	—	—	1	—	—
Whooping-cough ..		0·15	0·27	0·03	9	8	1	6	3	—	—	—	9	—	—	—	—	—	—	—	—	—	—
Typhus		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever		0·05	0·10	—	3	3	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—
Simple Continued Fever		0·07	0·03	0·10	4	1	3	1	—	—	—	—	1	—	—	—	1	—	—	—	1	1	—
Diarrhœa & Dysentery		0·19	0·24	0·14	11	7	4	5	4	—	—	—	9	—	—	—	1	—	—	—	—	1	—
Cholera		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer		0·84	0·68	1·00	49	20	29	—	—	—	—	—	—	—	—	—	—	—	3	6	13	18	9
Tabes Mesenterica ..		0·14	0·14	0·14	8	4	4	3	—	1	1	—	5	—	—	—	2	—	1	—	—	—	—
Phthisis		1·85	1·63	2·07	108	48	60	—	—	—	—	—	—	2	2	8	18	30	18	16	7	7	—
Other Tub. & Scrof. Dis.		0·36	0·31	0·41	21	9	12	3	—	—	1	—	4	1	4	4	2	2	2	—	2	—	—
Diseases of	Nervous System ..	2·17	2·51	1·83	127	74	53	21	3	1	—	—	25	5	3	1	—	3	2	9	4	31	44
	Circulatory " ..	2·75	3·02	2·48	161	89	72	—	—	—	—	—	—	—	—	2	1	4	3	18	24	60	49
	Respiratory " ..	2·08	2·44	1·72	122	72	50	19	9	—	—	1	29	1	1	1	3	4	9	12	13	13	36
	Digestive " ..	1·23	1·39	1·07	72	41	31	19	3	1	—	—	23	4	1	1	3	3	8	4	10	10	5
	Urinary " ..	0·74	0·95	0·52	43	28	15	—	—	—	—	—	—	—	—	—	2	2	1	7	6	9	16
	Generative " ..	0·02	0·03	—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Puerperal Fever ..		0·05	—	0·10	3	—	3	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—
Childbirth		0·07	—	0·14	4	—	4	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—
Violence		0·41	0·54	0·28	24	16	8	—	3	—	—	—	3	—	—	1	1	6	8	1	2	—	2
OTHER CAUSES ..		3·49	3·47	3·53	205	103	102	52	7	1	—	—	60	2	—	—	1	8	6	11	16	33	68

Marriages 319

Births .. { Males .. 728, Females 617 } 1,345

Annual Rate per 1000 living { Persons Married .. 10·90; Births .. .. .. 22·99 }

Annual Births to 1000 Females aged 15—45 years=101.

Deaths from Childbirth and Puerperal Fever .. .. } 5·20 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

562.—MORPETH.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 20·10			*169	—	—	—	—	62·87	3·86	2·85	5·96	7·11	7·96	10·90	16·70	31 45	70·54	180·97
Males ..	—			20·10			*190	—	—	—	—	67·77	3·65	3·02	6·00	6·30	6·77	10·04	17·72	31·76	70·04	186·67
Females	—			20·10			*148	—	—	—	—	57·81	4·07	2·67	5·91	8·03	9·32	11·86	15·57	31·12	71·04	176·21
Mean Population, 1891–1900. Persons	—			48,554			1461	1303	1234	1227	1253	6478	5913	5442	4967	4627	7412	5357	3922	2547	1395	494
Males ..	—			25,180			734	639	636	625	661	3295	2990	2744	2632	2459	3945	2819	2060	1310	701	225
Females	—			23,374			727	664	598	602	592	3183	2923	2698	2335	2168	3467	2538	1862	1237	694	269
Deaths from All Causes, 1891–1900. Persons	19·75			9,589			3014	608	239	132	80	4073	228	155	296	329	590	584	655	801	984	894
Males ..	19·78			4,980			1715	294	116	57	51	2233	109	83	158	155	267	283	365	416	491	420
Females	19·72			4,609			1299	314	123	75	29	1840	119	72	138	174	323	301	290	385	493	474
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·34	0·33	0·36	165	82	83	43	66	29	12	2	152	11	—	—	1	1	—	—	—	—	—
Scarlet Fever	0·14	0·13	0·16	70	33	37	7	8	8	10	4	37	22	4	1	3	1	2	—	—	—	—
Diphtheria	0·07	0·06	0·07	32	15	17	—	4	4	8	6	22	7	1	1	—	—	—	—	—	1	—
Whooping-cough ..	0·36	0·32	0·40	174	80	94	89	37	22	12	4	164	9	1	—	—	—	—	—	—	—	—
Typhus	0·00	0·00	—	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Enteric Fever	0·27	0·30	0·24	132	76	56	—	—	2	3	3	8	11	15	22	24	17	19	11	3	2	—
Simple Continued Fever	0·04	0·02	0·06	19	5	14	—	—	1	1	1	3	1	2	2	5	3	—	3	—	—	—
Diarrhœa & Dysentery	0·74	0·77	0·70	357	194	163	283	39	3	3	—	328	1	1	1	1	1	1	1	5	8	9
Cholera	0·03	0·03	0·04	16	7	9	7	—	—	—	—	7	—	—	—	1	1	—	3	2	2	—
Cancer	0·62	0·46	0·79	300	116	184	—	—	—	—	—	—	—	1	1	1	11	36	60	81	83	26
Tabes Mesenterica ..	0·44	0·41	0·46	212	104	108	108	38	15	4	2	167	11	7	4	4	7	6	3	3	—	—
Phthisis	1·76	1·61	1·93	856	405	451	6	10	5	4	—	25	13	36	102	122	222	130	104	76	23	3
Other Tub. & Scrof Dis.	0·61	0·59	0·63	296	148	148	81	42	21	9	11	164	26	16	23	19	14	11	9	9	5	—
Diseases of Nervous System ..	2·70	2·94	2·44	1312	741	571	427	55	24	9	7	522	19	8	17	22	51	89	117	134	203	130
Circulatory „ ..	1·62	1·45	1·80	787	366	421	17	—	—	—	—	17	11	11	26	15	28	55	116	180	220	108
Respiratory „ ..	2·70	2·84	2·55	1312	716	596	465	176	64	32	19	756	37	6	19	11	41	56	55	94	125	112
Digestive „ ..	1·83	1·82	1·85	890	458	432	466	84	14	9	7	580	12	4	12	18	22	33	46	69	56	38
Urinary „ ..	0·33	0·39	0·26	158	97	61	3	2	2	—	3	10	2	4	4	5	24	18	22	29	26	14
Generative „ ..	0·03	0·00	0·06	14	1	13	—	—	—	—	—	—	—	—	—	—	1	5	2	3	1	2
Puerperal Fever ..	0·12	—	0·26	60	—	60	—	—	—	—	—	—	—	—	1	14	33	12	—	—	—	—
Childbirth	0·12	—	0·25	58	—	58	—	—	—	—	—	—	—	—	1	14	24	18	1	—	—	—
Violence	0·68	1·01	0·33	332	255	77	18	6	15	8	4	51	16	19	33	28	42	31	40	35	22	15
OTHER CAUSES ..	4·20	4·30	4·08	2036	1080	956	994	41	10	8	7	1060	18	19	26	21	46	62	62	78	207	437

Marriages 4,070

Births .. { Males .. 9,016 / Females 8,775 } 17,791

Annual Rate per 1000 living { Persons Married .. 16·76 / Births .. .. .. 36·64

Annual Births to 1000 Females aged 15—45 years=169.

Deaths from Childbirth and Puerperal Fever .. .. } 6·63 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

563.—ALNWICK.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 16·60	*138	—	—	—	—	47·55	4·15	2·98	4·61	5·20	7·16	8·31	13·88	27·17	61·85	167·84
Annual Death-Rate per 1000. Males	—	17·69	*163	—	—	—	—	56·59	4·21	3·37	3·84	5·11	7·11	9·61	15·40	25·80	68·00	167·47
Annual Death-Rate per 1000. Females	—	15·59	*111	—	—	—	—	38·71	4·08	2·59	5·37	5·27	7·20	7·03	12·49	28·40	56·57	168·10
Mean Population, 1891–1900. Persons	—	22,700	533	496	525	535	521	2610	2508	2385	2256	2058	3438	2659	2018	1450	920	398
Mean Population, 1891–1900. Males	—	11,059	260	254	256	268	252	1290	1283	1187	1121	958	1660	1322	961	686	425	166
Mean Population, 1891–1900. Females	—	11,641	273	242	269	267	269	1320	1225	1198	1135	1100	1778	1337	1057	764	495	232
Deaths from All Causes, 1891–1900. Persons	17·64	4,005	892	186	70	60	33	1241	104	71	104	107	246	221	280	394	569	668
Deaths from All Causes, 1891–1900. Males	18·56	2,053	548	91	37	34	20	730	54	40	43	49	118	127	148	177	289	278
Deaths from All Causes, 1891–1900. Females	16·77	1,952	344	95	33	26	13	511	50	31	61	58	128	94	132	217	280	390

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·26	0·31	0·21	59	34	25	15	17	5	9	3	49	7	1	—	1	—	1	—	—	—
Scarlet Fever	0·32	0·31	0·33	72	34	38	7	5	9	14	3	38	26	4	—	—	2	2	—	—	—
Diphtheria	0·11	0·14	0·09	25	15	10	2	5	—	4	4	15	8	—	2	—	—	—	—	—	—
Whooping-cough	0·21	0·21	0·21	47	23	24	24	13	4	2	3	46	1	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·15	0·13	0·16	33	14	19	—	—	2	—	—	2	—	2	7	2	11	5	3	1	—
Simple Continued Fever	0·02	0·02	0·03	5	2	3	1	—	1	—	—	2	—	—	—	—	—	—	1	—	2
Diarrhœa & Dysentery	0·23	0·22	0·25	53	24	29	30	4	3	1	—	38	—	—	—	—	2	—	1	1	3
Cholera	0·00	—	0·01	1	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Cancer	0·87	0·67	1·06	197	74	123	1	—	—	—	—	1	1	1	1	1	1	10	34	54	56
Tabes Mesenterica	0·36	0·39	0·33	81	43	38	43	14	4	3	1	65	6	2	3	3	2	—	—	—	—
Phthisis	1·58	1·66	1·50	359	184	175	2	3	2	1	1	9	5	10	45	50	91	67	50	23	9
Other Tub. & Scrof. Dis.	0·57	0·64	0·50	129	71	58	32	27	6	6	5	76	7	17	10	1	6	4	3	1	4
Diseases of Nervous System	2·47	2·58	2·36	560	285	275	137	18	6	5	4	170	7	3	1	5	14	16	35	69	116
Diseases of Circulatory „	1·67	1·66	1·67	378	184	194	1	—	1	—	—	2	2	4	5	4	19	15	43	81	117
Diseases of Respiratory „	2·11	2·22	2·00	479	246	233	140	52	14	9	3	218	10	1	1	3	14	13	28	44	67
Diseases of Digestive „	1·21	1·28	1·14	274	141	133	101	18	6	3	2	130	9	1	7	1	13	14	15	28	33
Diseases of Urinary „	0·45	0·64	0·26	101	71	30	—	—	—	—	—	—	2	5	3	2	4	7	9	20	26
Diseases of Generative „	0·04	—	0·09	10	—	10	—	—	—	—	—	—	—	—	—	2	2	—	1	2	2
Puerperal Fever	0·11	—	0·21	24	—	24	—	—	—	—	—	—	—	—	1	8	9	6	—	—	—
Childbirth	0·06	—	0·11	13	—	13	—	—	—	—	—	—	—	—	—	—	9	3	1	—	—
Violence	0·69	1·05	0·34	156	116	40	5	2	—	—	1	8	6	13	4	12	24	30	18	8	17
OTHER CAUSES	4·15	4·43	3·91	949	492	457	350	8	7	3	3	371	7	7	14	12	23	28	38	62	117

Marriages 1,522
Births .. { Males .. 3,370 / Females 3,108 } 6,478

Annual Rate per 1000 living { Persons Married .. 13·41 / Births .. .. .. 28·54 }
Annual Births to 1000 Females aged 15—45 years=121.

Deaths from Childbirth and Puerperal Fever .. .. } 5·71 per 1000 Births

* The death-rates under one year of age are per 1000 Births.

564.—BELFORD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.	13·33		*103	—	—	—	—	30·07	4·48	1·83	5·47	5·03	5·20	5·48	13·60	20·16	63·83	153·70
Males ..	—				13·68		*105	—	—	—	—	32·12	5·24	1·48	4·88	3·74	5·33	6·03	14·42	20·81	72·64	167·50
Females	—				13·01		*101	—	—	—	—	28·13	3·66	2·18	6·02	6·08	5·10	5·00	12·93	19·59	56·59	145·59
Mean Population, 1891–1900. Persons	—			5,168			113	113	111	106	119	562	513	545	512	477	769	602	478	367	235	108
Males ..	—			2,425			58	52	54	53	57	274	267	270	246	214	338	282	215	173	106	40
Females	—			2,743			55	61	57	53	62	288	246	275	266	263	431	320	263	194	129	68
Deaths from All Causes, 1891–1900. Persons	15·13			782			127	22	9	8	3	169	23	10	28	24	40	33	65	74	150	166
Males ..	15·34			372			65	16	4	3	—	88	14	4	12	8	18	17	31	36	77	67
Females	14·95			410			62	6	5	5	3	81	9	6	16	16	22	16	34	38	73	99
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·10	0·12	0·07	5	3	2	—	2	—	—	—	2	2	—	1	—	—	—	—	—	—	—
Scarlet Fever	0·12	0·08	0·15	6	2	4	—	—	—	3	—	3	2	—	—	—	1	—	—	—	—	—
Diphtheria	0·08	0·04	0·11	4	1	3	—	—	—	1	—	1	2	—	—	—	1	—	—	—	—	—
Whooping-cough ..	0·19	0·12	0·26	10	3	7	9	—	1	—	—	10	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·12	0·08	0·15	6	2		—	—	—	—	—	—	1	—	1	1	1	1	1	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·19	0·12	0·26	10	3	7	3	2	—	—	—	5	—	—	—	—	—	—	—	—	1	4
Cholera	0·02	0·04	—	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Cancer	0·95	0·99	0·91	49	24	25	—	—	—	—	—	—	—	—	—	—	—	3	11	13	13	9
Tabes Mesenterica ..	0·15	0·29	0·04	8	7	1	1	2	1	—	—	4	2	2	—	—	—	—	—	—	—	—
Phthisis	0·93	0·70	1·13	48	17	31	—	—	1	—	—	1	1	2	9	7	12	5	8	2	—	1
Other Tub. & Scrof. Dis.	0·39	0·33	0·44	20	8	12	3	2	—	—	2	7	5	1	2	1	3	1	—	—	—	—
Diseases of Nervous System ..	2·17	2·19	2·15	112	53	59	19	4	1	1	—	25	2	—	1	—	4	2	7	11	29	31
Circulatory „ ..	2·46	2·47	2·44	127	60	67	1	—	—	—	—	1	1	1	2	—	3	1	11	21	48	38
Respiratory „ ..	2·05	2·10	2·01	106	51	55	27	5	3	2	1	38	—	—	3	1	3	4	8	10	19	20
Digestive „ ..	0·87	0·95	0·80	45	23	22	12	4	—	—	—	16	1	—	2	1	2	—	7	3	11	2
Urinary „ ..	0·39	0·54	0·26	20	13	7	—	—	—	1	—	1	—	—	—	—	1	2	2	1	•	4
Generative „ ..	0·08	—	0·15	4	—	4	—	—	—	—	—	—	—	—	—	—	—	2	—	2	—	—
Puerperal Fever ..	0·06	—	0·11	3	—	3	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—
Childbirth	0·08	—	0·15	4	—	4	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—
Violence	0·83	1·20	0·51	43	29	14	1	—	1	—	—	2	3	4	2	7	4	8	5	2	1	5
Other Causes ..	2·90	2·98	2·85	151	72	79	51	1	1	—	—	53	—	—	3	5	1	4	5	9	19	52

Marriages 317

Births .. Males .. 619, Females 616 } 1,235

Annual Rate per 1000 living: Persons Married .. 12·27; Births .. .. .. 23·90

Annual Births to 1000 Females aged 15—45 years=96.

Deaths from Childbirth and Puerperal Fever .. .. 5·67 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

565.—BERWICK

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 16·39			*128	—	—	—	—	42·86	4·00	2·58	5·53	5·36	7·88	8·99	13·07	27·55	65·35	168·65
Males ..	—			17·16			*141	—	—	—	—	46·67	4·30	2·37	5·35	5·87	8·68	10·09	15·00	30·70	67·27	171·05
Females	—			15·67			*115	—	—	—	—	39·16	3·69	2·78	5·72	4·90	7·20	8·00	11·38	25·00	63·86	166·97
Mean Population, 1891-1900. Persons	—			19,630			432	415	442	422	454	2165	2200	2097	2024	1716	2729	2270	1844	1332	883	370
Males ..	—			9,402			204	203	221	207	232	1067	1115	1055	1028	818	1256	1070	860	596	385	152
Females	—			10,228			228	212	221	215	222	1098	1085	1042	996	898	1473	1200	984	736	498	218
Deaths from All Causes, 1891-1900. Persons	17·84			3,502			676	138	54	38	22	928	88	54	112	92	215	204	241	367	577	624
Males ..	18·32			1,722			384	69	22	14	9	498	48	25	55	48	109	108	129	183	259	260
Females	17·40			1,780			292	69	32	24	13	430	40	29	57	44	106	96	112	184	318	364
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·24	0·21	0·26	47	20	27	10	20	7	1	4	42	5	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·07	0·07	0·06	13	7	6	1	—	2	1	3	7	3	2	1	—	—	—	—	—	—	—
Diphtheria	0·19	0·23	0·16	38	22	16	—	10	9	5	—	24	10	—	—	1	2	1	—	—	—	—
Whooping-cough	0·31	0·31	0·31	61	29	32	26	17	6	5	2	56	3	—	—	—	1	—	—	—	1	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·20	0·22	0·18	39	21	18	—	2	—	—	1	3	3	6	8	4	7	2	1	4	1	—
Simple Continued Fever	0·01	—	0·01	1	—	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·40	0·47	0·33	78	44	34	48	8	2	1	—	59	—	—	—	—	1	—	—	3	4	11
Cholera	0·01	—	0·01	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Cancer	1·15	0·86	1·42	226	81	145	—	—	—	—	—	—	—	—	—	—	4	18	30	62	74	38
Tabes Mesenterica	0·12	0·16	0·08	23	15	8	5	2	2	1	—	10	5	2	2	2	2	—	—	—	—	—
Phthisis	1·45	1·64	1·28	285	154	131	5	2	—	3	1	11	8	11	46	42	74	41	30	14	8	—
Other Tub. & Scrof. Dis.	0·33	0·30	0·36	65	28	37	9	7	5	5	—	26	10	10	9	3	4	1	1	1	—	—
Diseases of Nervous System	2·24	2·24	2·23	439	211	228	66	11	—	2	—	79	7	5	5	—	12	18	30	66	119	98
Circulatory "	2·45	2·52	2·39	481	237	244	—	—	—	1	—	1	4	2	2	7	11	29	43	100	156	126
Respiratory "	2·21	2·32	2·10	433	218	215	127	38	10	6	6	187	10	2	7	10	16	17	27	33	49	75
Digestive "	1·17	1·12	1·21	229	105	124	63	16	4	4	1	88	5	1	7	3	17	15	17	16	33	27
Urinary "	0·35	0·46	0·24	68	43	25	—	—	—	1	1	2	1	2	—	2	8	9	12	10	19	3
Generative "	0·07	—	0·14	14	—	14	—	—	—	—	—	—	—	—	1	1	2	1	5	—	3	1
Puerperal Fever	0·08	—	0·16	16	—	16	—	—	—	—	—	—	—	—	—	2	8	6	—	—	—	—
Childbirth	0·08	—	0·15	15	—	15	—	—	—	—	—	—	—	—	—	1	8	5	1	—	—	—
Violence	0·74	1·15	0·37	146	108	38	11	2	3	1	2	19	7	5	9	7	21	15	18	18	16	11
Other Causes	3·97	4·04	3·95	784	379	405	305	3	3	1	1	313	7	6	15	7	17	26	26	40	93	234

Marriages 1,277

Births .. { Males .. 2,721 / Females 2,547 } 5,268

Annual Rate per 1000 living { Persons Married .. 13·01 / Births .. .. .. 26·84

Annual Births to 1000 Females aged 15—45 years = 115.

Deaths from Childbirth and Puerperal Fever .. .. } 5·88 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

566.—GLENDALE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 13·17	*87	—	—	—	—	25·44	2·84	2·91	4·64	5·34	5·68	7·17	10·59	27·93	56·58	174·74
Males ..	—	13·50	*95	—	—	—	—	27·03	3·59	2·20	4·72	6·39	6·95	7·38	12·06	28·80	55·61	184·88
Females	—	12·85	*80	—	—	—	—	23·85	2·06	3·62	4·56	4·54	4·74	7·00	9·28	27·17	57·38	166·35
Mean population, 1891–1900. Persons	—	9,527	190	181	185	195	208	959	986	998	970	936	1392	1074	916	673	433	190
Males ..	—	4,463	97	90	90	98	106	481	501	501	466	407	590	488	431	316	196	86
Females	—	5,064	93	91	95	97	102	478	485	497	504	529	802	586	485	357	237	104
Deaths from All Causes, 1891–1900. Persons	14·84	1,414	178	37	11	6	12	244	28	29	45	50	79	77	97	188	245	332
Males ..	15·57	695	97	21	5	2	5	130	18	11	22	26	41	36	52	91	109	159
Females	14·20	719	81	16	6	4	7	114	10	18	23	24	38	41	45	97	136	173

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·03	0·04	0·02	3	2	1	2	—	1	—	—	3	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·09	0·07	0·12	9	3	6	—	1	—	—	1	2	2	3	2	—	—	—	—	—	—
Diphtheria	0·05	0·11	—	5	5	—	—	1	—	—	1	2	2	—	1	—	—	—	—	—	—
Whooping-cough ..	0·19	0·18	0·20	18	8	10	12	2	1	—	1	16	2	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·03	0·02	0·04	3	1	2	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—
Simple Continued Fever	0·02	—	0·04	2	—	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1
Diarrhœa & Dysentery	0·19	0·27	0·12	18	12	6	4	1	1	—	—	6	1	—	—	—	—	1	—	7	2
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·80	0·83	0·77	76	37	39	—	—	—	—	—	—	—	—	—	—	4	10	22	25	15
Tabes Mesenterica ..	0·01	0·02	—	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Phthisis	1·33	1·77	0·95	127	79	48	1	1	—	—	—	2	2	8	16	18	32	21	15	10	2
Other Tub. & Scrof. Dis.	0·34	0·31	0·36	32	14	18	2	4	2	2	3	13	3	1	3	5	1	3	1	1	—
Diseases of Nervous System ..	1·53	1·59	1·48	146	71	75	15	4	1	—	1	21	3	5	2	4	2	8	8	21	35
Circulatory " ..	2·24	2·35	2·13	213	105	108	—	—	—	1	—	1	2	2	—	2	6	4	19	50	54
Respiratory " ..	1·77	1·59	1·94	169	71	98	32	15	4	2	1	54	3	2	1	3	4	8	5	23	31
Digestive " ..	1·36	1·39	1·34	130	62	68	20	4	—	1	1	26	1	5	4	6	5	8	15	13	27
Urinary " ..	0·36	0·38	0·34	34	17	17	1	—	—	—	1	2	—	—	5	—	3	3	5	6	4
Generative " ..	0·04	—	0·08	4	—	4	—	—	—	—	—	—	—	—	—	—	—	2	1	—	1
Puerperal Fever ..	0·03	—	0·06	3	—	3	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—
Childbirth	0·09	—	0·18	9	—	9	—	—	—	—	—	—	—	—	1	1	5	2	—	—	—
Violence	0·45	0·61	0·32	43	27	16	5	1	—	—	2	8	2	—	2	2	7	3	2	8	1
OTHER CAUSES ..	3·89	4·04	3·71	369	180	189	84	3	1	—	—	88	4	3	6	8	12	9	16	26	63

Marriages 600

Births .. { Males .. 1,026 / Females 1,018 } 2,044

Annual Rate per 1000 living { Persons Married .. 12·60 / Births .. .. .. 21·45 }

Annual Births to 1000 Females aged 15—45 years = 84.

Deaths from Childbirth and Puerperal Fever .. .. } 15·87 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

567.—ROTHBURY.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·90			* 97	—	—	—	—	30·41	3·93	3·03	4 62	5·26	6·66	10·14	11·57	23·21	53·93	160·45
Annual Death-Rate per 1000. Males ..	—			14·07			*114	—	—	—	—	35·05	2·68	3·15	5 57	4·86	6·35	9·50	14·98	21·66	49·66	169·70
Annual Death-Rate per 1000. Females	—			13·73			* 79	—	—	—	—	25·66	5·23	2·92	3·76	5·59	6·94	10·77	8·22	24·68	58·52	151·47
Mean Population, 1891–1900. Persons	—			6,043			115	120	126	119	135	615	585	594	606	551	931	720	579	448	280	134
Mean Population, 1891–1900. Males ..	—			2,943			59	58	65	58	71	311	298	286	287	247	441	358	287	217	145	66
Mean Population, 1891–1900. Females	—			3,100			56	62	61	61	64	304	287	308	319	304	490	362	292	231	135	68
Deaths from All Causes, 1891–1900. Persons	15·84			957			136	23	8	12	8	187	23	18	28	29	62	73	67	104	151	215
Deaths from All Causes, 1891–1900. Males ..	16·65			490			81	10	4	7	7	109	8	9	16	12	28	34	43	47	72	112
Deaths from All Causes, 1891–1900. Females	15·06			467			55	13	4	5	1	78	15	9	12	17	34	39	24	57	79	103
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·05	0·07	0·03	3	2	1	1	—	—	—	—	1	—	—	1	—	1	—	—	—	—	—
Scarlet Fever	0·22	0·20	0·23	13	6	7	—	2	1	4	1	8	2	—	—	—	2	1	—	—	—	—
Diphtheria	0·22	0·20	0·23	13	6	7	—	2	—	2	2	6	3	2	—	—	1	—	1	—	—	—
Whooping-cough ..	0·20	0·24	0·16	12	7	5	10	1	1	—	—	12	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·10	0·03	0·16	6	1	5	—	1	—	—	—	1	—	1	—	2	—	1	—	—	1	—
Simple Continued Fever	0·02	0·03	—	1	1	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·23	0·20	0·26	14	6	8	10	1	1	—	—	12	—	—	—	—	—	—	—	—	—	2
Cholera	0·02	—	0·03	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Cancer	0·65	0·68	0·61	39	20	19	—	—	—	—	—	—	—	1	—	—	—	2	8	8	13	7
Tabes Mesenterica ..	0 17	0·17	0·16	10	5	5	3	—	—	—	—	3	2	—	1	—	2	2	—	—	—	—
Phthisis	1·66	1·77	1·55	100	52	48	—	—	1	—	—	1	1	6	11	12	21	22	11	10	5	—
Other Tub. & Scrof. Dis.	0·36	0·41	0·32	22	12	10	2	2	1	3	1	9	5	—	3	1	1	1	—	1	—	1
Diseases of Nervous System ..	1·90	1·60	2·19	115	47	68	16	3	1	—	—	20	3	—	1	—	4	8	6	19	31	23
Diseases of Circulatory	2·35	2·58	2·13	142	76	66	—	—	—	—	—	—	—	—	1	1	3	7	14	22	44	50
Diseases of Respiratory „ ..	1·64	1·87	1·42	99	55	44	27	8	1	1	2	39	2	1	—	1	3	3	2	13	12	23
Diseases of Digestive „ ..	1·24	1·19	1·29	75	35	40	17	—	—	1	1	19	—	—	2	3	4	3	10	9	9	16
Diseases of Urinary „ ..	0·50	0·85	0·16	30	25	5	1	—	—	—	—	1	—	1	—	1	—	3	5	3	7	9
Diseases of Generative „ ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Fever ..	0·15	—	0·29	9	—	9	—	—	—	—	—	—	—	—	—	1	5	3	—	—	—	—
Childbirth	0·15	—	0·29	9	—	9	—	—	—	—	—	—	—	—	1	3	3	2	—	—	—	—
Violence	0·74	1·12	0·39	45	33	12	2	1	1	—	1	5	2	1	4	—	4	5	4	7	9	4
OTHER CAUSES ..	3·27	3·44	3·16	199	101	98	47	1	—	1	—	49	3	5	3	4	8	10	6	12	20	79

Marriages 281

Births .. { Males .. 710, Females 698 } 1,408

Annual Rate per 1000 living { Persons Married .. 9·30; Births .. .. .. 23·30

Annual Births to 1000 Females aged 15—45 years = 95.

Deaths from Childbirth and Puerperal Fever .. .. } 12·78 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

568.—ALSTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		16·13	*103	—	—	—	—	32·04	2·75	2·74	3·15	8·87	7·17	10·83	14·88	34·91	79·52	160·34
Annual Death-Rate per 1000. Males	—					17·45	*134	—	—	—	—	39·49	2·75	2·84	3·18	9·85	5·43	10·36	15·38	40·98	102·78	163·16
Annual Death-Rate per 1000. Females	—					14·88	* 72	—	—	—	—	24·34	2·76	2·61	3·13	8·00	8·69	11·27	14·37	30·07	61·70	158·97
Mean Population, 1891-1900. Persons	—			3,270			75	46	62	56	70	309	327	329	317	282	474	397	336	275	166	58
Mean Population, 1891-1900. Males	—			1,600			42	19	26	31	39	157	182	176	157	132	221	193	169	122	72	19
Mean Population, 1891-1900. Females	—			1,670			33	27	36	25	31	152	145	153	160	150	253	204	167	153	94	39
Deaths from All Causes, 1891-1900. Persons	18·35			600			73	10	6	7	3	99	9	9	10	25	34	43	50	96	132	93
Deaths from All Causes, 1891-1900. Males	18·94			303			48	5	2	5	2	62	5	5	5	13	12	20	26	50	74	31
Deaths from All Causes, 1891-1900. Females	17·78			297			25	5	4	2	1	37	4	4	5	12	22	23	24	46	58	62
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·09	0·13	0·06	3	2	1	1	—	1	—	—	2	1	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·31	0·50	0·12	10	8	2	2	—	—	2	—	4	3	—	—	1	2	—	—	—	—	—
Diphtheria	0·21	0·25	0·18	7	4	3	—	—	—	2	—	2	1	1	—	1	—	1	1	—	—	—
Whooping-cough	0·31	0·25	0·36	10	4	6	4	2	4	—	—	10	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·03	0·06	—	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·28	0·25	0·30	9	4	5	5	1	—	—	1	7	—	1	—	—	—	—	—	—	1	—
Cholera	0·06	0·13	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—
Cancer	0·89	0·50	1·26	29	8	21	—	—	—	—	—	—	—	—	—	—	1	1	3	7	10	7
Tabes Mesenterica	0·12	0·06	0·18	4	1	3	—	—	—	—	—	—	—	—	—	—	3	1	—	—	—	—
Phthisis	1·44	1·88	1·02	47	30	17	—	—	—	—	1	1	—	—	3	12	10	8	7	5	1	—
Other Tub. & Scrof. Dis.	0·37	0·38	0·36	12	6	6	—	2	—	—	1	3	1	2	2	1	—	1	1	—	1	—
Diseases of Nervous System	1·62	1·75	1·50	53	28	25	3	—	—	—	—	3	—	—	1	1	—	2	3	8	21	14
Diseases of Circulatory "	2·72	2·56	2·87	89	41	48	—	—	—	1	—	1	—	—	—	1	3	3	6	26	36	13
Diseases of Respiratory "	1·68	2·00	1·38	55	32	23	5	—	1	1	—	7	—	—	—	—	1	7	7	8	14	11
Diseases of Digestive "	1·07	0·94	1·20	35	15	20	9	1	—	—	—	10	—	1	2	—	2	3	2	8	6	1
Diseases of Urinary "	0·52	0·69	0·36	17	11	6	—	1	—	1	—	2	—	—	—	1	—	1	2	6	4	1
Diseases of Generative "	0·12	—	0·24	4	—	4	—	—	—	—	—	—	—	—	—	—	1	2	—	—	1	—
Puerperal Fever	0·06	—	0·12	2	—	2	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
Childbirth	0·12	—	0·24	4	—	4	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—
Violence	0·52	0·94	0·12	17	15	2	3	1	—	—	—	4	—	1	1	1	3	1	—	3	2	1
Other Causes	5·81	5·67	5·91	190	91	99	41	2	—	—	—	43	3	2	1	5	3	11	17	25	35	45

Marriages 194

Births .. { Males .. 359, Females 347 } 706

Annual Rate per 1000 living { Persons Married .. 11·87; Births .. .. 21·59 }

Annual Births to 1000 Females aged 15—45 years = 92.

Deaths from Childbirth and Puerperal Fever .. .. } 8·50 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

569.—PENRITH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 14·56			*111	—	—	—	—	35·80	2·67	1·84	3·24	4·37	6·11	8·04	11·47	28·55	66·86	172·43
Annual Death-Rate per 1000. Males	—			14·66			*125	—	—	—	—	39·37	2·77	1·73	2·84	4·54	5·52	8·40	13·60	28·36	65·53	171·61
Annual Death-Rate per 1000. Females	—			14·47			* 97	—	—	—	—	32·04	2·56	1·96	3·66	4·22	6·64	7·70	9·44	28·73	68·19	167·84
Mean Population, 1891-1900. Persons	—			22,409			492	445	516	494	489	2436	2514	2390	2346	1899	3174	2550	2092	1527	1053	428
Mean Population, 1891-1900. Males	—			10,998			268	211	246	272	250	1247	1264	1216	1197	881	1486	1226	1022	730	528	201
Mean Population, 1891-1900. Females	—			11,411			224	234	270	222	239	1189	1250	1174	1149	1018	1688	1324	1070	797	525	227
Deaths from All Causes, 1891-1900. Persons	16·33			3,659			645	131	49	25	22	872	67	44	76	83	194	205	240	436	704	738
Deaths from All Causes, 1891-1900. Males	16·87			1,855			370	73	26	12	10	491	35	21	34	40	82	103	139	207	346	357
Deaths from All Causes, 1891-1900. Females	15·81			1,804			275	58	23	13	12	381	32	23	42	43	112	102	101	229	358	381
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·02	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—
Measles	0·14	0·16	0·12	32	18	14	9	13	1	2	2	27	4	—	1	—	—	—	—	—	—	—
Scarlet Fever	0·12	0·16	0·08	27	18	9	—	6	4	2	1	13	13	—	1	—	—	—	—	—	—	—
Diphtheria	0·05	0·05	0·05	12	6	6	1	—	1	1	4	7	4	1	—	—	—	—	—	—	—	—
Whooping-cough	0·21	0·19	0·24	48	21	27	27	11	5	1	2	46	2	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·07	0·10	0·04	15	11	4	—	—	—	—	—	—	2	—	1	1	2	2	3	3	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·25	0·26	0·25	57	29	28	35	6	2	1	—	44	—	—	—	—	—	—	1	1	6	5
Cholera	0·01	0·01	0·01	2	1	1	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—
Cancer	0·96	0·91	1·00	214	100	114	—	—	—	—	—	—	—	1	1	1	4	16	31	51	76	33
Tabes Mesenterica	0·10	0·11	0·09	22	12	10	4	4	—	—	1	9	2	1	2	2	—	4	1	—	1	—
Phthisis	1·06	1·18	0·94	237	130	107	—	—	—	—	2	2	4	8	22	37	63	47	22	18	11	3
Other Tub. & Scrof. Dis.	0·34	0·42	0·27	77	46	31	21	8	7	1	2	39	14	5	5	4	2	5	1	1	1	—
Diseases of: Nervous System	1·94	1·86	2·01	434	205	229	72	15	3	3	1	94	1	4	5	6	9	13	22	60	113	107
Diseases of: Circulatory „	2·44	2·30	2·58	547	253	294	4	1	—	—	—	5	2	2	5	5	15	21	47	126	179	140
Diseases of: Respiratory „	2·39	2·66	2·13	536	293	243	114	46	10	8	3	181	5	2	5	4	20	24	29	64	106	96
Diseases of: Digestive „	1·18	1·24	1·13	265	136	129	63	10	2	1	1	77	7	9	13	7	15	12	18	39	45	23
Diseases of: Urinary „	0·53	0·68	0·39	119	75	44	3	—	1	—	—	4	1	2	1	1	10	12	17	18	31	22
Diseases of: Generative „	0·04	—	0·09	10	—	10	—	—	—	—	—	—	—	—	—	—	1	3	3	1	1	1
Puerperal Fever	0·06	—	0·12	14	—	14	—	—	—	—	—	—	—	—	—	1	10	3	—	—	—	—
Childbirth	0·09	—	0·18	20	—	20	—	—	—	—	—	—	—	—	—	1	9	10	—	—	—	—
Violence	0·58	0·75	0·42	131	83	48	15	6	8	4	1	34	4	3	4	4	14	11	13	12	16	16
Other Causes	3·76	3·81	3·67	838	416	422	276	5	5	1	2	289	2	6	10	9	20	22	31	42	115	292

Marriages 1,493

Births .. { Males .. 2,956 / Females 2,842 } 5,798

Annual Rate per 1000 living { Persons Married .. 13·33 / Births .. .. .. 25·87

Annual Births to 1000 Females aged 15—45 years = 112.

Deaths from Childbirth and Puerperal Fever .. .. } 5·86 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

570.—BRAMPTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population		14·37	* 98	—	—	—	—	32·47	3·50	1·98	3·92	5·50	6·79	7·86	13·37	29·12	58·71	163·72
Annual Death-Rate per 1000. Males	—					14·54	*119	—	—	—	—	37·45	4·03	0·81	3·40	5·85	6·61	7·31	14·04	30·61	63·64	150·48
Annual Death-Rate per 1000. Females	—					14·21	* 74	—	—	—	—	27·02	2·95	3·23	4·44	5·19	6·94	8·42	12·69	27·71	53·95	176·36
Mean Population, 1891–1900. Persons	—			9,313			178	189	197	197	200	961	1029	958	943	800	1267	1107	905	680	448	215
Mean Population, 1891–1900. Males	—			4,624			92	105	98	102	105	502	521	493	470	376	590	561	456	330	220	105
Mean Population, 1891–1900. Females	—			4,689			86	84	99	95	95	459	508	465	473	424	677	546	449	350	228	110
Deaths from All Causes, 1891–1900. Persons	16·70			1,555			222	54	17	11	8	312	36	19	37	44	86	87	121	198	263	352
Deaths from All Causes, 1891–1900. Males	17·17			794			142	26	8	7	5	188	21	4	16	22	39	41	64	101	140	158
Deaths from All Causes, 1891–1900. Females	16·23			761			80	28	9	4	3	124	15	15	21	22	47	46	57	97	123	194
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·33	0·37	0·30	31	17	14	6	12	4	2	1	25	4	2	—	—	—	—	—	—	—	—
Scarlet Fever	0·10	0·09	0·11	9	4	5	—	2	2	—	1	5	3	—	—	—	1	—	—	—	—	—
Diphtheria	0·04	0·06	0·02	4	3	1	1	—	—	—	2	3	—	—	—	—	—	—	—	1	—	—
Whooping-cough	0·08	0·04	0·11	7	2	5	6	—	—	1	—	7	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·02	0·04	—	2	2	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·17	0·15	0·19	16	7	9	8	3	—	—	—	11	—	—	—	—	—	—	—	1	1	3
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	1·10	0·99	1·19	102	46	56	1	—	—	—	—	1	—	—	—	—	1	3	21	25	33	18
Tabes Mesenterica	0·10	0·09	0·11	9	4	5	3	—	—	—	—	3	—	1	—	1	2	2	—	—	—	—
Phthisis	1·47	1·45	1·49	137	67	70	—	1	—	—	—	1	3	5	15	16	35	27	20	11	4	—
Other Tub. & Scrof. Dis.	0·21	0·17	0·26	20	8	12	5	—	—	—	—	5	2	3	1	2	4	—	3	—	—	—
Diseases of Nervous System	2·57	2·92	2·22	239	135	104	40	12	3	2	1	58	9	2	4	4	4	8	10	33	54	53
Diseases of Circulatory "	2·32	2·08	2·56	216	96	120	—	—	—	—	1	1	—	1	5	—	9	8	28	47	74	43
Diseases of Respiratory "	2·41	2·49	2·32	224	115	109	47	17	6	4	1	75	8	—	2	8	4	9	14	27	43	34
Diseases of Digestive "	0·92	1·02	0·83	86	47	39	24	1	—	1	—	26	2	2	2	3	5	5	5	14	10	12
Diseases of Urinary "	0·46	0·56	0·36	43	26	17	1	—	—	—	—	1	—	2	1	2	3	6	5	12	4	7
Diseases of Generative "	0·01	—	0·02	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Puerperal Fever	0·06	—	0·13	6	—	6	—	—	—	—	—	—	—	—	—	3	1	1	1	—	—	—
Childbirth	0·10	—	0·19	9	—	9	—	—	—	—	—	—	—	—	—	2	3	4	—	—	—	—
Violence	0·43	0·63	0·23	40	29	11	1	2	2	1	—	6	—	—	4	1	3	7	3	7	3	6
Other Causes	3·80	4·02	3·59	354	186	168	79	4	—	—	1	84	5	1	2	2	10	7	10	20	37	176

Marriages 615

Births .. { Males .. 1,195 / Females 1,074 } 2,269

Annual Rate per 1000 living { Persons Married .. 13·21 / Births .. .. .. 24·36

Annual Births to 1000 Females aged 15—45 years = 107.

Deaths from Childbirth and Puerperal Fever .. .. } 6·61 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

571.—LONGTOWN.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 13·76	*112	—	—	—	—	33·83	3·39	1·49	4·51	6·16	5·67	8·42	10·76	22·05	57·34	162·50
Annual Death-Rate per 1000. Males ..	—	13·62	*120	—	—	—	—	34·92	3·27	1·35	3·00	6·29	4·05	7·90	10·63	26·51	63·30	174·07
Annual Death-Rate per 1000. Females	—	13·90	*104	—	—	—	—	32·69	3·50	1·63	6·47	6·04	7·19	8·95	10·90	17·76	51·11	151·72
Mean Population, 1891-1900. Persons	—	6,952	143	136	154	153	156	742	738	737	709	584	970	796	632	508	368	168
Mean Population, 1891-1900. Males ..	—	3,513	70	67	83	82	76	378	367	370	400	286	469	405	320	249	188	81
Mean Population, 1891-1900. Females	—	3,439	73	69	71	71	80	364	371	367	309	298	501	391	312	259	180	87
Deaths from All Causes, 1891-1900. Persons	16·41	1,141	197	30	8	11	5	251	25	11	32	36	55	67	68	112	211	273
Deaths from All Causes, 1891-1900. Males ..	16·79	590	105	13	5	7	2	132	12	5	12	18	19	32	34	66	119	141
Deaths from All Causes, 1891-1900. Females	16·02	551	92	17	3	4	3	119	13	6	20	18	36	35	34	46	92	132

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·09	0·09	0·09	6	3	3	2	1	—	—	1	4	—	2	—	—	—	—	—	—	—
Scarlet Fever	0·07	0·09	0·06	5	3	2	1	—	1	—	—	2	1	—	—	1	1	—	—	—	—
Diphtheria	0·13	0·11	0·15	9	4	5	—	—	2	1	—	3	5	—	—	—	—	1	—	—	—
Whooping-cough ..	0·23	0·17	0·29	16	6	10	10	5	—	—	—	15	1	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·07	0·03	0·12	5	1	4	—	—	—	—	—	—	1	—	1	—	—	1	1	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·16	0·11	0·20	11	4	7	6	1	—	—	—	7	—	—	—	—	—	—	—	1	1	2
Cholera	0·01	—	0·03	1	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Cancer	0·83	0·91	0·76	58	32	26	—	—	—	—	—	—	—	—	1	1	—	4	8	9	21	14
Tabes Mesenterica ..	0·22	0·20	0·23	15	7	8	5	—	—	—	1	6	2	—	1	4	—	—	—	1	1	—
Phthisis	1·42	1·08	1·77	99	38	61	5	2	—	1	—	8	2	3	12	17	18	18	13	5	3	—
Other Tub. & Scrof. Dis.	0·22	0·26	0·17	15	9	6	6	—	1	1	—	8	2	1	1	1	—	1	—	1	—	—
Diseases of Nervous System ..	1·73	1·79	1·66	120	63	57	22	4	1	—	—	27	1	2	1	—	4	8	3	20	20	34
Diseases of Circulatory „ ..	2·89	3·08	2·70	201	108	93	1	—	—	—	1	2	—	—	1	1	4	3	9	26	74	81
Diseases of Respiratory „ ..	2·53	2·59	2·47	176	91	85	43	11	3	4	—	61	3	1	2	—	5	8	6	15	36	39
Diseases of Digestive „ ..	1·11	1·08	1·13	77	38	39	23	3	—	—	1	27	3	—	2	1	1	3	5	9	10	16
Diseases of Urinary „ ..	0·70	1·02	0·38	49	36	13	—	1	—	—	—	1	1	—	2	1	3	2	3	9	13	14
Diseases of Generative „ ..	0·04	—	0·09	3	—	3	—	—	—	—	—	—	—	—	—	1	—	1	1	—	—	—
Puerperal Fever ..	0·13	—	0·26	9	—	9	—	—	—	—	—	—	—	—	—	1	4	4	—	—	—	—
Childbirth	0·04	—	0·09	3	—	3	—	—	—	—	—	—	—	—	1	—	1	1	—	—	—	—
Violence	0·68	1·00	0·35	47	35	12	3	—	—	2	1	6	1	—	1	2	3	4	9	5	9	7
Other Causes ..	3·11	3·18	3·02	216	112	104	69	2	—	2	—	73	2	2	6	5	11	8	10	10	23	66

Marriages 438

Births .. { Males .. 877, Females 882 } 1,759

Annual Rate per 1000 living { Persons Married .. 12·60; Births .. .. .. 25·30 }

Annual Births to 1000 Females aged 15—45 years = 117.

Deaths from Childbirth and Puerperal Fever .. .. } 6·82 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

572.—CARLISLE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 18·87			*136	—	—	—	—	50·68	4·57	2·42	4·48	6·60	8·18	12·37	17·89	36·24	72·10	161·74
Annual Death-Rate per 1000. Males ..	—			19·53			*149	—	—	—	—	55·07	5·00	2·14	4·35	6·84	8·39	12·89	18·68	40·17	73·02	169·54
Annual Death-Rate per 1000. Females	—			18·26			*123	—	—	—	—	46·26	4·15	2·70	4·60	6·41	8·01	11·91	17·19	32·92	71·39	155·98
Mean Population, 1891-1900. Persons	—			58,679			1408	1336	1430	1281	1351	6806	6560	6231	6141	5349	8788	7018	5249	3549	2115	873
Mean Population, 1891-1900. Males ..	—			27,775			729	676	694	640	675	3414	3280	3086	2922	2384	4007	3297	2468	1623	923	371
Mean Population, 1891-1900. Females	—			30,904			679	660	736	641	676	3392	3280	3145	3219	2965	4781	3721	2781	1926	1192	502
Deaths from All Causes, 1891-1900. Persons	19·22			11,277			2309	635	237	169	99	3449	300	151	275	353	719	868	939	1286	1525	1412
Deaths from All Causes, 1891-1900. Males ..	20·08			5,577			1276	348	121	83	52	1880	164	66	127	163	336	425	461	652	674	629
Deaths from All Causes, 1891-1900. Females	18·44			5,700			1033	287	116	86	47	1569	136	85	148	190	383	443	478	634	851	783
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	0·00	0·00	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Measles	0·41	0·49	0·34	241	135	106	59	76	43	28	12	218	19	3	—	—	1	—	—	—	—	—
Scarlet Fever	0·15	0·18	0·13	89	49	40	3	6	9	17	8	43	25	12	3	2	2	1	—	—	1	—
Diphtheria	0·17	0·20	0·14	98	55	43	4	14	14	13	18	63	21	6	—	4	—	—	4	—	—	—
Whooping-cough ..	0·31	0·36	0·33	184	83	101	82	59	17	15	3	176	7	1	—	—	—	—	—	—	—	—
Typhus	0·01	0·01	0·01	5	2	3	—	—	—	—	—	—	1	—	—	—	1	1	1	—	1	—
Enteric Fever	0·07	0·05	0·08	39	14	25	—	1	—	—	—	1	2	4	4	6	10	8	2	1	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·31	0·35	0·27	181	97	84	125	31	2	2	—	160	1	—	—	—	1	1	3	3	2	10
Cholera	0·01	0·01	0·02	7	2	5	3	3	—	—	—	6	—	—	—	—	—	—	1	—	—	—
Cancer	1·10	0·87	1·30	644	242	402	—	—	—	—	—	—	3	2	3	6	21	69	148	191	151	50
Tabes Mesenterica ..	0·26	0·24	0·27	150	67	83	57	18	8	6	1	90	14	6	7	2	6	11	3	5	4	2
Phthisis	1·76	1·87	1·66	1034	520	514	10	3	5	4	2	24	17	23	106	144	254	243	124	67	27	5
Other Tub. & Scrof. Dis.	0·53	0·57	0·49	309	158	151	73	56	18	13	13	173	50	22	19	16	7	10	8	2	2	—
Diseases of Nervous System ..	2·24	2·34	2·14	1312	651	661	250	55	26	18	8	357	25	11	18	10	57	102	133	199	236	164
Diseases of Circulatory „ ..	2·58	2·44	2·71	1515	678	837	3	—	—	—	—	3	10	15	24	22	69	122	184	360	434	272
Diseases of Respiratory „ ..	2·94	3·15	2·76	1728	876	852	479	217	65	36	19	816	33	7	11	17	51	65	98	186	235	209
Diseases of Digestive „ ..	1·18	1·23	1·14	692	341	351	251	58	13	—	4	326	13	8	24	30	42	42	55	53	58	41
Diseases of Urinary „ ..	0·48	0·63	0·34	281	175	106	5	2	2	—	—	9	5	5	—	9	22	26	47	65	53	40
Diseases of Generative „ ..	0·06	—	0·11	35	—	35	1	—	—	—	—	1	—	—	1	4	8	8	7	1	4	1
Puerperal Fever ..	0·09	—	0·17	53	—	53	—	—	—	—	—	—	—	—	2	12	31	8	—	—	—	—
Childbirth	0·10	—	0·20	61	—	61	—	—	—	—	—	—	—	—	1	7	29	24	—	—	—	—
Violence	0·72	1·10	0·39	424	305	119	53	7	9	12	8	89	24	9	22	32	46	50	36	43	42	31
OTHER CAUSES	3·74	4·05	3·44	2194	1126	1068	851	29	6	5	3	894	30	17	30	30	61	77	84	110	274	587

Marriages 4,473

Births .. { Males .. 8,567 / Females 8,412 } 16,979

Annual Rate per 1000 living { Persons Married .. 15·25 / Births .. .. .. 28·94 }

Annual Births to 1000 Females aged 15—45 years = 116.

Deaths from Childbirth and Puerperal Fever .. .. } 6·71 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

573.—WIGTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 14·67	*120	—	—	—	—	39·89	3·59	2·81	3·95	4·20	6·29	8·99	12·32	26·31	56·50	143·07
Annual Death-Rate per 1000. Males	—	15·41	*136	—	—	—	—	43·48	3·80	2·29	3·93	4·44	5·71	9·08	13·85	31·33	60·78	155·27
Annual Death-Rate per 1000. Females	—	13·98	*103	—	—	—	—	36·17	3·38	3·34	3·97	3·98	6·82	8·91	10·84	21·70	52·77	133·33
Mean Population, 1891-1900. Persons	—	23,204	536	525	505	521	548	2635	2622	2558	2356	1953	3099	2658	2143	1600	1046	534
Mean Population, 1891-1900. Males	—	11,323	275	274	249	262	281	1341	1289	1269	1196	924	1472	1288	1054	766	487	237
Mean Population, 1891-1900. Females	—	11,881	261	251	256	259	267	1294	1333	1289	1160	1029	1627	1370	1089	834	559	297
Deaths from All Causes, 1891-1900. Persons	16·66	3.866	765	137	75	37	37	1051	94	72	93	82	195	239	264	421	591	764
Deaths from All Causes, 1891-1900. Males	17·66	2,000	442	70	39	18	14	583	49	29	47	41	84	117	146	240	296	368
Deaths from All Causes, 1891-1900. Females	15·71	1,866	323	67	36	19	23	468	45	43	46	41	111	122	118	181	295	396

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							Persons.															
Small-pox	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Measles	0·16	0·19	0·13	37	22	15	8	13	7	5	—	33	2	1	—	—	—	—	1	—	—	—
Scarlet Fever	0·19	0·21	0·18	45	24	21	2	4	5	3	5	19	14	7	—	3	—	1	1	—	—	—
Diphtheria	0·15	0·14	0·15	34	16	18	2	4	4	3	4	17	13	3	—	—	—	1	—	—	—	—
Whooping-cough	0·23	0·19	0·26	53	22	31	30	9	11	3	—	53	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·10	0·08	0·12	23	9	14	—	—	—	—	1	1	1	3	6	2	4	4	2	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·18	0·23	0·13	42	26	16	27	3	1	—	—	31	1	1	—	1	1	1	1	2	2	1
Cholera	0·01	0·01	0·01	2	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—
Cancer	0·96	0·87	1·04	222	98	124	—	—	—	1	—	1	2	—	—	1	4	15	34	58	72	35
Tabes Mesenterica	0·10	0·07	0·13	23	8	15	4	5	1	1	3	14	2	2	1	2	1	1	—	—	—	—
Phthisis	1·19	1·25	1·13	275	141	134	1	1	4	1	—	7	10	11	30	23	76	53	35	22	8	—
Other Tub. & Scrof. Dis.	0·43	0·43	0·42	99	49	50	18	13	9	4	6	50	10	11	10	5	2	6	2	1	2	—
Diseases of Nervous System	1·92	2·01	1·83	445	227	218	116	15	5	4	2	142	6	7	7	2	9	14	21	62	83	92
Diseases of Circulatory "	2·07	2·07	2·08	481	234	247	2	—	—	1	—	3	3	2	7	4	19	33	47	125	134	104
Diseases of Respiratory "	2·58	2·83	2·34	598	320	278	124	45	21	6	10	206	18	1	10	8	12	30	40	58	111	104
Diseases of Digestive "	0·79	0·90	0·68	183	102	81	57	12	3	—	1	73	4	3	5	3	9	12	16	18	19	21
Diseases of Urinary "	0·40	0·47	0·34	93	53	40	2	—	—	1	—	3	1	2	3	3	11	9	7	15	28	11
Diseases of Generative "	0·03	—	0·05	6	—	6	—	—	—	—	—	—	—	—	—	—	—	3	2	1	—	—
Puerperal Fever	0·08	—	0·16	19	—	19	—	—	—	—	—	—	—	—	—	2	12	5	—	—	—	—
Childbirth	0·06	—	0·12	14	—	14	—	—	—	—	—	—	—	—	—	3	5	5	1	—	—	—
Violence	0·70	1·11	0·31	163	126	37	6	4	3	4	3	20	4	6	5	6	12	27	24	25	21	13
OTHER CAUSES	4·33	4·59	4·10	1008	521	487	366	9	1	—	2	378	3	12	8	14	18	18	30	34	110	383

Marriages 1,579

Births .. Males .. 3,212, Females 3,151 } 6,393

Annual Rate per 1000 living { Persons Married .. 13·61, Births .. .. .. 27·55

Annual Births to 1000 Females aged 15—45 years = 123.

Deaths from Childbirth and Puerperal Fever .. .. } 5·16 per 1000 Births.

* The death-rate under one year of age are per 1000 Births.

574.—COCKERMOUTH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 16·29	*137	—	—	—	—	49·13	3·93	2·19	3·57	4·07	5·32	8·27	14·25	28·61	64·95	161·03
Males ..	—		*154	—	—	—	—	53·58	4·15	2·57	3·61	4·51	5·02	8·70	15·36	30·57	69·48	164·48
Females	—	15·62	*121	—	—	—	—	44·57	3·71	1·81	3·54	3·61	5·63	7·82	13·12	26·78	61·15	158·53
Mean Population, 1891–1900. Persons	—	70,706	2035	1843	1843	1830	1823	9374	8906	8338	7222	6321	10110	7994	5776	3736	2131	798
Males ..	—	35,567	1035	942	939	903	922	4741	4436	4245	3716	3190	5135	4079	2911	1809	970	335
Females	—	35,139	1000	901	904	927	901	4633	4470	4093	3506	3131	4975	3915	2865	1927	1161	463
Deaths from All Causes, 1891–1900. Persons	16·14	11,413	3053	901	314	209	128	4605	350	183	258	257	538	661	823	1069	1384	1285
Males ..	16·73	5,949	1731	479	154	112	64	2540	184	109	134	144	258	355	447	553	674	551
Females	15·55	5,464	1322	422	160	97	64	2065	166	74	124	113	280	306	376	516	710	734

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	0·00	0·01	—	2	2	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—
Measles	0·60	0·64	0·57	426	226	200	106	181	57	34	19	397	28	—	—	—	1	—	—	—	—	—
Scarlet Fever	0·22	0·22	0·22	157	80	77	6	30	24	22	19	101	37	10	3	—	6	—	—	—	—	—
Diphtheria	0·10	0·12	0·09	74	41	33	6	16	15	17	5	59	11	2	—	—	—	1	—	1	—	—
Whooping-cough ..	0·40	0·38	0·43	284	134	150	134	82	31	21	9	277	7	—	—	—	—	—	—	—	—	—
Typhus	0·00	—	0·00	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Enteric Fever	0·07	0·09	0·05	51	32	19	1	—	—	1	—	2	2	6	11	8	9	7	3	3	—	—
Simple Continued Fever	0·00	—	0·00	1	—	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·47	0·49	0·44	330	174	156	229	49	9	2	1	290	5	—	1	—	1	3	3	6	10	11
Cholera	0·01	0·01	0·01	7	2	5	2	1	—	—	—	3	—	—	—	—	—	1	—	1	—	2
Cancer	0·63	0·48	0·77	442	172	270	—	—	—	1	1	2	1	2	2	1	7	48	78	110	132	59
Tabes Mesenterica ..	0·11	0·11	0·12	81	40	41	18	15	7	2	1	43	12	4	2	5	9	4	—	2	—	—
Phthisis	0·91	0·94	0·87	640	335	305	5	10	6	1	3	25	19	29	73	78	161	104	79	49	20	3
Other Tub. & Scrof. Dis.	0·36	0·42	0·30	256	149	107	64	58	11	17	12	162	31	18	20	7	6	5	5	1	1	—
Diseases of Nervous System ..	1·91	1·94	1·88	1349	689	660	402	60	23	12	11	508	42	15	17	12	22	52	97	175	243	166
Circulatory " ..	1·55	1·42	1·68	1096	504	592	3	—	—	—	1	4	19	21	26	12	40	77	157	216	308	216
Respiratory " ..	3·10	3·40	2·79	2189	1210	979	624	257	85	52	29	1047	45	17	20	24	82	116	139	212	264	223
Digestive " ..	1·14	1·26	1·02	807	449	358	383	69	16	4	6	478	17	11	14	19	26	48	51	55	61	27
Urinary " ..	0·38	0·43	0·32	266	153	113	3	2	5	1	2	13	13	6	3	13	18	31	41	48	46	34
Generative " ..	0·03	0·00	0·06	22	1	21	—	1	—	—	—	1	—	—	—	2	3	5	6	3	2	—
Puerperal Fever ..	0·07	—	0·14	49	—	49	—	—	—	—	—	—	—	—	2	14	22	11	—	—	—	—
Childbirth .. .	0·10	—	0·20	71	—	71	—	—	—	—	—	—	—	—	3	8	25	32	3	—	—	—
Violence	0·67	1·04	0·30	473	369	104	28	14	12	16	7	77	40	18	34	29	51	42	64	53	39	26
Other Causes	3·31	3·33	3·29	2339	1187	1152	1039	56	12	6	2	1115	21	24	26	25	49	73	96	134	258	518

Marriages 4,767

Births .. { Males .. 11,249 / Females 10,969 } 22,218

Annual Rate per 1000 living { Persons Married .. 13·48 / Births .. .. .. 31·42

Annual Births to 1000 Females aged 15—45 years = 143.

Deaths from Childbirth and Puerperal Fever .. .. } 5·40 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

575.—WHITEHAVEN.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 18·14			*132	—	—	—	—	51·15	4·35	2·86	4·22	5·73	6·20	9·59	17·07	34·24	73·93	167·08
Annual Death-Rate per 1000. Males ..	—			18·59			*150	—	—	—	—	56·47	4·00	2·52	4·07	5·39	6·24	9·58	17·89	35·36	78·92	170·32
Annual Death-Rate per 1000. Females	—			17·72			*113	—	—	—	—	45·85	4·70	3·19	4·37	6·06	6·17	9·61	16·25	33·21	69·89	165·00
Mean Population, 1891-1900. Persons	—			56,864			1623	1418	1473	1477	1440	7431	7282	6900	6161	5131	7768	6024	4840	3157	1611	559
Mean Population, 1891-1900. Males ..	—			28,185			793	739	739	722	715	3708	3623	3455	3166	2524	3816	3028	2415	1510	721	219
Mean Population, 1891-1900. Females	—			28,679			830	679	734	755	725	3723	3659	3445	2995	2607	3952	2996	2425	1647	890	340
Deaths from All Causes, 1891-1900. Persons	17·52			9,961			2376	790	311	193	131	3801	317	197	260	294	482	578	826	1081	1191	934
Deaths from All Causes, 1891-1900. Males ..	17·84			5,027			1365	409	139	104	77	2094	145	87	129	136	238	290	432	534	569	373
Deaths from All Causes, 1891-1900. Females	17·20			4,934			1011	381	172	89	54	1707	172	110	131	158	244	288	394	547	622	561
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	0·00	0·00	0·00	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—
Measles	0·82	0·83	0·82	468	234	234	116	205	66	32	31	450	17	—	—	—	—	—	1	—	—	—
Scarlet Fever	0·27	0·24	0·30	155	68	87	9	25	25	28	14	101	39	11	1	2	1	—	—	—	—	—
Diphtheria	0·06	0·07	0·06	35	19	16	5	8	3	5	4	25	4	4	1	—	1	—	—	—	—	—
Whooping-cough ..	0·43	0·38	0·49	247	106	141	124	69	24	18	4	239	8	—	—	—	—	—	—	—	—	—
Typhus	0·01	0·01	0·00	5	4	1	1	—	—	—	—	1	—	1	2	—	—	1	—	—	—	—
Enteric Fever	0·06	0·09	0·04	35	24	11	—	—	—	—	—	—	3	8	9	6	4	4	1	—	—	—
Simple Continued Fever	0·01	0·02	0·01	8	5	3	2	—	1	—	—	3	1	—	—	1	1	—	—	—	—	2
Diarrhœa & Dysentery	0·32	0·28	0·36	182	80	102	100	35	9	2	—	146	4	2	1	1	—	1	2	8	9	8
Cholera	0·01	0·01	0·01	5	3	2	—	—	—	—	—	—	1	1	2	—	—	—	—	—	1	—
Cancer	0·56	0·48	0·65	321	135	186	—	1	—	—	1	2	3	—	—	3	7	37	70	91	85	23
Tabes Mesenterica ..	0·21	0·19	0·23	120	54	66	45	24	8	3	3	83	11	10	5	4	4	1	2	—	—	—
Phthisis	1·36	1·22	1·49	772	344	428	7	6	4	2	6	25	21	45	86	123	162	120	105	64	20	1
Other Tub. & Scrof. Dis.	0·36	0·44	0·29	207	125	82	50	33	19	14	4	120	33	17	11	8	8	1	5	1	2	1
Diseases of Nervous System ..	2·10	1·96	2·22	1189	551	638	316	67	32	26	18	459	39	23	19	15	28	33	100	153	211	109
Diseases of Circulatory " ..	1·29	1·20	1·37	731	338	393	4	—	1	1	—	6	8	11	17	8	24	67	103	192	201	94
Diseases of Respirative " ..	3·35	3·77	2·93	1901	1061	840	546	185	75	36	22	864	40	6	23	28	44	88	155	218	251	184
Diseases of Digestive " ..	1·17	1·23	1·10	663	347	316	195	56	12	4	2	269	14	13	13	14	29	43	80	83	67	38
Diseases of Urinary " ..	0·48	0·46	0·51	274	129	145	5	7	—	3	5	20	7	2	7	7	14	33	43	56	63	22
Diseases of Generative " ..	0·03	0·01	0·06	19	2	17	1	—	—	—	—	1	—	—	—	1	3	3	3	5	1	2
Puerperal Fever ..	0·06	—	0·12	35	—	35	—	—	—	—	—	—	—	—	2	8	18	7	—	—	—	—
Childbirth	0·10	—	0·20	56	—	56	—	—	—	—	—	—	—	—	4	15	24	12	1	—	—	—
Violence	0·76	1·19	0·34	433	335	98	18	10	13	10	8	59	32	18	31	27	57	39	67	58	29	16
OTHER CAUSES	3·70	3·76	3·60	2098	1062	1036	832	59	19	9	9	928	32	25	26	23	53	88	87	151	251	434

Marriages 3,948

Births .. Males .. 9,091, Females 8,914 } 18,005

Annual Rate per 1000 living { Persons Married .. 13·89; Births .. .. .. 31·66

Annual Births to 1000 Females aged 15—45 years = 143.

Deaths from Childbirth and Puerperal Fever .. .. } 5·05 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

576.—BOOTLE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 15·06	*129	—	—	—	—	45·64	3·94	1·79	3·78	4·60	5·06	8·05	11·09	24·27	59·62	157·07
Annual Death-Rate per 1000. Males ..	—	15·43	*139	—	—	—	—	48·77	4·17	1·30	3·56	4·51	4·98	7·67	12·11	24·71	65·20	167·44
Annual Death-Rate per 1000. Females	—	14·71	*118	—	—	—	—	42·36	3·71	2·28	4·04	4·68	5·14	8·45	9 95	23·80	54·58	148·57
Mean Population, 1891–1900. Persons	—	15,341	428	405	378	389	385	1985	1980	1846	1559	1371	2115	1702	1290	824	478	191
Mean Population, 1891–1900. Males ..	—	7,835	215	213	192	204	193	1017	984	925	842	709	1065	874	677	429	227	86
Mean Population, 1891–1900. Females	—	7,506	213	192	186	185	192	968	996	921	717	662	1050	828	613	395	251	105
Deaths from All Causes, 1891–1900. Persons	15·06	2,311	596	163	65	53	29	906	78	33	59	63	107	137	143	200	285	300
Deaths from All Causes, 1891–1900. Males ..	15·46	1,211	325	85	44	28	14	496	41	12	30	32	53	67	82	106	148	144
Deaths from All Causes, 1891–1900. Females	14·65	1,100	271	78	21	25	15	410	37	21	29	31	54	70	61	94	137	156

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							PERSONS.															
Small-pox..	0·01	0·01	0·01	2	1	1	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—
Measles	0·50	0·47	0·53	77	37	40	27	25	10	5	4	71	5	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·20	0·27	0·13	31	21	10	2	8	6	4	2	22	5	3	—	1	—	—	—	—	—	—
Diphtheria	0·09	0·09	0·09	14	7	7	—	—	2	4	1	7	6	—	1	—	—	—	—	—	—	—
Whooping-cough ..	0·35	0·33	0·36	53	26	27	33	12	2	3	—	50	2	1	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·21	0·23	0·19	32	18	14	—	—	—	—	—	—	4	—	4	6	7	8	2	1	—	—
Simple Continued Fever	0·01	—	0·01	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Diarrhœa & Dysentery	0·27	0·31	0·24	42	24	18	28	2	—	—	1	31	—	—	—	—	—	—	—	1	6	4
Cholera	0·01	0·01	—	1	1	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	0·61	0·54	0·68	93	42	51	—	—	—	—	1	1	—	1	1	—	1	11	23	17	28	10
Tabes Mesenterica ..	0·14	0·20	0·08	22	16	6	5	2	2	1	3	13	4	—	1	—	2	1	—	1	—	—
Phthisis	1·01	0·89	1·13	155	70	85	1	1	—	—	2	4	6	8	19	25	40	27	13	8	3	2
Other Tub. & Scrof. Dis.	0 31	0·40	0·23	48	31	17	21	8	5	1	1	36	5	2	—	1	2	—	1	1	—	—
Diseases of Nervous System ..	1·54	1·49	1·59	236	117	119	77	13	4	6	2	102	5	4	7	3	5	9	6	22	38	35
Diseases of Circulatory " ..	1·17	1·19	1·16	180	93	87	1	—	—	—	—	1	3	2	5	4	9	11	24	35	48	38
Diseases of Respiratory " ..	2·99	3·24	2·72	458	254	204	152	60	21	18	7	258	11	2	5	3	7	15	14	29	60	54
Diseases of Digestive " ..	0·74	0·68	0·80	113	53	60	32	9	2	3	1	47	4	3	2	3	3	8	9	16	8	10
Diseases of Urinary " ..	0·53	0·57	0·48	81	45	36	4	2	1	—	—	7	3	2	1	1	2	7	10	14	19	15
Diseases of Generative " ..	0·01	—	0·03	2	—	2	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
Puerperal Fever ..	0·03	—	0·05	4	—	4	—	—	—	—	—	—	—	—	1	—	3	—	—	—	—	—
Childbirth	0·11	—	0·23	17	—	17	—	—	—	—	—	—	—	—	1	3	5	7	1	—	—	—
Violence	0·66	0·93	0·39	102	73	29	8	4	6	5	1	24	6	1	4	5	8	15	15	10	9	5
Other Causes.. ..	3·56	3·61	3·52	547	282	265	205	16	4	3	3	231	9	3	7	7	12	17	25	44	66	126

Marriages 977

Births .. { Males .. 2,332 / Females 2,299 } 4,631

Annual Rate per 1000 living { Persons Married .. 12·74 / Births .. .. . 30·19

Annual Births to 1000 Females aged 15—45 years = 142.

Deaths from Childbirth and Puerperal Fever .. .. } 4·53 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

577.—EAST WARD.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 14·31			*118	—	—	—	—	35·80	3·92	2·03	3·46	4·34	6·60	8·11	13·45	24·10	56·57	164·72
Males ..	—			14·76			*130	—	—	—	—	40·14	2·71	1·85	3·73	3·54	6·93	7·91	15·54	25·80	62·32	164·83
Females	—			13·89			*105	—	—	—	—	31·67	5·04	2·20	3·20	5·00	6·33	8·31	11·37	22·40	50·72	164·63
Mean Population, 1891-1900. Persons	—			13,496			315	292	291	296	292	1486	1531	1427	1300	1060	1802	1602	1279	1000	700	309
Males ..	—			6,541			170	138	137	140	140	725	737	701	644	480	823	796	637	500	353	145
Females	—			6,955			145	154	154	156	152	761	794	726	656	580	979	806	642	500	347	164
Deaths from All Causes, 1891-1900. Persons	16·89			2,279			402	77	21	13	19	532	60	29	45	46	119	130	172	241	396	509
Males ..	17·92			1,172			227	37	11	7	9	291	20	13	24	17	57	63	99	129	220	239
Females	15·92			1,107			175	40	10	6	10	241	40	16	21	29	62	67	73	112	176	270
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·06	0·05	0·07	8	3	5	3	2	—	—	—	5	—	2	—	—	—	1	—	—	—	—
Scarlet Fever	0·12	0·09	0·14	16	6	10	—	2	2	—	1	5	7	2	—	—	1	—	—	—	1	—
Diphtheria	0·07	0·05	0·09	9	3	6	—	1	—	—	1	2	4	1	2	—	—	—	—	—	—	—
Whooping-cough ..	0·11	0·09	0·13	15	6	9	8	6	—	—	—	14	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·09	0·08	0·10	12	5	7	—	—	—	—	—	—	1	—	1	—	3	1	3	2	—	1
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·10	0·11	0·09	13	7	6	12	—	—	—	—	12	—	—	—	—	—	—	—	—	—	1
Cholera	0·01	0·02	0·01	2	1	1	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Cancer	0·75	0·72	0·78	101	47	54	—	—	—	—	—	—	—	—	—	1	1	7	18	29	31	14
Tabes Mesenterica ..	0·10	0·06	0·13	13	4	9	3	3	1	1	1	9	—	1	—	2	1	—	—	—	—	—
Phthisis	0·98	0·93	1·02	132	61	71	—	—	2	—	—	2	4	4	11	9	34	34	18	12	3	1
Other Tub. & Scrof. Dis.	0·44	0·32	0·56	60	21	39	10	7	1	3	3	24	4	3	4	1	5	6	7	6	—	—
Diseases of Nervous System ..	2·30	2·48	2·13	310	162	148	57	12	3	1	2	75	8	2	5	5	8	8	27	34	74	64
Circulatory „ ..	2·35	2·31	2·39	317	151	166	2	—	—	—	2	4	2	1	6	5	11	16	29	68	100	75
Respiratory „ ..	2·52	2·86	2·20	340	187	153	83	25	9	5	4	126	8	1	—	4	10	12	11	30	64	74
Digestive „ ..	1·13	1·22	1·05	153	80	73	26	7	1	1	2	37	6	4	4	2	6	9	19	17	28	21
Urinary „ ..	0·48	0·64	0·33	65	42	23	3	2	1	1	1	8	—	—	2	3	3	4	6	9	16	14
Generative „ ..	0·06	0·03	0·09	8	2	6	—	—	—	—	—	—	—	—	—	—	2	2	1	1	1	1
Puerperal Fever ..	0·06	—	0·12	8	—	8	—	—	—	—	—	—	—	—	—	1	4	3	—	—	—	—
Childbirth	0·08	—	0·16	11	—	11	—	—	—	—	—	—	—	—	1	4	3	3	—	—	—	—
Violence	0·61	0·96	0·27	82	63	19	10	2	—	—	1	13	4	3	1	2	16	6	14	11	7	5
OTHER CAUSES.. ..	4·47	4·90	4·06	604	321	283	183	8	1	1	1	194	11	5	8	7	11	18	19	22	71	238

Marriages 906

Births .. { Males .. 1,744 / Females 1,664 } 3,408

Annual Rate per 1000 living { Persons Married .. 13·43 / Births .. .. .. 25·25 }

Annual Births to 1000 Females aged 15—45 years = 113.

Deaths from Childbirth and Puerperal Fever .. .. } 5·58 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

578.—WEST WARD.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·46			*108	—	—	—	—	33·18	2·77	1·93	2·92	3·77	6·02	7·12	12·36	23·60	56·91	165·09
Annual Death-Rate per 1000. Males	—			13·22			*112	—	—	—	—	33·18	3·25	2·39	2·40	4·40	6·25	7·13	11·51	22·03	60·11	171·25
Annual Death-Rate per 1000. Females	—			13·69			*104	—	—	—	—	33·17	2·25	1·47	3·48	3·18	5·81	7·11	13·24	25·27	54·04	159·55
Mean Population, 1891–1900. Persons	—			7,711			171	173	171	171	170	856	831	827	720	664	1063	913	720	572	376	169
Mean Population, 1891–1900. Males	—			3,870			91	86	85	99	88	449	431	418	375	318	512	449	365	295	178	80
Mean Population, 1891–1900. Females	—			3,841			80	87	86	72	82	407	400	409	345	346	551	464	355	277	198	89
Deaths from All Causes, 1891–1900. Persons	15·76			1,215			216	39	11	14	4	284	23	16	21	25	64	65	89	135	214	279
Deaths from All Causes, 1891–1900. Males	15·79			611			110	21	5	9	4	149	14	10	9	14	32	32	42	65	107	137
Deaths from All Causes, 1891–1900. Females	15·73			604			106	18	6	5	—	135	9	6	12	11	32	33	47	70	107	142
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·09	0·05	0·13	7	2	5	1	1	2	1	—	5	2	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·13	0·13	0·13	10	5	5	1	2	1	2	1	7	2	1	—	—	—	—	—	—	—	—
Diphtheria	0·16	0·26	0·05	12	10	2	—	2	1	4	1	8	4	—	—	—	—	—	—	—	—	—
Whooping-cough	0·26	0·21	0·31	20	8	12	12	6	2	—	—	20	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·12	0·13	0·10	9	5	4	—	—	—	—	—	—	—	1	2	—	3	2	—	—	—	1
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·17	0·16	0·18	13	6	7	6	2	2	—	—	10	—	—	—	—	—	—	1	1	—	1
Cholera	0·01	0·03	—	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Cancer	1·26	0·78	1·74	97	30	67	—	—	—	—	—	—	—	—	—	—	1	5	12	26	36	17
Tabes Mesenterica	0·19	0·16	0·23	15	6	9	7	2	—	—	—	9	1	—	1	2	1	1	—	—	—	—
Phthisis	0·66	0·65	0·68	51	25	26	—	—	—	—	—	—	—	—	2	8	17	9	6	4	4	1
Other Tub. & Scrof. Dis.	0·38	0·49	0·26	29	19	10	11	3	1	—	1	16	1	3	—	2	1	5	1	—	—	—
Diseases of Nervous System	1·72	1·50	1·95	133	58	75	25	4	—	2	—	31	2	3	2	2	3	5	10	13	33	29
Diseases of Circulatory „	2·35	2·12	2·58	181	82	99	2	—	—	—	—	2	—	1	3	1	4	12	14	34	51	59
Diseases of Respiratory „	2·10	2·46	1·74	162	95	67	50	9	1	2	—	62	1	1	1	1	3	9	7	24	19	34
Diseases of Digestive „	0·93	0·80	1·07	72	31	41	20	1	1	2	—	24	2	1	1	2	6	—	10	7	13	6
Diseases of Urinary „	0·65	0·85	0·44	50	33	17	2	—	—	—	1	3	1	—	1	1	2	4	6	7	16	9
Diseases of Generative „	0·03	—	0·05	2	—	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—
Puerperal Fever	0·06	—	0·13	5	—	5	—	—	—	—	—	—	—	—	2	—	3	—	—	—	—	—
Childbirth	0·06	—	0·13	5	—	5	—	—	—	—	—	—	—	—	—	—	3	2	—	—	—	—
Violence	0·89	1·42	0·36	69	55	14	3	4	—	—	—	7	3	1	2	6	11	6	8	9	14	2
OTHER CAUSES	3·54	3·59	3·47	272	140	132	76	3	—	1	—	80	4	3	4	—	5	5	14	10	27	120

Marriages 530

Births .. Males .. 986, Females 1,015 — 2,001

Annual Rate per 1000 living: Persons Married .. 13·75; Births .. .. .. 25·95

Annual Births to 1000 Females aged 15—45 years = 117.

Deaths from Childbirth and Puerperal Fever .. .. 5·00 per 1000 Births.

* The death-rates under one year of age are per 1000 births.

579.—KENDAL.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 13·50			*103	—	—	—	—	33·95	3·47	1·94	3·03	3·77	5·39	7·63	12·09	23·92	58·23	155·27
Annual Death-Rate per 1000. Males	—			14·18			*113	—	—	—	—	37·21	3·22	1·60	2·94	3·85	5·62	9·00	13·16	27·51	60·77	166·67
Annual Death-Rate per 1000. Females	—			12·87			* 93	—	—	—	—	30·77	3·71	2·27	3·11	3·71	5·20	6·34	11·08	20·58	55·97	145·70
Mean Population, 1891-1900. Persons	—			44,190			985	932	990	964	959	4830	4847	4888	4752	3951	6451	5163	3980	2805	1774	749
Mean Population, 1891-1900. Males	—			21,141			484	459	486	477	483	2389	2423	2373	2277	1794	2934	2499	1922	1352	836	342
Mean Population, 1891-1900. Females	—			23,049			501	473	504	487	476	2441	2424	2515	2475	2157	3517	2664	2058	1453	938	407
Deaths from All Causes, 1891-1900. Persons	14·22			6,286			1118	276	109	79	58	1640	168	95	144	149	348	394	481	671	1033	1163
Deaths from All Causes, 1891-1900. Males	15·30			3,234			623	148	52	40	26	889	78	38	67	69	165	225	253	372	508	570
Deaths from All Causes, 1891-1900. Females	13·24			3,052			495	128	57	39	32	751	90	57	77	80	183	169	228	299	525	593
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·24	0·26	0·21	104	55	49	28	34	19	9	6	96	6	—	1	—	1	—	—	—	—	—
Scarlet Fever	0·07	0·06	0·07	30	13	17	2	5	2	5	5	19	6	1	—	1	1	1	1	—	—	—
Diphtheria	0·16	0·17	0·16	72	36	36	3	8	10	7	7	35	27	4	2	—	1	1	2	—	—	—
Whooping-cough	0·16	0·16	0·15	69	34	35	46	12	3	2	2	65	3	1	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·10	0·12	0·08	44	25	19	—	—	—	1	1	2	4	3	6	5	10	5	7	1	1	—
Simple Continued Fever	0·00	—	0·00	1	—	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·27	0·27	0·27	119	57	62	58	13	3	1	—	75	2	—	1	—	3	2	4	2	15	15
Cholera	0·01	0·02	—	5	5	—	1	1	—	—	—	2	—	—	—	—	1	—	—	1	1	—
Cancer	0·73	0·71	0·75	322	150	172	1	—	—	—	—	1	—	—	—	—	—	25	54	75	111	56
Tabes Mesenterica	0·11	0·10	0·11	47	22	25	13	7	3	2	—	25	4	3	6	2	3	3	1	—	—	—
Phthisis	1·00	1·06	0·94	440	224	216	3	2	—	2	1	8	5	14	46	63	102	100	47	33	17	5
Other Tub. & Scrof. Dis.	0·46	0·49	0·44	204	103	101	48	35	13	7	2	105	31	11	13	7	11	13	5	4	4	—
Diseases of Nervous System	1·82	1·88	1·77	806	398	408	217	24	8	10	4	263	10	9	10	6	18	21	51	85	177	156
Diseases of Circulatory "	1·68	1·77	1·59	742	375	367	5	1	—	—	—	6	10	7	8	7	29	46	94	160	211	164
Diseases of Respiratory "	2·04	2·30	1·80	901	486	415	161	78	25	21	13	298	24	4	5	7	26	50	63	116	145	163
Diseases of Digestive "	1·07	1·18	0·97	473	250	223	117	27	7	3	5	159	6	16	10	14	22	29	39	61	66	51
Diseases of Urinary "	0·48	0·66	0·31	212	140	72	—	—	1	—	—	1	3	2	3	5	16	18	21	32	58	53
Diseases of Generative "	0·03	0·00	0·06	14	1	13	1	—	—	—	—	1	—	—	1	—	2	3	3	2	2	—
Puerperal Fever	0·07	—	0·13	29	—	29	—	—	—	—	—	—	—	—	—	7	14	7	1	—	—	—
Childbirth	0·07	—	0·14	32	—	32	—	—	—	—	—	—	—	—	2	2	15	11	2	—	—	—
Violence	0·55	0·86	0·27	243	181	62	11	10	8	6	9	44	13	6	13	12	29	24	28	32	21	21
Other Causes	3·10	3·23	3·02	1377	679	698	403	19	6	3	3	434	14	14	17	11	44	35	58	67	204	479

Marriages 2,907

Births .. { Males .. 5,504 / Females 5,327 } 10,831

Annual Rate per 1000 living { Persons Married .. 13·16 / Births .. .. .. 24·51

Annual Births to 1000 Females aged 15—45 years = 100.

Deaths from Childbirth and Puerperal Fever .. .. } 5·63 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

580.—CHEPSTOW.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		13·36	*105	—	—	—	—	33·78	3·23	1·68	3·18	5·32	5·56	7·03	12·51	24·00	57·26	142·00
Males ..	—					13·79	*116	—	—	—	—	36·30	3·14	1·54	3·69	4·35	5·21	7·78	14·14	25·30	63·77	147·34
Females	—					12·95	* 94	—	—	—	—	31·31	3·32	1·82	2·66	6·28	5·88	6·29	10·90	22·68	51·32	137 26
Mean Population. 1891-1900. Persons	—			19,365			485	452	488	491	497	2413	2322	2206	1760	1485	2662	2177	1751	1321	868	400
Males ..	—			9,579			250	223	240	239	241	1193	1148	1106	895	736	1285	1080	870	664	414	188
Females	—			9,786			235	229	248	252	256	1220	1174	1100	865	749	1377	1097	881	657	454	212
Deaths from All Causes, 1891–1900. Persons	15·31			2,964			580	121	45	42	27	815	75	37	56	79	148	153	219	317	497	568
Males ..	16·01			1,534			322	52	21	26	12	433	36	17	33	32	67	84	123	168	264	277
Females	14·61			1,430			258	69	24	16	15	382	39	20	23	47	81	69	96	149	233	291
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Measles	0·21	0·22	0·20	41	21	20	6	10	10	4	1	31	10	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·06	0·07	0·04	11	7	4	3	—	1	2	2	8	3	—	—	—	—	—	—	—	—	—
Diphtheria	0·17	0·09	0·24	32	9	23	3	4	1	3	6	17	11	—	3	—	—	1	—	—	—	—
Whooping-cough ..	0·18	0·17	0·19	35	16	19	17	11	1	3	3	35	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·14	0·14	0·14	27	13	14	—	—	—	—	1	1	1	1	2	5	6	7	2	1	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·24	0·27	0·20	46	26	20	28	4	—	—	—	32	—	—	—	—	—	1	—	2	6	5
Cholera	0·01	0·01	—	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Cancer	0·66	0·57	0·75	128	55	73	1	—	—	—	—	1	—	—	—	—	3	8	25	34	40	17
Tabes Mesenterica ..	0·12	0·13	0·11	23	12	11	13	4	—	2	—	19	3	—	1	—	—	—	—	—	—	—
Phthisis	0·97	1·05	0·88	187	101	86	7	4	2	—	—	13	5	5	12	26	43	31	19	20	12	1
Other Tub. & Scrof. Dis.	0·18	0·19	0·17	35	18	17	5	6	—	2	2	15	5	4	2	4	1	1	—	2	1	—
Diseases of: Nervous System ..	1·82	1·76	1·88	353	169	184	126	9	4	3	1	143	5	3	7	3	8	11	20	32	62	59
Circulatory " ..	2·02	2·05	1·99	391	196	195	4	1	—	—	—	5	3	5	4	5	14	16	47	69	124	99
Respiratory " ..	2·25	2·58	1·92	435	247	188	115	43	14	12	5	189	12	3	2	2	9	8	20	38	70	82
Digestive " ..	1·04	1·03	1·04	201	99	102	64	13	3	2	3	85	5	3	3	8	7	7	12	22	29	20
Urinary " ..	0·82	1·00	0·64	159	96	63	—	1	—	—	—	1	1	1	—	2	6	9	25	28	54	32
Generative " ..	0·04	—	0·07	7	—	7	—	—	—	—	—	—	—	—	—	—	1	3	1	2	—	—
Puerperal Fever ..	0·04	—	0·07	7	—	7	—	—	—	—	—	—	—	—	—	3	4	—	—	—	—	—
Childbirth	0·11	—	0·21	21	—	21	—	—	—	—	—	—	—	—	—	5	10	6	—	—	—	—
Violence	0·72	1·15	0·31	140	110	30	4	2	7	5	3	21	5	7	14	9	15	19	15	23	8	4
Other Causes.. ..	3·50	3·52	3·56	683	337	346	184	9	2	4	—	199	5	5	6	7	21	24	33	44	90	249

Marriages 1,084

Births .. Males .. 2,776 } 5,523
Females 2,747 }

Annual Rate per 1000 living { Persons Married .. 11·20
Births .. .. .. 28·52 }

Annual Births to 1000 Females aged 15—45 years = 135.

Deaths from Childbirth and Puerperal Fever .. .. } 5·07 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

581.—MONMOUTH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		14·62	*110	—	—	—	—	39·46	4·15	2·26	3·45	5·40	6·52	7·58	13·56	25·37	55·34	147·85
Annual Death-Rate per 1000. Males	—					15·44	*126	—	—	—	—	43·72	3·88	1·75	3·80	5·34	6·07	7·23	16·22	27·42	62·35	165·42
Annual Death-Rate per 1000. Females	—					13·86	* 94	—	—	—	—	35·14	4·42	2·80	3·03	5·46	6·95	7·92	10·98	23·45	49·09	133·24
Mean Population, 1891-1900. Persons	—			28,265			726	633	661	700	663	3383	3375	3229	2727	2167	3605	3073	2566	2030	1460	650
Mean Population, 1891-1900. Males	—			14,121			360	316	343	341	344	1704	1701	1657	1474	1086	1764	1507	1264	981	688	295
Mean Population, 1891-1900. Females	—			14,144			366	317	318	359	319	1679	1674	1572	1253	1081	1841	1566	1302	1049	772	355
Deaths from All Causes, 1891-1900. Persons	17·19			4,859			923	231	83	53	45	1335	140	73	94	117	235	233	348	515	808	961
Deaths from All Causes, 1891-1900. Males	18·14			2,561			534	124	37	27	23	745	66	29	56	58	107	109	205	269	429	488
Deaths from All Causes, 1891-1900. Females	16·25			2,298			389	107	46	26	22	590	74	44	38	59	128	124	143	246	379	473
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	0·02	4	1	3	1	—	—	—	—	1	—	—	—	—	1	—	1	—	—	1
Measles	0·25	0·30	0·21	72	43	29	19	26	10	3	2	66	9	1	1	1	—	—	—	—	—	—
Scarlet Fever	0·11	0·09	0·13	32	13	19	2	7	5	1	5	20	8	2	1	—	1	—	—	—	—	—
Diphtheria	0·29	0·29	0·29	82	41	41	2	4	4	8	14	32	29	12	5	1	—	—	—	3	—	—
Whooping-cough	0·27	0·22	0·33	77	31	46	35	23	7	4	3	72	5	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·06	0·04	0·08	17	6	11	—	—	—	—	—	—	—	2	2	3	4	6	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·23	0·28	0·18	65	40	25	34	8	1	—	—	43	1	—	—	—	1	1	4	—	5	10
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·82	0·69	0·95	231	97	134	1	1	—	—	—	2	1	—	—	2	3	13	42	67	68	33
Tabes Mesenterica	0·17	0·16	0·18	47	22	25	26	4	1	—	—	31	3	2	2	3	4	—	2	—	—	—
Phthisis	1·15	1·10	1·19	324	156	168	6	3	2	3	1	15	7	8	25	47	80	61	36	30	12	3
Other Tub. & Scrof. Dis.	0·26	0·27	0·25	73	38	35	12	15	4	1	—	32	11	5	4	6	7	5	—	1	2	—
Diseases of: Nervous System	1·96	2·15	1·77	554	303	251	123	21	10	7	3	164	13	8	2	5	12	13	25	69	116	117
Diseases of: Circulatory „	2·18	2·23	2·12	615	315	300	1	—	1	—	—	2	6	11	6	10	13	29	67	106	202	163
Diseases of: Respiratory „	3·37	3·91	2·82	951	552	399	186	77	27	12	10	312	17	5	8	9	12	23	54	96	167	248
Diseases of: Digestive „	1·00	1·08	0·92	282	152	130	83	17	1	5	3	109	10	1	6	3	11	13	26	37	39	27
Diseases of: Urinary „	0·59	0·66	0·52	167	93	74	1	2	1	—	—	4	3	—	2	1	8	17	19	34	43	36
Diseases of: Generative „	0·02	—	0·04	6	—	6	—	1	—	—	—	1	—	—	—	—	2	—	3	—	—	—
Puerperal Fever	0·04	—	0·08	11	—	11	—	—	—	—	—	—	—	—	—	1	7	3	—	—	—	—
Childbirth	0·10	—	0·19	27	—	27	—	—	—	—	—	—	—	—	—	5	12	10	—	—	—	—
Violence	0·61	0·86	0·35	172	122	50	8	6	3	7	1	25	10	5	12	9	27	11	22	14	17	20
OTHER CAUSES	3·70	3·80	3·63	1050	536	514	383	16	6	2	3	410	7	11	18	11	30	28	37	58	137	303

Marriages 2,008

Births .. Males .. 4,232 / Females 4,148 } 8,380

Annual Rate per 1000 living { Persons Married .. 14·21 / Births .. .. .. 29·65

Annual Births to 1000 Females aged 15—45 years = 146.

Deaths from Childbirth and Puerperal Fever .. .. } 4·53 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

582.—ABERGAVENNY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 20·72	*159	—	—	—	—	58·93	4·47	2·50	4·19	5·50	9·34	14·50	20·36	40·23	82·08	150·85
Annual Death-Rate per 1000. Males	—	In Standard Population. 21·58	*170	—	—	—	—	61·48	4·57	2·88	4·06	5·33	10·19	15·05	21·91	43·06	92·20	154·95
Annual Death-Rate per 1000. Females	—	In Standard Population. 19·92	*147	—	—	—	—	56·35	4·37	2·12	4·33	5·68	8·46	13·92	18·74	37·49	72·85	146·89
Mean Population, 1891–1900. Persons	—	26,524	663	522	602	611	580	2978	2842	2802	2624	2380	3919	3186	2544	1817	1021	411
Mean Population, 1891–1900. Males	—	13,340	332	260	307	306	293	1498	1400	1388	1355	1182	1992	1641	1301	894	487	202
Mean Population, 1891–1900. Females	—	13,184	331	262	295	305	287	1480	1442	1414	1269	1198	1927	1545	1243	923	534	209
Deaths from All Causes, 1891–1900. Persons	21·60	5,728	1214	322	106	76	37	1755	127	70	110	131	366	462	518	731	838	620
Deaths from All Causes, 1891–1900. Males	22·68	3,025	661	164	46	36	14	921	64	40	55	63	203	247	285	385	449	313
Deaths from All Causes, 1891–1900. Females	20·50	2,703	553	158	60	40	23	834	63	30	55	68	163	215	233	346	389	307

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·02	0·01	0·02	4	2	2	1	—	—	—	—	1	1	1	—	1	—	—	—	—	—	—
Measles	0·33	0·30	0·36	88	40	48	25	34	18	5	3	85	3	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·17	0·13	0·21	45	17	28	8	7	9	5	5	34	9	1	—	1	—	—	—	—	—	—
Diphtheria	0·26	0·25	0·27	69	33	36	7	8	9	8	7	39	15	1	2	2	2	2	4	—	2	—
Whooping-cough	0·50	0·42	0·58	132	56	76	68	42	11	6	1	128	4	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·14	0·19	0·09	37	25	12	—	—	—	1	1	2	4	5	3	7	6	5	2	2	1	—
Simple Continued Fever	0·00	—	0·01	1	—	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·24	0·19	0·29	64	26	38	37	8	1	2	—	48	1	—	—	—	1	2	1	5	3	3
Cholera	0·02	0·03	0·01	5	4	1	3	1	—	—	—	4	—	—	—	—	—	—	—	—	—	1
Cancer	0·73	0·61	0·85	193	81	112	—	—	—	—	—	—	—	—	1	2	2	24	42	52	55	15
Tabes Mesenterica	0·09	0·10	0·08	24	14	10	7	8	—	1	—	16	1	2	—	—	3	1	1	—	—	—
Phthisis	1·46	1·33	1·59	386	177	209	4	8	6	2	—	20	8	12	36	37	115	89	42	21	5	1
Other Tub. & Scrof. Dis.	0·41	0·43	0·38	108	58	50	40	14	3	—	4	61	13	4	6	6	4	8	1	4	1	—
Diseases of Nervous System	3·75	4·12	3·38	994	549	445	243	19	11	6	4	283	15	3	12	11	59	124	99	156	154	78
Diseases of Circulatory	2·42	2·32	2·52	641	309	332	2	—	—	—	—	2	5	14	14	9	21	49	77	152	196	102
Diseases of Respiratory	3·94	4·60	3·28	1046	613	433	172	119	22	20	7	340	20	6	7	13	42	46	113	164	177	118
Diseases of Digestive	1·44	1·51	1·36	381	202	179	147	32	5	7	1	192	6	4	2	2	16	19	35	44	41	20
Diseases of Urinary	0·37	0·43	0·32	99	57	42	1	—	2	2	—	5	2	1	2	1	9	12	15	16	24	12
Diseases of Generative	0·04	0·01	0·07	10	1	9	—	—	—	—	—	—	—	—	1	1	—	4	—	1	3	—
Puerperal Fever	0·10	—	0·20	26	—	26	—	—	—	—	—	—	—	—	—	9	10	7	—	—	—	—
Childbirth	0·12	—	0·24	31	—	31	—	—	—	—	—	—	—	—	—	3	18	10	—	—	—	—
Violence	0·75	1·13	0·36	198	151	47	21	2	1	3	2	29	9	6	10	14	25	20	29	28	15	13
OTHER CAUSES	4·30	4·57	4·03	1146	610	536	428	20	7	8	2	465	11	10	14	12	33	40	57	86	161	257

Marriages 1,908

Births .. { Males .. 3,881 / Females 3,760 } 7,641

Annual Rate per 1000 living { Persons Married .. 14·39 / Births .. .. .. 28·81

Annual Births to 1000 Females aged 15—45 years = 129.

Deaths from Childbirth and Puerperal Fever .. .. } 7·46 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

583.—BEDWELLTY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 21·72	*173	—	—	—	—	74·23	5·89	2·34	4·13	5·89	6·80	11·75	18·84	40·34	84·98	130·71
Annual Death-Rate per 1000. Males	—	23·01	*194	—	—	—	—	82·58	5·75	2·52	4·18	5·61	5·78	11·31	20·92	44·10	90·02	150·00
Annual Death-Rate per 1000. Females	—	20·52	*152	—	—	—	—	66·01	6·02	2·16	4·06	6·29	8·17	12·33	16·32	36·18	79·90	116·16
Mean Population, 1891–1900. Persons	—	72,689	2398	1953	1927	1965	1930	10173	8646	7562	7778	7518	11832	7847	5584	3550	1678	521
Mean Population, 1891–1900. Males	—	39,122	1198	965	959	993	930	5045	4312	3815	4403	4368	6750	4440	3059	1864	842	224
Mean Population, 1891–1900. Females	—	33,567	1200	988	968	972	1000	5128	4334	3747	3375	3150	5082	3407	2525	1686	836	297
Deaths from All Causes, 1891–1900. Persons	21·07	15,319	4895	1500	568	323	265	7551	509	177	321	443	805	922	1052	1432	1426	681
Deaths from All Causes, 1891–1900. Males	21·44	8,387	2786	766	304	172	138	4166	248	96	184	245	390	502	640	822	758	336
Deaths from All Causes, 1891–1900. Females	20·65	6,932	2109	734	264	151	127	3385	261	81	137	198	415	420	412	610	668	345

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·87	0·83	0·92	633	323	310	132	259	116	49	37	593	36	—	—	2	1	1	—	—	—	—
Scarlet Fever	0·42	0·41	0·44	308	159	149	20	46	45	49	46	206	79	11	4	3	3	—	1	—	1	—
Diphtheria	0·45	0·40	0·49	324	158	166	27	53	42	50	47	219	84	9	4	4	3	—	1	—	—	—
Whooping-cough	0·47	0·41	0·54	339	159	180	170	104	37	14	8	333	5	—	1	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·23	0·24	0·22	169	94	75	3	5	6	7	6	27	23	13	17	23	40	17	3	4	2	—
Simple Continued Fever	0·01	0·02	0·01	9	6	3	4	3	1	—	—	8	1	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·64	0·70	0·58	468	272	196	292	72	13	1	3	381	2	—	—	2	5	2	6	16	29	25
Cholera	0·01	0·01	0·01	10	5	5	6	2	—	—	—	8	—	—	—	—	—	—	1	1	—	—
Cancer	0·43	0·29	0·59	310	113	197	—	2	—	—	—	2	3	2	1	2	14	29	73	103	67	14
Tabes Mesenterica	0·18	0·19	0·17	131	74	57	56	41	17	3	2	119	6	2	1	1	1	1	—	—	—	—
Phthisis	0·82	0·73	0·93	599	286	313	13	12	8	4	1	38	13	18	63	93	133	120	74	30	11	1
Other Tub. & Scrof. Dis.	0·33	0·35	0·32	243	136	107	64	45	24	13	7	153	24	13	8	13	17	7	3	5	—	—
Diseases of Nervous System	2·75	2·71	2·80	1999	1061	938	1078	105	33	21	16	1253	42	25	26	19	34	74	100	154	196	76
Diseases of Circulatory	1·16	1·07	1·27	843	418	425	11	—	—	—	2	13	21	19	28	19	57	98	126	229	181	52
Diseases of Respiratory	5·24	5·84	4·55	3809	2284	1525	1029	533	161	77	61	1861	82	15	38	79	145	214	309	408	448	160
Diseases of Digestive	1·33	1·24	1·44	967	485	482	408	117	18	9	7	559	27	8	9	13	29	71	73	92	59	27
Diseases of Urinary	0·38	0·43	0·32	276	167	109	3	10	3	4	3	23	8	2	6	12	24	36	48	62	49	6
Diseases of Generative	0·03	—	0·06	20	—	20	1	1	—	—	—	2	—	1	—	2	—	4	5	3	2	1
Puerperal Fever	0·15	—	0·33	111	—	111	—	—	—	—	—	—	—	—	5	31	55	20	—	—	—	—
Childbirth	0·19	—	0·41	139	—	139	—	—	—	—	—	—	—	—	6	33	62	38	—	—	—	—
Violence	0·89	1·40	0·30	647	548	99	16	14	28	13	16	87	29	28	64	56	96	75	88	68	40	16
OTHER CAUSES	4·09	4·17	3·95	2965	1639	1326	1562	76	16	9	3	1666	24	11	35	36	86	115	141	207	341	303

Marriages 5,862

Births .. { Males .. 14,380 / Females 13,902 } 28,282

Annual Rate per 1000 living { Persons Married .. 16·13 / Births .. .. .. 38·91

Annual Births to 1000 Females aged 15—45 years = 188.

Deaths from Childbirth and Puerperal Fever .. .. } 8·84 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

584.—PONTYPOOL.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		16·96	*137	—	—	—	—	54·66	3·94	2·21	3·09	3·97	5·74	8·11	14·59	31·16	67·32	141·72
Annual Death-Rate per 1000. Males	—					17·29	*149	—	—	—	—	59·58	3·87	2·23	3·05	3·41	5·06	7·72	16·65	32·41	65·87	147·41
Annual Death-Rate per 1000. Females	—					16·64	*123	—	—	—	—	49·78	4·01	2·20	3·14	4·64	6·52	8·56	12·27	29·89	68·73	136·58
Mean Population, 1891-1900. Persons	—			42,176			1237	1136	1133	1101	1147	5754	5378	4653	4365	3856	6273	4637	3284	2211	1276	489
Mean Population, 1891-1900. Males	—			21,877			602	560	581	552	570	2865	2687	2336	2329	2111	3359	2475	1736	1117	630	232
Mean Population, 1891-1900. Females	—			20,299			635	576	552	549	577	2889	2691	2317	2036	1745	2914	2162	1548	1094	646	257
Deaths from All Causes, 1891-1900. Persons	17·08			7,204			2028	624	239	148	106	3145	212	103	135	153	360	376	479	689	859	693
Deaths from All Causes, 1891-1900. Males	17·26			3,775			1131	323	118	88	47	1707	104	52	71	72	170	191	289	362	415	342
Deaths from All Causes, 1891-1900. Females	16·89			3,429			897	301	121	60	59	1438	108	51	64	81	190	185	190	327	444	351
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·51	0·48	0·54	214	104	110	53	64	42	25	14	198	16	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·17	0·14	0·20	70	30	40	4	15	13	10	12	54	12	2	1	1	—	—	—	—	—	—
Diphtheria	0·30	0·28	0·32	126	61	65	10	13	20	17	13	73	39	7	4	—	1	1	—	1	—	—
Whooping-cough	0·42	0·36	0·48	176	79	97	69	61	26	8	6	170	6	—	—	—	—	—	—	—	—	—
Typhus	0·00	0·00	—	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Enteric Fever	0·10	0·11	0·09	42	24	18	—	—	3	—	1	4	—	5	8	5	12	3	3	2	—	—
Simple Continued Fever	0·01	0·00	0·01	3	1	2	—	—	—	1	—	1	—	—	2	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·41	0·44	0·38	174	97	77	114	17	3	2	—	136	—	1	—	—	3	4	1	4	17	8
Cholera	0·04	0·04	0·04	18	9	9	14	—	—	—	—	14	—	—	—	—	1	2	—	1	—	—
Cancer	0·47	0·42	0·53	198	91	107	—	—	1	—	—	1	1	—	—	1	9	21	48	55	42	20
Tabes Mesenterica	0·16	0·16	0·16	69	36	33	38	16	1	2	—	57	5	2	2	1	1	—	1	—	—	—
Phthisis	0·86	0·81	0·90	361	178	183	3	9	4	3	3	22	11	10	33	38	90	69	51	26	10	1
Other Tub. & Scrof. Dis.	0·35	0·32	0·37	147	71	76	45	24	13	5	8	95	18	10	5	2	7	5	2	—	2	1
Diseases of Nervous System	2·23	2·14	2·33	940	468	472	422	55	13	7	7	504	23	13	8	7	15	20	48	102	123	77
Diseases of Circulatory	1·31	1·23	1·40	553	269	284	4	1	—	—	1	6	7	10	14	11	36	44	68	138	143	76
Diseases of Respiratory	4·24	4·60	3·84	1786	1006	780	464	263	70	43	28	868	24	8	9	25	45	72	129	199	251	156
Diseases of Digestive	1·02	1·01	1·03	430	220	210	158	40	13	2	1	214	8	6	8	5	21	25	23	45	58	17
Diseases of Urinary	0·35	0·43	0·26	147	94	53	—	6	1	3	2	12	3	1	1	6	9	11	26	31	36	11
Diseases of Generative	0·02	—	0·04	9	—	9	—	—	—	—	—	—	—	—	—	—	1	3	2	1	1	1
Puerperal Fever	0·09	—	0·18	37	—	37	—	—	—	—	—	—	—	—	3	7	22	4	1	—	—	—
Childbirth	0·14	—	0·30	61	—	61	—	—	—	—	—	—	—	—	2	14	25	19	1	—	—	—
Violence	0·63	0·91	0·32	265	200	65	14	9	9	11	5	48	24	11	19	17	38	29	34	11	22	12
OTHER CAUSES	3·25	3·38	3·17	1377	736	641	616	31	7	9	5	668	15	16	16	13	24	44	41	73	154	313

Marriages 3,420

Births .. Males .. 7,581 } 14,845
Females 7,264 }

Annual Rate per 1000 living { Persons Married .. 16·22
Births .. .. .. 35·20

Annual Births to 1000 Females aged 15—45 years = 168.

Deaths from Childbirth and Puerperal Fever .. .. } 6·60 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

585.—NEWPORT.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 18·81			*156	—	—	—	—	61·16	4·61	2·62	3·49	4·78	6·46	10·29	17·29	33·87	69·36	145·22
Annual Death-Rate per 1000. Males	—			19·62			*172	—	—	—	—	66·99	4·87	2·65	3·66	4·48	6·42	10·55	18·68	36·32	72·77	142·08
Annual Death-Rate per 1000. Females	—			18·06			*140	—	—	—	—	55·31	4·35	2·58	3·31	5·08	6·50	10·00	15·79	31·40	66·20	147·93
Mean Population, 1891-1900. Persons	—			105,342			3029	2717	2763	2746	2703	13958	12877	11428	10769	10276	16922	12076	8190	5063	2748	1035
Mean Population, 1891-1900. Males	—			53,673			1514	1369	1382	1372	1360	6997	6446	5688	5545	5200	8751	6446	4257	2541	1322	480
Mean Population, 1891-1900. Females	—			51,669			1515	1348	1381	1374	1343	6961	6431	5740	5224	5076	8171	5630	3933	2522	1426	555
Deaths from All Causes, 1891-1900. Persons	18·20			19,173			5778	1548	561	365	285	8537	594	299	376	491	1093	1243	1416	1715	1906	1503
Deaths from All Causes, 1891-1900. Males	18·99			10,192			3254	809	301	188	135	4687	314	151	203	233	562	680	795	923	962	682
Deaths from All Causes, 1891-1900. Females	17·38			8,981			2524	739	260	177	150	3850	280	148	173	258	531	563	621	792	944	821
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·00	0·01	0·00	4	3	1	—	—	—	—	—	—	—	—	—	—	2	1	—	—	1	—
Measles	0·54	0·54	0·55	574	291	283	141	222	91	54	28	536	35	—	—	1	—	—	—	2	—	—
Scarlet Fever	0·21	0·22	0·19	220	120	100	16	34	37	29	25	141	53	13	2	6	4	—	—	1	—	—
Diphtheria	0·30	0·25	0·35	315	134	181	12	39	49	56	45	201	89	14	1	2	4	2	1	—	1	—
Whooping-cough	0·45	0·38	0·51	469	206	263	226	139	44	20	23	452	16	—	—	—	—	—	—	—	1	—
Typhus	0·00	—	0·00	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Enteric Fever	0·19	0·22	0·16	201	117	84	3	5	1	1	2	12	12	21	32	38	42	21	13	7	2	1
Simple Continued Fever	0·01	0·01	0·01	10	3	7	2	2	1	—	—	5	2	—	—	—	—	2	1	—	—	—
Diarrhœa & Dysentery	0·51	0·54	0·49	539	288	251	400	56	7	—	2	465	2	—	—	1	3	3	6	14	17	28
Cholera	0·02	0·03	0·01	21	14	7	14	3	—	—	—	17	1	—	—	—	—	1	—	1	—	1
Cancer	0·56	0·46	0·66	586	247	339	—	1	—	3	1	5	3	2	2	3	17	73	157	162	121	41
Tabes Mesenterica	0·13	0·14	0·12	140	77	63	63	29	5	—	3	100	12	5	6	7	5	—	4	1	—	—
Phthisis	1·09	1·11	1·06	1147	597	550	19	20	7	4	12	62	26	37	93	153	298	233	153	58	30	4
Other Tub. & Scrof. Dis.	0·35	0·38	0·31	364	206	158	109	52	23	13	13	210	45	19	18	16	30	16	3	5	1	1
Diseases of Nervous System	2·23	2·23	2·23	2352	1198	1154	1106	144	50	27	22	1349	42	28	28	20	53	93	147	211	233	148
Diseases of Circulatory	1·63	1·61	1·65	1714	862	852	24	1	2	2	2	31	26	34	49	32	91	171	280	387	417	196
Diseases of Respiratory	3·64	4·07	3·19	3834	2185	1649	1064	528	168	101	61	1922	71	21	32	36	144	195	260	421	446	286
Diseases of Digestive	1·54	1·57	1·51	1622	842	780	815	163	20	10	9	1017	31	28	18	15	52	91	101	104	107	58
Diseases of Urinary	0·37	0·44	0·29	385	236	149	7	5	6	6	5	29	6	3	9	11	35	52	64	72	75	29
Diseases of Generative	0·03	0·00	0·07	36	2	34	2	—	—	—	—	2	—	—	—	1	5	5	12	6	4	1
Puerperal Fever	0·09	—	0·19	99	—	99	—	—	—	—	—	—	—	—	5	23	48	23	—	—	—	—
Childbirth	0·10	—	0·21	108	—	108	—	—	—	—	—	—	—	—	2	12	52	39	3	—	—	—
Violence	0·78	1·16	0·39	821	620	201	47	28	24	28	21	148	81	38	48	54	120	107	84	72	44	25
OTHER CAUSES	3·43	3·62	3·23	3611	1944	1667	1708	77	26	11	11	1833	41	36	31	60	88	114	127	191	406	684

Marriages 8,873

Births .. { Males .. 18,878 / Females 18,079 } 36,957

Annual Rate per 1000 living { Persons Married .. 16·85 / Births .. .. .. 35·08

Annual Births to 1000 Females aged 15—45 years = 153.

Deaths from Childbirth and Puerperal Fever .. .. } 5·60 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

586.—CARDIFF.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 19·16			*151	—	—	—	—	60·84	5·08	2·92	4·16	5·25	7·26	11·65	18·14	34·00	67·54	137·42
Annual Death-Rate per 1000. Males ..	—			20·11			*164	—	—	—	—	65·03	5·25	2·91	4·42	5·50	7·51	12·28	19·33	37·70	72·91	140·06
Annual Death-Rate per 1000. Females	—			18·27			*137	—	—	—	—	56·64	4·91	2·93	3·90	5·02	6·99	10·93	16·80	30·27	62·89	135·35
Mean Population, 1891-1900. Persons	—			198,689			5551	5024	5158	5170	5048	25951	23329	20674	19326	19924	34646	24775	15546	8852	4255	1411
Mean Population, 1891-1900. Males ..	—			100,544			2760	2537	2608	2565	2518	12988	11635	10326	9531	9779	17804	13204	8235	4448	1975	619
Mean Population, 1891-1900. Females	—			98,145			2791	2487	2550	2605	2530	12963	11694	10348	9795	10145	16842	11571	7311	4404	2280	792
Deaths from All Causes, 1891-1900. Persons	17·85			35,472			10806	2698	1026	729	529	15788	1185	604	803	1047	2515	2887	2820	3010	2874	1939
Deaths from All Causes, 1891-1900. Males ..	18·75			18,852			5977	1340	514	353	262	8446	611	301	421	538	1337	1622	1592	1677	1440	867
Deaths from All Causes, 1891-1900. Females	16·93			16,620			4829	1358	512	376	267	7342	574	303	382	509	1178	1265	1228	1333	1434	1072
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	0·00	0·01	0·00	8	6	2	—	—	—	—	—	—	—	—	—	1	3	1	2	1	—	—
Measles	0·39	0·41	0·37	774	411	363	184	298	116	75	41	714	53	4	—	1	2	—	—	—	—	—
Scarlet Fever	0·18	0·17	0·19	360	171	189	24	50	56	60	45	235	86	21	1	3	10	3	1	—	—	—
Diphtheria	0·49	0·48	0·50	973	482	491	42	113	173	150	143	621	279	44	6	5	9	4	5	—	—	—
Whooping-cough ..	0·47	0·46	0·54	932	398	534	454	269	90	58	24	895	34	3	—	—	—	—	—	—	—	—
Typhus	0·01	0·01	0·01	13	8	5	—	—	—	—	—	—	—	—	—	1	3	4	3	2	—	—
Enteric Fever	0·14	0·17	0·12	285	169	116	1	2	3	4	13	23	31	33	36	38	73	30	14	6	1	—
Simple Continued Fever	0·01	0·01	0·00	10	7	3	1	—	—	1	2	4	—	1	1	1	1	1	—	1	—	—
Diarrhœa & Dysentery	0·82	0·85	0·78	1629	859	770	1290	167	14	6	4	1481	7	2	1	1	9	16	11	25	40	36
Cholera	0·02	0·02	0·02	41	24	17	27	5	—	1	—	33	—	—	1	1	—	2	1	2	—	1
Cancer	0·60	0·50	0·70	1198	507	691	-	1	2	1	1	5	5	2	5	8	49	188	323	321	239	53
Tabes Mesenterica ..	0·19	0·20	0·18	375	197	178	225	74	11	11	1	322	11	13	11	6	7	2	3	—	—	—
Phthisis	1·50	1·56	1·45	2988	1565	1423	71	42	27	12	9	161	45	87	251	347	792	662	385	173	77	8
Other Tub. & Scrof. Dis.	0·46	0·50	0·41	909	503	406	259	146	72	56	31	564	102	59	42	40	43	33	14	8	2	2
Diseases of Nervous System ..	2·17	2·25	2·08	4307	2265	2042	2045	261	82	46	46	2480	96	49	61	43	100	190	306	395	379	208
Diseases of Circulatory " ..	1·36	1·41	1·31	2701	1419	1282	20	4	4	2	4	34	45	49	64	70	258	357	437	584	536	267
Diseases of Respiratory " ..	3·27	3·60	2·93	6491	3617	2874	1876	861	235	140	86	3198	137	49	65	95	279	413	542	671	672	370
Diseases of Digestive " ..	1·31	1·39	1·23	2597	1393	1204	1203	214	37	15	20	1489	65	31	49	49	116	185	195	195	158	65
Diseases of Urinary " ..	0·39	0·46	0·33	783	461	322	19	10	6	6	8	49	22	18	17	30	82	112	119	153	128	53
Diseases of Generative " ..	0·05	0·01	0·10	108	8	100	4	1	—	—	—	5	—	—	2	7	23	30	25	10	4	2
Puerperal Fever ..	0·09	—	0·17	170	—	170	—	—	—	—	—	—	—	—	4	39	89	38	—	—	—	—
Childbirth	0·10	—	0·19	190	—	190	—	—	—	—	—	—	—	—	7	35	88	57	3	—	—	—
Violence	0·89	1·36	0·42	1778	1363	415	145	43	52	66	38	344	98	79	114	135	273	275	204	144	79	33
OTHER CAUSES ..	2·94	2·98	2·90	5852	3019	2833	2916	137	46	19	13	3131	69	60	65	91	206	284	227	319	559	841

Marriages 18,428

Births .. { Males .. 36,441 / Females 35,186 } 71,627

Annual Rate per 1000 living { Persons Married .. 18·55 / Births .. .. .. 36·05

Annual Births to 1000 Females aged 15—45 years = 148.

Deaths from Childbirth and Puerperal Fever .. .. } 5·03 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

587.—PONTYPRIDD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 21·79			*196	—	—	—	—	80·91	5·28	2·69	4·81	5·97	7·38	10·22	17·31	36·96	72·62	135·48
Males ..	—			22·86			*214	—	—	—	—	88·54	4·97	2·83	4·98	5·28	6·52	9·92	18·62	40·40	79·02	143·36
Females	—			20·80			*177	—	—	—	—	73·31	5·60	2·55	4·57	7·02	8·61	10·63	15·64	33·07	66·41	128·96
Mean Population. 1891-1900. Persons	—			173,245			5778	4718	4611	4729	4543	24379	20645	17825	17952	18841	30401	19825	12475	6927	3042	933
Males ..	—			95,397			2918	2365	2305	2343	2228	12159	10366	9016	10445	11372	17894	11559	6994	3673	1497	422
Females	—			77,848			2860	2353	2306	2386	2315	12220	10279	8809	7507	7469	12507	8266	5481	3254	1545	511
Deaths from All Causes, 1891-1900. Persons	20·63			35,745			13779	3262	1225	875	583	19724	1091	480	863	1125	2244	2026	2159	2560	2209	1264
Males ..	20·49			19,544			7694	1685	606	462	318	10765	515	255	520	601	1167	1147	1302	1484	1183	605
Females	20·81			16,201			6085	1577	619	413	265	8959	576	225	343	524	1077	879	867	1076	1026	659
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	0·00	0·00	0·00	4	3	1	—	—	—	—	—	—	1	—	—	—	1	1	1	—	—	—
Measles	0·70	0·65	0·75	1210	623	587	349	455	159	118	55	1136	67	2	2	1	2	—	—	—	—	—
Scarlet Fever	0·27	0·26	0·29	472	244	228	42	71	81	84	54	332	97	22	5	5	10	—	1	—	—	—
Diphtheria	0·56	0·50	0·64	978	476	502	57	166	151	179	141	694	235	28	6	6	6	1	—	2	—	—
Whooping-cough ..	0·48	0·40	0·59	838	379	459	456	225	75	46	24	826	11	—	—	1	—	—	—	—	—	—
Typhus	0·00	0·00	—	2	2	—	—	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—
Enteric Fever	0·32	0·33	0·29	547	318	229	2	10	9	9	20	50	71	48	65	87	118	61	31	11	5	—
Simple Continued Fever	0·01	0·01	0·01	16	6	10	1	2	3	—	2	8	2	1	1	—	1	1	—	—	—	2
Diarrhœa & Dysentery	0·96	0·92	1·02	1669	876	793	1282	242	30	6	—	1560	4	1	2	2	10	12	9	18	30	21
Cholera	0·02	0·02	0·02	37	21	16	21	3	2	2	—	28	—	—	—	—	1	4	1	—	3	—
Cancer	0·37	0·26	0·50	644	252	392	—	2	1	2	2	7	2	—	7	9	32	80	176	188	112	31
Tabes Mesenterica ..	0·18	0·17	0·19	308	161	147	154	63	17	3	6	243	9	6	12	7	16	12	3	—	—	—
Phthisis	1·00	0·91	1·12	1734	866	868	22	28	14	15	9	88	28	46	183	297	439	297	227	106	21	2
Other Tub. & Scrof. Dis.	0·28	0·28	0·27	477	263	214	142	58	35	22	13	270	56	32	20	27	34	17	14	3	4	—
Diseases of Nervous System ..	3·08	3·07	3·08	5330	2930	2400	3474	229	93	63	48	3907	96	42	35	39	81	144	245	333	272	136
Circulatory „ ..	1·16	1·13	1·19	2004	1076	928	18	—	—	1	4	23	35	44	69	53	168	257	361	461	402	131
Respiratory „ ..	4·31	4·52	4·06	7465	4306	3159	2619	1178	374	204	126	4501	154	40	67	79	249	296	421	749	656	253
Digestive „ ..	1·70	1·63	1·80	2948	1551	1397	1682	323	54	28	24	2111	45	23	48	41	95	117	151	179	102	36
Urinary „ ..	0·36	0·37	0·35	626	352	274	3	13	7	6	5	34	27	23	12	26	72	93	107	124	79	29
Generative „ ..	0·04	0·00	0·08	63	2	61	2	1	1	—	—	4	1	—	4	3	14	13	13	6	4	1
Puerperal Fever ..	0·15	—	0·33	254	—	254	—	—	—	—	—	—	—	—	17	60	134	41	2	—	—	—
Childbirth	0·18	—	0·41	318	—	318	—	—	—	—	—	—	—	1	13	62	157	83	2	—	—	—
Violence	1·24	1·94	0·39	2148	1845	303	84	53	85	66	37	325	92	70	219	243	438	298	206	152	75	30
OTHER CAUSES ..	3·26	3·12	3·43	5653	2992	2661	3369	140	34	21	12	3576	58	51	76	77	165	198	188	228	444	592

Marriages 15,322

Births .. { Males .. 35,994 / Females 34,392 } 70,386

Annual Rate per 1000 living { Persons Married .. 17·69 / Births .. .. .. 40·63 }

Annual Births to 1000 Females aged 15—45 years = 197.

Deaths from Childbirth and Puerperal Fever .. .. } 8·13 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

588.—MERTHYR TYDFIL.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 24·02			*202	—	—	—	—	85·02	5·74	3·56	4·74	6·44	8·18	12·53	20·79	42·76	83·17	146·26
Annual Death-Rate per 1000. Males ..	—			25·15			*217	—	—	—	—	91·60	5·56	3·89	4·56	6·02	7·40	11·99	22·52	47·06	91·16	164·14
Annual Death-Rate per 1000. Females	—			22·96			*187	—	—	—	—	78·48	5·92	3·23	4·96	6·99	9·18	13·21	18·77	38·38	75·22	134·79
Mean Population, 1891–1900. Persons	—			125,506			3877	3151	3158	3176	3071	16433	14369	13029	13069	13112	20867	14139	10053	6415	3043	977
Mean Population, 1891–1900. Males ..	—			66,599			1962	1575	1562	1567	1525	8191	7208	6550	7219	7364	11694	7899	5408	3236	1418	382
Mean Population, 1891–1900. Females	—			58,907			1915	1576	1596	1609	1546	8242	7161	6479	5850	5748	9173	6240	4645	3179	1595	595
Deaths from All Causes, 1891–1900. Persons	23·10			28,995			9580	2382	972	602	435	13971	825	464	619	845	1707	1771	2090	2743	2531	1429
Deaths from All Causes, 1891–1900. Males ..	23·17			15,431			5243	1245	510	288	217	7503	401	255	329	443	865	947	1218	1523	1320	627
Deaths from All Causes, 1891–1900. Females	23·03			13,564			4337	1137	462	314	218	6468	424	209	290	402	842	824	872	1220	1211	802
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·00	0·00	2	1	1	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—	—
Measles	0·67	0·66	0·67	836	442	394	225	320	138	68	44	795	38	—	1	1	—	1	—	—	—	—
Scarlet Fever	0·32	0·31	0·32	396	205	191	29	52	69	72	61	283	80	17	7	4	3	1	1	—	—	—
Diphtheria	0·57	0·51	0·62	710	342	368	57	113	118	132	90	510	160	23	8	3	3	—	2	—	1	—
Whooping-cough ..	0·39	0·32	0·48	495	214	281	258	135	50	33	11	487	7	1	—	—	—	—	—	—	—	—
Typhus	0·00	0·00	—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Enteric Fever	0·27	0·28	0·27	345	184	161	2	4	7	11	9	33	46	41	48	47	79	21	15	12	2	1
Simple Continued Fever	0·00	0·00	0·01	6	3	3	—	—	1	—	—	1	—	1	2	—	—	—	2	—	—	—
Diarrhœa & Dysentery	0·88	0·87	0·89	1104	577	527	841	131	17	4	—	993	5	—	1	—	3	7	11	26	36	22
Cholera	0·02	0·02	0·02	26	16	10	13	7	—	—	—	20	—	—	—	—	—	2	—	1	3	—
Cancer	0·58	0·45	0·74	731	298	433	2	1	1	3	—	7	1	4	6	4	25	89	187	224	144	40
Tabes Mesenterica ..	0·22	0·22	0·22	276	149	127	137	57	25	5	9	233	10	4	7	3	9	3	6	—	1	—
Phthisis	1·43	1·28	1·61	1796	850	946	34	37	24	17	6	118	35	64	171	242	459	367	190	113	36	1
Other Tub. & Scrof. Dis.	0·55	0·55	0·55	685	364	321	197	121	47	39	27	431	92	49	20	31	30	13	10	8	1	—
Diseases of Nervous System ..	3·30	3·30	3·31	4144	2196	1948	2513	175	58	29	28	2803	59	26	24	33	78	105	169	353	350	144
Diseases of Circulatory „ ..	1·77	1·60	1·97	2225	1066	1159	9	3	1	4	7	24	32	50	46	42	156	215	386	571	551	152
Diseases of Respiratory „ ..	4·96	5·44	4·41	6220	3619	2601	1760	803	303	120	90	3076	108	33	49	109	211	277	508	793	723	333
Diseases of Digestive „ ..	1·63	1·61	1·65	2043	1071	972	1064	233	28	16	6	1347	27	24	27	37	83	99	133	129	92	45
Diseases of Urinary „ ..	0·44	0·50	0·38	553	331	222	14	10	8	8	11	51	19	12	7	22	58	75	99	114	69	27
Diseases of Generative „ ..	0·03	0·01	0·06	42	4	38	—	1	—	—	—	1	—	—	—	2	8	13	9	4	2	3
Puerperal Fever ..	0·14	—	0·31	181	—	181	—	—	—	—	—	—	—	—	10	46	84	40	1	—	—	—
Childbirth	0·15	—	0·32	188	—	188	—	—	—	—	—	—	—	—	11	25	80	69	3	—	—	—
Violence	1·16	1·80	0·43	1453	1198	255	75	44	49	26	19	213	65	77	114	148	181	197	194	147	86	31
Other Causes ..	3·62	3·44	3·79	4537	2300	2237	2350	135	27	15	17	2544	41	38	60	46	155	177	164	248	434	630

Marriages 10,998

Births .. { Males .. 24,189 / Females 23,245 } 47,434

Annual Rate per 1000 living { Persons Married .. 17·53 / Births .. .. .. 37·79 }

Annual Births to 1000 Females aged 15—45 years = 176.

Deaths from Childbirth and Puerperal Fever .. .. } 7·78 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

589.—BRIDGEND.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 1893			*162	—	—	—	—	59·68	4·25	2·93	5·21	6·67	8·02	14·35	19·13	34·58	71·93	143·89
Annual Death-Rate per 1000. Males	—			1901			*178	—	—	—	—	65·21	3·95	3·46	5·53	6·40	7·78	15·09	21·79	37·99	76·18	1[illegible]1·33
Annual Death-Rate per 1000. Females	—			1884			*145	—	—	—	—	54·20	4·5[illegible]	2·38	4·82	7·03	8·31	13·41	16·02	30·97	66·98	137·99
Mean Population, 1891-1900. Persons	—			58,732			1646	1443	1479	1469	1480	7517	6700	6017	5913	5769	9619	6907	4855	3071	1685	679
Mean Population, 1891-1900. Males	—			31,211			831	712	736	735	728	3742	3394	3031	3237	3251	5370	3843	2620	1[illegible]89	834	300
Mean Population, 1891-1900. Females	—			27,521			815	731	743	734	752	3775	3306	2986	2676	2518	4249	3064	2235	1482	851	379
Deaths from All Causes, 1891-1900. Persons	19·72			11,582			3259	657	272	166	132	4486	285	176	308	385	771	991	929	1062	1212	977
Deaths from All Causes, 1891-1900. Males	20·29			6,334			1828	336	129	85	62	2440	134	105	179	208	418	580	571	603	642	4[illegible]4
Deaths from All Causes, 1891-1900. Females	19·07			5,248			1431	321	143	81	70	2046	151	71	129	177	353	411	358	459	570	523
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·00	0·01	3	1	2	—	—	—	—	—	—	—	—	—	—	1	1	—	—	1	—
Measles	0·30	0·29	0·30	175	92	83	40	70	21	20	8	159	14	—	—	1	1	—	—	—	—	—
Scarlet Fever	0·17	0·15	0·18	97	47	50	7	11	11	9	14	52	34	9	1	—	—	1	—	—	—	—
Diphtheria	0·18	0·16	0·20	107	51	56	3	14	13	13	24	67	28	4	2	2	4	—	—	—	—	—
Whooping-cough	0·54	0·32	0·36	199	101	98	115	51	18	7	5	196	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·28	0·29	0·27	164	90	74	1	—	4	5	4	14	19	18	23	23	33	20	9	1	3	1
Simple Continued Fever	0·01	0·01	0·01	4	2	2	—	—	—	—	—	—	1	1	—	—	—	2	—	—	—	—
Diarrhœa & Dysentery	0·39	0·35	0·43	228	109	119	168	24	3	3	1	199	—	—	—	—	—	—	1	4	8	16
Cholera	0·02	0·02	0·02	12	6	6	1	—	—	1	—	2	—	—	1	1	1	1	1	2	3	—
Cancer	0·56	0·46	0·68	328	142	186	—	—	—	—	—	—	—	—	2	—	15	35	65	91	83	37
Tabes Mesenterica	0·14	0·11	0·18	85	35	50	39	13	2	1	3	58	9	1	1	1	5	6	3	—	1	—
Phthisis	1·35	1·24	1·47	793	388	405	7	8	7	—	1	23	9	18	82	113	199	148	112	65	22	2
Other Tub. & Scrof. Dis.	0·33	0·35	0·31	194	109	85	56	27	13	8	6	110	18	13	3	15	11	10	7	6	1	—
Diseases of Nervous System	3·96	4·24	3·63	2323	1323	1000	1067	90	39	18	17	1231	28	8	20	29	117	248	202	165	188	87
Diseases of Circulatory "	1·57	1·55	1·59	920	483	437	6	1	1	2	3	13	8	15	15	25	59	75	124	197	239	150
Diseases of Respiratory "	3·64	3·82	3·44	2139	1192	947	591	237	102	56	32	1018	47	15	17	17	57	97	136	253	271	211
Diseases of Digestive "	1·25	1·26	1·24	734	394	340	362	62	6	3	4	437	18	7	17	17	20	48	47	55	38	30
Diseases of Urinary "	0·57	0·62	0·51	336	195	141	3	3	4	4	1	15	7	6	4	9	21	45	58	80	64	27
Diseases of Generative "	0·03	0·01	0·05	17	2	15	—	2	—	—	—	2	—	—	1	1	5	3	1	2	2	—
Puerperal Fever	0·13	—	0·29	79	—	79	—	—	—	—	—	—	—	—	2	28	31	17	1	—	—	—
Childbirth	0·12	—	0·27	73	—	73	—	—	—	—	—	—	—	—	2	10	27	34	—	—	—	—
Violence	1·18	1·93	0·34	696	602	94	37	16	13	14	6	86	25	37	88	66	99	112	79	43	39	22
Other Causes	3·19	3·11	3·29	1876	970	906	756	28	15	2	3	804	17	24	27	27	65	88	83	98	249	394

Marriages 4,671

Births .. { Males .. 10,260 / Females 9,887 } 20,147

Annual Rate per 1000 living { Persons Married .. 15·91 / Births .. .. .. 34·30 }

Annual Births to 1000 Females aged 15—45 years = 161.

Deaths from Childbirth and Puerperal Fever .. .. } 7·54 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

590.—NEATH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 18·96			*167	—	—	—	—	64·76	4·28	2·83	4·30	5·51	6·43	9·41	14·79	31·30	70·58	143·61
Annual Death-Rate per 1000. Males	—			In Standard Population. 19·88			*184	—	—	—	—	72·55	3·80	2·69	3·80	4·79	5·53	8·77	16·34	34·54	77·62	156·19
Annual Death-Rate per 1000. Females	—			In Standard Population. 18·10			*148	—	—	—	—	57·10	4·76	2·97	4·85	6·30	7·42	10·12	13·14	28·12	64·62	135·36
Mean Population, 1891–1900. Persons	—			63,466			1848	1589	1715	1713	1610	8475	7854	7139	6765	6021	9699	7026	5045	3185	1686	571
Mean Population, 1891–1900. Males	—			32,357			919	775	849	840	817	4200	3944	3600	3526	3131	5065	3716	2595	1581	773	226
Mean Population, 1891–1900. Females	—			31,109			929	814	866	873	793	4275	3910	3539	3239	2890	4634	3310	2450	1604	913	345
Deaths from All Causes, 1891–1900. Persons	18·41			11,687			3852	905	338	226	167	5488	336	202	291	332	624	661	746	997	1190	820
Deaths from All Causes, 1891–1900. Males	18·87			6,107			2187	476	178	119	87	3047	150	97	134	150	280	326	424	546	600	353
Deaths from All Causes, 1891–1900. Females	17·94			5,580			1665	429	160	107	80	2441	186	105	157	182	344	335	322	451	590	467
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·02	0·01	10	7	3	1	—	—	—	—	1	—	—	1	1	2	1	4	—	—	—
Measles	0·45	0·45	0·44	284	147	137	68	109	46	27	13	263	18	2	—	—	1	—	—	—	—	—
Scarlet Fever	0·24	0·23	0·25	151	73	78	16	31	17	23	22	109	31	4	3	1	2	1	—	—	—	—
Diphtheria	0·31	0·35	0·28	199	112	87	13	31	35	31	35	145	41	7	—	1	2	2	1	—	—	—
Whooping-cough	0·63	0·63	0·63	399	203	196	216	112	35	17	11	391	8	—	—	—	—	—	—	—	—	—
Typhus	0·00	—	0·01	2	—	2	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
Enteric Fever	0·21	0·23	0·19	133	74	59	—	2	1	3	5	11	17	13	26	23	20	15	7	1	—	—
Simple Continued Fever	0·01	—	0·02	5	—	5	1	—	—	—	—	1	1	1	—	—	—	—	—	—	1	1
Diarrhœa & Dysentery	0·67	0·70	0·65	427	225	202	321	56	7	2	—	386	5	1	—	1	—	1	1	6	12	14
Cholera	0·01	0·01	0·00	4	3	1	—	—	—	—	—	—	—	—	—	—	—	—	2	2	—	—
Cancer	0·50	0·32	0·69	319	104	215	—	—	1	—	—	1	—	—	3	1	8	32	74	93	78	29
Tabes Mesenterica	0·09	0·09	0·10	60	30	30	25	9	1	1	2	38	1	6	5	2	4	1	1	1	1	—
Phthisis	1·41	1·30	1·53	897	420	477	23	23	16	14	3	79	16	37	95	132	190	170	85	57	30	6
Other Tub. & Scrof. Dis.	0·30	0·32	0·27	189	104	85	54	28	8	10	8	108	28	14	11	7	11	7	2	1	—	—
Diseases of Nervous System	2·49	2·65	2·32	1580	857	723	840	66	42	15	7	970	30	13	13	11	31	35	75	132	182	88
Diseases of Circulatory "	1·69	1·70	1·68	1072	549	523	28	2	1	3	1	35	19	22	24	19	65	81	171	251	289	96
Diseases of Respiratory "	3·29	3·68	2·90	2091	1190	901	725	277	92	47	22	1163	51	16	16	18	47	68	122	198	257	135
Diseases of Digestive "	1·11	1·08	1·14	702	348	354	347	73	8	5	8	441	12	7	10	10	27	41	36	60	42	16
Diseases of Urinary "	0·33	0·38	0·29	212	122	90	7	7	1	3	1	19	6	8	4	4	22	28	30	40	39	12
Diseases of Generative "	0·01	—	0·03	8	—	8	—	—	—	—	—	—	—	—	—	1	1	—	2	—	2	2
Puerperal Fever	0·10	—	0·21	65	—	65	—	—	—	—	—	—	—	—	2	19	31	12	1	—	—	—
Childbirth	0·14	—	0·28	87	—	87	—	—	—	—	—	—	—	1	2	14	43	26	1	—	—	—
Violence	0·81	1·26	0·35	517	407	110	32	18	19	19	15	103	27	31	51	32	56	68	59	47	29	14
Other Causes	3·59	3·47	3·67	2274	1132	1142	1135	61	8	6	14	1224	25	18	25	35	61	71	72	108	228	407

Marriages 5,001

Births .. { Males .. 11,869 / Females 11,260 } 23,129

Annual Rate per 1000 living { Persons Married .. 15·76 / Births .. .. .. 36·44 }

Annual Births to 1000 Females aged 15—45 years = 164.

Deaths from Childbirth and Puerperal Fever .. .. } 6·57 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

591.—PONTARDAWE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 18·63			*159	—	—	—	—	59·76	4·49	3·27	5·22	7·27	8·44	10·74	14·20	29·49	65·48	128·32
Annual Death-Rate per 1000. Males ..	—			19·38			*173	—	—	—	—	65·77	4·63	3·23	4·14	7·44	7·33	9·44	16·36	34·19	72·82	130·51
Annual Death-Rate per 1000. Females	—			17·93			*143	—	—	—	—	53·88	4·35	3·32	6·39	7·09	9·63	12·14	12·00	24·96	59·29	126·79
Mean Population, 1891–1900. Persons	—			23,984			715	630	641	674	633	3293	2941	2749	2606	2367	3578	2421	1803	1265	675	286
Mean Population, 1891–1900. Males ..	—			12,076			365	311	311	329	314	1630	1446	1363	1354	1210	1855	1260	911	620	309	118
Mean Population, 1891–1900. Females	—			11,908			350	319	330	345	319	1663	1495	1386	1252	1157	1723	1161	892	645	366	168
Deaths from All Causes, 1891–1900. Persons	18·75			4,498			1401	313	109	76	69	1968	132	90	136	172	302	260	256	373	442	367
Deaths from All Causes, 1891–1900. Males ..	19·24			2,324			778	154	54	48	38	1072	67	44	56	90	136	119	149	212	225	154
Deaths from All Causes, 1891–1900. Females	18·26			2,174			623	159	55	28	31	896	65	46	80	82	166	141	107	161	217	213
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·40	0·43	0·36	95	52	43	28	34	14	12	3	91	4	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·13	0·12	0·13	30	14	16	3	8	4	3	6	24	3	2	—	—	1	—	—	—	—	—
Diphtheria	0·25	0·28	0·21	59	34	25	4	15	5	11	9	44	12	—	—	2	1	—	—	—	—	—
Whooping-cough ..	0·34	0·30	0·38	81	36	45	55	17	4	1	1	78	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·14	0·16	0·12	33	19	14	1	1	1	3	—	6	1	4	3	4	9	4	—	2	—	—
Simple Continued Fever	0·01	0·02	—	2	2	—	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·34	0·35	0·34	82	42	40	61	11	1	—	—	73	—	—	—	—	—	—	1	2	1	5
Cholera	0·01	0·01	0·01	2	1	1	1	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—
Cancer	0·55	0·41	0·69	131	49	82	—	—	1	—	—	1	—	1	1	—	3	15	21	38	42	9
Tabes Mesenterica ..	0·10	0·11	0·08	23	13	10	8	6	1	—	—	15	—	1	—	3	1	1	2	—	—	—
Phthisis	1·62	1·52	1·73	389	183	206	3	7	—	1	6	17	10	14	49	71	101	53	47	23	4	—
Other Tub. & Scrof. Dis.	0·60	0·59	0·62	145	71	74	29	18	10	8	6	71	18	18	12	10	9	4	1	—	2	—
Diseases of Nervous System ..	2·72	2·87	2·55	651	347	304	365	24	7	4	1	401	12	5	10	6	14	15	28	56	64	40
Diseases of Circulatory „ ..	1·41	1·28	1·54	337	154	183	5	—	—	—	—	5	9	10	9	11	24	32	37	68	85	47
Diseases of Respiratory „ ..	3·57	3·99	3·14	856	482	374	259	108	43	23	26	459	23	5	6	14	30	31	41	80	116	51
Diseases of Digestive „ ..	1·33	1·32	1·34	319	159	160	144	29	4	1	5	183	5	6	8	8	13	18	24	26	25	3
Diseases of Urinary „ ..	0·48	0·49	0·48	116	59	57	2	1	—	1	1	5	3	3	2	5	12	18	16	21	25	6
Diseases of Generative „ ..	0·02	0·01	0·03	5	1	4	—	1	—	—	—	1	—	—	—	—	—	1	1	1	1	—
Puerperal Fever ..	0·07	—	0·14	17	—	17	—	—	—	—	—	—	—	—	1	1	11	4	—	—	—	—
Childbirth	0·23	—	0·47	56	—	56	—	—	—	—	—	—	—	—	2	6	28	17	3	—	—	—
Violence	0·78	1·30	0·26	188	157	31	2	8	12	6	4	32	17	11	20	17	26	24	18	13	6	4
OTHER CAUSES.. ..	3·65	3·68	3·64	881	449	432	430	25	2	2	1	460	11	10	13	14	19	23	16	42	71	202

Marriages 1,925

Births .. { Males .. 4,487 / Females 4,342 } 8,829

Annual Rate per 1000 living { Persons Married .. 16·05 / Births .. .. .. 36·81 }

Annual Births to 1000 Females aged 15—45 years = 167.

Deaths from Childbirth and Puerperal Fever .. .. } 8·27 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

592.—SWANSEA.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 1897			*162	—	—	—	—	66·97	5·07	2·69	4·27	5·52	7·44	10·38	17·43	34·74	69·62	144·85
Annual Death-Rate per 1000. Males ..	—			1899			*178	—	—	—	—	71·81	5·09	2·64	4·26	5·67	7·15	10·12	20·17	39·10	77·67	158·42
Annual Death-Rate per 1000. Females	—			1898			*147	—	—	—	—	62·11	5·06	2·74	4·27	5·39	7·73	10·66	14·68	30·82	63·34	136·39
Mean Population, 1891–1900. Persons	—			116,799			3199	2868	2940	2867	2849	14723	14010	13306	12465	11480	18068	13202	9601	6011	2923	990
Mean Population, 1891–1900. Males ..	—			57,823			1606	1444	1466	1429	1420	7365	6955	6736	6240	5484	9037	6702	4799	2844	1281	380
Mean Population, 1891–1900. Females	—			58,976			1593	1424	1474	1438	1429	7358	7055	6570	6225	5996	9051	6500	4802	3167	1642	610
Deaths from All Causes, 1891–1900. Persons	18·87			22,041			6376	1864	741	525	353	9859	711	358	532	634	1346	1371	1673	2088	2035	1434
Deaths from All Causes, 1891–1900. Males ..	19·71			11,399			3549	961	355	249	175	5289	354	178	266	311	646	678	968	1112	995	602
Deaths from All Causes, 1891–1900. Females	18·04			10,642			2827	903	386	276	178	4570	357	180	266	323	700	693	705	976	1040	832
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	0·00	0·01	0·00	5	4	1	—	—	—	—	—	—	—	—	—	—	—	4	—	1	—	—
Measles	0·46	0·48	0·43	532	280	252	105	235	82	52	34	508	23	—	—	—	1	—	—	—	—	—
Scarlet Fever	0·21	0·20	0·22	245	118	127	16	50	41	39	24	170	48	15	3	2	4	3	—	—	—	—
Diphtheria	0·41	0·43	0·40	479	246	233	28	62	75	93	66	324	133	14	2	2	2	—	1	—	1	—
Whooping-cough ..	0·45	0·40	0·49	525	234	291	255	158	52	32	15	512	13	—	—	—	—	—	—	—	—	—
Typhus	0·00	0·00	0·00	3	2	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—
Enteric Fever	0·16	0·17	0·16	192	97	95	1	3	3	6	4	17	24	22	31	29	32	21	11	5	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·42	0·44	0·41	495	256	239	358	72	13	1	1	445	1	2	—	—	2	3	5	4	15	18
Cholera	0·01	0·01	0·01	8	4	4	2	—	1	—	—	3	—	—	1	—	2	—	2	—	—	—
Cancer	0·69	0·58	0·80	803	333	470	1	1	2	2	—	6	5	4	6	4	33	93	184	252	175	41
Tabes Mesenterica ..	0·19	0·23	0·16	223	131	92	117	39	12	7	2	177	11	10	6	5	10	1	2	—	1	—
Phthisis	1·62	1·69	1·55	1888	975	913	20	21	16	12	11	80	31	52	198	247	520	328	258	142	30	2
Other Tub. & Scrof. Dis.	0·44	0·49	0·39	514	283	231	109	63	48	33	28	281	72	31	38	31	30	17	9	4	1	—
Diseases of Nervous System ..	3·12	3·30	2·94	3640	1905	1735	1933	215	74	43	25	2290	66	26	29	34	66	110	198	289	362	170
Diseases of Circulatory „ ..	1·32	1·31	1·32	1536	757	779	6	2	1	2	1	12	34	55	49	38	103	154	263	352	339	137
Diseases of Respiratory „ ..	3·78	4·25	3·32	4416	2458	1958	1189	653	235	147	81	2305	115	25	38	55	118	162	263	522	542	271
Diseases of Digestive „ ..	0·98	0·95	1·00	1139	551	588	421	108	17	12	14	572	27	9	22	24	51	84	105	120	88	37
Diseases of Urinary „ ..	0·49	0·54	0·44	568	311	257	7	12	9	3	6	37	12	6	14	18	52	68	110	145	77	29
Diseases of Generative „ ..	0·04	0·01	0·07	48	7	41	1	—	—	—	—	1	—	1	2	4	11	7	11	7	3	1
Puerperal Fever ..	0·10	—	0·21	122	—	122	—	—	—	—	—	—	—	—	2	25	65	28	2	—	—	—
Childbirth	0·12	—	0·24	141	—	141	—	—	—	—	—	—	—	—	6	21	59	54	1	—	—	—
Violence	0·65	0·98	0·33	760	567	193	38	34	27	25	28	152	47	32	52	48	102	101	100	64	50	12
OTHER CAUSES	3·21	3·24	3·15	3759	1880	1879	1769	136	33	16	13	1967	48	54	31	47	83	133	148	181	351	716

Marriages 9,938

Births .. { Males .. 19,967 / Females 19,278 } 39,245

Annual Rate per 1000 living { Persons Married .. 17·02 / Births .. .. .. 33·60

Annual Births to 1000 Females aged 15—45 years = 141.

Deaths from Childbirth and Puerperal Fever .. .. } 6·70 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

593.—GOWER.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 13·64	*104	—	—	—	—	34·19	3·28	1·74	4·08	5·35	6·68	7·60	12·69	20·49	58·68	142·34
Annual Death-Rate per 1000. Males	—	13·65	*107	—	—	—	—	35·33	3·86	1·79	3·64	5·52	6·55	8·10	12·63	20·70	61·95	144·55
Annual Death-Rate per 1000. Females	—	13·64	*101	—	—	—	—	33·09	2·69	1·69	4·48	5·23	6·78	7·16	12·74	20·30	55·81	140·58
Mean Population, 1891–1900. Persons	—	11,390	286	247	278	251	263	1325	1279	1267	1153	991	1558	1250	1064	771	484	248
Mean Population, 1891–1900. Males	—	5,370	131	117	142	131	130	651	647	616	550	417	702	580	499	372	226	110
Mean Population, 1891–1900. Females	—	6,020	155	130	136	120	133	674	632	651	603	574	856	670	565	399	258	138
Deaths from All Causes, 1891–1900. Persons	15·33	1,746	321	62	30	17	23	453	42	22	47	53	104	95	135	158	284	353
Deaths from All Causes, 1891–1900. Males	15·66	841	163	33	12	8	14	230	25	11	20	23	46	47	63	77	140	159
Deaths from All Causes, 1891–1900. Females	15·03	905	158	29	18	9	9	223	17	11	27	30	58	48	72	81	144	194

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·13	0·17	0·10	15	9	6	8	3	1	2	—	14	1	—	—	—	—	—
Scarlet Fever	0·08	0·09	0·07	9	5	4	—	1	3	1	2	7	1	—	—	—	1	—
Diphtheria	0·19	0·30	0·10	22	16	6	—	3	2	1	3	9	10	2	—	1	—	—
Whooping-cough	0·30	0·28	0·32	34	15	19	17	9	3	1	3	33	1	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·14	0·11	0·17	16	6	10	—	2	1	—	—	3	1	1	3	2	1	3
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·26	0·11	0·40	30	6	24	21	2	—	1	—	24	—	—	—	—	—	—
Cholera	0·02	0·02	0·02	2	1	1	—	—	—	1	—	1	—	—	—	—	—	1
Cancer	0·79	0·71	0·86	90	38	52	—	—	—	—	—	—	1	—	—	—	1	6
Tabes Mesenterica	0·11	0·13	0·10	13	7	6	6	2	1	1	—	10	2	—	1	—	—	—
Phthisis	1·42	1·43	1·41	162	77	85	3	1	—	—	—	4	4	6	13	22	39	27
Other Tub. & Scrof. Dis.	0·31	0·26	0·35	35	14	21	3	2	2	3	3	13	8	2	4	6	1	1
Diseases of Nervous System	2·34	2·48	2·21	266	133	133	88	7	4	3	1	103	—	2	6	4	7	10
Diseases of Circulatory "	1·58	1·62	1·55	180	87	93	—	—	—	—	—	—	4	4	4	3	10	8
Diseases of Respiratory "	2·43	2·31	2·54	277	124	153	45	19	10	2	8	84	3	1	1	2	10	8
Diseases of Digestive "	0·82	0·89	0·75	93	48	45	22	6	—	—	1	29	—	1	—	2	3	6
Diseases of Urinary "	0·41	0·56	0·28	47	30	17	—	—	—	—	—	—	—	—	1	1	2	2
Diseases of Generative "	0·05	—	0·10	6	—	6	—	—	—	—	—	—	—	—	1	—	1	1
Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	0·08	—	0·15	9	—	9	—	—	—	—	—	—	—	—	—	1	4	4
Violence	0·72	1·06	0·42	82	57	25	4	1	1	1	1	8	3	1	8	5	11	10
OTHER CAUSES	3·15	3·13	3·13	358	168	190	104	4	2	—	1	111	3	2	5	4	13	8

Marriages	667	Annual Rate per 1000 living	Persons Married .. 11·71	Deaths from Childbirth and Puerperal Fever	2·91 per 1000 Births.
Births .. Males	1,527		Births .. .. .. 27·16		
Births .. Females	1,567	Annual Births to 1000 Females aged 15—45 years = 114.			
Births	3,094				

* The death-rates under one year of age are per 1000 Births.

594.—LLANELLY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 17·51	*147	—	—	—	—	54·06	3·83	3·03	5·14	6·79	6·94	9·49	13·50	29·75	64·06	141·78
Annual Death-Rate per 1000. Males	—	18·47	*163	—	—	—	—	60·58	3·98	3·18	5·19	7·25	6·04	9·78	14·37	31·28	69·12	159·00
Annual Death-Rate per 1000. Females	—	16·61	*130	—	—	—	—	47·75	3·69	2·88	5·08	6·35	7·80	9·21	12·69	28·37	59·85	130·62
Mean Population, 1891–1900. Persons	—	54,429	1528	1387	1427	1393	1389	7124	6782	6340	5877	5051	8088	5879	4310	2901	1469	608
Mean Population, 1891–1900. Males	—	26,751	740	681	697	697	686	3501	3420	3141	2965	2454	3973	2925	2088	1378	667	239
Mean Population, 1891–1900. Females	—	27,678	788	706	730	696	703	3623	3362	3199	2912	2597	4115	2954	2222	1523	802	369
Deaths from All Causes, 1891–1900. Persons	17·11	9,315	2701	590	256	159	145	3851	260	192	302	343	561	558	582	863	941	862
Deaths from All Causes, 1891–1900. Males	17·89	4,787	1524	304	137	79	77	2121	136	100	154	178	240	286	300	431	461	380
Deaths from All Causes, 1891–1900. Females	16·36	4,528	1177	286	119	80	68	1730	124	92	148	165	321	272	282	432	480	482

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·42	0·44	0·39	227	119	108	59	80	35	18	15	207	20	—	—	—	—	—	—	—
Scarlet Fever	0·16	0·17	0·15	86	45	41	8	13	14	21	7	63	18	4	—	—	1	—	—	—
Diphtheria	0·21	0·19	0·22	113	51	62	9	18	17	16	25	85	25	2	—	—	—	1	—	—
Whooping-cough	0·36	0·34	0·38	195	90	105	100	57	18	10	7	192	3	—	—	—	—	—	—	—
Typhus	0·00	0·00	—	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Enteric Fever	0·15	0·14	0·17	84	38	46	—	—	1	2	1	4	9	10	9	14	13	12	8	4	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·17	0·19	0·15	92	50	42	60	8	2	—	—	70	1	—	—	1	—	1	2	4	5	8
Cholera	0·01	0·01	0·00	3	2	1	1	1	—	—	—	2	—	—	—	—	—	—	—	1	—	—
Cancer	0·59	0·53	0·64	319	142	177	3	—	—	—	—	3	1	—	2	3	8	25	64	95	88	30
Tabes Mesenterica	0·13	0·13	0·13	70	35	35	25	12	4	2	2	45	4	4	7	3	6	—	1	—	—	—
Phthisis	1·59	1·54	1·64	867	413	454	8	5	5	3	7	28	10	36	126	141	223	144	82	60	16	1
Other Tub. & Scrof. Dis.	0·51	0·56	0·47	279	149	130	51	38	21	12	17	139	42	30	27	8	14	12	3	4	—	—
Diseases of Nervous System	2·79	3·08	2·50	1515	824	691	827	48	25	16	4	920	21	18	19	20	14	32	66	130	167	108
Diseases of Circulatory "	1·46	1·38	1·54	794	368	426	2	—	1	1	1	5	14	19	18	25	49	74	119	171	207	93
Diseases of Respiratory "	3·02	3·53	2·53	1645	945	700	514	200	82	34	34	864	35	14	21	31	42	67	77	149	210	135
Diseases of Digestive "	1·06	1·01	1·09	574	271	303	231	56	8	5	9	309	12	8	11	12	26	23	35	72	42	24
Diseases of Urinary "	0·54	0·65	0·43	293	174	119	7	4	2	6	6	25	5	11	10	15	30	32	44	56	42	23
Diseases of Generative "	0·02	—	0·04	12	—	12	—	1	—	—	—	1	—	—	1	—	—	4	—	1	4	1
Puerperal Fever	0·13	—	0·25	69	—	69	—	—	—	—	—	—	—	—	1	10	39	17	2	—	—	—
Childbirth	0·12	—	0·23	65	—	65	—	—	—	—	—	.	—	—	2	4	28	29	2	—	—	—
Violence	0·54	0·87	0·23	295	232	63	8	17	14	12	8	59	18	17	21	30	37	47	24	24	9	9
Other Causes	3·13	3·13	3·18	1717	838	879	788	32	7	1	2	830	22	19	26	26	31	38	53	92	150	430

Marriages 4,100

Births .. Males .. 9,346 / Females 9,080 } 18,426

Annual Rate per 1000 living { Persons Married .. 15·07 / Births .. .. .. 33·85

Annual Births to 1000 Females aged 15—45 years = 146.

Deaths from Childbirth and Puerperal Fever .. .. } 7·27 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

595.—LLANDOVERY.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		16·53	*126	—	—	—	—	41·11	6·34	4·30	5·18	7·24	7·39	10·56	15·43	25·47	57·27	157·29
Annual Death-Rate per 1000. Males ..	—					17·50	*146	—	—	—	—	44·38	5·45	3·49	4·77	6·86	8·93	12·23	16·63	28·73	63·87	181·10
Annual Death-Rate per 1000. Females	—					15·61	*106	—	—	—	—	37·80	7·22	5·15	5·59	7·53	6·15	9·19	14·44	22·66	51·03	139·29
Mean Population, 1891-1900. Persons	—			10,791			233	204	210	216	234	1097	1151	1185	1198	939	1408	1146	1011	797	564	295
Mean Population, 1891-1900. Males ..	—			5,108			114	105	105	112	116	552	569	602	608	408	627	515	457	369	274	127
Mean Population, 1891-1900. Females	—			5,683			119	99	105	104	118	545	582	583	590	531	781	631	554	428	290	168
Deaths from All Causes, 1891-1900. Persons	19·24			2,076			327	54	30	24	16	451	73	51	62	68	104	121	156	203	323	464
Deaths from All Causes, 1891-1900. Males ..	20·75			1,060			190	22	14	12	7	245	31	21	29	28	56	63	76	106	175	230
Deaths from All Causes, 1891-1900. Females	17·88			1,016			137	32	16	12	9	206	42	30	33	40	48	58	80	97	148	234
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·17	0·14	0·19	18	7	11	5	3	3	—	—	11	2	4	—	—	1	—	—	—	—	—
Scarlet Fever	0·12	0·16	0·09	13	8	5	—	1	2	2	3	8	3	1	—	1	—	—	—	—	—	—
Diphtheria	0·32	0·25	0·39	35	13	22	—	3	3	6	4	16	12	3	2	1	—	1	—	—	—	—
Whooping-cough ..	0·09	0·02	0·16	10	1	9	8	1	1	—	—	10	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·25	0·22	0·28	27	11	16	—	—	1	—	1	2	3	2	5	2	1	5	3	2	1	1
Simple Continued Fever	0·02	0·02	0·02	2	1	1	—	—	1	—	1	2	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·06	0·12	0·02	7	6	1	4	1	—	—	—	5	—	—	—	—	—	—	—	—	1	1
Cholera	0·03	—	0·05	3	—	3	—	1	—	—	1	2	—	—	—	—	—	—	—	—	1	—
Cancer	0·80	0·84	0·76	86	43	43	—	—	—	—	—	—	—	—	—	—	1	4	18	20	25	18
Tabes Mesenterica ..	0·08	0·10	0·07	9	5	4	1	—	1	—	—	2	—	—	2	1	2	—	—	1	1	—
Phthisis	1·87	2·15	1·62	202	110	92	1	—	—	—	—	1	7	10	26	30	47	36	20	12	13	—
Other Tub. & Scrof. Dis.	0·32	0·20	0·44	35	10	25	4	2	1	1	—	8	6	5	4	3	5	—	1	2	1	—
Diseases of Nervous System ..	3·50	3·82	3·22	378	195	183	168	12	5	5	—	190	9	6	6	4	7	7	20	25	48	56
Diseases of Circulatory „ ..	2·34	2·62	2·08	252	134	118	—	—	—	—	—	—	1	3	7	3	9	13	27	41	77	71
Diseases of Respiratory „ ..	3·33	3·78	2·92	359	193	166	40	20	8	7	4	79	20	5	3	4	6	16	28	53	67	78
Diseases of Digestive „ ..	1·16	1·19	1·13	125	61	64	28	4	1	—	—	33	4	5	1	5	4	8	12	19	26	8
Diseases of Urinary „ ..	0·49	0·76	0·25	53	39	14	1	—	—	—	—	1	1	1	—	2	—	4	8	11	12	13
Diseases of Generative „ ..	0·04	—	0·07	4	—	4	—	—	—	—	—	—	—	—	—	—	—	2	1	—	1	—
Puerperal Fever ..	0·04	—	0·07	4	—	4	—	—	—	—	—	—	—	—	—	1	1	1	1	—	—	—
Childbirth	0·11	—	0·21	12	—	12	—	—	—	—	—	—	—	—	—	5	2	5	—	—	—	—
Violence	0·57	0·90	0·26	61	46	15	5	3	2	2	1	13	1	3	3	1	10	4	8	4	6	8
OTHER CAUSES ..	3·53	3·46	3·58	381	177	204	62	3	1	1	1	68	4	3	3	5	8	15	9	13	43	210

Marriages 777

Births .. { Males .. 1,300 / Females 1,291 } 2,591

Annual Rate per 1000 living { Persons Married .. 14·40 / Births .. .. .. 24·01 }

Annual Births to 1000 Females aged 15—45 years = 102.

Deaths from Childbirth and Puerperal Fever .. .. } 6·18 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

596.—LLANDILOFAWR.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 16·43			*143	—	—	—	—	48·34	4·82	3·14	5·20	6·56	7·49	8·46	13·22	27·07	56·55	140·31
Males ..	—			17·13			*156	—	—	—	—	53·24	5·26	2·57	4·51	7·38	7·12	7·64	14·71	31·66	58·97	147·57
Females	—			15·77			*130	—	—	—	—	43·29	4·39	3·74	5·91	5·83	7·66	9·25	11·85	23·27	54·66	135·40
Mean Population, 1891–1900. Persons	—			21,945			568	500	530	523	531	2652	2592	2450	2386	1967	3080	2317	1883	1319	840	459
Males ..	—			10,673			294	243	263	250	283	1333	1294	1246	1219	921	1461	1138	911	597	368	185
Females	—			11,272			274	257	267	273	248	1319	1298	1204	1167	1046	1619	1179	972	722	472	274
Deaths from All Causes, 1891–1900. Persons	17·71			3,886			962	157	77	48	38	1282	125	77	124	129	228	196	249	357	475	644
Males ..	18·16			1,938			531	92	43	24	21	711	68	32	55	68	104	87	134	189	217	273
Females	17·28			1,948			431	65	34	24	17	571	57	45	69	61	124	109	115	168	258	371
	Persons.	Males.	Females	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·25	0·27	0·22	54	29	25	14	13	9	4	4	44	6	1	—	1	1	1	—	—	—	—
Scarlet Fever	0·10	0·12	0·09	23	13	10	2	4	4	4	3	17	3	1	2	—	—	—	—	—	—	—
Diphtheria	0·22	0·22	0·22	48	23	25	3	5	8	5	10	31	14	2	—	—	—	—	—	—	1	—
Whooping-cough ..	0·22	0·22	0·23	49	23	26	28	14	3	1	—	46	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·10	0·09	0·11	22	10	12	—	1	—	1	—	2	2	5	3	5	3	2	—	—	—	—
Simple Continued Fever	0·02	0·02	0·03	5	2	3	—	—	—	—	—	—	1	1	—	2	—	1	—	—	—	—
Diarrhœa & Dysentery	0·26	0·22	0·29	56	23	33	37	2	—	—	—	39	—	—	—	—	—	1	—	—	6	10
Cholera	0·01	0·03	—	3	3	—	1	—	—	—	—	1	—	—	—	—	—	—	—	1	1	—
Cancer	0·62	0·53	0·71	37	57	80	—	—	—	—	—	—	—	—	2	—	3	11	29	34	34	24
Tabes Mesenterica ..	0·06	0·06	0·06	13	6	7	1	—	1	1	—	3	—	4	—	—	4	2	—	—	—	—
Phthisis	1·96	1·80	2·10	429	192	237	10	8	3	—	1	22	7	15	57	51	97	59	48	46	18	9
Other Tub. & Scrof. Dis.	0·48	0·55	0·41	105	59	46	12	12	6	3	2	35	27	9	12	4	7	3	5	3	—	—
Diseases of Nervous System ..	3·04	3·17	2·94	668	337	331	353	23	7	4	1	388	11	2	5	4	12	13	22	57	81	73
Circulatory " ..	1·42	1·20	1·63	312	128	184	—	—	1	1	—	2	7	9	6	6	15	20	37	52	80	78
Respiratory " ..	2·68	3·30	2·10	589	352	237	180	50	23	15	9	277	17	1	6	9	15	14	35	61	77	77
Digestive " ..	1·01	1·08	0·94	221	115	106	64	13	4	2	1	84	1	5	7	9	10	12	17	25	31	20
Urinary " ..	0·41	0·52	0·32	91	55	36	—	1	—	—	—	1	2	3	2	6	6	7	10	14	27	13
Generative " ..	0·03	—	0·05	6	—	6	—	—	—	—	—	—	—	—	—	—	2	1	2	1	—	—
Puerperal Fever ..	0·07	—	0·13	15	—	15	—	—	—	—	—	—	—	—	—	4	6	5	—	—	—	—
Childbirth	0·08	—	0·15	17	—	17	—	—	—	—	—	—	—	—	1	3	9	4	—	—	—	—
Violence	0·54	0·82	0·27	118	88	30	6	—	2	6	6	20	7	6	7	8	9	17	11	13	13	7
OTHER CAUSES	4·13	3·94	4·28	905	423	482	251	11	6	1	1	270	17	13	14	17	29	23	33	50	106	333

Marriages 1,629

Births .. { Males .. 3,403 / Females 3,326 } 6,729

Annual Rate per 1000 living { Persons Married .. 14·85 / Births .. .. .. 30·66

Annual Births to 1000 Females aged 15—45 years=134.

Deaths from Childbirth and Puerperal Fever .. .. { 4·76 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

597.—CARMARTHEN.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 18·10			*135	—	—	—	—	45·72	4·74	3·48	5·55	7·82	9·22	13·49	16·63	27·80	69·43	148·19
Annual Death-Rate per 1000. Males	—			In Standard Population. 19·12			*146	—	—	—	—	49·97	5·13	3·06	5·87	9·20	9·82	14·46	19·69	31·09	70·35	157·19
Annual Death-Rate per 1000. Females	—			In Standard Population. 17·14			*124	—	—	—	—	41·66	4·35	3·89	5·20	6·76	8·75	12·69	14·16	25·28	68·74	142·32
Mean Population, 1891–1900. Persons	—			33,810			727	684	732	732	756	3631	3715	3651	3569	2943	4663	3751	3073	2396	1590	828
Mean Population, 1891–1900. Males	—			15,538			360	335	348	353	377	1773	1831	1798	1705	1272	2047	1687	1371	1039	688	327
Mean Population, 1891–1900. Females	—			18,272			367	349	384	379	379	1858	1884	1853	1864	1671	2616	2064	1702	1357	902	501
Deaths from All Causes, 1891–1900. Persons	20·21			6,834			1193	215	111	79	62	1660	176	127	197	230	430	506	511	666	1104	1227
Deaths from All Causes, 1891–1900. Males	21·16			3,288			640	120	62	34	30	886	94	55	100	117	201	244	270	323	484	514
Deaths from All Causes, 1891–1900. Females	19·41			3,546			553	95	49	45	32	774	82	72	97	113	229	262	241	343	620	713
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·13	0·17	0·10	44	26	18	14	9	5	5	4	37	5	1	—	1	—	—	—	—	—	—
Scarlet Fever	0·07	0·07	0·07	24	11	13	2	3	2	4	3	14	8	1	—	—	1	—	—	—	—	—
Diphtheria	0·32	0·28	0·36	108	43	65	7	16	14	13	13	63	32	5	2	1	2	1	2	—	—	—
Whooping-cough	0·22	0·23	0·21	74	35	39	45	11	8	5	2	71	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·20	0·23	0·18	67	35	32	—	—	1	1	—	2	4	3	5	11	17	13	6	2	3	1
Simple Continued Fever	0·01	0·01	—	2	2	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
Diarrhœa & Dysentery	0·25	0·30	0·21	84	46	38	50	4	3	1	—	58	—	1	—	—	4	1	—	4	5	11
Cholera	0·01	0·02	0·01	5	3	2	—	—	—	1	—	1	—	—	—	—	—	1	1	1	1	—
Cancer	0·97	0·82	1·11	329	127	202	1	—	—	1	—	2	—	1	—	4	6	17	67	81	104	47
Tabes Mesenterica	0·15	0·17	0·14	52	26	26	5	6	3	3	1	18	11	7	5	3	2	4	2	—	—	—
Phthisis	2·35	2·37	2·32	793	369	424	7	2	1	1	2	13	4	28	91	114	179	153	92	74	33	12
Other Tub. & Scrof. Dis.	0·53	0·64	0·44	180	99	81	18	8	8	8	9	51	32	24	15	17	9	11	8	7	5	1
Diseases of Nervous System	3·40	3·81	3·06	1150	592	558	462	36	16	8	8	530	15	6	10	8	35	75	64	85	179	143
Diseases of Circulatory "	2·00	1·90	2·09	676	295	381	3	—	—	—	2	5	5	9	20	12	47	60	78	113	205	120
Diseases of Respiratory "	3·34	3·82	2·93	1129	594	535	202	77	27	11	11	328	32	11	7	14	37	36	70	128	220	226
Diseases of Digestive "	0·99	1·11	0·90	336	172	164	76	17	4	5	2	104	7	6	10	16	12	25	25	45	43	43
Diseases of Urinary "	0·95	1·11	0·80	320	173	147	1	1	1	1	—	4	3	5	2	4	21	18	30	61	107	65
Diseases of Generative "	0·05	0·01	0·09	17	1	16	1	—	—	—	—	1	—	—	—	1	—	4	6	3	2	—
Puerperal Fever	0·07	—	0·13	23	—	23	—	—	—	—	—	—	—	—	—	8	11	4	—	—	—	—
Childbirth	0·11	—	0·20	37	—	37	—	—	—	—	—	—	—	—	—	4	10	22	1	—	—	—
Violence	0·47	0·72	0·26	159	112	47	7	8	10	6	3	34	9	11	19	3	14	14	14	12	17	12
OTHER CAUSES	3·62	3·37	3·80	1225	527	698	292	17	8	5	2	324	4	7	11	9	23	27	44	50	180	546

Marriages 2,458

Births .. { Males .. 4,391 / Females 4,448 } 8,839

Annual Rate per 1000 living { Persons Married .. 14·54 / Births .. .. .. 26·14

Annual Births to 1000 Females aged 15—45 years = 108.

Deaths from Childbirth and Puerperal Fever .. .. } 6·79 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

598.—NARBERTH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 15·43			*106	—	—	—	—	34·81	5·11	4·72	5·56	8·07	7·28	8·64	12·82	24·60	65·30	147·66
Annual Death-Rate per 1000. Males ..	—			15·60			*118	—	—	—	—	38·74	5·05	3·82	4·67	9·40	6·97	8·00	14·03	28·03	62·16	154·17
Annual Death-Rate per 1000. Females	—			15·27			* 92	—	—	—	—	30·81	5·17	5·64	6·41	7·14	7·51	9·15	11·87	21·89	67·64	143·17
Mean Population, 1891–1900. Persons	—			17,815			379	354	378	401	407	1919	2037	2014	1836	1376	2294	1945	1661	1309	954	470
Mean Population, 1891–1900. Males ..	—			8,252			190	179	197	206	196	968	1050	1021	900	564	975	863	734	578	407	192
Mean Population, 1891–1900. Females	—			9,563			189	175	181	195	211	951	987	993	936	812	1319	1082	927	731	547	278
Deaths from All Causes, 1891–1900. Persons	18·34			3,267			464	100	49	36	19	668	104	95	102	111	167	168	213	322	623	694
Deaths from All Causes, 1891–1900. Males ..	18·33			1,513			272	54	25	15	9	375	53	39	42	53	68	69	103	162	253	296
Deaths from All Causes, 1891–1900. Females	18·34			1,754			192	46	24	21	10	293	51	56	60	58	99	99	110	160	370	398
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	—	0·01	1	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Measles	0·07	0·04	0·09	12	3	9	4	3	—	1	—	8	1	—	1	1	—	—	—	1	—	—
Scarlet Fever	0·13	0·13	0·14	24	11	13	3	1	1	2	3	10	6	6	1	—	—	—	—	1	—	—
Diphtheria	0·38	0·32	0·43	67	26	41	1	3	7	6	5	22	32	9	—	1	1	—	—	1	1	—
Whooping-cough	0·21	0·24	0·19	38	20	18	27	6	1	2	1	37	—	1	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·07	0·06	0·08	13	5	8	—	—	—	—	—	—	—	3	2	2	1	2	1	1	1	—
Simple Continued Fever	0·01	0·01	0·01	2	1	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·11	0·17	0·06	20	14	6	12	3	—	—	—	15	—	—	—	—	—	—	—	—	3	2
Cholera	0·02	0·05	—	4	4	—	—	—	—	—	—	—	1	—	—	—	—	—	2	—	1	—
Cancer	0·68	0·51	0·84	122	42	80	—	—	—	—	—	—	—	—	1	1	2	5	30	21	46	16
Tabes Mesenterica	0·14	0·11	0·17	25	9	16	6	1	—	—	—	7	3	2	2	2	3	2	1	3	—	—
Phthisis	2·11	2·11	2·10	375	174	201	3	4	—	2	—	9	8	28	52	63	74	40	39	39	19	4
Other Tub. & Scrof. Dis.	0·30	0·28	0·31	53	23	30	3	3	6	4	—	16	12	8	9	2	1	2	—	3	—	—
Diseases of: Nervous System	2·38	2·61	2·19	424	215	209	126	15	4	2	3	150	5	6	6	4	13	18	20	40	85	77
Diseases of: Circulatory „	1·70	1·53	1·84	302	126	176	—	—	—	—	—	—	2	3	3	3	7	23	36	73	106	46
Diseases of: Respiratory „	2·81	2·97	2·68	501	245	256	72	44	17	10	5	148	12	3	4	3	6	17	29	52	122	105
Diseases of: Digestive „	0·87	0·95	0·81	155	78	77	25	2	3	1	1	32	7	9	2	2	8	9	17	22	30	17
Diseases of: Urinary „	0·44	0·65	0·26	79	54	25	—	3	—	1	—	4	1	—	1	2	5	3	5	14	30	14
Diseases of: Generative „	0·02	—	0·04	4	—	4	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	1
Puerperal Fever	0·09	—	0·17	16	—	16	—	—	—	—	—	—	—	—	1	4	4	7	—	—	—	—
Childbirth	0·18	—	0·33	32	—	32	—	—	—	—	—	—	—	1	—	2	13	16	—	—	—	—
Violence	0·44	0·68	0·24	79	56	23	7	2	5	3	1	18	5	1	6	6	4	7	7	8	12	5
Other Causes	5·17	4·91	5·35	919	407	512	175	10	5	2	—	192	8	14	10	13	23	17	25	43	167	407

Marriages 1,104

Births .. { Males .. 2,303 / Females 2,093 } 4,396

Annual Rate per 1000 living { Persons Married .. 12·39 / Births .. .. .. 24·68

Annual Births to 1000 Females aged 15—45 years = 106.

Deaths from Childbirth and Puerperal Fever .. .. } 10·92 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

599.—PEMBROKE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 16·02			*123	—	—	—	—	42·19	4·78	3·20	4·94	6·13	7·37	9·31	13·08	27·23	61·12	151·12
Annual Death-Rate per 1000. Males ..	—			16·77			*131	—	—	—	—	45·88	5·13	2·65	5·47	6·57	8·37	9·41	13·36	31·42	62·41	161·04
Annual Death-Rate per 1000. Females	—			15·31			*114	—	—	—	—	38·47	4·43	3·78	4·44	5·71	6·51	9·22	12·84	23·55	60·06	143·67
Mean Population, 1891–1900. Persons	—			31,583			730	708	730	789	736	3693	3703	3497	3177	2838	4371	3587	2828	2009	1299	581
Mean Population, 1891–1900. Males ..	—			15,279			361	370	369	389	366	1855	1851	1776	1555	1385	2020	1721	1340	939	588	249
Mean Population, 1891–1900. Females	—			16,304			369	338	361	400	370	1838	1852	1721	1622	1453	2351	1866	1488	1070	711	332
Deaths from All Causes, 1891–1900. Persons	17·17			5,423			1067	273	99	56	63	1558	177	112	157	174	322	334	370	547	794	878
Deaths from All Causes, 1891–1900. Males ..	17·95			2,742			575	149	62	33	32	851	95	47	85	91	169	162	179	295	367	401
Deaths from All Causes, 1891–1900. Females	16·44			2,681			492	124	37	23	31	707	82	65	72	83	153	172	191	252	427	477
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	0·01	3	1	2	—	—	—	1	—	1	—	—	—	—	—	1	1	—	—	—
Measles	0·22	0·26	0·20	71	39	32	18	29	11	5	2	65	3	—	2	—	—	1	—	—	—	—
Scarlet Fever	0·14	0·17	0·11	44	26	18	1	1	1	2	4	9	24	6	3	1	—	1	—	—	—	—
Diphtheria	0·16	0·18	0·15	52	28	24	—	3	10	6	7	26	18	4	2	1	—	—	—	—	1	—
Whooping-cough ..	0·21	0·24	0·18	66	36	30	38	14	4	6	2	64	2	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·07	0·07	0·07	22	11	11	—	—	—	2	1	3	3	2	4	1	4	3	2	—	—	—
Simple Continued Fever	0·01	0·01	0·01	3	1	2	—	1	—	—	—	1	—	—	2	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·26	0·32	0·21	83	49	34	53	6	1	1	—	61	—	1	—	1	1	—	1	3	8	7
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·82	0·76	0·87	258	116	142	1	—	—	1	—	2	2	—	—	—	6	21	44	73	77	33
Tabes Mesenterica ..	0·41	0·49	0·33	129	75	54	76	19	4	—	4	103	6	3	6	2	3	3	3	—	—	—
Phthisis	1·56	1·65	1·48	493	252	241	3	5	2	1	4	15	15	23	47	91	121	85	41	37	13	5
Other Tub. & Scrof. Dis.	0·42	0·50	0·36	134	76	58	29	21	8	8	6	72	17	10	14	7	6	6	2	—	—	—
Diseases of Nervous System ..	2·34	2·56	2·14	739	391	348	242	42	12	2	5	303	16	12	9	7	17	26	36	72	132	109
Diseases of Circulatory " ..	1·89	1·79	1·99	597	273	324	1	—	1	—	—	2	6	12	19	11	24	43	62	117	169	132
Diseases of Respiratory " ..	2·69	2·77	2·61	850	424	426	172	91	28	14	15	320	34	6	7	10	26	23	49	83	148	144
Diseases of Digestive " ..	0·95	0·90	1·00	300	137	163	80	16	—	1	2	99	11	6	8	3	22	26	31	36	39	19
Diseases of Urinary " ..	0·53	0·61	0·46	168	93	75	—	1	1	—	2	4	3	3	6	3	9	16	27	37	47	13
Diseases of Generative " ..	0·03	0·01	0·04	8	1	7	—	—	—	—	—	—	—	—	—	2	1	—	2	2	1	—
Puerperal Fever ..	0·05	—	0·10	16	—	16	—	—	—	—	—	—	—	—	—	5	9	2	—	—	—	—
Childbirth	0·09	—	0·17	27	—	27	—	—	—	—	—	—	—	—	1	2	12	12	—	—	—	—
Violence	0·67	1·15	0·23	213	176	37	12	4	7	4	4	31	7	9	19	14	33	25	25	26	14	10
Other Causes ..	3·64	3·50	3·72	1147	537	610	341	20	9	2	5	377	10	15	8	13	28	40	44	61	145	406

Marriages 2,210

Births .. { Males .. 4,388 / Females 4,322 } 8,710

Annual Rate per 1000 living { Persons Married .. 13·99 / Births .. .. .. 27·58 }

Annual Births to 1000 Females aged 15—45 years = 119.

Deaths from Childbirth and Puerperal Fever .. .. } 4·94 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

600.—HAVERFORDWEST.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 16·25	*132	—	—	—	—	43·83	3·39	3·62	5·10	6·38	7·54	9·23	14·97	27·45	60·17	145·43
Annual Death-Rate per 1000. Males ..	—	16·59	*144	—	—	—	—	48·44	3·63	3·61	5·07	6·86	7·94	9·25	15·61	26·62	61·63	141·83
Annual Death-Rate per 1000. Females	—	15·92	*119	—	—	—	—	39·43	3·14	3·64	5·13	6·00	7·20	9·22	14·43	28·15	58·99	148·22
Mean Population. 1891-1900. Persons	—	32,801	780	744	790	776	791	3881	3804	3671	3218	2728	4535	3433	2860	2255	1617	799
Mean Population. 1891-1900. Males ..	—	15,508	379	356	392	366	402	1895	1958	1802	1579	1196	2091	1589	1294	1033	722	349
Mean Population. 1891-1900. Females	—	17,293	401	388	398	410	389	1986	1846	1869	1639	1532	2444	1844	1566	1222	895	450
Deaths from All Causes, 1891-1900. Persons	18·73	6,142	1225	242	115	60	59	1701	129	133	164	174	342	317	428	619	973	1162
Deaths from All Causes, 1891-1900. Males ..	19·00	2,946	689	119	52	26	32	918	71	65	80	82	166	147	202	275	445	495
Deaths from All Causes, 1891-1900. Females	18·48	3,196	536	123	63	34	27	783	58	68	84	92	176	170	226	344	528	667

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·16	0·15	0·17	53	23	30	9	21	9	5	4	48	4	—	—	1	—	—	—	—	—
Scarlet Fever	0·24	0·30	0·19	79	46	33	3	8	10	8	7	36	26	11	2	1	—	1	2	—	—
Diphtheria	0·18	0·15	0·20	58	23	35	5	4	6	8	9	32	16	4	1	1	3	1	—	—	—
Whooping-cough ..	0·19	0·19	0·18	61	30	31	32	13	9	2	1	57	2	1	1	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·16	0·17	0·14	51	26	25	1	—	—	1	—	2	3	4	11	4	11	8	6	2	—
Simple Continued Fever	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·33	0·29	0·36	107	45	62	74	10	1	1	1	87	1	—	—	—	1	1	1	4	4	8
Cholera	0·02	0·03	0·01	6	4	2	1	1	—	—	—	2	—	—	—	—	—	—	2	—	2	—
Cancer	0·92	0·73	1·10	303	113	190	—	—	—	1	—	1	—	1	—	1	8	21	42	95	84	50
Tabes Mesenterica ..	0·11	0·08	0·13	36	13	23	8	5	2	—	3	18	1	3	4	—	5	3	1	—	1	—
Phthisis	1·55	1·37	1·71	508	212	296	2	6	2	1	3	14	5	36	65	97	132	61	49	28	20	1
Other Tub. & Scrof. Dis.	0·34	0·34	0·33	110	53	57	11	12	6	4	5	38	13	17	12	6	8	5	7	4	—	—
Diseases of Nervous System ..	2·60	2·89	2·34	853	448	405	338	32	15	3	6	394	16	13	5	8	20	29	47	76	141	104
Diseases of Circulatory „ ..	2·31	2·17	2·43	757	336	421	2	—	1	—	—	3	7	4	11	7	25	47	81	148	227	197
Diseases of Respiratory „ ..	2·76	2·95	2·59	904	457	447	190	79	34	11	11	325	10	3	8	2	21	26	64	78	201	166
Diseases of Digestive „ ..	0·81	0·85	0·78	266	132	134	66	18	6	2	1	93	9	9	9	3	8	18	25	37	25	30
Diseases of Urinary „ ..	0·63	0·87	0·42	208	135	73	3	—	—	—	1	4	1	3	3	7	11	15	27	40	54	43
Diseases of Generative „ ..	0·04	—	0·08	14	—	14	—	—	—	—	—	—	—	—	—	—	2	5	4	—	2	1
Puerperal Fever ..	0·05	—	0·10	17	—	17	—	—	—	—	—	—	—	—	1	3	7	6	—	—	—	—
Childbirth	0·10	—	0·19	32	—	32	—	—	—	—	—	—	—	—	1	3	18	10	—	—	—	—
Violence	0·63	1·60	0·29	206	155	51	5	5	7	5	3	25	7	7	10	20	34	28	22	20	16	17
Other Causes ..	4·60	4·46	4·74	1512	694	818	475	28	7	8	4	522	8	16	20	10	28	32	48	87	196	545

Marriages 2,298

Births .. Males .. 4,777 / Females 4,504 } 9,281

Annual Rate per 1000 living { Persons Married .. 14·01 / Births .. .. .. 28·29

Annual Births to 1000 Females aged 15—45 years = 124.

Deaths from Childbirth and Puerperal Fever .. .. } 5·28 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

601.—CARDIGAN.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 15·66			*105	—	—	—	—	34·08	5·55	3·38	5·99	9·96	7·84	9·06	12·44	26·85	61·77	149·52
Annual Death-Rate per 1000. Males	—			16·16			*113	—	—	—	—	36·42	6·41	3·00	6·91	11·57	8·63	9·05	12·25	29·98	66·31	144·72
Annual Death-Rate per 1000. Females	—			15·20			* 97	—	—	—	—	31·65	4·67	3·76	5·22	9·03	7·34	9·07	12·56	24·78	58·81	152·47
Mean Population, 1891-1900. Persons	—			15,773			303	303	335	343	327	1611	1677	1717	1485	1135	2041	1722	1567	1348	947	523
Mean Population, 1891-1900. Males	—			6,769			154	160	170	173	164	821	842	865	680	415	788	652	596	537	374	199
Mean Population, 1891-1900. Females	—			9,004			149	143	165	170	163	790	835	852	805	720	1253	1070	971	811	573	324
Deaths from All Causes, 1891-1900. Persons	19·92			3,142			376	86	34	29	24	549	93	58	89	113	160	156	195	362	585	782
Deaths from All Causes, 1891-1900. Males	20·25			1,371			209	41	19	16	14	299	54	26	47	48	68	59	73	161	248	288
Deaths from All Causes, 1891-1900. Females	19·67			1,771			167	45	15	13	10	250	39	32	42	65	92	97	122	201	337	494
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·06	0·10	0·02	9	7	2	2	3	—	—	—	5	3	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·07	0·07	0·07	11	5	6	—	1	1	1	1	4	3	—	2	1	1	—	—	—	—	—
Diphtheria	0·23	0·30	0·19	37	20	17	2	2	2	3	4	13	17	3	1	—	—	—	1	2	—	—
Whooping-cough	0·19	0·27	0·13	30	18	12	18	7	2	1	1	29	1	—	—	—	—	—	—	—	—	—
Typhus	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Enteric Fever	0·08	0·09	0·07	12	6	6	—	—	—	—	—	—	1	—	2	4	1	1	—	3	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·27	0·27	0·27	42	18	24	19	3	—	1	—	23	—	—	—	—	—	1	1	2	8	7
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·94	0·59	1·21	149	40	109	—	—	—	—	—	—	—	—	—	1	1	7	27	48	38	27
Tabes Mesenterica	0·12	0·21	0·06	19	14	5	2	—	2	—	1	5	5	3	3	2	1	—	—	—	—	—
Phthisis	2·04	2·05	2·03	322	139	183	1	4	—	1	3	9	6	19	40	55	82	48	25	19	19	—
Other Tub. & Scrof. Dis.	0·46	0·49	0·44	73	33	40	8	11	2	4	1	26	14	13	4	7	3	3	1	1	1	—
Diseases of Nervous System	2·56	2·60	2·52	403	176	227	121	9	4	5	1	140	6	2	2	5	4	11	19	60	76	78
Diseases of Circulatory „	2·06	1·85	2·22	325	125	200	—	—	—	—	1	1	4	1	13	4	6	10	27	64	118	77
Diseases of Respiratory „	3·03	3·50	2·68	478	237	241	59	30	14	8	3	114	17	4	5	4	6	17	26	59	116	110
Diseases of Digestive „	0·96	0·96	0·97	152	65	87	14	7	—	1	1	23	4	1	2	9	8	12	16	24	34	19
Diseases of Urinary „	0·63	0·86	0·46	99	58	41	1	—	—	—	—	1	2	—	1	3	9	12	15	17	24	15
Diseases of Generative „	0·04	0·01	0·07	7	1	6	—	—	—	—	—	—	—	—	—	—	—	—	4	—	3	—
Puerperal Fever	0·10	—	0·17	15	—	15	—	—	—	—	—	—	—	—	—	6	5	4	—	—	—	—
Childbirth	0·11	—	0·19	17	—	17	—	—	—	—	—	—	—	—	—	1	8	8	—	—	—	—
Violence	0·63	0·92	0·42	100	62	38	7	2	5	4	4	22	2	7	6	5	8	6	15	10	11	8
OTHER CAUSES	5·33	5·10	5·48	841	346	495	122	7	2	—	3	134	8	4	7	6	17	16	18	53	137	441

Marriages 977

Births .. { Males .. 1,857 / Females 1,730 } 3,587

Annual Rate per 1000 living { Persons Married .. 12·39 / Births .. .. .. 22·74

Annual Births to 1000 Females aged 15—45 years = 93.

Deaths from Childbirth and Puerperal Fever .. .. } 8·92 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

602.—NEWCASTLE IN EMLYN.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 15·60			*120	—	—	—	—	38·08	4·94	3·89	6·48	9·55	7·86	9·74	12·43	25·49	48·76	142·81
Annual Death-Rate per 1000. Males ..	—			16·10			*124	—	—	—	—	39·55	4·30	3·09	8·24	12·99	8·56	9·73	12·31	25·49	51·96	157·33
Annual Death-Rate per 1000. Females	—			15·13			*115	—	—	—	—	36·52	5·59	4·71	4·87	7·05	7·36	9·75	12·51	25·50	46·60	133·24
Mean Population, 1891-1900. Persons	—			18,667			393	362	431	403	407	1996	2044	2054	1851	1445	2507	2064	1746	1365	1011	584
Mean Population, 1891-1900. Males ..	—			8,429			207	191	215	200	211	1024	1024	1035	886	608	1040	884	723	565	408	232
Mean Population, 1891-1900. Females	—			10,238			186	171	216	203	196	972	1020	1019	965	837	1467	1180	1023	800	603	352
Deaths from All Causes, 1891-1900. Persons	18·69			3,489			553	99	47	38	23	760	101	80	120	138	197	201	217	348	493	834
Deaths from All Causes, 1891-1900. Males ..	19·20			1,618			294	53	30	15	13	405	44	32	73	79	89	86	89	144	212	365
Deaths from All Causes, 1891-1900. Females	18·28			1,871			259	46	17	23	10	355	57	48	47	59	108	115	128	204	281	469
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·10	0·12	0·09	19	10	9	7	5	1	2	1	16	2	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·16	0·17	0·15	29	14	15	5	1	3	3	4	16	8	—	1	3	1	—	—	—	—	—
Diphtheria	0·22	0·24	0·21	41	20	21	2	5	6	7	4	24	13	2	—	—	—	—	2	—	—	—
Whooping-cough ..	0·18	0·17	0·19	33	14	19	22	6	1	3	—	32	1	—	—	—	—	—	—	—	—	—
Typhus	0·01	—	0·01	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Enteric Fever	0·08	0·11	0·06	15	9	6	—	—	—	—	—	—	—	2	4	2	2	3	2	—	—	—
Simple Continued Fever	0·01	—	0·02	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1
Diarrhœa & Dysentery	0·19	0·26	0·14	36	22	14	17	1	—	—	—	18	—	—	1	—	1	1	—	2	6	7
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·74	0·74	0·75	139	62	77	—	—	—	—	1	1	1	—	2	—	1	5	17	43	40	29
Tabes Mesenterica ..	0·12	0·14	0·10	22	12	10	3	1	—	—	—	4	2	3	6	1	1	3	—	1	1	—
Phthisis	2·60	2·65	2·57	486	223	263	4	6	4	4	1	19	7	25	57	83	110	59	51	47	24	4
Other Tub. & Scrof. Dis.	0·48	0·58	0·39	89	49	40	9	5	3	2	3	22	24	10	13	6	7	3	1	2	—	1
Diseases of Nervous System ..	2·66	2·78	2·56	496	234	262	174	15	6	2	2	199	11	7	4	3	7	22	23	37	66	117
Diseases of Circulatory „ ..	1·67	1·76	1·60	312	148	164	2	—	—	—	—	2	—	7	6	5	14	21	36	66	77	78
Diseases of Respiratory „ ..	3·04	3·17	2·93	567	267	300	83	37	13	9	5	147	22	3	3	2	14	19	25	61	121	150
Diseases of Digestive „ ..	1·00	1·09	0·92	186	92	94	18	5	4	3	—	30	2	7	3	5	9	13	17	24	40	36
Diseases of Urinary „ ..	0·55	0·68	0·45	103	57	46	2	—	1	—	—	3	—	3	4	7	4	4	6	20	27	25
Diseases of Generative „ ..	0·05	0·01	0·08	9	1	8	1	—	—	—	—	1	—	—	—	1	—	2	2	2	—	1
Puerperal Fever ..	0·06	—	0·12	12	—	12	—	—	—	—	—	—	—	—	—	2	3	6	1	—	—	—
Childbirth	0·11	—	0·20	20	—	20	—	—	—	—	—	—	—	—	—	3	9	8	—	—	—	—
Violence	0·41	0·65	0·21	76	55	21	6	2	1	3	1	13	3	4	7	5	7	6	10	11	—	10
OTHER CAUSES	4·25	3·88	4·53	796	329	467	198	10	4	—	1	213	5	6	9	10	6	26	24	31	91	375

Marriages 1,047

Births .. { Males .. 2,372 / Females 2,246 } 4,618

Annual Rate per 1000 living { Persons Married .. 11·22 / Births .. .. .. 24·74

Annual Births to 1000 Females aged 15—45 years = 104.

Deaths from Childbirth and Puerperal Fever .. .. } 6·93 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

603.—LAMPETER.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		15·39	*143	—	—	—	—	42·49	3·84	2·45	4·67	8·34	8·93	10·02	11·14	23·15	47·40	141·20
Annual Death-Rate per 1000. Males	—					16·52	*172	—	—	—	—	50·40	4·06	2·70	3·46	9·00	9·18	10·37	11·75	25·45	51·75	149·58
Annual Death-Rate per 1000. Females	—					14·33	*110	—	—	—	—	34·43	3·63	2·21	5·79	7·88	8·75	9·75	10·67	21·33	43·99	135·71
Mean Population, 1891-1900. Persons	—			9,491			202	163	210	199	212	986	989	1060	900	755	1232	1068	925	756	519	301
Mean Population, 1891-1900. Males	—			4,310			102	82	101	99	114	498	493	518	434	311	512	463	400	334	228	119
Mean Population, 1891-1900. Females	—			5,181			100	81	109	100	98	488	496	542	466	444	720	605	525	422	291	182
Deaths from All Causes, 1891-1900. Persons	18·48			1,754			313	54	23	15	14	419	38	26	42	63	110	107	103	175	246	425
Deaths from All Causes, 1891-1900. Males	19·74			851			198	29	10	6	8	251	20	14	15	28	47	48	47	85	118	178
Deaths from All Causes, 1891-1900. Females	17·43			903			115	25	13	9	6	168	18	12	27	35	63	59	56	90	128	247
	Persons.	Males.	Females.	Persons.	Males.	Females	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·06	0·07	0·06	6	3	3	3	1	—	1	—	5	—	—	—	1	—	—	—	—	—	—
Scarlet Fever	0·11	0·09	0·12	10	4	6	2	1	—	—	—	3	4	2	—	—	—	1	—	—	—	—
Diphtheria	0·09	0·09	0·10	9	4	5	—	—	2	—	2	4	5	—	—	—	—	—	—	—	—	—
Whooping-cough	0·11	0·16	0·06	10	7	3	4	2	2	1	—	9	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·03	0·05	0·02	3	2	1	—	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—
Simple Continued Fever	0·01	—	0·02	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Diarrhœa & Dysentery	0·20	0·19	0·21	19	8	11	7	1	2	—	—	10	—	—	—	—	—	1	2	—	1	5
Cholera	0·02	0·05	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—
Cancer	0·99	1·00	0·98	94	43	51	—	—	—	—	—	—	—	2	—	—	—	8	10	21	29	24
Tabes Mesenterica	0·15	0·09	0·19	14	4	10	1	—	1	—	—	2	—	1	3	5	1	1	—	1	—	—
Phthisis	1·76	1·83	1·70	167	79	88	2	5	1	1	—	9	3	6	18	36	45	22	15	8	3	2
Other Tub. & Scrof. Dis.	0·56	0·67	0·46	53	29	24	5	9	2	—	2	18	6	7	6	2	4	3	3	2	1	1
Diseases of: Nervous System	2·69	3·04	2·39	255	131	124	99	4	2	1	1	107	2	2	1	2	4	8	15	21	44	49
Diseases of: Circulatory	1·87	1·79	1·93	177	77	100	—	—	1	1	—	2	1	—	2	—	9	9	9	33	47	65
Diseases of: Respiratory	3·39	3·76	3·09	322	162	160	52	22	6	6	6	92	6	3	5	5	7	7	17	36	50	94
Diseases of: Digestive	1·11	1·28	0·97	105	55	50	14	3	1	1	1	20	3	—	2	1	6	9	12	13	23	16
Diseases of: Urinary	0·57	0·67	0·48	54	29	25	1	1	—	—	—	2	2	—	1	1	4	8	1	12	10	13
Diseases of: Generative	0·07	0·05	0·10	7	2	5	2	—	—	—	—	2	—	—	—	1	1	1	1	1	—	—
Puerperal Fever	0·08	—	0·15	8	—	8	—	—	—	—	—	—	—	—	—	1	1	6	—	—	—	—
Childbirth	0·17	—	0·31	16	—	16	—	—	—	—	—	—	—	—	—	3	9	4	—	—	—	—
Violence	0·55	0·90	0·25	52	39	13	6	—	2	1	1	10	—	2	2	2	6	8	5	6	5	6
Other Causes	3·89	3·96	3·84	370	171	199	115	5	1	2	1	124	5	1	1	3	11	10	13	20	32	150

Marriages 558

Births .. { Males .. 1,151 / Females 1,042 } 2,193

Annual Rate per 1000 living { Persons Married .. 11·76 / Births .. .. .. 23·11 }

Annual Births to 1000 Females aged 15—45 years = 98.

Deaths from Childbirth and Puerperal Fever .. .. } 10·94 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

604.—ABERAYRON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		15·00	*106	—	—	—	—	33·84	4·67	2·93	6·13	9·54	8·91	10·37	10·28	21·65	50·00	144·91
Annual Death-Rate per 1000. Males	—					16·34	*118	—	—	—	—	36·41	5·33	2·50	5·79	12·60	11·16	11·61	13·08	24·48	57·99	160·95
Annual Death-Rate per 1000. Females	—					13·74	* 93	—	—	—	—	31·15	4·01	3·38	6·39	7·96	7·69	9·62	8·64	19·90	44·82	134·60
Mean Population, 1891–1900. Persons	—			11,204			235	202	240	251	260	1188	1199	1262	1011	744	1324	1186	1119	1007	732	432
Mean Population, 1891–1900. Males	—			4,702			125	102	126	119	135	607	600	641	432	254	466	448	413	384	288	169
Mean Population, 1891–1900. Females	—			6,502			110	100	114	132	125	581	599	621	579	490	858	738	706	623	444	263
Deaths from All Causes, 1891–1900. Persons		19·58		2,194			283	44	30	23	22	402	56	37	62	71	118	123	115	218	366	626
Deaths from All Causes, 1891–1900. Males		21·63		1,017			159	22	12	12	16	221	32	16	25	32	52	52	54	94	167	272
Deaths from All Causes, 1891–1900. Females		18·10		1,177			124	22	18	11	6	181	24	21	37	39	66	71	61	124	199	354
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·04	0·04	0·03	4	2	2	—	—	—	—	—	—	—	—	—	—	—	2	1	1	—	—
Measles	0·09	0·09	0·09	10	4	6	2	2	1	—	1	6	1	2	—	—	—	—	1	—	—	—
Scarlet Fever	0·21	0·23	0·18	23	11	12	5	2	3	3	5	18	2	2	—	—	1	—	—	—	—	—
Diphtheria	0·30	0·36	0·26	34	17	17	1	4	2	3	3	13	13	6	—	—	1	—	—	—	1	—
Whooping-cough	0·12	0·15	0·09	13	7	6	7	2	3	—	—	12	1	—	—	—	—	—	—	—	—	—
Typhus	0·01	0·02	—	1	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Enteric Fever	0·04	0·04	0·05	5	2	3	—	—	—	1	—	1	—	—	—	1	2	—	1	—	—	—
Simple Continued Fever	0·02	—	0·03	2	—	2	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·26	0·38	0·17	29	18	11	16	1	1	—	—	18	—	—	—	—	—	—	—	4	2	5
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	1·08	0·98	1·15	121	46	75	—	—	—	—	—	—	1	—	1	1	4	11	17	24	47	15
Tabes Mesenterica	0·03	0·04	0·02	3	2	1	—	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—
Phthisis	2·35	2·38	2·32	263	112	151	—	5	1	—	—	6	2	7	30	38	52	41	24	31	19	13
Other Tub. & Scrof. Dis.	0·66	0·74	0·60	74	35	39	4	2	1	5	4	16	11	6	11	10	6	3	3	3	3	2
Diseases of Nervous System	2·60	3·15	2·20	291	148	143	72	4	1	2	—	79	4	5	4	2	7	7	14	25	57	87
Diseases of Circulatory	2·06	2·23	1·94	231	105	126	—	1	—	—	2	3	1	1	3	3	7	10	13	24	65	101
Diseases of Respiratory	3·00	3·26	2·82	336	153	183	40	13	6	3	4	66	5	2	1	3	3	10	13	34	69	130
Diseases of Digestive	1·26	1·57	1·03	141	74	67	34	2	2	2	—	40	6	—	2	2	3	11	8	13	23	33
Diseases of Urinary	0·72	0·98	0·54	81	46	35	—	—	—	1	—	1	—	—	1	3	5	2	6	13	18	32
Diseases of Generative	0·03	—	0·05	3	—	3	—	—	—	—	—	—	—	—	—	1	1	—	—	—	1	—
Puerperal Fever	0·06	—	0·11	7	—	7	—	—	—	—	—	—	—	—	3	—	2	2	—	—	—	—
Childbirth	0·10	—	0·17	11	—	11	—	—	—	—	—	—	—	—	—	1	5	5	—	—	—	—
Violence	0·47	0·72	0·29	53	34	19	3	2	4	2	1	12	2	1	—	—	8	5	3	4	8	10
OTHER CAUSES	4·07	4·27	3·96	458	200	258	97	4	5	1	2	109	5	5	6	5	10	14	11	42	53	198

Marriages 568

Births .. { Males .. 1,347 / Females 1,329 } 2,676

Annual Rate per 1000 living { Persons Married .. 10·14 / Births .. .. .. 23·88

Annual Births to 1000 Females aged 15—45 years = 100.

Deaths from Childbirth and Puerperal Fever .. .. } 6·73 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

605.—ABERYSTWITH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 17·40			*130	—	—	—	—	44·13	4·10	3·45	5·05	6·63	7·68	10·05	16·71	31·60	67·27	155·69
Males ..	—						*144	—	—	—	—	50·66	3·91	2·63	4·84	10·23	8·51	10·57	19·89	37·10	80·41	175·41
Females	—			19·25 / 15·66			*115	—	—	—	—	37·80	4·28	4·24	5·22	4·10	7·11	9·67	14·34	27·52	58·53	144·01
Mean Population, 1891-1900. Persons	—			21,271			398	360	409	429	407	2003	2074	2172	2259	1992	2930	2348	2142	1747	1112	492
Males ..	—			9,405			191	176	199	211	210	987	1023	1063	1033	821	1199	993	915	744	444	183
Females	—			11,866			207	184	210	218	197	1016	1051	1109	1226	1171	1731	1355	1227	1003	668	309
Deaths from All Causes, 1891-1900. Persons	19·63			4,175			622	126	55	53	28	884	85	75	114	132	225	236	358	552	748	766
Males ..	21·74			2,045			352	76	33	29	10	500	40	28	50	84	102	105	182	276	357	321
Females	17·95			2,130			270	50	22	24	18	384	45	47	64	48	123	131	176	276	391	445
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles ..	0·09	0·12	0·08	20	11	9	7	7	1	1	—	16	2	1	—	—	—	1	—	—	—	—
Scarlet Fever ..	0·09	0·09	0·09	19	8	11	1	1	1	4	1	8	10	—	—	—	1	—	—	—	—	—
Diphtheria ..	0·18	0·15	0·20	38	14	24	—	5	2	2	5	14	15	1	1	2	—	2	2	1	—	—
Whooping-cough ..	0·24	0·28	0·22	52	26	26	22	15	3	6	2	48	3	—	—	1	—	—	—	—	—	—
Typhus ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever ..	0·06	0·09	0·04	13	8	5	—	—	—	—	—	—	1	2	1	3	3	2	1	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·26	0·34	0·19	55	32	23	32	5	2	—	—	39	—	—	1	—	—	—	1	1	7	6
Cholera ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer ..	1·08	0·90	1·22	230	85	145	—	—	—	—	—	—	1	1	1	—	1	15	41	79	61	30
Tabes Mesenterica ..	0·10	0·13	0·08	22	12	10	5	1	1	3	—	10	1	—	3	4	2	1	1	—	—	—
Phthisis ..	2·35	3·06	1·78	499	288	211	3	4	—	3	1	11	4	17	43	71	32	58	77	80	41	5
Other Tub. & Scrof. Dis.	0·58	0·60	0·56	123	56	67	16	6	12	7	4	45	14	14	15	8	13	7	2	3	2	—
Diseases of Nervous System ..	2·72	3·03	2·47	578	285	293	184	21	11	14	1	231	6	8	11	7	6	15	37	59	117	81
Circulatory " ..	2·20	2·31	2·12	468	217	251	2	—	1	—	1	4	2	4	6	6	20	34	45	108	136	103
Respiratory " ..	3·02	3·41	2·71	643	321	322	87	35	12	5	6	145	10	2	4	6	13	18	45	89	163	148
Digestive " ..	1·26	1·35	1·20	269	127	142	51	9	1	1	2	64	2	4	8	4	15	20	31	34	49	38
Urinary " ..	0·72	0·99	0·51	154	93	61	1	2	—	—	2	5	3	2	3	2	8	13	18	26	44	30
Generative " ..	0·04	0·01	0·07	9	1	8	1	—	—	—	—	1	—	—	—	1	—	1	2	3	1	—
Puerperal Fever ..	0·08	—	0·14	17	—	17	—	—	—	—	—	—	—	—	—	1	10	6	—	—	—	—
Childbirth ..	0·13	—	0·23	27	—	27	—	—	—	—	—	—	—	—	1	2	13	11	—	—	—	—
Violence ..	0·50	0·83	0·24	107	78	29	1	6	4	3	3	17	3	6	4	4	13	11	15	15	10	9
OTHER CAUSES ..	3·93	4·05	3·80	832	383	449	209	9	4	4	—	226	8	13	12	10	15	21	40	54	117	316

Marriages 1,475

Births .. Males .. 2,436 / Females 2,347 } 4,783

Annual Rate per 1000 living { Persons Married .. 13·87 / Births .. .. .. 22·49

Annual Births to 1000 Females aged 15—45 years = 87.

Deaths from Childbirth and Puerperal Fever .. .. } 9·20 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

606.—TREGARON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds
Annual Death-Rate per 1000. Persons	—			In Standard Population.		14·86	*113	—	—	—	—	35·76	2·38	3·01	5·98	6·48	10·12	10·00	12·72	21·94	49·39	149·65
Annual Death-Rate per 1000. Males ..	—					15·26	*134	—	—	—	—	40·55	2·73	2·28	5·28	6·37	11·02	7·06	15·14	23·57	54·90	151·26
Annual Death-Rate per 1000. Females	—					14·47	* 91	—	—	—	—	30·77	2·00	3·75	6·60	6·55	9·54	12·06	10·83	20·80	45·52	148·48
Mean Population, 1891-1900. Persons	—			8,311			162	140	188	187	173	850	926	963	803	602	968	860	841	720	494	284
Mean Population, 1891-1900. Males ..	—			3,748			83	72	91	96	92	434	476	483	379	251	381	354	370	297	204	119
Mean Population, 1891-1900. Females	—			4,563			79	68	97	91	81	416	450	480	424	351	587	506	471	423	290	165
Deaths from All Causes, 1891-1900. Persons	18·77			1,560			221	41	19	12	11	304	22	29	48	39	98	86	107	158	244	425
Deaths from All Causes, 1891-1900. Males ..	19·24			721			134	19	13	6	4	176	13	11	20	16	42	25	56	70	112	180
Deaths from All Causes, 1891-1900. Females	18·39			839			87	22	6	6	7	128	9	18	28	23	56	61	51	88	132	245
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·07	0·08	0·07	6	3	3	1	3	—	—	1	5	—	—	1	—	—	—	—	—	—	—
Scarlet Fever	0·10	0·11	0·09	8	4	4	—	1	1	1	1	4	2	—	—	2	—	—	—	—	—	—
Diphtheria	0·11	0·13	0·09	9	5	4	—	—	1	2	1	4	3	—	1	—	—	—	1	—	—	—
Whooping-cough ..	0·20	0·19	0·22	17	7	10	9	3	4	1	—	17	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·02	0·05	—	2	2	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·28	0·43	0·15	23	16	7	10	2	1	—	—	13	1	—	—	—	—	—	—	—	3	6
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·97	0·77	1·14	81	29	52	—	—	—	—	—	—	—	—	—	1	3	6	15	16	23	17
Tabes Mesenterica ..	0·10	0·13	0·07	8	5	3	3	—	—	—	—	3	—	1	1	—	2	1	—	—	—	—
Phthisis	2·23	2·35	2·13	185	88	97	1	—	1	1	—	3	4	8	20	16	38	25	24	27	18	2
Other Tub. & Scrof. Dis.	0·45	0·56	0·35	37	21	16	2	1	1	2	—	6	5	6	5	4	6	2	3	—	—	—
Diseases of Nervous System ..	1·97	2·00	1·95	164	75	89	35	5	2	1	3	46	2	2	3	3	3	8	9	14	34	40
Diseases of Circulatory „ ..	2·18	1·97	2·35	181	74	107	—	—	—	—	—	—	—	—	2	3	8	10	15	27	52	64
Diseases of Respiratory „ ..	2·49	2·93	2·13	207	110	97	32	11	4	3	4	54	3	3	1	4	3	6	11	22	41	59
Diseases of Digestive „ ..	1·30	1·20	1·38	108	45	63	11	5	1	—	—	17	1	5	2	2	8	7	10	15	18	23
Diseases of Urinary „ ..	0·57	0·72	0·44	47	27	20	—	—	—	—	—	—	1	—	—	—	4	5	3	10	11	13
Diseases of Generative „ ..	0·02	—	0·04	2	—	2	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—
Puerperal Fever.. ..	0·19	—	0·35	16	—	16	—	—	—	—	—	—	—	—	—	—	9	7	—	—	—	—
Childbirth..	0·10	—	0·18	8	—	8	—	—	—	—	—	—	—	—	—	1	5	2	—	—	—	—
Violence	0·35	0·51	0·22	29	19	10	—	3	—	1	—	4	—	2	2	—	3	1	3	4	1	9
OTHER CAUSES	5·07	5·11	5·04	422	191	231	117	7	3	—	1	128	—	2	10	3	4	5	13	22	43	192

Marriages 445

Births .. { Males .. 1,002 / Females 954 } 1,956

Annual Rate per 1000 living { Persons Married .. 10·71 / Births .. .. .. 23·54 }

Annual Births to 1000 Females aged 15—45 years = 105.

Deaths from Childbirth and Puerperal Fever .. .. } 12·27 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

607.—BUILTH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 14·99	*117	—	—	—	—	39·11	5·07	3·56	4·87	6·25	6·45	8·03	13·55	23·96	54·28	143·84
Annual Death-Rate per 1000. Males ..	—	14·84	*124	—	—	—	—	41·56	4 48	2·89	4·50	7·94	6·99	7·33	14·02	25·45	51·87	133·33
Annual Death-Rate per 1000. Females	—	15·13	*110	—	—	—	—	36·66	5·67	4·23	5·26	4·74	5·99	8·75	13·07	22·50	56·68	154 46
Mean Population, 1891-1900. Persons	—	8,259	175	186	184	193	185	923	887	899	862	720	1162	921	753	555	374	203
Mean Population, 1891-1900. Males ..	—	4,092	83	93	92	99	95	462	446	450	444	340	544	464	378	275	187	102
Mean Population, 1891-1900. Females	—	4,167	92	93	92	94	90	461	441	449	418	380	618	457	375	280	187	101
Deaths from All Causes, 1891-1900. Persons	17·00	1,404	259	46	23	18	15	361	45	32	42	45	75	74	102	133	203	292
Deaths from All Causes, 1891-1900. Males ..	17·11	700	141	24	12	7	8	192	20	13	20	27	38	34	53	70	97	136
Deaths from All Causes, 1891-1900. Females	16·89	704	118	22	11	11	7	169	25	19	22	18	37	40	49	63	106	156

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·11	0·10	0·12	9	4	5	3	—	1	1	—	5	2	1	—	—	1	—	—	—	—
Scarlet Fever	0·04	0·05	0·02	3	2	1	1	1	1	—	—	3	—	—	—	—	—	—	—	—	—
Diphtheria	0·40	0·39	0·41	33	1	17	2	2	4	4	4	16	13	2	—	—	—	1	—	1	—
Whooping-cough ..	0·24	0·10	0·38	20	4	16	13	5	—	1	1	20	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·08	0·10	0·07	7	4	3	—	—	—	—	—	—	—	1	2	3	—	—	1	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·22	0·22	0·22	18	9	9	12	—	—	—	—	12	—	—	1	—	—	—	—	1	4
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	1·02	0·78	1·25	84	32	52	—	—	—	—	—	—	2	—	—	—	3	8	10	20	28	13
Tabes Mesenterica ..	0·06	0·05	0·07	5	2	3	2	—	—	—	—	2	—	1	—	—	1	1	—	—	—	—
Phthisis	1·46	1·56	1·37	121	64	57	—	—	—	1	—	1	1	8	9	24	26	17	12	14	7	2
Other Tub. & Scrof. Dis.	0·31	0·24	0·38	26	10	16	5	3	—	1	1	10	4	1	—	2	5	2	2	—	—	—
Diseases of Nervous System ..	1·82	2·03	1·61	150	83	67	36	6	3	1	1	47	4	6	6	3	4	4	11	13	23	29
Diseases of Circulatory „ ..	1·68	1·54	1·82	139	63	76	2	1	—	—	—	3	3	2	3	1	3	6	15	24	46	33
Diseases of Respiratory „ ..	2·97	3·08	2·86	245	126	119	42	17	9	4	3	75	5	3	5	1	4	11	17	24	39	61
Diseases of Digestive „ ..	0·67	0·59	0·74	55	24	31	12	2	—	—	1	15	2	—	4	—	2	1	8	5	9	9
Diseases of Urinary „ ..	0·81	1·10	0·53	67	45	22	2	1	—	1	1	5	1	—	2	—	7	5	7	11	13	16
Diseases of Generative „ ..	0·07	0·02	0·12	6	1	5	1	—	—	—	—	1	—	—	—	—	1	—	1	1	2	—
Puerperal Fever.. ..	0·05	—	0·10	4	—	4	—	—	—	—	—	—	—	—	—	1	2	1	—	—	—	—
Childbirth..	0·13	—	0·26	11	—	11	—	—	—	—	—	—	—	—	1	2	4	4	—	—	—	—
Violence	0·51	0·86	0·17	42	35	7	5	1	3	3	—	12	2	2	4	3	5	3	5	2	4	—
OTHER CAUSES	4·35	4·30	4·39	359	176	183	121	7	2	1	3	134	6	5	5	5	7	10	13	18	31	125

Marriages 541

Births .. { Males .. 1,140 / Females 1,074 } 2,214

Annual Rate per 1000 living { Persons Married .. 13·10 / Births .. .. .. 26·81 }

Annual Births to 1000 Females aged 15—45 years = 118.

Deaths from Childbirth and Puerperal Fever .. .. } 6·78 per 1000 Births

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

608.—BRECKNOCK.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 15·38			*122	—	—	—	—	42·08	3·36	2·51	3·92	4·98	6·84	9·05	14·29	27·66	56·63	147·56
Annual Death-Rate per 1000. Males ..	—			In Standard Population. 15·65			*136	—	—	—	—	46·68	3·43	1·76	3·63	4·70	6·32	10·01	14·80	28·16	56·56	150·31
Annual Death-Rate per 1000. Females	—			In Standard Population. 15·13			*107	—	—	—	—	37·64	3·29	3·25	4·25	5·24	7·05	8·11	13·76	27·18	56·70	145·26
Mean Population, 1891–1900. Persons	—			15,792			341	317	321	336	313	1628	1635	1594	1761	1485	2281	1690	1428	1157	784	349
Mean Population, 1891–1900. Males ..	—			7,822			162	157	153	175	152	799	845	795	937	702	1103	839	716	561	366	159
Mean Population, 1891–1900. Females	—			7,970			179	160	168	161	161	829	790	799	824	783	1178	851	712	596	418	190
Deaths from All Causes, 1891–1900. Persons	17·19			2,715			485	110	35	30	25	685	55	40	69	74	156	153	204	320	444	515
Deaths from All Causes, 1891–1900. Males	17·26			1,350			276	45	22	16	14	373	29	14	34	33	73	84	106	158	207	239
Deaths from All Causes, 1891–1900. Females	17·13			1,365			209	65	13	14	11	312	26	26	35	41	83	69	98	162	237	276
	Persons.	Males.	Females	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	—	0·01	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Measles	0·11	0·14	0·09	18	11	7	3	9	1	2	—	15	3	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·13	0·13	0·13	20	10	10	—	4	2	1	2	9	5	2	2	—	1	—	—	—	1	—
Diphtheria	0·22	0·18	0·25	34	14	20	2	3	4	6	3	18	8	2	1	4	—	—	—	1	—	—
Whooping-cough ..	0·22	0·24	0·19	34	19	15	18	11	3	1	1	34	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·08	0·06	0·09	12	5	7	—	—	—	—	—	—	—	—	2	1	7	1	—	1	—	—
Simple Continued Fever	0·01	—	0·01	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Diarrhœa & Dysentery	0·20	0·18	0·23	32	14	18	11	3	—	—	—	17	—	—	—	—	1	—	2	—	4	8
Cholera	0·03	0·05	—	4	4	—	1	—	—	—	—	1	—	—	—	—	1	—	1	—	1	—
Cancer	0·96	0·84	1·08	152	66	86	—	—	—	—	—	—	—	1	—	—	4	6	23	46	42	30
Tabes Mesenterica ..	0·06	0·04	0·09	10	3	7	2	1	—	2	1	6	—	—	—	2	1	—	1	—	—	—
Phthisis	1·25	1·27	1·24	198	99	99	3	5	1	—	1	10	6	7	22	29	37	38	27	14	6	2
Other Tub. & Scrof. Dis.	0·35	0·32	0·39	56	25	31	8	6	2	2	4	22	6	5	5	5	7	4	1	—	—	1
Diseases of Nervous System ..	2·31	2·44	2·18	365	191	174	119	17	5	6	1	148	5	11	5	4	9	16	11	30	52	74
Diseases of Circulatory " ..	2·24	2·01	2·47	354	157	197	1	—	—	—	—	1	—	1	11	3	18	14	32	64	120	90
Diseases of Respiratory " ..	2·79	2·81	2·76	440	220	220	81	33	9	3	5	131	1	2	8	9	19	18	31	56	89	76
Diseases of Digestive " ..	1·14	1·13	1·15	180	88	92	51	10	2	1	2	66	9	1	3	5	9	8	15	22	27	15
Diseases of Urinary " ..	0·75	0·82	0·68	118	64	54	2	1	—	—	1	4	—	1	—	2	4	9	15	22	30	31
Diseases of Generative " ..	0·06	—	0·11	9	—	9	—	—	—	—	—	—	—	—	—	—	1	1	3	3	—	1
Puerperal Fever ..	0·07	—	0·14	11	—	11	—	—	—	—	—	—	—	—	—	1	9	1	—	—	—	—
Childbirth..	0·11	—	0·21	17	—	17	—	—	—	—	—	—	—	—	1	2	8	6	—	—	—	—
Violence	0·57	0·30	0·25	90	70	20	14	2	2	2	—	20	3	4	5	2	5	11	13	14	6	7
OTHER CAUSES	3·52	3·70	3·38	559	290	269	166	5	4	4	4	183	9	3	4	5	14	20	29	46	66	180

Marriages 1,146

Births .. { Males .. 2,026 / Females 1,953 } 3,979

Annual Rate per 1000 living { Persons Married .. 14·51 / Births .. .. .. 25·20

Annual Births to 1000 Females aged 15—45 years = 109.

Deaths from Childbirth and Puerperal Fever .. .. } 7·04 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

609.—CRICKHOWELL.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 19·78			*158	—	—	—	—	62·61	4·90	2·61	3·95	5·84	7·31	9·67	16·66	44·68	72·66	133·22
Annual Death-Rate per 1000. Males ..	—			20·34			*176	—	—	—	—	68·99	4·86	2·66	3·77	4·88	5·59	8·71	19·18	50·17	76·23	129·37
Annual Death-Rate per 1000. Females	—			19·26			*139	—	—	—	—	56·29	4·94	2·56	4·13	6·86	9·18	10·75	13·98	39·08	69·54	136·77
Mean Population, 1891-1900. Persons	—			19,593			599	478	512	515	490	2594	2368	2104	2002	1677	2845	2213	1651	1146	695	298
Mean Population, 1891-1900. Males ..	—			9,959			290	242	250	260	248	1290	1173	1051	1034	861	1484	1171	850	578	324	143
Mean Population, 1891-1900. Females	—			9,634			309	236	262	255	242	1304	1195	1053	968	816	1361	1042	801	568	371	155
Deaths from All Causes, 1891-1900. Persons	20·84			4,083			1076	296	141	65	46	1624	116	55	79	98	208	214	275	512	505	397
Deaths from All Causes, 1891-1900. Males ..	21·35			2,126			614	149	68	33	26	890	57	28	39	42	83	102	163	290	247	185
Deaths from All Causes, 1891-1900. Females	20·31			1,957			462	147	73	32	20	734	59	27	40	56	125	112	112	222	258	212
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles ..	0·40	0·36	0·44	78	36	42	16	33	11	7	7	74	4	—	—	—	—	—	—	—	—	—
Scarlet Fever ..	0·28	0·24	0·32	55	24	31	5	9	6	7	8	35	15	—	2	1	1	—	1	—	—	—
Diphtheria ..	0·44	0·46	0·42	86	46	40	7	16	11	14	7	55	26	2	2	1	—	—	—	—	—	—
Whooping-cough ..	0·42	0·37	0·47	82	37	45	43	22	8	6	1	80	1	—	—	—	—	—	—	1	—	—
Typhus ..	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Enteric Fever ..	0·31	0·28	0·34	61	28	33	—	1	1	2	—	4	8	3	9	9	11	9	2	4	2	—
Simple Continued Fever	0·02	0·02	0·02	4	2	2	1	2	—	—	1	4	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·33	0·37	0·29	65	37	28	34	8	2	—	—	44	1	—	—	—	—	2	4	5	4	5
Cholera ..	0·02	0·01	0·02	3	1	2	2	—	—	—	—	2	—	—	—	—	—	—	—	—	1	—
Cancer ..	0·51	0·46	0·56	100	46	54	—	—	—	—	—	—	—	1	—	—	—	10	20	37	21	11
Tabes Mesenterica ..	0·13	0·13	0·12	25	13	12	16	2	3	—	—	21	1	—	1	1	—	1	—	—	—	—
Phthisis ..	1·06	0·96	1·16	208	96	112	2	1	5	1	1	10	7	4	24	21	50	41	20	23	5	—
Other Tub. & Scrof. Dis.	0·29	0·35	0·23	57	35	22	12	8	6	1	1	28	4	5	6	2	4	1	2	2	2	1
Diseases of Nervous System ..	2·80	2·87	2·73	549	286	263	232	50	26	4	6	318	10	7	5	6	6	13	35	63	50	36
Diseases of Circulatory " ..	1·74	1·64	1·85	341	163	178	—	—	—	—	1	1	3	5	4	5	21	26	51	84	98	43
Diseases of Respiratory " ..	4·68	5·33	4·00	916	531	385	203	103	45	16	7	374	20	7	7	17	40	50	67	150	136	48
Diseases of Digestive " ..	1·16	1·15	1·17	228	115	113	38	13	4	1	3	109	5	2	3	4	10	9	17	38	25	6
Diseases of Urinary " ..	0·38	0·53	0·23	75	53	22	1	1	—	—	—	2	3	4	2	2	6	4	6	21	15	10
Diseases of Generative " ..	0·04	0·01	0·07	8	1	7	1	1	—	—	—	2	—	—	1	—	—	2	3	—	—	—
Puerperal Fever ..	0·07	—	0·15	14	—	14	—	—	—	—	—	—	—	—	2	4	5	3	—	—	—	—
Childbirth ..	0·17	—	0·34	33	—	33	—	—	—	—	—	—	—	—	1	5	22	5	—	—	—	—
Violence ..	0·58	0·95	0·20	114	95	19	16	6	6	2	1	31	2	5	5	8	9	13	13	15	11	2
OTHER CAUSES ..	5·00	4·85	5·18	980	480	500	397	20	7	4	2	430	6	10	4	12	23	25	34	66	135	235

Marriages 1,809

Births .. { Males .. 3,486 / Females 3,330 } 6,816

Annual Rate per 1000 living { Persons Married .. 18·47 / Births .. .. .. 34·79 }

Annual Births to 1000 Females aged 15—45 years = 163.

Deaths from Childbirth and Puerperal Fever .. .. } 6·90 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

610.—HAY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 15·36			*120	—	—	—	—	40·38	3·73	2·24	4·02	5·30	7·80	10·00	12·47	26·95	53·80	162·17
Annual Death-Rate per 1000. Males	—			15·55			*136	—	—	—	—	44·71	2·87	2·02	2·28	6·79	7·04	9·34	14·44	28·77	52·80	172·45
Annual Death-Rate per 1000. Females	—			15·19			*105	—	—	—	—	35·89	4·55	2·44	5·59	4·07	8·48	10·68	10·42	25·14	54·80	154·55
Mean Population, 1891–1900. Persons	—			9,510			219	185	214	230	212	1060	1072	1026	921	717	1257	1100	922	705	500	230
Mean Population, 1891–1900. Males	—			4,642			109	94	109	111	116	539	523	494	438	324	597	557	471	351	250	98
Mean Population, 1891–1900. Females	—			4,868			110	91	105	119	96	521	549	532	483	393	660	543	451	354	250	132
Deaths from All Causes, 1891–1900. Persons	18·10			1,721			298	61	34	20	15	428	40	23	37	38	98	110	115	190	269	373
Deaths from All Causes, 1891–1900. Males	18·57			862			170	35	17	9	10	241	15	10	10	22	42	52	68	101	132	169
Deaths from All Causes, 1891–1900. Females	17·65			859			128	26	17	11	5	187	25	13	27	16	56	58	47	89	137	204
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·06	0·04	0·08	6	2	4	1	1	—	2	1	5	—	—	—	—	1	—	—	—	—	—
Scarlet Fever	0·15	0·04	0·25	14	2	12	1	2	1	1	3	8	4	1	—	—	1	—	—	—	—	—
Diphtheria	0·28	0·15	0·41	27	7	20	—	2	5	4	2	13	8	2	3	—	—	1	—	—	—	—
Whooping-cough	0·20	0·22	0·18	19	10	9	9	4	2	2	—	17	1	—	—	—	—	1	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·04	0·06	0·02	4	3	1	—	—	—	—	—	—	1	—	—	—	2	1	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·20	0·26	0·14	19	12	7	11	2	—	1	—	14	—	—	—	—	—	—	—	—	2	3
Cholera	0·02	0·02	0·02	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—
Cancer	0·97	0·69	1·23	92	32	60	—	—	—	—	—	—	—	—	1	—	3	6	12	21	31	18
Tabes Mesenterica	0·06	0·06	0·06	6	3	3	3	2	1	—	—	6	—	—	—	—	—	—	—	—	—	—
Phthisis	1·11	1·25	0·99	106	58	48	2	1	2	1	—	6	—	5	7	14	24	30	9	7	3	1
Other Tub. & Scrof. Dis.	0·20	0·24	0·37	29	11	18	4	4	4	2	1	15	1	3	2	2	4	1	—	—	1	—
Diseases of Nervous System	1·95	2·00	1·89	185	93	92	65	6	2	2	1	76	3	2	3	1	4	6	9	15	25	41
Diseases of Circulatory „	2·20	2·15	2·24	209	100	109	3	—	—	—	1	4	—	1	1	3	11	18	20	44	60	47
Diseases of Respiratory „	2·79	3·08	2·51	265	143	122	44	24	10	1	4	83	6	—	3	1	6	11	16	29	47	63
Diseases of Digestive „	0·78	0·71	0·84	74	33	41	12	—	2	2	—	16	6	—	3	2	6	1	6	14	14	6
Diseases of Urinary „	0·56	0·71	0·41	53	33	20	2	—	—	—	—	2	—	—	—	2	1	3	9	12	12	12
Diseases of Generative „	0·04	0·02	0·06	4	1	3	1	—	—	—	—	1	—	—	—	—	1	1	—	—	1	—
Puerperal Fever	0·08	—	0·16	8	—	8	—	—	—	—	—	—	—	—	1	—	5	2	—	—	—	—
Childbirth	0·11	—	0·21	10	—	10	—	—	—	—	—	—	—	—	—	—	4	6	—	—	—	—
Violence	0·54	0·88	0·21	51	41	10	4	2	2	—	—	8	3	4	2	2	6	5	6	6	6	3
Other Causes	5·66	5·99	5·37	538	277	261	136	11	3	2	2	154	7	5	11	11	19	17	27	42	66	179

Marriages 591

Births .. Males .. 1,251 / Females 1,223 } 2,474

Annual Rate per 1000 living { Persons Married .. 12·43 / Births .. .. .. 26·01

Annual Births to 1000 Females aged 15—45 years = 119.

Deaths from Childbirth and Puerperal Fever .. .. } 7·28 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

611.—KNIGHTON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		14·47	*125	—	—	—	—	39·97	3·38	2·79	3·81	6·39	6·71	8·91	10·43	20·88	54·48	147·06
Annual Death-Rate per 1000. Males ..	—					14·28	*149	—	—	—	—	46·53	2·94	2·29	3·87	3·70	5·91	7·28	9·73	20·34	55·20	155·91
Annual Death-Rate per 1000. Females	—					14·65	*100	—	—	—	—	33·59	3·82	3·26	3·73	9·15	7·55	10·66	11·19	21·49	53·73	138·28
Mean Population, 1891–1900. Persons	—			10,788			262	248	250	255	271	1286	1242	1149	1051	907	1460	1190	930	771	547	255
Mean Population, 1891–1900. Males ..	—			5,475			127	127	123	122	135	634	613	567	542	459	745	618	483	408	279	127
Mean Population, 1891–1900. Females	—			5,313			135	121	127	133	136	652	629	582	509	448	715	572	447	363	268	128
Deaths from All Causes, 1891–1900. Persons	16·88			1,821			392	63	31	19	9	514	42	32	40	58	98	106	97	161	298	375
Deaths from All Causes, 1891–1900. Males ..	17·08			935			239	33	16	3	4	295	18	13	21	17	44	45	47	83	154	198
Deaths from All Causes, 1891–1900. Females	16·68			886			153	30	15	16	5	219	24	19	19	41	54	61	50	78	144	177
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·14	0·11	0·17	15	6	9	8	4	3	—	—	15	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·06	0·02	0·11	7	1	6	—	2	1	1	—	4	1	—	—	—	1	1	—	—	—	—
Diphtheria	0·21	0·13	0·30	23	7	16	1	2	2	3	2	10	8	3	1	1	—	—	—	—	—	—
Whooping-cough ..	0·21	0·24	0·19	23	13	10	15	5	2	1	—	23	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever .. .	0·08	0·07	0·09	9	4	5	—	—	—	—	—	—	2	1	—	—	5	—	1	—	—	—
Simple Continued Fever	0·03	—	0·06	3	—	3	—	—	—	1	—	1	1	—	—	—	—	—	—	1	—	—
Diarrhœa & Dysentery	0·19	0·18	0·19	20	10	10	10	—	1	—	—	11	—	—	—	—	—	—	—	—	4	5
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·82	0·68	0·96	88	37	51	—	—	—	—	—	—	—	1	1	—	1	12	9	20	23	21
Tabes Mesenterica ..	0·11	0·13	0·09	12	7	5	6	1	—	—	—	7	1	—	1	1	—	1	—	1	—	—
Phthisis	1·26	0·99	1·54	136	54	82	3	—	—	3	—	6	1	3	14	22	32	27	13	10	7	11
Other Tub. & Scrof. Dis.	0·34	0·35	0·34	37	19	18	8	7	3	—	1	19	4	3	3	2	4	2	—	—	—	—
Diseases of Nervous System ..	2·04	2·25	1·83	220	123	97	58	7	2	2	—	69	3	5	4	4	5	3	17	24	35	51
Diseases of Circulatory „ ..	1·72	1·33	2·17	188	73	115	—	—	—	—	—	—	2	3	4	4	3	7	12	35	71	47
Diseases of Respiratory „ ..	3·06	3·42	2·69	330	187	143	63	20	11	5	5	104	9	4	2	10	8	16	13	24	68	72
Diseases of Digestive „ ..	1·08	1·10	1·07	117	60	57	35	3	—	2	—	40	3	2	1	6	11	4	6	8	16	20
Diseases of Urinary „ ..	0·48	0·71	0·24	52	39	13	1	—	—	—	—	1	—	1	—	1	4	2	5	10	14	14
Diseases of Generative „ ..	0·06	0·02	0·11	7	1	6	—	—	—	—	—	—	—	—	—	—	—	3	—	2	1	1
Puerperal Fever	0·05	—	0·09	5	—	5	—	—	—	—	—	—	—	—	—	—	3	2	—	—	—	—
Childbirth	0·15	—	0·30	16	—	16	—	—	—	—	—	—	—	—	—	4	8	4	—	—	—	—
Violence	0·55	0·84	0·24	59	46	13	10	3	1	1	—	15	3	1	3	2	3	5	8	5	5	9
OTHER CAUSES	4·24	4·51	3·90	454	248	206	174	9	5	—	1	189	4	5	6	1	10	17	13	21	54	134

Marriages 782

Births .. Males .. 1,606; Females 1,525 — 3,131

Annual Rate per 1000 living: Persons Married .. 14·50; Births .. .. .. 29·02

Annual Births to 1000 Females aged 15—45 years = 140.

Deaths from Childbirth and Puerperal Fever .. .. 6·71 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

612.—RHAYADER.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 14·83			*110	—	—	—	—	37·67	5·62	2·96	5·36	6·30	7·13	9·33	12·53	23·91	49·70	145·71
Annual Death-Rate per 1000. Males ..	—			15·54			*135	—	—	—	—	43·66	4·00	4·23	3·95	7·61	6·53	10·02	14·05	23·93	50·30	161·73
Annual Death-Rate per 1000. Females	—			14·16			* 85	—	—	—	—	31·80	7·12	1·80	6·80	4·87	7·85	8·50	10·61	23·89	49·12	131·91
Mean Population, 1891–1900. Persons	—			7,751			176	160	177	176	171	860	729	743	802	730	1207	911	750	506	338	175
Mean Population, 1891–1900. Males ..	—			4,023			86	80	91	87	82	426	350	355	405	381	659	499	420	280	167	81
Mean Population, 1891–1900. Females	—			3,728			90	80	86	89	89	434	379	388	397	349	548	412	330	226	171	94
Deaths from All Causes, 1891–1900. Persons	16·58			1,285			231	53	14	21	5	324	41	22	43	46	86	85	94	121	168	255
Deaths from All Causes, 1891–1900. Males ..	17·25			694			141	25	10	9	1	186	14	15	16	29	43	50	59	67	84	131
Deaths from All Causes, 1891–1900. Females	15·85			591			90	28	4	12	4	138	27	7	27	17	43	35	35	54	84	124
	Persons.	Males.	Females	Persons.	Males.	Females.	PERSONS.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·18	0·15	0·21	14	6	8	5	7	—	1	—	13	1	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·01	0·02	—	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Diphtheria	0·50	0·50	0·51	39	20	19	3	1	2	4	—	10	15	6	3	1	1	2	—	1	—	—
Whooping-cough ..	0·23	0·17	0·30	18	7	11	11	3	2	1	1	18	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·08	0·12	0·03	6	5	1	—	—	—	—	—	—	—	—	1	—	2	3	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·06	0·07	0·05	5	3	2	5	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—
Cholera	0·01	0·02	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Cancer	0·88	0·82	0·94	68	33	35	—	—	—	—	—	—	—	—	—	—	1	4	7	21	13	22
Tabes Mesenterica ..	0·13	0·07	0·19	10	3	7	1	1	—	—	—	2	1	—	—	2	2	—	1	1	1	—
Phthisis	1·45	1·42	1·48	112	57	55	1	—	—	—	—	1	3	2	16	10	31	15	15	14	4	1
Other Tub. & Scrof. Dis.	0·28	0·30	0·27	22	12	10	3	1	1	1	—	6	1	5	3	2	2	2	1	—	—	—
Diseases of Nervous System ..	2·06	2·14	1·99	160	86	74	53	6	4	2	2	67	4	1	2	5	7	4	9	14	28	19
Diseases of Circulatory " ..	1·69	1·67	1·72	131	67	64	1	—	—	—	—	1	1	—	5	2	6	7	10	15	33	51
Diseases of Respiratory " ..	2·83	3·08	2·55	219	124	95	39	19	3	6	1	68	5	2	4	6	8	13	18	22	31	42
Diseases of Digestive " ..	1·01	1·02	0·99	78	41	37	17	6	—	2	—	25	2	—	1	5	4	6	7	12	11	5
Diseases of Urinary " ..	0·46	0·70	0·21	36	28	8	—	—	—	1	—	1	—	—	—	1	1	5	5	5	10	8
Diseases of Generative " ..	0·03	—	0·05	2	—	2	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—
Puerperal Fever ..	0·09	—	0·19	7	—	7	—	—	—	—	—	—	—	—	2	1	3	—	—	—	—	—
Childbirth..	0·09	—	0·19	7	—	7	—	—	—	—	—	—	—	—	—	—	3	4	—	—	—	—
Violence	0·57	0·89	0·21	44	36	8	—	1	1	2	1	5	4	4	1	4	5	6	7	2	4	2
OTHER CAUSES	3·94	4·09	3·77	305	164	141	92	8	1	1	—	102	3	2	4	7	9	13	13	14	33	105

Marriages 635

Births .. Males .. 1,046 / Females 1,056 } 2,102

Annual Rate per 1000 living { Persons Married .. 16·38 / Births .. .. .. 27·12

Annual Births to 1000 Females aged 15—45 years = 123.

Deaths from Childbirth and Puerperal Fever .. .. } 6·66 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

613.—MACHYNLLETH.

CAUSES OF DEATH.		CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000.	Persons	—			In Standard Population.		15·61	*111	—	—	—	—	37·15	4·09	2·91	4·82	7·61	6·99	8·99	13·09	28·44	65·59	156·03
	Males	—					16·02	*126	—	—	—	—	40·64	3·83	2·66	4·14	7·75	6·40	8·52	14·31	32·08	70·11	171·32
	Females	—					15·22	* 95	—	—	—	—	33·63	4·34	3·15	5·49	7·51	7·45	9·41	12·00	25·11	61·96	143·86
Mean Population, 1891–1900.	Persons	—			10,936			238	207	227	212	233	1117	1124	1135	1078	880	1560	1223	1039	886	587	307
	Males	—			5,164			116	104	120	109	112	561	548	563	532	387	688	575	489	424	261	136
	Females	—			5,772			122	103	107	103	121	556	576	572	546	493	872	648	550	462	326	171
Deaths from All Causes, 1891–1900.	Persons	19·06			2,084			293	60	32	19	11	415	46	33	52	67	109	110	136	252	385	479
	Males	19·97			1,031			168	28	17	8	7	228	21	15	22	30	44	49	70	136	183	233
	Females	18·24			1,053			125	32	15	11	4	187	25	18	30	37	65	61	66	116	202	246
		Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles		0·06	0·06	0·07	7	3	4	5	1	1	—	—	7	—	—	—	—	—	—	—	—	—	—
Scarlet Fever		0·06	0·08	0·05	7	4	3	1	1	2	1	—	5	1	1	—	—	—	—	—	—	—	—
Diphtheria		0·29	0·21	0·36	32	11	21	7	3	3	3	3	19	10	1	—	1	—	—	1	—	—	—
Whooping-cough		0·23	0·14	0·31	25	7	18	14	5	3	1	—	23	1	—	—	1	—	—	—	—	—	—
Typhus		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever		0·05	0·10	0·02	6	5	1	—	—	—	—	—	—	—	—	3	1	1	—	—	—	1	—
Simple Continued Fever		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery		0·14	0·12	0·16	15	6	9	9	—	—	1	—	10	1	—	—	—	—	1	—	1	—	2
Cholera		0·01	—	0·02	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Cancer		1·19	1·05	1·32	130	54	76	—	—	—	—	—	—	—	—	1	—	2	7	24	30	41	25
Tabes Mesenterica		0·14	0·17	0·10	15	9	6	5	2	—	—	1	8	—	—	1	2	2	—	1	1	—	—
Phthisis		1·78	1·68	1·87	195	87	108	1	4	—	1	1	7	7	3	23	28	39	33	16	24	14	1
Other Tub. & Scrof. Dis.		0·50	0·48	0·52	55	25	30	3	9	4	—	1	17	7	10	4	2	9	3	1	—	—	2
Diseases of	Nervous System	3·01	3·37	2·69	329	174	155	85	11	4	2	—	102	5	8	4	3	5	4	13	30	69	86
	Circulatory "	3·05	3·12	3·00	334	161	173	—	—	1	—	1	2	2	1	2	2	6	15	27	50	112	115
	Respiratory "	2·72	3·06	2·41	297	158	139	38	14	7	6	3	68	4	2	1	4	10	7	20	48	57	76
	Digestive "	0·94	0·97	0·92	103	50	53	10	1	1	1	1	14	—	4	2	3	7	7	12	17	14	23
	Urinary "	0·71	0·95	0·50	78	49	29	1	—	—	—	—	1	2	—	—	3	2	7	4	15	22	22
	Generative "	0·02	—	0·03	2	—	2	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Puerperal Fever		0·06	—	0·12	7	—	7	—	—	—	—	—	—	—	—	—	—	4	3	—	—	—	—
Childbirth		0·06	—	0·12	7	—	7	—	—	—	—	—	—	—	—	—	1	1	5	—	—	—	—
Violence		0·53	0·91	0·19	58	47	11	2	3	1	1	—	7	2	2	8	5	7	3	6	4	7	7
OTHER CAUSES		3·51	3·50	3·46	381	181	200	112	6	5	2	—	125	4	1	3	11	13	14	11	32	47	120

Marriages 692

Births .. { Males .. 1,329 / Females 1,321 } 2,650

Annual Rate per 1000 living { Persons Married .. 12·66 / Births .. .. .. 24·23 }

Annual Births to 1000 Females aged 15—45 years = 104.

Deaths from Childbirth and Puerperal Fever .. .. } 5·28 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

614.—NEWTOWN.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							Persons.															
Annual Death-Rate per 1000. Persons	—			In Standard Population. 14·72			*107	—	—	—	—	35·03	3·27	2·89	4·84	6·48	7·46	8·38	14·29	25·65	57·44	147·38
Annual Death-Rate per 1000. Males	—			14·79			*122	—	—	—	—	39·29	2·10	2·16	4·17	6·96	7·62	8·27	15·59	25·51	56·46	152·55
Annual Death-Rate per 1000. Females	—			14·66			* 91	—	—	—	—	30·78	4·44	3·58	5·45	6·08	7·32	8·47	13·03	25·78	58·35	142·65
Mean Population, 1891-1900. Persons	—			21,449			500	445	515	488	473	2421	2476	2460	2271	1836	2816	2256	1869	1509	1001	534
Mean Population, 1891-1900. Males	—			10,329			252	221	271	232	233	1209	1237	1203	1079	833	1299	1076	917	741	480	255
Mean Population, 1891-1900. Females	—			11,120			248	224	244	256	240	1212	1239	1257	1192	1003	1517	1180	952	768	521	279
Deaths from All Causes, 1891-1900. Persons	16·99			3,644			611	119	49	38	31	848	81	71	110	119	210	189	267	387	575	787
Deaths from All Causes, 1891-1900. Males	17·52			1,810			358	59	27	19	12	475	26	26	45	58	99	89	143	189	271	389
Deaths from All Causes, 1891-1900. Females	16·49			1,834			253	60	22	19	19	373	55	45	65	61	111	100	124	198	304	398
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·09	0·11	0·07	19	11	8	4	6	—	3	1	14	1	2	—	—	—	1	1	—	—	—
Scarlet Fever	0·09	0·08	0·10	19	8	11	2	—	—	2	4	8	6	3	2	—	—	—	—	—	—	—
Diphtheria	0·12	0·09	0·15	26	9	17	2	2	3	4	3	14	6	3	—	—	—	—	2	—	1	—
Whooping-cough	0·28	0·25	0·30	59	26	33	34	15	4	2	2	57	2	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·07	0·09	0·06	16	9	7	—	—	—	—	—	—	1	—	3	2	5	—	2	2	1	—
Simple Continued Fever	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Diarrhœa & Dysentery	0·34	0·36	0·32	73	37	36	45	4	1	—	—	50	—	—	—	—	2	—	2	2	7	10
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·90	0·66	1·13	194	68	126	—	—	—	—	—	—	2	2	—	—	4	16	33	47	56	34
Tabes Mesenterica	0·10	0·10	0·11	22	10	12	2	1	2	1	—	6	2	2	4	—	5	1	1	—	1	—
Phthisis	1·54	1·51	1·57	330	156	174	4	—	1	1	1	7	6	15	44	58	79	45	47	17	11	1
Other Tub. & Scrof. Dis.	0·31	0·29	0·32	66	30	36	5	6	7	4	1	23	6	7	11	7	8	1	2	1	—	—
Diseases of Nervous System	2·31	2·43	2·20	496	251	245	162	22	8	4	5	201	4	4	5	2	8	20	21	50	66	115
Diseases of Circulatory "	2·18	1·99	2·36	468	206	262	4	—	—	—	1	5	—	9	8	11	6	33	37	92	136	131
Diseases of Respiratory "	2·87	3·21	2·55	616	332	284	101	37	15	9	4	166	20	3	8	7	16	20	36	79	114	147
Diseases of Digestive "	0·76	0·80	0·72	163	83	80	32	6	1	2	5	46	5	4	4	6	17	6	14	15	29	17
Diseases of Urinary "	0·48	0·69	0·30	104	71	33	—	—	1	1	—	2	3	1	—	3	4	5	16	24	22	24
Diseases of Generative "	0·06	0·01	0·11	13	1	12	—	—	—	—	—	—	—	—	—	1	2	2	4	2	2	—
Puerperal Fever	0·07	—	0·14	16	—	16	—	—	—	—	—	—	—	—	1	3	10	2	—	—	—	—
Childbirth	0·07	—	0·14	16	—	16	—	—	—	—	—	—	—	—	—	2	7	7	—	—	—	—
Violence	0·56	0·82	0·31	120	85	35	4	2	3	5	1	15	8	6	7	4	9	10	10	13	22	16
Other Causes	3·79	4·02	3·53	807	416	391	210	18	3	—	3	234	9	10	13	13	28	20	39	43	106	292

Marriages 1,438

Births .. { Males .. 2,941 / Females 2,783 } 5,724

Annual Rate per 1000 living { Persons Married .. 13·41 / Births .. .. .. 26·69 }

Annual Births to 1000 Females aged 15—45 years = 117.

Deaths from Childbirth and Puerperal Fever .. .. } 5·59 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

615.—FORDEN.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		14·21	*120	—	—	—	—	35·35	2·64	2·11	3·91	5·15	6·61	9·17	13·08	27·56	56·65	141·25
Annual Death-Rate per 1000. Males ..	—					14·88	*132	—	—	—	—	33·13	2·72	2·08	3·31	5·11	6·86	8·03	15·78	31·57	61·01	158·72
Annual Death-Rate per 1000. Females	—					13·59	*108	—	—	—	—	32·51	2·56	2·13	4·59	5·18	6·39	10·35	10·34	23·56	52·21	128·07
Mean Population, 1891–1900. Persons	—			15,646			341	347	340	353	339	1720	1781	1710	1535	1185	2011	1744	1483	1212	865	400
Mean Population, 1891–1900. Males ..	—			7,785			181	176	166	180	165	868	881	865	816	548	962	884	748	605	436	172
Mean Population, 1891–1900. Females	—			7,861			160	171	174	173	174	852	900	845	719	637	1049	860	735	607	429	228
Deaths from All Causes, 1891–1900. Persons	17·18			2,688			467	72	34	12	23	608	47	36	60	61	133	160	194	334	490	565
Deaths from All Causes, 1891–1900. Males ..	18·16			1,413			261	34	18	9	9	331	24	18	27	28	66	71	118	191	266	273
Deaths from All Causes, 1891–1900. Females	16·22			1,275			206	38	16	3	14	277	23	18	33	33	67	89	76	143	224	292
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·13	0·15	0·10	20	12	8	4	7	3	1	1	16	2	—	—	1	—	—	1	—	—	—
Scarlet Fever	0·04	0·01	0·06	6	1	5	—	—	1	—	1	2	1	1	—	1	1	—	—	—	—	—
Diphtheria	0·14	0·12	0·17	22	9	13	1	3	1	—	4	9	6	5	—	1	1	—	—	—	—	—
Whooping-cough ..	0·22	0·19	0·24	34	15	19	19	9	5	—	—	33	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·09	0·10	0·08	14	8	6	—	1	—	—	—	1	—	2	3	—	4	3	—	—	1	—
Simple Continued Fever	0·01	0·01	—	1	1	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·17	0·14	0·19	26	11	15	12	3	1	—	—	16	—	—	—	—	—	—	—	—	3	7
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	1·04	0·95	1·13	163	74	89	—	—	1	—	—	1	—	—	—	3	6	9	26	39	56	23
Tabes Mesenterica ..	0·12	0·13	0·11	19	10	9	9	6	1	—	—	16	1	1	—	—	—	—	1	—	—	—
Phthisis	1·18	1·19	1·16	184	93	91	1	—	—	—	—	1	1	5	23	26	39	46	23	15	5	—
Other Tub. & Scrof. Dis.	0·29	0·30	0·29	46	23	23	10	4	2	1	3	20	8	3	5	2	5	1	1	—	1	—
Diseases of Nervous System ..	2·41	2·74	2·09	377	213	164	101	7	3	3	—	114	5	2	3	5	7	7	15	46	99	74
Diseases of Circulatory „ ..	2·58	2·31	2·84	403	180	223	2	—	—	—	—	2	3	3	4	7	14	8	29	74	131	128
Diseases of Respiratory „ ..	2·33	2·92	1·76	365	227	138	87	22	8	4	7	128	5	1	1	2	9	16	23	47	61	72
Diseases of Digestive „ ..	0·95	0·98	0·93	149	76	73	34	2	1	1	4	42	1	3	4	1	2	13	14	24	27	18
Diseases of Urinary „ ..	0·64	0·78	0·50	100	61	39	2	—	—	—	—	2	—	3	1	2	7	9	12	23	24	17
Diseases of Generative „ ..	0·06	—	0·11	9	—	9	—	—	—	—	—	—	—	—	—	1	1	5	1	1	—	—
Puerperal Fever ..	0·03	—	0·06	5	—	5	—	—	—	—	—	—	—	—	2	—	2	1	—	—	—	—
Childbirth	0·14	—	0·28	22	—	22	—	—	—	—	—	—	—	—	1	3	10	8	—	—	—	—
Violence	0·70	1·02	0·38	109	79	30	4	3	4	1	1	13	9	3	9	2	13	8	18	17	6	11
OTHER CAUSES	3·91	4·12	3·74	614	320	294	181	4	3	1	2	191	4	4	4	4	12	26	30	48	76	215

Marriages 1,027

Births .. Males .. 1,984 / Females 1,910 } 3,894

Annual Rate per 1000 living { Persons Married .. 13·13 / Births .. .. .. 24·89

Annual Births to 1000 Females aged 15—45 years = 119.

Deaths from Childbirth and Puerperal Fever .. .. } 6·93 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

616.—LLANFYLLIN.

CAUSES OF DEATH.		CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000.	Persons	—			In Standard Population.		14·47	*105	—	—	—	—	32·26	3·21	2·15	4·62	7·41	8·24	8·69	11·91	25·31	59·63	151·34
	Males	—					14·82	*124	—	—	—	—	38·97	2·92	2·25	4·45	7·35	7·88	8·45	12·06	25·47	61·88	150·66
	Females	—					14·14	* 87	—	—	—	—	26·13	3·51	2·05	4·79	7·47	8·58	8·92	11·76	25·14	57·38	151·95
Mean Population, 1891-1900.	Persons	—			17,780			408	363	400	423	390	1984	2025	1999	1753	1295	2305	1865	1662	1446	961	485
	Males ..	—			8,756			193	172	194	195	193	947	1029	976	877	612	1104	935	829	738	480	229
	Females	—			9,024			215	191	206	228	197	1037	996	1023	876	683	1201	930	833	708	481	256
Deaths from All Causes, 1891-1900.	Persons	17·71			3,148			474	92	40	21	13	640	65	43	81	96	190	162	198	366	573	734
	Males ..	18·28			1,601			281	52	20	10	6	369	30	22	39	45	87	79	100	188	297	345
	Females	17·14			1,547			193	40	20	11	7	271	35	21	42	51	103	83	98	178	276	389
		Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles		0·10	0·09	0·10	17	8	9	2	6	4	—	1	13	2	1	—	—	—	1	—	—	—	—
Scarlet Fever		0·08	0·06	0·10	14	5	9	1	1	—	3	2	7	3	3	—	1	—	—	—	—	—	—
Diphtheria		0·10	0·09	0·10	17	8	9	—	2	—	1	1	4	10	—	—	—	—	1	1	1	—	—
Whooping-cough ..		0·19	0·29	0·10	34	25	9	15	13	4	2	—	34	—	—	—	—	—	—	—	—	—	—
Typhus		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever		0·03	0·01	0·06	6	1	5	—	—	—	—	—	—	1	—	2	—	1	2	—	—	—	—
Simple Continued Fever		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery		0·21	0·21	0·22	38	18	20	14	—	1	1	—	16	2	—	—	—	—	—	2	—	5	13
Cholera		0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Cancer		1·01	0·91	1·11	180	80	100	—	—	—	—	—	—	—	—	1	1	2	8	27	51	53	37
Tabes Mesenterica ..		0·13	0·14	0·12	23	12	11	8	2	2	—	—	12	1	4	3	1	1	1	—	—	—	—
Phthisis		1·59	1·68	1·51	283	147	136	—	—	—	—	1	1	4	7	34	47	85	37	33	21	13	1
Other Tub. & Scrof. Dis.		0·23	0·23	0·22	40	20	20	2	1	2	1	—	6	7	3	5	5	10	1	1	—	2	—
Diseases of	Nervous System ..	2·57	2·71	2·43	456	237	219	127	22	7	2	1	159	8	2	8	6	10	13	17	53	82	98
	Circulatory „ ..	2·50	2·32	2·68	445	203	242	2	—	—	1	—	3	5	10	7	2	8	25	30	94	137	124
	Respiratory „ ..	2·71	2·97	2·45	481	260	221	81	31	12	3	2	129	9	4	3	5	12	13	27	45	116	118
	Digestive „ ..	0·98	1·11	0·86	175	97	78	18	3	—	1	1	23	4	3	4	6	8	11	19	32	38	27
	Urinary „ ..	0·56	0·77	0·37	100	67	33	1	—	1	—	1	3	1	—	2	—	5	8	9	15	38	19
	Generative „ ..	0·03	—	0·07	6	—	6	—	—	—	—	—	—	—	—	—	—	2	1	1	—	—	2
Puerperal Fever		0·06	—	0·12	11	—	11	—	—	—	—	—	—	—	—	—	3	8	—	—	—	—	—
Childbirth..		0·10	—	0·20	18	—	18	—	—	—	—	—	—	—	—	—	4	8	5	1	—	—	—
Violence		0·49	0·75	0·24	88	66	22	6	—	3	6	2	17	2	2	4	8	13	10	7	11	5	9
OTHER CAUSES		4·03	3·93	4·08	715	346	369	197	11	4	—	1	213	6	4	8	7	17	25	23	42	84	286

Marriages 1,055

Births .. { Males .. 2,271, Females 2,229 } 4,500

Annual Rate per 1000 living { Persons Married .. 11·87, Births .. .. .. 25·31 }

Annual Births to 1000 Females aged 15—45 years = 122.

Deaths from Childbirth and Puerperal Fever .. .. } 6·44 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

617.—HOLYWELL.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 17·89			*123	—	—	—	—	46·15	4·83	3·47	4·20	6·20	6·96	11·02	16·77	35·37	72·69	158·00
Annual Death-Rate per 1000. Males ..	—			18·31			*127	—	—	—	—	48·50	4·55	3·05	3·58	5·62	6·45	11·33	18·43	39·01	80·99	173·78
Annual Death-Rate per 1000. Females	—			17·49			*119	—	—	—	—	43·76	5·09	3·88	4·93	6·84	7·48	10·70	15·11	31·97	66·11	148·27
Mean Population, 1891–1900. Persons	—			42,429			1039	932	996	1007	975	4949	4952	4755	4169	3469	5780	4618	4085	3121	1831	700
Mean Population, 1891–1900. Males ..	—			21,263			527	473	495	508	494	2497	2417	2361	2261	1816	2946	2338	2040	1510	810	267
Mean Population, 1891–1900. Females	—			21,166			512	459	501	499	481	2452	2535	2394	1908	1653	2834	2280	2045	1611	1021	433
Deaths from All Causes, 1891–1900. Persons	19·36			8,215			1511	410	171	108	84	2284	239	165	175	215	402	509	685	1104	1331	1106
Deaths from All Causes, 1891–1900. Males ..	19·36			4,116			790	221	93	59	48	1211	110	72	81	102	190	265	376	589	656	464
Deaths from All Causes, 1891–1900. Females	19·37			4,099			721	189	78	49	36	1073	129	93	94	113	212	244	309	515	675	642
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·26	0·23	0·29	110	49	61	26	43	16	5	8	98	10	1	—	—	—	—	1	—	—	—
Scarlet Fever	0·16	0·18	0·15	69	38	31	5	18	7	3	8	41	19	4	1	2	1	—	1	—	—	—
Diphtheria	0·52	0·48	0·55	220	103	117	12	27	29	27	25	120	73	22	3	1	—	—	—	1	—	—
Whooping-cough ..	0·35	0·32	0·38	150	69	81	73	36	21	10	3	143	7	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·23	0·29	0·18	99	61	38	—	—	1	2	1	4	4	10	15	9	19	18	10	4	5	1
Simple Continued Fever	0·03	0·02	0·03	11	4	7	1	2	1	1	1	6	1	—	—	—	1	1	—	—	2	—
Diarrhœa & Dysentery	0·21	0·24	0·17	89	52	37	50	16	1	—	—	67	—	—	1	1	—	1	—	4	6	9
Cholera	0·00	0·00	0·00	2	1	1	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—
Cancer	0·91	0·79	1·03	385	167	218	—	—	—	—	—	—	—	—	—	3	6	53	79	105	112	47
Tabes Mesenterica ..	0·14	0·13	0·14	58	28	30	16	10	3	2	1	32	7	5	1	1	6	3	1	2	—	—
Phthisis	1·34	1·32	1·37	570	281	289	6	3	2	—	—	11	16	17	57	92	120	100	68	54	31	4
Other Tub. & Scrof. Dis.	0·29	0·30	0·28	122	63	59	21	22	11	5	7	66	15	12	5	7	9	6	—	2	—	—
Diseases of: Nervous System ..	3·06	3·07	3·05	1298	653	645	447	44	18	11	7	527	17	21	11	11	22	43	86	186	223	151
Diseases of: Circulatory „ ..	1·98	1·90	2·07	841	404	437	3	2	—	1	2	8	6	9	13	13	31	56	114	198	264	129
Diseases of: Respiratory „ ..	3·28	3·81	2·75	1393	810	583	282	122	39	21	9	473	13	13	15	8	39	67	115	229	265	156
Diseases of: Digestive „ ..	1·17	1·03	1·30	495	219	276	118	28	9	5	4	164	15	11	11	12	22	37	52	67	66	44
Diseases of: Urinary „ ..	0·69	0·83	0·56	294	176	118	8	3	3	2	3	19	6	2	2	9	23	26	45	67	67	28
Diseases of: Generative „ ..	0·03	—	0·06	13	—	13	—	—	—	—	—	—	—	—	—	1	3	2	—	4	2	1
Puerperal Fever ..	0·08	—	0·15	32	—	32	—	—	—	—	—	—	—	—	1	4	19	8	—	—	—	—
Childbirth	0·10	—	0·21	44	—	44	—	—	—	—	—	—	—	—	1	4	19	19	1	—	—	—
Violence	0·69	1·03	0·34	291	219	72	17	7	5	8	4	41	14	18	21	16	30	27	49	42	20	13
OTHER CAUSES	3·84	3·39	4·31	1629	719	910	425	27	5	5	1	463	16	20	17	21	32	61	63	139	274	523

Marriages 2,627

Births .. { Males .. 6,244 / Females 6,034 } 12,278

Annual Rate per 1000 living { Persons Married .. 12·38 / Births .. .. .. 28·94 }

Annual Births to 1000 Females aged 15—45 years = 142.

Deaths from Childbirth and Puerperal Fever .. .. } 6·19 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

618.—WREXHAM.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 19·46			*153	—	—	—	—	58·88	4·00	2·46	4·22	5·61	7·07	11·02	17·67	36·42	78·17	158·32
Annual Death-Rate per 1000. Males	—			20·30			*169	—	—	—	—	63·37	4·23	2·31	3·99	4·77	5·99	11·00	20·08	40·47	86·47	177·82
Annual Death-Rate per 1000. Females	—			18·68			*135	—	—	—	—	54·26	3·78	2·60	4·52	6·65	8·27	11·05	15·14	32·39	70·84	144·72
Mean Population, 1891-1900. Persons	—			65,708			1868	1705	1688	1686	1632	8579	7943	7209	6513	5958	10011	7258	5670	3874	2002	691
Mean Population, 1891-1900. Males	—			34,051			919	874	864	839	850	4346	4000	3676	3662	3253	5273	3774	2909	1935	939	284
Mean Population, 1891-1900. Females	—			31,657			949	831	824	847	782	4233	3943	3533	2851	2705	4738	3484	2761	1939	1063	407
Deaths from All Causes, 1891-1900. Persons	19·38			12,735			3545	842	303	222	139	5051	318	177	275	334	708	800	1002	1411	1565	1094
Deaths from All Causes, 1891-1900. Males	19·75			6,724			2018	420	147	102	67	2754	169	85	146	155	316	415	584	783	812	505
Deaths from All Causes, 1891-1900. Females	18·99			6,011			1527	422	156	120	72	2297	149	92	129	179	392	385	418	628	753	589
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·02	0·01	8	6	2	1	—	—	—	—	1	—	1	—	—	1	4	—	—	1	—
Measles	0·42	0·38	0·46	276	129	147	79	110	39	21	12	261	14	—	—	1	—	—	—	—	—	—
Scarlet Fever	0·24	0·25	0·22	160	84	76	7	18	19	22	23	89	49	12	2	3	2	3	—	—	—	—
Diphtheria	0·21	0·19	0·22	136	65	71	8	21	15	23	11	78	47	4	1	1	4	—	—	—	1	—
Whooping-cough	0·38	0·35	0·42	252	119	133	127	74	29	12	7	249	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·16	0·19	0·14	108	63	45	—	3	1	1	1	6	9	16	15	12	22	16	4	4	4	—
Simple Continued Fever	0·01	0·00	0·01	4	1	3	—	—	—	—	—	—	1	1	—	—	—	—	2	—	—	—
Diarrhœa & Dysentery	0·46	0·44	0·48	301	150	151	213	30	7	4	3	257	1	—	—	1	2	2	3	6	17	12
Cholera	0·01	0·01	0·01	8	5	3	7	1	—	—	—	8	—	—	—	—	—	—	—	—	—	—
Cancer	0·79	0·59	0·99	516	202	314	—	—	—	—	1	1	—	—	4	5	12	51	130	171	99	42
Tabes Mesenterica	0·22	0·23	0·21	145	77	68	80	25	9	1	1	116	5	1	7	7	3	2	1	3	—	—
Phthisis	1·15	1·17	1·13	756	398	358	14	6	5	4	3	32	8	22	72	98	201	144	105	55	17	2
Other Tub. & Scrof. Dis.	0·37	0·40	0·34	243	135	108	80	32	12	19	7	150	20	23	20	5	14	4	2	3	1	1
Diseases of: Nervous System	2·65	2·61	2·69	1740	889	851	758	87	33	23	13	914	35	16	15	13	35	64	95	188	242	123
Diseases of: Circulatory	1·87	1·75	2·01	1231	594	637	3	1	1	1	3	9	12	17	29	20	49	87	180	283	362	183
Diseases of: Respiratory	4·35	4·93	3·81	2886	1679	1207	834	326	87	63	37	1347	51	22	23	39	86	136	200	343	429	210
Diseases of: Digestive	1·26	1·29	1·22	825	439	386	330	55	16	4	7	412	15	12	12	8	40	44	76	94	78	74
Diseases of: Urinary	0·47	0·53	0·40	307	181	126	4	1	1	2	—	8	8	4	9	11	22	37	48	74	55	36
Diseases of: Generative	0·04	0·01	0·07	25	3	22	—	—	1	—	—	1	—	—	—	1	5	5	8	2	3	—
Puerperal Fever	0·11	—	0·23	73	—	73	—	—	—	—	—	—	—	—	1	17	33	22	—	—	—	—
Childbirth	0·18	—	0·37	116	—	116	—	—	—	—	—	—	—	—	2	22	54	34	4	—	—	—
Violence	0·76	1·13	0·35	497	386	111	20	12	17	14	9	72	18	11	33	39	57	72	59	70	44	22
Other Causes	3·26	3·28	3·20	2122	1119	1003	980	40	11	8	1	1040	22	15	30	31	65	73	85	115	212	434

Marriages 5,373
Births .. { Males .. 11,929 / Females 11,312 } 23,241

Annual Rate per 1000 living { Persons Married .. 16·35 / Births .. .. .. 35·37 }
Annual Births to 1000 Females aged 15—45 years = 169.

Deaths from Childbirth and Puerperal Fever .. .. } 8·13 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

619.—RUTHIN.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 14·43			*125	—	—	—	—	37·51	3·45	2·23	2·65	3·42	7·21	6·91	13·02	26·82	63·03	151·42
Annual Death-Rate per 1000. Males ..	—			14·74			*134	—	—	—	—	41·95	3·48	2·10	3·18	2·59	7·57	6·28	12·10	27·63	64·37	165·82
Annual Death-Rate per 1000. Females	—			14·14			*114	—	—	—	—	32·95	3·42	2·36	2·09	4·25	6·86	7·54	13·90	26·02	61·75	139·69
Mean Population, 1891–1900. Persons	—			12,551			253	222	258	251	253	1237	1304	1303	1283	995	1705	1419	1221	1018	714	352
Mean Population, 1891–1900. Males ..	—			6,283			126	113	131	123	134	627	661	668	661	501	845	716	595	503	348	158
Mean Population, 1891–1900. Females	—			6,268			127	109	127	128	119	610	643	635	622	494	860	703	626	515	366	194
Deaths from All Causes, 1891–1900. Persons	17·86			2,242			356	51	21	18	18	464	45	29	34	34	123	98	159	273	450	533
Deaths from All Causes, 1891–1900. Males ..	18·14			1,140			201	31	12	9	10	263	23	14	21	13	34	45	72	139	224	262
Deaths from All Causes, 1891–1900. Females	17·58			1,102			155	20	9	9	8	201	22	15	13	21	59	53	87	134	226	271
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·06	0·06	0·05	7	4	3	1	3	1	1	1	7	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·09	0·11	0·06	11	7	4	—	1	3	2	2	8	2	—	—	—	1	—	—	—	—	—
Diphtheria	0·21	0·16	0·26	26	10	16	1	1	—	2	3	7	11	8	—	—	—	—	—	—	—	—
Whooping-cough ..	0·22	0·21	0·24	28	13	15	17	4	2	3	1	27	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·10	0·08	0·11	12	5	7	—	—	—	—	—	—	—	1	—	1	4	—	2	2	2	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·13	0·13	0·13	16	8	8	6	2	—	—	—	8	—	—	—	—	—	1	—	1	1	5
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	1·08	0·92	1·24	136	58	78	—	—	—	—	—	—	—	—	1	—	2	7	28	41	38	19
Tabes Mesenterica ..	0·11	0·06	0·16	14	4	10	6	2	—	—	—	8	—	—	—	—	3	2	—	—	1	—
Phthisis	1·32	1·45	1·18	165	91	74	4	1	1	—	—	6	2	1	15	17	44	34	21	15	9	1
Other Tub. & Scrof. Dis.	0·29	0·37	0·21	36	23	13	10	4	1	—	2	17	6	2	1	2	2	2	1	2	—	1
Diseases of Nervous System ..	3·34	3·53	3·14	419	222	197	168	11	6	3	2	190	5	2	3	2	6	4	11	46	88	62
Diseases of Circulatory " ..	2·40	2·55	2·25	301	160	141	—	—	—	—	—	—	2	2	3	2	3	9	26	56	112	86
Diseases of Respiratory " ..	2·38	2·79	1·98	299	175	124	42	15	3	1	3	64	6	1	4	3	13	10	16	33	68	81
Diseases of Digestive " ..	0·95	0·91	0·99	119	57	62	15	2	—	2	—	19	1	4	—	2	7	7	11	28	25	15
Diseases of Urinary " ..	0·52	0·60	0·43	65	38	27	1	1	—	1	—	3	1	1	1	1	7	5	8	8	19	11
Diseases of Generative " ..	0·04	0·02	0·06	5	1	4	—	—	—	—	—	—	—	—	—	1	2	—	2	—	—	—
Puerperal Fever	0·05	—	0·10	6	—	6	—	—	—	—	—	—	—	—	—	1	3	2	—	—	—	—
Childbirth	0·14	—	0·27	17	—	17	—	—	—	—	—	—	—	—	1	—	8	6	2	—	—	—
Violence	0·48	0·57	0·38	60	36	24	2	—	3	3	3	11	3	3	2	2	4	3	10	11	1	10
OTHER CAUSES	3·95	3·62	4·34	500	228	272	83	4	1	—	1	89	5	4	3	—	14	6	21	30	86	242

Marriages 775

Births .. { Males .. 1,501 / Females 1,358 } 2,859

Annual Rate per 1000 living { Persons Married .. 12·35 / Births .. .. .. 22·78 }

Annual Births to 1000 Females aged 15—45 years = 107.

Deaths from Childbirth and Puerperal Fever .. .. } 8·04 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

620.—ST. ASAPH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 18·68			*136	—	—	—	—	45·83	3·83	3·05	4·49	5·58	9·07	14·47	18·33	34·85	73·14	168·96
Annual Death-Rate per 1000. Males ..	—			20·05			*151	—	—	—	—	50·65	3·61	3·01	3·89	6·75	10·24	16·57	20·47	36·98	83·16	184·56
Annual Death-Rate per 1000. Females	—			17·40			*120	—	—	—	—	40·95	4·05	3·10	5·03	4·69	8·12	12·69	16·53	33·04	64·82	157·85
Mean Population, 1891–1900. Persons	—			29,907			601	541	608	573	592	2915	3051	3208	2960	2545	4234	3532	3012	2344	1452	654
Mean Population, 1891–1900. Males ..	—			14,006			297	287	292	296	295	1467	1522	1627	1389	1096	1905	1617	1373	1079	659	272
Mean Population, 1891–1900. Females	—			15,901			304	254	316	277	297	1448	1529	1581	1571	1449	2329	1915	1639	1265	793	382
Deaths from All Causes, 1891–1900. Persons	20·92			6,257			962	181	88	54	51	1336	117	98	133	142	384	511	552	817	1062	1105
Deaths from All Causes, 1891–1900. Males ..	22·62			3,168			540	104	47	27	25	743	55	49	54	74	195	268	281	399	548	502
Deaths from All Causes, 1891–1900. Females	19·43			3,089			422	77	41	27	26	593	62	49	79	68	189	243	271	418	514	603
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·18	0·20	0·17	55	28	27	13	15	5	6	2	41	6	4	2	—	2	—	—	—	—	—
Scarlet Fever	0·06	0·04	0·08	18	6	12	1	4	2	—	3	10	4	3	—	1	—	—	—	—	—	—
Diphtheria	0·22	0·21	0·23	66	29	37	3	3	6	6	12	30	24	6	3	1	2	—	—	—	—	—
Whooping-cough ..	0·36	0·26	0·45	109	37	72	58	23	11	7	3	102	7	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·15	0·18	0·13	46	25	21	—	2	1	—	2	5	3	1	5	7	8	6	9	—	1	1
Simple Continued Fever	0·01	0·01	—	2	2	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·34	0·38	0·31	103	53	50	64	11	2	1	1	79	—	1	—	—	2	3	—	7	5	6
Cholera	0·03	0·04	0·02	8	5	3	1	—	—	—	—	1	—	—	—	—	—	—	—	3	2	2
Cancer	1·14	1·04	1·22	340	146	194	—	—	—	—	—	—	—	—	—	1	12	19	48	105	99	56
Tabes Mesenterica ..	0·18	0·18	0·18	54	25	29	16	6	6	1	—	29	1	4	6	2	3	4	2	2	—	1
Phthisis	2·02	2·18	1·89	605	305	300	4	2	—	2	1	9	2	15	44	57	152	133	91	61	38	3
Other Tub. & Scrof. Dis.	0·35	0·41	0·31	106	57	49	21	14	4	2	3	44	14	14	8	5	8	6	2	1	3	1
Diseases of Nervous System ..	3·61	4·21	3·08	1079	590	489	307	29	9	5	11	361	13	5	12	5	29	69	91	133	181	180
Diseases of Circulatory „ ..	2·30	2·52	2·11	689	353	336	3	1	1	—	—	5	6	6	9	5	19	38	84	155	230	132
Diseases of Respiratory „ ..	2·88	3·04	2·74	861	426	435	108	43	21	17	2	191	10	9	5	13	34	54	70	122	157	196
Diseases of Digestive „ ..	1·29	1·44	1·16	386	201	185	73	11	4	3	4	95	11	7	7	9	15	30	60	54	63	35
Diseases of Urinary „ ..	0·68	0·91	0·47	202	128	74	5	2	3	1	—	11	1	1	2	1	19	11	22	40	48	46
Diseases of Generative „ ..	0·03	—	0·06	9	—	9	—	—	—	—	—	—	—	—	—	—	—	2	3	2	1	1
Puerperal Fever ..	0·06	—	0·12	19	—	19	—	—	—	—	—	—	—	—	—	3	10	6	—	—	—	—
Childbirth	0·10	—	0·18	29	—	29	—	—	—	—	—	—	—	—	—	3	13	13	—	—	—	—
Violence	0·57	0·90	0·27	169	126	43	5	5	5	—	1	16	7	9	9	10	13	29	17	19	27	13
OTHER CAUSES	4·36	4·47	4·25	1302	626	676	280	10	8	3	6	307	8	12	20	19	43	88	53	113	207	432

Marriages 1,962

Births .. Males .. 3,588 / Females 3,503 } 7,091

Annual Rate per 1000 living { Persons Married .. 13·12 / Births .. .. .. 23·71

Annual Births to 1000 Females aged 15—45 years = 98.

Deaths from Childbirth and Puerperal Fever .. .. } 6·77 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

621.—LLANRWST.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.		16·51	*138	—	—	—	—	43·70	4·04	3·55	4·64	6·36	7·85	11·52	14·26	26·72	60·27	150·14
Annual Death-Rate per 1000. Males	—					17·50	*157	—	—	—	—	50·98	4·44	3·40	4·06	6·86	9·48	10·63	16·90	27·85	70·74	161·54
Annual Death-Rate per 1000. Females	—					15·58	*120	—	—	—	—	36·80	3·64	3·70	5·22	5·89	9·11	12·38	11·68	25·61	51·41	141·38
Mean Population, 1891-1900. Persons	—			13,085			293	261	263	271	276	1364	1363	1352	1292	1116	1899	1485	1304	962	589	359
Mean Population, 1891-1900. Males	—			6,386			147	121	127	131	137	663	676	677	641	539	911	734	645	474	270	156
Mean Population, 1891-1900. Females	—			6,699			146	140	136	140	139	701	687	675	651	577	988	751	659	488	319	203
Deaths from All Causes, 1891-1900. Persons	19·01			2,487			449	70	25	33	19	596	55	48	60	71	149	171	186	257	355	539
Deaths from All Causes, 1891-1900. Males	19·97			1,275			256	39	13	17	13	338	30	23	26	37	59	78	109	132	191	252
Deaths from All Causes, 1891-1900. Females	18·09			1,212			193	31	12	16	6	258	25	25	34	34	90	93	77	125	164	287
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·15	0·20	0·10	20	13	7	5	5	—	4	1	15	4	—	—	—	—	1	—	—	—	—
Scarlet Fever	0·06	0·06	0·06	8	4	4	1	1	1	1	1	5	1	2	—	—	—	—	—	—	—	—
Diphtheria	0·38	0·42	0·34	50	27	23	—	6	3	9	5	23	13	8	5	1	—	—	—	—	—	—
Whooping-cough	0·33	0·33	0·33	43	21	22	21	9	4	7	1	42	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·09	0·09	0·09	12	6	6	—	—	—	—	—	—	1	1	—	1	2	4	1	2	—	—
Simple Continued Fever	0·01	0·02	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Diarrhœa & Dysentery	0·32	0·31	0·33	42	20	22	24	7	—	—	—	31	—	1	1	—	—	—	1	1	—	7
Cholera	0·03	0·06	—	4	4	—	1	—	—	—	1	2	—	—	—	—	1	1	—	—	—	—
Cancer	1·07	0·92	1·21	140	59	81	—	—	1	—	—	1	—	—	—	—	1	11	31	33	31	32
Tabes Mesenterica	0·14	0·11	0·16	18	7	11	7	—	—	—	2	9	2	2	2	—	1	1	1	—	—	—
Phthisis	1·65	1·55	1·75	216	99	117	—	—	—	—	1	1	5	6	19	29	55	40	29	17	13	2
Other Tub. & Scrof. Dis.	0·41	0·42	0·39	53	27	26	16	4	1	3	—	24	7	6	1	4	2	2	3	2	1	1
Diseases of Nervous System	2·81	3·04	2·58	367	194	173	152	9	2	2	—	165	4	2	5	3	10	7	10	38	53	70
Diseases of Circulatory "	1·88	1·94	1·82	246	124	122	—	—	—	—	—	—	1	3	6	5	11	17	33	32	69	69
Diseases of Respiratory "	2·85	3·37	2·36	373	215	158	73	18	4	3	5	103	6	4	3	6	5	19	25	31	74	97
Diseases of Digestive "	1·13	1·14	1·12	148	73	75	26	7	2	2	—	37	2	1	5	4	10	12	9	25	22	21
Diseases of Urinary "	0·60	0·92	0·28	78	59	19	—	—	—	—	1	1	—	1	1	1	1	6	11	21	16	19
Diseases of Generative "	0·05	—	0·10	7	—	7	—	—	—	—	—	—	—	—	—	—	1	3	1	2	—	—
Puerperal Fever	0·08	—	0·15	10	—	10	—	—	—	—	—	—	—	—	—	2	6	2	—	—	—	—
Childbirth	0·21	—	0·40	27	—	27	—	—	—	—	—	—	—	—	1	1	13	12	—	—	—	—
Violence	0·59	0·96	0·24	77	61	16	1	—	2	—	1	4	5	—	—	6	15	8	13	9	8	9
Other Causes	4·17	4·11	4·28	547	261	286	122	4	5	2	—	133	3	11	11	8	15	25	18	44	67	212

Marriages 933

Births .. { Males .. 1,635 / Females 1,610 } 3,245

Annual Rate per 1000 living { Persons Married .. 14·26 / Births .. .. .. 24·80 }

Annual Births to 1000 Females aged 15—45 years = 109.

Deaths from Childbirth and Puerperal Fever .. .. } 11·40 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

622.—CORWEN.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 16·36			*137	—	—	—	—	44·53	4·20	2·46	4·11	6·87	7·55	9·16	14·73	26·72	64·67	152·20
Annual Death-Rate per 1000. Males	—			16·76			*157	—	—	—	—	49·67	4·23	2·01	3·82	7·32	6·38	9·14	15·68	27·01	67·65	163·33
Annual Death-Rate per 1000. Females	—			15·98			*116	—	—	—	—	39·16	4·17	2·92	4·42	6·41	8·66	9·19	13·74	26·42	61·95	142·51
Mean Population, 1891–1900. Persons	—			16,284			342	341	372	378	357	1790	1785	1751	1580	1340	2252	1866	1555	1194	784	387
Mean Population, 1891–1900. Males	—			8,154			178	165	186	198	187	914	898	894	811	669	1097	930	791	596	374	180
Mean Population, 1891–1900. Females	—			8,130			164	176	186	180	170	876	887	857	769	671	1155	936	764	598	410	207
Deaths from All Causes, 1891–1900. Persons	18·77			3,057			584	107	46	31	29	797	75	43	65	92	170	171	229	319	507	589
Deaths from All Causes, 1891–1900. Males	19·34			1,577			343	56	25	15	15	454	38	18	31	49	70	85	124	161	253	294
Deaths from All Causes, 1891–1900. Females	18·20			1,480			241	51	21	16	14	343	37	25	34	43	100	86	105	158	254	295
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Measles	0·17	0·21	0·12	27	17	10	12	10	1	1	—	24	2	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·12	0·11	0·14	20	9	11	1	1	4	3	4	13	3	1	3	—	—	—	—	—	—	—
Diphtheria	0·18	0·18	0·17	29	15	14	1	3	4	5	4	17	9	2	—	1	—	—	—	—	—	—
Whooping-cough	0·26	0·26	0·26	42	21	21	15	17	3	4	3	42	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·09	0·09	0·10	15	7	8	—	—	—	—	—	—	2	1	1	3	3	2	2	1	—	—
Simple Continued Fever	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Diarrhœa & Dysentery	0·33	0·36	0·31	51	29	25	36	5	—	—	—	41	1	—	—	—	1	1	—	—	3	7
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	1·11	1·19	1·02	180	97	83	—	1	1	—	—	2	—	—	1	—	6	19	22	56	46	28
Tabes Mesenterica	0·21	0·26	0·17	35	21	14	9	6	3	4	2	24	4	1	2	2	2	—	—	—	—	—
Phthisis	1·50	1·45	1·55	244	118	126	3	2	—	—	1	6	6	7	14	35	62	42	40	21	10	1
Other Tub. & Scrof. Dis.	0·37	0·45	0·28	60	37	23	13	6	8	2	4	33	7	6	6	2	3	1	2	—	—	—
Diseases of Nervous System	3·10	3·07	3·14	505	250	255	199	10	2	1	3	215	7	6	6	3	17	10	24	47	87	83
Diseases of Circulatory "	2·28	2·18	2·37	371	178	193	2	1	1	—	1	5	1	4	5	6	7	11	38	66	122	106
Diseases of Respiratory "	3·07	3·41	2·72	499	278	221	98	29	9	7	3	146	15	1	7	7	13	24	27	53	103	103
Diseases of Digestive "	1·06	1·01	1·12	173	82	91	30	5	4	1	1	41	8	3	4	5	8	16	19	14	28	27
Diseases of Urinary "	0·61	0·74	0·48	99	60	39	3	—	—	—	—	3	2	1	1	5	5	7	15	14	22	24
Diseases of Generative "	0·06	0·01	0·11	10	1	9	—	—	—	—	—	—	—	—	—	—	3	2	2	2	—	1
Puerperal Fever	0·07	—	0·15	12	—	12	—	—	—	—	—	—	—	—	—	3	7	2	—	—	—	—
Childbirth	0·12	—	0·25	20	—	20	—	—	—	—	—	—	—	—	—	4	10	6	—	—	—	—
Violence	0·53	0·82	0·23	86	67	19	3	1	5	—	2	11	3	3	7	8	6	9	11	11	10	7
Other Causes	3·51	3·52	3·51	574	288	286	159	10	1	3	1	174	5	6	8	8	16	18	27	34	76	202

Marriages 1,105

Births .. { Males .. 2,180 / Females 2,076 } 4,256

Annual Rate per 1000 living { Persons Married .. 13·57 / Births .. .. .. 26·14

Annual Births to 1000 Females aged 15—45 years = 121.

Deaths from Childbirth and Puerperal Fever .. .. } 7·52 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

623.—BALA.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 14·26	*140	—	—	—	—	38·77	2·61	1·12	3·33	6·38	5·82	8·05	12·25	23·11	52·25	171·78
Annual Death-Rate per 1000. Males ..	—	14·58	*151	—	—	—	—	41·14	2·97	0·97	3·91	6·79	3·71	6·41	13·61	27·39	56·25	198·59
Annual Death-Rate per 1000. Females	—	13·95	*128	—	—	—	—	36·27	2·27	1·27	2·73	6·04	7·92	9·71	10·97	18·95	48·28	151·09
Mean Population, 1891-1900. Persons	—	5,941	125	94	124	121	119	583	612	624	600	486	808	683	604	489	289	163
Mean Population, 1891-1900. Males ..	—	2,935	67	49	61	61	61	299	303	308	307	221	404	343	294	241	144	71
Mean Population, 1891-1900. Females	—	3,006	58	45	63	60	58	284	309	316	293	265	404	340	310	248	145	92
Deaths from All Causes, 1891-1900. Persons	17·17	1,020	187	18	8	10	3	226	16	7	20	31	47	55	74	113	151	280
Deaths from All Causes, 1891-1900. Males ..	17·96	527	104	9	4	5	1	123	9	3	12	15	15	22	40	66	81	141
Deaths from All Causes, 1891-1900. Females	16·40	493	83	9	4	5	2	103	7	4	8	16	32	33	34	47	70	139

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							PERSONS.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·05	0·07	0·03	3	2	1	1	1	—	—	—	2	1	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·07	0·10	0·03	4	3	1	—	—	1	—	1	2	1	—	1	—	—	—	—	—	—	—
Diphtheria	0·03	0·07	—	2	2	—	—	—	1	—	—	1	—	1	—	—	—	—	—	—	—	—
Whooping-cough ..	0·10	0·10	0·10	6	3	3	4	2	—	—	—	6	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·03	—	0·07	2	—	2	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·05	0·07	0·03	3	2	1	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	1
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	1·58	1·77	1·40	94	52	42	—	—	—	—	—	—	—	—	1	—	2	5	12	17	31	26
Tabes Mesenterica ..	0·19	0·21	0·17	11	6	5	1	1	1	—	—	3	—	2	—	4	1	—	—	—	1	—
Phthisis	1·53	1·26	1·80	91	37	54	—	—	—	1	—	1	—	—	4	10	24	12	15	14	7	4
Other Tub. & Scrof. Dis.	0·17	0·14	0·20	10	4	6	3	—	1	—	—	4	1	1	1	1	—	1	1	—	—	—
Diseases of Nervous System ..	2·56	2·69	2·43	152	79	73	61	3	—	—	—	64	2	—	2	1	2	5	6	12	22	36
Diseases of Circulatory „ ..	1·99	2·35	1·63	118	69	49	—	—	—	—	—	—	—	1	—	—	4	9	10	31	29	34
Diseases of Respiratory „ ..	3·25	3·54	2·96	193	104	89	33	9	2	4	—	48	4	—	3	6	3	8	10	13	37	61
Diseases of Digestive „ ..	0·96	0·72	1·20	57	21	36	13	1	—	2	1	17	2	1	1	3	2	3	5	6	8	9
Diseases of Urinary „ ..	0·51	0·51	0·50	30	15	15	—	—	—	—	1	1	—	—	1	1	1	2	3	8	2	11
Diseases of Generative „ ..	0·03	—	0·07	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1
Puerperal Fever ..	0·05	—	0·10	3	—	3	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—
Childbirth	0·03	—	0·07	2	—	2	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Violence	0·56	0·75	0·37	33	22	11	—	—	1	2	—	3	3	—	3	1	2	3	4	7	4	3
OTHER CAUSES ..	3·43	3·61	3·24	204	106	98	69	1	1	1	—	72	2	1	2	4	1	6	8	5	9	94

Marriages 378

Births .. Males .. 690, Females 649 } 1,339

Annual Rate per 1000 living { Persons Married .. 12·73; Births .. .. .. 22·52

Annual Births to 1000 Females aged 15—45 years = 103.

Deaths from Childbirth and Puerperal Fever .. .. } 3·73 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

624.—DOLGELLY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 16·62			*148	—	—	—	—	43·93	4·45	2·18	5·40	7·68	8·00	9·76	11·68	27·47	66·72	158·11
Annual Death-Rate per 1000. Males	—			17·75			*160	—	—	—	—	48·38	4·72	2·28	5·25	8·56	7·17	11·11	13·90	31·37	77·74	166·41
Annual Death-Rate per 1000. Females	—			15·55			*135	—	—	—	—	39·49	4·16	2·08	5·54	6·95	8·64	8·60	9·70	24·04	58·47	153·08
Mean Population, 1891-1900. Persons	—			14,369			312	277	299	295	299	1482	1484	1560	1389	1159	2026	1649	1516	1125	640	339
Mean Population, 1891-1900. Males	—			6,783			153	140	147	147	153	740	762	791	667	526	892	765	712	526	274	128
Mean Population, 1891-1900. Females	—			7,586			159	137	152	148	146	742	722	769	722	633	1134	884	804	599	366	211
Deaths from All Causes, 1891-1900. Persons	18·70			2,687			499	67	29	29	27	651	66	34	75	89	162	161	177	309	427	536
Deaths from All Causes, 1891-1900. Males	19·62			1,331			277	35	14	16	16	358	36	18	35	45	64	85	99	165	213	213
Deaths from All Causes, 1891-1900. Females	17·88			1,356			222	32	15	13	11	293	30	16	40	44	98	76	78	144	214	323
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·10	0·09	0·11	14	6	8	6	3	1	—	2	12	2	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·17	0·10	0·22	24	7	17	2	4	4	4	—	14	2	2	2	—	2	2	—	—	—	—
Diphtheria	0·18	0·16	0·20	26	11	15	2	—	2	6	4	14	10	1	1	—	—	—	—	—	—	—
Whooping-cough	0·18	0·19	0·17	26	13	13	16	3	2	2	2	25	1	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·19	0·21	0·18	28	14	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	3	3	3	4	5	5	2	2	1
Diarrhœa & Dysentery	0·19	0·21	0·18	28	14	14	17	1	—	—	—	18	—	—	1	—	—	—	—	—	—	—
Cholera	0·01	—	0·01	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	9
Cancer	1·09	1·11	1·08	157	75	82	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—	—
Tabes Mesenterica	0·15	0·10	0·20	22	7	15	5	2	1	—	—	8	1	—	1	2	3	3	24	45	51	30
Phthisis	1·62	1·74	1·52	233	118	115	2	2	—	—	1	5	2	11	28	31	1	4	1	2	2	—
Other Tub. & Scrof. Dis.	0·35	0·47	0·25	51	32	19	10	5	5	—	—	20	4	2	8	4	60	37	27	18	13	1
Diseases of Nervous System	2·46	2·55	2·37	353	173	180	118	6	2	2	—	128	5	3	2	4	5	4	1	1	2	—
Diseases of Circulatory „	2·77	2·48	3·03	398	168	230	1	—	—	—	—	1	4	3	2	7	3	6	14	49	68	71
Diseases of Respiratory „	3·17	3·77	2·64	456	256	200	122	30	7	10	12	181	17	5	6	5	11	15	26	75	127	127
Diseases of Digestive „	1·08	0·94	1·20	155	64	91	43	6	1	—	1	51	6	—	5	2	6	22	30	35	64	85
Diseases of Urinary „	0·55	0·77	0·36	79	52	27	—	—	—	—	1	1	3	1	1	—	13	10	11	19	16	22
Diseases of Generative „	0·05	—	0·09	7	—	7	—	—	—	—	—	—	—	—	—	—	5	9	7	10	22	20
Puerperal Fever	0·10	—	0·20	15	—	15	—	—	—	—	—	—	—	—	—	—	1	—	2	—	3	1
Childbirth	0·12	—	0·22	17	—	17	—	—	—	—	—	—	—	—	—	3	11	1	—	—	—	—
Violence	0·61	1·00	0·25	87	68	19	1	—	2	—	3	6	4	—	7	10	14	16	8	13	3	6
Other Causes	3·55	3·72	3·40	509	252	257	154	5	2	4	1	166	5	3	8	15	15	21	19	40	54	163

Marriages 974

Births .. { Males .. 1,736 / Females 1,639 } 3,375

Annual Rate per 1000 living { Persons Married .. 13·56 / Births .. .. .. 23·49

Annual Births to 1000 Females aged 15—45 years = 100.

Deaths from Childbirth and Puerperal Fever .. .. } 9·48 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

NOTE.—The mean population has been corrected for changes of boundary, details of which will be found at the end of these tables.

625.—FESTINIOG.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 18·66			*152	—	—	—	—	50·85	5·23	3·48	6·96	8·57	9·73	11·59	13·62	30·59	66·26	152·78
Annual Death-Rate per 1000. Males	—			19·62			*168	—	—	—	—	55·90	4·13	3·37	6·76	8·44	8·09	11·68	15·66	37·70	77·75	170·19
Annual Death-Rate per 1000. Females	—			17·76			*135	—	—	—	—	45·95	6·35	3·60	7·19	8·70	11·33	11·49	11·60	24·30	57·58	140·54
Mean Population, 1891–1900. Persons	—			27,907			644	671	665	672	634	3286	3269	3244	2643	2310	3924	3254	2680	1821	972	504
Mean Population, 1891–1900. Males	—			13,813			325	323	322	340	309	1619	1648	1661	1391	1149	1929	1601	1335	854	418	208
Mean Population, 1891–1900. Females	—			14,094			319	348	343	332	325	1667	1621	1583	1252	1161	1995	1653	1345	967	554	296
Deaths from All Causes, 1891–1900. Persons	19·46			5,432			1218	243	88	62	60	1671	171	113	184	198	382	377	365	557	644	770
Deaths from All Causes, 1891–1900. Males	20·08			2,773			685	124	45	24	27	905	68	56	94	97	156	187	209	322	325	354
Deaths from All Causes, 1891–1900. Females	18·87			2,659			533	119	43	38	33	766*	103	57	90	101	226	190	156	235	319	416
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·27	0·29	0·24	74	40	34	27	26	5	1	4	63	9	1	—	—	1	—	—	—	—	—
Scarlet Fever	0·08	0·08	0·08	22	11	11	3	3	6	4	2	18	3	—	—	—	—	1	—	—	—	—
Diphtheria	0·39	0·28	0·50	109	38	71	6	10	6	14	15	51	40	8	4	1	1	3	—	1	—	—
Whooping-cough	0·25	0·26	0·25	71	36	35	35	20	7	5	1	68	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·08	0·09	0·06	21	13	8	—	—	2	2	—	4	2	—	3	4	3	2	—	1	1	1
Simple Continued Fever	0·00	—	0·01	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Diarrhœa & Dysentery	0·23	0·24	0·23	65	33	32	37	5	—	1	1	44	—	—	—	—	—	—	2	—	3	16
Cholera	0·03	0·05	0·01	9	7	2	2	—	—	—	—	2	—	—	—	1	1	1	1	1	1	1
Cancer	0·98	0·86	1·09	273	119	154	—	—	—	—	1	1	—	1	—	1	5	22	39	78	79	47
Tabes Mesenterica	0·28	0·30	0·26	78	41	37	23	6	1	—	1	31	10	3	10	4	7	8	3	2	—	—
Phthisis	2·07	2·16	1·99	578	298	280	2	5	2	1	1	11	3	19	76	89	126	100	63	55	26	10
Other Tub. & Scrof. Dis.	0·55	0·54	0·56	154	75	79	18	11	11	5	5	50	23	18	14	13	11	7	9	2	7	—
Diseases of Nervous System	3·17	3·34	3·01	885	461	424	372	30	10	7	6	425	15	11	11	11	19	23	42	75	127	126
Diseases of Circulatory	1·76	1·84	1·69	492	254	238	8	—	—	—	1	9	2	10	7	3	23	27	52	103	128	128
Diseases of Respiratory	3·09	3·40	2·78	861	469	392	213	83	26	9	13	344	17	6	13	19	36	45	45	83	98	155
Diseases of Digestive	1·32	1·43	1 21	368	197	171	160	18	3	4	3	188	8	10	1	5	17	22	20	35	37	25
Diseases of Urinary	0·87	1·08	0·67	244	149	95	5	1	1	—	1	8	6	1	8	4	17	29	20	35	47	69
Diseases of Generative	0·06	0·02	0·09	16	3	13	2	—	—	—	—	2	—	—	—	1	5	3	—	2	1	2
Puerperal Fever	0·15	—	0·31	43	—	43	—	—	—	—	—	—	—	—	3	8	22	10	—	—	—	—
Childbirth	0·16	—	0·31	44	—	44	—	—	—	—	—	—	—	—	1	5	21	17	—	—	—	—
Violence	0·72	1·04	0·40	200	144	56	14	4	3	5	2	28	15	11	13	14	22	22	25	28	14	8
OTHER CAUSES	2·95	2·78	3·12	824	385	439	291	21	5	4	3	324	15	14	20	15	45	35	44	56	74	182

Marriages 1,932

Births .. { Males .. 4,076 / Females 3,955 } 8,031

Annual Rate per 1000 living { Persons Married .. 13·85 / Births .. .. .. 28·78

Annual Births to 1000 Females aged 15—45 years = 133.

Deaths from Childbirth and Puerperal Fever .. .. } 10·83 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

626.—PWLLHELI.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.	14·78		*117	—	—	—	—	36·37	4·17	3·84	5·76	6·80	7·76	8·03	11·88	23·67	51·52	154·68
Males ..	—				14·92		*125	—	—	—	—	38·75	3·95	3·61	5·22	7·71	7·08	7·50	12·79	26·33	54·26	159·79
Females	—				14·65		*108	—	—	—	—	33·86	4·40	4·08	6·31	6·01	8·29	8·47	11·10	21·41	49·25	150·89
Mean Population, 1891–1900. Persons	—			22,103			440	425	443	446	451	2205	2326	2342	2099	1779	2965	2540	2231	1715	1217	684
Males ..	—			10,512			230	215	223	238	227	1133	1190	1190	1053	830	1313	1147	1024	790	551	291
Females	—			11,591			210	210	220	208	224	1072	1136	1152	1046	949	1652	1393	1207	925	666	393
Deaths from All Causes, 1891–1900. Persons	18·19			4,021			581	110	42	34	35	802	97	90	121	121	230	204	265	406	627	1058
Males ..	18·36			1,930			328	53	22	16	20	439	47	43	55	64	93	86	131	208	299	465
Females	18·04			2,091			253	57	20	18	15	363	50	47	66	57	137	118	134	198	328	593
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·10	0·11	0·09	23	12	11	4	7	6	2	1	20	1	—	—	2	—	—	—	—	—	—
Scarlet Fever	0·07	0·11	0·03	16	12	4	2	1	1	2	4	10	2	—	—	1	3	—	—	—	—	—
Diphtheria	0·24	0·23	0·26	54	24	30	—	4	5	5	9	23	17	11	2	1	—	—	—	—	—	—
Whooping-cough ..	0·21	0·21	0·21	46	22	24	26	8	3	—	2	39	6	1	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·10	0·10	0·11	23	10	13	—	1	—	—	—	1	3	1	3	—	3	6	3	3	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·18	0·15	0·21	40	16	24	18	1	—	—	—	19	—	—	—	1	1	—	1	—	—	18
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	1·12	1·08	1·16	248	114	134	—	—	—	—	—	—	—	1	—	—	4	10	47	75	74	37
Tabes Mesenterica ..	0·23	0·27	0·20	51	28	23	18	7	1	1	1	28	3	2	4	2	3	3	2	4	—	—
Phthisis	1·92	2·05	1·81	425	215	210	8	1	—	—	—	9	12	22	54	57	102	65	49	38	15	2
Other Tub. & Scrof. Dis.	0·40	0·44	0·37	89	46	43	10	4	5	2	2	23	14	9	7	8	13	5	5	2	3	—
Diseases of Nervous System ..	2·86	2·77	2·94	632	291	341	207	21	5	7	3	243	10	7	10	9	9	11	24	44	105	160
Circulatory " ..	1·81	1·87	1·75	400	197	203	4	—	—	—	—	4	2	4	5	5	13	18	32	59	115	143
Respiratory " ..	2·45	2·48	2·42	541	261	280	89	31	11	7	8	146	10	5	5	9	12	9	31	45	106	163
Digestive " ..	1·23	1·20	1·25	271	126	145	54	8	2	—	3	67	6	4	4	2	8	18	13	43	51	55
Urinary " ..	1·12	1·27	0·99	248	133	115	1	1	—	—	1	3	2	2	3	4	8	14	17	32	72	91
Generative " ..	0·05	—	0·09	11	—	11	—	—	—	—	—	—	—	—	—	—	1	4	2	3	1	—
Puerperal Fever ..	0·05	—	0·09	10	—	10	—	—	—	—	—	—	—	—	—	1	6	3	—	—	—	—
Childbirth	0·10	—	0·18	21	—	21	—	—	—	—	—	—	—	—	—	1	11	9	—	—	—	—
Violence	0·55	0·78	0·34	121	82	39	7	3	2	5	—	17	2	8	8	10	15	10	14	16	8	13
OTHER CAUSES ..	3·40	3·24	3·54	751	341	410	133	12	1	3	1	150	7	13	16	8	18	19	25	42	77	376

Marriages 1,275

Births .. Males .. 2,617, Females 2,343 } 4,960

Annual Rate per 1000 living { Persons Married .. 11·54, Births .. .. .. 22·44

Annual Births to 1000 Females aged 15—45 years = 98.

Deaths from Childbirth and Puerperal Fever .. .. } 6·25 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

627.—CARNARVON.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 17·91	*145	—	—	—	—	49·59	4·80	3·37	6·36	7·18	7·09	9·97	14·95	31·55	67·99	156·40
Annual Death-Rate per 1000. Males ..	—	18·55	*157	—	—	—	—	53·74	4·20	2·52	6·42	7·83	6·95	10·39	15·92	33·60	76·89	164·08
Annual Death-Rate per 1000. Females	—	17·31	*133	—	—	—	—	45·39	5·43	4·23	6·30	6·57	7·22	9·58	14·05	29·71	60·85	151·20
Mean Population, 1891–1900. Persons	—	41,597	963	848	920	896	888	4515	4399	4448	3976	3552	6124	5014	4228	2913	1662	766
Mean Population, 1891–1900. Males ..	—	20,415	486	429	460	453	442	2270	2263	2226	2086	1725	2980	2416	2022	1378	740	309
Mean Population, 1891–1900. Females	—	21,182	477	419	460	443	446	2245	2136	2222	1890	1827	3144	2598	2206	1535	922	457
Deaths from All Causes, 1891–1900. Persons	19·04	7,921	1596	327	130	103	83	2239	211	150	253	255	434	500	632	919	1130	1198
Deaths from All Causes, 1891–1900. Males ..	19·39	3,959	893	166	66	53	42	1220	95	56	134	135	207	251	322	463	569	507
Deaths from All Causes, 1891–1900. Females	18·70	3,962	703	161	64	50	41	1019	116	94	119	120	227	249	310	456	561	691

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	0·01	0·00	0·01	4	1	3	—	—	—	—	—	—	—	—	1	—	1	2	—	—	—	—
Measles	0·23	0·24	0·21	94	49	45	35	30	8	7	3	83	10	—	—	—	—	1	—	—	—	—
Scarlet Fever	0·19	0·14	0·25	81	28	53	5	5	10	10	10	40	29	7	1	1	—	1	2	—	—	—
Diphtheria	0·19	0·19	0·19	79	38	41	3	6	5	10	11	35	30	5	2	—	3	2	—	1	1	—
Whooping-cough ..	0·25	0·24	0·26	106	50	56	61	19	6	9	4	99	7	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·13	0·16	0·11	56	33	23	3	—	—	1	2	6	2	4	6	9	12	4	6	7	—	—
Simple Continued Fever	0·00	—	0·00	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Diarrhœa & Dysentery	0·32	0·33	0·32	135	67	68	79	19	2	3	1	104	4	1	—	—	1	1	1	5	5	13
Cholera	0·01	0·01	—	3	3	—	1	—	—	—	—	1	—	—	—	—	—	1	1	—	—	—
Cancer	0·95	0·87	1·03	395	177	218	—	—	—	—	—	—	—	1	1	2	5	32	66	127	107	54
Tabes Mesenterica ..	0·18	0·13	0·23	75	27	48	27	3	4	2	1	37	8	8	8	3	5	3	2	1	—	—
Phthisis	2·22	2·31	2·14	925	471	454	17	13	5	5	10	50	22	35	109	124	185	135	121	98	40	6
Other Tub. & Scrof. Dis.	0·38	0·40	0·35	156	82	74	30	14	13	5	4	66	18	21	19	10	8	5	6	2	—	1
Diseases of Nervous System ..	3·42	3·42	3·41	1421	699	722	531	49	19	10	8	617	21	21	16	9	22	47	78	143	223	224
Diseases of Circulatory „ ..	1·80	1·76	1·84	748	359	389	1	1	1	—	1	4	10	3	12	14	30	45	85	174	206	165
Diseases of Respiratory „ ..	3·29	3·53	3·05	1367	721	646	285	111	34	21	13	464	22	12	15	19	39	48	79	152	242	275
Diseases of Digestive „ ..	1·17	1·13	1·21	486	230	256	120	25	8	3	3	159	6	9	17	14	21	28	48	68	75	41
Diseases of Urinary „ ..	0·62	0·77	0·48	258	157	101	4	7	4	3	—	18	5	4	11	7	18	23	31	33	61	47
Diseases of Generative „ ..	0·05	—	0·10	21	—	21	—	—	—	—	—	—	—	1	—	—	—	7	7	3	3	—
Puerperal Fever ..	0·08	—	0·15	32	—	32	—	—	—	—	—	—	—	—	—	8	17	7	—	—	—	—
Childbirth .. .	0·09	—	0·18	38	—	38	—	—	—	—	—	—	—	—	2	7	12	17	—	—	—	—
Violence	0·56	0·84	0·28	232	172	60	7	9	2	5	11	34	9	5	12	12	23	39	35	26	16	21
OTHER CAUSES ..	2·90	2·92	2·90	1208	595	613	387	16	9	9	1	422	8	13	21	16	32	52	64	79	151	350

Marriages 3,148

Births .. { Males .. 5,694 / Females 5,302 } 10,996

Annual Rate per 1000 living { Persons Married .. 15·14 / Births .. .. .. 26·43 }

Annual Births to 1000 Females aged 15—45 years = 116.

Deaths from Childbirth and Puerperal Fever .. .. } 6·37 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

628.—BANGOR.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population. 17·37	*130	—	—	—	—	46·86	4·33	3·26	4·79	6·05	8·37	9·87	14·71	31·69	65·06	158·40
Annual Death-Rate per 1000. Males ..	—	18·25	*147	—	—	—	—	51·68	3·93	2·51	4·05	6·98	8·53	10·30	16·37	35·85	71·06	171·75
Annual Death-Rate per 1000. Females	—	16·54	*113	—	—	—	—	41·98	4·73	4·07	5·53	5·28	8·23	9·48	13·26	28·27	60·14	148·07
Mean Population, 1891-1900. Persons	—	38,318	819	776	766	787	804	3952	4019	4050	3715	3224	5592	4561	3774	2818	1786	827
Mean Population, 1891-1900. Males ..	—	18,303	409	398	389	385	408	1989	2010	2110	1851	1462	2544	2146	1753	1272	805	361
Mean Population, 1891-1900. Females	—	20,015	410	378	377	402	396	1963	2009	1940	1864	1762	3048	2415	2021	1546	981	466
Deaths from All Causes, 1891-1900. Persons	19·23	7,369	1278	319	108	91	56	1852	174	132	178	195	468	450	555	893	1162	1310
Deaths from All Causes, 1891-1900. Males ..	20·27	3,710	738	164	62	41	23	1028	79	53	75	102	217	221	287	456	572	620
Deaths from All Causes, 1891-1900. Females	18·28	3,659	540	155	46	50	33	824	95	79	103	93	251	229	268	437	590	690

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·25	0·28	0·22	96	51	45	34	32	10	8	5	89	5	1	—	—	—	1	—	—	—	—
Scarlet Fever	0·19	0·20	0·18	72	36	36	4	9	8	14	13	48	12	6	3	—	2	1	—	—	—	—
Diphtheria	0·13	0·14	0·11	49	26	23	2	4	5	4	4	19	19	10	—	—	1	—	—	—	—	—
Whooping-cough ..	0·27	0·30	0·25	105	54	51	52	28	8	5	5	98	5	1	1	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·13	0·14	0·12	50	26	24	—	—	1	—	—	1	1	4	5	7	9	11	5	4	3	—
Simple Continued Fever	0·02	0·02	0·01	7	4	3	—	—	—	2	—	2	2	1	1	1	—	—	—	—	—	—
Diarrhœa & Dysentery	0·23	0·25	0·22	90	46	44	51	11	2	1	1	66	1	1	—	—	—	1	3	2	8	8
Cholera	0·02	0·01	0 02	6	2	4	2	1	2	—	—	5	—	—	—	—	—	—	—	—	—	1
Cancer	0·98	0·90	1·06	377	165	212	—	1	—	—	—	1	1	1	—	—	4	30	68	108	113	51
Tabes Mesenterica ..	0·17	0·17	0·16	65	32	33	22	14	3	1	1	41	4	3	3	1	4	1	4	2	2	—
Phthisis	1·99	1·99	1·99	763	365	398	7	8	3	1	2	21	10	28	80	107	181	126	89	74	42	5
Other Tub. & Scrof. Dis.	0·33	0·34	0·31	126	63	63	23	12	7	2	1	45	20	16	10	10	9	5	3	6	1	1
Diseases of Nervous System ..	3·51	3·87	3·18	1344	708	636	459	55	17	16	4	551	26	13	9	9	25	32	60	138	259	222
Diseases of Circulatory „ ..	2·27	2·30	2·24	870	421	449	1	—	—	—	3	4	6	9	16	9	33	64	99	210	259	161
Diseases of Respiratory „ ..	2·87	3·07	2·69	1099	561	538	198	105	25	21	9	358	23	6	9	10	31	35	59	115	206	247
Diseases of Digestive „ ..	1·11	1·20	1·03	426	220	206	112	21	3	3	3	142	11	6	7	10	23	27	44	55	59	42
Diseases of Urinary „ ..	0·64	0·87	0·43	246	160	86	2	3	—	2	—	7	6	4	2	6	21	16	35	64	41	44
Diseases of Generative „ ..	0·03	0·01	0·05	12	1	11	—	—	—	—	—	—	—	—	1	—	2	3	3	2	1	—
Puerperal Fever ..	0·05	—	0·10	20	—	20	—	—	—	—	—	—	—	—	1	—	12	7	—	—	—	—
Childbirth	0·12	—	0·23	47	—	47	—	—	—	—	—	—	—	—	—	5	28	13	1	--	—	—
Violence	0·61	1·04	0·22	235	191	44	12	3	7	5	1	28	7	12	11	12	49	31	29	26	19	11
Other Causes.. ..	3·31	3·17	3·46	1264	578	686	297	12	7	6	4	326	15	10	19	8	34	46	53	87	149	517

Marriages 2,900

Births .. Males .. 5,016 } 9,809
Females 4,793 }

Annual Rate per 1000 living { Persons Married .. 15·14
Births .. .. .. 25·60

Annual Births to 1000 Females aged 15—45 years = 108.

Deaths from Childbirth and Puerperal Fever .. .. } 6·83 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

629.—CONWAY.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 16·84			*146	—	—	—	—	48·47	3·72	2·83	4·15	4·88	7·27	10·42	15·55	27·46	63·93	143·76
Annual Death-Rate per 1000. Males ..	—			18·67			*166	—	—	—	—	55·66	4·06	2·44	4·75	5·71	7·89	13·61	17·54	33·25	67·71	156·48
Annual Death-Rate per 1000. Females	—			15·13			*125	—	—	—	—	41·54	3·39	3·22	3·67	4·30	6·79	7·99	13·99	22·81	60·85	134·47
Mean Population, 1891-1900. Persons	—			28,873			620	579	603	580	568	2950	2822	2791	2890	2970	4963	3542	2528	1890	1070	457
Mean Population, 1891-1900. Males ..	—			13,068			313	291	290	278	276	1448	1404	1392	1283	1226	2166	1528	1106	842	480	193
Mean Population, 1891-1900. Females	—			15,805			307	288	313	302	292	1502	1418	1399	1607	1744	2797	2014	1422	1048	590	264
Deaths from All Causes, 1891-1900. Persons	16·84			4,862			1065	191	76	59	39	1430	105	79	120	145	361	369	393	519	684	657
Deaths from All Causes, 1891-1900. Males ..	19·19			2,508			611	105	43	27	20	806	57	34	61	70	171	208	194	280	325	302
Deaths from All Causes, 1891-1900. Females	14·89			2,354			454	86	33	32	19	624	48	45	59	75	190	161	199	239	359	355
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox..	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Measles	0·11	0·11	0·10	31	15	16	11	11	3	4	—	29	1	—	—	—	1	—	—	—	—	—
Scarlet Fever	0·11	0·09	0·12	31	12	19	—	4	3	5	—	12	8	3	1	2	1	2	2	—	—	—
Diphtheria	0·13	0·20	0·08	38	26	12	1	5	5	4	4	19	13	3	—	1	1	1	—	—	—	—
Whooping-cough ..	0·26	0·29	0·24	76	38	38	45	12	7	3	5	72	4	—	—	—	—	—	—	—	—	—
Typhus	0·00	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·12	0·18	0·07	34	23	11	—	—	—	—	1	1	2	1	2	5	9	8	3	3	—	—
Simple Continued Fever	0·01	0·01	0·01	2	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—
Diarrhœa & Dysentery	0·49	0·53	0·46	141	69	72	96	16	4	1	—	117	—	—	—	1	1	1	1	4	5	11
Cholera	0·07	0·10	0·04	20	13	7	15	—	1	—	—	16	—	—	—	—	1	—	1	—	2	—
Cancer	0·89	0·81	0·96	258	106	152	—	1	—	—	—	1	—	—	3	1	5	23	43	71	78	33
Tabes Mesenterica ..	0·18	0·18	0·18	52	23	29	24	5	1	—	—	30	4	3	2	—	5	7	—	—	1	—
Phthisis	1·58	1·90	1·32	456	248	208	3	2	2	1	1	9	5	12	39	57	127	91	66	31	16	3
Other Tub. & Scrof. Dis.	0·38	0·47	0·31	111	62	49	27	13	10	8	4	62	13	9	5	6	11	1	1	1	1	1
Diseases of Nervous System ..	2·68	3·08	2·35	775	403	372	277	28	10	7	10	332	9	3	7	7	19	29	54	72	125	118
Diseases of Circulatory „ ..	1·77	1·93	1·63	510	253	257	—	—	1	—	1	2	2	10	8	6	20	34	71	106	157	94
Diseases of Respiratory „ ..	2·59	2·96	2·28	747	387	360	142	69	17	13	9	250	13	6	9	6	29	40	41	82	123	148
Diseases of Digestive „ ..	1·34	1·49	1·21	386	195	191	102	18	3	1	—	124	9	6	15	17	20	31	40	48	47	29
Diseases of Urinary „ ..	0·61	0·75	0·49	176	98	78	1	1	3	2	—	7	4	2	2	4	17	21	19	29	42	29
Diseases of Generative „ ..	0·02	—	0·03	5	—	5	—	—	—	—	—	—	—	—	—	—	1	1	2	1	—	—
Puerperal Fever ..	0·09	—	0·16	25	—	25	—	—	—	—	—	—	—	—	1	4	14	6	—	—	—	—
Childbirth	0·12	—	0·22	34	—	34	—	—	—	—	—	—	—	—	—	5	16	13	—	—	—	—
Violence	0·62	1·02	0·28	179	134	45	13	2	3	5	2	25	8	13	17	13	30	17	9	23	10	14
OTHER CAUSES ..	2·67	3·07	2·35	773	400	373	308	4	3	5	2	322	10	8	8	10	32	43	40	48	75	177

Marriages 2,287

Births .. { Males .. 3,675 / Females 3,619 } 7,294

Annual Rate per 1000 living { Persons Married .. 15·84 / Births .. .. .. 25·26

Annual Births to 1000 Females aged 15—45 years = 89.

Deaths from Childbirth and Puerperal Fever .. .. } 8·09 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

630.—ANGLESEY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 15·41			*118	—	—	—	—	36·65	3·25	2·94	5·03	7·07	6·71	9·69	15·18	24·53	65·62	152·20
Annual Death-Rate per 1000. Males ..	—			15·60			*130	—	—	—	—	36·83	3·15	2·53	4·09	8·03	6·61	10·77	15·26	29·66	69·73	161·17
Annual Death-Rate per 1000. Females	—			15·23			*107	—	—	—	—	36·45	3·36	3·36	5·92	6·31	6·78	8·79	15·11	20·33	62·31	145·39
Mean Population, 1891–1900. Persons	—			14,490			283	251	292	315	308	1449	1567	1496	1352	1075	1953	1662	1403	1227	829	477
Mean Population, 1891–1900. Males ..	—			6,808			145	131	143	167	158	744	794	752	660	473	862	752	642	553	370	206
Mean Population, 1891–1900. Females	—			7,682			138	120	149	148	150	705	773	744	692	602	1091	910	761	674	459	271
Deaths from All Causes, 1891–1900. Persons	19·64			2,846			411	56	26	22	16	531	51	44	68	76	131	161	213	301	544	726
Deaths from All Causes, 1891–1900. Males ..	20·17			1,373			225	26	8	9	6	274	25	19	27	38	57	81	98	164	258	332
Deaths from All Causes, 1891–1900. Females	19·17			1,473			186	30	18	13	10	257	26	25	41	38	74	80	115	137	286	394
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·13	0·21	0·07	19	14	5	4	3	2	6	—	15	2	2	—	—	—	—	—	—	—	—
Scarlet Fever	0·08	0·09	0·07	11	6	5	2	2	—	—	—	4	4	—	3	—	—	—	—	—	—	—
Diphtheria	0·09	0·07	0·10	13	5	8	1	—	—	2	1	4	8	—	—	—	—	—	1	—	—	—
Whooping-cough ..	0·16	0·16	0·16	23	11	12	13	5	3	2	—	23	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·16	0·18	0·14	23	12	11	—	1	—	1	—	2	1	2	2	3	5	2	5	—	1	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·12	0·10	0·13	17	7	10	11	—	—	—	—	11	—	—	—	—	—	—	—	—	5	1
Cholera	0·01	0·01	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Cancer	1·04	0·95	1·12	151	65	86	—	—	—	—	—	—	—	—	—	—	2	8	21	44	51	25
Tabes Mesenterica ..	0·19	0·16	0·22	28	11	17	3	3	—	—	2	8	2	7	2	3	4	1	—	—	1	—
Phthisis	1·65	1·69	1·61	239	115	124	—	—	—	—	—	—	7	7	29	33	59	49	35	12	7	1
Other Tub. & Scrof. Dis.	0·39	0·44	0·35	57	30	27	4	2	2	2	1	11	4	10	4	4	5	9	5	3	1	1
Diseases of Nervous System ..	3·35	3·20	3·48	485	218	267	135	13	7	—	3	158	5	4	5	5	13	9	31	55	103	97
Diseases of Circulatory „ ..	2·15	2·34	1·99	312	159	153	1	—	—	—	—	1	2	—	8	2	13	15	25	53	99	94
Diseases of Respiratory „ ..	3·09	3·44	2·79	448	234	214	62	18	5	5	3	93	6	1	2	5	4	12	29	53	130	113
Diseases of Digestive „ ..	1·41	1·53	1·30	204	104	100	40	3	3	2	1	49	3	2	4	2	7	12	23	38	40	24
Diseases of Urinary „ ..	0·55	0·66	0·46	80	45	35	—	1	—	—	1	2	1	2	—	2	3	10	8	14	20	18
Diseases of Generative „ ..	0·10	0·01	0·17	14	1	13	1	—	—	—	—	1	—	—	1	1	2	3	2	—	2	2
Puerperal Fever ..	0·04	—	0·08	6	—	6	—	—	—	—	—	—	—	—	—	1	1	4	—	—	—	—
Childbirth	0·08	—	0·14	11	—	11	—	—	—	—	—	—	—	1	—	2	4	3	1	—	—	—
Violence	0·41	0·56	0·29	60	38	22	4	2	3	1	3	13	4	1	3	5	3	8	4	7	9	3
Other Causes ..	4·44	4·37	4·50	644	297	347	130	3	1	1	1	136	2	5	5	8	6	16	23	21	75	347

Marriages 899

Births .. { Males .. 1,726 / Females 1,744 } 3,470

Annual Rate per 1000 living { Persons Married .. 12·41 / Births .. .. .. 23·95 }

Annual Births to 1000 Females aged 15—45 years = 105.

Deaths from Childbirth and Puerperal Fever .. .. } 4·90 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

631.—HOLYHEAD.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population. 16·08			*123	—	—	—	—	39·85	4·43	3·26	4·21	6·40	7·61	10·42	14·25	28·85	63·73	149·61
Annual Death-Rate per 1000. Males	—			16·19			*129	—	—	—	—	42·12	3·62	3·37	4·04	7·37	7·70	9·76	15·23	31·51	60·74	160·70
Annual Death-Rate per 1000. Females	—			15·98			*117	—	—	—	—	37·48	5·28	3·15	4·39	5·53	7·53	11·04	13·33	26·51	66·22	140·50
Mean Population, 1891-1900. Persons	—			19,999			436	430	449	458	443	2216	2167	2115	1876	1641	2838	2371	1909	1404	954	508
Mean Population, 1891-1900. Males	—			9,742			215	223	253	235	204	1130	1106	1068	941	773	1338	1148	919	657	433	229
Mean Population, 1891-1900. Females	—			10,257			221	207	196	223	239	1086	1061	1047	935	868	1500	1223	990	747	521	279
Deaths from All Causes, 1891-1900. Persons	18·70			3,740			650	110	58	33	32	883	96	69	79	105	216	247	272	405	608	760
Deaths from All Causes, 1891-1900. Males	18·89			1,840			352	59	29	15	21	476	40	36	38	57	103	112	140	207	263	368
Deaths from All Causes, 1891-1900. Females	18·52			1,900			298	51	29	18	11	407	56	33	41	48	113	135	132	198	345	392
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·13	0·15	0·11	26	15	11	4	8	4	3	2	21	2	2	—	—	1	—	—	—	—	—
Scarlet Fever	0·27	0·24	0·29	53	23	30	3	4	8	5	9	29	16	5	1	1	—	1	—	—	—	—
Diphtheria	0·14	0·12	0·16	28	12	16	1	2	4	2	3	12	7	4	1	1	1	1	—	—	—	1
Whooping-cough	0·18	0·17	0·18	35	17	18	12	11	7	1	1	32	3	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·08	0·09	0·06	15	9	6	—	1	—	—	—	1	1	2	1	3	2	1	1	3	—	—
Simple Continued Fever	0·01	—	0·01	1	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Diarrhœa & Dysentery	0·33	0·35	0·30	65	34	31	41	2	1	—	—	44	2	—	—	—	—	1	—	—	8	10
Cholera	0·02	0·01	0·02	3	1	2	1	1	—	—	—	2	—	—	—	—	—	—	—	—	1	—
Cancer	1·10	0·94	1·25	220	92	128	—	—	—	—	—	—	—	—	—	1	10	13	24	63	65	44
Tabes Mesenterica	0·23	0·26	0·20	46	25	21	11	8	2	2	—	23	4	4	4	1	1	3	2	1	2	1
Phthisis	1·75	1·78	1·73	350	173	177	1	5	—	—	2	8	9	13	26	43	89	64	41	34	18	5
Other Tub. & Scrof. Dis.	0·37	0·31	0·42	73	30	43	10	5	2	2	4	23	14	7	11	4	8	2	3	1	—	—
Diseases of Nervous System	3·65	3·51	3·81	733	342	391	233	24	7	7	6	277	14	7	11	3	6	15	41	66	123	170
Diseases of Circulatory	2·20	2·34	2·08	441	228	213	2	—	—	—	—	2	2	4	4	4	14	37	38	70	133	133
Diseases of Respiratory	3·11	3·09	3·14	623	301	322	114	25	10	7	—	156	8	4	4	9	18	22	39	78	126	159
Diseases of Digestive	1·03	0·98	1·09	207	95	112	45	5	2	—	3	55	7	2	3	1	7	14	26	26	35	31
Diseases of Urinary	0·72	0·90	0·55	144	88	56	3	1	1	1	2	8	1	—	1	3	8	13	16	23	36	35
Diseases of Generative	0·06	0·01	0·11	12	1	11	1	—	—	—	—	1	—	1	—	—	2	2	2	—	3	1
Puerperal Fever	0·08	—	0·15	15	—	15	—	—	—	—	—	—	—	—	—	6	5	4	—	—	—	—
Childbirth	0·07	—	0·13	13	—	13	—	—	—	—	—	—	—	—	—	1	3	8	1	—	—	—
Violence	0·57	0·95	0·20	114	93	21	4	2	6	1	—	13	4	7	5	15	17	18	17	8	5	5
OTHER CAUSES	2·60	2·69	2·53	523	261	262	163	6	4	2	—	175	2	7	7	9	24	28	21	32	53	165

Marriages 1,332

Births .. { Males .. 2,736 / Females 2,538 } 5,274

Annual Rate per 1000 living { Persons Married .. 13·32 / Births .. .. .. 26·37

Annua Births to 1000 Females aged 15—45 years = 117.

Deaths from Childbirth and Puerperal Fever .. .. } 5·31 per 1000 Births.

* The death-rates under one year of age are per 1000 Births.

CHANGES IN REGISTRATION DISTRICTS IN THE TEN YEARS, 1891–1900.

NOTE.—The changes are arranged in numerical order of the districts *from* which areas have been transferred; but in cases where this arrangement places a district *to* which areas have been added much out of its numerical order the name of the district is inserted in its appropriate place in the fifth column, with a cross reference indicating where details of the change will be found.

Date when change came into operation.	Date from which the changed areas were adopted for tabulation of Births and Deaths.	District.				Name of Parish Transferred.	Population.	
		Decreased by change.		Increased by change.				
		Name.	No.	Name.	No.		1891.	1901.
1891. 24 Mar.	1891. 24 Mar.	ST. GILES ..	11	PANCRAS.. ..	8	St. Giles in the Fields and St. George, Bloomsbury (*part of*).	—	—
				CHERTSEY .. (*See* WINDSOR, 123.)	31			
1897. 1 June	1897. 1 June	GUILDFORD ..	32	HAMBLEDON ..	34	Godalming Rural (*part of*).	837	821
1895. 1 June	1895. 1 June	HAMBLEDON ..	34	GUILDFORD ..	32	Shalford (*part of*) ..	76	95
"	"	REIGATE ..	36	DORKING ..	35	Charlwood (*part of*) ..	6	—
"	"	GODSTONE .. (*See also* EAST GRINSTEAD, 74.)	37	REIGATE.. ..	36	Bletchingley (*part of*) ..	25	23
						Horne (*part of*)	45	22
1898. 1 Nov.	1898. 1 Nov.	CROYDON ..	38	KINGSTON ..	39	Merton (*part of*)	16	34
1896. 1 Apr.	1896. 1 Apr.	MALLING ..	47	MEDWAY ..	46	Wouldham (*part of*) ..	—	—
1895. 1 July	1895. 1 July	SEVENOAKS ..	48	TONBRIDGE .. (*See also* TICEHURST, 72.)	49	Leigh (*part of*)	223	199
1895. 1 June	1895. 1 June	BRIDGE	56	CANTERBURY ..	57	Fordwich (*part of*) ..	—	—
						Bekesbourne (*part of*) ..	5	4
						Patrixbourne (*part of*) ..	16	22
						Littlebourne (*part of*) ..	—	—
						Nackington (*part of*) ..	45	38
"	"	BLEAN	58	CANTERBURY ..	57	Hackington (*part of*) ..	122	322
						Sturry (*part of*)	—	—
1897. 1 Dec.	1897. 1 Dec.	HASTINGS ..	68	BATTLE	69	St. Matthew (*part of*) ..	21	11
						St. Matthew (*part of*) ..	42	19

NOTE.—The entries are arranged in the numerical order of the Registration Districts from which areas have been transferred.

Changes in Registration Districts in the Ten Years, 1891—1900—*continued.*

Date when change came into operation.	Date from which the changed areas were adopted for tabulation of Births and Deaths.	District. Decreased by change. Name.	No.	District. Increased by change. Name.	No.	Name of Parish Transferred.	Population. 1891.	Population. 1901.
1895. 1 June	1895. 1 June	BATTLE	69	HASTINGS ..	68	Bexhill (*part of*)	—	—
				EASTBOURNE .. (*See* LEWES, 76.)	70			
				HAILSHAM .. (*See* LEWES, 76.)	71			
1895. 1 July	1895. 1 July	TICEHURST ..	72	TONBRIDGE ..	49	Frant (*part of*)	211	129
				UCKFIELD .. (*See* CUCKFIELD, 75.)	73			
1897. 1 June	1897. 1 June	EAST GRINSTEAD	74	GODSTONE ..	37	Lingfield	3204	3718
1897. 1 July	1897. 1 July	CUCKFIELD ..	75	HORSHAM ..	79	Cowfold	945	968
1898. 1 April	1898. 1 April	CUCKFIELD ..	75	UCKFIELD ..	73	Horsted Keynes (*part of*)	140	117
1898. 1 May	1898. 1 May	LEWES	76	HAILSHAM ..	71	Ripe	387	322
						Chalvington	152	115
"	"	LEWES	76	EASTBOURNE ..	70	Selmeston	210	225
						Alciston	204	180
						Berwick	172	174
				HORSHAM .. (*See* CUCKFIELD, 75).	79			
1896. 1 Aug.	1896. 1 Aug.	WESTHAMPNETT	83	CHICHESTER ..	84	Rumboldswyke	1460	1989
						Porthfield	1527	1562
"	"	CHICHESTER ..	84	WESTHAMPNETT	83	St. Pancras Rural ..	—	4
						Sub-Deanery Rural ..	59	237
				MIDHURST .. (*See* PETERSFIELD, 104).	85			
1895. 1 June	1895. 1 June	LYMINGTON ..	92	CHRISTCHURCH	93	Milton (*part of*)	403	602
1893. 1 Jan.	1893. 1 Jan.	CHRISTCHURCH	93	RINGWOOD ..	94	Christchurch (*part of*) ..	91	222
1897. 1 Nov.	1897. 1 Nov.	SOUTH STONEHAM.	98	WINCHESTER ..	101	North Stoneham (*part of*)	218	284
						South Stoneham (*part of*)	1	2
1897. 1 Dec.	1897 1 Dec.	WINCHESTER ..	101	ROMSEY	99	North Baddesley (*part of*)	140	141
1895. 1 June	1895. 1 June	PETERSFIELD ..	104	MIDHURST ..	85	Bramshott (*part of*) ..	11	8

NOTE.—The entries are arranged in the numerical order of the Registration Districts from which areas have been transferred.

Changes in Registration Districts in the Ten Years, 1891—1900—*continued.*

Date when change came into operation.	Date from which the changed areas were adopted for tabulation of Births and Deaths.	District. Decreased by change. Name.	No.	District. Increased by change. Name.	No.	Name of Parish Transferred.	Population. 1891.	Population. 1901.
1895. 1 June	1895. 1 June	BASINGSTOKE ..	108	HARTLEY WINTNEY.	107	Eastrop (*part of*)	—	—
1895. 1 July	1895. 1 July	NEWBURY ..	112	KINGSCLERE ..	111	Newtown	221	207
1895. 1 June	1895. 1 June	ABINGDON ..	115	OXFORD	150	North Hinksey (*part of*)	—	—
				(*See also* WOODSTOCK, 152.)		South Hinksey (*part of*)	1011	1275
				WOKINGHAM .. (*See* HENLEY, 147.)	120			
1895. 1 June	1895. 1 June	WINDSOR ..	123	CHERTSEY ..	31	Thorpe	549	508
1895. 1 Feb.	1895. 1 Feb.	BRENTFORD ..	126	UXBRIDGE ..	125	Heston (*part of*)	269	701
1895. 1 Nov.	1895. 1 Nov.	BRENTFORD ..	126	HENDON	127	Acton (*part of*)	—	—
"	"	HENDON	127	BRENTFORD ..	126	Willesden (*part of*) ..	—	—
1895. 1 June	1895. 1 June	EDMONTON ..	129	BARNET	128	Enfield (*part of*)	267	292
1897. 1 Oct.	1897. 1 Oct.	WARE	130	HERTFORD ..	134	Great Amwell (*part of*) ..	—	—
						Ware (*part of*)	—	—
				HITCHIN .. .. (*See* AMPTHILL, 173.)	133			
				HERTFORD .. (*See* WARE, 130.)	134			
				HEMEL HEMPSTEAD. (*See* LUTON 176.)	138			
				BERKHAMPSTEAD (*See* LEIGHTON BUZZARD, 175.)	139			
1895. 1 Oct.	1895. 1 Oct.	AMERSHAM ..	140	ETON	141	Chalfont St. Peter (*part of*)	354	351
1897. 1 Jan.	1897. 1 Jan.	WYCOMBE ..	142	THAME	148	Chinnor	1247	1002
1898. 1 June	1898. 1 June	WYCOMBE ..	142	AYLESBURY ..	143	Stoke Mandeville ..	356	282
1895. 1 June	1895. 1 June	NEWPORT PAGNELL.	145	POTTERSPURY ..	158	Hanslope (*part of*) .	—	12
"	"	HENLEY	147	WOKINGHAM ..	120	Remenham	546	604
				THAME .. .. (*See* WYCOMBE, 142.)	148			

NOTE.—The entries are arranged in the numerical order of the Registration Districts from which areas have been transferred.

Changes in Registration Districts in the Ten Years, 1891—1900—*continued.*

Date when change came into operation.	Date from which the changed areas were adopted for tabulation of Births and Deaths.	District. Decreased by change. Name.	No.	District. Increased by change. Name.	No.	Name of Parish Transferred.	Population 1891.	Population 1901.
1895. 1 June	1895. 1 June	HEADINGTON ..	149	OXFORD .. .. (*See also* WOODSTOCK, 152 and ABINGDON, 115.)	150	Marston (*part of*) ..	—	—
"	"	WOODSTOCK ..	152	HEADINGTON ..	149	Woolvercot (*part of*) ..	—	—
"	"	WOODSTOCK ..	152	ABINGDON ..	115	Woolvercot (*part of*) ..	5	—
				POTTERSPURY .. (*See* NEWPORT PAGNELL, 145.)	158			
1900. 1 Dec.	1900. 1 Dec.	NORTHAMPTON	160	BRIXWORTH ..	162	Boughton (*part of*) ..	48	66
						Moulton Park (*part of*)	13	15
1896. 1 May	1896. 1 May	OUNDLE	166	KETTERING ..	164	Great Weldon	290	280
						Little Weldon	469	472
1897. 1 Oct.	1897. 1 Oct.	AMPTHILL ..	173	HITCHIN	133	*Parts of* Shillington ..	44	73
1899. 1 Oct.	1899. 1 Oct.	WOBURN (Abolished.)	174	AMPTHILL ..	173	Salford	178	147
						Holcutt	48	45
						Ridgmont	658	591
						Husborne Crawley ..	410	397
						Aspley Guise	1230	1261
						Aspley Heath	451	462
						Woburn	1193	1129
						Potsgrove	157	114
						Milton Bryant	226	182
						Eversholt	623	574
						Tingrith	155	151
						Harlington	504	530
						Toddington	2087	1962
						Battlesden	81	72
"	"	WOBURN (Abolished.)	174	LEIGHTON BUZZARD.	175	Chalgrave	730	593
						Hockliffe	345	267
						Tilsworth	219	218
1895. 1 Nov.	1895. 1 Nov.	LEIGHTON BUZZARD.	175	BERKHAMPSTEAD	139	Ivinghoe (*part of*) ..	91	76
						Ivinghoe (*part of*) ..	191	189

NOTE.—The entries are arranged in the numerical order of the Registration Districts from which areas have been transferred.

Changes in Registration Districts in the Ten Years, 1891–1900—*continued.*

Date when change came into operation.	Date from which the changed areas were adopted for tabulation of Births and Deaths.	District. Decreased by change. Name.	No.	District. Increased by change. Name.	No.	Name of Parish Transferred.	Population. 1891.	Population. 1901.
1897. 1 Oct.	1897. 1 Oct.	LUTON	176	HEMEL HEMPSTEAD.	138	Humbershoe	274	230
						Houghton Regis (*part of*)	—	—
						Whipsnade (*part of*) ..	20	10
						Caddington (*part of*) ..	395	555
1897. 1 Nov.	1897. 1 Nov.	WISBECH ..	185	HOLBEACH .. (*See also* HOLBEACH, 416.)	416	Terrington St. Clement (*part of*).	—	—
						Walpole, St. Peter (*part of*).	42	39
						Walpole, St. Andrew (*part of*).	4	11
1897. 1 June.	1897. 1 June	TENDRING ..	195	LEXDEN	197	Elmstead (*part of*) ..	132	136
1895. 1 June	1895. 1 June	BOSMERE ..	211	IPSWICH	213	Bramford (*part of*) ..	230	717
						Bramford (*part of*) ..	38	39
1895. 1 June	1895. 1 June	SAMFORD ..	212	IPSWICH	213	Belstead (*part of*) ..	—	—
						Sproughton (*part of*) ..	58	51
						Sproughton (*part of*) ..	—	—
1895. 1 June	1895. 1 June	IPSWICH	213	BOSMERE ..	211	Whitton	143	182
"	"	IPSWICH	213	WOODBRIDGE ..	214	Westerfield..	83	63
"	"	WOODBRIDGE ..	214	IPSWICH	213	Rushmere	252	601
1891. 1 July	1891. 1 Jan.	MUTFORD ..	218	YARMOUTH ..	219	Gorleston	11,736	13,710
1896. 1 Oct.	1896. 1 Oct.	KING'S LYNN ..	237	FREEBRIDGE LYNN.	236	North Lynn	115	107
1897. 1 Dec.	1897. 1 Dec.	WESTBURY ..	250	MELKSHAM ..	248	Steeple Ashton (*part of*)	39	182
1896. 1 Nov.	1896. 1 Nov.	MERE	257	SHAFTESBURY .. (*See also* WINCANTON, 311.)	258	Bourton	782	722
						Silton	212	215
1895. 1 June	1895. 1 June	BLANDFORD ..	260	WIMBORNE ..	261	Almer	133	130
"	"	WIMBORNE ..	261	BLANDFORD ..	260	Chettle	121	119
						Farnham	301	275
1895. 1 Feb.	1895. 1 Feb.	WEYMOUTH ..	264	BRIDPORT ..	268	Abbotsbury (*part of*) ..	39	28
				DORCHESTER .. (*See* BRIDPORT, 268.)	265			

NOTE.—The entries are arranged in the numerical order of the Registration Districts from which areas have been transferred.

Changes in Registration Districts in the Ten Years, 1891–1900—*continued.*

Date when change came into operation.	Date from which the changed areas were adopted for tabulation of Births and Deaths.	District. Decreased by change. Name.	No.	Increased by change. Name.	No.	Name of Parish Transferred.	Population. 1891	1901.
1895. 1 June	1895. 1 June	SHERBORNE ..	266	YEOVIL	310	Rimpton	257	208
						Marston Magna	272	271
"	"	BEAMINSTER ..	267	CHARD	309	Misterton	677	681
1895. 1 Feb.	1895. 1 Feb.	BRIDPORT ..	268	DORCHESTER .. (*See also* WEYMOUTH, 264.)	265	Litton Cheney (*part of*)	49	45
1896. 1 May	1896. 1 May	AXMINSTER ..	269	BEAMINSTER ..	267	Thorncombe	941	804
"	"	AXMINSTER ..	269	BRIDPORT .. (*See also* WEYMOUTH, 264.)	268	Charmouth	535	560
				HONITON .. (*See* CHARD, 309.)	270			
1895. 1 Jan.	1895. 1 Jan.	TOTNES	274	PLYMPTON ST. MARY.	276	Ugborough (*part of*) ..	142	127
1897. 1 Jan.	1897. 1 Jan.	PLYMPTON ST. MARY.	276	PLYMOUTH ..	277	Compton Gifford (*part of*)	3232	6011
						Egg Buckland (*part of*)	595	1404
						Laira Green (*part of*) ..	481	859
						Pennycross (*part of*) ..	349	1368
1898. 1 Mar.	1898. 1 Mar.	PLYMPTON ST. MARY.	276	PLYMOUTH ..	277	Plymstock (*part of*) ..	—	25
1898. 9 Nov.	1898. 9 Nov.	PLYMPTON ST. MARY.	276	DEVONPORT ..	279	St. Budeaux (*part of*) ..	953	4525
						Pennycross (*part of*) ..	225	1995
1899. 1 April	1899. 1 April	PLYMPTON ST. MARY.	276	PLYMOUTH ..	277	St. Budeaux (*part of*) ..	21	39
				DEVONPORT .. (*See* PLYMPTON, ST. MARY, 276.)	279			
				TIVERTON .. (*See* DULVERTON, 304.)	283			
1896. 1 Aug.	1896. 1 Jan.	SOUTH MOLTON	284	DULVERTON ..	304	Exmoor	269	268
1899. 1 May	1899. 1 May	BIDEFORD ..	287	HOLSWORTHY ..	288	West Putford	233	216
1898. 1 June	1898. 1 June	ST. COLUMB ..	295	BODMIN	294	St. Breock (*part of*) ..	971	1163
1897. 1 Oct.	1897. 1 Oct.	WILLITON ..	303	DULVERTON ..	304	Withiel Florey	114	109

NOTE.—The entries are arranged in the numerical order of the Registration Districts from which areas have been transferred.

Changes in Registration Districts in the Ten Years, 1891—1900—*continued.*

Date when change came into operation.	Date from which the changed areas were adopted for tabulation of Births and Deaths.	District. Decreased by change. Name.	No.	Increased by change. Name.	No.	Name of Parish Transferred.	Population. 1891.	1901.
1896. 31 Mar.	1896. 31 Mar.	DULVERTON ..	304	TIVERTON .. (*See* SOUTH MOLTON, 284.)	283	Morebath	449	424
1897. 1 Mar.	1897. 1 Mar.	BRIDGWATER ..	307	AXBRIDGE ..	315	South Highbridge ..	515	511
1895. 1 June	1895. 1 June	CHARD	309	HONITON .. (*See* BEAMINSTER, 267.)	270	Yarcombe	647	578
				YEOVIL .. .. (*See* SHERBORNE, 266.)	310			
"	"	WINCANTON ..	311	SHAFTESBURY ..	258	Kington Magna	427	399
						Buckhorne Weston ..	491	441
				AXBRIDGE .. (*See* BRIDGWATER, 307.)	315			
1899. 1 Jan.	1899. 1 Jan.	KEYNSHAM ..	318	BRISTOL	320	Brislington (*part of*) ..	330	3209
"	"	LONG ASHTON ..	319	BRISTOL	320	Bedminster, created part of South Bristol.	45,627	57,842
						Easton in Gordano (*part of*).	13	167
						Long Ashton (*part of*) ..	83	80
						Portbury (*part of*) ..	5	—
						Portishead (*part of*) .. included in Bristol.	—	80
						Bedminster Without (*part of*).	7678	11,405
"	"	BARTON REGIS	321	BRISTOL	320	Clifton	29,345	27,761
						St. James and St. Paul Out.	24,042	26,505
						St. Philip and St. Jacob Out.	51,624	49,402
						Shirehampton (*part of*)	729	789
						Redland, created North Bristol Civil Parish.	15,391	16,667
						Stapleton	14,589	21,236
						St. George	36,718	55,426
						Horfield (*part of*) ..	7557	12,540
1896. 1 Jan.	1896. 1 Jan	NEWENT.. ..	326	ROSS	338	Aston Ingham	460	418
						Linton	805	708

NOTE.—The entries are arranged in the numerical order of the Registration Districts from which areas have been transferred.

Changes in Registration Districts in the Ten Years, 1891–1900—*continued.*

Date when change came into operation.	Date from which the changed areas were adopted for tabulation of Births and Deaths.	District. Decreased by change. Name.	No.	District. Increased by change. Name.	No.	Name of Parish Transferred.	Population. 1891.	Population. 1901.
1895. 1 Feb.	1895. 1 Feb.	WHEATENHURST	328	STROUD	329	Standish (*part of*) ..	—	—
1893. 1 Oct.	1893. 1 Jan.	STROUD	329	TETBURY ..	330	Avening	804	917
				LEDBURY .. (*See* BROMYARD, 341.)	337			
				ROSS .. .. (*See* NEWENT, 326.)	338			
1895. 1 July	1895. 1 July	BROMYARD ..	341	MARTLEY ..	378	Lower Sapey	201	161
1897. 1 June	1897. 1 June	BROMYARD ..	341	LEDBURY ..	337	Cradley (*part of*)	551	633
1897. 1 Oct.	1897. 1 Oct.	BROMYARD ..	341	MARTLEY ..	378	Cradley (*part of*)	6	6
				ELLESMERE .. (*See* WREXHAM, 618).	353			
				WHITCHURCH .. (*See* WREXHAM, 618.)	355			
1895. 1 July	1895. 1 July	STONE	360	NEWCASTLE UNDER LYME.	361	Trentham (*part of*) ..	61	130
				WOLSTANTON .. (*See* LEEK, 364.)	362			
1896. 1 May	1896. 1 May	STONE	360	STOKE UPON TRENT.	363	Florence and Normacott	12,089	14,196
1896. 1 June	1896. 1 June	STONE	360	NEWCASTLE UNDER LYME.	361	Trentham (*part of*) ..	13	16
1896. 1 May	1896. 1 May	STOKE UPON TRENT.	363	NEWCASTLE UNDER LYME. (*See also* CONGLETON, 448.)	361	Stoke Rural (*part of*) ..	304	253
1896. 1 Apr.	1896. 1 Apr.	LEEK	364	WOLSTANTON ..	362	Norton on the Moors (*part of*).	948	1317
1896. 1 May	1896. 1 May	CHEADLE ..	365	STOKE UPON TRENT.	363	East Vale	1862	1830
1897. 1 Mar.	1897. 1 Mar.	CHEADLE ..	365	UTTOXETER ..	366	Denstone (*part of*) ..	508	536
						Denstone (*part of*) ..	9	8
1895. 1 July	1895. 1 July	TAMWORTH ..	368	ASHBY DE LA ZOUCH.	406	Chilcote	105	95
				WEST BROMWICH (*See* BROMYARD, 341.)	373			

NOTE.—The entries are arranged in the numerical order of the Registration Districts from which areas have been transferred.

Changes in Registration Districts in the Ten Years, 1891—1900—*continued.*

Date when change came into operation.	Date from which the changed areas were adopted for tabulation of Births and Deaths.	District. Decreased by change. Name.	No.	Increased by change. Name.	No.	Name of Parish Transferred.	Population. 1891.	1901.
1900. 1 Nov.	1900. 31 Dec.	MARTLEY ..	378	UPTON ON SEVERN.	380	Malvern Link	3765	4814
1897. 9 Nov.	1897. 9 Nov.	KING'S NORTON	385	WEST BROMWICH.	373	Smethwick (*part of*) ..	64	61
				NUNEATON .. (*See* HINCKLEY, 404.)	390			
1899. 1 Dec.	1899. 1 Dec.	FOLESHILL ..	391	COVENTRY ..	392	Foleshill (*part of*) ..	4105	6424
						Stoke (*part of*)	1674	2114
1895. 1 June	1895. 1 June	RUGBY	393	LUTTERWORTH .	400	Westrill and Starmore ..	22	8
1895. 1 Nov.	1895. 1 Nov.	STRATFORD ON AVON.	396	SOLIHULL ..	394	Wootton Wawen (*part of*)	105	104
1895. 1 June	1895. 1 June	LUTTERWORTH .	400	HINCKLEY .. (*See also* RUGBY, 393.)	404	Wigston Parva	47	49
"	"	LUTTERWORTH .	400	MARKET HARBOROUGH. (*See also* UPPINGHAM, 412.)	401	Welford	882	757
1892. 1 Jan.	1892. 1 Jan.	BILLESDON ..	402	LEICESTER ..	409	Humberstone (*part of*) created West Humberstone (now Leicester).	3284	5690
						Evington (*part of*) created North Evington (now Leicester).	4173	10,462
"	"	BLABY	403	LEICESTER ..	409	New Found Pool ..	2160	4380
						Freakes Ground	56	12
						Braunstone (*part of*) ..	25	16
						Knighton (*part of*) ..	6075	11,430
						Aylestone (*part of*) ..	5381	7357
1896. 1 May	1896. 1 May	HINCKLEY ..	404	NUNEATON .. (*See* LUTTERWORTH, 400).	390	Wolvey	715	660
						Burton Hastings	175	138
				ASHBY DE LA ZOUCH. (*See* TAMWORTH, 368.)	406	Stretton Baskerville ..	56	42
1892. 1 Jan.	1892. 1 Jan.	BARROW UPON SOAR.	408	LEICESTER .. (*See also* BILLESDON, 402, and BLABY, 403.)	409	Belgrave	11,405	18,079
						Leicester Abbey (*part of*)	20	2664
1895. 1 June	1895. 1 June	UPPINGHAM ..	412	MARKET HARBOROUGH.	401	Slawston	152	145

NOTE.—The entries are arranged in the numerical order of the Registration Districts from which areas have been transferred.

Changes in Registration Districts in the Ten Years, 1891—1900—*continued.*

Date when change came into operation.	Date from which the changed areas were adopted for tabulation of Births and Deaths.	District. Decreased by change. Name.	No.	Increased by change. Name.	No.	Name of Parish Transferred.	Population. 1891.	1901.
1897. 1 Nov.	1897. 1 Nov.	HOLBEACH ..	416	WISBECH .. (*See also* WISBECH, 185.)	185	Central Wingland (*part of*)	—	12
1895. 1 July	1895. 1 July	BOSTON	417	SPILSBY	422	New Leake	576	474
"	"	BOSTON	417	SLEAFORD ..	418	Dogdyke	192	180
				SPILSBY .. .. (*See* BOSTON, 417.)	422			
1893. 1 Jan.	1893. 1 Jan.	CAISTOR	424	GLANFORD BRIGG.	425	Bigby (*part of*)	138	144
1897. 1 Apr.	1897. 1 Jan.	CAISTOR	424B	GRIMSBY .. .. (New district.)	424A	Ashby-cum-Fenby ..	227	204
						Aylesby	120	111
						Barnoldby le Beck ..	212	150
						Beelsby	190	182
						Bradley	85	85
						Brigsley	108	112
						Clee	18,651	26,281
						Cleethorpes	4306	12,578
						East Ravendale	118	105
						Great Coates	217	294
						Great Grimsby	33,283	36,857
						Habrough	343	344
						Hatcliffe	180	158
						Hawerby cum Beesby ..	80	69
						Healing	118	227
						Humberston	254	234
						Immingham	262	241
						Irby	193	176
						Laceby	986	942
						Little Coates	55	83
						Scartho	190	219
						Stallingborough	449	420
						Waltham	764	740
						Weelsby	124	119
						West Ravendale	62	73
						Wold Newton	172	146

NOTE.—The entries are arranged in the numerical order of the Registration Districts from which areas have been transferred.

Changes in Registration Districts in the Ten Years, 1891—1900—*continued.*

Date when change came into operation.	Date from which the changed areas were adopted for tabulation of Births and Deaths.	District. Decreased by change. Name.	No.	District. Increased by change. Name.	No.	Name of Parish Transferred.	Population. 1891.	Population. 1901.
1895 1 Nov	1895. 1 Nov.	MANSFIELD ..	429	BASFORD.. ..	430	Pinxton (*part of*)	7	9
1895. 1 July	1895. 1 July	BASFORD.. ..	430	NOTTINGHAM ..	431	Carlton (*part of*)	287	345
						West Bridgford (*part of*)	—	—
1895. 1 Nov.	1895. 1 Nov.	BASFORD.. ..	430	MANSFIELD ..	429	Kirkby in Ashfield (*part of*).	61	83
1899. 1 July	1899, 1 Jan.	BASFORD.. ..	430	NOTTINGHAM ..	431	Basford	22,781	27,119
						Bulwell	11,481	14,767
						North Wilford	2250	4525
1895. 1 July	1895. 1 July	NOTTINGHAM ..	431	BASFORD.. .	430	Lenton (*part of*)	—	—
				CHESTERFIELD.. (*See* ROTHERHAM, 510.)	439			
1898. 1 April	1898. 1 Jan.	HAYFIELD ..	442B	GLOSSOP	442A	Charlesworth	2141	1967
						Chisworth	436	409
						Glossop	22,416	21,526
						Ludworth	1804	1775
1896. 1 Dec.	1896. 1 Dec.	RUNCORN ..	446	WARRINGTON .. (*See also* WARRINGTON, 459.)	459	Appleton (*part of*) ..	546	467
						Latchford Without (*part of.*)	197	183
						Walton Inferior (*part of*)	—	—
1893. 1 Oct.	1893. 1 Jan.	CONGLETON ..	448	LEEK	364	Biddulph	5290	6247
1892. 1 July	1892. 1 Jan.	NANTWICH ..	449	CHESTER.. .. (*See also* WREXHAM, 618.)	450	Beeston	302	285
						Burwardsley	383	329
						Eaton by Tarporley ..	461	394
						Rushton	324	333
						Tarporley	1419	1454
						Tilston Fearnall	202	184
						Tiverton	514	525
						Utkinton	498	463
1898. 1 April	1898. 1 April	WIRRAL	451	BIRKENHEAD ..	452	Rock Ferry	2951	2971
						Lower Bebington (*part of*)	—	—

NOTE.—The entries are arranged in the numerical order of the Registration Districts from which areas have been transferred.

Changes in Registration Districts in the Ten Years, 1891–1900—*continued.*

Date when change came into operation.	Date from which the changed areas were adopted for tabulation of Births and Deaths.	District. Decreased by change. Name.	No.	District. Increased by change. Name.	No.	Name of Parish Transferred.	Population. 1891.	Population. 1901.
1895. 1 July	1895. 1 July	WARRINGTON ..	459	RUNCORN .. (*See also* RUNCORN, 446.)	446	Latchford Without ..	440	478
						Grappenhall	984	987
						Thelwall	770	481
"	"	BURY	462	OLDHAM	469	Hopwood (*part of*) ..	684	865
"	"	BURY	462	ROCHDALE ..	470	Hopwood (*part of*) ..	99	204
"	"	BURY	462	HASLINGDEN .. (*See* ROCHDALE, 470.)	471	Tottington Lower End (*part of*).	—	—
1900. 1 July	1900. 1 July	BARTON UPON IRWELL.	463	SALFORD.. ..	465	Barton upon Irwell (*part of*).	—	—
"	"	SALFORD.. ..	465	BARTON UPON IRWELL.	463	Pendleton (*part of*) ..	—	—
1895. 1 July	1895. 1 July	PRESTWICH ..	467	OLDHAM	469	Great Heaton (*part of*) ..	852	1055
"	"	ASHTON UNDER LYNE.	468	PRESTWICH .. (*See* SADDLEWORTH, 494.)	467	Clayton	3 2	8025
"	"	OLDHAM	469	ROCHDALE .. (*See also* PRESTWICH, 467, and BURY, 462.)	470	Thornham (*part of*) ..	681	800
"	"	ROCHDALE ..	470	BURY .. .. (*See also* BURY, 462.)	462	Castleton	2350	2871
"	"	ROCHDALE .	470	HASLINGDEN .. (*See also* BURY, 462.)	471	Spotland (*part of*) ..	9428	9062
1900. 1 Dec.	1900. 1 Dec.	ROCHDALE ..	470	BURY	462	Castleton (Lancs) (*part of*).	97	98
1895. 1 July	1895. 1 July	HASLINGDEN ..	471	BURY	462	Tottington Higher End (*part of*).	3003	2849
1895. 1 June	1895. 1 June	BURNLEY ..	472	TODMORDEN ..	493	Cornholme	385	753
1896. 1 June	1896. 1 June	SKIPTON	485	KEIGHLEY .. (*See* KEIGHLEY, 492.)	492	Silsden (*part of*)	—	—
1895. 1 July	1895. 1 July	RIPON	487	BEDALE	537	West Tanfield	521	527
						East Tanfield	54	72
						Sutton Howgrave ..	81	74
						Howgrave	48	36

NOTE.—The entries are arranged in the numerical order of the Registration Districts from which areas have been transferred.

Changes in Registration Districts in the Ten Years, 1891—1900—*continued.*

Date when change came into operation.	Date from which the changed areas were adopted for tabulation of Births and Deaths.	District. Decreased by change. Name.	No.	District. Increased by change. Name.	No.	Name of Parish Transferred.	Population. 1891.	Population. 1901.
1895. 1 Nov.	1895. 1 Nov.	RIPON	487	BEDALE	537	Nunwick with Howgrave (*part of*).	—	—
						Nunwick with Howgrave (*part of*).	—	—
1895. 1 July	1895. 1 July	GREAT OUSEBURN.	488	EASINGWOLD ..	528	Helperby	565	502
						Tollerton	491	504
						Youlton	39	39
						Shipton	442	335
"	"	GREAT OUSEBURN.	488	RIPON	487	Skelton	281	271
"	"	GREAT OUSEBURN.	488	THIRSK	529	Ellenthorpe	59	51
						Kirby Hill	125	119
						Langthorpe	329	308
						Norton le Clay	91	71
						Thornton Bridge.. ..	55	48
1895. 1 Nov.	1895. 1 Nov.	GREAT OUSEBURN.	488	THIRSK	529	Humburton	78	72
						Milby	91	93
1896. 1 June	1896. 1 June	KEIGHLEY ..	492	SKIPTON .. .. (*See* SKIPTON, 485.)	485	Steeton with Eastburn (*part of*).	—	—
				TODMORDEN .. (*See* BURNLEY, 472 and HALIFAX, 496.)	493			
1895. 1 July	1895. 1 July	SADDLEWORTH	494	ASHTON UNDER LYNE.	468	Saddleworth (*part of*)..	4224	4122
1895. 1 June	1895. 1 June	HALIFAX ..	496	TODMORDEN ..	493	Midgley (*part of*) ..	598	549
						Sowerby (*part of*) ..	1658	1474
1892. 1 Jan.	1892. 1 Jan.	BRADFORD ..	497A	NORTH BIERLEY	497B	Wike..	5929	6274
						Cleckheaton	11,826	12,524
						Hunsworth	1400	1346
						Drighlington	4322	4218
						Tong	6899	7312
						North Bierley	16,249	16,266
						Thornton	8917	8464
						Clayton	7484	7722
		Continued on p. 745.				Allerton	3916	4364

NOTE.—The entries are arranged in the numerical order of the Registration Districts from which areas have been transferred.

Changes in Registration Districts in the Ten Years, 1891—1900—*continued.*

Date when change came into operation.	Date from which the changed areas were adopted for tabulation of Births and Deaths.	District. Decreased by change. Name.	No.	District. Increased by change. Name.	No.	Name of Parish Transferred.	Population. 1891.	Population. 1901.
		Continued from p. 744.				Wilsden	2764	3067
						Shipley	16,043	17,938
						Heaton	4073	4431
						Idle	14,462	15,103
						Eccleshill	7928	8660
						Calverley with Farsley	9657	10,347
						Pudsey	17,037	18,469
1895. 1 June.	1895. 1 June	NORTH BIERLEY	497B	HALIFAX ..	496	Clayton (*part of*)	2777	2603
1898. 1 Oct.	1898. 1 Oct.	NORTH BIERLEY	497B	BRADFORD ..	497A	Allerton	3916	4364
						Thornbury, formerly Calverley with Farsley.	1804	2089
						Heaton	4073	4431
						Tyersall, formerly Pudsey (*part of*).	3593	3562
1899. 9 Nov.	1899. 9 Nov.	NORTH BIERLEY	497B	HALIFAX ..	496	Wike (*part of*)	436	389
1897. 1 Feb.	1897. 1 Feb.	HUNSLET ..	498	HOLBECK ..	499	Hunslet (*part of*)	2725	2497
"	"	HOLBECK ..	499	HUNSLET ..	498	Holbeck (*part of*) ..	1307	2427
1895. 1 July	1895. 1 July	WAKEFIELD ..	503	DEWSBURY ..	502	Ardsley West (*part of*) ..	363	419
1900. 1 Dec.	1900. 1 Dec.	WAKEFIELD ..	503	DEWSBURY ..	502	Alverthorpe (*part of*) ..	139	219
1895. 1 July	1895. 1 July	ROTHERHAM ..	510	CHESTERFIELD	439	Beighton	2852	3371
				SELBY .. .. (*See* HOWDEN, 518.)	514			
"	"	YORK	516	EASINGWOLD ..	528	Benningborough	61	78
						Overton	49	57
1895. 1 Nov.	1895. 1 Nov.	HOWDEN ..	518	SELBY	514	Knedlington (*part of*) ..	—	—
				BEVERLEY .. (*See* SKIRLAUGH, 523.)	519			
1895. 1 July	1895. 1 July	SKIRLAUGH ..	523	BEVERLEY ..	519	Brandesburton (*part of*)	34	30
				EASINGWOLD .. (*See* GREAT OUSEBURN, 488, and YORK, 516.)	528			
				THIRSK .. .. (*See* GREAT OUSEBURN, 488.)	529			

NOTE.—The entries are arranged in the numerical order of the Registration Districts from which areas have been transferred.

Changes in Registration Districts in the Ten Years, 1891—1900 *—continued.*

Date when change came into operation.	Date from which the changed areas were adopted for tabulation of Births and Deaths.	District. Decreased by change. Name.	No.	Increased by change. Name.	No.	Name of Parish Transferred.	Population. 1891.	1901.
1895. 1 Nov.	1895. 1 Nov.	MIDDLESBROUGH	534	STOCKTON ..	543A	Linthorpe (*part of*) ..	3	2
				BEDALE .. .. (*See* RIPON, 487.)	537			
1896. 1 Jan.	1896. 1 Jan.	STOCKTON ..	543A	SEDGEFIELD ..	543B	Bishopton	357	322
						Bradbury	223	242
						Butterwick	51	40
						East and West Newbiggin	40	36
						Elstob	59	49
						Embleton	147	134
						Fishburn	290	323
						Foxton and Shotton ..	52	58
						Great Stainton	88	76
						Little Stainton	63	58
						Mordon	133	144
						Preston le Skerne ..	102	135
						Sedgefield	2816	3167
						Stillington	65	80
						Trimdon	4136	4844
						Woodham	122	157
						Bishop Middleham ..	445	552
						Chilton	1536	1411
						Cornforth	4459	5060
						Ferry Hill	3966	4298
						Garmondsway Moor ..	160	111
						Mainsforth	158	144
						Thrislington	91	89
1897. 1 Apr.	1897. 1 Apr.	CHESTER LE STREET.	552	LANCHESTER ..	548	Edmondsley (*part of*) ..	1037	1310
1895. 1 July	1895. 1 July	BEDWELLTY ..	583	ABERGAVENNY .	582	Aberystruth (*part of*) ..	75	54
1900. 1 May	1900. 1 May	BEDWELLTY ..	583	CRICKHOWELL .	609	Aberystruth Brynmawr Urban.	270	299

NOTE.—The entries are arranged in the numerical order of the Registration Districts from which areas have been transferred.

Changes in Registration Districts in the Ten Years, 1891—1900—*continued.*

Date when change came into operation.	Date from which the changed areas were adopted for tabulation of Births and Deaths.	District. Decreased by change. Name.	No.	District. Increased by change. Name.	No.	Name of Parish Transferred.	Population. 1891.	Population. 1901.
1895. 1 July	1895. 1 July	PONTYPOOL ..	584	ABERGAVENNY .	582	Trevethin with Pontypool (*part of*).	1515	1468
"	"	NEWPORT ..	585	CARDIFF ..	586	Llanvedw	275	260
						Rhyd y Gwern	275	262
"	"	CARDIFF ..	586	NEWPORT ..	585	St. Mellons	650	637
						Rumney	540	579
1895. 1 June	1895. 1 June	PONTYPRIDD ..	587	MERTHYR TYDFIL.	588	Llanfabon (*part of*) ..	924	1218
"	"	MERTHYR TYDFIL.	588	PONTYPRIDD ..	587	Aberdare (*part of*) ..	2486	4257
1895. 1 Nov.	1895. 1 Nov.	LLANELLY ..	594	CARMARTHEN ..	597	Kidwelly St. Mary (*part of*).	63	60
						Kidwelly St Mary (*part of*).	25	26
						Kidwelly St. Mary (*part of*).	69	77
1897. 1 June	1897. 1 Jan.	LLANDOVERY ..	595	BUILTH	607	Llandulas	91	88
						Llanwrtyd	812	854
				CARMARTHEN .. (*See* LLANELLY, 594.)	597			
				BUILTH .. .. (*See* LLANDOVERY, 595.)	607			
				CHICKHOWELL . (*See* BEDWELLTY, 583.)	609			
				MACHYNLLETH . (*See* DOLGELLY. 624.)	613			
1895. 1 Nov.	1895. 1 Nov.	WREXHAM ..	618	CHESTER.. ..	450	Shocklach Church ..	158	147
						Shocklach Oviatt ..	158	167
1896. 1 Nov.	1896. 1 Nov.	WREXHAM ..	618	WHITCHURCH ..	355	Threapwood	306	305
1897. 1 Sept.	1897. 1 Sept.	WREXHAM ..	618	ELLESMERE ..	353	Bangor	554	508
						Worthenbury	419	441
1897. 1 Oct.	1897. 1 Oct.	WREXHAM ..	618	ELLESMERE ..	353	Erbistock (*part of*) ..	—	—
1895. 1 July	1895. 1 July	DOLGELLY ..	624	MACHYNLLETH .	613	Caercinion Fechan ..	121	123

NOTE.—The entries are arranged in the numerical order of the Registration Districts from which areas have been transferred.

INDEX OF REGISTRATION DISTRICTS.

The following Index furnishes a reference to the *Number* of each REGISTRATION DISTRICT in the topographical arrangement adopted in the preceding Tables, the numbers running consecutively from 1 to 631.

In addition to other uses, this Index will enable the reader to refer to Tables, showing *for each District*—

(1.) The Crude Death-rates for 1881–90, Crude and corrected Death-rate, Infantile Mortality, Birth-rates and Marriage-rates, 1891–1900; Tenements of fewer than Five Rooms, and Overcrowded Tenements, 1901. (Table 1, pp. cxxx–clxiii.)

(2.) The mortality from All Causes and from certain Epidemic and other causes among children under Five Years of Age. Table 2, pp. clxvi–clxxviii.

(3.) The mean Population living at Sixteen Age-periods, and the Deaths at each of those Age-periods from Twenty-four Causes or Groups of Causes, pp. 97–731.

A

Aberayron, 604.
Abergavenny, 582.
Aberystwith, 605.
Abingdon, 115,
Alcester, 397.
Alnwick, 563.
Alresford, 105.
Alston, 568.
Alton, 106.
Alverstoke, 89.
Amersham, 140.
Amesbury, 253.
Ampthill, 173.
Andover, 110.
Anglesey, 630.
Ashbourne, 438.
Ashby de la Zouch, 406.
Ashton under Lyne, 468.
Aston, 387.
Atcham, 351.
Atherstone, 389.
Auckland, 545.
Axbridge, 315.
Axminster, 269.
Aylesbury, 143.
Aylsham, 223.
Aysgarth, 539.

B

Bakewell, 440.
Bala, 623.
Banbury, 155.
Bangor, 628.
Barnet, 128.
Barnsley, 506.
Barnstaple, 285.
Barrow in Furness, 482.
Barrow upon Soar, 408.
Barton Regis, 321.
Barton upon Irwell, 463.
Basford, 430.
Basingstoke, 108.
Bath. 317.
Battle, 69.
Beaminster, 267.
Bedale, 537.
Bedford, 171.
Bedwellty, 583.
Belford, 564.
Bellingham, 561.
Belper, 437.
Berkhampstead, 139.
Berwick, 565.
Bethnal Green, 16.
Beverley, 519.
Bicester, 151.
Bideford, 287.
Biggleswade, 172.
Billericay, 191.
Billesdon, 402.
Bingham, 434.
Birkenhead, 452.
Birmingham, 386.
Bishop Stortford, 131.
Blaby, 403.
Blackburn, 474.
Blandford, 260.
Blean, 58.
Blofield, 228.
Blything, 216.
Bodmin, 294.
Bolton, 461.
Bootle, 576.
Bosmere, 211.
Boston, 417.
Bourne, 414.
Brackley, 156.
Bradfield, 118.
Bradford on Avon, 249.
Bradford, 497*a*.
Braintree, 199.
Bramley, 500.
Brampton, 570.
Brecknock, 608.
Brentford, 126.
Bridge, 56.
Bridgend, 589.
Bridgnorth, 348.
Bridgwater, 307.
Bridlington, 525.
Bridport 268.
Brighton, 77.
Bristol, 320.
Brixworth, 162.
Bromley, 41.
Bromsgrove, 384.
Bromyard, 341.
Buckingham, 146.
Bucklow (*formerly* Altrincham), 445.
Builth, 607.
Burnley, 472.
Burton upon Trent, 367.
Bury, 462.
Bury St. Edmunds, 206.

C

Caistor, 424*b*.
Calne, 245.
Camberwell, 26.
Cambridge, 179.
Camelford, 290.
Cannock, 370.
Canterbury, 57.
Cardiff, 586.
Cardigan, 601.
Carlisle, 572.
Carmarthen, 597.
Carnarvon, 627.
Castle Ward, 558.
Catherington, 103.
Caxton, 177.
Chapel en le Frith, 441.
Chard, 309.
Cheadle, 365.
Chelmsford, 192.
Chelsea, 3.
Cheltenham, 335.
Chepstow, 580.
Chertsey, 31.
Chester, 450.
Chesterfield, 439.
Chester le Street, 552.
Chesterton, 178.
Chichester, 84.
Chippenham, 244.
Chipping Norton, 154.
Chipping Sodbury, 322.
Chorley, 475.
Chorlton, 464.
Christchurch, 93.
Church Stretton, 346.
Cirencester, 331.
Cleobury Mortimer, 347.
Clitheroe, 473.
Clun, 345.

Clutton, 316.
Cockermouth, 574.
Colchester, 196.
Congleton, 448.
Conway, 629.
Corwen, 622.
Cosford, 204.
Coventry, 392.
Cranbrook, 52.
Crediton, 282.
Crickhowell, 609.
Cricklade, 242.
Croydon, 38.
Cuckfield, 75.

D

Darlington, 542.
Dartford, 42.
Daventry, 161.
Depwade, 230.
Derby, 436.
Devizes, 247.
Devonport, 279.
Dewsbury, 502.
Docking, 235.
Dolgelly, 624.
Doncaster, 511.
Dorchester, 265.
Dorking, 35,
Dover, 64.
Downham, 238.
Driffield, 524.
Droitwich, 383.
Droxford, 102.
Dudley, 374.
Dulverton, 304.
Dunmow, 200.
Durham, 549.
Dursley, 324.

E

Easington, 550.
Easingwold, 528.
East Ashford, 55.
Eastbourne, 70.
East Grinstead 74.
Easthampstead, 122.
East Preston, 82.
East Retford, 427.
Eastry, 63.
East Stonehouse, 278.
East Ward, 577.
Ecclesall Bierlow, 508.
Edmonton, 129.
Elham, 65.
Ellesmere, 353.
Ely, 182.
Epping, 187.
Epsom, 30.
Erpingham. 222.
Eton, 141.
Evesham, 381.
Exeter, 272.

F

Falmouth, 298.
Fareham, 90.
Faringdon, 114.
Farnham, 33.
Faversham, 59.
Festiniog, 625.
Flegg, 220.
Foleshill, 391.
Forden, 615.
Fordingbridge, 95.
Forehoe, 226.
Freebridge Lynn, 236.
Frome, 312.
Fulham, 2.
Fylde, 477.

G

Gainsborough, 426.
Garstang, 478.
Gateshead. 555.
Glanford Brigg, 425.
Glendale, 566.
Glossop, 442*a*.
Gloucester, 327.
Godstone, 37.
Goole, 513.
Gower, 593.
Grantham, 419.
Gravesend, 43.
Great Ouseburn, 488.
Greenwich, 27.
Grimsby, 424*a*.
Guildford, 32.
Guiltcross, 231.
Guisborough, 533,

H

Hackney, 10.
Hailsham, 71.
Halifax, 496.
Halstead, 198.
Haltwhistle, 560.
Hambledon, 34.
Hampstead, 7.
Hardingstone, 159.
Hartismere, 209.
Hartlepool, 544.
Hartley Witney, 107.
Haslingden, 471.
Hastings, 68.
Hatfield, 135.
Havant, 87.
Haverfordwest, 600.
Hay, 610.
Hayfield, 442*b*.
Headington, 149.
Helmsley, 530.
Helston, 299.
Hemel Hempstead, 138.
Hemsworth, 505.
Hendon, 127.
Henley, 147.
Henstead, 227.
Hereford, 339.
Hertford, 134.
Hexham, 559.
Hinckley, 404.
Hitchin, 133.
Holbeach, 416.
Holbeck, 499.
Holborn, 13.
Hollingbourn, 51.
Holsworthy, 288.
Holyhead, 631.
Holywell, 617.
Honiton, 270.
Hoo, 45.
Horncastle, 421.
Horsham, 79.
Houghton le Spring, 551.
Howden, 518.
Hoxne, 210,
Huddersfield, 495.
Hull, 521.
Hungerford, 113.
Hunslet, 498.
Huntingdon, 168.

I

Ipswich, 213.
Isle of Wight, 91
Islington, 9.

K

Keighley, 492.
Kendal, 579.
Kensington, 1*b*.
Kettering, 164.
Keynsham, 318.
Kidderminster, 376.
Kingsbridge, 275.
Kingsclere, 111.
King's Lynn. 237.
Kings Norton, 385.
Kingston, 39.
Kington, 343.
Knaresborough, 489.
Knighton, 611.

L

Lambeth, 24.
Lampeter, 603.
Lancaster, 479.
Lanchester, 548.
Langport, 308.
Launceston, 291.
Ledbury, 337.

Leeds, 501.
Leek, 364.
Leicester, 409.
Leigh, 460.
Leighton Buzzard, 175.
Leominster, 342.
Lewes, 76.
Lewisham, 28.
Lexden, 197.
Leyburn, 538.
Lichfield, 369.
Lincoln, 420.
Linton, 180.
Liskeard, 293.
Liverpool, 453.
Llandilofawr, 596.
Llandovery, 595.
Llanelly, 594.
Lllanfyllin, 616.
Llanrwst, 621.
Loddon, 229.
London City, 14.
Long Ashton (*formerly* Bedminster), 319.
Longtown, 571.
Loughborough, 407.
Louth, 423.
Ludlow, 344.
Lunesdale, 480.
Luton, 176.
Lutterworth, 400.
Lymington, 92.

M

Macclesfield, 444.
Machynlleth, 613.
Madeley, 350.
Maidenhead, 121.
Maidstone, 50.
Maldon, 194.
Malling, 47.
Malmesbury, 243.
Malton, 527.
Manchester, 466.
Mansfield, 429.
Market Bosworth, 405.
Market Drayton, 356.
Market Harborough, 401.
Marlborough, 246.
Martley, 378.
Marylebone, 6.
Medway, 46.
Melksham, 248.
Melton Mowbray, 410.
Mere, 257.
Meriden, 388.
Merthyr Tydfil, 588.
Middlesbrough, 534.
Midhurst, 85
Mildenhall, 207.
Mile End Old Town, 20.
Milton 60.
Mitford, 233.
Monmouth, 581.
Morpeth, 562.
Mutford, 218.

N

Nantwich, 449.
Narberth, 598
Neath, 590.
Newark, 433.
Newbury, 112.
Newcastle in Emlyn, 602.
Newcastle under Lyme, 361.
Newcastle upon Tyne, 556.
Newent, 326.
New Forest, 96.
Newmarket, 181.
Newport (Monmouth), 585.
Newport (Salop), 358.
Newport Pagnell, 145.
Newton Abbot, 273.
Newtown, 614.
Northallerton, 536.
Northampton, 160.
North Bierley, 497*b*.
Northleach, 332.
Northwich, 447.
North Witchford, 183.
Norwich, 225.
Nottingham, 431.
Nuneaton, 390.

O

Oakham, 411.
Okehampton, 281.
Oldham, 469.
Ongar, 188.
Ormskirk, 457.
Orsett, 190.
Oswestry, 352.
Oundle, 166.
Oxford, 150.

P

Paddington, 1*a*.
Pancras, 8.
Pateley Bridge, 486.
Patrington, 522.
Pembroke, 599.
Penrith, 569.
Penzance, 301.
Pershore, 382.
Peterborough, 167.
Petersfield, 104.
Petworth, 80.
Pewsey, 252.
Pickering, 531.
Plomesgate, 215.
Plymouth, 277.
Plympton St. Mary, 276.
Pocklington, 517.
Pontardawe, 591.
Pontefract, 504.
Pontypool, 584.
Pontypridd, 587.
Poole, 262.
Poplar, 21.
Portsmouth (*formerly* Portsea Town), 88.
Potterspury, 158.
Prescot, 456.
Preston, 476.
Prestwich, 467.
Pwllheli, 626.

R

Reading, 119.
Redruth, 300.
Reeth, 540.
Reigate, 36.
Rhayader, 612.
Richmond (Surrey), 40.
Richmond (Yorks), 541.
Ringwood, 94.
Ripon, 487.
Risbridge, 202.
Rochdale, 470.
Rochford, 193.
Romford, 189.
Romney Marsh, 66.
Romsey, 99.
Ross, 338.
Rothbury, 567.
Rotherham, 510.
Royston, 132.
Rugby, 393.
Runcorn, 446.
Ruthin, 619.
Rye, 67.

S

Saddleworth, 494.
Saffron Walden, 201.
St Albans, 136.
St. Asaph, 620.
St. Austell, 296.
St. Columb, 295.
St. Faith's 224.
St. George Hanover Sq., 4.
St. George in the East, 18.
St. Germans, 292.
St. Giles, 11.
St. Ives, 169.
St. Neots, 170.
St. Olave Southwark, 23.
St. Saviour Southwark, 22.
St. Thomas, 271.
Salford, 465.
Salisbury, 254.
Samford, 212.
Scarborough, 526.
Scilly Islands, 302.
Sculcoates, 520.
Sedbergh, 483.
Sedgefield, 543*b*.
Selby, 514.
Settle, 484.
Sevenoaks, 48.
Shaftesbury, 258.

Shardlow, 435.
Sheffield, 509.
Sheppey, 61.
Shepton Mallet, 313.
Sherborne, 266.
Shifnal, 349.
Shipston on Stour, 398.
Shoreditch, 15.
Skipton, 485.
Skirlaugh, 523.
Sleaford, 418.
Smallburgh, 221.
Solihull, 394.
Southam, 399.
Southampton, 97.
South Molton, 284.
South Shields, 554.
South Stoneham, 98.
Southwell, 432.
Spalding, 415.
Spilsby, 422.
Stafford, 359.
Staines, 124.
Stamford, 413.
Stepney, 19.
Steyning, 78.
Stockbridge, 100.
Stockport, 443.
Stockton, 543*a*.
Stokesley, 535.
Stoke upon Trent, 363.
Stone, 360.
Stourbridge, 375.
Stow, 208.
Stow on the Wold, 333.
Strand, 12.
Stratford on Avon, 396.
Stratton, 289.
Strood, 44.
Stroud, 329.
Sturminster, 259.
Sudbury, 203.
Sunderland, 553.
Swaffham, 239.
Swansea, 592.
Swindon (*formerly* Highworth), 241.

T

Tadcaster, 515.
Tamworth, 368.
Taunton, 306.
Tavistock, 280.
Teesdale, 546.
Tenbury, 377.
Tendring, 195.
Tenterden, 53.
Tetbury, 330.
Tewkesbury, 336.
Thakeham, 81.
Thame, 148.
Thanet, 62.
Thetford, 240.
Thingoe, 205.
Thirsk, 529.
Thornbury, 323.
Thorne, 512.
Thrapston, 165.
Ticehurst. 72.
Tisbury, 256.
Tiverton, 283.
Todmorden, 493.
Torrington, 286.
Totnes, 274.
Towcester, 157.
Toxteth Park, 454.
Tregaron, 606.
Truro, 297.
Tunbridge, 49.
Tynemouth, 557.

U

Uckfield, 73.
Ulverston, 481,
Uppingham, 412.
Upton on Severn, 380.
Uttoxeter, 366.
Uxbridge, 125.

W

Wakefield, 503.
Wallingford, 117.
Walsall, 372.
Walsingham, 234.
Wandsworth, 25.
Wangford, 217.
Wantage, 116.
Ware, 130.
Wareham, 263.
Warminster, 251.
Warrington, 459.
Warwick, 395.
Watford, 137.
Wayland, 232.
Weardale, 547.
Wellingborough, 163.
Wellington (Salop), 357.
Wellington (Somerset), 305.
Wells, 314.
Wem, 354.
Weobley, 340.
West Ashford, 54.
Westbourne, 86.
West Bromwich, 373.
Westbury, 250.
Westbury on Severn, 325
West Derby, 455.
West Ham, 186.
Westhampnett, 83.
Westminster, 5.
West Ward, 578.
Wetherby, 490.
Weymouth, 264.
Wharfedale, 491.
Wheatenhurst, 328.
Whitby, 532.
Whitchurch (Hants), 109.
Whitchurch (Salop), 355.
Whitechapel, 17.
Whitehaven, 575.
Whittlesey, 184.
Wigan, 458.
Wigton, 573.
Williton, 303.
Wilton, 255.
Wimborne, 261.
Wincanton. 311.
Winchcombe, 334.
Winchester, 101.
Windsor, 123.
Winslow, 144.
Wirral, 451.
Wisbech, 185.
Witney, 153.
Wokingham, 120.
Wolstanton, 362
Wolverhampton, 371.
Woodbridge. 214.
Woodstock, 152.
Woolwich, 29.
Worcester, 379.
Worksop, 428.
Wortley, 507.
Wrexham, 618.
Wycombe, 142.

Y

Yarmouth, 219.
Yeovil, 310.
York, 516.

In consequence of numerous alterations in districts since the numerical arrangement, 1 to 623, was adopted in the Abstracts for the year 1847, the districts were re-numbered consecutively from 1 to 630 in the Abstracts for the year 1881. Since that date the district of Woburn (174) has been dissolved and six new Registration Districts have been formed, the District of Kensington having been divided into Paddington (1*a*) and Kensington (1*b*), the District of Caistor into Grimsby (424*a*) and Caistor (424*b*), the District of Glossop into Glossop (442*a*) and Hayfield (412*b*), the District of Bradford into Bradford (497*a*) and North Bierley (497*b*), the District of Stockton into Stockton (543*a*) and Sedgefield (543*b*), and the District of Anglesey into Anglesey (630) and Holyhead (631).

URBAN DISTRICTS CO-EXTENSIVE WITH REGISTRATION DISTRICTS ON THE 31ST DECEMBER, 1900.

County Boroughs, Municipal Boroughs, and other Urban Districts.		No. of Registration District with which co-extensive.
Barrow-in-Furness	(C.B.)	482
Bristol, City of	"	320
Bury St. Edmunds	(M.B.)	206
Cambridge	"	179
Chichester, City of	"	84
Colchester	"	196
Devonport	(C.B.)	279
East Stonehouse	(U.D.)	278
Gosport and Alverstoke	"	89
Gravesend	(M.B.)	43
Ipswich	(C.B.)	213
Leicester	"	409
LONDON.		
London, City of		14
Metropolitan Boroughs.*		
Bethnal Green		16
Bermondsey		23
Camberwell		26
London (Metropolitan Boroughs)—*cont.*		
Hampstead		7
Islington		9
Lambeth		24
Poplar		21
St. Marylebone		6
St. Pancras		8
Shoreditch..		15
Southwark		22
Stepney		17, 18, 19, 20
Westminster, City of ..		4, 5, 12
Norwich, City of	(C.B.)	225
Nottingham, City of	"	431
Plymouth	"	277
Portsmouth	"	88
Reading	"	119

Note.—In the case of Leicester the Registration and Administrative areas were made co-extensive in 1892: Gosport and Alverstoke in 1894: Ipswich and Portsmouth in 1895: Chichester in 1896: and Bristol and Nottingham in 1899.

* The Metropolitan Boroughs were constituted in November 1900, but the boundaries of London Registration Districts were not adjusted to those of the Boroughs until 1st April, 1901; in the cases given above the Boroughs must be taken therefore, as only approximately represented by the Registration District

ALPHABETICAL INDEX

TO

PART I.

OF THE

SUPPLEMENT TO THE REGISTRAR-GENERAL'S SIXTY-FIFTH ANNUAL REPORT.

N.B.—The lettered Tables (A–K_1) in the following Index are included in the Report on pages vii–cxvi; the numbered Tables (1–7) are on pages cxxvi–cciv.

PAGES

ABSTRACTS of Mortality:
in Counties 3
in Districts 97

ACUTE NEPHRITIS. (*See* Bright's Disease.)

AGE CONSTITUTION of POPULATION:
Change of xii
Effect of, on Mortality ... xii
Local Variation of lxv
in Decennia (Table A) xi

AREAS, Overlapping of lxiv
attempts to arrange lxiv

ASIATIC CHOLERA lxxxiv

ATROPHY, DEBILITY, MARASMUS:
Mortality among Children (Tables H_1–J_1) cxi
Infants in Urban and Rural Counties (Table K_1) ... cxv

BIRTHS:
in Counties 3
in Districts 97

BIRTH-RATE:
fall in xii
per 1,000 population (Tables 1 and 7) ... ... cxxvi, ccii
in Counties 3
in Districts 97
per 1,000 women aged 15–45 (Table 1) cxxvi
in Counties 3
in Districts 97

BRAIN, Inflammation of. (*See* Meningitis.)

PAGES

BREAST MILK, Want of:
Mortality among Children (Tables H_1–J_1) cxi

BRIGHT'S DISEASE civ
Increase in Mortality (Table T) lxxii
Death-rates:
in Urban and Rural Counties by sex cv
by sex and age in Decennia (Table 5) cxcvii

BRONCHITIS ciii
Decrease in Mortality (Table T) lxxii
Influence of Season, London ... ciii
Death-rates:
in Urban and Rural Counties by sex ciii
by sex and age in Decennia (Table 5) cxcvi
Mortality among Children (Tables H_1–J_1) cxi
of Infants in Urban and Rural Counties (Table K_1) ... cxv

CANCER xcix
Increase in Mortality (Table T) lxxii
Chart of Mortality ... *facing* xcix
Deaths:
in Counties 3
in Districts 97
Death-rates:
in Counties (Table 7) ... ccii, 3
by sex (Table 4) ... clxxxii
in Districts 97
by sex:
of persons 35 and upwards in Counties (Table B_1) ci
by sex and age:
in Decennia (Table 5) ... cxcv
in two Decennia (Table A_1) c
in Urban and Rural Counties (Table 6) ... cci

PAGES

CARCINOMA. (*See* Cancer.)

CAUSES OF DEATH lxxi
Analysis of lxxi
Certification of lxx
Report of Committee on ... lxx
Inquiries to Medical Practitioners lxxi
in Counties 3
in Districts 97

CERTIFICATION of Causes of Death lxx
Unsatisfactory Coroners' Verdicts lxx

CHART OF MORTALITY:
from all causes ... ... *facing* xiv
Cancer ... ... „ xcix
Enteric Fever ... ... „ lxxx
Phthisis ... ... „ xciv
Tuberculosis ... ... „ xc

CHICKEN-POX:
Mortality among Children (Tables H_1–J_1) cxi

CHILDBIRTH:
Deaths:
in Counties 3
in Districts 97
Death-rates:
in Counties (Tables 4 and 7) clxxxii, ccii, 3
in Districts 97

CHILDBIRTH and PUERPERAL Fever. (*See* Puerperal Fever and Childbirth.)

CHILD MORTALITY. (*See* Infantile Mortality.)

CHOLERA lxxxiv
In proportion to Diarrhœa in Decennia lxxxiv
Deaths:
in Counties 3
in Districts 97
Death-rates:
in Counties (Table 7) ... ccii, 3
by sex (Table 4) ... clxxxii
in Districts 97
Mortality of Infants in Urban and Rural Counties (Table K_1) cxv

CIRCULATORY SYSTEM, Diseases of:
Deaths:
in Counties 3
in Districts 97
Death-rates:
in Counties (Table 7) ... ccii, 3
by sex (Table 4) ... clxxxii
in Districts 97

COMPARATIVE MORTALITY FIGURE:
in Counties (Table Q) lxvii

CONGENITAL DEFECTS:
Mortality among Children (Tables H_1–J_1) cxi
Infants in Urban and Rural Counties (Table K_1) ... cxv

PAGES

CONTINUED FEVER. (*See* Pyrexia.)

CONVULSIONS:
Mortality among Children (Tables H_1–J_1) cxi
of Infants in Urban and Rural Counties (Table K_1) cxv

CORRECTED DEATH-RATES ... xii

COUNTRY DISTRICTS. (*See* Rural Counties.)

CROUP, MEMBRANOUS lxxviii

CROUP (not Membranous):
Decrease in Mortality (Table T) lxxii
Death-rates:
by sex and age in Decennia (Table 5) cxcii

CROUP and DIPHTHERIA. (*See* Diphtheria and Croup.)

CRUDE DEATH-RATES:
Fallacy of comparing lxiv
(*See also* Death-rates, Mortality, and the several diseases.)

DEATHS:
in Counties 3
in Districts 97
in Selected Healthy Districts (Table C) xxi

DEATH-RATES:
Local variation of lxiv
in Healthy Districts (Table D) xxiv
in Counties (Table Q) ... lxvii
in Counties (Table 1) cxxvi, 3
in Districts (Table 1) cxxx, 97
adjusted for deaths in Institutions (Table 1) ... cxxx
of Infants in Counties (Table 1) ... ... cxxvi, 3
in Districts (Table 1) cxxx, 97
of children from Certain Diseases: in Counties and Districts (Table 2) clxiv
by sex and age:
in Decennia (Table B) ... xii
in Healthy Districts (Table C) xx
of Children in Urban and Rural Counties (Table C_1) cvi
from Certain Diseases (Tables H_1–J_1) ... cxi
of Infants from Certain Diseases in Urban and Rural Counties (Table K_1) cxv
in each month of the first year (Tables D_1 and E_1) ... ... cvii, cviii
in Counties (Table 3) clxxix, 3
in Districts 97

PAGES

DEATH-RATES—*continued.*
by sex and age from Certain Diseases:
in Decennia (Table 5) ... cxc
in Urban and Rural Counties (Table 6) cxcviii
by sex from Certain Diseases in Counties (Table 4)... clxxxii
in Counties from Certain Diseases (Table 7) ccii
(*See also* under the Several Diseases).

DEBILITY. (*See* Atrophy, &c.)

DEFECTS, CONGENITAL. (*See* Congenital Defects.)

DENSITY of POPULATION:
in Relation to Mortality (Tables R and S) lxviii

DENTITION. (*See* Teething.)

DIABETES MELLITUS cii
Increase in Mortality (Table T) lxxii
Death-rates:
in Urban and Rural Counties by sex cii
by sex and age in Decennia (Table 5)... cxcv

DIARRHŒA lxxxiii
In proportion to Cholera in Decennia lxxxiv
Mortality among Children (Tables H_1–J_1) cxi

DIARRHŒA and DYSENTERY ...lxxxiii
Deaths:
in Counties 3
in Districts 97
Death-rates:
in Counties (Table 7) ... ccii, 3
by sex (Table 4) ... clxxxii
in Districts 97
Mortality among infants in Urban and Rural Counties (Table K_1) cxv

DIARRHŒAL DISEASES ... lxxxiii
Increase in Mortality (Table T) lxxii
Death-rates:
by sex and age:
in Decennia (Table 5) ... cxcii
in Urban and Rural Counties (Table 6) cc
Mortality among Children (Tables H_1–J_1) cxi
in Counties and Districts (Table 2) clxiv
of Infants in Urban and Rural Counties (Table K_1) cxv

DIGESTIVE SYSTEM, Diseases of:
Deaths:
in Counties 3
in Districts 97
Death-rates:
in Counties (Table 7) ... ccii, 3
by sex (Table 4) ... clxxxii
in Districts 97

PAGES

DIPHTHERIA lxxvii
Increase of (Table T) lxxii
Distribution of xxvii
Improved Certification of ... lxxvii
Deaths:
in Counties 3
in Districts 97
Death-rates:
in Counties (Table 7) ... ccii, 3
by sex (Table 4) ... clxxxii
in Districts 97
by sex and age in Decennia (Table 5) cxci
in Urban and Rural Counties (Table 6) cxcix
Mortality among Children in Counties and Districts (Table 2) clxiv

DIPHTHERIA and CROUP lxxviii
Mainly fatal to Children ... lxxix
Death-rates:
by sex and age in Decennia (Table U)... lxxviii
Mortality among Children (Tables H_1–J_1) cxi
Infants in Urban and Rural Counties (Table K_1) ... cxv

DYSENTERY. (*See* Diarrhœa and Dysentery.)

ENGLISH LIFE TABLE. (*See* Life Tables.)

ENTERIC FEVER lxxix
Chart of Mortality from *facing* lxxx
Decrease in Mortality (Table T) lxxii
Districts with high Mortality... lxxxii
Deaths:
in Counties 3
in Districts 97
Death-rates:
in Counties (Tables V and 7) lxxxi, ccii, 3
by sex (Table 4) ... clxxxii
in Districts 97
by sex and age in Decennia (Table 5) cxcii
in Urban and Rural Counties (Table 6) cc

ENTERITIS:
Mortality among Children (Tables H_1–J_1) cxi
Infants in Urban and Rural Counties (Table K_1) ... cxv

ENTERITIS, INFECTIVE. (*See* Diarrhœal Diseases.)

EPIDEMIC DIARRHŒA lxxxiv

ERYSIPELAS:
Mortality among Children (Tables H_1–J_1) cxi
Infants in Urban and Rural Counties (Table K_1) ... cxv

ESTIMATING POPULATION, Method of cxvii

PAGES

FEVER:
Mortality among Children in Counties and Districts (Table 2) clxiv

GAIN or LOSS in MORTALITY from Certain Diseases. *See also* the several diseases (Table T) ... lxxi

GASTRITIS, GASTRO-ENTERITIS, GASTRO-INTESTINAL CATARRH:
Mortality:
by sex and age of Children (Tables H_1–J_1) cxi

GENERATIVE SYSTEM, Diseases of:
Deaths:
in Counties 3
in Districts 97
Death-rates:
in Counties (Table 7) ... ccii, 3
by sex (Table 4) ... clxxxii
in Districts 97

HEALTHY DISTRICTS:
Life Table for (Tables J, K, L) lii
List of, with death-rates (Table D) xxiv
Population and Mortality by sex and age in (Table C) ... xxi
Proportion of Population of Counties living in xxiii
Standard of Mortality in ... xx

HEART DISEASE. (*See* Circulatory System.)

HEART, Rheumatism of. (*See* Rheumatic Fever.)

ILLEGITIMATE CHILDREN:
Age Incidence of Mortality in London and Rural Counties (Table G_1) cx
Mortality among (Table F_1) ... cix

IMPROVED STATE of Public Health x

INDEX:
of Registration Districts ... 748
of certain Urban Districts ... 752

INFANTILE MORTALITY. (*See also* Death-rates, Mortality, and the several diseases) cv
Influence of overcrowding upon cxvi
Life Table, Infants under 1 (Table D_1) cvii
Report of Committee on Physical Deterioration ...cix, cxv, cxvi
by sex and age:
in Urban and Rural Counties (Table C_1) cvi
in parts of the first year of life (Table E_1) cviii
from Certain Diseases (Tables H_1–J_1) cxi

PAGES

INFANTILE MORTALITY—*continued.*
by sex and age—*continued.*
in Urban and Rural Counties (Table K_1) ... cxv
of Legitimate and Illegitimate Children (Table F_1) ... cix
Age Incidence of (Table G_1) cx
in Counties (Table 1) ... cvi, cxxvi, 3
in Districts (Table 1) ... cxxx, 97

INFECTIOUS DISEASES. (*See* the several diseases.)

INFECTIVE ENTERITIS. (*See* Diarrhœal diseases.)

INFLUENZA lxxv
Increase in Mortality (Table T) lxxii
Death-rates by sex and age in two periods lxxvi

INJURY AT BIRTH:
Mortality among Children (Tables H_1–J_1) cxi

INQUESTS, percentage of lxx

INQUIRIES TO MEDICAL PRACTITIONERS lxxi

LARYNGISMUS STRIDULUS:
Mortality among Infants in Urban and Rural Counties (Table K_1) cxv

LARYNGITIS cii
Decrease in Mortality (Table T) lxxii
Death-rates:
by sex and age in Decennia (Table 5) cxcvi
Mortality among Children (Table H_1–J_1) cxi
Infants in Urban and Rural Counties (Table K_1) ... cxv

LEGITIMATE CHILDREN:
Age Incidence of Mortality in London and Rural Counties (Table G_1) cx
Mortality among (Table F_1) cix

LIFE TABLES xv
Method of Construction ... xvi
Analysis of xxviii
New English (Tables E, F, G) xlii
New Healthy District (Tables J, K, L) lii
Comparison of English Tables (Tables H, I) xlviii
English and Healthy Districts (Tables O, P) lxii
Healthy Districts (Tables M, N) lviii
Infants under 1 (Table D_1) ... cvii
(*See also* Healthy Districts.)

LIVER and STOMACH, Diseases of:
Mortality among Infants in Urban and Rural Counties (Table K_1) cxv

LOCAL VARIATIONS OF DEATH-RATE lxiv
(*See also* the several diseases.)

PAGES

MALIGNANT DISEASE. (*See* Cancer.)

MARASMUS. (*See* Atrophy, &c.)

MARRIAGES :
in Counties 3
in Districts 97

MARRIAGE-RATES :
in Counties (Tables 1 and 7) ... cxxvi, ccii, 3
in Districts (Table 1) ... cxxx, 97

MEASLES lxxiv
Increase in Mortality (Table T) lxxii
Mainly fatal to children ... lxxiv
Deaths :
in Counties 3
in Districts 97
Death-rates :
in Counties (Table 7) ... ccii, 3
by sex (Table 4) ... clxxxii
in Districts 97
by sex and age in Decennia (Table 5) cxc
in Urban and Rural Counties (Table 6) cxcviii
Mortality :
among Children (Tables H_1–J_1) cxi
Infants in Urban and Rural Counties (Table K_1) ... cxv
Children in Counties and Districts (Table 2) ... clxiv

MEMBRANOUS CROUP, use of the term objectionable lxxviii

MEMBRANOUS LARYNGITIS, use of the term objectionable ...lxxviii

MENINGITIS (not tuberculous) :
Mortality among Children (Tables H_1–J_1) cxi
Infants in Urban and Rural Counties (Table K_1) ... cxv

MENINGITIS, TUBERCULOUS. (*See* Tuberculous Meningitis.)

MORTALITY. (*See also* Death-rates, Infantile Mortality, *and under* the several diseases.)
Age of Maximum, from Phthisis xciv
Charts of, from :
All causes ... ... *facing* xiv
Cancer ... ... „ xcix
Enteric Fever ... ... „ lxxx
Phthisis ... ... „ xciv
Tuberculosis (all forms) „ xc
Comparative Mortality Figure in Counties (Table Q) ... lxvii
Effect of Age Constitution ... xii
Gain or loss in, from certain diseases (Table T) lxxii
In Relation to Density of Population (Tables R and S) ... lxviii
Local Variations of lxiv
Standard of, in Healthy Districts xx
of Infants and Young Children cv

PAGES

MORTALITY—*continued.*
among Children :
by sex and age from Certain Diseases (Tables H_1–J_1)... cxi
in Urban and Rural Counties (Table C_1) cvi
in Counties and Districts from Certain Diseases (Table 2) clxiv
of Infants by sex in Urban and Rural Counties (Table K_1) cxv
in Counties (Table 1) cxxvi, 3
in Districts (Table 1) cxxx, 97
among Legitimate and Illegitimate children :
by age and sex in London, and Rural Counties (Table F_1) cix
Age Incidence of (Table G_1) cx
in Counties (Tables 1 and 7) cxxvi, ccii, 3
by sex from Certain Diseases (Table 4) clxxxii
in Districts (Table 1) ... cxxx, 97
by sex and age :
in Decennia (Table B) ... xiii
from Certain Diseases (Table 5) cxc
in Counties (Table 3)... clxxix, 3
in Districts 97
Selected Healthy Districts (Table C)... xxi
Urban and Rural Counties from Certain Diseases (Table 6) cxcviii

NEPHRITIS. (*See* Bright's Disease.)

NERVOUS SYSTEM, Diseases of :
Deaths :
in Counties 3
in Districts 97
Death-rates :
in Counties (Table 7)... ... ccii, 3
by sex (Table 4) ... clxxxii
in Districts 97

OVERCROWDED TENEMENTS :
Percentage of, in Counties and Districts (Table 1)... ... cxxvi

OVERCROWDING :
Influence of, upon Infantile Mortality cxvi

OVERLAPPING of AREAS lxiv
Attempts to arrange lxiv

OVERLYING :
Mortality by (Tables H_1–J_1) ... cxi

PHTHISIS xcii
Age of Maximum Mortality from xciv
Chart of Mortality ... *facing* xciv
Decrease in Mortality (Table T) lxxii
Influence of Season upon, London xcv
Local Distribution of xciv

PAGES

PHTHISIS—*continued.*
Deaths :
in Counties 3
in Districts 97
Death-rates :
in Counties (Table 7) ... ccii, 3
by sex (Tables Z and 4) ... xcvi, clxxxii
in Districts 97
in Urban and Rural Counties by sex xcv
by sex and age :
in Decennia (Table 5) ... cxciii
in two Decennia (Table Y) xciii
in Urban and Rural Counties (Table 6) cc

PHYSICAL DETERIORATION, Report of Committee on cix, cxv, cxvi

PLEURISY civ
Decrease in Mortality (Table T) lxxii
Influence of Season, London ... civ
Death-rates :
in Urban and Rural Counties by sex civ
by sex and age in Decennia (Table 5) cxcvi

PNEUMONIA lxxxvii
Increase of Mortality (Table T) lxxii
Influence of Season, London lxxxvii
Death-rates :
in Urban and Rural Counties by sex lxxxvii
by sex and age in Decennia (Table 5) cxciii
Mortality among Children (Tables H_1–J_1) cxi
Infants in Urban and Rural Counties (Table K_1) ... cxv

POPULATION :
Age Constitution, in Decennia (Table A) xi
Density, in relation to Mortality (Tables R and S) lxviii
Estimates of :
in Counties (Table 7) ... ccii, 3
in Districts 97
in Healthy Districts (Table C) xxi
Method of estimating cxvii
Proportion of, in Healthy Districts xxiii

PREMATURE BIRTH :
Mortality among Infants (Tables H_1–J_1) cxi
in Urban and Rural Counties (Table K_1) cxv

PUBLIC HEALTH, Improved State of x

PUERPERAL FEVER :
Deaths :
in Counties 3
in Districts 97
Death-rates :
in Counties (Tables 4, 7) clxxxii, ccii, 3
in Districts 97

PAGES

PUERPERAL FEVER and CHILDBIRTH lxxxv
Increase of Mortality (Table T) lxxii
Death-rates :
per 1,000 births in Counties (Tables W) ... lxxxvi, 3
in Districts 97
by age in Decennia (Table 5) cxcii
in Urban and Rural Counties (Table 6) ... cc

PYREXIA, Simple Continued Fever lxxix
Deaths :
in Counties 3
in Districts 97
Death-rates :
in Counties (Table 7) ... ccii, 3
by sex (Table 4) ... clxxxii
in Districts 97

REGISTRATION COUNTIES :
Abstracts of Mean Population, and Numbers and Rates of Births, Deaths, Marriages... 3

REGISTRATION DISTRICTS :
Abstracts of Mean Population, and Numbers and Rates of Births, Deaths, and Marriages 97
Changes of Boundaries... ... 732
Index of 748
Grouped in order of Corrected Rates (Table S) lxix
Crude Rates (Table R) ... lxviii

RESPIRATORY SYSTEM, Diseases of :
Deaths :
in Counties 3
in Districts 97
Death-rates :
in Counties (Table 7) ... ccii, 3
by sex (Table 4) ... clxxxii
in Districts 97
Mortality among Children in Counties and Districts (Table 2) clxiv

RHEUMATIC FEVER, Rheumatism of Heart xcviii
Decrease in Mortality (Table T) lxxii
Uncertainty of classification ... xcviii
Death-rates :
in Urban and Rural Counties by sex xcix
by sex and age in Decennia (Table 5) cxcv

RICKETS :
Mortality among Children (Tables H_1–J_1) cxi
Infants in Urban and Rural Counties (Table K_1) ... cxv

PAGES

RURAL COUNTIES :
Constitution of ix
Death-rates :
by sex and age from certain Diseases (Table 6) ...cxcviii
by sex from :
Bright's Disease cv
Bronchitis ciii
Diabetes Mellitus cii
Phthisis xcv
Pleurisy civ
Pneumonia lxxxvii
Rheumatic Fever xcix
Mortality :
among Children by sex and age (Table C_1) cvi
Infants from Certain Diseases (Table K_1) cxv
Tuberculous Meningitis and Peritonitis ... xcvii
Legitimate and Illegitimate Children (Table F_1) ... cix
Age Incidence of (Table G_1) cx

SCARLET FEVER lxxiv
Decrease in Mortality (Table T) lxxii
Deaths :
in Counties 3
in Districts 97
Death-rates :
in Counties (Table 7) ... ccii, 3
by sex (Table 4) ... clxxxii
in Districts 97
by sex and age in Decennia (Table 5) cxci
in Urban and Rural Counties (Table 6) cxcix
Mortality among Children (Tables H_1–J_1) cxi
in Counties and Districts (Table 2) clxiv
among Infants in Urban and Rural Counties (Table K_1) cxv

SCROFULOUS DISEASES. (*See* Tuberculosis, other forms)

SIMPLE CONTINUED FEVER. (*See* Pyrexia.)

SMALL-POX lxxii
Decrease in Mortality (Table T) lxxii
Number of Notifications, London lxxiii
Vaccinal condition lxxiii
Deaths :
in Counties 3
in Districts 97
Death-rates :
in Counties (Table 7) ... ccii, 3
by sex (Table 4) ... clxxxii
in Districts 97
by sex and age in Decennia (Table 5) cxc
in Urban and Rural Counties (Table 6) ... cxcviii

PAGES

SMALL-POX—*continued.*
Mortality among Children (Tables H_1–J_1) cxi
in Counties and Districts (Table 2) clxiv
among Infants in Urban and Rural Counties (Table K_1) cxv

STARVATION. (*See* Want of Breast Milk.)

STOMACH and LIVER, Diseases of :
Mortality among Infants in Urban and Rural Counties (Table K_1) cxv

SUFFOCATION :
Mortality among Children (Tables H_1–J_1) cxi

SUICIDE :
Death-rates by sex and age in Decennia (Table 5) ... cxcvii

SYPHILIS :
Mortality among Children (Tables H_1–J_1) cxi
among Infants in Urban and Rural Counties (Table K_1) cxv

TABES MESENTERICA. (*See* Tuberculous Peritonitis.)
Use of the term objectionable...lxxxix

TEETHING :
Mortality among Infants in Urban and Rural Counties (Table K_1) cxv

TENEMENTS, fewer than five Rooms :
Percentage of, in Counties and Districts (Table 1) ... cxxvi
Overcrowded (Table 1) ... cxxvi

TUBERCULOSIS (all forms) lxxxviii
Chart of Mortality ... *facing* xc
Decrease in Mortality (Table T) lxxii
Difficulties of measuring loss by lxxxix
Extract from "Nomenclature of Diseases"... xc
Proportion of Deaths to total deaths xci
Report of Royal Commission lxxxviii
Death-rates :
by sex and age in Decennia (Table 5) cxciii
in two Decennia (Table X) xci
Mortality :
among Children (Tables H_1–J_1) cxi
in Counties and Districts (Table 2) clxiv
Infants in Urban and Rural Counties (Table K_1) ... cxv

TUBERCULOSIS, other forms of ... xcviii
Increase in Mortality (Table T) lxxii
Deaths :
in Counties 3
in Districts 97

PAGES

TUBERCULOSIS, other forms of—*cont.*
Death-rates:
in Counties (Table 7) ... ccii, 3
by sex (Table 4) ... clxxxii
in Districts 97
by sex and age:
in Decennia (Table 5) ... cxciv
in Urban and Rural Counties (Table 6) cci
Mortality among Children (Tables H_1–J_1) cxi
TUBERCULOUS MENINGITIS ... xcvii
Decrease in Mortality (Table T) lxxii
Death-rates:
by sex and age in Decennia (Table 5) cxciv
Mortality:
among Children (Tables H_1–J_1) cxi
Infants in Urban and Rural Counties xcvii
TUBERCULOUS PERITONITIS (Tabes Mesenterica) xcvii
Decrease in Mortality (Table T) lxxii
Deaths:
in Counties 3
in Districts 97
Death-rates:
in Counties (Table 7) ... ccii, 3
by sex (Table 4) ... clxxxii
in Districts 97
by sex and age in Decennia (Table 5) cxciv
in Urban and Rural Counties (Tables 6) ... cci
Mortality:
among Children (Tables H_1–J_1) cxi
Infants in Urban and Rural Counties xcvii
TUBERCULOUS PHTHISIS. (*See* Phthisis.)
TYPHOID FEVER. (*See* Enteric Fever.)
TYPHUS:
Deaths:
in Counties 3
in Districts 97
Death-rates:
in Counties (Table 7) ... ccii, 3
by sex (Table 4) ... clxxxii
in Districts 97

UNCERTIFIED DEATHS:
Decreased percentage of ... lxx
URBAN COUNTIES:
Constitution of ix
Death-rates:
by sex and age from Certain Diseases (Table 6) ...cxcviii
by sex from:
Bright's disease cv
Bronchitis ciii
Diabetes Mellitus cii
Phthisis xcv
Pleurisy civ
Pneumonia lxxxvii
Rheumatic Fever xcix

PAGES

URBAN COUNTIES—*continued.*
Mortality:
among Children by sex and age (Table C_1) cvi
Infants from Certain Diseases (Table K_1) ... cxv
from Tuberculous Meningitis and Peritonitis xcvii
URBAN DISTRICTS, Index of certain 752
URINARY SYSTEM, Diseases of:
Deaths:
in Counties 3
in Districts 97
Death-rates:
in Counties (Table 7) ... ccii, 3
by sex (Table 4) ... clxxxii
in Districts 97

VACCINATION and SMALL-POX ... lxxiii
VIOLENCE:
Deaths:
in Counties 3
in Districts 97
Death-rates:
in Counties (Table 7) ... ccii, 3
by sex (Table 4) ... clxxxii
in Districts 97
by sex and age in Decennia (Table 5)... cxcvii

WANT of BREAST MILK:
Mortality among Children (Tables H_1–J_1) cxi
WASTING DISEASES:
Mortality among Children (Tables H_1–J_1) cxi
WHOOPING COUGH lxxvi
Decrease in Mortality (Table T) lxxii
Mainly fatal to Children ... lxxvi
Deaths:
in Counties 3
in Districts 97
Death-rates:
in Counties (Table 7) ... ccii, 3
by sex (Table 4) ... clxxxii
in Districts 97
by sex and age in Decennia (Table 5) cxci
in Urban and Rural Counties (Table 6) cxcix
Mortality:
among Children (Tables H_1–J_1) cxi
in Counties and Districts (Table 2) clxiv
Infants in Urban and Rural Counties (Table K_1) ... cxv

WELLCOME
LIBRARY
INSTITUTE